

HAO,JENNIFER PEI RU

DOB: 02/15/1994
Sex: F
Phone: (917) 743-1266
Patient ID: 100524562

Age: 29
Fasting: N

Specimen: SZ850451K
Requisition: 0004909
Lab Reference ID: 100524562
Report Status: FINAL / SEE REPORT

Collected: 07/24/2023 10:09
Received: 07/24/2023 10:10
Reported: 07/28/2023 11:49

Client #: 97555208
PATEL,KATAN
WALK-IN LAB
PO BOX 898
AMITE, LA 70422-0898
Phone: (800) 539-6119

FASTING:NO

▲ IMMUNOGLOBULIN E

Analyte	Value
▲ IMMUNOGLOBULIN E	986 H Reference Range: <OR=114 kU/L

VITAMIN D,25-OH,TOTAL,IA

Analyte	Value
VITAMIN D,25-OH,TOTAL,IA	42 Reference Range: 30-100 ng/mL
Vitamin D Status	25-OH Vitamin D:
Deficiency:	<20 ng/mL
Insufficiency:	20 - 29 ng/mL
Optimal:	> or = 30 ng/mL
For 25-OH Vitamin D testing on patients on D2-supplementation and patients for whom quantitation of D2 and D3 fractions is required, the QuestAssured(TM) 25-OH VIT D, (D2,D3), LC/MS/MS is recommended: order code 92888 (patients >2yrs).	

COMMENT

See Note 1

Note 1

For additional information, please refer to <http://education.QuestDiagnostics.com/faq/FAQ199> (This link is being provided for informational/ educational purposes only.)

IGF 1, LC/MS

Analyte	Value
IGF 1, LC/MS	171 Reference Range: 63-373 ng/mL
Z SCORE (FEMALE)	0.2 Reference Range: -2.0 - +2.0 SD
This test was developed and its analytical performance characteristics have been determined by Quest Diagnostics Nichols Institute San Juan Capistrano. It has not been cleared or approved by FDA. This assay has been validated pursuant to the CLIA regulations and is used for clinical purposes.	

DHEA SULFATE

Analyte	Value
DHEA SULFATE	156 Reference Range: 14-349 mcg/dL

INSULIN

Analyte	Value
---------	-------

INSULIN

10.7 uIU/mL

Reference Range < or = 18.4

Risk:

Optimal < or = 18.4
Moderate NA
High >18.4

Adult cardiovascular event risk category cut points (optimal, moderate, high) are based on Insulin Reference Interval studies performed at Quest Diagnostics in 2022.

SEX HORMONE BINDING GLOBULIN

Analyte

Value

SEX HORMONE BINDING GLOBULIN

46 Reference Range: 17-124 nmol/L

CORTISOL, TOTAL

Analyte

Value

CORTISOL, TOTAL

8.2 mcg/dL

Reference Range: For 8 a.m.(7-9 a.m.) Specimen: 4.0-22.0
Reference Range: For 4 p.m.(3-5 p.m.) Specimen: 3.0-17.0
* Please interpret above results accordingly *

PROGESTERONE

Analyte

Value

PROGESTERONE

<0.5 ng/mL

Reference Ranges
Female

Follicular Phase < 1.0
Luteal Phase 2.6-21.5
Post menopausal < 0.5
Pregnancy
1st Trimester 4.1-34.0
2nd Trimester 24.0-76.0
3rd Trimester 52.0-302.0

T4, FREE

Analyte

Value

T4, FREE

1.2 Reference Range: 0.8-1.8 ng/dL

T3, FREE

Analyte

Value

T3, FREE

3.6 Reference Range: 2.3-4.2 pg/mL

ESTRADIOL

Analyte

Value

ESTRADIOL

78 pg/mL

Reference Range
Follicular Phase: 19-144
Mid-Cycle: 64-357
Luteal Phase: 56-214
Postmenopausal: < or = 31

Reference range established on post-pubertal patient population. No pre-pubertal reference range established using this assay. For any patients for whom low Estradiol levels are anticipated (e.g. males, pre-pubertal children and hypogonadal/post-menopausal females), the Quest Diagnostics Nichols Institute Estradiol, Ultrasensitive, LCMSMS assay is recommended (order code 30289).

Please note: patients being treated with the drug fulvestrant (Faslodex(R)) have demonstrated significant interference in immunoassay methods for estradiol measurement. The cross reactivity could lead to falsely elevated estradiol test results leading to an inappropriate clinical assessment of estrogen status. Quest Diagnostics order code 30289-Estradiol, Ultrasensitive LC/MS/MS demonstrates negligible cross reactivity with fulvestrant.

THYROID PANEL WITH TSH

Analyte	Value
T3 UPTAKE	31 Reference Range: 22-35 %
T4 (THYROXINE), TOTAL	8.6 Reference Range: 5.1-11.9 mcg/dL
FREE T4 INDEX (T7)	2.7 Reference Range: 1.4-3.8
TSH	1.54 mIU/L
Reference Range	
> or = 20 Years 0.40-4.50	
Pregnancy Ranges	
First trimester	0.26-2.66
Second trimester	0.55-2.73
Third trimester	0.43-2.91

FSH AND LH

Analyte	Value
FSH	6.2 mIU/mL
Reference Range	
Follicular Phase	2.5-10.2
Mid-cycle Peak	3.1-17.7
Luteal Phase	1.5- 9.1
Postmenopausal	23.0-116.3
LH	12.1 mIU/mL
Reference Range	
Follicular Phase	1.9-12.5
Mid-Cycle Peak	8.7-76.3
Luteal Phase	0.5-16.9
Postmenopausal	10.0-54.7

TESTOSTERONE, FREE (DIALYSIS) AND TOTAL (MS)

Analyte	Value
---------	-------

TESTOSTERONE, TOTAL, MS

26 Reference Range: 2-45 ng/dL

For additional information, please refer to <http://education.questdiagnostics.com/faq/TotalTestosteroneLCMSMS>
(This link is being provided for informational/educational purposes only.)

This test was developed and its analytical performance characteristics have been determined by Quest Diagnostics. It has not been cleared or approved by the FDA. This assay has been validated pursuant to the CLIA regulations and is used for clinical purposes.

TESTOSTERONE, FREE

3.8 Reference Range: 0.1-6.4 pg/mL

This test was developed and its analytical performance characteristics have been determined by Quest Diagnostics. It has not been cleared or approved by the FDA. This assay has been validated pursuant to the CLIA regulations and is used for clinical purposes.

HEMOGLOBIN A1c

Analyte

Value

HEMOGLOBIN A1c

5.1 Reference Range: <5.7 % of total Hgb

For the purpose of screening for the presence of diabetes:

<5.7% Consistent with the absence of diabetes
5.7-6.4% Consistent with increased risk for diabetes (prediabetes)
> or =6.5% Consistent with diabetes

This assay result is consistent with a decreased risk of diabetes.

Currently, no consensus exists regarding use of hemoglobin A1c for diagnosis of diabetes in children.

According to American Diabetes Association (ADA) guidelines, hemoglobin A1c <7.0% represents optimal control in non-pregnant diabetic patients. Different metrics may apply to specific patient populations. Standards of Medical Care in Diabetes(ADA).

Performing Sites

EN Quest Diagnostics-West Hills, 8401 Fallbrook Ave, West Hills, CA 91304-3226 Laboratory Director: Thomas J McDonald

EZ Quest Diagnostics/Nichols SJC-San Juan Capistrano., 33608 Ortega Hwy, San Juan Capistrano, CA 92675-2042 Laboratory Director: Irina Maramica MD,PhD,MBA

SLI Quest Diagnostics-Nichols Valencia, 27027 Tourney Rd, Valencia, CA 91355-5386 Laboratory Director: Thomas McDonald M.D.

UL Quest Diagnostics-Sacramento - Northgate, 3714 Northgate Blvd, Sacramento, CA 95834-1617 Laboratory Director: Lorne L Holland

Key

 Priority Out of Range  Out of Range

These results have been sent to the person who ordered the tests. Your receipt of these results should not be viewed as medical advice and is not meant to replace discussion with your doctor or other healthcare professional.

Quest, Quest Diagnostics, the associated logo, Nichols Institute, Interactive Insights and all associated Quest Diagnostics marks are the registered trademarks of Quest Diagnostics. All third party marks - '®' and '™' - are the property of their respective owners. Privacy policy can be found at: <http://questdiagnostics.com/home/privacy-policy/online-privacy.html>. © 2022 Quest Diagnostics Incorporated. All rights reserved.

