

## HAO,JENNIFER PEI

DOB: 02/15/1994  
Sex: F  
Phone: (917) 743-1266  
Patient ID: 111630926

Age: 31  
Fasting: N

Specimen: SA860936V  
Requisition: 2688743  
Lab Reference ID: 7727767  
Report Status: FINAL / SEE REPORT

Collected: 11/04/2025 13:23  
Received: 11/05/2025 05:49  
Reported: 11/14/2025 10:22

Client #: 70056400  
NAGARAJA, RAJESHWARI  
OM - REDWOOD CITY  
900 VETERANS BLVD STE 150  
REDWOOD CITY, CA 94063-1741  
Phone: (888) 663-6331  
Fax: (650) 288-4180

## ▲ FOOD SPECIFIC IGG ALLERGY (ADULT) PANEL

| Analyte                       | Value  |                                         |
|-------------------------------|--------|-----------------------------------------|
| ▲ WHEAT (F4) IGG              | 10.1 H | Reference Range: <2.0 mcg/mL See Note 1 |
| ▲ TOMATO (F25) IGG            | 9.3 H  | Reference Range: <2.0 mcg/mL See Note 1 |
| ▲ EGG WHITE (F1) IGG          | 91.5 H | Reference Range: <2.0 mcg/mL See Note 1 |
| ▲ CASEIN (F78) IGG            | 6.4 H  | Reference Range: <2.0 mcg/mL See Note 1 |
| ▲ MAIZE/CORN (F8) IGG         | 9.2 H  | Reference Range: <2.0 mcg/mL See Note 1 |
| ▲ YEAST (F45) IGG             | 4.1 H  | Reference Range: <2.0 mcg/mL See Note 1 |
| ▲ PEANUT (F13) IGG            | 4.5 H  | Reference Range: <2.0 mcg/mL See Note 1 |
| ▲ SOYBEAN (F14) IGG           | 3.4 H  | Reference Range: <2.0 mcg/mL See Note 1 |
| ▲ CODFISH (F3) IGG            | 3.2 H  | Reference Range: <2.0 mcg/mL See Note 1 |
| ▲ CACAO (CHOCOLATE) (F93) IGG | 4.9 H  | Reference Range: <2.0 mcg/mL See Note 1 |
| ▲ COFFEE (F221) IGG           | 2.6 H  | Reference Range: <2.0 mcg/mL See Note 1 |

## ▲ IGG4 FOOD PANEL VII

| Analyte            | Value  |                                          |
|--------------------|--------|------------------------------------------|
| HALIBUT            | 1.28   | mcg/mL                                   |
| RYE FOOD           | 3.00   | mcg/mL See Note 2                        |
| BUCKWHEAT          | 0.50   | mcg/mL                                   |
| COCONUT            | 0.79   | mcg/mL                                   |
| MUSHROOM           | 0.32   | mcg/mL                                   |
| PEAR               | 2.17   | mcg/mL                                   |
| PEPPER BELL        | 1.17   | mcg/mL                                   |
| ▲ CANDIDA ALBICANS | 0.93 H | Reference Range: <0.50 mcg/mL See Note 3 |

## ▲ ANISE (F271) IGE \*\*

| Analyte               | Value  |      |
|-----------------------|--------|------|
| ▲ ANISE (F271) IGE ** | 0.23 H | kU/L |

**CLASS****0/1****INTERPRETATION**

| SPECIFIC<br>IGE CLASS | KU/L      | LEVEL OF ALLERGEN<br>SPECIFIC IGE ANTIBODY |
|-----------------------|-----------|--------------------------------------------|
| 0                     | <0.10     | ABSENT/UNDETECTABLE                        |
| 0/1                   | 0.10-0.34 | VERY LOW LEVEL                             |
| 1                     | 0.35-0.69 | LOW LEVEL                                  |
| 2                     | 0.70-3.49 | MODERATE LEVEL                             |
| 3                     | 3.50-17.4 | HIGH LEVEL                                 |
| 4                     | 17.5-49.9 | VERY HIGH LEVEL                            |
| 5                     | 50-100    | VERY HIGH LEVEL                            |
| 6                     | >100      | VERY HIGH LEVEL                            |

The clinical relevance of allergen results of 0.10-0.34 kU/L are undetermined and intended for specialist use.

Allergens denoted with a "\*\*\*" include results using one or more analyte specific reagents. In those cases, the test was developed and its analytical performance characteristics have been determined by Quest Diagnostics. It has not been cleared or approved by the U.S. Food and Drug Administration. This assay has been validated pursuant to the CLIA regulations and is used for clinical purposes.

**▲ EGGPLANT (F262) IGE \*\*****Analyte****Value****▲ EGGPLANT (F262) IGE \*\*****0.42 H** kU/L**CLASS****1****INTERPRETATION****Analyte****Value****INTERPRETATION**[See Note 4](#)**AVOCADO (F96) IGE****Analyte****Value****AVOCADO (F96) IGE****<0.10** kU/L**CLASS****0****INTERPRETATION****Analyte****Value****INTERPRETATION**[See Note 4](#)**ORANGE IGG4\*****Analyte****Value****ORANGE IGG4\*****0.69** mcg/mL

Reference ranges have not been established for food-specific IgG4 tests. The clinical utility of food-specific IgG4 tests has not been clearly established. These tests can be used in special clinical situations to select foods for evaluation by diet elimination and challenge in patients who have food-related complaints, and to evaluate food allergic patients prior to food challenges. The presence of food-specific IgG4 alone has been studied in response to various oral food immunotherapy treatments but cutoffs have not been established.

\*This test was developed and its performance characteristics determined by Eurofins Viracor. It has not been cleared or approved by the U.S. Food and Drug Administration.

FLAG Interpretation: A = Abnormal, H = High, L = Low

## CASEIN IGG4\*

| Analyte      | Value                  |
|--------------|------------------------|
| CASEIN IGG4* | 1.49 mcg/mL See Note 5 |

## BLACKBERRY IGG\*

| Analyte         | Value                 |
|-----------------|-----------------------|
| BLACKBERRY IGG* | 4.9 mcg/mL See Note 5 |

## RASPBERRY IGG\*

| Analyte        | Value       |
|----------------|-------------|
| RASPBERRY IGG* | 13.6 mcg/mL |

Reference ranges have not been established for food-specific IgG tests. The clinical utility of food-specific IgG tests has not been established. These tests can be used in special clinical situations to select foods for evaluation by diet elimination and challenge in patients who have food-related complaints. It should be recognized that the presence of food-specific IgG alone cannot be taken as evidence of food allergy and only indicates immunologic sensitization by the food allergen in question. This test should only be ordered by physicians who recognize the limitations of the test.

FLAG Interpretation: A = Abnormal, H = High, L = Low

## LIME IGG4

| Analyte    | Value                  |
|------------|------------------------|
| LIME IGG4* | 0.43 mcg/mL See Note 5 |

## IGG4 FOOD PANEL III

| Analyte                         | Value                   |
|---------------------------------|-------------------------|
| SUGAR BEET SEED (BETA VULGARIS) | 1.65 mcg/mL             |
| GREEN BEAN                      | 1.67 mcg/mL             |
| PINEAPPLE                       | 7.21 mcg/mL             |
| SHRIMP                          | <0.30 mcg/mL            |
| ONION                           | 2.00 mcg/mL             |
| TURKEY                          | <0.30 mcg/mL See Note 6 |
| TUNA                            | 0.88 mcg/mL             |
| BROCCOLI                        | 1.99 mcg/mL             |
| GRAPE                           | 2.30 mcg/mL             |

## IGG4 FOOD PANEL V

| Analyte                   | Value                   |
|---------------------------|-------------------------|
| MANGO                     | 0.74 mcg/mL             |
| SOLE                      | 0.74 mcg/mL             |
| ALMOND                    | 1.08 mcg/mL             |
| CODFISH                   | 1.29 mcg/mL             |
| YEAST (SACCAHROMYCES SPP) | <0.30 mcg/mL See Note 2 |

|             |       |                                          |
|-------------|-------|------------------------------------------|
| CARROT      | 1.06  | mcg/mL                                   |
| GARLIC      | 2.20  | mcg/mL                                   |
| BARLEY      | 3.38  | mcg/mL                                   |
| COTTON SEED | <0.30 | Reference Range: <1.00 mcg/mL See Note 3 |

## IGG4 FOOD PANEL VI

| Analyte  | Value |                   |
|----------|-------|-------------------|
| CASHEW   | 1.75  | mcg/mL            |
| CELERY   | 1.42  | mcg/mL            |
| COFFEE   | <0.30 | mcg/mL            |
| CRAB     | <0.30 | mcg/mL            |
| FLOUNDER | 0.49  | mcg/mL            |
| KIWI     | 5.53  | mcg/mL            |
| LAMB     | 0.48  | mcg/mL            |
| PECAN    | <0.30 | mcg/mL            |
| SALMON   | 1.77  | mcg/mL See Note 6 |

## GINGER (F270) IGE \*\*

| Analyte              | Value |      |
|----------------------|-------|------|
| GINGER (F270) IGE ** | <0.10 | kU/L |
| CLASS                | 0     |      |

## ONION (F48) IGE

| Analyte         | Value |      |
|-----------------|-------|------|
| ONION (F48) IGE | <0.10 | kU/L |
| CLASS           | 0     |      |

Note 1 This test was performed using a kit that has not been cleared or approved by the FDA. The analytical performance characteristics of this test have been determined by Quest Diagnostics. This test, and any food specific allergen IgG result, should not be used for the diagnosis of allergic or atopic disease states (except for sensitivity to milk in neonates and gluten sensitivity). The use of food specific allergen IgG results should be restricted to the assessment of response to therapeutic interventions.

Note 2 Reference ranges have not been established for food-specific IgG4 tests. The clinical utility of food-specific IgG4 tests has not been clearly established. These tests can be used in special clinical situations to select foods for evaluation by diet elimination and challenge in patients who have food-related complaints, and to evaluate food allergic patients prior to food challenges. The presence of food-specific IgG4 alone has been studied in response to various oral food immunotherapy treatments but cutoffs have not been established.

Note 3 The clinical utility of allergen-specific IgG4 tests has not been clearly established. The test methodology for this analyte is fluorescence enzyme immunoassay on the ImmunoCAP platform.

FLAG Interpretation: A = Abnormal, H = High, L = Low

| Note 4 | Specific<br>IGE Class | kU/L      | Level of Allergen<br>Specific IGE Antibody |
|--------|-----------------------|-----------|--------------------------------------------|
|        | 0                     | <0.10     | Absent/Undetectable                        |
|        | 0/1                   | 0.10-0.34 | Very Low Level                             |
|        | 1                     | 0.35-0.69 | Low Level                                  |
|        | 2                     | 0.70-3.49 | Moderate Level                             |
|        | 3                     | 3.50-17.4 | High Level                                 |
|        | 4                     | 17.5-49.9 | Very High Level                            |
|        | 5                     | 50-100    | Very High Level                            |
|        | 6                     | >100      | Very High Level                            |

The clinical relevance of allergen results of 0.10-0.34 kU/L are undetermined and intended for specialist use.

Allergens denoted with a "\*\*\*" include results using one or more analyte specific reagents. In those cases, the test was developed and its analytical performance characteristics have been determined by Quest Diagnostics. It has not been cleared or approved by the U.S. Food and Drug Administration. This assay has been validated pursuant to the CLIA regulations and is used for clinical purposes.

Note 5 FLAG Interpretation: A = Abnormal, H = High, L = Low

Note 6 Reference ranges have not been established for food-specific IgG4 tests. The clinical utility of food-specific IgG4 tests has not been clearly established. These tests can be used in special clinical situations to select foods for evaluation by diet elimination and challenge in patients who have food-related complaints, and to evaluate food allergic patients prior to food challenges. The presence of food-specific IgG4 alone has been studied in response to various oral food immunotherapy treatments but cutoffs have not been established.

FLAG Interpretation: A = Abnormal, H = High, L = Low

#### Performing Sites

ACER Eurofins Viracor, 18000 W 99th St, Lenexa, KS 66219-1233 Laboratory Director: Brock Neil PhD BCLD (ABB)

EN Quest Diagnostics-West Hills, 8401 Fallbrook Ave, West Hills, CA 91304-3226 Laboratory Director: Thomas J McDonald

EZ Quest Diagnostics/Nichols SJC-San Juan Capistrano,, 33608 Ortega Hwy, San Juan Capistrano, CA 92675-2042 Laboratory Director: Irina Maramica MD,PhD,MBA

UL Quest Diagnostics-Sacramento - Northgate, 3714 Northgate Blvd, Sacramento, CA 95834-1617 Laboratory Director: Lorne L Holland

#### Key

 Priority Out of Range  Out of Range

These results have been sent to the person who ordered the tests. Your receipt of these results should not be viewed as medical advice and is not meant to replace discussion with your doctor or other healthcare professional.

Quest, Quest Diagnostics, the associated logo, Nichols Institute, Interactive Insights and all associated Quest Diagnostics marks are the registered trademarks of Quest Diagnostics. All third party marks - '®' and '™' - are the property of their respective owners. Privacy policy can be found at: <http://questdiagnostics.com/home/privacy-policy/online-privacy.html>. © 2022 Quest Diagnostics Incorporated. All rights reserved.

