

HAO,JENNIFER PEI

DOB: 02/15/1994
Sex: F
Phone: (917) 743-1266
Patient ID: 111630926

Age: 31
Fasting: N

Specimen: SA860936V
Requisition: 2688743
Lab Reference ID: 7727767
Report Status: FINAL / SEE REPORT

Collected: 11/04/2025 13:23
Received: 11/05/2025 05:49
Reported: 11/14/2025 10:22

Client #: 70056400
NAGARAJA, RAJESHWARI
OM - REDWOOD CITY
900 VETERANS BLVD STE 150
REDWOOD CITY, CA 94063-1741
Phone: (888) 663-6331
Fax: (650) 288-4180

▲ FOOD SPECIFIC IGG ALLERGY (ADULT) PANEL

Analyte	Value	
▲ WHEAT (F4) IGG	10.1 H	Reference Range: <2.0 mcg/mL See Note 1
▲ TOMATO (F25) IGG	9.3 H	Reference Range: <2.0 mcg/mL See Note 1
▲ EGG WHITE (F1) IGG	91.5 H	Reference Range: <2.0 mcg/mL See Note 1
▲ CASEIN (F78) IGG	6.4 H	Reference Range: <2.0 mcg/mL See Note 1
▲ MAIZE/CORN (F8) IGG	9.2 H	Reference Range: <2.0 mcg/mL See Note 1
▲ YEAST (F45) IGG	4.1 H	Reference Range: <2.0 mcg/mL See Note 1
▲ PEANUT (F13) IGG	4.5 H	Reference Range: <2.0 mcg/mL See Note 1
▲ SOYBEAN (F14) IGG	3.4 H	Reference Range: <2.0 mcg/mL See Note 1
▲ CODFISH (F3) IGG	3.2 H	Reference Range: <2.0 mcg/mL See Note 1
▲ CACAO (CHOCOLATE) (F93) IGG	4.9 H	Reference Range: <2.0 mcg/mL See Note 1
▲ COFFEE (F221) IGG	2.6 H	Reference Range: <2.0 mcg/mL See Note 1

▲ IGG4 FOOD PANEL VII

Analyte	Value	
HALIBUT	1.28	mcg/mL
RYE FOOD	3.00	mcg/mL See Note 2
BUCKWHEAT	0.50	mcg/mL
COCONUT	0.79	mcg/mL
MUSHROOM	0.32	mcg/mL
PEAR	2.17	mcg/mL
PEPPER BELL	1.17	mcg/mL
▲ CANDIDA ALBICANS	0.93 H	Reference Range: <0.50 mcg/mL See Note 3

▲ ANISE (F271) IGE **

Analyte	Value	
▲ ANISE (F271) IGE **	0.23 H	kU/L

CLASS**0/1****INTERPRETATION**

SPECIFIC IGE CLASS	KU/L	LEVEL OF ALLERGEN SPECIFIC IGE ANTIBODY
0	<0.10	ABSENT/UNDETECTABLE
0/1	0.10-0.34	VERY LOW LEVEL
1	0.35-0.69	LOW LEVEL
2	0.70-3.49	MODERATE LEVEL
3	3.50-17.4	HIGH LEVEL
4	17.5-49.9	VERY HIGH LEVEL
5	50-100	VERY HIGH LEVEL
6	>100	VERY HIGH LEVEL

The clinical relevance of allergen results of 0.10-0.34 kU/L are undetermined and intended for specialist use.

Allergens denoted with a "***" include results using one or more analyte specific reagents. In those cases, the test was developed and its analytical performance characteristics have been determined by Quest Diagnostics. It has not been cleared or approved by the U.S. Food and Drug Administration. This assay has been validated pursuant to the CLIA regulations and is used for clinical purposes.

▲ EGGPLANT (F262) IGE **

Analyte	Value
▲ EGGPLANT (F262) IGE **	0.42 H kU/L
CLASS	1

INTERPRETATION

Analyte	Value
INTERPRETATION	See Note 4

AVOCADO (F96) IGE

Analyte	Value
AVOCADO (F96) IGE	<0.10 kU/L
CLASS	0

INTERPRETATION

Analyte	Value
INTERPRETATION	See Note 4

ORANGE IGG4*

Analyte	Value
ORANGE IGG4*	0.69 mcg/mL

Reference ranges have not been established for food-specific IgG4 tests. The clinical utility of food-specific IgG4 tests has not been clearly established. These tests can be used in special clinical situations to select foods for evaluation by diet elimination and challenge in patients who have food-related complaints, and to evaluate food allergic patients prior to food challenges. The presence of food-specific IgG4 alone has been studied in response to various oral food immunotherapy treatments but cutoffs have not been established.

*This test was developed and its performance characteristics determined by Eurofins Viracor. It has not been cleared or approved by the U.S. Food and Drug Administration.

FLAG Interpretation: A = Abnormal, H = High, L = Low

CASEIN IGG4*

Analyte	Value
CASEIN IGG4*	1.49 mcg/mL See Note 5

BLACKBERRY IGG*

Analyte	Value
BLACKBERRY IGG*	4.9 mcg/mL See Note 5

RASPBERRY IGG*

Analyte	Value
RASPBERRY IGG*	13.6 mcg/mL

Reference ranges have not been established for food-specific IgG tests. The clinical utility of food-specific IgG tests has not been established. These tests can be used in special clinical situations to select foods for evaluation by diet elimination and challenge in patients who have food-related complaints. It should be recognized that the presence of food-specific IgG alone cannot be taken as evidence of food allergy and only indicates immunologic sensitization by the food allergen in question. This test should only be ordered by physicians who recognize the limitations of the test.

FLAG Interpretation: A = Abnormal, H = High, L = Low

LIME IGG4

Analyte	Value
LIME IGG4*	0.43 mcg/mL See Note 5

IGG4 FOOD PANEL III

Analyte	Value
SUGAR BEET SEED (BETA VULGARIS)	1.65 mcg/mL
GREEN BEAN	1.67 mcg/mL
PINEAPPLE	7.21 mcg/mL
SHRIMP	<0.30 mcg/mL
ONION	2.00 mcg/mL
TURKEY	<0.30 mcg/mL See Note 6
TUNA	0.88 mcg/mL
BROCCOLI	1.99 mcg/mL
GRAPE	2.30 mcg/mL

IGG4 FOOD PANEL V

Analyte	Value
MANGO	0.74 mcg/mL
SOLE	0.74 mcg/mL
ALMOND	1.08 mcg/mL
CODFISH	1.29 mcg/mL
YEAST (SACCAHROMYCES SPP)	<0.30 mcg/mL See Note 2

CARROT	1.06	mcg/mL
GARLIC	2.20	mcg/mL
BARLEY	3.38	mcg/mL
COTTON SEED	<0.30	Reference Range: <1.00 mcg/mL See Note 3

IGG4 FOOD PANEL VI

Analyte	Value	
CASHEW	1.75	mcg/mL
CELERY	1.42	mcg/mL
COFFEE	<0.30	mcg/mL
CRAB	<0.30	mcg/mL
FLOUNDER	0.49	mcg/mL
KIWI	5.53	mcg/mL
LAMB	0.48	mcg/mL
PECAN	<0.30	mcg/mL
SALMON	1.77	mcg/mL See Note 6

GINGER (F270) IGE **

Analyte	Value	
GINGER (F270) IGE **	<0.10	kU/L
CLASS	0	

ONION (F48) IGE

Analyte	Value	
ONION (F48) IGE	<0.10	kU/L
CLASS	0	

Note 1 This test was performed using a kit that has not been cleared or approved by the FDA. The analytical performance characteristics of this test have been determined by Quest Diagnostics. This test, and any food specific allergen IgG result, should not be used for the diagnosis of allergic or atopic disease states (except for sensitivity to milk in neonates and gluten sensitivity). The use of food specific allergen IgG results should be restricted to the assessment of response to therapeutic interventions.

Note 2 Reference ranges have not been established for food-specific IgG4 tests. The clinical utility of food-specific IgG4 tests has not been clearly established. These tests can be used in special clinical situations to select foods for evaluation by diet elimination and challenge in patients who have food-related complaints, and to evaluate food allergic patients prior to food challenges. The presence of food-specific IgG4 alone has been studied in response to various oral food immunotherapy treatments but cutoffs have not been established.

Note 3 The clinical utility of allergen-specific IgG4 tests has not been clearly established. The test methodology for this analyte is fluorescence enzyme immunoassay on the ImmunoCAP platform.

FLAG Interpretation: A = Abnormal, H = High, L = Low

Note 4	Specific IGE Class	kU/L	Level of Allergen Specific IGE Antibody
	0	<0.10	Absent/Undetectable
	0/1	0.10-0.34	Very Low Level
	1	0.35-0.69	Low Level
	2	0.70-3.49	Moderate Level
	3	3.50-17.4	High Level
	4	17.5-49.9	Very High Level
	5	50-100	Very High Level
	6	>100	Very High Level

The clinical relevance of allergen results of 0.10-0.34 kU/L are undetermined and intended for specialist use.

Allergens denoted with a "***" include results using one or more analyte specific reagents. In those cases, the test was developed and its analytical performance characteristics have been determined by Quest Diagnostics. It has not been cleared or approved by the U.S. Food and Drug Administration. This assay has been validated pursuant to the CLIA regulations and is used for clinical purposes.

Note 5 FLAG Interpretation: A = Abnormal, H = High, L = Low

Note 6 Reference ranges have not been established for food-specific IgG4 tests. The clinical utility of food-specific IgG4 tests has not been clearly established. These tests can be used in special clinical situations to select foods for evaluation by diet elimination and challenge in patients who have food-related complaints, and to evaluate food allergic patients prior to food challenges. The presence of food-specific IgG4 alone has been studied in response to various oral food immunotherapy treatments but cutoffs have not been established.

FLAG Interpretation: A = Abnormal, H = High, L = Low

Performing Sites

ACER Eurofins Viracor, 18000 W 99th St, Lenexa, KS 66219-1233 Laboratory Director: Brock Neil PhD BCLD (ABB)

EN Quest Diagnostics-West Hills, 8401 Fallbrook Ave, West Hills, CA 91304-3226 Laboratory Director: Thomas J McDonald

EZ Quest Diagnostics/Nichols SJC-San Juan Capistrano,, 33608 Ortega Hwy, San Juan Capistrano, CA 92675-2042 Laboratory Director: Irina Maramica MD,PhD,MBA

UL Quest Diagnostics-Sacramento - Northgate, 3714 Northgate Blvd, Sacramento, CA 95834-1617 Laboratory Director: Lorne L Holland

Key

 Priority Out of Range  Out of Range

These results have been sent to the person who ordered the tests. Your receipt of these results should not be viewed as medical advice and is not meant to replace discussion with your doctor or other healthcare professional.

Quest, Quest Diagnostics, the associated logo, Nichols Institute, Interactive Insights and all associated Quest Diagnostics marks are the registered trademarks of Quest Diagnostics. All third party marks - '®' and '™' - are the property of their respective owners. Privacy policy can be found at: <http://questdiagnostics.com/home/privacy-policy/online-privacy.html>. © 2022 Quest Diagnostics Incorporated. All rights reserved.

