

HAO,JENNIFER PEI RU

DOB: 02/15/1994
Sex: F
Phone: (917) 743-1266
Patient ID: 3F2B5E743D

Age: 31
Fasting: N

Specimen: SZ205412S
Requisition: 0021016
Lab Reference ID: 3F2B5E743D
Report Status: FINAL / SEE REPORT

Collected: 02/26/2025 14:45
Received: 02/26/2025 14:46
Reported: 03/03/2025 14:17

Client #: 97555208
PATEL,KATAN
WALK-IN LAB
PO BOX 898
AMITE, LA 70422-0898
Phone: (800) 539-6119

FASTING:NO ; PATIENT NOT FASTING; ADVISED TO RETURN FOR COLLECTION.

▲ CBC (INCLUDES DIFF/PLT)

Analyte	Value	
WHITE BLOOD CELL COUNT	7.9	Reference Range: 3.8-10.8 Thousand/uL
RED BLOOD CELL COUNT	4.82	Reference Range: 3.80-5.10 Million/uL
HEMOGLOBIN	14.7	Reference Range: 11.7-15.5 g/dL
▲ HEMATOCRIT	45.6 H	Reference Range: 35.0-45.0 %
MCV	94.6	Reference Range: 80.0-100.0 fL
MCH	30.5	Reference Range: 27.0-33.0 pg
MCHC	32.2	Reference Range: 32.0-36.0 g/dL
For adults, a slight decrease in the calculated MCHC value (in the range of 30 to 32 g/dL) is most likely not clinically significant; however, it should be interpreted with caution in correlation with other red cell parameters and the patient's clinical condition.		
RDW	12.9	Reference Range: 11.0-15.0 %
PLATELET COUNT	246	Reference Range: 140-400 Thousand/uL
MPV	11.8	Reference Range: 7.5-12.5 fL
ABSOLUTE NEUTROPHILS	5491	Reference Range: 1500-7800 cells/uL
ABSOLUTE LYMPHOCYTES	1699	Reference Range: 850-3900 cells/uL
ABSOLUTE MONOCYTES	608	Reference Range: 200-950 cells/uL
ABSOLUTE EOSINOPHILS	40	Reference Range: 15-500 cells/uL
ABSOLUTE BASOPHILS	63	Reference Range: 0-200 cells/uL
NEUTROPHILS	69.5	%
LYMPHOCYTES	21.5	%
MONOCYTES	7.7	%
EOSINOPHILS	0.5	%
BASOPHILS	0.8	%

▲ DHEA SULFATE

Analyte	Value	
▲ DHEA SULFATE	245 H	Reference Range: 19-237 mcg/dL

COMPREHENSIVE METABOLIC PANEL

Analyte	Value	
GLUCOSE	91	Reference Range: 65-139 mg/dL
Non-fasting reference interval		

UREA NITROGEN (BUN)	15	Reference Range: 7-25 mg/dL
CREATININE	0.64	Reference Range: 0.50-0.97 mg/dL
EGFR	121	Reference Range: > OR = 60 mL/min/1.73m2
BUN/CREATININE RATIO Not Reported: BUN and Creatinine are within reference range.	SEE NOTE:	Reference Range: 6-22 (calc)
SODIUM	139	Reference Range: 135-146 mmol/L
POTASSIUM	4.2	Reference Range: 3.5-5.3 mmol/L
CHLORIDE	107	Reference Range: 98-110 mmol/L
CARBON DIOXIDE	25	Reference Range: 20-32 mmol/L
CALCIUM	9.6	Reference Range: 8.6-10.2 mg/dL
PROTEIN, TOTAL	7.5	Reference Range: 6.1-8.1 g/dL
ALBUMIN	4.6	Reference Range: 3.6-5.1 g/dL
GLOBULIN	2.9	Reference Range: 1.9-3.7 g/dL (calc)
ALBUMIN/GLOBULIN RATIO	1.6	Reference Range: 1.0-2.5 (calc)
BILIRUBIN, TOTAL	0.5	Reference Range: 0.2-1.2 mg/dL
ALKALINE PHOSPHATASE	40	Reference Range: 31-125 U/L
AST	16	Reference Range: 10-30 U/L
ALT	14	Reference Range: 6-29 U/L

VITAMIN D,25-OH,TOTAL,IA

Analyte	Value
VITAMIN D,25-OH,TOTAL,IA	42 Reference Range: 30-100 ng/mL
Vitamin D Status 25-OH Vitamin D: Deficiency: <20 ng/mL Insufficiency: 20 - 29 ng/mL Optimal: > or = 30 ng/mL For 25-OH Vitamin D testing on patients on D2-supplementation and patients for whom quantitation of D2 and D3 fractions is required, the QuestAssureD(TM) 25-OH VIT D, (D2,D3), LC/MS/MS is recommended: order code 92888 (patients >2yrs).	
COMMENT See Note 1 Note 1 For additional information, please refer to http://education.QuestDiagnostics.com/faq/FAQ199 (This link is being provided for informational/ educational purposes only.)	

IGF 1, LC/MS

Analyte	Value
IGF 1, LC/MS	255 Reference Range: 53-331 ng/mL
Z SCORE (FEMALE)	1.2 Reference Range: -2.0 - +2.0 SD See Note 1

TESTOSTERONE, FREE (DIALYSIS) AND TOTAL (MS)

Analyte	Value
---------	-------

TESTOSTERONE, TOTAL, MS**11** Reference Range: 2-45 ng/dL

For additional information, please refer to <http://education.questdiagnostics.com/faq/TotalTestosteroneLMSMS> (This link is being provided for informational/educational purposes only.)

TESTOSTERONE, FREE**1.8** Reference Range: 0.1-6.4 pg/mL See Note 1**SEX HORMONE BINDING GLOBULIN****Analyte****Value****SEX HORMONE BINDING GLOBULIN****24** Reference Range: 17-124 nmol/L**CORTISOL, TOTAL****Analyte****Value****CORTISOL, TOTAL****12.0** mcg/dL

Reference Range: For 8 a.m.(7-9 a.m.) Specimen: 4.0-22.0

Reference Range: For 4 p.m.(3-5 p.m.) Specimen: 3.0-17.0

* Please interpret above results accordingly *

PROGESTERONE**Analyte****Value****PROGESTERONE****<0.5** ng/mL

Reference Ranges

Female

Follicular Phase < 1.0

Luteal Phase 2.6-21.5

Post menopausal < 0.5

Pregnancy

1st Trimester 4.1-34.0

2nd Trimester 24.0-76.0

3rd Trimester 52.0-302.0

T4, FREE**Analyte****Value****T4, FREE****1.4** Reference Range: 0.8-1.8 ng/dL**T3, FREE****Analyte****Value****T3, FREE****3.4** Reference Range: 2.3-4.2 pg/mL**ESTRADIOL****Analyte****Value**

ESTRADIOL

24 pg/mL

Reference Range
Follicular Phase: 19-144
Mid-Cycle: 64-357
Luteal Phase: 56-214
Postmenopausal: < or = 31

Reference range established on post-pubertal patient population. No pre-pubertal reference range established using this assay. For any patients for whom low Estradiol levels are anticipated (e.g. males, pre-pubertal children and hypogonadal/post-menopausal females), the Quest Diagnostics Nichols Institute Estradiol, Ultrasensitive, LCMSMS assay is recommended (order code 30289).

Please note: patients being treated with the drug fulvestrant (Faslodex(R)) have demonstrated significant interference in immunoassay methods for estradiol measurement. The cross reactivity could lead to falsely elevated estradiol test results leading to an inappropriate clinical assessment of estrogen status. Quest Diagnostics order code 30289-Estradiol, Ultrasensitive LC/MS/MS demonstrates negligible cross reactivity with fulvestrant.

THYROID PANEL WITH TSH

Analyte	Value
T3 UPTAKE	33 Reference Range: 22-35 %
T4 (THYROXINE), TOTAL	8.2 Reference Range: 5.1-11.9 mcg/dL
FREE T4 INDEX (T7)	2.7 Reference Range: 1.4-3.8
TSH	1.15 mIU/L
Reference Range	
> or = 20 Years 0.40-4.50	
Pregnancy Ranges	
First trimester	0.26-2.66
Second trimester	0.55-2.73
Third trimester	0.43-2.91

FSH AND LH

Analyte	Value
FSH	2.9 mIU/mL
Reference Range	
Follicular Phase	2.5-10.2
Mid-cycle Peak	3.1-17.7
Luteal Phase	1.5- 9.1
Postmenopausal	23.0-116.3
LH	0.6 mIU/mL
Reference Range	
Follicular Phase	1.9-12.5
Mid-Cycle Peak	8.7-76.3
Luteal Phase	0.5-16.9
Postmenopausal	10.0-54.7

HEMOGLOBIN A1c

Analyte	Value
---------	-------

HEMOGLOBIN A1c

5.4 Reference Range: <5.7 % of total Hgb

For the purpose of screening for the presence of diabetes:

<5.7% Consistent with the absence of diabetes
5.7-6.4% Consistent with increased risk for diabetes (prediabetes)
> or =6.5% Consistent with diabetes

This assay result is consistent with a decreased risk of diabetes.

Currently, no consensus exists regarding use of hemoglobin A1c for diagnosis of diabetes in children.

According to American Diabetes Association (ADA) guidelines, hemoglobin A1c <7.0% represents optimal control in non-pregnant diabetic patients. Different metrics may apply to specific patient populations. Standards of Medical Care in Diabetes(ADA).

Note 1 This test was developed and its analytical performance characteristics have been determined by Quest Diagnostics. It has not been cleared or approved by FDA. This assay has been validated pursuant to the CLIA regulations and is used for clinical purposes.

Performing Sites

EN Quest Diagnostics-West Hills, 8401 Fallbrook Ave, West Hills, CA 91304-3226 Laboratory Director: Thomas J McDonald

EZ Quest Diagnostics/Nichols SJC-San Juan Capistrano,, 33608 Ortega Hwy, San Juan Capistrano, CA 92675-2042 Laboratory Director: Irina Maramica MD,PhD,MBA

UL Quest Diagnostics-Sacramento - Northgate, 3714 Northgate Blvd, Sacramento, CA 95834-1617 Laboratory Director: Lorne L Holland

Key

 Priority Out of Range  Out of Range

These results have been sent to the person who ordered the tests. Your receipt of these results should not be viewed as medical advice and is not meant to replace discussion with your doctor or other healthcare professional.

Quest, Quest Diagnostics, the associated logo, Nichols Institute, Interactive Insights and all associated Quest Diagnostics marks are the registered trademarks of Quest Diagnostics. All third party marks - ® and ™ - are the property of their respective owners. Privacy policy can be found at: <http://questdiagnostics.com/home/privacy-policy/online-privacy.html>. © 2022 Quest Diagnostics Incorporated. All rights reserved.

