

HAO,JENNIFER PEI RU

DOB: 02/15/1994
Sex: F
Phone: (917) 743-1266
Patient ID: 1EB8126D86

Age: 31
Fasting:

Specimen: SZ366671V
Requisition: 0025492
Lab Reference ID: 1EB8126D86
Report Status: FINAL / SEE REPORT

Collected: 08/27/2025 09:31
Received: 08/27/2025 09:31
Reported: 09/04/2025 15:34

Client #: 97555208
PATEL,KATAN
WALK-IN LAB
PO BOX 898
AMITE, LA 70422-0898
Phone: (800) 539-6119

▲ AMINO ACID ANALYSIS, LC/MS, PLASMA

Analyte	Value
INTERPRETATION	SEE NOTE
THIS PATTERN OF AMINO ACIDS DOES NOT SUGGEST A SPECIFIC INHERITED METABOLIC DEFECT.	
A portion of the testing was performed at SJC25	
Interpretation reviewed by: Pranoot Tanpaiboon, MD, FACMG. IF THE ORDERING/TREATING PHYSICIAN HAS ANY QUESTIONS REGARDING THESE RESULTS, PLEASE CONTACT THE QUEST DIAGNOSTICS BIOCHEMICAL GENETICS LABORATORY AT 1-800-642-4657 ext 4817 or ext 4423 AND ASK TO SPEAK WITH THE LABORATORY DIRECTOR ON CALL. FOR GENERAL QUESTIONS ABOUT QUEST DIAGNOSTICS GENETIC TESTING, PLEASE CALL THE GENE INFO LINE AT 1-866-GENE-INFO.	
Date of Birth	02/15/1994
ASPARTIC ACID	4 Reference Range: 1-4 umol/L
GLUTAMIC ACID	30 Reference Range: 10-97 umol/L
HYDROXYPROLINE, PLASMA	13 Reference Range: 4-27 umol/L
SERINE	118 Reference Range: 65-138 umol/L
ASPARAGINE	31 Reference Range: 31-64 umol/L
ALPHA AMINOADIPIC ACID	1 Reference Range: < OR = 2 umol/L
GLYCINE	183 Reference Range: 122-322 umol/L
GLUTAMINE	544 Reference Range: 428-747 umol/L
SARCOSINE	2 Reference Range: < OR = 4 umol/L
BETA-ALANINE	4 Reference Range: < OR = 5 umol/L
TAURINE	49 Reference Range: 31-102 umol/L
HISTIDINE	62 Reference Range: 60-109 umol/L
CITRULLINE	22 Reference Range: 16-51 umol/L
ARGININE	74 Reference Range: 43-107 umol/L
THREONINE	104 Reference Range: 67-198 umol/L
ALANINE	316 Reference Range: 200-483 umol/L
1-METHYLHISTIDINE	11 Reference Range: < OR = 47 umol/L
GAMMA AMINOBUTYRIC ACID	<1 Reference Range: < OR = 3 umol/L
3-METHYLHISTIDINE	3 Reference Range: 2-9 umol/L
BETA AMINOISOBUTYRIC ACID	2 Reference Range: < OR = 3 umol/L
▲ PROLINE	93 L Reference Range: 104-383 umol/L
▲ ETHANOLAMINE	4 L Reference Range: 5-13 umol/L
ALPHA AMINOBUTYRIC ACID	22 Reference Range: 7-32 umol/L
TYROSINE	67 Reference Range: 38-96 umol/L
VALINE	288 Reference Range: 132-313 umol/L

METHIONINE	26	Reference Range: 16-34 umol/L
CYSTATHIONINE	<1	Reference Range: <1 umol/L
ISOLEUCINE	63	Reference Range: 34-98 umol/L
LEUCINE	134	Reference Range: 73-182 umol/L
HOMOCYSTINE	<1	Reference Range: <1 umol/L
PHENYLALANINE	72	Reference Range: 40-74 umol/L
TRYPTOPHAN	72	Reference Range: 40-91 umol/L
ORNITHINE	46	Reference Range: 27-83 umol/L
LYSINE	203	Reference Range: 119-233 umol/L

This test was developed and its analytical performance characteristics have been determined by Quest Diagnostics. It has not been cleared or approved by the FDA. This assay has been validated pursuant to the CLIA regulations and is used for clinical purposes.

Performing Sites

EZ Quest Diagnostics/Nichols SJC-San Juan Capistrano,, 33608 Ortega Hwy, San Juan Capistrano, CA 92675-2042 Laboratory Director: Irina Maramica MD,PhD,MBA

Key

 Priority Out of Range  Out of Range

These results have been sent to the person who ordered the tests. Your receipt of these results should not be viewed as medical advice and is not meant to replace discussion with your doctor or other healthcare professional.

Quest, Quest Diagnostics, the associated logo, Nichols Institute, Interactive Insights and all associated Quest Diagnostics marks are the registered trademarks of Quest Diagnostics. All third party marks - '®' and '™' - are the property of their respective owners. Privacy policy can be found at: <http://questdiagnostics.com/home/privacy-policy/online-privacy.html>. © 2022 Quest Diagnostics Incorporated. All rights reserved.

