

HAO,JENNIFER PEI RU

DOB: 02/15/1994 Age: 32 Specimen: SA624373X
Sex: F Fasting: N Requisition: 3825286
Phone: (917) 743-1266 Lab Reference ID: 8545923
Patient ID: 111630926 Report Status: PARTIAL / SEE REPORT


Collected: 07/06/2026 15:57 Client #: 94403003
Received: 07/07/2026 06:42 NAGARAJA,RAJESHWARI
Reported: 07/08/2026 04:16 OM - SAN MATEO - BAY MEADOWS
2950 S DELAWARE ST STE 150
SAN MATEO, CA 94403-2591
Phone: (888) 663-6331

FSH

FSH
mIU/mL

1.7

From 07/23/2023 to 07/07/2026



Reference range varies across results

Reference Range


Follicular Phase	2.5-10.2
Mid-cycle Peak	3.1-17.7
Luteal Phase	1.5- 9.1
Postmenopausal	23.0-116.3

LH

LH
mIU/mL

4.5

From 07/23/2023 to 07/07/2026



Reference range varies across results


Reference Range

Follicular Phase	1.9-12.5
Mid-Cycle Peak	8.7-76.3
Luteal Phase	0.5-16.9
Postmenopausal	10.0-54.7

PROGESTERONE

PROGESTERONE
ng/mL

4.7



Reference Ranges

Female	
Follicular Phase	< 1.0
Luteal Phase	2.6-21.5
Post menopausal	< 0.5
Pregnancy	
1st Trimester	4.1-34.0
2nd Trimester	24.0-76.0
3rd Trimester	52.0-302.0

PROLACTIN

PROLACTIN

ng/mL

7.1


No Historical Data

Reference Range		
Females		
Non-pregnant	3.0-30.0	
Pregnant	10.0-209.0	
Postmenopausal	2.0-20.0	

T4, FREE

T4, FREE

Reference Range: 0.8-1.8 ng/dL




TSH

TSH

mIU/L

1.92



Reference range varies across results


Reference Range
> or = 20 Years 0.40-4.50

Pregnancy Ranges
First trimester 0.26-2.66
Second trimester 0.55-2.73
Third trimester 0.43-2.91

T3, FREE

T3, FREE

Reference Range: 2.3-4.2 pg/mL




ESTRADIOL

ESTRADIOL
pg/mL

80

From 07/23/2023 to 07/07/2026



Reference range varies across results

Reference Range
Female:
Follicular Phase: 30-144
Mid-Cycle: 64-357
Luteal Phase: 56-214
Postmenopausal: < or = 31


Reference range established on post-pubertal patient population. No pre-pubertal reference range established using this assay. For any patients for whom low Estradiol levels are anticipated (e.g. males, pre-pubertal children and hypogonadal/post-menopausal females), the Quest Diagnostics Nichols Institute Estradiol, Ultrasensitive, LCMSMS assay is recommended (order code 30289).

Please note: patients being treated with the drug fulvestrant (Faslodex(R)) have demonstrated significant interference in immunoassay methods for estradiol measurement. The cross reactivity could lead to falsely elevated estradiol test results leading to an inappropriate clinical assessment of estrogen status. Quest Diagnostics order code 30289-Estradiol, Ultrasensitive LC/MS/MS demonstrates negligible cross reactivity with fulvestrant.

THYROID PEROXIDASE AND THYROGLOBULIN ANTIBODIES

THYROGLOBULIN ANTIBODIES


IN PROGRESS



Reference range varies across results

THYROID PEROXIDASE ANTIBODIES

IN PROGRESS



Reference range varies across results

VITAMIN B2 (RIBOFLAVIN)

VITAMIN B2 (RIBOFLAVIN)

IN PROGRESS

No Historical Data

LEPTIN

LEPTIN

IN PROGRESS

No Historical Data

ANTI-MULLERIAN HORMONE (AMH), FEMALE

ANTI-MULLERIAN HORMONE (AMH), FEMALE

IN PROGRESS

No Historical Data

PREGNENOLONE, LC/MS



VITAMIN B6, PLASMA

VITAMIN B6, PLASMA

IN PROGRESS

No Historical Data

Performing Sites

AMD Quest Diagnostics/Nichols Chantilly-Chantilly VA, 14225 Newbrook Dr, Chantilly, VA 20151-2228 Laboratory Director: Patrick W Mason M.D.,PhD

EN Quest Diagnostics-West Hills, 8401 Fallbrook Ave, West Hills, CA 91304-3226 Laboratory Director: Thomas J McDonald

EZ Quest Diagnostics/Nichols SJC-San Juan Capistrano,, 33608 Ortega Hwy, San Juan Capistrano, CA 92675-2042 Laboratory Director: Irina Maramica MD,PhD,MBA

UL Quest Diagnostics-Sacramento - Northgate, 3714 Northgate Blvd, Sacramento, CA 95834-1617 Laboratory Director: Lorne L Holland

Z3E MedFusion-MedFusion, 2501 South State Highway 121, Suite 1100, Lewisville, TX 75067-8065 Laboratory Director: Ithiel James L Frame MD,PhD

Key

Priority Out of Range Out of Range

Report Insights

FSH

Follicle-stimulating Hormone (FSH)

The test for follicle-stimulating hormone (FSH), a hormone associated with reproduction and the development of eggs in women and sperm in men, measures the level of FSH in your blood or urine.

LH

Luteinizing Hormone (LH)

The test for luteinizing hormone (LH), a hormone associated with reproduction and the stimulation of the release of an egg from the ovary (ovulation) in women and testosterone production in men, measures the level of LH in your blood or urine.

PROGESTERONE

How do progesterone levels correlate with pregnancy?

Progesterone is a reproductive hormone that supports pregnancy by thickening the uterine lining to protect the fetus. Levels are low during a woman's cycle until they are temporarily elevated as the egg is released during ovulation and for 7-14 days after. If fertilization of the egg occurs, progesterone levels continually rise until birth. If pregnancy does not occur, progesterone levels return to their normal low level by the start of your next period.

PROGESTERONE

Progesterone Testing

Produced by the ovaries, progesterone is a hormone that plays an important role in the female reproductive cycle, including ovulation, the menstrual cycle, and pregnancy. Learn more about testing for progesterone from this article provided by WebMD by clicking here.: <https://www.webmd.com/women/progesterone-test>

T4, FREE

Thyroxine (T4) and triiodothyronine (T3) are the two major hormones produced by the thyroid gland. The majority of T4 is found in the body bound to proteins, with a smaller portion not bound to proteins, or "free." Free (unbound) T4 is secreted by the thyroid gland as the biologically active form, which plays a role in controlling the rate of metabolism and growth. Most of the T4 secreted is converted to T3 by the liver and other tissues. Once converted, T3 plays a role in metabolic rate, ATP production, protein breakdown, and glucose transport in muscle cells.

T4, FREE

Thyroid Function Tests

The blood tests that are most widely used to evaluate thyroid function include those that measure TSH, T4, T3, free T4, and thyroid antibody levels. Read more about these tests in the brochure provided by the American Thyroid Association (ATA).

Download the brochure from the ATA website: http://www.thyroid.org/wp-content/uploads/patients/brochures/FunctionTests_brochure.pdf

TSH

Question 1. What is TSH and how is it measured?

Thyroid stimulating hormone (TSH) is one of the most important hormones currently used to diagnose thyroid abnormalities. This glycoprotein is secreted by the pituitary and stimulates release of thyroxine (T4) and triiodothyronine (T3) from the thyroid gland. TSH release from the pituitary is controlled by thyrotropin releasing hormone (TRH) stimulation and negative feedback from free T3 and free T4.

Question 2. Does the time of day matter when sampling for TSH testing?

Yes. TSH concentration follows a diurnal rhythm. Typically, the peak occurs around midnight and the nadir (~50% of the peak value) around mid-day. Population-based reference intervals are generally obtained from subjects tested in the daytime, closer to the trough than to the peak. So, when evaluating a patient's serial TSH concentrations, differences in sample collection time should be considered.

Question 3. How variable is TSH?

TSH has moderate intraindividual variability and even more marked interindividual variability. The interindividual coefficient of variation is about 32%; consequently there is a wide population-based reference interval for TSH. Since the intraindividual variation is considerably less, comparing a specific patient's current TSH level with any past level may be more illuminating than comparing the patient's current TSH level to the reference interval. A difference of 0.7 mIU/L or greater is considered significant when evaluating a patient's serial TSH values.

Thyroid Screen - TSH

TSH refers to thyroid stimulating hormone. This hormone is produced in the pituitary gland and it acts on the thyroid gland in the front of your neck. Here it stimulates the production of thyroid hormones and their release into the blood. While high or low levels of TSH in the blood may indicate a thyroid disorder, additional tests may be ordered to better understand the specific medical condition. More information on TSH and screening for thyroid disorders may be found on WebMD by clicking here: <https://www.webmd.com/women/what-is-tsh-test#1>.

Thyroid Function Tests

The blood tests that are most widely used to evaluate thyroid function include those that measure TSH, T4, T3, free T4, and thyroid antibody levels. Read more about these tests in the brochure provided by the American Thyroid Association (ATA).

Download the brochure from the ATA website: http://www.thyroid.org/wp-content/uploads/patients/brochures/FunctionTests_brochure.pdf

T3, FREE

Thyroid Function Tests

The blood tests that are most widely used to evaluate thyroid function include those that measure TSH, T4, T3, free T4, and thyroid antibody levels. Read more about these tests in the brochure provided by the American Thyroid Association (ATA).

Download the brochure from the ATA website: http://www.thyroid.org/wp-content/uploads/patients/brochures/FunctionTests_brochure.pdf

ESTRADIOL

Estrogen Blood Tests

Estrogen tests are used to detect a deficiency or excess in women and a hormone excess in men to help diagnose a variety of conditions associated with this imbalance.

THYROID PEROXIDASE AND THYROGLOBULIN ANTIBODIES

Thyroid Function Tests

The blood tests that are most widely used to evaluate thyroid function include those that measure TSH, T4, T3, free T4, and thyroid antibody levels. Read more about these tests in the brochure provided by the American Thyroid Association (ATA).

Download the brochure from the ATA website: http://www.thyroid.org/wp-content/uploads/patients/brochures/FunctionTests_brochure.pdf

Quest Diagnostics Patient Service Centers

Use our online scheduling service to make an appointment at a Quest Diagnostics Patient Service Center.

Schedule an Appointment: <https://appointment.questdiagnostics.com/schedule-appointment/as-reason-for-visit>

Note: Data displayed only for results that meet strict identification matching. Historical result view may vary based on corrected or updated patient demographics. The reference range displayed may vary due to potential changes in laboratory testing methods. Please refer to the published reference range on each lab report.

These results have been sent to the person who ordered the tests. Your receipt of these results should not be viewed as medical advice and is not meant to replace discussion with your doctor or other healthcare professional.

Quest, Quest Diagnostics, the associated logo, Nichols Institute, Interactive Insights and all associated Quest Diagnostics marks are the registered trademarks of Quest Diagnostics. All third party marks - '®' and '™' - are the property of their respective owners. Privacy policy can be found at: <http://questdiagnostics.com/home/privacy-policy/online-privacy.html>. © 2022 Quest Diagnostics Incorporated. All rights reserved.

