Imperial College
London

Market Microstructure
Problem Set 1 - Exercise 3

Tuesday 28 January 2020
Johannes Muhle-Karbe, j.muhle-karbe@imperial.ac.uk
Claudio Bellani, c.bellani17@imperial.ac.uk

[1]:
```
import os
import sys
import pickle
from pathlib import Path
path_problemset = os.path.abspath("./")
path_lobster = os.path.abspath('../lobster/')
os.chdir(path_lobster)
path_data = path_lobster+'/data'
sys.path.append(path_lobster+'/src')
```

[2]:
```
from produce_data import produce
import numpy as np
import pandas as pd
```

Specify symbol, date, initial, time and final time:

[3]:
```
symbol='MSFT'
date='2012-06-21'
initial_time=float(9*60*60)
final_time=float(16*60*60)
```

Load or produce data from source:

[4]:
```
produce_data=False
load_data=True
if produce_data:
    data=produce(
        symbol,date,initial_time,final_time
    )
else:
    if load_data:
        time_window = str('{}-{}'.format(int(initial_time), int(final_time)))
        with open(path_problemset+'/{}_{}_{}_data'.format(symbol, date, time_window),␣
↪'rb') as source:
            data=pickle.load(source)
```

Exercise 1.3.1

[5]:
```
mf = data.messagefile
idx = (mf['event_type'].isin([4]))
idx = np.logical_and(idx,np.logical_and((mf['time']<14.5*60*60),(mf['time']>10*60*60)))
trades = mf[idx].copy()
trades = trades.iloc[1:,:].reset_index(drop=True)
lob_trades = data.LOB[idx].copy()
lob_trades = lob_trades.iloc[:-1,:].reset_index(drop=True)
```

Let's take a look at the two pandas dataframe just created.

[6]:
```
trades
```

[6]:

	direction	event_type	level	original_idx	price	size	time
0	1	4	0	62222	308800	5345	36000.419575
1	1	4	1	62304	308700	2000	36000.446011
2	1	4	0	62312	308700	807	36000.446849
3	1	4	1	62353	308600	700	36000.465200
4	1	4	0	62362	308600	1744	36000.465487
...	...	...	...	...	...	...	...
4241	1	4	1	482011	303300	100	52189.187548
4242	1	4	1	482014	303300	100	52189.387056
4243	1	4	1	482025	303300	2739	52189.387887
4244	1	4	0	482026	303300	100	52189.387896
4245	-1	4	1	482030	303400	100	52189.387940

[4246 rows x 9 columns]

[7]:
```
lob_trades
```

[7]:

	ask_price_1	ask_volume_1	bid_price_1	bid_volume_1	ask_price_2
0	308900	1855	308800	5345	309000
1	308900	1855	308700	3125	309000
2	308800	10850	308700	807	308900
3	308800	10850	308600	2650	308900
4	308800	14850	308600	1744	308900
...	...	...	...	...	...
4241	303400	8358	303300	3639	303500
4242	303400	10965	303300	3139	303500
4243	303400	10965	303300	3039	303500
4244	303400	10965	303300	100	303500
4245	303400	10965	303200	13355	303500

	ask_volume_2	bid_price_2	bid_volume_2	ask_price_3	ask_volume_3	...
0	5380	308700	3125	309100	5560	...
1	5380	308600	2650	309100	5560	...
2	15120	308600	2650	309000	7380	...
3	15066	308500	13750	309000	7380	...
4	13866	308500	10158	309000	7993	...
...	...	...	...	...	...	...
4241	19547	303200	15219	303600	19746	...
4242	19447	303200	13355	303600	21046	...
4243	19447	303200	13355	303600	21046	...
4244	19447	303200	13355	303600	21046	...
4245	19447	303100	19690	303600	21046	...

	ask_price_9	ask_volume_9	bid_price_9	bid_volume_9	ask_price_10
0	309700	4670	308000	4602	309800
1	309700	4670	307900	100	309800
2	309600	3013	307900	1500	309700
3	309600	3013	307800	6416	309700

```
4          309600          3013       307800          6416        309700
...           ...           ...          ...           ...           ...
4241       304200          7340       302500         16614        304300
4242       304200          7340       302500         16614        304300
4243       304200          7340       302500         16614        304300
4244       304200          7340       302500         16614        304300
4245       304200          7340       302400         14300        304300

      ask_volume_10  bid_price_10  bid_volume_10  original_idx          time
0              1600        307900            100         62201  36000.418617
1              1600        307800           6616         62222  36000.419575
2              4670        307800           6416         62304  36000.446011
3              4670        307700            460         62312  36000.446849
4              4470        307700            460         62353  36000.465200
...             ...           ...            ...           ...           ...
4241           7700        302400          14300        481978  52188.120529
4242           7700        302400          14300        482011  52189.187548
4243           7700        302400          14300        482014  52189.387056
4244           7700        302400          14300        482025  52189.387887
4245           7700        302300          13600        482026  52189.387896

[4246 rows x 42 columns]
```

[8]:
```
def empirical_spread(lob_trades):
    return np.mean((lob_trades['ask_price_1']-lob_trades['bid_price_1']))
```

[9]:
```
class Roll:
    def __init__(self,trades):
        self.trades = trades;
        self.directions = np.array((-1)*trades['direction'].values, dtype=np.int)␣
 ↪#Notice the change of sign
        self.prices = np.array(trades['price'].values, dtype=np.int)
    def covariance_of_price_increments(self,):
        delta_p = np.diff(self.prices)
        dp_for = delta_p[1:]
        m_for = np.mean(dp_for)
        dp_back = delta_p[:-1]
        m_back = np.mean(dp_back)
        N = len(dp_for)
        assert N == len(dp_back)
        cov_deltap = np.dot(dp_for - m_for, dp_back - m_back)/N
        assert cov_deltap <= 0.0
        self.cov_deltap = cov_deltap
    def spread_assuming_balanced_orderflow(self,):
        return 2*np.sqrt(-self.cov_deltap)
    def spread(self,):
        theta = np.sum(self.directions==+1)/len(self.directions)
        assert theta>0.0
        assert theta<1.0
        return np.sqrt(-self.cov_deltap/(theta*(1.0-theta)))
```

[10]:
```
roll = Roll(trades)
roll.covariance_of_price_increments()
S_balance_of = roll.spread_assuming_balanced_orderflow()
S_unbalance_of = roll.spread()
avg_spread = empirical_spread(lob_trades)
```

[11]:
```
print(S_balance_of)
print(S_unbalance_of)
print(avg_spread)
```

```
42.94604071467853
43.03056413872584
129.51012717852097
```

Exercises 1.3.3

[12]:
```
def select_timewindow(mf,t0,t1):
    idx = np.logical_and((mf['time']<t1),(mf['time']>t0))
    return mf[idx].copy().reset_index(drop=True)
```

[13]:
```
def categorise_in_time_slots(timestamps, delta_t):
    assert delta_t > 0
    assert np.all(np.diff(timestamps)>=0.0)
    return np.array((timestamps-timestamps[0])/delta_t, dtype=np.int)
```

[14]:
```
class Amihud:
    def __init__(self,trades):
        self.trades = trades
        self.trades['monetary_vol'] = trades['price']*trades['size']
    def illiquidity_ratio(self,delta_t = 60):
        self.trades['time_slot'] = categorise_in_time_slots(self.trades['time'].
 ↪values, delta_t)
        self.volumes = self.trades.groupby(by='time_slot')['monetary_vol'].sum()
        times = self.trades.groupby(by='time_slot')['time'].min()
        self.times = times
        idx = self.trades['original_idx'].isin(
            list(self.trades.groupby(by='time_slot')['original_idx'].min().values)
        )
        self.prices = self.trades.loc[idx]['price']
        self.returns = np.diff(self.prices)/self.prices[:-1]
        assert len(self.returns) == len(self.volumes) -1
        return  np.mean(np.abs(self.returns.values)/self.volumes.values[:-1])
```

[15]:
```
mf = data.messagefile
idx = (mf['event_type'].isin([4]))
mf = mf[idx].copy()
```

[16]:
```
# Time window 9am-10am
t0=9*60*60
t1=10*60*60
trades = select_timewindow(mf,t0,t1)
amihud_09001000 = Amihud(trades)
ratio_09001000 = amihud_09001000.illiquidity_ratio(delta_t = 60)
print(ratio_09001000)
```

```
1.0296871776495485e-13
```

[17]:
```
# Time window 11.30am-1.30am
t0=11.5*60*60
t1=13.5*60*60
trades = select_timewindow(mf,t0,t1)
amihud_11301330 = Amihud(trades)
ratio_11301330 = amihud_11301330.illiquidity_ratio(delta_t = 60)
print(ratio_11301330)
```

```
1.065959216549388e-13
```

[18]:
```
# Time window 3pm-4pm
t0=15*60*60
t1=16*60*60
trades = select_timewindow(mf,t0,t1)
amihud_15001600 = Amihud(trades)
ratio_15001600 = amihud_15001600.illiquidity_ratio(delta_t = 60)
print(ratio_15001600)
```

```
9.870802066339614e-14
```