

Making Exchanging and Organizing Ideas Easy through Digital Affinity Diagram

William Widjaja
Department of Management of
Science and technology
Human-Machine interface lab,
Tohoku University
Address

william.widjaja@most.tohoku.ac.jp Optional phone number

Haruna Hayasaka
Department of
Quantum-Science Lab,
Tohoku University
Address
e-mail address

Masayuki Sawamura
Affiliation
Address
e-mail address
Optional phone number

ABSTRACT

Exchanging and organizing opinions in groups is an integral part of problem solving. One such methods commonly used is called affinity diagram. Affinity Diagramming is often created by writing individual opinions on a post-it note and collaborating with others by moving and arranging the post-it notes to form groups and links in order to makes sense of each other opinions. Despite being a common standard, this traditional paper-based methods could be improved with new technology integration. Introducing Digital Affinity Diagram system (DADS), a digital post-it note creation and organization system that integrate private creation and public organization space under one computer terminal setup. Using an extended dual-monitor to separate the two spaces, individual can build stronger personal opinions by attaching reference in private space and collaboratively organize group opinions in a cross-terminal synchronized public space. Comparative studies are conducted to determine which of the two methods has stronger usability rating.

Author Keywords

Guides; instructions; author's kit; conference publications; keywords should be separated by a semi-colon. **Mandatory section to be included in your final version.**

ACM Classification Keywords

H.5.m. Information Interfaces and Presentation (e.g. HCI): Miscellaneous

See: <http://www.acm.org/about/class/1998/> for more information and the full list of ACM classifiers and descriptors. **Mandatory section to be included in your final version. On the submission page only the classifiers' letter-number combination will need to be entered.**

INTRODUCTION

Paste the appropriate copyright statement here. ACM now supports three different copyright statements:

- ACM copyright: ACM holds the copyright on the work. This is the historical approach.
- License: The author(s) retain copyright, but ACM receives an exclusive publication license.
- Open Access: The author(s) wish to pay for the work to be open access. The additional fee must be paid to ACM.

This text field is large enough to hold the appropriate release statement assuming it is single spaced.

Exchanging and organizing ideas between groups is an integral part of participatory design. One such methods commonly used to exchange and organize ideas between people is a method called affinity diagram. Affinity Diagramming is often created by writing individual ideas on a post-it note and together with other participants, they move and arrange the post-it note to create groups and links in accordance to the ideas similarities. While brainstorming is widely used as a method of idea generation, there is less work on how groups can deepen ideas.[1] In this paper, we introduce Digital Affinity Diagram system (DADS), an individual control multi-user synchronized affinity diagram system, DADS allow each users to control the manipulation of the digital post-it note, while concurrently synchronizing the manipulation outcome across multiple users screen in real-time. The synchronization is achieved by utilizing low-latency, highly optimize network socket server which update and broadcast each manipulation command in high frequency. This technology allows allow multiple users to collaborate together in creating affinity diagram together under one single sandbox. To proof the system usefulness, we perform comparison experiment between traditional methods of affinity diagram using post-it note with DADS. Usability survey and performance metrics are calculated and analyses to determine which of the two methods is more preferred by users and determining whether DADS support users in exchanging and organizing ideas through collaborative affinity diagram. Separating public interaction space and private interaction space helps to alleviate anxiety of users. The users will have the space In this paper, we aim to show our developed system that aims to solve problems that arises from conducting exchanging of ideas through traditional methods. Based on the observation of these challenges we are able to design some technical solution to circumvent these problem and at the same time augment new capabilities to give more possibilities for users when conducting ideas exchanging activities in group. By leveraging commonly available and familiar technical system, we have design an extremely user friendly collaborative system to support and augment the capabilities. We will perform the task and explain the problem. task explain.

PROPOSED SYSTEM ARCHITECTURE

Hardware Design

In the experiment we design a three person seating arrangement which is used, while the system can accommodate other setup such as more than 4 person and also asynchronous setup with people accessing the system from different location. However for the purpose of the experiment, We decided to setup the system in the same location using 3 seating arrangement system.

- **Extended dual multi-touch monitor** - Main laptop is located at the central while the external monitor is located at the left side giving space real estate area for mouse on the right side. We choose multi-touch enabled monitor which is tilt at around 30 degree to give a sense of drawing board and also allow eye level contact for increase gaze awareness between users.
- **U-shape Seating arrangement** - U-shape seating arrangement is a seating design that aims to optimize the dual monitor system setup and proximity between each participants. In our experiment which we use a 3 person experiment. A common large monitor that depicts a shared public screen , even though all the secondary screen are synchronized, the large screen serve as an assurance or affirmation that the manipulation that was perform by users actually are synched with other board.
- **Server setup** - Server uses windows 8 acts as a database system and the synchronized input output traffic center. Server do not require high performance for less then 5 simultaneous participants and rather than high speed performance, low latency is required to allow the high frequency setup

Software design

The system was developed using C using mainly .Net 4.5 framework. We build the software natively using mainly Microsoft libraries over other .net open source libraries to increase compatibility across different critical infrastructure such as server, database and clients . In addition, we also take advantage the touch framework library that is currently maturing in windows 7/8 operating system which allow us to include large screen multi touch monitor in our total system solution. We utilize a traditional laptop system (windows 7 powered) and extend the screen with an 22 inc iiyama multi-touch monitor. The multitouch monitor uses four point infra red sensor to detect accurate multitouch from users and has a response time of 8 ms. We choose dual-screen design to increase information display clarity and focus for the users, while the main Private input screen will act as the information personal input interface, the public board will focus on collaboration purposes

Private Space Interface

The interface is designed so to maximize visibility and navigation capabilities for users to view both own points and other points. There is 5 area of design in the private dashboard The private space interface is a interface dashboard that is used for users to input all the opinions and ideas, in fig 1, there is 3 column dashboard in the top right hand is the selection between different topic which allows users to switch from one topic to another, while next to it in the middle column dashboard is



Figure 2. Private Space User Interface

the listing of all the opinion titles written by the individuals, bottom right corner is where users select and view different participants points and next in the middle bottom column is where listing of other participants points title. Finally the full screen right column is where users input own points.

- **Discussion Room** - Like all gaming technology, each discussion topic are treated as a room. Users will have to write their name and select the pre-determine color they wish to have. Once selecting their identity, they will choose the discussion room they intend to participate and upon entering each users have their own color identity to present them
- **Input and Navigating**-To optimize the ease of navigation and ease of inputting text, 3 column design interface are used. The first column is divided between topic selection on the top and bottom is the users election while in the top second column show individual idea points and bottom second column show others idea points . The third column will have the most space for inputting the ideas
- **Idea input** - Input form are divided into 3 input areas, First input is the title of their ideas, Second is the the description of their ideas and the third input is the source attached to support their ideas
- **Attachment System** - We observed early on the development phase that users often search more information about their ideas and on the Internet and uses sources to verify or affirm their ideas. To support this behavior, we create a source attachment function to give users ability to quickly attach article or media sources from the Internet to their ideas.
 - **Media Attachment** - We choose the familiar copy and paste functions to upload images from the web, while browsing on the Internet browser users are able to right click the images they wish to upload and copy and paste the image url to our media text box in the system private input form, The code will automatically detect the presence of the media and its traditional format (jpg, bmp) . If the url link is not in the right format an error message will be shown, but if the media is detected with the right image format, thumbnail of the attached images will be shown.



(A) Individual Terminal Setup



(B) Group Terminal Setup

Figure 1. A Single individual setup with dual extended multi touch monitor at the right side (B) 3 person group setup with a larger monitor at the center

- Screen shot - Another function is screen shot function, We observe that in some website users would like to capture an areas of the website (images plus text) or graph that is not compatible with the standard image format (video screen shot) , thus using the screen shot function. After pressing the screen shot function in the system, the screen will be brought to the main web browser where users can scroll up and down the desired screen. click next will initiate the screen shot capture where users need to drag from top left to bottom right the desired area of the screen they wish to capture, once letting go the drag. Automatically the screen shot thumbnail will be displayed at the private input screen. this indicated that screenshot capture is successful.

The private space interface allows users to easily create points related to a topic and populate them with information using familiar cut-and-paste mechanics. A basic interaction process would involve selecting the topic from the Topic window (pictured in Figure 2) and creating a new point in the User Point window, which creates a new card on the Public Information space related to that topic. Users can be identified as the author of a point by the color of the card. After creating a point, users can illustrate their point by adding supplementary information, images, and links in the Private Information Input window. When they are done adding information, the card is complete and they can create a new point, or browse other users' points, just as in the analog version of AD creation.

Public Space Interaction

In the public space interaction, points that are written on the private space are displayed in public space in a form of card with the users identity color, the card is filled with title of the points and name, these card can be moved multi-directional to be rearrange by the users.

In our observation, we strongly hypothesize that to achieve collaboration, the public board has to be synchronized smoothly across different users. To achieve the goal, we utilize the core technology from the massive multi player




Figure 3. Screenshot of Public Interface.

gaming (MMOG) system which uses network socket and adapt the technology to suit our system. Participants which uses our system are treated like players in the MMOG system where we give each participants an identity and manipulation capabilities such as idea boxes movement and details enlargement. These manipulation input command are constantly sent to the server (Up to 15 input command per second) to the server and broadcast (Up to 15 output command per second) to other clients to update. The low latency will determine the smoothness of the control and manipulation response.

In addition there are about 4 main features in the public space that allows users to conduct affinity diagram that can allow the users to do in the public dashboard they are

- **In-depth Details Card expansion** - All the cards displayed only the title of the users points, there is a function to expand the card details by double clicking on the card, This will trigger a windows that display all of the in-depth details of the card include the description, attached links and sources.
- **Presentation Mode** -The card expansion function are individual controlled, whenever it is appropriate, users can synchronized the card expansion function with other clients, this function is an aid to help users

control and present their points easily, the synchronized card expansion help users to use the expansion of the card

- **Grouping and Linking** - Grouping and linking is a function where users are can group using a circular motion, if the users initiate the group button and initiate a circular motion between numerous card , a circular line is displayed to show the grouped card and these grouped card can be move in various direction, another important part is the reorganize the group function, users can move any card within the group and using 2 corner touch algorithm where if any 2 corner of the card touch the group it will initiate a regroup function that allow users to insert a new card into the group and vice versa. linking is also done when users initiate the link function and click the two card in sequence
- **Vector Free Draw system** - The free Draw System is a function where, we users can freely on the public space unlike typical drawing system, we used a new methods called vectored drawing, where the draw divided into vectored, Each time users draw, users need to initiate a finish draw function where the draw are converted to object vector , where users can move resize the draw, this is designed to give flexibility for the users to organize the draw around
- **Commenting System** - This new function is allowing users to comment on each other points to ask question and write thoughts on the system, users can expand the card and write comments on others person points . In addition, notification algorithm are created to notify users of a new comment coming in , this allow users to have a real-time exchanges of comment with each other.

Testing the system

We identify four main area of activities that is commonly used in typical group work for exchanging ideas. The four common activities are also designed to be linear and in order.

1. Idea Creation -Idea creation is an activities where users create a new ideas based on his or her perception on a single topic. If given internet access, there are two common behavior during the idea creation phase. One is start writing immediately and search the internet to verify their ideas and another behavior is the search for idea inspiration on the internet and write the ideas based on their surfing. Nevertheless, both behavior benefited by attaching the internet sources (images or url link) to their ideas.
2. Presenting - Despite the ideas are shown visible by other users, It is more convincing that the idea is explain by the creator, thus our goal is to build a system that needs to make the users explain their

points easily. Using common sense, that the availability of a source to support the ideas will increase the confidence of each users. Thus creating a system that allows users to control and broadcast their sources during explanation phase will definitely increase ease of explanation and increase understanding level of others.

3. Commenting and Exchange Ideas -Each ideas are unique in nature and questions and critics are asked regarding points. Thus we think that it is important that users can easily navigate to specific points and leave a comment. We also noticed that it is important that users are notified when there is a new comment written on their points. so users are able to response to the comments written by other users.
4. Collaborative Affinity Diagram -To organize all the users ideas to give a common overview of the opinions of the group, we utilize the methods called affinity diagram to organize the ideas. Affinity diagram is a simple methods that groups and link similar and related points and ideas to give a better clarity to the simplicity of the overall group ideas. The clarity of the group ideas is the precursor for any problem solving tasks and having strong common overview will help participation design activities such as solving problem or creating solution more effectively.

Methodologies

We setup two type of idea exchange environment named as Analog methods and Digital methods. In analog methods traditional tools are used including white board, colored sticky note and colored marker. Ideas and comments are written on a numbered sticky note. Users will need to write their ideas title using bold marker and comment are written using black pen. The comments are pasted below the ideas the users wish to comment which also act as a connection to the ideas and comments. To make the experiment equally balance, we allow users to search the Internet and print any sources in paper. Users also are required to write numbers on the printed article papers according the the numbered sticky note. Magnets are provided to sticky the printed articles on the whiteboard. In Digital environment, the system are used to conduct the experiment tasks. Before the experiment participants are given instruction and the tutorials on how to use the system. Upon completing the experiment subjects are invited to participate in a survey to compare and evaluate the usability of the system between analog and digital using a rating scale.

Experiment Procedure

To prove that our system helps users to perform basic tasks in idea exchanging activities easier, we have conducted a comparison studies between traditional methods of idea exchanging with our system. We choose a 3 person experiment which depicts the odd



(A) Analog Condition

(B) Digital Condition

Figure 4. (A) Experimental Condition in Analog Condition using sticky note and white board (B) Experimental condition in Digital condition using DADS.

number to prevent group forming within the experiment. (If there is 4-person, there is a possibility that 2 person groups are formed). We divide the experiment in 4 commonly perform tasks in a typical idea exchange activities and measure the usability. We give users a two equally popular topic in our host university as the topics of discussion. We also divide the experiment into 4 task

Participants were welcomed and introduced to the purpose of the study. They were then given brief instructions on using the Digital Affinity Diagram System for about 30 minutes, and another 30 minutes to try out the system in the tutorial mock up scenario to become familiar with the systems and discover system functionality. The experiment schedule and task was then explained to the group before starting the experiment.

- * **Task 1- 5 ideas and attach sources** - Each users are given 30 minutes to create 5 ideas on the topic. They are allowed freedom of access to the internet to search attach their ideas.
- * **Task 2 - Present ideas to others** - Each users are given time to present and explain their points to the rest of the participants.
- * **Task 3 - Exchanging comment with each other** - The group is given 20 minutes to comment on others points and at the same time reply any comment posted to them. They are asked to write as much comment as possible across all the ideas until the time is up.
- * **Task 4- Affinity Diagram** - After completing the comment exchange task, they are then ask to collaborate to create an affinity diagram using the ideas created earlier, they are asked to group similar ideas and also link related ideas.

All experiment subject need to complete all 4 tasks in both analog and digital methods (Total=8 tasks) in each experiment group. The order of methods are also evenly rotated in each group which means that when one experiment group start with analog then continue with digital, the next experiment will start with digital and continue with analog, this is required to balance the data. Total experiments with rest took around 5 1/2 hours to complete.

Observation

Twelve participants from the university were asked to test the DADS System discussion room. All participants were divided into groups of 3. There were 7 females and 5 males between the age of 18 and 24. Participants spent an average of 5.9 (SD=3.4) hours a day on a computer a. Participants reported having an average of 2.8 meetings per week (SD=3.45),

MEASUREMENT

In this experiment we tried to measure the usability of the system in making them create points. Those who participate on the experiment took a rating scale questionnaire to evaluate the ease of completing the task based on two methods. The rating scale ranges from 1 being most negative and 5 being most positive. Based on the self rating survey Users must evaluate their perception on both analog and digital and give the score on the following 9 questions .

1. Ease of Point Creation- This question is asked on whether how easy is the users feel when creating any new points
2. Editing Points - This question asked about how easy is it for users when editing the content of the points
3. Attaching Source - This question compared the usability by users in using attached sources in digital compared using printing sources
4. Navigating Points - This question is about navigating between own points and other points.
5. Showing Source - This question is about how easy is it to show points and resources to other users
6. Writing Comments - This question ask about how easy is it to write comments
7. Replying Comments -This question ask about how easy is it to reply comments
8. Creating Affinity Diagram - This question ask about how flexible is it to create affinity diagram
9. Usefulness -This question ask to compare the level of usefulness compared to the two methods
10. Satisfaction of Result - This question ask about how satisfied are the users in regards to the final affinity diagram result

OBSERVATION

CONCLUSION

In this experiment, we have discovered that the developed system has extremely high usability rating from the users, Action task such as creating, navigating the ideas is more preferred in digital compared to analog. In addition, the number of attachment of sources proves to be higher in digital system with the copy and paste system compared to the print system. Commenting each other points on text based methods is also easier in the digital compared to analog with consistent result, that writing, reading and replying comments is easier in digital compared to analog.

Table 1. Result of the Survey metrics

	N	Mean	SD	SE	95%LCI	95%UCI	Median	Skewness	Kurtosis	P-Value
Create Points AN	12.00	3.17	1.11	0.32	2.46	3.87	3.00	0.07	-0.46	0.04
Create Points DI	12.00	4.17	1.03	0.30	3.51	4.82	4.50	-0.75	-0.88	
Edit Points AN	12.00	2.58	0.90	0.26	2.01	3.16	2.50	0.12	-1.09	0.00
Edit Points DI	12.00	4.17	1.34	0.39	3.32	5.02	5.00	-1.32	0.28	
Attach Source AN	12.00	2.00	0.85	0.25	1.46	2.54	2.00	0.00	-1.74	0.00
Attach Source DI	12.00	4.58	0.67	0.19	4.16	5.01	5.00	-1.11	-0.13	
Show Points AN	12.00	2.25	0.97	0.28	1.64	2.86	2.00	0.10	-1.27	0.00
Show Points DI	12.00	4.25	0.97	0.28	3.64	4.86	4.50	-1.01	-0.12	
Explain Points AN	12.00	3.50	0.67	0.19	3.07	3.93	3.00	0.82	-0.68	0.46
Explain Points DI	12.00	3.75	1.06	0.30	3.08	4.42	4.00	-0.40	-1.20	
Navigate Points AN	12.00	2.50	1.00	0.29	1.86	3.14	2.00	1.00	0.73	0.00
Navigate Points DI	12.00	4.33	0.65	0.19	3.92	4.75	4.00	-0.34	-1.05	
Understand Points AN	12.00	3.25	0.97	0.28	2.64	3.86	3.00	0.66	-0.70	0.04
Understand Points DI	12.00	4.00	0.85	0.25	3.46	4.54	4.00	-0.81	0.15	
Read Comments AN	12.00	2.67	1.23	0.36	1.88	3.45	2.00	0.85	-0.52	0.00
Read Comments DI	12.00	4.50	0.67	0.19	4.07	4.93	5.00	-0.82	-0.68	
Write Comments AN	12.00	2.33	0.98	0.28	1.71	2.96	2.00	0.43	-1.03	0.00
Write Comments DI	12.00	4.50	0.67	0.19	4.07	4.93	5.00	-0.82	-0.68	
Reply Comments AN	12.00	2.33	1.15	0.33	1.60	3.07	2.00	0.70	-0.15	0.00
Reply Comments DI	12.00	4.33	0.89	0.26	3.77	4.90	4.50	-1.32	1.15	
Create Affinity Diagram AN	12.00	2.58	1.00	0.29	1.95	3.22	3.00	-0.21	-1.21	0.01
Create Affinity Diagram DI	12.00	4.00	0.74	0.21	3.53	4.47	4.00	0.00	-1.32	
Teamwork AN	12.00	3.25	1.29	0.37	2.43	4.07	3.00	-0.42	-0.85	0.70
Teamwork DI	12.00	3.42	1.16	0.34	2.68	4.16	3.50	-0.45	-0.68	
Comfort AN	12.00	3.25	1.22	0.35	2.48	4.02	3.00	-0.16	-1.08	0.04
Comfort DI	12.00	3.92	0.79	0.23	3.41	4.42	4.00	-0.88	0.57	
Usefulness AN	12.00	3.33	1.15	0.33	2.60	4.07	4.00	-0.60	-0.90	0.02
Usefulness DI	12.00	4.42	0.67	0.19	3.99	4.84	4.50	-0.56	-0.97	
Satisfaction AN	12.00	3.00	1.21	0.35	2.23	3.77	3.00	0.29	-0.95	0.02
Satisfaction DI	12.00	4.08	0.79	0.23	3.58	4.59	4.00	-0.12	-1.53	

However, when we probe the question whether the system helps them to better understand the content of other people users, We found no significant difference between analog and digital system. In addition, we also ask the question the level of teamwork, we also find no significant difference between the two methods. This means that the digital system can maintain the same level of teamwork in digital despite having them working from different platform. Moreover, We also conclude that group spend more time in creating affinity diagram and perform an average 7 30 mins more in digital compared in analog. We believed the extra time is not factored because of difficulty of coordinating the affinity diagram, We believed that it is because, the ease of the system allows them to be more flexible in their activities which show that movement of ideaboxes in digital is 4 times more than analog. which leads them to do affinity diagram much deeper. Finally users also conclude that it they have a higher level of satisfaction on the digital made content compared to the analog made content which conclude that based on this experiment that digital methods do create a better perceived satisfaction of ideas organization compared to traditional analog methods. This

proves many of various benefit of the system in helping users to exchange and organize ideas better.

ACKNOWLEDGMENTS

We thank CHI, PDC and CSCW volunteers, and all publications support and staff, who wrote and provided helpful comments on previous versions of this document. Some of the references cited in this paper are included for illustrative purposes only. **Don't forget to acknowledge funding sources as well**, so you don't wind up having to correct it later.

REFERENCES FORMAT

References must be the same font size as other body text.

REFERENCES

1. Dickey-Kurdziolek, M., Tatar, D., and Harrison, S. Framespaces: framing of frameworks. In *Proceedings of the Designing Interactive Systems Conference*, ACM (2012), 278–287.