

# Theory-mode report: A transition in the hole probability at finite temperature for free fermions in $d$ dimensions

Generated from Scholar Inbox digest

Digest date: 2026-05-08

## Paper information

- **Title:** A transition in the hole probability at finite temperature for free fermions in  $d$  dimensions
- **Authors:** Giuseppe Del Vecchio Del Vecchio, Pierre Le Doussal, Gregory Schehr
- **arXiv:** 2605.05431
- **Scholar digest score:** 94.0

## Executive summary

This report summarizes the highest-scoring paper in the Scholar Inbox digest dated **2026-05-08**. The abstract states the core claim as follows: *In a free Fermi gas at temperature  $T$  much higher than the Fermi temperature one expects that the fluctuations of the number of particles in a given region has Poissonian/classical statistics. On the other hand at low temperature the Pauli exclusion principle leads to non trivial counting statistics. It is of great interest from a theoretical and experimental point of view to characterize the crossover between these two limits. Here we focus on the hole probability  $P(R,T)$ , i.e. the probability that a region of size  $R$  is devoid of particles, in dimension  $d$ , and on the case of a spherical region of large radius  $R$ . We show that at low temperature it takes the scaling form  $P(R,T) \sim \exp[-(k_F R)^{d+1} \mathcal{D}(u=2R\{\}, T/k_F)\{\}]$ , where  $k_F$  is the Fermi momentum. By mapping the problem to an effective Coulomb gas, we compute exactly the scaling function  $\mathcal{D}(u)$  in any dimension. .*

## Problem setup and intuition

The introduction reinforces this lens: the paper appears motivated by a gap between practical behavior and theoretical understanding.

## **Proof architecture**

The technical core appears to build the surrogate quantity and the chain of lemmas needed to propagate local control into the final theorem: the paper follows a standard theory-paper structure with structural reduction plus quantitative bounds.

## **Takeaway**

The key reusable lesson is to define the right object, find the structural reduction, and quantify the error terms clearly.