
GTT CENTER PERTH

Concept Floor Plan and Layout Schematic, version 2

CONCEPT ONLY. NOT FOR CONSTRUCTION.
Subject to site survey, architect and NCC compliance.

Option A shown: two equal blood collection rooms, each with its own specimen fridge. Option B (one large room with clinical privacy curtain) is in the inset.

Typical rectangle 18.5 m x 15.6 m = 288.6 sqm gross internal. Site Brief range about 257 to 290 sqm. Scale 1:100 at A1 (see scale bar).



Scale bar

0 1 2 3 4 5 metres

N

placeholder, true north per site

LEGEND

- Blood collection (solid walls)
- Dirty zone: service entry, clinical waste, dirty linen
- Massage / beauty bay (partition walls + curtain)
- Open-plan lounge / open plan zones
- Private Refreshment Counter (GTT clients only)
- Reception
- Staff room
- Storage and clean linen
- Toilets (accessible + standard)
- Circulation
- Privacy curtain track
- HB handwash basin (IS = instrument sink)
- Solid partition wall
- Open-plan boundary (no wall)
- LEV exhaust to outside (nails)
- Under-counter clinical specimen fridge

C = centrifuge. Dashed C in Room 2 = space kept for a second unit (quantity TO CONFIRM with the pathology partner).

AREA SCHEDULE (drawn sqm against reference target)

Zone	Drawn	Reference target	Source of target
Blood Collection Room 1	**19.0**	19 (mid of 18 to 20)	Pathology partner brief; venue room schedule
Blood Collection Room 2	**19.0**	19 (equal to Room 1)	Venue room schedule; AusHFG room 12 min
Massage 1 and 2	**10.7 each**	12 each	Venue room schedule
Beauty 1 and 2	**10.7 each**	11 each	Venue room schedule
Open-plan luxury lounge	**44.7**	35	Venue room schedule (exceeded)
Private Refreshment Counter	**8.0**	8	Venue room schedule
Reception	**15.4**	15	Venue room schedule
Hairdressing (4 chairs, 2 backwash)	**23.9**	20 to 24 (5 to 6 per chair)	Brief 2026-10-17; salon sizing guides
Nails + pedicure (4 stations)	**22.4**	20 to 24 (5 to 6 per station)	Brief 2026-10-17; salon sizing guides
Accessible WC	**7.2**	7	Venue room schedule
Standard WC	**4.5**	4	Venue room schedule
Staff room + lockers	**13.0**	10	Venue room schedule
Clean linen	**6.2**	6	Venue room schedule
Dirty linen / clinical waste	**4.2**	4	Venue room schedule
Storage (consumables, retail stock)	**8.6**	not separately scheduled	Procurement list: shelving items
Service entry (dirty route)	**3.1**	not separately scheduled	New in v2
Circulation (clinical corridor, staff corridor, arrival lobby)	**46.7**	16	Venue room schedule (corridor only)
Total gross internal (18.5 m x 15.6 m)	**288.6**	**257 to 290 range**	


Both collection rooms are drawn at 19.0 sqm, the middle of the pathology partner brief range of 18 to 20 sqm (the 9 sqm figure is the partner's minimum floor, and AusHFG shows 12 sqm for a single enclosed collection room). Each room carries its own specimen fridge, handwash basin, bench, chair, recovery recliner and documentation bench. Hair and nails are drawn at 5 to 6 sqm per station. All areas are indicative.

CIRCULATION ROUTES

- Client route: entry, lounge, clinical corridor, collection room door
- Staff route: staff entry and staff room to clinical and back-of-house corridors
- Dirty route: clinical waste and soiled linen to the service door (staff only)

Staff reach the staff room from the clinical corridor or the back-of-house corridor, never through the dirty zone (red tint).

OPTION B INSET: ONE LARGE COLLECTION ROOM WITH CLINICAL PRIVACY CURTAIN



One room, 38.0 sqm (2 x 19.0)

Same equal-size logic as Option A: each bay keeps the 19.0 sqm, its own under-counter specimen fridge, handwash basin, recovery recliner and documentation bench; the dividing wall is replaced by a full-height clinical curtain on a ceiling track. Doors to the clinical corridor and the back-of-house corridor are as in Option A. Curtain gives visual privacy only. Sound privacy is lower than two walled rooms (to confirm with the pathology partner).