



Towers of strength

IHS Towers Brand Manual

August 2021 – (ver 1.01)

Our visual identity is made up of the following items. Please use these building blocks to create IHS communications across both print and digital.

1. Logotype

- 01 Book contents
- 02 Introduction
- 03 IHS primary logotype
- 04 Logotype exclusion zone
- 05 Secondary logotype
- 06 Logotype without strapline
- 07 Minimum sizes for print
- 08 Minimum sizes for digital
- 09 Minimum sizes for responsive
- 10 Logo usage – correct application
- 11 Logo usage – incorrect application

2. Colors

- 12 Introduction
- 13 IHS color overview
- 14 Color usage in print
- 15 Color usage in film
- 16 Color usage examples

3. Typography

- 17 Introduction
- 18 Primary IHS font
- 19 Secondary IHS font
- 20 IHS typography for print
- 21 IHS typography for digital
- 22 IHS typography for film

4. Connectivity graphic

- 23 Introduction
- 24 Connectivity graphic for print
- 25 Connectivity graphic for print (continued)
- 26 Connectivity graphic for digital
- 27 Connectivity graphic for film

5. Photography

- 28 Introduction
- 29 IHS photography overview
- 30 IHS photography – people
- 31 IHS photography – towers

6. Iconography

- 32 Introduction
- 33 IHS iconography overview



IHS logotype

The IHS Towers logotype is extremely important to our company and should be used responsibly. It is designed to convey values, solidity and structure. Values are extremely important to IHS.

There are clear instructions regarding the IHS logo's use, as outlined throughout the following pages. These instructions should be followed consistently to always ensure IHS is presented to customers and staff in the best possible way.

1. Logotype

IHS primary logotype

The revised IHS logotype for 2021 has been revised and remastered.

The strapline, ‘Towers of strength’ is now updated and set in Helvetica Neue (Regular). This gives the logo a more contemporary cut when compared to the default distributed version of the Helvetica font.

The overall construction is now based on the ‘X’ height which is measured from 50% (half) of the crossbar of the ‘H’ letter form.

This is the primary logotype version and consists of two colors (IHS Forest Green and IHS Red). There is also a secondary version in a single color option. (See page 5 for examples).




Logotype exclusion zone

To ensure legibility and impact at all times, the IHS logotype has an exclusion zone associated with it.

The area of exclusion is constructed based on the ‘X’ height which is measured from the width of the ‘I’ letter form of the IHS logotype.

The exclusion zone dictates that no other elements such as other logos, type or graphics may intrude into this area, i.e. provide a ‘clear space’ for logotype legibility.

Placement on photographic backgrounds is accepted as long as the image is neutral within the exclusion zone. (Please see examples on: ‘How to use’ on page 11).




Secondary logotype

Occasions may occur when our primary logo cannot be used due to print restrictions. In such cases, the secondary IHS logotype should be applied.

The secondary IHS logotype is a single color of IHS Forest Green at 90%.

This also means the IHS logotype can be used as a monotone variation – available in IHS Forest Green, Black or Greyscale or reversed out of a limited set of background colors.



IHS Forest Green (90%)



IHS Grass Green



IHS Dark Grey



IHS Red


Logotype without strapline

Note: Only to be used when limitations are placed on the logotype’s reproduction.

Size variations, reproduction or space restrictions at times may dictate the use of the IHS logotype without the strapline.

This is allowable for both the primary full color version or the secondary single color version.

Reasons to dispense with the strapline are generally to do with the strapline becoming adversely illegible. Some examples include reproduction at small sizes, reproduction in embroidery such as uniforms, narrow signage or other narrow format applications.



Greyscale monotone (70% Black) White logotype (reversed monotone)



IHS Forest Green (90%)



IHS Grass Green



IHS Dark Grey



IHS Red

Minimum sizes for print

Approved sizes have been given for popular DIN formats. These sizes have been calculated to be most appropriate relative to page size.

For flexibility, two sizes are approved for the popular A4 format.

Minimum sizes are extremely important in maintaining the integrity and legibility of the IHS logo and should be strictly adhered to.

Different variations of the IHS logo are more robust in reproduction than others and this is reflected in the minimum size outlined for each.

A 100% Black version of the logo will be more legible at small sizes than a full color version.

Approved sizes



Recommended standard logotype size A4/A3
(Note: Not to scale)



Recommended intermediate logotype size A6/A5/A4
(Note: Not to scale)

Minimum sizes



Primary
Recommended minimum logotype size
(Note: Not to scale)



Secondary
Recommended minimum logotype size
(Note: Not to scale)



Primary + no strapline
Recommended minimum logotype size
(Note: Not to scale)




Secondary + no strapline
Recommended minimum logotype size
(Note: Not to scale)

Minimum sizes for digital
The minimum sizing for the primary IHS logotype for website usage (desktop viewing mode) is a minimum width of 95 pixels (px), in order to maintain legibility of the strapline.

The current homepage example (see right) demonstrates how the secondary logotype (in white) is used on a photographic image. Note how the placement of the logotype has minimal detail behind to maintain clearance and legibility.



Secondary
(See right) Recommended minimum logotype size for website display
ihstowers.com
(Note: Not to scale)





Minimum sizes for responsive

The minimum sizing for the IHS logotype for responsive usage (mobile or tablet viewing mode) is a minimum width of 95 pixels (px), in order to maintain legibility of the strapline.

The current web page examples opposite demonstrates how the primary and secondary logotype are used – the primary on a clear, white background and secondary on a clear photographic image – both for maximum legibility.



Primary & secondary
(See right) Recommended minimum logotype size for responsive (mobile) display
ihstowers.com
(Note: Not to scale)



Logo usage – correct application
Correct use of the IHS logotype is expected at all times.

The IHS logo is available in several highly considered variations to successfully cover any eventuality.

Always consider legibility.



Logo usage – incorrect application
Correct use of the IHS logo is expected at all times.

The IHS logo is available in several highly considered variations to successfully cover any eventuality.

Tampering, changing, adding to or misappropriating the IHS logo is unnecessary and detrimental to the IHS brand.

Do not distort



Do not recolor



Do not use at an angle




No busy backgrounds



Do not use off-brand background color



Do not apply effects



Do not change or substitute the font

IHS colors

The IHS brand and its values are brought to life with color. Through color we can communicate directly to our audience, establishing the IHS brand recognition and reputation in an instant.

A carefully considered color palette is an essential tool in creating a recognizable and functional corporate communication program.

2. Colors

IHS color overview

IHS has long been associated with the color green, and we own this ‘green’ space within our market.

It remains the basis of the IHS corporate color palette but is accompanied by select colors and shades to add vitality to our communications. Together this makes a confident, lively and industrious palette.


Primary combination

Colors we use the most. Forest green is our primary hue, and its combination with white is at the heart of our palette.


Secondary combination

Consisting of the secondary and neutral colors – used sparingly. These can accentuate, add life and lift when used together with our primary and neutral palettes.

Primary colors




IHS Forest Green
Hex: #002d14
PMS: Forest Green 3435
CMYK: 100 50 100 70
RGB: 0 45 20




IHS White
Hex: #000000
PMS: White
CMYK: 0 0 0 0
RGB: 255 255 255

Secondary colors




IHS Red
Hex: #f04e43
PMS: Red 1795
CMYK: 0 85 77 0
RGB: 240 78 67




IHS Grass Green
Hex: #008732
PMS: Green 348
CMYK: 90 20 100 0
RGB: 0 135 50


Neutral colors



IHS Light Grey
Hex: #d0d0ce
PMS: Light Grey 420 C
CMYK: 6 4 7 13
RGB: 208 208 206



IHS Mid Grey
Hex: #a7a8aa
PMS: Mid Grey 6 C
CMYK: 19 12 13 34
RGB: 167 168 170



IHS Dark Grey
Hex: #494546
PMS: Dark Grey 446 C
CMYK: 65 61 58 42
RGB: 73 69 70


Color usage in print

The IHS primary Forest green and combination white remains the core color setup for printed documents.


However, there may be occasions when an additional secondary palette is required, e.g. within corporate documents to help identify sections or areas of business.

In these situations indicating colors can be used, along with tints, to help differentiate and help the user navigate content, especially within large documents.

Primary colors



Indicating colors



Color usage in film


Depending on each film script there may also be occasions when an additional secondary palette is required, e.g. to indicate specific sections or areas of business.

Alongside the core color setup, the following indicating colors (see right) can be used to help differentiate or break-up the flow of specific content.


The indicating colors can be used to distinguish – they do not have to be associated with a specific area of business. For example, sustainability is not associated to the IHS Blue only (or a tint of the IHS Blue).

Indicating colors

IHS Orange (60%)
RGB: 244 123 34



IHS Blue (50%)
RGB: 8 136 202



Examples: Color denoting film sections or business areas



Film example: color denoting used here to indicate two business areas

Print example: color denoting different sustainability pillars

Digital example: color used to highlight or draw attention to key areas of information


Color usage examples

The following examples provide a guide on how the indicating colors can be used to help differentiate or break-up the flow of specific content.

These colors should be used with a purpose, e.g. to guide, to assist the user through information or to highlight specific information.

The indicating colors are supportive, which means they are secondary to the primary colors (Forest Green and White).

These indicating colors are not to be used for decorative purposes only or to simply add more color.



IHS typography

Typographic expression is key to creating a distinct and sophisticated look and feel for IHS, helping to define our brand and separate ourselves from our competition.

Good typography is essential to creating professional, functional and emotive communications, which is always our aim.

3. Typography

Primary IHS font

The primary IHS font is Helvetica Neue and should be used where possible across various media platforms and designed collateral for external facing communications.

For users who do not have access to the ‘Helvetica Neue’ font – please use the secondary IHS font option. Secondary font options (fallback options) details can be found on: page 19.

Primary font

Aa

Helvetica Neue
Bold

Aa

Helvetica Neue
Medium


Aa

Helvetica Neue
Regular

Aa

Helvetica Neue
Light

Do not use the standard ‘Helvetica’ font



Aa

Helvetica Neue
Thin

Secondary IHS font

For external facing and designed collateral, the primary IHS font, ‘Helvetica Neue’ should be used.

For all other instances where this font is not available, the secondary IHS font options are as follows:

For Apple Mac users:

- Helvetica

For Microsoft PC users:

- Arial

The above options can be used for all internally created documents, e.g. PowerPoint presentations, MS Word, etc.

For Apple Mac users

Aa

Helvetica
Bold

Aa

Helvetica
Regular

For Microsoft PC users

Aa

Arial
Bold

Aa

Arial
Regular

Aa


Helvetica
Light

IHS typography for print

The primary IHS font, Helvetica Neue, is available in a selection of weights and styles, as previously detailed on page 17.

As a general guide to see how Helvetica Neue can be applied in print design for IHS communications, please browse our latest Sustainability Report from the IHS website.

This document demonstrates how to balance styles and weights, e.g. for body text and headlines.



Sustainability Report
Examples of IHS typography
in use can be viewed in the IHS
2020 Sustainability Report.
ihstowers.com

IHS typography for digital

The primary IHS font for website usage is also Helvetica Neue.

The current homepage example (see right) demonstrates how the Helvetica Neue webfont is used throughout the website.


Online .woff font format
(See right) Recommended font application for website design:

- font-weight: 600; font-style:bold;
- font-weight: 500;
- font-weight: 400;
- font-weight: 200;
- font-weight: 100;

ihstowers.com

font-family: Helvetica Neue, sans-serif;
font-weight: bold;
font-size: 14px;

font-family: Helvetica Neue, sans-serif;
font-weight: 400;
font-size: 1.4em;



IHS typography for film

The primary IHS font for film usage is Helvetica Neue. This applies to all text items such as: titles, captions, tags, dialogue and info graphics.

Please test on-screen typography for legibility.

This can be in terms of: the type applied over film footage and also the duration and transitions, so that the viewer has time to read and absorb the information that is being presented.



IHS Towers film
Film titles and captions set in:
Helvetica Neue (Bold)



IHS Connectivity graphic

The IHS Connectivity graphic provides an additional layer of expression that is used in combination with photography.

This graphic represents the IHS waves of communication and the direct connection of one person to another.

When applied, the graphic should enhance photography and provide a ‘visual link’ to the IHS brand.


The overall look and feel of the IHS Connectivity graphic aims to enhance in a subtle way and not overpower and detract from the carefully selected photography or on-screen visuals.

4. Connectivity graphic


IHS Connectivity graphic for print
The IHS Connectivity graphic consists of a series of wave lines, usually seven lines. Each line has an equal weight and stroke, i.e. one line is not thicker than another. This helps to give the connection lines a sense of clarity and elegance.

The wave line weight is set to: 0.3 pt. The color is set to white (100% fill) and 80% opacity applied. This helps to add some slight transparency and blend with the image slightly.

IHS Connectivity graphic





Line weight: 0.3 pt
(at actual size)



**IHS Connectivity graphic for print
(continued)**

Here are some further examples of the IHS Connectivity graphic which demonstrate how these lines are never fixed in a certain wave shape or pattern.

Generally, the wave of the Connectivity graphic will sit towards the lower half of the photographic image. The designer can flow and adjust the wave shape to accentuate the photographic form, e.g. contours or composition and draw attention to specific areas.




IHS Connectivity graphic for digital

The IHS Connectivity graphic has been applied to the website on: hero or full width images – as a single graphic, i.e. the Connectivity graphic is not placed on a separate layer to the hero image.

The IHS Connectivity graphic is applied in static form only currently, i.e. it is not animated.

Current web homepage
The IHS Connectivity graphic applied on the newly launched IHS website (2021)
ihstowers.com




IHS Connectivity graphic for film

The IHS Connectivity graphic has the additional feature of being animated when applied to film.

The following film stills demonstrate how the IHS Connectivity graphic is animated in from two directions which then cross over each other to create a visual 'net' or network appearance.

The Connectivity graphic is applied to introduce on screen messaging, e.g. the IHS logotype, stats, headings and areas of IHS business.



IHS photography

A photography library is held by Group Communications to enable IHS to honestly illustrate the IHS brand story.

The library covers all areas of our operations from head office to tower sites, and a cross section of IHS employees, technologies and work environments.

5. Photography

IHS photography overview

The style of the IHS brand photography enables us to present a vibrant, committed and professional image of our company in all its aspects.

Themes include innovation, technology, engineering expertise, communications and a collaborative team environment.

Our brand photography is to include multiracial/multi-cultural subjects as a reflection of the company's operations across the following:

- Africa
- Latin America
- Middle East




Additional:

Please contact Group Communications with photography requests.



IHS photography – people

Our brand photography is to include multiracial/multicultural subjects and the following examples demonstrate a range of gender, diversity as well as a range of scenarios that present company operations, our customers, and sustainability programs.





IHS photography – towers

Our tower photography is to include the various locations of the company's operations across the following geographies:

- Africa
- Latin America
- Middle East

Different tonal colors can be incorporated by capturing background landscape scenery and at different times of the day. These different tones help accentuate any messaging across various media.



IHS iconography

Typographic expression is key to creating a distinct and sophisticated look and feel for IHS, helping to define our brand and separate ourselves from our competition.

Good typography is essential to creating professional, functional and emotive communications, which is always our aim.

6. Iconography

IHS iconography overview


The newly launched website (2021) also uses a particular style of iconography to introduce and visually represent IHS specialized business models.

The IHS iconography is a very particular style and would need to be carried through if ever used in print and social media channels.

Colocation and lease agreement



New sites (Built-to-Suit or BTS)




Inbuilding solutions



Small cell



Fiber connectivity



Rural telephony

IHS

Towers of strength

ihstowers.com