# Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

```
┌─ Checker Input ─────────────────────────────────────────────────┐
│                                                                  │
│  Show  ☑ source    ☐ outline    ☐ image report    [ Options… ]  │
│                                                                  │
│  Check by [ text input ▾ ]  ☐ css                               │
│                                                                  │
│  ┌────────────────────────────────────────────────────────┐ ▲  │
│  │                                                        │    │
│  │    <footer class="fixed-bottom">                       │    │
│  │      <div class="container-fluid page-footer">         │    │
│  │        <div class="col">                               │    │
│  │          <ul class="list-inline social-links">         │    │
│  │            <li class="list-inline-item">               │    │
│  │              <a target="_blank" href="https://www.facebook.com/" class="fa-brands │
│  │  fa-facebook" aria-label="Facebook link"></a>          │    │
│  │            </li>                                       │ ▓  │
│  │            <li class="list-inline-item">               │ ▓  │
│  │              <a target="_blank" href="https://www.instagram.com/" class="fa-brands │
│  │  fa-instagram" aria-label="Instagram link"></a>        │    │
│  │            </li>                                       │ ▼  │
│  │          </ul>                                         │    │
│  └────────────────────────────────────────────────────────┘    │
│                                                                  │
│  [ Check ]                                                       │
│                                                                  │
└──────────────────────────────────────────────────────────────────┘
```

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

[Message Filtering]

1. **Info**   **Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).**

   [From line 109, column 7; to line 109, column 12](#)

   `l">⏎        <hr />⏎`

2. **Info**   **Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).**

   [From line 111, column 7; to line 111, column 12](#)

   `h2>⏎        <hr />⏎        <`

3. **Error**   **An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).**

   [From line 133, column 15; to line 136, column 16](#)

   `<img⏎                    class="img-fluid rounded"⏎`
   `src="/media/gloves.png"⏎                    />⏎`

4. **Info**   **Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).**

   [From line 133, column 15; to line 136, column 16](#)

   ```
           <img↵                  class="img-fluid rounded"↵
   src="/media/gloves.png"↵                /><↵
   ```

5. **Info**   **Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).**

   [From line 149, column 21; to line 149, column 165](#)

   ```
           <input class="form-control form-control-sm qty_input" type="number"
   name="quantity" value="1" min="1" max="99" data-item_id="13" id="id_qty_13"/>↵
   ```

6. **Warning**   **The `type` attribute is unnecessary for JavaScript resources.**

   [From line 221, column 1; to line 221, column 31](#)

   ```
      ↵↵      ↵↵<script type="text/javascript">↵  //
   ```

Document checking completed.

Source

1. ↵
2. ↵
3. ↵
4. `<!DOCTYPE html>↵`
5. `<html lang="en">↵`
6. `  <head>↵`
7. `    ↵`
8. `    <meta http-equiv="X-UA-Compatible" content="ie=edge">↵`
9. `    <meta charset="utf-8">↵`
10. `    <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">↵`
11. `    ↵`
12. ↵
13. `    ↵`
14. `    ↵`
15. ↵
16. `    ↵`
17. `    <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap@4.6.2/dist/css/bootstrap.min.css" integrity="sha384-xOolHFLEh07PJGoPkLv1IbcEPTNtaed2xpHsD9ESMhqIYd0nLMwNLD69Npy4HI+N" crossorigin="anonymous">↵`
18. `    <link rel="preconnect" href="https://fonts.googleapis.com">↵`
19. `    <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>↵`
20. `    <link href="https://fonts.googleapis.com/css2?family=Heebo:wght@300;400;600;700&display=swap" rel="stylesheet">↵`
21. `    <link rel="stylesheet" href="/static/css/base.css">↵`
22. `    ↵`
23. `    ↵`
24. `    ↵`
25. `    ↵`
26. `    ↵`
27. `    ↵`
28. `    <script src="https://cdn.jsdelivr.net/npm/jquery@3.5.1/dist/jquery.min.js" integrity="sha256-9/aliU8dGd2tb6OSsuzixeV4y/faTqgFtohetphbbj0=" crossorigin="anonymous"></script>↵`

```
29.      <script
    src="https://cdn.jsdelivr.net/npm/popper.js@1.16.1/dist/umd/popper.min.js"
    integrity="sha384-
    9/reFTGAW83EW2RDu2S0VKaIzap3H66lZH81PoYlFhbGU+6BZp6G7niu735Sk7lN"
    crossorigin="anonymous"></script>↵
30.      <script
    src="https://cdn.jsdelivr.net/npm/bootstrap@4.6.2/dist/js/bootstrap.min.js"
    integrity="sha384-
    +sLIOodYLS7CIrQpBjl+C7nPvqq+FbNUBDunl/OZv93DB7Ln/533i8e/mZXLi/P+"
    crossorigin="anonymous"></script>↵
31.      <script src="https://kit.fontawesome.com/36ab48d395.js"
    crossorigin="anonymous"></script>↵
32.      <script src="https://js.stripe.com/v3/"></script>↵
33.      <script src="/static/js/base.js"></script>↵
34.      ↵
35.      ↵
36.      ↵
37.      ↵
38.  ↵
39.      <title>BBQ Time </title>↵
40.    </head>↵
41.  ↵
42.    <body>↵
43.      <header class="container-fluid fixed-top">↵
44.        <nav class="navbar navbar-expand-lg navbar-dark bg-dark">↵
45.          <button↵
46.            class="navbar-toggler"↵
47.            type="button"↵
48.            data-toggle="collapse"↵
49.            data-target="#navbarTogglerDemo03"↵
50.            aria-controls="navbarTogglerDemo03"↵
51.            aria-expanded="false"↵
52.            aria-label="Toggle navigation"↵
53.          >↵
54.            <span class="navbar-toggler-icon"></span>↵
55.          </button>↵
56.          <a class="nav-brand" href="/"><img src="/media/logo.png" alt="BBQ Time
    logo" class="img-fluid"></a>↵
57.  ↵
58.          <div class="collapse navbar-collapse" id="navbarTogglerDemo03">↵
59.            <ul class="navbar-nav mr-auto mt-2 mt-lg-0">↵
60.              <li class="nav-item dropdown">↵
61.                <a class="nav-link dropdown-toggle" data-toggle="dropdown"
    role="button" aria-expanded="false">Shop</a>↵
62.                <div class="dropdown-menu">↵
63.                  <a class="dropdown-item" href="/shop/?
    category=accessories">Accessories</a>↵
64.                  <a class="dropdown-item" href="/shop/?
    category=charcoal">Charcoal</a>↵
65.                  <a class="dropdown-item" href="/shop/?category=rubs_spices">Rubs
    &amp; Spices</a>↵
66.                  <a class="dropdown-item" href="/shop/?
    category=smoking_wood">Smoking Wood</a>↵
67.                  <a class="dropdown-item" href="/shop/?
    category=accessories,charcoal,rubs_spices,smoking_wood">All Items</a>↵
68.                </div>↵
69.              </li>↵
70.              <li class="nav-item dropdown">↵
71.                <a class="nav-link dropdown-toggle" data-toggle="dropdown"
    role="button" aria-expanded="false">Account</a>↵
72.                <div class="dropdown-menu">↵
73.                  ↵
74.                  <a href="/accounts/signup/" class="dropdown-item">Sign Up</a>↵
75.                  <a href="/accounts/login/" class="dropdown-item">Login</a>↵
76.                  ↵
77.                </div>↵
78.              </li>↵
79.            </ul>↵
80.            <form class="form-inline my-2 my-lg-0" method="GET" action="/shop/">↵
81.              <input class="form-control mr-sm-2" type="text" name="q"
    placeholder="Search" aria-label="Search">↵
82.              <button class="btn btn-outline-orange my-2 my-sm-0"
    type="submit">Search</button>↵
```

```
 83.              </form>↵
 84.            </div>↵
 85.            <div>↵
 86.              <a class="nav-link" href="/basket/" aria-label="view basket"><i
       class="fa-solid fa-basket-shopping"></i></a>↵
 87.              <p class="my-0 text-center">1</p>↵
 88.            </div>↵
 89.          </nav>↵
 90.        </header>↵
 91.  ↵
 92.        ↵
 93.        <div class="message-container"></div>↵
 94.        ↵
 95.        ↵
 96.        ↵
 97.  <div class="container header-container">↵
 98.    <div class="row">↵
 99.      <div class="col"></div>↵
100.    </div>↵
101.  </div>↵
102.  ↵
103.        ↵
104.        ↵
105.  ↵
106.  <div class="container mb-2 basket">↵
107.    <div class="row">↵
108.      <div class="col">↵
109.        <hr />↵
110.        <h2 class="logo-font mb-4">Shopping Basket</h2>↵
111.        <hr />↵
112.      </div>↵
113.    </div>↵
114.  ↵
115.    <div class="row">↵
116.      <div class="col">↵
117.        ↵
118.        <div class="table-responsive rounded">↵
119.          <table class="table table-sm table-borderless">↵
120.            <thead>↵
121.              <tr>↵
122.                <th scope="col">Product Info</th>↵
123.                <th scope="col"></th>↵
124.                <th scope="col">Price</th>↵
125.                <th scope="col">Qty</th>↵
126.                <th scope="col">Subtotal</th>↵
127.              </tr>↵
128.            </thead>↵
129.  ↵
130.            ↵
131.            <tr>↵
132.              <td class="p-3 w-25">↵
133.                <img↵
134.                  class="img-fluid rounded"↵
135.                  src="/media/gloves.png"↵
136.                />↵
137.              </td>↵
138.              <td class="py-3">↵
139.                <p class="my-0"><strong>Heat Proof Gloves</strong></p>↵
140.              </td>↵
141.              <td class="py-3">↵
142.                <p class="my-0">£15.99</p>↵
143.              </td>↵
144.              <td class="py-3 w-25">↵
145.                <form class="form update-form" method="POST"
       action="/basket/update/13/">↵
146.                  <input type="hidden" name="csrfmiddlewaretoken"
       value="zmBcuZWgl5av0rhyvnHo90sU7zIAQtzM4FBPHxSZSjNThkGelQA1br5sHX9oy1zf">↵
147.                  <div class="form-group">↵
148.                    <div class="input-group">↵
149.                      <input class="form-control form-control-sm qty_input"
       type="number" name="quantity" value="1" min="1" max="99" data-item_id="13"
       id="id_qty_13"/>↵
150.                    </div>↵
```

```
151.                </div>↵
152.              </form>↵
153.              <a class="update-link btn btn-sm btn-success"><small>Update</small>
      </a>↵
154.              </td>↵
155.            <td class="py-3">↵
156.              <p>£15.99</p>↵
157.              <a class="remove-item btn btn-sm btn-danger" id="remove_13">
      <small>Delete</small></a>↵
158.              </td>↵
159.          </tr>↵
160.          ↵
161.          <tr>↵
162.            <td colspan="5" class="pt-5 text-right">↵
163.              <h6><strong>Basket Total: £15.99</strong></h6>↵
164.              <h6>Delivery: £5.00</h6>↵
165.              <h4 class="mt-4"><strong>Grand Total: £20.99</strong></h4>↵
166.              ↵
167.              <p class="mb-1 text-danger">You could get free delivery by spending
      just<strong>£34.01</strong> more!</p>↵
168.              ↵
169.              </td>↵
170.          </tr>↵
171.          <tr>↵
172.            <td colspan="5" class="text-right">↵
173.              <a href="/shop/" class="btn btn-lg">↵
174.                <span class="icon"><i class="fas fa-chevron-left"></i></span>↵
175.                <span class="text-uppercase">Keep Shopping</span>↵
176.              </a>↵
177.              <a href="/checkout/" class="btn btn-warning">↵
178.                <span class="text-uppercase">Secure Checkout</span>↵
179.                <span class="icon"><i class="fas fa-lock"></i></span>↵
180.              </a>↵
181.              </td>↵
182.          </tr>↵
183.        </table>↵
184.      </div>↵
185.        ↵
186.    </div>↵
187.   </div>↵
188. </div>↵
189. ↵
190. ↵
191.     ↵
192.     ↵
193. ↵
194. <div class="container footer-container">↵
195.   <div class="row">↵
196.     <div class="col"></div>↵
197.   </div>↵
198. </div>↵
199. ↵
200. ↵
201. ↵
202.    <footer class="fixed-bottom">↵
203.      <div class="container-fluid page-footer">↵
204.        <div class="col">↵
205.          <ul class="list-inline social-links">↵
206.            <li class="list-inline-item">↵
207.              <a target="_blank" href="https://www.facebook.com/" class="fa-
      brands fa-facebook" aria-label="Facebook link"></a>↵
208.            </li>↵
209.            <li class="list-inline-item">↵
210.              <a target="_blank" href="https://www.instagram.com/" class="fa-
      brands fa-instagram" aria-label="Instagram link"></a>↵
211.            </li>↵
212.          </ul>↵
213.        </div>↵
214.      </div>↵
215.    </footer>↵
216. ↵
217.    ↵
218. ↵
```

```
219.        ↵
220.  ↵
221.  <script type="text/javascript">↵
222.    // Update quantity on click↵
223.    $(".update-link").click(function (e) {↵
224.      var form = $(this).prev(".update-form");↵
225.      form.submit();↵
226.    });↵
227.  ↵
228.    // Remove item and reload on click↵
229.    $(".remove-item").click(function (e) {↵
230.      var csrfToken =
      "zmBcuZWgl5av0rhyvnHo90sU7zIAQtzM4FBPHxSZSjNThkGelQA1br5sHX9oy1zf";↵
231.      var itemId = $(this).attr("id").split("remove_")[1];↵
232.      var url = `/basket/remove/${itemId}/`;↵
233.      var data = { csrfmiddlewaretoken: csrfToken };↵
234.  ↵
235.      $.post(url, data).done(function () {↵
236.        location.reload();↵
237.      });↵
238.    });↵
239.  </script>↵
240.  ↵
241.  ↵
242.        ↵
243.    </body>↵
244.  </html>
```

Used the HTML parser.

Total execution time 25 milliseconds.

About this checker • Report an issue • Version: 23.9.13