Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show [✓] source   [ ] outline   [ ] image report   [Options…]

Check by [text input ▾]   [ ] css

```
<!DOCTYPE html>
<html lang="en">
  <head>

    <meta http-equiv="X-UA-Compatible" content="ie=edge">
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-
fit=no">
```

[Check]

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

[Message Filtering]

1. [**Warning**]   **The** ⌐type¬ **attribute is unnecessary for JavaScript resources.**

    [From line 218, column 1; to line 218, column 31](#)

    ↵↵   ↵↵<script type="text/javascript">↵ //

Document checking completed.

Source

1. ↵
2. ↵
3. ↵
4. <!DOCTYPE html>↵
5. <html lang="en">↵
6.   <head>↵
7.   ↵
8.   <meta http-equiv="X-UA-Compatible" content="ie=edge">↵
9.   <meta charset="utf-8">↵
10.   <meta name="viewport" content="width=device-width, initial-scale=1, shrink-
    to-fit=no">↵
11.   ↵
12. ↵
13.   ↵

14.   ↵
15.   ↵
16.   ↵
17.   <link rel="stylesheet"
     href="https://cdn.jsdelivr.net/npm/bootstrap@4.6.2/dist/css/bootstrap.min.css"
     integrity="sha384-
     xOolHFLEh07PJGoPkLv1IbcEPTNtaed2xpHsD9ESMhqIYd0nLMwNLD69Npy4HI+N"
     crossorigin="anonymous">↵
18.   <link rel="preconnect" href="https://fonts.googleapis.com">↵
19.   <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>↵
20.   <link href="https://fonts.googleapis.com/css2?
     family=Heebo:wght@300;400;600;700&display=swap" rel="stylesheet">↵
21.   <link rel="stylesheet" href="/static/css/base.css">↵
22.   ↵
23.   ↵
24.   ↵
25.   ↵
26.   ↵
27.   ↵
28.   <script src="https://cdn.jsdelivr.net/npm/jquery@3.5.1/dist/jquery.min.js"
     integrity="sha256-9/aliU8dGd2tb6OSsuzixeV4y/faTqgFtohetphbbj0="
     crossorigin="anonymous"></script>↵
29.   <script
     src="https://cdn.jsdelivr.net/npm/popper.js@1.16.1/dist/umd/popper.min.js"
     integrity="sha384-
     9/reFTGAW83EW2RDu2S0VKaIzap3H66lZH81PoYlFhbGU+6BZp6G7niu735Sk7lN"
     crossorigin="anonymous"></script>↵
30.   <script
     src="https://cdn.jsdelivr.net/npm/bootstrap@4.6.2/dist/js/bootstrap.min.js"
     integrity="sha384-
     +sLIOodYLS7CIrQpBjl+C7nPvqq+FbNUBDunl/OZv93DB7Ln/533i8e/mZXLi/P+"
     crossorigin="anonymous"></script>↵
31.   <script src="https://kit.fontawesome.com/36ab48d395.js"
     crossorigin="anonymous"></script>↵
32.   <script src="https://js.stripe.com/v3/"></script>↵
33.   <script src="/static/js/base.js"></script>↵
34.   ↵
35.   ↵
36.   ↵
37.   ↵
38.   ↵
39.   <title>BBQ Time </title>↵
40.   </head>↵
41.   ↵
42.   <body>↵
43.   <header class="container-fluid fixed-top">↵
44.   <nav class="navbar navbar-expand-lg navbar-dark bg-dark">↵
45.   <button↵
46.   class="navbar-toggler"↵
47.   type="button"↵
48.   data-toggle="collapse"↵
49.   data-target="#navbarTogglerDemo03"↵
50.   aria-controls="navbarTogglerDemo03"↵
51.   aria-expanded="false"↵
52.   aria-label="Toggle navigation"↵
53.   >↵
54.   ↵
55.   </button>↵
56.   <img src="/media/logo.png" alt="BBQ Time
     logo" class="img-fluid">↵
57.   ↵
58.   <div class="collapse navbar-collapse" id="navbarTogglerDemo03">↵
59.   <ul class="navbar-nav mr-auto mt-2 mt-lg-0">↵
60.   <li class="nav-item dropdown">↵
61.   <a class="nav-link dropdown-toggle" data-toggle="dropdown"
     role="button" aria-expanded="false">Shop↵
62.   <div class="dropdown-menu">↵
63.   <a class="dropdown-item" href="/shop/?
     category=accessories">Accessories↵
64.   <a class="dropdown-item" href="/shop/?
     category=charcoal">Charcoal↵
65.   Rubs
     & Spices↵

```
 66.            <a class="dropdown-item" href="/shop/?
     category=smoking_wood">Smoking Wood</a>↵
 67.            <a class="dropdown-item" href="/shop/?
     category=accessories,charcoal,rubs_spices,smoking_wood">All Items</a>↵
 68.              </div>↵
 69.            </li>↵
 70.            <li class="nav-item dropdown">↵
 71.              <a class="nav-link dropdown-toggle" data-toggle="dropdown"
     role="button" aria-expanded="false">Account</a>↵
 72.              <div class="dropdown-menu">↵
 73.                ↵
 74.                <a href="/accounts/signup/" class="dropdown-item">Sign Up</a>↵
 75.                <a href="/accounts/login/" class="dropdown-item">Login</a>↵
 76.                ↵
 77.              </div>↵
 78.            </li>↵
 79.          </ul>↵
 80.          <form class="form-inline my-2 my-lg-0" method="GET" action="/shop/">↵
 81.            <input class="form-control mr-sm-2" type="text" name="q"
     placeholder="Search" aria-label="Search">↵
 82.            <button class="btn btn-outline-orange my-2 my-sm-0"
     type="submit">Search</button>↵
 83.          </form>↵
 84.        </div>↵
 85.        <div>↵
 86.          <a class="nav-link" href="/basket/" aria-label="view basket"><i
     class="fa-solid fa-basket-shopping"></i></a>↵
 87.          <p class="my-0 text-center">1</p>↵
 88.        </div>↵
 89.      </nav>↵
 90.    </header>↵
 91. ↵
 92.      ↵
 93.      <div class="message-container"></div>↵
 94.      ↵
 95.      ↵
 96.      ↵
 97. <div class="container header-container">↵
 98.    <div class="row">↵
 99.      <div class="col"></div>↵
100.    </div>↵
101. </div>↵
102. ↵
103.        ↵
104.        ↵
105. ↵
106. <div class="container mb-2 basket">↵
107.    <div class="row">↵
108.      <div class="col">↵
109.        <hr>↵
110.        <h2 class="logo-font mb-4">Shopping Basket</h2>↵
111.        <hr>↵
112.      </div>↵
113.    </div>↵
114. ↵
115.    <div class="row">↵
116.      <div class="col">↵
117.        ↵
118.        <div class="table-responsive rounded">↵
119.          <table class="table table-sm table-borderless">↵
120.            <thead>↵
121.              <tr>↵
122.                <th scope="col">Product Info</th>↵
123.                <th scope="col"></th>↵
124.                <th scope="col">Price</th>↵
125.                <th scope="col">Qty</th>↵
126.                <th scope="col">Subtotal</th>↵
127.              </tr>↵
128.            </thead>↵
129. ↵
130.              ↵
131.              <tr>↵
132.                <td class="p-3 w-25">↵
```

```
133.            <img class="img-fluid rounded" src="/media/gloves.png" alt="Heat
      Proof Gloves">↵
134.                </td>↵
135.              <td class="py-3">↵
136.                <p class="my-0"><strong>Heat Proof Gloves</strong></p>↵
137.              </td>↵
138.              <td class="py-3">↵
139.                <p class="my-0">£15.99</p>↵
140.              </td>↵
141.              <td class="py-3 w-25">↵
142.                <form class="form update-form" method="POST"
      action="/basket/update/13/">↵
143.                  <input type="hidden" name="csrfmiddlewaretoken"
      value="t1KDv4N5QIsIJQDez4UaphO9o2Nj1MU5YkKgICJOnW560J2UpxNNrIrHYqe7JkUy">↵
144.                  <div class="form-group">↵
145.                    <div class="input-group">↵
146.                      <input class="form-control form-control-sm qty_input"
      type="number" name="quantity" value="1" min="1" max="99" data-item_id="13"
      id="id_qty_13">↵
147.                    </div>↵
148.                  </div>↵
149.                </form>↵
150.                <a class="update-link btn btn-sm btn-success"><small>Update</small>
      </a>↵
151.              </td>↵
152.              <td class="py-3">↵
153.                <p>£15.99</p>↵
154.                <a class="remove-item btn btn-sm btn-danger" id="remove_13">
      <small>Delete</small></a>↵
155.              </td>↵
156.            </tr>↵
157.            ↵
158.            <tr>↵
159.              <td colspan="5" class="pt-5 text-right">↵
160.                <h6><strong>Basket Total: £15.99</strong></h6>↵
161.                <h6>Delivery: £5.00</h6>↵
162.                <h4 class="mt-4"><strong>Grand Total: £20.99</strong></h4>↵
163.                ↵
164.                <p class="mb-1 text-danger">You could get free delivery by spending
      just<strong>£34.01</strong> more!</p>↵
165.                ↵
166.              </td>↵
167.            </tr>↵
168.            <tr>↵
169.              <td colspan="5" class="text-right">↵
170.                <a href="/shop/" class="btn btn-lg">↵
171.                  <span class="icon"><i class="fas fa-chevron-left"></i></span>↵
172.                  <span class="text-uppercase">Keep Shopping</span>↵
173.                </a>↵
174.                <a href="/checkout/" class="btn btn-warning">↵
175.                  <span class="text-uppercase">Secure Checkout</span>↵
176.                  <span class="icon"><i class="fas fa-lock"></i></span>↵
177.                </a>↵
178.              </td>↵
179.            </tr>↵
180.          </table>↵
181.        </div>↵
182.        ↵
183.      </div>↵
184.    </div>↵
185. </div>↵
186. ↵
187. ↵
188.    ↵
189.    ↵
190. ↵
191. <div class="container footer-container">↵
192.   <div class="row">↵
193.     <div class="col"></div>↵
194.   </div>↵
195. </div>↵
196. ↵
197. ↵
```

```
198.  ↵
199.      <footer class="fixed-bottom">↵
200.        <div class="container-fluid page-footer">↵
201.          <div class="col">↵
202.            <ul class="list-inline social-links">↵
203.              <li class="list-inline-item">↵
204.                <a target="_blank" href="https://www.facebook.com/" class="fa-
      brands fa-facebook" aria-label="Facebook link"></a>↵
205.              </li>↵
206.              <li class="list-inline-item">↵
207.                <a target="_blank" href="https://www.instagram.com/" class="fa-
      brands fa-instagram" aria-label="Instagram link"></a>↵
208.              </li>↵
209.            </ul>↵
210.          </div>↵
211.        </div>↵
212.      </footer>↵
213.  ↵
214.        ↵
215.  ↵
216.        ↵
217.  ↵
218.  <script type="text/javascript">↵
219.    // Update quantity on click↵
220.    $(".update-link").click(function (e) {↵
221.      var form = $(this).prev(".update-form");↵
222.      form.submit();↵
223.    });↵
224.  ↵
225.    // Remove item and reload on click↵
226.    $(".remove-item").click(function (e) {↵
227.      var csrfToken =
      "t1KDv4N5QIsIJQDez4UaphO9o2Nj1MU5YkKgICJOnW560J2UpxNNrIrHYqe7JkUy";↵
228.      var itemId = $(this).attr("id").split("remove_")[1];↵
229.      var url = `/basket/remove/${itemId}/`;↵
230.      var data = { csrfmiddlewaretoken: csrfToken };↵
231.  ↵
232.      $.post(url, data).done(function () {↵
233.        location.reload();↵
234.      });↵
235.    });↵
236.  </script>↵
237.  ↵
238.  ↵
239.        ↵
240.    </body>↵
241.  </html>
```

Used the HTML parser.

Total execution time 22 milliseconds.

About this checker • Report an issue • Version: 23.8.18