

```

1  /*
2   Core logic/payment flow for this comes from here:
3   https://stripe.com/docs/payments/accept-a-payment
4
5   CSS from here:
6   https://stripe.com/docs/stripe-js
7  */
8
9  var stripePublicKey = $('#id_stripe_public_key').text().slice(1, -1);
10 var clientSecret = $('#id_client_secret').text().slice(1, -1);
11 var stripe = Stripe(stripePublicKey);
12 var elements = stripe.elements();
13 var style = {
14   base: {
15     color: '#000',
16     fontFamily: '"Helvetica Neue", Helvetica, sans-serif',
17     fontSmoothing: 'antialiased',
18     fontSize: '16px',
19     '::placeholder': {
20       color: '#aab7c4'
21     }
22   },
23   invalid: {
24     color: '#dc3545',
25     iconColor: '#dc3545'
26   }
27 };
28 var card = elements.create('card', { style: style });
29 card.mount('#card-element');
30
31 // Handle realtime validation errors on the card element
32 card.addEventListener('change', function (event) {
33   var errorDiv = document.getElementById('card-errors');
34   if (event.error) {
35     var html = `
36       <span class="icon" role="alert">
37         <i class="fas fa-times"></i>
38       </span>
39       <span>${event.error.message}</span>
40     `;
41     $(errorDiv).html(html);
42   } else {
43     errorDiv.textContent = '';
44   }
45 });
46

```

CONFIGURE

Metrics

There are 5 functions in this file.

Function with the largest signature take 1 arguments, while the median is 1.

Largest function has 10 statements in it, while the median is 5.

The most complex function has a cyclomatic complexity value of 3 while the median is 1.



version 2.13.6

(<https://github.com/jshint/jshint/>)

About (/about)

Documentation (/docs)

Install (/install)

Contribute (/contribute)

Blog (/blog)

One undefined variable

11 Stripe

```

47 // Handle form submit
48 var form = document.getElementById('payment-form');
49
50 form.addEventListener('submit', function (ev) {
51     ev.preventDefault();
52     card.update({ 'disabled': true });
53     $('#submit-button').attr('disabled', true);
54     $('#payment-form').fadeToggle(100);
55     $('#loading-overlay').fadeToggle(100);
56
57     var saveInfo = Boolean($('#id-save-info').attr('checked'));
58     // From using {% csrf_token %} in the form
59     var csrfToken = $('#input[name="csrfmiddlewaretoken"]').val();
60     var postData = {
61         'csrfmiddlewaretoken': csrfToken,
62         'client_secret': clientSecret,
63         'save_info': saveInfo,
64     };
65     var url = '/checkout/cache_checkout_data/';
66
67     $.post(url, postData).done(function () {
68         stripe.confirmCardPayment(clientSecret, {
69             payment_method: {
70                 card: card,
71                 billing_details: {
72                     name: $.trim(form.full_name.value),
73                     phone: $.trim(form.phone_number.value),
74                     email: $.trim(form.email.value),
75                     address: {
76                         line1: $.trim(form.street_address1.value),
77                         line2: $.trim(form.street_address2.value),
78                         city: $.trim(form.town_or_city.value),
79                         country: $.trim(form.country.value),
80                         state: $.trim(form.county.value),
81                     }
82                 }
83             },
84             shipping: {
85                 name: $.trim(form.full_name.value),
86                 phone: $.trim(form.phone_number.value),
87                 address: {
88                     line1: $.trim(form.street_address1.value),
89                     line2: $.trim(form.street_address2.value),
90                     city: $.trim(form.town_or_city.value),
91                     country: $.trim(form.country.value),
92                     postal_code: $.trim(form.postcode.value),
93                     state: $.trim(form.county.value),

```



version 2.13.6

[\(https://github.com/jshint/jshint/\)](https://github.com/jshint/jshint/)

Metrics

There are 5 functions in this file.

Function with the largest signature take 1 arguments, while the median is 1.

[About \(/about\)](#)

Largest function has 10 statements in it, while the median is 5.

[Documentation \(/docs\)](#)

The most complex function has a cyclomatic complexity value of 3 while the median is 1.

[Install \(/install\)](#)[Contribute \(/contribute\)](#)[Blog \(/blog\)](#)

One undefined variable

11 Stripe

```

94         }
95     },
96     }).then(function (result) {
97         if (result.error) {
98             var errorDiv = document.getElementById('card-errors');
99             var html = `
100                 <span class="icon" role="alert">
101                     <i class="fas fa-times"></i>
102                 </span>
103                 <span>${result.error.message}</span>`;
104             $(errorDiv).html(html);
105             $('#payment-form').fadeToggle(100);
106             $('#loading-overlay').fadeToggle(100);
107             card.update({ 'disabled': false });
108             $('#submit-button').attr('disabled', false);
109         } else {
110             if (result.paymentIntent.status === 'succeeded') {
111                 form.submit();
112             }
113         }
114     });
115     }).fail(function () {
116         // just reload the page, the error will be in django messages
117         location.reload();
118     });
119 });

```



version 2.13.6

[\(https://github.com/jshint/jshint/\)](https://github.com/jshint/jshint/)

Metrics

There are 5 functions in this file.

Function with the largest signature take 1 arguments, while the median is 1.

[About \(/about\)](#)

Largest function has 10 statements in it, while the median is 5.

[Documentation \(/docs\)](#)

The most complex function has a cyclomatic complexity value of 3 while the median is 1.

[Install \(/install\)](#)

[Contribute \(/contribute\)](#)

[Blog \(/blog\)](#)

One undefined variable

11 Stripe