Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☑ source ☐ outline ☐ image report   [Options…]

Check by [text input ▾] ☐ css

```
<!DOCTYPE html>
<html lang="en">
  <head>

    <meta http-equiv="X-UA-Compatible" content="ie=edge" />
    <meta charset="utf-8" />
    <meta
      name="viewport"
      content="width=device-width, initial-scale=1, shrink-to-fit=no"
    />
```

[Check]

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

[Message Filtering]

1. **Info**   **Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.**

   From line 8, column 5; to line 8, column 59

   ↩   ↩   `<meta http-equiv="X-UA-Compatible" content="ie=edge" />`↩   <

2. **Info**   **Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.**

   From line 9, column 5; to line 9, column 28

   `e" />`↩   `<meta charset="utf-8" />`↩   <

3. **Info**   **Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.**

   From line 10, column 5; to line 13, column 6

   `8" />`↩   `<meta`↩   `name="viewport"`↩   `content="width=device-width,`
   `initial-scale=1, shrink-to-fit=no"`↩   `/>`↩   ↩

4.   **Info**   **Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.**

From line 20, column 5; to line 25, column 6

```
↵     ↵      <link↵      rel="stylesheet"↵
href="https://cdn.jsdelivr.net/npm/bootstrap@4.6.2/dist/css/bootstrap.min.css"↵
integrity="sha384-
```

5.   **Info**   **Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.**

From line 29, column 5; to line 29, column 90

```
eet">↵     <link rel="stylesheet" href="https://bbq-
time.s3.amazonaws.com/static/css/base.css" />↵      ↵
```

6.   **Info**   **Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.**

From line 80, column 12; to line 84, column 10

```
       ><img↵              src="https://bbq-
time.s3.amazonaws.com/media/logo.png"↵           alt="BBQ Time logo"↵
class="img-fluid"↵          /></a>↵↵
```

7.   **Info**   **Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.**

From line 112, column 13; to line 112, column 111

```
        <input class="form-control mr-sm-2" type="text" name="q"
placeholder="Search" aria-label="Search"/>↵
```

8.   **Error**   **Element br not allowed as child of element ul in this context. (Suppressing further errors from this subtree.)**

From line 144, column 90; to line 144, column 95

```
ries!</li><br />↵
```

Contexts in which element br may be used:
    Where phrasing content is expected.
Content model for element ul:
    Zero or more li and script-supporting elements.

9.   **Info**   **Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.**

From line 144, column 90; to line 144, column 95

```
ries!</li><br />↵
```

10.   **Error**   **Element br not allowed as child of element ul in this context. (Suppressing further errors from this subtree.)**

From line 145, column 87; to line 145, column 92

```
coal!</li><br />↵
```

Contexts in which element br may be used:
    Where phrasing content is expected.
Content model for element ul:
    Zero or more li and script-supporting elements.

11. **Info** **Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.**

From line 145, column 87; to line 145, column 92

```
coal!</li><br />↵
```

12. **Error** **Element br not allowed as child of element ul in this context. (Suppressing further errors from this subtree.)**

From line 146, column 92; to line 146, column 97

```
ices!</li><br />↵
```

Contexts in which element br may be used:
    Where phrasing content is expected.
Content model for element ul:
    Zero or more li and script-supporting elements.

13. **Info** **Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.**

From line 146, column 92; to line 146, column 97

```
ices!</li><br />↵
```

14. **Error** **Element br not allowed as child of element ul in this context. (Suppressing further errors from this subtree.)**

From line 147, column 91; to line 147, column 96

```
Wood!</li><br />↵
```

Contexts in which element br may be used:
    Where phrasing content is expected.
Content model for element ul:
    Zero or more li and script-supporting elements.

15. **Info** **Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.**

From line 147, column 91; to line 147, column 96

```
Wood!</li><br />↵
```

16. **Error** **Element br not allowed as child of element ul in this context. (Suppressing further errors from this subtree.)**

From line 148, column 101; to line 148, column 106

```
£50!</li><br />↵
```

Contexts in which element br may be used:

Where phrasing content is expected.

Content model for element ul:

Zero or more li and script-supporting elements.

17. [Info] **Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.**

From line 148, column 101; to line 148, column 106

```
£50!</li><br />↵
```

Document checking completed.

Source

```
1.   ↵
2.   ↵
3.   ↵
4.   <!DOCTYPE html>↵
5.   <html lang="en">↵
6.     <head>↵
7.       ↵
8.       <meta http-equiv="X-UA-Compatible" content="ie=edge" />↵
9.       <meta charset="utf-8" />↵
10.      <meta↵
11.        name="viewport"↵
12.        content="width=device-width, initial-scale=1, shrink-to-fit=no"↵
13.      />↵
14.      ↵
15.  ↵
16.      ↵
17.      ↵
18.  ↵
19.      ↵
20.      <link↵
21.        rel="stylesheet"↵
22.
     href="https://cdn.jsdelivr.net/npm/bootstrap@4.6.2/dist/css/bootstrap.min.css"↵
23.        integrity="sha384-
     xOolHFLEh07PJGoPkLv1IbcEPTNtaed2xpHsD9ESMhqIYd0nLMwNLD69Npy4HI+N"↵
24.        crossorigin="anonymous"↵
25.      />↵
26.      <link rel="preconnect" href="https://fonts.googleapis.com">↵
27.      <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>↵
28.      <link href="https://fonts.googleapis.com/css2?
     family=Heebo:wght@300;400;600;700&display=swap" rel="stylesheet">↵
29.      <link rel="stylesheet" href="https://bbq-
     time.s3.amazonaws.com/static/css/base.css" />↵
30.      ↵
31.      ↵
32.      ↵
33.      ↵
34.      ↵
35.      ↵
36.      <script↵
37.        src="https://cdn.jsdelivr.net/npm/jquery@3.5.1/dist/jquery.min.js"↵
38.        integrity="sha256-9/aliU8dGd2tb6OSsuzixeV4y/faTqgFtohetphbbj0="↵
39.        crossorigin="anonymous"↵
40.      ></script>↵
41.      <script↵
42.        src="https://cdn.jsdelivr.net/npm/popper.js@1.16.1/dist/umd/popper.min.js"↵
```

```
43.        integrity="sha384-
    9/reFTGAW83EW2RDu2S0VKaIzap3H66lZH81PoYlFhbGU+6BZp6G7niu735Sk7lN"↵
44.        crossorigin="anonymous"↵
45.      ></script>↵
46.      <script↵
47.
    src="https://cdn.jsdelivr.net/npm/bootstrap@4.6.2/dist/js/bootstrap.min.js"↵
48.        integrity="sha384-
    +sLIOodYLS7CIrQpBjl+C7nPvqq+FbNUBDunl/OZv93DB7Ln/533i8e/mZXLi/P+"↵
49.        crossorigin="anonymous"↵
50.      ></script>↵
51.      <script↵
52.        src="https://kit.fontawesome.com/36ab48d395.js"↵
53.        crossorigin="anonymous"↵
54.      ></script>↵
55.      <script src="https://js.stripe.com/v3/"></script>↵
56.      <script src="https://bbq-time.s3.amazonaws.com/static/js/base.js"></script>↵
57.        ↵
58.        ↵
59.        ↵
60.        ↵
61.  ↵
62.      <title>BBQ Time </title>↵
63.    </head>↵
64.  ↵
65.    <body>↵
66.      <header class="container-fluid fixed-top">↵
67.        <nav class="navbar navbar-expand-lg navbar-dark bg-dark">↵
68.          <button↵
69.            class="navbar-toggler"↵
70.            type="button"↵
71.            data-toggle="collapse"↵
72.            data-target="#navbarTogglerDemo03"↵
73.            aria-controls="navbarTogglerDemo03"↵
74.            aria-expanded="false"↵
75.            aria-label="Toggle navigation"↵
76.          >↵
77.            <span class="navbar-toggler-icon"></span>↵
78.          </button>↵
79.          <a class="nav-brand" href="/"↵
80.            ><img↵
81.              src="https://bbq-time.s3.amazonaws.com/media/logo.png"↵
82.              alt="BBQ Time logo"↵
83.              class="img-fluid"↵
84.          /></a>↵
85.  ↵
86.          <div class="collapse navbar-collapse" id="navbarTogglerDemo03">↵
87.            <ul class="navbar-nav mr-auto mt-2 mt-lg-0">↵
88.              <li class="nav-item dropdown">↵
89.                <a class="nav-link dropdown-toggle" data-toggle="dropdown"
    role="button" aria-expanded="false">Shop</a>↵
90.                <div class="dropdown-menu">↵
91.                  <a class="dropdown-item" href="/shop/?
    category=accessories">Accessories</a>↵
92.                  <a class="dropdown-item" href="/shop/?
    category=charcoal">Charcoal</a>↵
93.                  <a class="dropdown-item" href="/shop/?category=rubs_spices">Rubs
    &amp; Spices</a>↵
94.                  <a class="dropdown-item" href="/shop/?
    category=smoking_wood">Smoking Wood</a>↵
95.                  <a class="dropdown-item" href="/shop/?
    category=accessories,charcoal,rubs_spices,smoking_wood">All Items</a>↵
96.                </div>↵
97.              </li>↵
98.              <li class="nav-item dropdown">↵
99.                <a class="nav-link dropdown-toggle" data-toggle="dropdown"
    role="button" aria-expanded="false">Account</a>↵
100.                <div class="dropdown-menu">↵
101.                    ↵
102.                  <a href="/shop/add/" class="dropdown-item">Product
    Management</a>↵
103.                    ↵
104.                  <a href="/profile/" class="dropdown-item">My Profile</a>↵
```

```
105.              <a href="/profile/wishlist/" class="dropdown-item">Wishlist</a>↵
106.              <a href="/accounts/logout/" class="dropdown-item">Logout</a>↵
107.              ↵
108.            </div>↵
109.          </li>↵
110.        </ul>↵
111.        <form class="form-inline my-2 my-lg-0" method="GET" action="/shop/">↵
112.        <input class="form-control mr-sm-2" type="text" name="q"
      placeholder="Search" aria-label="Search"/>↵
113.            <button class="btn btn-outline-orange my-2 my-sm-0"
      type="submit">Search</button>↵
114.          </form>↵
115.        </div>↵
116.        <div>↵
117.          <a class="nav-link" href="/basket/"><i class="fa-solid fa-basket-
      shopping"></i></a>↵
118.          <p class="my-0 text-center">0</p>↵
119.        </div>↵
120.      </nav>↵
121.    </header>↵
122.  ↵
123.      ↵
124.      <div class="message-container"></div>↵
125.      ↵
126.      ↵
127.      ↵
128. <div class="container header-container">↵
129.   <div class="row">↵
130.     <div class="col"></div>↵
131.   </div>↵
132. </div>↵
133. ↵
134.      ↵
135.      ↵
136. <div class="container subscribe">↵
137.   <div class="row">↵
138.     <div class="col-lg-5">↵
139.       <div class="card text-center">↵
140.         <div class="card-header">It's BBQ Time!</div>↵
141.         <div class="card-body">↵
142.           <h5 class="card-title">Shop now to take your next BBQ to another level!
      </h5>↵
143.           <ul class="card-text no-bullets">↵
144.             <li><i class="fa-solid fa-fire" style="color: #cc5500"></i>
      Accessories!</li><br />↵
145.             <li><i class="fa-solid fa-fire" style="color: #cc5500"></i> Charcoal!
      </li><br />↵
146.             <li><i class="fa-solid fa-fire" style="color: #cc5500"></i> Rubs &
      Spices!</li><br />↵
147.             <li><i class="fa-solid fa-fire" style="color: #cc5500"></i> Smoking
      Wood!</li><br />↵
148.             <li><i class="fa-solid fa-fire" style="color: #cc5500"></i> Free
      delivery over £50!</li><br />↵
149.           </ul>↵
150.         <a class="btn btn-warning" href="/shop/">Shop now!</a>↵
151.         </div>↵
152.       </div>↵
153.     </div>↵
154.   </div>↵
155. </div>↵
156. ↵
157. ↵
158.      ↵
159.      ↵
160. ↵
161. <div class="container footer-container">↵
162.   <div class="row">↵
163.     <div class="col"></div>↵
164.   </div>↵
165. </div>↵
166. ↵
167. ↵
168. ↵
```

```
169.     <footer class="fixed-bottom">↵
170.       <div class="container-fluid page-footer">↵
171.         <div class="col">↵
172.           <ul class="list-inline social-links">↵
173.             <li class="list-inline-item">↵
174.               <a target="_blank" href="https://www.facebook.com/" class="fa-
     brands fa-facebook" aria-label="Facebook link"></a>↵
175.             </li>↵
176.             <li class="list-inline-item">↵
177.               <a target="_blank" href="https://www.instagram.com/" class="fa-
     brands fa-instagram" aria-label="Instagram link"></a>↵
178.             </li>↵
179.           </ul>↵
180.         </div>↵
181.       </div>↵
182.     </footer>↵
183.   ↵
184.       ↵
185.       ↵
186.       ↵
187.   </body>↵
188. </html>
```

Used the HTML parser.

Total execution time 17 milliseconds.

About this checker • Report an issue • Version: 23.8.18