ALEX ROARK ENGINEERING

CONTACT

Meadow Pointe II CDD
c/o Robert Signoretti
Assistant Secretary
2634 Cypress Ridge Blvd
Suite 102
Wesley Chapel, FL 33544

☎ 850-567-2044

drew@alexroarkeng.com

www.alexroarkeng.com

Dear Meadow Pointe II CDD,

Alex Roark Engineering has analyzed the traffic impacts associated with closing Wrencrest Drive just west of Rensselaer Drive. Following is a summary of the results:

Pasco County asked that the following intersections be analyzed for level of service (LOS) after the proposed road closure:

Meadow Pointe at Beardsley
Chatterly Drive at Meadow Pointe
Thackery Way at Beardsley
Iverson Drive at Beardsley
Beardsley at Mansfield Blvd
County Line Road at Mansfield
Wrencrest Drive at Mansfield

The AM Peak Hour and PM Peak Hour intersection turning movement counts were collected for the intersections above as well as the following intersections:

Wrencrest Drive at Rensselaer Drive
Wrencrest Drive at Chatterly Drive
Chatterly Drive at Thackery Way

The AM and PM peak hour traffic was estimated post-road-closure by redistributing the traffic utilizing the closed section of Wrencrest Drive. The summary of the traffic counts are appended to this letter.

The redistribution was manual and was primarily based on the traffic at the Wrencrest Drive at Rensselaer Drive intersection as well as limitations (caps) associated with volumes at the Meadow

Pointe Boulevard at Chattery Drive intersection. The redistribution volumes are also appended to this letter.

The post-road-closure LOS is shown in the table below.

Post-Road Closer Intersection LOS Results														
	Mansfield @ Wrencrest Dr		Mansfield @ County Line Rd		Mansfield @ Beardsley Dr		Beardsley Dr @ Iverson Dr		Beardsley Dr @ Thackery Way		Beardsley Dr @ Meadow Pointe		Meadow Pointe Blvd @ Chatterly	
	AM Peak	PM Peak	AM Peak	PM Peak	AM Peak	PM Peak	AM Peak	PM Peak	AM Peak	PM Peak	AM Peak	PM Peak	AM Peak	PM Peak
Level of Service (LOS)														
EB Approach	n/a	n/a	B	D	F	F	A*	A*	A*	A*	C	C	C	D
WB Approach	D	C	B	B	B	C	A	A	A	A	n/a	n/a	B	C
NB Approach	A	A	B	B	A*	A*	n/a	n/a	n/a	n/a	A*	A*	A*	A*
SB Approach	A*	A*	A	B	A*	A*	B	B	B	B	A	A	A*	A*
Overall Intersection	**A**	**A**	**B**	**C**	**B**	**C**	**A**	**A**	**A**	**A**	**A**	**A**	**A**	**A**


*Unsignalized left turn LOS

As is shown in the table, all intersections operate at acceptable levels. There is a failure eastbound at the Mansfield Drive at Beardsley Drive intersection, however, that is in the existing condition.

Please let us know if you have any questions.

Sincerely,

Drew Roark, PE, CTL
Vice President


DR. JOHN LONG MIDDLE SCHOOL
LONGLEAF
WRENCREST
ROAD CLOSED
HEATHERSTONE
MEADOW POINTE III
BEACONSFIELD
IVERSON
WHITLOCK
LARKENHEATH
EVE OAK
RK NORTH
AM and PM Peak Hour Traffic Counts
000 (000) = AM (PM)


LOCATION: Rensselaer Dr & Wrencrest Dr
CITY/STATE: Wesley Chapel, FL

PROJECT ID: 23-120381-001
DATE: Wed, Sep 27, 2023

Peak-Hour: 08:00 AM - 09:00 AM
Peak 15-Minute: 08:30 AM - 08:45 AM

Peak Hour Factor: 0.75

National Data & Surveying Services



15-Min Count Period Beginning At	Rensselaer Dr Northbound					Rensselaer Dr Southbound					Wrencrest Dr Eastbound					Wrencrest Dr Westbound					Total	Hourly Total
	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*		
7:00 AM	0	0	0	0		2	0	11	0		1	3	0	0		0	8	0	0		25	130
7:15 AM	0	0	0	0		1	0	14	0		2	5	0	0		0	21	0	0		43	129
7:30 AM	0	0	0	0		3	0	13	0		3	6	0	0		0	15	1	0		41	110
7:45 AM	0	0	0	0		0	0	6	0		2	1	0	0		0	12	0	0		21	115
8:00 AM	0	0	0	0		1	0	9	0		4	4	0	0		0	5	1	0		24	138
8:15 AM	0	0	0	0		1	0	2	0		5	5	0	0		0	10	1	0		24	114
8:30 AM	0	0	0	0		0	0	12	0		1	11	0	0		0	21	1	0		46	90
8:45 AM	0	0	0	0		0	0	4	0		4	12	0	0		0	22	2	0		44	44
Peak 15-Min Flowrates	**Northbound**					**Southbound**					**Eastbound**					**Westbound**					**Total**	
	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*		
All Vehicles	0	0	0	0		4	0	48	0		20	48	0	0		0	88	8	0		**216**	
Heavy Trucks	0	0	0	0		0	0	0	0		4	0	0	0		0	4	0	0		**8**	
Pedestrians		0					0					0					0				**0**	
Bicycles	0	0	0	0		0	0	12	0		0	0	0	0		0	16	0	0		**28**	
Buses																						
Stopped Buses																						


LOCATION: Chatterly Dr & Appleton Pl
CITY/STATE: Wesley Chapel, FL

PROJECT ID: 23-120381-003
DATE: Wed, Sep 27, 2023

Peak-Hour: 08:00 AM - 09:00 AM
Peak 15-Minute: 08:30 AM - 08:45 AM

Peak Hour Factor: 0.68

National Data & Surveying Services



15-Min Count Period Beginning At	Chatterly Dr Northbound					Chatterly Dr Southbound					Appleton Pl Eastbound					Appleton Pl Westbound					Total	Hourly Total
	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*		
7:00 AM	0	2	1	0		0	2	0	0		0	0	0	0		1	0	0	0		6	56
7:15 AM	0	4	0	0		0	4	0	0		0	0	0	0		3	0	4	1		16	62
7:30 AM	0	8	0	0		0	7	0	0		0	0	0	0		3	0	4	0		22	58
7:45 AM	0	6	0	0		0	4	0	0		0	0	0	0		1	0	1	0		12	65
8:00 AM	0	6	1	0		0	3	0	0		0	0	0	0		1	0	1	0		12	79
8:15 AM	0	6	0	0		0	4	0	0		0	0	0	0		0	0	2	0		12	67
8:30 AM	0	11	2	0		1	7	0	0		0	0	0	0		5	0	3	0		29	55
8:45 AM	0	10	2	0		2	6	0	0		0	0	0	0		4	0	2	0		26	26
Peak 15-Min Flowrates	**Northbound**					**Southbound**					**Eastbound**					**Westbound**					**Total**	
	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*		
All Vehicles	0	44	8	0		8	28	0	0		0	0	0	0		20	0	12	0		**120**	
Heavy Trucks	0	4	0	0		0	0	0	0		0	0	0	0		0	0	0	0		**4**	
Pedestrians		0					0					0					0				**0**	
Bicycles	0	12	0	0		0	0	0	0		0	0	0	0		0	0	12	0		**24**	
Buses																						
Stopped Buses																						


LOCATION: Rensselaer Dr & Wrencrest Dr
CITY/STATE: Wesley Chapel, FL

PROJECT ID: 23-120381-001
DATE: Wed, Sep 27, 2023

Peak-Hour: 04:00 PM - 05:00 PM
Peak 15-Minute: 04:00 PM - 04:15 PM

Peak Hour Factor: **0.66**

National Data & Surveying Services



15-Min Count Period Beginning At	Rensselaer Dr Northbound					Rensselaer Dr Southbound					Wrencrest Dr Eastbound					Wrencrest Dr Westbound					Total	Hourly Total
	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*		
4:00 PM	0	0	0	0		1	0	3	0		13	34	0	0		0	11	5	0		67	176
4:15 PM	0	0	0	0		2	0	5	0		8	14	0	0		0	10	1	0		40	142
4:30 PM	0	0	0	0		0	0	6	0		7	7	0	0		0	10	5	0		35	143
4:45 PM	0	0	0	0		4	0	10	0		6	8	0	0		0	5	1	0		34	143
5:00 PM	0	0	0	0		3	0	4	0		5	9	0	0		0	10	2	0		33	149
5:15 PM	0	0	0	0		4	0	3	0		15	12	0	0		0	6	1	0		41	116
5:30 PM	0	0	0	0		4	0	5	0		5	5	0	0		0	12	4	0		35	75
5:45 PM	0	0	0	0		0	0	4	0		12	12	0	0		0	9	3	0		40	40
Peak 15-Min Flowrates	**Northbound**					**Southbound**					**Eastbound**					**Westbound**					**Total**	
	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*		
All Vehicles	0	0	0	0		16	0	40	0		52	136	0	0		0	44	20	0		**308**	
Heavy Trucks	0	0	0	0		4	0	0	0		4	0	0	0		0	0	4	0		**12**	
Pedestrians		0					4					0					0				**4**	
Bicycles	0	0	0	0		0	0	0	0		0	12	0	0		0	4	4	0		**20**	
Buses																						
Stopped Buses																						


LOCATION: Beardsley Dr & Iverson Dr
CITY/STATE: Wesley Chapel, FL

PROJECT ID: 23-120381-008
DATE: Wed, Sep 27, 2023

Peak-Hour: 07:45 AM - 08:45 AM
Peak 15-Minute: 08:30 AM - 08:45 AM

Peak Hour Factor: **0.90**

National Data & Surveying Services



15-Min Count Period Beginning At	Beardsley Dr Northbound					Beardsley Dr Southbound					Iverson Dr Eastbound					Iverson Dr Westbound					Total	Hourly Total
	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*		
7:00 AM	0	59	0	0		1	11	0	0		0	0	0	0		0	0	7	0		78	465
7:15 AM	0	82	1	0		1	21	0	0		0	0	0	0		0	0	6	0		111	508
7:30 AM	0	87	0	0		6	26	0	0		0	0	0	0		0	0	12	1		132	522
7:45 AM	0	98	0	0		0	38	0	0		0	0	0	0		1	0	7	0		144	539
8:00 AM	0	64	1	0		5	43	0	0		0	0	0	0		1	0	7	0		121	535
8:15 AM	0	68	1	0		7	41	0	0		0	0	0	0		3	0	5	0		125	414
8:30 AM	0	91	1	0		5	41	0	0		0	0	0	0		0	0	11	0		149	289
8:45 AM	0	76	1	0		1	52	0	0		0	0	0	0		2	0	8	0		140	140
Peak 15-Min Flowrates	**Northbound**					**Southbound**					**Eastbound**					**Westbound**					**Total**	
	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*		
All Vehicles	0	392	4	0		28	172	0	0		0	0	0	0		12	0	44	0		**652**	
Heavy Trucks	0	8	0	0		0	8	0	0		0	0	0	0		0	0	0	0		**16**	
Pedestrians		0					0					0					8				**8**	
Bicycles	0	0	0	0		0	0	0	0		0	0	0	0		0	0	0	0		**0**	
Buses																						
Stopped Buses																						


LOCATION: Thackery Way & Beardsley Dr
CITY/STATE: Wesley Chapel, FL

PROJECT ID: 23-120381-005
DATE: Wed, Sep 27, 2023

Peak-Hour: 08:00 AM - 09:00 AM
Peak 15-Minute: 08:45 AM - 09:00 AM

Peak Hour Factor: **0.87**

National Data & Surveying Services



15-Min Count Period Beginning At	Thackery Way Northbound					Thackery Way Southbound					Beardsley Dr Eastbound					Beardsley Dr Westbound					Total	Hourly Total
	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*		
7:00 AM	0	0	0	0		0	0	7	0		0	15	0	0		0	29	0	0		51	318
7:15 AM	0	0	0	0		2	0	9	0		0	22	0	0		0	47	1	0		81	367
7:30 AM	0	0	0	0		1	0	2	0		0	26	0	0		0	49	0	0		78	361
7:45 AM	0	0	0	0		1	0	6	0		2	33	0	0		0	65	1	0		108	390
8:00 AM	0	0	0	0		3	0	1	1		3	38	0	0		0	53	1	0		100	395
8:15 AM	0	0	0	0		0	0	1	0		2	34	0	0		0	38	0	0		75	295
8:30 AM	0	0	0	0		0	0	7	0		2	30	0	0		0	66	2	0		107	220
8:45 AM	0	0	0	0		2	0	7	0		2	55	0	0		0	44	3	0		113	113
Peak 15-Min Flowrates	**Northbound**					**Southbound**					**Eastbound**					**Westbound**					**Total**	
	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*		
All Vehicles	0	0	0	0		12	0	28	4		12	220	0	0		0	264	12	0		**552**	
Heavy Trucks	0	0	0	0		0	0	0	4		0	8	0	0		0	4	0	0		**12**	
Pedestrians		0					4					0					4				**8**	
Bicycles	0	0	0	0		0	0	0	0		0	0	0	0		0	0	0	0		**0**	
Buses																						
Stopped Buses																						


LOCATION: Chatterly Dr & Wrencrest Dr
CITY/STATE: Wesley Chapel, FL

PROJECT ID: 23-120381-002
DATE: Wed, Sep 27, 2023

Peak-Hour: 08:00 AM - 09:00 AM
Peak 15-Minute: 08:45 AM - 09:00 AM

Peak Hour Factor: **0.69**

National Data & Surveying Services



15-Min Count Period Beginning At	Chatterly Dr Northbound					Chatterly Dr Southbound					Wrencrest Dr Eastbound					Wrencrest Dr Westbound					Total	Hourly Total
	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*		
7:00 AM	2	0	0	0		0	0	0	0		0	1	2	0		1	2	0	1		9	65
7:15 AM	8	0	0	0		0	0	0	0		0	2	2	0		1	6	0	0		19	67
7:30 AM	11	0	1	0		0	0	0	0		0	0	7	0		0	3	0	0		22	65
7:45 AM	7	0	0	0		0	1	0	0		0	2	1	0		2	2	0	0		15	68
8:00 AM	6	0	0	0		0	0	0	0		0	2	2	0		1	0	0	0		11	83
8:15 AM	9	0	1	0		0	0	0	0		0	0	5	0		0	2	0	0		17	72
8:30 AM	13	0	1	0		0	0	0	0		0	0	6	0		1	4	0	0		25	55
8:45 AM	12	0	0	0		0	0	0	0		0	6	6	0		2	4	0	0		30	30
Peak 15-Min Flowrates	**Northbound**					**Southbound**					**Eastbound**					**Westbound**					**Total**	
	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*		
All Vehicles	52	0	4	0		0	0	0	0		0	24	24	0		8	16	0	0		**128**	
Heavy Trucks	4	0	0	0		0	0	0	0		0	0	0	0		0	0	0	0		**4**	
Pedestrians		0					0					4					0				**4**	
Bicycles	24	0	0	0		0	0	0	0		0	0	0	0		0	4	0	0		**28**	
Buses																						
Stopped Buses																						


LOCATION: Chatterly Dr & Wrencrest Dr
CITY/STATE: Wesley Chapel, FL

PROJECT ID: 23-120381-002
DATE: Wed, Sep 27, 2023

Peak-Hour: 04:00 PM - 05:00 PM
Peak 15-Minute: 04:00 PM - 04:15 PM

Peak Hour Factor: **0.63**

National Data & Surveying Services



15-Min Count Period Beginning At	Chatterly Dr Northbound					Chatterly Dr Southbound					Wrencrest Dr Eastbound					Wrencrest Dr Westbound					Total	Hourly Total
	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*		
4:00 PM	12	0	1	0		0	0	0	0		0	5	16	0		1	1	0	0		36	90
4:15 PM	6	0	0	0		0	0	0	0		0	5	7	0		1	4	0	0		23	74
4:30 PM	8	0	1	0		0	0	0	0		0	0	4	0		0	1	0	0		14	69
4:45 PM	5	0	0	0		0	0	0	0		0	3	7	0		0	2	0	0		17	76
5:00 PM	6	0	1	0		0	0	0	0		0	2	9	0		0	2	0	0		20	83
5:15 PM	8	0	0	0		0	0	0	0		0	4	6	0		0	0	0	0		18	63
5:30 PM	11	1	1	0		0	0	0	0		0	2	4	0		0	2	0	0		21	45
5:45 PM	5	0	0	0		0	0	0	0		0	5	8	0		2	4	0	0		24	24
Peak 15-Min Flowrates	**Northbound**					**Southbound**					**Eastbound**					**Westbound**					**Total**	
	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*		
All Vehicles	48	0	4	0		0	0	0	0		0	20	64	0		4	16	0	0		**156**	
Heavy Trucks	4	0	0	0		0	0	0	0		0	0	4	0		0	0	0	0		**8**	
Pedestrians		4					0					0					0				**4**	
Bicycles	8	0	4	0		0	0	0	0		0	0	8	0		4	4	0	0		**28**	
Buses																						
Stopped Buses																						


LOCATION: Mansfield Blvd & Wrencrest Dr
CITY/STATE: Wesley Chapel, FL

PROJECT ID: 23-120381-011
DATE: Wed, Sep 27, 2023

Peak-Hour: 07:30 AM - 08:30 AM
Peak 15-Minute: 07:30 AM - 07:45 AM

Peak Hour Factor: 0.88

National Data & Surveying Services



15-Min Count Period Beginning At	Mansfield Blvd Northbound					Mansfield Blvd Southbound					Wrencrest Dr Eastbound					Wrencrest Dr Westbound					Total	Hourly Total
	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*		
7:00 AM	0	45	2	0		3	28	0	0		0	0	0	0		18	0	17	0		113	790
7:15 AM	0	65	1	0		10	37	0	0		0	0	0	0		25	0	39	4		181	881
7:30 AM	0	128	6	0		12	44	0	0		0	0	0	0		20	0	41	0		251	887
7:45 AM	0	97	6	0		13	75	0	0		0	0	0	0		15	0	39	0		245	838
8:00 AM	0	64	8	0		13	90	0	0		0	0	0	0		11	0	18	0		204	866
8:15 AM	0	72	4	0		15	58	0	0		0	0	0	0		14	0	24	0		187	662
8:30 AM	0	100	7	0		8	52	0	0		0	0	0	0		14	0	21	0		202	475
8:45 AM	0	109	7	0		8	115	0	0		0	0	0	0		9	0	25	0		273	273
Peak 15-Min Flowrates	**Northbound**					**Southbound**					**Eastbound**					**Westbound**					**Total**	
	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*		
All Vehicles	0	512	32	0		60	360	0	0		0	0	0	0		80	0	164	0		1208	
Heavy Trucks	0	8	0	0		0	8	0	0		0	0	0	0		0	0	4	0		20	
Pedestrians		0					12					0					4				16	
Bicycles	0	48	0	0		0	0	0	0		0	0	0	0		0	0	24	0		72	
Buses																						
Stopped Buses																						


LOCATION: Thackery Way & Chatterly Dr
CITY/STATE: Wesley Chapel, FL

PROJECT ID: 23-120381-004
DATE: Wed, Sep 27, 2023

Peak-Hour: 08:00 AM - 09:00 AM
Peak 15-Minute: 08:30 AM - 08:45 AM

Peak Hour Factor: 0.75

National Data & Surveying Services




15-Min Count Period Beginning At	Thackery Way Northbound					Thackery Way Southbound					Chatterly Dr Eastbound					Chatterly Dr Westbound					Total	Hourly Total
	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*		
7:00 AM	0	0	0	0		0	1	0	0		0	3	2	0		5	3	0	0		14	63
7:15 AM	0	0	0	0		0	0	0	0		0	4	3	0		5	1	0	0		13	66
7:30 AM	0	0	1	0		0	0	0	0		0	9	2	0		0	7	0	0		19	69
7:45 AM	1	0	0	0		0	0	0	0		0	3	4	0		2	7	0	0		17	81
8:00 AM	2	0	4	0		0	0	0	0		0	3	3	0		1	4	0	0		17	93
8:15 AM	5	0	0	0		0	0	0	0		0	5	1	0		0	5	0	0		16	76
8:30 AM	3	0	2	0		0	0	0	0		0	14	1	0		3	8	0	0		31	60
8:45 AM	3	0	3	0		0	0	0	0		0	8	7	0		2	6	0	0		29	29
Peak 15-Min Flowrates	**Northbound**					**Southbound**					**Eastbound**					**Westbound**					**Total**	
	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*		
All Vehicles	20	0	16	0		0	0	0	0		0	56	28	0		12	32	0	0		**164**	
Heavy Trucks	0	0	4	0		0	0	0	0		0	0	4	0		0	4	0	0		**12**	
Pedestrians		8					0					0					0				**8**	
Bicycles	0	0	0	0		0	0	0	0		0	0	0	0		0	4	0	0		**4**	
Buses																						
Stopped Buses																						

LOCATION: Chatterly Dr & Appleton Pl
CITY/STATE: Wesley Chapel, FL

PROJECT ID: 23-120381-003
DATE: Wed, Sep 27, 2023

Peak-Hour: 04:00 PM - 05:00 PM
Peak 15-Minute: 04:00 PM - 04:15 PM

Peak Hour Factor: **0.62**



15-Min Count Period Beginning At	Chatterly Dr Northbound					Chatterly Dr Southbound					Appleton Pl Eastbound					Appleton Pl Westbound					Total	Hourly Total
	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*		
4:00 PM	0	13	4	0		4	14	0	0		0	0	0	0		0	0	0	0		35	87
4:15 PM	0	4	1	0		0	8	0	1		0	0	0	0		1	0	1	0		16	70
4:30 PM	0	10	3	0		3	2	0	0		0	0	0	0		1	0	1	0		20	72
4:45 PM	0	5	2	0		1	6	0	0		0	0	0	0		2	0	0	0		16	70
5:00 PM	0	6	1	0		2	7	0	0		0	0	0	0		1	0	1	0		18	73
5:15 PM	0	6	1	0		1	5	0	0		0	0	0	0		3	0	2	0		18	55
5:30 PM	0	10	1	0		1	3	0	0		0	0	0	0		1	0	2	0		18	37
5:45 PM	0	3	3	0		4	6	0	0		0	0	0	0		1	0	2	0		19	19
Peak 15-Min Flowrates	**Northbound**					**Southbound**					**Eastbound**					**Westbound**					**Total**	
	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*		
All Vehicles	0	52	16	0		16	56	0	4		0	0	0	0		8	0	4	0		**156**	
Heavy Trucks	0	4	0	0		0	4	0	0		0	0	0	0		0	0	0	0		**8**	
Pedestrians		0					4					0					0				**4**	
Bicycles	0	8	4	0		0	12	0	0		0	0	0	0		0	0	0	0		**24**	
Buses																						
Stopped Buses																						


LOCATION: Thackery Way & Chatterly Dr
CITY/STATE: Wesley Chapel, FL

PROJECT ID: 23-120381-004
DATE: Wed, Sep 27, 2023

Peak-Hour: 04:00 PM - 05:00 PM
Peak 15-Minute: 04:00 PM - 04:15 PM

Peak Hour Factor: **0.69**

National Data & Surveying Services



15-Min Count Period Beginning At	Thackery Way Northbound					Thackery Way Southbound					Chatterly Dr Eastbound					Chatterly Dr Westbound					Total	Hourly Total
	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*		
4:00 PM	7	0	4	0		0	0	0	0		0	4	7	0		3	10	0	0		35	97
4:15 PM	4	0	3	0		0	0	0	0		0	8	3	0		0	5	0	0		23	84
4:30 PM	4	0	1	0		0	0	0	0		0	0	1	0		4	9	0	0		19	84
4:45 PM	6	0	1	0		0	0	0	0		0	4	2	0		1	6	0	0		20	88
5:00 PM	1	0	3	0		0	0	0	0		0	9	2	0		2	5	0	0		22	88
5:15 PM	5	1	1	0		0	0	0	0		0	10	1	0		1	4	0	0		23	66
5:30 PM	5	1	2	0		0	0	0	0		0	4	3	0		1	7	0	0		23	43
5:45 PM	3	0	3	0		0	0	0	0		0	6	2	0		1	5	0	0		20	20
Peak 15-Min Flowrates	**Northbound**					**Southbound**					**Eastbound**					**Westbound**					**Total**	
	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*		
All Vehicles	28	0	16	0		0	0	0	0		0	32	28	0		16	40	0	0		**160**	
Heavy Trucks	0	0	0	0		0	0	0	0		0	4	0	0		0	4	0	0		**8**	
Pedestrians		0					0					0					0				**0**	
Bicycles	4	0	0	0		0	0	0	0		0	8	0	0		0	0	0	0		**12**	
Buses																						
Stopped Buses																						


LOCATION: Thackery Way & Beardsley Dr
CITY/STATE: Wesley Chapel, FL

PROJECT ID: 23-120381-005
DATE: Wed, Sep 27, 2023

Peak-Hour: 05:00 PM - 06:00 PM
Peak 15-Minute: 05:30 PM - 05:45 PM

Peak Hour Factor: **0.98**

National Data & Surveying Services




15-Min Count Period Beginning At	Thackery Way Northbound					Thackery Way Southbound					Beardsley Dr Eastbound					Beardsley Dr Westbound					Total	Hourly Total
	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*		
4:00 PM	0	0	0	0		3	0	3	0		10	45	0	0		0	38	2	0		101	442
4:15 PM	0	0	0	0		1	0	3	1		5	43	0	0		0	38	1	0		92	460
4:30 PM	0	0	0	0		1	0	5	0		6	61	0	0		0	65	1	0		139	494
4:45 PM	0	0	0	0		0	0	4	0		5	49	0	0		0	50	2	0		110	482
5:00 PM	0	0	0	0		0	0	4	0		5	63	0	0		0	47	0	0		119	497
5:15 PM	0	0	0	0		0	0	3	0		5	67	0	0		0	49	2	0		126	378
5:30 PM	0	0	0	0		1	0	3	0		4	61	0	0		0	54	4	0		127	252
5:45 PM	0	0	0	0		2	0	2	0		6	65	0	0		0	48	2	0		125	125
Peak 15-Min Flowrates	**Northbound**					**Southbound**					**Eastbound**					**Westbound**					**Total**	
	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*		
All Vehicles	0	0	0	0		8	0	16	0		24	268	0	0		0	216	16	0		**548**	
Heavy Trucks	0	0	0	0		0	0	0	0		0	8	0	0		0	12	0	0		**20**	
Pedestrians		0					0					0					0				**0**	
Bicycles	0	0	0	0		0	0	0	0		0	0	0	0		0	8	0	0		**8**	
Buses																						
Stopped Buses																						


LOCATION: Beardsley Dr & Iverson Dr
CITY/STATE: Wesley Chapel, FL


PROJECT ID: 23-120381-008
DATE: Wed, Sep 27, 2023

Peak-Hour: 05:00 PM - 06:00 PM
Peak 15-Minute: 05:45 PM - 06:00 PM



National Data & Surveying Services





15-Min Count Period Beginning At	Beardsley Dr Northbound					Beardsley Dr Southbound					Iverson Dr Eastbound					Iverson Dr Westbound					Total	Hourly Total
	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*		
4:00 PM	0	50	1	0		15	69	0	0		0	0	0	0		0	0	6	0		141	593
4:15 PM	0	61	3	0		11	68	0	0		0	0	0	0		3	0	1	0		147	617
4:30 PM	0	66	1	0		11	81	0	0		0	0	0	0		1	0	8	0		168	650
4:45 PM	0	63	1	0		7	63	0	0		0	0	0	0		0	0	3	0		137	646
5:00 PM	0	65	1	0		4	91	0	0		0	0	0	0		0	0	4	0		165	690
5:15 PM	0	63	0	0		7	100	0	0		0	0	0	0		1	0	9	0		180	525
5:30 PM	0	63	1	0		9	83	0	0		0	0	0	0		0	0	8	0		164	345
5:45 PM	0	56	0	0		9	112	0	0		0	0	0	0		0	0	4	0		181	181
Peak 15-Min Flowrates	**Northbound**					**Southbound**					**Eastbound**					**Westbound**						
	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*	Total	
All Vehicles	0	260	4	0		36	448	0	0		0	0	0	0		4	0	36	0		788	
Heavy Trucks	0	8	0	0		0	0	0	0		0	0	0	0		0	0	0	0		8	
Pedestrians		0					0					0					0				0	
Bicycles	0	8	0	0		0	0	0	0		0	0	0	0		0	0	0	0		8	
Buses																						
Stopped Buses																						


LOCATION: Meadow Pointe Blvd & Chatterly Dr
CITY/STATE: Wesley Chapel, FL

PROJECT ID: 23-120381-006
DATE: Wed, Sep 27, 2023

Peak-Hour: 07:15 AM - 08:15 AM
Peak 15-Minute: 07:30 AM - 07:45 AM

Peak Hour Factor: 0.97

National Data & Surveying Services



15-Min Count Period Beginning At	Meadow Pointe Blvd Northbound					Meadow Pointe Blvd Southbound					Chatterly Dr Eastbound					Chatterly Dr Westbound					Total	Hourly Total
	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*		
7:00 AM	0	42	0	0		1	37	3	0		5	0	1	0		0	0	1	0		90	503
7:15 AM	0	64	1	0		2	58	1	0		7	0	2	0		0	0	0	0		135	549
7:30 AM	0	51	1	0		1	62	7	0		12	0	3	0		1	0	4	0		142	518
7:45 AM	0	55	1	0		0	66	7	0		7	0	0	0		0	0	0	0		136	526
8:00 AM	0	46	1	0		0	82	3	1		3	0	0	0		0	0	0	0		136	523
8:15 AM	0	34	0	0		0	61	4	0		5	0	0	0		0	0	0	0		104	387
8:30 AM	0	56	2	0		0	74	6	0		12	0	0	0		0	0	0	0		150	283
8:45 AM	0	66	1	0		0	55	4	0		5	1	1	0		0	0	0	0		133	133
Peak 15-Min Flowrates	**Northbound**					**Southbound**					**Eastbound**					**Westbound**					**Total**	
	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*		
All Vehicles	0	256	4	0		8	328	28	4		48	0	12	0		4	0	16	0		**708**	
Heavy Trucks	0	4	0	0		0	4	8	4		0	0	4	0		0	0	0	0		**20**	
Pedestrians		0					0					8					0				**8**	
Bicycles	0	0	0	0		0	4	0	0		4	0	0	0		0	0	0	0		**8**	
Buses																						
Stopped Buses																						


LOCATION: Meadow Pointe Blvd & Chatterly Dr
CITY/STATE: Wesley Chapel, FL

PROJECT ID: 23-120381-006
DATE: Wed, Sep 27, 2023

Peak-Hour: 05:00 PM - 06:00 PM
Peak 15-Minute: 05:15 PM - 05:30 PM

Peak Hour Factor: **0.93**

National Data & Surveying Services



15-Min Count Period Beginning At	Meadow Pointe Blvd Northbound					Meadow Pointe Blvd Southbound					Chatterly Dr Eastbound					Chatterly Dr Westbound					Total	Hourly Total
	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*		
4:00 PM	0	56	2	0		4	47	13	0		3	0	2	0		1	1	4	0		133	580
4:15 PM	2	50	1	0		1	59	9	0		8	0	1	0		0	0	0	0		131	609
4:30 PM	1	69	0	0		4	83	10	0		1	0	1	0		2	0	3	0		174	660
4:45 PM	0	60	1	0		2	64	7	0		5	0	0	0		1	0	2	0		142	662
5:00 PM	0	86	0	0		0	60	7	0		7	0	1	0		0	0	1	0		162	678
5:15 PM	1	78	3	0		4	76	5	0		7	3	1	0		0	2	2	0		182	516
5:30 PM	0	76	1	0		2	74	10	0		8	0	0	0		0	0	5	0		176	334
5:45 PM	0	76	0	0		2	65	4	0		5	1	0	0		1	1	3	0		158	158
Peak 15-Min Flowrates	**Northbound**					**Southbound**					**Eastbound**					**Westbound**					**Total**	
	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*		
All Vehicles	4	344	12	0		16	304	40	0		32	12	4	0		4	8	20	0		**800**	
Heavy Trucks	0	4	0	0		0	12	0	0		0	0	0	0		0	0	0	0		**16**	
Pedestrians		12					4					0					0				**16**	
Bicycles	0	4	0	0		0	8	0	0		0	0	0	0		0	0	0	0		**12**	
Buses																						
Stopped Buses																						


LOCATION: Meadow Pointe Blvd & Beardsley Dr
CITY/STATE: Wesley Chapel, FL

PROJECT ID: 23-120381-007
DATE: Wed, Sep 27, 2023

Peak-Hour: 07:15 AM - 08:15 AM
Peak 15-Minute: 08:00 AM - 08:15 AM

Peak Hour Factor: **0.93**

National Data & Surveying Services



15-Min Count Period Beginning At	Meadow Pointe Blvd Northbound					Meadow Pointe Blvd Southbound					Beardsley Dr Eastbound					Beardsley Dr Westbound					Total	Hourly Total
	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*		
7:00 AM	6	19	0	0		0	17	23	0		15	0	1	0		0	0	0	0		81	489
7:15 AM	10	38	0	0		0	21	38	0		20	0	3	0		0	0	0	0		130	559
7:30 AM	9	31	0	0		0	23	41	0		21	0	7	0		0	0	0	0		132	541
7:45 AM	18	24	0	0		0	25	47	0		27	0	5	0		0	0	0	0		146	542
8:00 AM	5	14	0	0		0	40	49	0		29	0	14	0		0	0	0	0		151	541
8:15 AM	3	14	0	0		0	24	38	0		22	0	11	0		0	0	0	0		112	390
8:30 AM	15	21	0	0		0	16	50	0		29	0	2	0		0	0	0	0		133	278
8:45 AM	12	19	0	0		0	23	36	0		41	0	14	0		0	0	0	0		145	145
Peak 15-Min Flowrates	**Northbound**					**Southbound**					**Eastbound**					**Westbound**					**Total**	
	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*		
All Vehicles	72	152	0	0		0	160	196	0		116	0	56	0		0	0	0	0		**752**	
Heavy Trucks	4	4	0	0		0	4	4	0		4	0	4	0		0	0	0	0		**24**	
Pedestrians		0					0					4					0				**4**	
Bicycles	0	4	0	0		0	4	0	0		0	0	0	0		0	0	0	0		**8**	
Buses																						
Stopped Buses																						

LOCATION: Meadow Pointe Blvd & Beardsley Dr
CITY/STATE: Wesley Chapel, FL

PROJECT ID: 23-120381-007
DATE: Wed, Sep 27, 2023

Peak-Hour: 05:00 PM - 06:00 PM
Peak 15-Minute: 05:15 PM - 05:30 PM

Peak Hour Factor: **0.98**



15-Min Count Period Beginning At	Meadow Pointe Blvd Northbound					Meadow Pointe Blvd Southbound					Beardsley Dr Eastbound					Beardsley Dr Westbound					Total	Hourly Total
	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*		
4:00 PM	10	23	0	0		0	19	28	0		39	0	11	0		0	0	0	0		130	616
4:15 PM	16	20	0	0		0	32	26	0		32	0	12	0		0	0	0	0		138	661
4:30 PM	15	30	0	0		0	34	48	0		42	0	14	0		0	0	0	0		183	707
4:45 PM	13	28	0	0		0	29	40	0		38	0	17	0		0	0	0	0		165	703
5:00 PM	10	39	0	0		0	29	36	0		45	0	16	0		0	0	0	0		175	720
5:15 PM	15	31	0	0		0	31	38	0		53	0	16	0		0	0	0	0		184	545
5:30 PM	11	30	0	0		0	32	45	0		48	0	13	0		0	0	0	0		179	361
5:45 PM	14	31	0	0		0	33	36	0		51	0	17	0		0	0	0	0		182	182
Peak 15-Min Flowrates	**Northbound**					**Southbound**					**Eastbound**					**Westbound**					**Total**	
	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*		
All Vehicles	60	156	0	0		0	132	180	0		212	0	68	0		0	0	0	0		**808**	
Heavy Trucks	0	4	0	0		0	0	12	0		4	0	4	0		0	0	0	0		**24**	
Pedestrians		0					0					0					0				**0**	
Bicycles	4	4	0	0		0	4	8	0		0	0	0	0		0	0	0	0		**20**	
Buses																						
Stopped Buses																						


LOCATION: Mansfield Blvd & Beardsley Dr
CITY/STATE: Wesley Chapel, FL

PROJECT ID: 23-120381-009
DATE: Wed, Sep 27, 2023

Peak-Hour: 07:45 AM - 08:45 AM
Peak 15-Minute: 07:45 AM - 08:00 AM

Peak Hour Factor: **0.93**

National Data & Surveying Services



15-Min Count Period Beginning At	Mansfield Blvd Northbound					Mansfield Blvd Southbound					Beardsley Dr Eastbound					Beardsley Dr Westbound					Total	Hourly Total
	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*		
7:00 AM	0	8	0	0		13	2	0	0		12	1	0	0		0	0	92	0		128	681
7:15 AM	0	10	0	0		25	5	1	0		6	0	0	0		1	0	108	0		156	738
7:30 AM	0	16	0	0		34	4	3	0		9	1	0	0		0	1	122	0		190	762
7:45 AM	0	12	1	0		39	10	3	0		6	2	0	0		1	0	133	0		207	767
8:00 AM	0	11	0	0		52	11	2	0		9	3	0	0		1	2	94	0		185	742
8:15 AM	0	13	1	0		47	9	2	0		8	4	0	0		0	1	95	0		180	557
8:30 AM	0	15	1	0		45	2	3	0		7	1	0	0		0	0	121	0		195	377
8:45 AM	0	9	0	0		53	7	3	0		4	0	0	0		1	0	105	0		182	182
Peak 15-Min Flowrates	**Northbound**					**Southbound**					**Eastbound**					**Westbound**					**Total**	
	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*		
All Vehicles	0	60	4	0		208	44	12	0		36	16	0	0		4	8	532	0		**924**	
Heavy Trucks	0	0	0	0		8	0	0	0		0	0	0	0		0	0	8	0		**16**	
Pedestrians		16					0					16					4				**36**	
Bicycles	0	4	0	0		4	4	0	0		4	0	0	0		0	0	32	0		**48**	
Buses																						
Stopped Buses																						


LOCATION: Mansfield Blvd & Beardsley Dr
CITY/STATE: Wesley Chapel, FL

PROJECT ID: 23-120381-009
DATE: Wed, Sep 27, 2023

Peak-Hour: 05:00 PM - 06:00 PM
Peak 15-Minute: 05:45 PM - 06:00 PM

Peak Hour Factor: 0.92

National Data & Surveying Services




15-Min Count Period Beginning At	Mansfield Blvd Northbound					Mansfield Blvd Southbound					Beardsley Dr Eastbound					Beardsley Dr Westbound					Total	Hourly Total
	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*		
4:00 PM	0	6	1	0		104	22	7	0		5	2	0	0		1	0	62	0		210	865
4:15 PM	0	10	3	0		88	28	8	0		9	1	0	0		1	1	65	0		214	881
4:30 PM	0	9	2	0		104	18	7	0		5	0	0	0		2	1	86	0		234	905
4:45 PM	0	11	1	0		90	11	11	0		5	1	0	0		2	3	72	0		207	909
5:00 PM	0	10	1	0		107	23	7	0		4	1	0	0		1	0	72	0		226	964
5:15 PM	0	5	1	0		122	12	6	0		5	0	0	0		1	0	86	0		238	738
5:30 PM	0	9	1	0		112	15	7	0		10	2	0	0		2	1	79	0		238	500
5:45 PM	0	14	2	0		140	16	6	0		7	0	0	0		0	1	76	0		262	262
Peak 15-Min Flowrates	**Northbound**					**Southbound**					**Eastbound**					**Westbound**					**Total**	
	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*		
All Vehicles	0	56	8	0		560	92	28	0		40	8	0	0		8	4	344	0		**1148**	
Heavy Trucks	0	4	0	0		0	4	0	0		0	0	0	0		0	0	8	0		**16**	
Pedestrians		0					0					4					4				**8**	
Bicycles	0	8	0	0		0	0	0	0		0	0	0	0		0	8	4	0		**20**	
Buses																						
Stopped Buses																						

LOCATION: Mansfield Blvd & County Line Rd
CITY/STATE: Wesley Chapel, FL

PROJECT ID: 23-120381-010
DATE: Wed, Sep 27, 2023

Peak-Hour: 08:00 AM - 09:00 AM
Peak 15-Minute: 08:45 AM - 09:00 AM

Peak Hour Factor: **0.91**



15-Min Count Period Beginning At	Mansfield Blvd Northbound					Mansfield Blvd Southbound					County Line Rd Eastbound					County Line Rd Westbound					Total	Hourly Total
	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*		
7:00 AM	83	17	0	0		6	5	36	0		19	4	10	0		0	5	4	0		189	1057
7:15 AM	90	37	2	0		5	12	51	0		27	1	23	0		0	5	2	0		255	1169
7:30 AM	91	52	3	0		1	17	46	0		66	3	23	0		0	4	2	0		308	1204
7:45 AM	71	50	10	0		0	26	70	0		38	6	24	0		3	4	3	0		305	1211
8:00 AM	89	29	7	0		1	24	72	0		32	2	31	0		5	5	4	0		301	1249
8:15 AM	77	40	9	0		2	22	54	0		28	7	41	0		1	7	2	0		290	948
8:30 AM	61	52	11	0		4	17	53	0		60	8	24	0		7	9	9	0		315	658
8:45 AM	61	51	6	0		6	34	84	0		55	4	24	2		6	8	2	0		343	343
Peak 15-Min Flowrates	**Northbound**					**Southbound**					**Eastbound**					**Westbound**					**Total**	
	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*		
All Vehicles	356	208	44	0		24	136	336	0		240	32	164	8		28	36	36	0		**1648**	
Heavy Trucks	8	4	0	0		0	4	12	0		8	0	8	0		0	4	0	0		**48**	
Pedestrians		0					0					16					32				**48**	
Bicycles	4	48	0	0		0	0	0	0		60	0	4	0		0	0	0	0		**116**	
Buses																						
Stopped Buses																						


LOCATION: Mansfield Blvd & County Line Rd
CITY/STATE: Wesley Chapel, FL

PROJECT ID: 23-120381-010
DATE: Wed, Sep 27, 2023

Peak-Hour: 05:00 PM - 06:00 PM
Peak 15-Minute: 05:15 PM - 05:30 PM

Peak Hour Factor: **0.92**

National Data & Surveying Services



15-Min Count Period Beginning At	Mansfield Blvd Northbound					Mansfield Blvd Southbound					County Line Rd Eastbound					County Line Rd Westbound						Hourly Total
	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*	Total	
4:00 PM	53	21	3	0		6	66	55	0		40	5	70	4		2	4	2	0		331	1338
4:15 PM	54	20	4	0		8	33	51	0		49	6	74	7		4	3	6	0		319	1349
4:30 PM	70	29	3	0		4	38	57	0		39	8	76	8		8	5	8	1		354	1431
4:45 PM	66	14	5	0		7	48	48	0		57	7	64	2		6	6	4	0		334	1444
5:00 PM	53	13	4	0		4	42	52	0		58	4	86	5		6	10	5	0		342	1471
5:15 PM	72	25	4	0		7	46	69	0		56	6	96	7		4	4	5	0		401	1129
5:30 PM	71	22	0	0		5	37	49	0		69	8	83	5		4	8	6	0		367	728
5:45 PM	73	19	2	0		3	49	52	0		44	3	104	1		3	5	3	0		361	361
Peak 15-Min Flowrates	**Northbound**					**Southbound**					**Eastbound**					**Westbound**						
	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*	Total	
All Vehicles	292	100	16	0		28	196	276	0		276	32	416	28		24	40	24	0		**1748**	
Heavy Trucks	8	4	0	0		0	0	0	0		8	0	0	0		0	0	0	0		**20**	
Pedestrians		0					4					8					12				**24**	
Bicycles	4	4	0	0		0	0	0	0		0	0	0	0		0	0	0	0		**8**	
Buses																						
Stopped Buses																						


LOCATION: Mansfield Blvd & Wrencrest Dr
CITY/STATE: Wesley Chapel, FL

PROJECT ID: 23-120381-011
DATE: Wed, Sep 27, 2023


Peak-Hour: 05:00 PM - 06:00 PM
Peak 15-Minute: 05:30 PM - 05:45 PM


Peak Hour Factor: **0.93**


National Data & Surveying Services




15-Min Count Period Beginning At	Mansfield Blvd Northbound					Mansfield Blvd Southbound					Wrencrest Dr Eastbound					Wrencrest Dr Westbound					Total	Hourly Total
	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*		
4:00 PM	0	48	19	0		50	133	0	0		0	0	0	0		4	0	15	0		269	905
4:15 PM	0	63	15	0		30	90	0	0		0	0	0	0		6	0	19	0		223	869
4:30 PM	0	59	17	0		15	86	0	0		0	0	0	0		12	0	21	0		210	876
4:45 PM	0	54	11	0		13	98	0	0		0	0	0	0		8	0	19	0		203	913
5:00 PM	0	66	22	0		20	97	0	0		0	0	0	0		12	0	16	0		233	918
5:15 PM	0	62	14	0		26	103	0	0		0	0	0	0		13	0	11	1		230	685
5:30 PM	0	88	11	0		26	95	0	0		0	0	0	0		9	0	16	2		247	455
5:45 PM	0	57	13	0		22	88	0	0		0	0	0	0		10	0	18	0		208	208
Peak 15-Min Flowrates	**Northbound**					**Southbound**					**Eastbound**					**Westbound**					**Total**	
	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*	Left	Thru	Rgt	U	R*		
All Vehicles	0	352	88	0		104	412	0	0		0	0	0	0		52	0	72	8		1088	
Heavy Trucks	0	12	0	0		0	0	0	0		0	0	0	0		0	0	0	0		12	
Pedestrians		0					4					0					8				12	
Bicycles	0	4	0	0		4	0	0	0		0	0	0	0		0	0	0	0		8	
Buses																						
Stopped Buses																						


AM Peak Hour Counts
Mansfield Blvd
Rensselaer Dr.
Wrenscrest Dr.
Appleton Pl.
Chatterly Dr.
Meadow Pointe Blvd.
County Line Rd.
Chatterly Dr.
Thackery Way
Beardsley Drive



AM Peak Hour Adjustments - Worst Case with Cap
Mansfield Blvd
Road Closer Location
Rensselaer Dr.
Wrenscrest Dr.
Appleton Pl.
Chatterly Dr.
Meadow Pointe Blvd.
County Line Rd.
Chatterly Dr.
Thackery Way
Beardsley Drive


AM Peak Hour Adjusted Volumes After Closure
Mansfield Blvd
Road Closer Location
Rensselaer Dr.
Wrenscrest Dr.
Appleton Pl.
Chatterly Dr.
Meadow Pointe Blvd.
County Line Rd.
Chatterly Dr.
Thackery Way
Beardsley Drive


PM Peak Hour Counts



PM Peak Hour Adjustments - Worst Case with Cap



PM Peak Hour Adjusted Volumes After Closure



HCM 6th Signalized Intersection Summary
9: Mansfield Blvd & County Line Rd. 10/09/2023

Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Traffic Volume (veh/h)	228	32	176	30	36	34	356	198	44	24	136	336
Future Volume (veh/h)	228	32	176	30	36	34	356	198	44	24	136	336
Initial Q (Qb), veh	0	0	0	0	0	0	0	0	0	0	0	0
Ped-Bike Adj(A_pbT)	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
Parking Bus, Adj	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Work Zone On Approach		No			No			No			No	
Adj Sat Flow, veh/h/ln	1870	1870	1870	1870	1870	1870	1870	1870	1870	1870	1870	1870
Adj Flow Rate, veh/h	248	35	191	33	39	37	387	215	48	26	148	365
Peak Hour Factor	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92
Percent Heavy Veh, %	2	2	2	2	2	2	2	2	2	2	2	2
Cap, veh/h	519	443	375	183	187	129	548	678	151	592	857	726
Arrive On Green	0.24	0.24	0.24	0.24	0.24	0.24	0.46	0.46	0.46	0.46	0.46	0.46
Sat Flow, veh/h	1323	1870	1585	271	789	545	887	1480	331	1116	1870	1585
Grp Volume(v), veh/h	248	35	191	109	0	0	387	0	263	26	148	365
Grp Sat Flow(s),veh/h/ln	1323	1870	1585	1604	0	0	887	0	1811	1116	1870	1585
Q Serve(g_s), s	4.1	0.6	4.1	0.0	0.0	0.0	16.2	0.0	3.6	0.6	1.8	6.4
Cycle Q Clear(g_c), s	6.1	0.6	4.1	2.0	0.0	0.0	18.0	0.0	3.6	4.2	1.8	6.4
Prop In Lane	1.00		1.00	0.30		0.34	1.00		0.18	1.00		1.00
Lane Grp Cap(c), veh/h	519	443	375	499	0	0	548	0	829	592	857	726
V/C Ratio(X)	0.48	0.08	0.51	0.22	0.00	0.00	0.71	0.00	0.32	0.04	0.17	0.50
Avail Cap(c_a), veh/h	812	857	726	831	0	0	548	0	829	592	857	726
HCM Platoon Ratio	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Upstream Filter(I)	1.00	1.00	1.00	1.00	0.00	0.00	1.00	0.00	1.00	1.00	1.00	1.00
Uniform Delay (d), s/veh	13.6	11.7	13.0	12.2	0.0	0.0	12.0	0.0	6.8	8.1	6.3	7.5
Incr Delay (d2), s/veh	0.7	0.1	1.1	0.2	0.0	0.0	4.1	0.0	0.2	0.0	0.1	0.6
Initial Q Delay(d3),s/veh	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
%ile BackOfQ(50%),veh/ln	1.7	0.2	1.3	0.7	0.0	0.0	3.1	0.0	1.0	0.1	0.5	1.6
Unsig. Movement Delay, s/veh												
LnGrp Delay(d),s/veh	14.3	11.7	14.1	12.4	0.0	0.0	16.1	0.0	7.0	8.1	6.4	8.1
LnGrp LOS	B	B	B	B	A	A	B	A	A	A	A	A
Approach Vol, veh/h		474			109			650			539	
Approach Delay, s/veh		14.0			12.4			12.4			7.6	
Approach LOS		B			B			B			A	

Timer - Assigned Phs		2		4		6		8				
Phs Duration (G+Y+Rc), s		24.0		15.3		24.0		15.3				
Change Period (Y+Rc), s		6.0		6.0		6.0		6.0				
Max Green Setting (Gmax), s		18.0		18.0		18.0		18.0				
Max Q Clear Time (g_c+I1), s		20.0		8.1		8.4		4.0				
Green Ext Time (p_c), s		0.0		1.2		1.7		0.4				

Intersection Summary												
HCM 6th Ctrl Delay			11.4									
HCM 6th LOS			B									

HCM 6th TWSC
3: Beardsley Dr. & Mansfield Blvd 10/09/2023

Intersection	
Int Delay, s/veh	13.2

Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations		↕			↕			↕		↰	↱	
Traffic Vol, veh/h	35	17	0	4	8	524	0	59	5	222	44	12
Future Vol, veh/h	35	17	0	4	8	524	0	59	5	222	44	12
Conflicting Peds, #/hr	0	0	0	0	0	0	0	0	0	0	0	0
Sign Control	Stop	Stop	Stop	Stop	Stop	Stop	Free	Free	Free	Free	Free	Free
RT Channelized	-	-	None	-	-	None	-	-	None	-	-	None
Storage Length	-	-	-	-	-	-	-	-	-	0	-	-
Veh in Median Storage, #	-	0	-	-	0	-	-	0	-	-	0	-
Grade, %	-	0	-	-	0	-	-	0	-	-	0	-
Peak Hour Factor	92	92	92	92	92	92	92	92	92	92	92	92
Heavy Vehicles, %	2	2	2	2	2	2	2	2	2	2	2	2
Mvmt Flow	38	18	0	4	9	570	0	64	5	241	48	13

Major/Minor	Minor2			Minor1			Major1			Major2		
Conflicting Flow All	893	606	55	613	610	67	61	0	0	69	0	0
Stage 1	537	537	-	67	67	-	-	-	-	-	-	-
Stage 2	356	69	-	546	543	-	-	-	-	-	-	-
Critical Hdwy	7.12	6.52	6.22	7.12	6.52	6.22	4.12	-	-	4.12	-	-
Critical Hdwy Stg 1	6.12	5.52	-	6.12	5.52	-	-	-	-	-	-	-
Critical Hdwy Stg 2	6.12	5.52	-	6.12	5.52	-	-	-	-	-	-	-
Follow-up Hdwy	3.518	4.018	3.318	3.518	4.018	3.318	2.218	-	-	2.218	-	-
Pot Cap-1 Maneuver	262	411	1012	405	409	997	1542	-	-	1532	-	-
Stage 1	528	523	-	943	839	-	-	-	-	-	-	-
Stage 2	661	837	-	522	520	-	-	-	-	-	-	-
Platoon blocked, %								-	-		-	-
Mov Cap-1 Maneuver	97	346	1012	342	345	997	1542	-	-	1532	-	-
Mov Cap-2 Maneuver	97	346	-	342	345	-	-	-	-	-	-	-
Stage 1	528	441	-	943	839	-	-	-	-	-	-	-
Stage 2	280	837	-	421	438	-	-	-	-	-	-	-

Approach	EB	WB	NB	SB
HCM Control Delay, s	54.3	14.5	0	6.2
HCM LOS	F	B		

Minor Lane/Major Mvmt	NBL	NBT	NBR	EBLn1	WBLn1	SBL	SBT	SBR
Capacity (veh/h)	1542	-	-	127	956	1532	-	-
HCM Lane V/C Ratio	-	-	-	0.445	0.609	0.158	-	-
HCM Control Delay (s)	0	-	-	54.3	14.5	7.8	-	-
HCM Lane LOS	A	-	-	F	B	A	-	-
HCM 95th %tile Q(veh)	0	-	-	2	4.3	0.6	-	-

HCM 6th TWSC
6: Meadow Pointe Blvd. @Beardsley 10/09/2023

Intersection	
Int Delay, s/veh	4.4

Movement	EBL	EBR	NBL	NBT	SBT	SBR
Lane Configurations						
Traffic Vol, veh/h	132	56	64	160	160	195
Future Vol, veh/h	132	56	64	160	160	195
Conflicting Peds, #/hr	0	0	0	0	0	0
Sign Control	Stop	Stop	Free	Free	Free	Free
RT Channelized	-	None	-	None	-	None
Storage Length	0	0	0	-	-	-
Veh in Median Storage, #	0	-	-	0	0	-
Grade, %	0	-	-	0	0	-
Peak Hour Factor	92	92	92	92	92	92
Heavy Vehicles, %	2	2	2	2	2	2
Mvmt Flow	143	61	70	174	174	212

Major/Minor	Minor2		Major1		Major2	
Conflicting Flow All	594	280	386	0	-	0
Stage 1	280	-	-	-	-	-
Stage 2	314	-	-	-	-	-
Critical Hdwy	6.42	6.22	4.12	-	-	-
Critical Hdwy Stg 1	5.42	-	-	-	-	-
Critical Hdwy Stg 2	5.42	-	-	-	-	-
Follow-up Hdwy	3.518	3.318	2.218	-	-	-
Pot Cap-1 Maneuver	468	759	1172	-	-	-
Stage 1	767	-	-	-	-	-
Stage 2	741	-	-	-	-	-
Platoon blocked, %				-	-	-
Mov Cap-1 Maneuver	440	759	1172	-	-	-
Mov Cap-2 Maneuver	440	-	-	-	-	-
Stage 1	721	-	-	-	-	-
Stage 2	741	-	-	-	-	-

Approach	EB	NB	SB
HCM Control Delay, s	15	2.4	0
HCM LOS	C		

Minor Lane/Major Mvmt	NBL	NBT	EBLn1	EBLn2	SBT	SBR
Capacity (veh/h)	1172	-	440	759	-	-
HCM Lane V/C Ratio	0.059	-	0.326	0.08	-	-
HCM Control Delay (s)	8.3	-	17.1	10.2	-	-
HCM Lane LOS	A	-	C	B	-	-
HCM 95th %tile Q(veh)	0.2	-	1.4	0.3	-	-

Intersection	
Int Delay, s/veh	6.6

Movement	WBL	WBR	NBT	NBR	SBL	SBT
Lane Configurations						
Traffic Vol, veh/h	80	164	512	8	16	360
Future Vol, veh/h	80	164	512	8	16	360
Conflicting Peds, #/hr	0	0	0	0	0	0
Sign Control	Stop	Stop	Free	Free	Free	Free
RT Channelized	-	None	-	None	-	None
Storage Length	0	-	-	-	-	-
Veh in Median Storage, #	0	-	0	-	-	0
Grade, %	0	-	0	-	-	0
Peak Hour Factor	92	92	92	92	92	92
Heavy Vehicles, %	2	2	2	2	2	2
Mvmt Flow	87	178	557	9	17	391

Major/Minor	Minor1		Major1		Major2	
Conflicting Flow All	987	562	0	0	566	0
Stage 1	562	-	-	-	-	-
Stage 2	425	-	-	-	-	-
Critical Hdwy	6.42	6.22	-	-	4.12	-
Critical Hdwy Stg 1	5.42	-	-	-	-	-
Critical Hdwy Stg 2	5.42	-	-	-	-	-
Follow-up Hdwy	3.518	3.318	-	-	2.218	-
Pot Cap-1 Maneuver	274	526	-	-	1006	-
Stage 1	571	-	-	-	-	-
Stage 2	659	-	-	-	-	-
Platoon blocked, %			-	-		-
Mov Cap-1 Maneuver	268	526	-	-	1006	-
Mov Cap-2 Maneuver	268	-	-	-	-	-
Stage 1	571	-	-	-	-	-
Stage 2	645	-	-	-	-	-

Approach	WB	NB	SB
HCM Control Delay, s	30	0	0.4
HCM LOS	D		

Minor Lane/Major Mvmt	NBT	NBR	WBLn1	SBL	SBT
Capacity (veh/h)	-	-	400	1006	-
HCM Lane V/C Ratio	-	-	0.663	0.017	-
HCM Control Delay (s)	-	-	30	8.6	0
HCM Lane LOS	-	-	D	A	A
HCM 95th %tile Q(veh)	-	-	4.6	0.1	-

Intersection	
Int Delay, s/veh	1

Movement	EBL	EBT	WBT	WBR	SBL	SBR
Lane Configurations						
Traffic Vol, veh/h	12	236	256	12	12	28
Future Vol, veh/h	12	236	256	12	12	28
Conflicting Peds, #/hr	0	0	0	0	0	0
Sign Control	Free	Free	Free	Free	Stop	Stop
RT Channelized	-	None	-	None	-	None
Storage Length	-	-	-	-	0	-
Veh in Median Storage, #	-	0	0	-	0	-
Grade, %	-	0	0	-	0	-
Peak Hour Factor	92	92	92	92	92	92
Heavy Vehicles, %	2	2	2	2	2	2
Mvmt Flow	13	257	278	13	13	30

Major/Minor	Major1		Major2		Minor2	
Conflicting Flow All	291	0	-	0	568	285
Stage 1	-	-	-	-	285	-
Stage 2	-	-	-	-	283	-
Critical Hdwy	4.12	-	-	-	6.42	6.22
Critical Hdwy Stg 1	-	-	-	-	5.42	-
Critical Hdwy Stg 2	-	-	-	-	5.42	-
Follow-up Hdwy	2.218	-	-	-	3.518	3.318
Pot Cap-1 Maneuver	1271	-	-	-	484	754
Stage 1	-	-	-	-	763	-
Stage 2	-	-	-	-	765	-
Platoon blocked, %		-	-	-		
Mov Cap-1 Maneuver	1271	-	-	-	478	754
Mov Cap-2 Maneuver	-	-	-	-	478	-
Stage 1	-	-	-	-	754	-
Stage 2	-	-	-	-	765	-

Approach	EB	WB	SB
HCM Control Delay, s	0.4	0	11
HCM LOS			B

Minor Lane/Major Mvmt	EBL	EBT	WBT	WBR	SBLn1
Capacity (veh/h)	1271	-	-	-	643
HCM Lane V/C Ratio	0.01	-	-	-	0.068
HCM Control Delay (s)	7.9	0	-	-	11
HCM Lane LOS	A	A	-	-	B
HCM 95th %tile Q(veh)	0	-	-	-	0.2

Intersection	
Int Delay, s/veh	2.1

Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations		↕			↕		↰	↱		↰	↱	
Traffic Vol, veh/h	48	0	12	4	0	16	24	256	4	12	328	44
Future Vol, veh/h	48	0	12	4	0	16	24	256	4	12	328	44
Conflicting Peds, #/hr	0	0	0	0	0	0	0	0	0	0	0	0
Sign Control	Stop	Stop	Stop	Stop	Stop	Stop	Free	Free	Free	Free	Free	Free
RT Channelized	-	-	None	-	-	None	-	-	None	-	-	None
Storage Length	-	-	-	-	-	-	0	-	-	0	-	-
Veh in Median Storage, #	-	0	-	-	0	-	-	0	-	-	0	-
Grade, %	-	0	-	-	0	-	-	0	-	-	0	-
Peak Hour Factor	92	92	92	92	92	92	92	92	92	92	92	92
Heavy Vehicles, %	2	2	2	2	2	2	2	2	2	2	2	2
Mvmt Flow	52	0	13	4	0	17	26	278	4	13	357	48

Major/Minor	Minor2			Minor1			Major1			Major2		
Conflicting Flow All	748	741	381	746	763	280	405	0	0	282	0	0
Stage 1	407	407	-	332	332	-	-	-	-	-	-	-
Stage 2	341	334	-	414	431	-	-	-	-	-	-	-
Critical Hdwy	7.12	6.52	6.22	7.12	6.52	6.22	4.12	-	-	4.12	-	-
Critical Hdwy Stg 1	6.12	5.52	-	6.12	5.52	-	-	-	-	-	-	-
Critical Hdwy Stg 2	6.12	5.52	-	6.12	5.52	-	-	-	-	-	-	-
Follow-up Hdwy	3.518	4.018	3.318	3.518	4.018	3.318	2.218	-	-	2.218	-	-
Pot Cap-1 Maneuver	329	344	666	330	334	759	1154	-	-	1280	-	-
Stage 1	621	597	-	681	644	-	-	-	-	-	-	-
Stage 2	674	643	-	616	583	-	-	-	-	-	-	-
Platoon blocked, %								-	-		-	-
Mov Cap-1 Maneuver	314	333	666	315	323	759	1154	-	-	1280	-	-
Mov Cap-2 Maneuver	314	333	-	315	323	-	-	-	-	-	-	-
Stage 1	607	591	-	665	629	-	-	-	-	-	-	-
Stage 2	644	628	-	598	577	-	-	-	-	-	-	-

Approach	EB	WB	NB	SB
HCM Control Delay, s	17.6	11.3	0.7	0.2
HCM LOS	C	B		

Minor Lane/Major Mvmt	NBL	NBT	NBR	EBLn1	WBLn1	SBL	SBT	SBR
Capacity (veh/h)	1154	-	-	351	592	1280	-	-
HCM Lane V/C Ratio	0.023	-	-	0.186	0.037	0.01	-	-
HCM Control Delay (s)	8.2	-	-	17.6	11.3	7.8	-	-
HCM Lane LOS	A	-	-	C	B	A	-	-
HCM 95th %tile Q(veh)	0.1	-	-	0.7	0.1	0	-	-

Intersection	
Int Delay, s/veh	1.4

Movement	EBL	EBT	WBT	WBR	SBL	SBR
Lane Configurations						
Traffic Vol, veh/h	28	188	384	4	12	44
Future Vol, veh/h	28	188	384	4	12	44
Conflicting Peds, #/hr	0	0	0	0	0	0
Sign Control	Free	Free	Free	Free	Stop	Stop
RT Channelized	-	None	-	None	-	None
Storage Length	-	-	-	-	0	-
Veh in Median Storage, #	-	0	0	-	0	-
Grade, %	-	0	0	-	0	-
Peak Hour Factor	92	92	92	92	92	92
Heavy Vehicles, %	2	2	2	2	2	2
Mvmt Flow	30	204	417	4	13	48

Major/Minor	Major1		Major2		Minor2	
Conflicting Flow All	421	0	-	0	683	419
Stage 1	-	-	-	-	419	-
Stage 2	-	-	-	-	264	-
Critical Hdwy	4.12	-	-	-	6.42	6.22
Critical Hdwy Stg 1	-	-	-	-	5.42	-
Critical Hdwy Stg 2	-	-	-	-	5.42	-
Follow-up Hdwy	2.218	-	-	-	3.518	3.318
Pot Cap-1 Maneuver	1138	-	-	-	415	634
Stage 1	-	-	-	-	664	-
Stage 2	-	-	-	-	780	-
Platoon blocked, %		-	-	-		
Mov Cap-1 Maneuver	1138	-	-	-	403	634
Mov Cap-2 Maneuver	-	-	-	-	403	-
Stage 1	-	-	-	-	644	-
Stage 2	-	-	-	-	780	-

Approach	EB	WB	SB
HCM Control Delay, s	1.1	0	12.1
HCM LOS			B

Minor Lane/Major Mvmt	EBL	EBT	WBT	WBR	SBLn1
Capacity (veh/h)	1138	-	-	-	565
HCM Lane V/C Ratio	0.027	-	-	-	0.108
HCM Control Delay (s)	8.2	0	-	-	12.1
HCM Lane LOS	A	A	-	-	B
HCM 95th %tile Q(veh)	0.1	-	-	-	0.4

HCM 6th TWSC
3: Beardsley Dr. & Mansfield Blvd 10/09/2023

Intersection	
Int Delay, s/veh	33.3

Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations		↕			↕			↕		↰	↱	
Traffic Vol, veh/h	38	10	0	8	4	327	0	53	11	624	92	28
Future Vol, veh/h	38	10	0	8	4	327	0	53	11	624	92	28
Conflicting Peds, #/hr	0	0	0	0	0	0	0	0	0	0	0	0
Sign Control	Stop	Stop	Stop	Stop	Stop	Stop	Free	Free	Free	Free	Free	Free
RT Channelized	-	-	None	-	-	None	-	-	None	-	-	None
Storage Length	-	-	-	-	-	-	-	-	-	0	-	-
Veh in Median Storage, #	-	0	-	-	0	-	-	0	-	-	0	-
Grade, %	-	0	-	-	0	-	-	0	-	-	0	-
Peak Hour Factor	92	92	92	92	92	92	92	92	92	92	92	92
Heavy Vehicles, %	2	2	2	2	2	2	2	2	2	2	2	2
Mvmt Flow	41	11	0	9	4	355	0	58	12	678	100	30

Major/Minor	Minor2			Minor1			Major1			Major2		
Conflicting Flow All	1715	1541	115	1541	1550	64	130	0	0	70	0	0
Stage 1	1471	1471	-	64	64	-	-	-	-	-	-	-
Stage 2	244	70	-	1477	1486	-	-	-	-	-	-	-
Critical Hdwy	7.12	6.52	6.22	7.12	6.52	6.22	4.12	-	-	4.12	-	-
Critical Hdwy Stg 1	6.12	5.52	-	6.12	5.52	-	-	-	-	-	-	-
Critical Hdwy Stg 2	6.12	5.52	-	6.12	5.52	-	-	-	-	-	-	-
Follow-up Hdwy	3.518	4.018	3.318	3.518	4.018	3.318	2.218	-	-	2.218	-	-
Pot Cap-1 Maneuver	71	115	937	94	114	1000	1455	-	-	1531	-	-
Stage 1	158	191	-	947	842	-	-	-	-	-	-	-
Stage 2	760	837	-	157	188	-	-	-	-	-	-	-
Platoon blocked, %								-	-		-	-
Mov Cap-1 Maneuver	~ 28	64	937	54	63	1000	1455	-	-	1531	-	-
Mov Cap-2 Maneuver	~ 28	64	-	54	63	-	-	-	-	-	-	-
Stage 1	158	106	-	947	842	-	-	-	-	-	-	-
Stage 2	487	837	-	79	105	-	-	-	-	-	-	-

Approach	EB	WB	NB	SB
HCM Control Delay, s	$ 579.8	18.5	0	7.7
HCM LOS	F	C		

Minor Lane/Major Mvmt	NBL	NBT	NBR	EBLn1	WBLn1	SBL	SBT	SBR
Capacity (veh/h)	1455	-	-	32	629	1531	-	-
HCM Lane V/C Ratio	-	-	-	1.63	0.586	0.443	-	-
HCM Control Delay (s)	0	-	-	$ 579.8	18.5	9.2	-	-
HCM Lane LOS	A	-	-	F	C	A	-	-
HCM 95th %tile Q(veh)	0	-	-	5.9	3.8	2.3	-	-

Notes

~: Volume exceeds capacity $: Delay exceeds 300s +: Computation Not Defined *: All major volume in platoon

HCM 6th TWSC
6: Meadow Pointe Blvd. @Beardsley 10/09/2023

Intersection	
Int Delay, s/veh	8.7

Movement	EBL	EBR	NBL	NBT	SBT	SBR
Lane Configurations						
Traffic Vol, veh/h	281	68	43	173	132	180
Future Vol, veh/h	281	68	43	173	132	180
Conflicting Peds, #/hr	0	0	0	0	0	0
Sign Control	Stop	Stop	Free	Free	Free	Free
RT Channelized	-	None	-	None	-	None
Storage Length	0	0	0	-	-	-
Veh in Median Storage, #	0	-	-	0	0	-
Grade, %	0	-	-	0	0	-
Peak Hour Factor	92	92	92	92	92	92
Heavy Vehicles, %	2	2	2	2	2	2
Mvmt Flow	305	74	47	188	143	196

Major/Minor	Minor2		Major1		Major2	
Conflicting Flow All	523	241	339	0	-	0
Stage 1	241	-	-	-	-	-
Stage 2	282	-	-	-	-	-
Critical Hdwy	6.42	6.22	4.12	-	-	-
Critical Hdwy Stg 1	5.42	-	-	-	-	-
Critical Hdwy Stg 2	5.42	-	-	-	-	-
Follow-up Hdwy	3.518	3.318	2.218	-	-	-
Pot Cap-1 Maneuver	514	798	1220	-	-	-
Stage 1	799	-	-	-	-	-
Stage 2	766	-	-	-	-	-
Platoon blocked, %				-	-	-
Mov Cap-1 Maneuver	494	798	1220	-	-	-
Mov Cap-2 Maneuver	494	-	-	-	-	-
Stage 1	768	-	-	-	-	-
Stage 2	766	-	-	-	-	-

Approach	EB	NB	SB
HCM Control Delay, s	20.8	1.6	0
HCM LOS	C		

Minor Lane/Major Mvmt	NBL	NBT	EBLn1	EBLn2	SBT	SBR
Capacity (veh/h)	1220	-	494	798	-	-
HCM Lane V/C Ratio	0.038	-	0.618	0.093	-	-
HCM Control Delay (s)	8.1	-	23.4	10	-	-
HCM Lane LOS	A	-	C	B	-	-
HCM 95th %tile Q(veh)	0.1	-	4.1	0.3	-	-

Intersection	
Int Delay, s/veh	2.4

Movement	WBL	WBR	NBT	NBR	SBL	SBT
Lane Configurations						
Traffic Vol, veh/h	60	72	352	2	2	412
Future Vol, veh/h	60	72	352	2	2	412
Conflicting Peds, #/hr	0	0	0	0	0	0
Sign Control	Stop	Stop	Free	Free	Free	Free
RT Channelized	-	None	-	None	-	None
Storage Length	0	-	-	-	-	-
Veh in Median Storage, #	0	-	0	-	-	0
Grade, %	0	-	0	-	-	0
Peak Hour Factor	92	92	92	92	92	92
Heavy Vehicles, %	2	2	2	2	2	2
Mvmt Flow	65	78	383	2	2	448

Major/Minor	Minor1		Major1		Major2	
Conflicting Flow All	836	384	0	0	385	0
Stage 1	384	-	-	-	-	-
Stage 2	452	-	-	-	-	-
Critical Hdwy	6.42	6.22	-	-	4.12	-
Critical Hdwy Stg 1	5.42	-	-	-	-	-
Critical Hdwy Stg 2	5.42	-	-	-	-	-
Follow-up Hdwy	3.518	3.318	-	-	2.218	-
Pot Cap-1 Maneuver	337	664	-	-	1173	-
Stage 1	688	-	-	-	-	-
Stage 2	641	-	-	-	-	-
Platoon blocked, %			-	-		-
Mov Cap-1 Maneuver	336	664	-	-	1173	-
Mov Cap-2 Maneuver	336	-	-	-	-	-
Stage 1	688	-	-	-	-	-
Stage 2	640	-	-	-	-	-

Approach	WB	NB	SB
HCM Control Delay, s	16.3	0	0
HCM LOS	C		

Minor Lane/Major Mvmt	NBT	NBR	WBLn1	SBL	SBT
Capacity (veh/h)	-	-	460	1173	-
HCM Lane V/C Ratio	-	-	0.312	0.002	-
HCM Control Delay (s)	-	-	16.3	8.1	0
HCM Lane LOS	-	-	C	A	A
HCM 95th %tile Q(veh)	-	-	1.3	0	-

Intersection	
Int Delay, s/veh	0.7

Movement	EBL	EBT	WBT	WBR	SBL	SBR
Lane Configurations						
Traffic Vol, veh/h	24	337	199	16	8	16
Future Vol, veh/h	24	337	199	16	8	16
Conflicting Peds, #/hr	0	0	0	0	0	0
Sign Control	Free	Free	Free	Free	Stop	Stop
RT Channelized	-	None	-	None	-	None
Storage Length	-	-	-	-	0	-
Veh in Median Storage, #	-	0	0	-	0	-
Grade, %	-	0	0	-	0	-
Peak Hour Factor	92	92	92	92	92	92
Heavy Vehicles, %	2	2	2	2	2	2
Mvmt Flow	26	366	216	17	9	17

Major/Minor	Major1		Major2		Minor2	
Conflicting Flow All	233	0	-	0	643	225
Stage 1	-	-	-	-	225	-
Stage 2	-	-	-	-	418	-
Critical Hdwy	4.12	-	-	-	6.42	6.22
Critical Hdwy Stg 1	-	-	-	-	5.42	-
Critical Hdwy Stg 2	-	-	-	-	5.42	-
Follow-up Hdwy	2.218	-	-	-	3.518	3.318
Pot Cap-1 Maneuver	1335	-	-	-	438	814
Stage 1	-	-	-	-	812	-
Stage 2	-	-	-	-	664	-
Platoon blocked, %		-	-	-		
Mov Cap-1 Maneuver	1335	-	-	-	427	814
Mov Cap-2 Maneuver	-	-	-	-	427	-
Stage 1	-	-	-	-	793	-
Stage 2	-	-	-	-	664	-

Approach	EB	WB	SB
HCM Control Delay, s	0.5	0	11
HCM LOS			B

Minor Lane/Major Mvmt	EBL	EBT	WBT	WBR	SBLn1
Capacity (veh/h)	1335	-	-	-	625
HCM Lane V/C Ratio	0.02	-	-	-	0.042
HCM Control Delay (s)	7.8	0	-	-	11
HCM Lane LOS	A	A	-	-	B
HCM 95th %tile Q(veh)	0.1	-	-	-	0.1

Intersection	
Int Delay, s/veh	2.9

Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations		↕			↕		↰	↱		↰	↱	
Traffic Vol, veh/h	32	12	4	4	8	20	90	344	12	16	304	142
Future Vol, veh/h	32	12	4	4	8	20	90	344	12	16	304	142
Conflicting Peds, #/hr	0	0	0	0	0	0	0	0	0	0	0	0
Sign Control	Stop	Stop	Stop	Stop	Stop	Stop	Free	Free	Free	Free	Free	Free
RT Channelized	-	-	None	-	-	None	-	-	None	-	-	None
Storage Length	-	-	-	-	-	-	0	-	-	0	-	-
Veh in Median Storage, #	-	0	-	-	0	-	-	0	-	-	0	-
Grade, %	-	0	-	-	0	-	-	0	-	-	0	-
Peak Hour Factor	92	92	92	92	92	92	92	92	92	92	92	92
Heavy Vehicles, %	2	2	2	2	2	2	2	2	2	2	2	2
Mvmt Flow	35	13	4	4	9	22	98	374	13	17	330	154

Major/Minor	Minor2			Minor1			Major1			Major2		
Conflicting Flow All	1033	1024	407	1027	1095	381	484	0	0	387	0	0
Stage 1	441	441	-	577	577	-	-	-	-	-	-	-
Stage 2	592	583	-	450	518	-	-	-	-	-	-	-
Critical Hdwy	7.12	6.52	6.22	7.12	6.52	6.22	4.12	-	-	4.12	-	-
Critical Hdwy Stg 1	6.12	5.52	-	6.12	5.52	-	-	-	-	-	-	-
Critical Hdwy Stg 2	6.12	5.52	-	6.12	5.52	-	-	-	-	-	-	-
Follow-up Hdwy	3.518	4.018	3.318	3.518	4.018	3.318	2.218	-	-	2.218	-	-
Pot Cap-1 Maneuver	211	235	644	213	214	666	1079	-	-	1171	-	-
Stage 1	595	577	-	502	502	-	-	-	-	-	-	-
Stage 2	493	499	-	589	533	-	-	-	-	-	-	-
Platoon blocked, %								-	-		-	-
Mov Cap-1 Maneuver	181	210	644	186	192	666	1079	-	-	1171	-	-
Mov Cap-2 Maneuver	181	210	-	186	192	-	-	-	-	-	-	-
Stage 1	541	568	-	456	456	-	-	-	-	-	-	-
Stage 2	425	454	-	563	525	-	-	-	-	-	-	-

Approach	EB	WB	NB	SB
HCM Control Delay, s	29.2	16.7	1.7	0.3
HCM LOS	D	C		

Minor Lane/Major Mvmt	NBL	NBT	NBR	EBLn1	WBLn1	SBL	SBT	SBR
Capacity (veh/h)	1079	-	-	200	343	1171	-	-
HCM Lane V/C Ratio	0.091	-	-	0.261	0.101	0.015	-	-
HCM Control Delay (s)	8.7	-	-	29.2	16.7	8.1	-	-
HCM Lane LOS	A	-	-	D	C	A	-	-
HCM 95th %tile Q(veh)	0.3	-	-	1	0.3	0	-	-

Intersection	
Int Delay, s/veh	0.8

Movement	EBL	EBT	WBT	WBR	SBL	SBR
Lane Configurations						
Traffic Vol, veh/h	36	517	243	4	4	36
Future Vol, veh/h	36	517	243	4	4	36
Conflicting Peds, #/hr	0	0	0	0	0	0
Sign Control	Free	Free	Free	Free	Stop	Stop
RT Channelized	-	None	-	None	-	None
Storage Length	-	-	-	-	0	-
Veh in Median Storage, #	-	0	0	-	0	-
Grade, %	-	0	0	-	0	-
Peak Hour Factor	92	92	92	92	92	92
Heavy Vehicles, %	2	2	2	2	2	2
Mvmt Flow	39	562	264	4	4	39

Major/Minor	Major1		Major2		Minor2	
Conflicting Flow All	268	0	-	0	906	266
Stage 1	-	-	-	-	266	-
Stage 2	-	-	-	-	640	-
Critical Hdwy	4.12	-	-	-	6.42	6.22
Critical Hdwy Stg 1	-	-	-	-	5.42	-
Critical Hdwy Stg 2	-	-	-	-	5.42	-
Follow-up Hdwy	2.218	-	-	-	3.518	3.318
Pot Cap-1 Maneuver	1296	-	-	-	307	773
Stage 1	-	-	-	-	779	-
Stage 2	-	-	-	-	525	-
Platoon blocked, %		-	-	-		
Mov Cap-1 Maneuver	1296	-	-	-	293	773
Mov Cap-2 Maneuver	-	-	-	-	293	-
Stage 1	-	-	-	-	745	-
Stage 2	-	-	-	-	525	-

Approach	EB	WB	SB
HCM Control Delay, s	0.5	0	10.8
HCM LOS			B

Minor Lane/Major Mvmt	EBL	EBT	WBT	WBR	SBLn1
Capacity (veh/h)	1296	-	-	-	664
HCM Lane V/C Ratio	0.03	-	-	-	0.065
HCM Control Delay (s)	7.9	0	-	-	10.8
HCM Lane LOS	A	A	-	-	B
HCM 95th %tile Q(veh)	0.1	-	-	-	0.2

HCM 6th Signalized Intersection Summary
9: Mansfield Blvd & County Line Rd. 10/09/2023

Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Traffic Volume (veh/h)	217	32	475	29	40	19	292	78	16	28	196	276
Future Volume (veh/h)	217	32	475	29	40	19	292	78	16	28	196	276
Initial Q (Qb), veh	0	0	0	0	0	0	0	0	0	0	0	0
Ped-Bike Adj(A_pbT)	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
Parking Bus, Adj	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Work Zone On Approach		No			No			No			No	
Adj Sat Flow, veh/h/ln	1870	1870	1870	1870	1870	1870	1870	1870	1870	1870	1870	1870
Adj Flow Rate, veh/h	236	35	516	32	43	21	317	85	17	30	213	300
Peak Hour Factor	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92
Percent Heavy Veh, %	2	2	2	2	2	2	2	2	2	2	2	2
Cap, veh/h	588	615	521	200	251	102	470	684	137	674	846	717
Arrive On Green	0.33	0.33	0.33	0.33	0.33	0.33	0.45	0.45	0.45	0.45	0.45	0.45
Sat Flow, veh/h	1338	1870	1585	341	762	309	887	1513	303	1293	1870	1585
Grp Volume(v), veh/h	236	35	516	96	0	0	317	0	102	30	213	300
Grp Sat Flow(s),veh/h/ln	1338	1870	1585	1412	0	0	887	0	1816	1293	1870	1585
Q Serve(g_s), s	5.0	0.7	17.7	0.0	0.0	0.0	18.8	0.0	1.8	0.8	3.9	7.0
Cycle Q Clear(g_c), s	7.0	0.7	17.7	2.1	0.0	0.0	22.7	0.0	1.8	2.5	3.9	7.0
Prop In Lane	1.00		1.00	0.33		0.22	1.00		0.17	1.00		1.00
Lane Grp Cap(c), veh/h	588	615	521	552	0	0	470	0	821	674	846	717
V/C Ratio(X)	0.40	0.06	0.99	0.17	0.00	0.00	0.67	0.00	0.12	0.04	0.25	0.42
Avail Cap(c_a), veh/h	588	615	521	552	0	0	474	0	829	679	854	724
HCM Platoon Ratio	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Upstream Filter(I)	1.00	1.00	1.00	1.00	0.00	0.00	1.00	0.00	1.00	1.00	1.00	1.00
Uniform Delay (d), s/veh	14.5	12.6	18.3	13.0	0.0	0.0	16.3	0.0	8.7	9.4	9.3	10.1
Incr Delay (d2), s/veh	0.4	0.0	36.8	0.1	0.0	0.0	3.7	0.0	0.1	0.0	0.2	0.4
Initial Q Delay(d3),s/veh	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
%ile BackOfQ(50%),veh/ln	2.1	0.3	10.9	0.8	0.0	0.0	3.7	0.0	0.6	0.2	1.3	2.1
Unsig. Movement Delay, s/veh												
LnGrp Delay(d),s/veh	15.0	12.6	55.1	13.2	0.0	0.0	20.0	0.0	8.8	9.5	9.4	10.5
LnGrp LOS	B	B	E	B	A	A	B	A	A	A	A	B
Approach Vol, veh/h		787			96			419			543	
Approach Delay, s/veh		41.2			13.2			17.3			10.0	
Approach LOS		D			B			B			B	

Timer - Assigned Phs		2		4		6		8				
Phs Duration (G+Y+Rc), s		30.8		24.0		30.8		24.0				
Change Period (Y+Rc), s		6.0		6.0		6.0		6.0				
Max Green Setting (Gmax), s		25.0		18.0		25.0		18.0				
Max Q Clear Time (g_c+I1), s		24.7		19.7		9.0		4.1				
Green Ext Time (p_c), s		0.1		0.0		2.2		0.4				

Intersection Summary												
HCM 6th Ctrl Delay			25.1									
HCM 6th LOS			C									