



Members Content: Articles

[Email to a Friend \(/members/send.asp?In=720658\)](#)

We use cookies

By clicking "Accept all", you agree to the storing of cookies on your device for functional, analytics, and advertising purposes.

[Accept all](#)



[More choices](#)

[See our privacy policy](#)



The Data Center Density Dilemma

Friday, February 20, 2026 (0 Comments)

Posted by: Bill Kleyman

Share | (<https://www.addtoany.com/share?url=https%3A%2F%2Fafcom.com%2Fnews%2F720658%2FThe-Data-Center-Density-Dilemma.htm&title=The%20Data%20Center%20Density%20Dilemma%20-%20AFCOM%20-%20Advancing%20IT%20and%20Data%20Center%20Infrastructure%20Professionals>)
 (/#facebook) (/#x) (/#email) (/#linkedin)

From 1 kW to Warp Speed

If you grew up watching Star Trek, you remember the command: **“Warp speed.”** The ship didn’t gradually accelerate. It jumped into an entirely different class of motion.

That is exactly what is happening to data center density right now.

In 1988, my friend Ken Patchett was working at Microsoft. At that time, the average rack inside Microsoft facilities drew roughly **1 kW per rack**. One kilowatt. You could practically cool it with a box fan and optimism.

Fast forward nearly four decades, and we are operating at warp speed. According to the 10th anniversary edition of the AFCOM State of the Data Center report, average rack density has now climbed to **27 kW per rack**, up from 16 kW last year and just 6.1 kW in the earliest edition of the study.

From 1 kW to 27 kW.

That is not a tuning adjustment. That is a propulsion system upgrade.

And here is the real thesis: every data center will become an AI data center. The only question is how fast they can get there.

The uncomfortable follow up question is this: how many are actually ready?

Today’s facilities no longer resemble the raised floor environments of the virtualization era. In many cases, they look more like energy campuses. Industry research suggests scaling global data center infrastructure may require well over **\$1 trillion in investment**, and AI related demand could drive hundreds of gigawatts of new capacity this decade. In some regions, operators are effectively functioning as power producers.

We are not adding servers. We are redesigning the energy backbone of the digital economy.

The Acceleration of Density

The 2026 State of the Data Center report makes the trajectory unmistakable. Average rack density has reached **27 kW per rack**, representing a 69 percent year-over-year increase. Seventy-four percent of respondents plan to deploy AI-capable infrastructure, up from 64 percent last year. Seventy-two percent expect AI workloads to significantly increase capacity requirements. AI is no longer an innovation track. It is the primary design assumption.

Consider a fully configured NVIDIA DGX H100. A single system can draw 10 kW or more at the node level. Stack those systems into a rack and the thermal profile changes dramatically.

Now look at the NVIDIA Blackwell B200 platform. Higher performance. Higher power density. Greater heat flux at the silicon level.

And then the roadmap. At GTC, Jensen Huang outlined rack scale systems pushing toward 600 kW per rack. NVIDIA’s Rubin Ultra NVL576 rack is expected to approach that 600 kW threshold in the second half of 2027.

Six hundred kilowatts in a single rack. That is not warp one. That is warp nine.

If your facility was designed for 10 to 15 kW per rack just five years ago, you are not slightly behind. You are operating on a different star chart.

The Density Dilemma

Physics does not negotiate. Well... maybe it does with Star Trek. But we’re not quite there yet.

Air has limits. Once racks move beyond 40 kW and toward 50 kW and beyond, traditional airflow strategies struggle to keep up. Containment helps. Variable speed fans help. But convection alone cannot dissipate extreme thermal loads indefinitely.

The 2026 survey confirms the industry’s response. Thirty six percent of respondents have already implemented liquid cooling, and another 28 percent plan adoption within 12 to 24 months. The most commonly cited approaches include:

- Rear door heat exchangers
- Immersion cooling

Liquid is no longer exotic.

Direct to chip cooling and immersion designs. Immersion cooling

The Density Dilemma: headroom before they run out of space. The bottleneck is no longer square footage. It is thermal rejection and power distribution.

We use cookies

By clicking “Accept all”, you agree to the storing of cookies on your device for functional, analytics, and advertising purposes.



[See our privacy policy](#)

existing air based systems.

ing out of cooling capacity.

And that brings us to a provocative statement.

The Myth of kW per Rack

At the recent Schneider Electric Innovation Summit, **Rob Roy**, CEO of **Switch**, called measuring density purely in kW per rack a myth.

It is a bold statement, but it forces an important conversation.

Modern AI racks are not simple enclosures. They are integrated compute platforms with liquid manifolds, sidecar power shelves, and high bandwidth networking fabrics. In future designs, some will approach megawatt scale.

Rob has noted that Switch is on a path to consume roughly a third of Nevada's power, yet power rates for residents went down. He has even stated that if they reverted sufficient power back into the Nevada grid, they could effectively power the entire Las Vegas Strip.

The takeaway is scale and integration. kW per rack measures load. It does not measure value, efficiency, or compute output.

Moving Beyond kW per Rack

So what replaces it?

We need new metrics that align infrastructure with value. Consider the following:

- **Tokens per Watt.** How many AI tokens can you process per unit of energy? This directly ties compute output to energy efficiency.
- **Compute per Square Foot.** Density in terms of actual performance delivered per footprint.
- **Revenue per Megawatt.** For colocation and AI service providers, this becomes a critical economic metric.
- **Thermal Rejection Efficiency.** How effectively does your facility move heat from silicon to atmosphere or reuse?
- **Carbon per Compute Unit.** As sustainability pressures intensify, performance normalized to emissions becomes essential.

In short, we need to measure what matters, not just what is easy.

Are We Ready?

The data tells a clear story.

- Average rack density is 27 kW and rising.
- Liquid cooling adoption is accelerating.
- AI deployment is becoming foundational.

But many facilities were never designed for 100 kW racks, let alone 600 kW platforms.

The Density Dilemma is not about whether AI is a bubble. It is about whether your infrastructure can evolve fast enough to support the next generation of compute.

We are at a structural inflection point.

The next wave of data centers will not look like the last decade. They will look more like energy aware, liquid cooled, AI optimized production facilities. The organizations that plan holistically across power, cooling, and compute architecture will lead. Those that retrofit reactively will struggle.

This conversation does not end here.

We will be continuing the dialogue around density, power strategy, and AI ready design at **Data Center World 2026** in Washington DC. If you are serious about navigating the Density Dilemma, join us.

Registration details are available here: (<https://datacenterworld.com/passes-pricing/http://>) (<https://datacenterworld.com/passes-pricing>)

The future will not wait for legacy thinking. The only question is whether we design for what is coming or remain anchored to what used to work.

Add Comment

« Back to Index (/new

We use cookies

By clicking "Accept all", you agree to the storing of cookies on your device for functional, analytics, and advertising purposes.



[See our privacy policy](#)

Sign In

Username

Password

☒ Remember Me

SIGN IN



[FORGOT YOUR PASSWORD? \(/GENERAL/EMAIL_PASS.ASP\)](#)

[HAVEN'T REGISTERED YET? \(/GENERAL/REGISTER_START.ASP\)](#)

Members Resources

[MORE \(/NEWS/\)](#)

3/19/2026

[THE NEW FRONT LINE: SECURING DATA CENTERS IN THE AI ERA \(/NEWS/722648/THE-NEW-FRONT-LINE-SECURING-DATA-CENTERS-IN-THE-AI-ERA-.HTM\)](#)

3/12/2026

[ILLINOIS AT A CROSSROADS: AI INFRASTRUCTURE, POLICY, AND COMPETITIVENESS \(/NEWS/722085/ILLINOIS-AT-A-CROSSROADS-AI-INFRASTRUCTURE-POLICY-AND-COMPETITIVENESS.HTM\)](#)

2/25/2026

[WHITEPAPER | STATE OF THE DATA CENTER 2026 EXECUTIVE SUMMARY \(/NEWS/720973/WHITEPAPER--STATE-OF-THE-DATA-CENTER-2026-EXECUTIVE-SUMMARY.HTM\)](#)

2/20/2026

[THE DATA CENTER DENSITY DILEMMA \(/NEWS/720658/THE-DATA-CENTER-DENSITY-DILEMMA.HTM\)](#)

Calendar

[MORE \(/EVENTS/EVENT_LIST.ASP\)](#)

5/13/2026

[AFCOM MN DATA CENTER STRIDES \(/EVENTS/EVENTDETAILS.ASPX?ID=1989189\)](#)

5/13/2026

[AFCOM CENTRAL OHIO MAY CHAPTER MEETING | MAY 13 \(/EVENTS/EVENTDETAILS.ASPX?ID=2055397\)](#)

5/14/2026

[AFCOM POTOMAC: FLAGS FOR FIRST GRADERS FLAG PACKING EVENT \(/EVENTS/EVENTDETAILS.ASPX?ID=2047964\)](#)

5/14/2026

[AFCOM ARIZONA MAY 2026 LUNCH & LEARN \(/EVENTS/EVENTDETAILS.ASPX?ID=2051591\)](#)

DISCOVER MORE FROM INFORMA

[Data Center World \(https://datacenterworld.com\)](https://datacenterworld.com)

[Data Center World Power \(https://dcwpower.com/\)](https://dcwpower.com/)

[Information Week \(https://www.informationweek.com\)](https://www.informationweek.com)

[Network Computing \(https://www.networkcomputing.com\)](https://www.networkcomputing.com)

We use cookies

By clicking "Accept all", you agree to the storing of cookies on your device for functional, analytics, and advertising purposes.



[See our privacy policy](#)

NEWSLETTER SIGN-UP
(/PAGE/AFCOMNEWS)

FOLLOW #AFCOM ON SOCIAL



(http://www.informaconnect.com/)

(https://informaconnect.com/)

Home (https://informaconnect.com/) Cookies (https://informaconnect.com/cookie-policy/)

CCPA: Do not sell my personal info (https://privacyportal-eu-cdn.onetrust.com/dsarwebform/c1f53e84-9f05-4169-a854-85052b63c50b/5f26b553-52cc-4973-a761-295d5634a6b6.html)

Privacy (https://www.informa.com/privacy-policy/) Terms (https://informaconnect.com/terms-and-policies/)

Copyright © 20262026 Informa PLC. Informa PLC is registered in England and Wales with company number 8860726 whose registered and head office is 5 Howick Place, London, SW1P 1WG.

Membership Software Powered by YourMembership (http://www.yourmembership.com/) :: Legal (/ams/legal-privacy.htm)

We use cookies

By clicking “Accept all”, you agree to the storing of cookies on your device for functional, analytics, and advertising purposes.



See our privacy policy