

ICPSR 37105

The Irish Longitudinal Study on Ageing (TILDA), 2012-2013

Rose Anne Kenny
Trinity College (Dublin Ireland)

ICPSR TILDA Codebook

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/37105/terms>

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR PROCESSING NOTES FOR #37105
The Irish Longitudinal Study on Ageing (TILDA), 2012-2013

1. **Extent of Processing:** These data are being released in BETA version to facilitate early access to the study for research purposes. The collection has not been fully processed by ICPSR at this time; the original material provided by the principal investigator were only converted to other file types for ease of use. As the study is processed and given enhanced features by ICPSR, users will be able to access the updated versions of the study. Please report any data errors or problems to user support and we will work with you to resolve any data-related issues.
2. **Related Data Collections:** This collection is related to The Irish Longitudinal Study on Ageing (TILDA), 2009-2011, ICPSR 34315 and to The Irish Longitudinal Study on Ageing (TILDA), 2014-2015, ICPSR 37106. For similar study information and characteristics, please refer to the additional studies.
3. **Statistical Software Limitation:** In order to produce R data files, the non-ASCII currency character € was changed to E in value Labels for **AS104**, and **AS118**.
4. **Undocumented Codes:** Variables **AS101**, **AS103**, and **SCQAlcoFreq2**, contain an undocumented code for value "0". This value has been labeled "UNDOCUMENTED CODE" by ICPSR. No additional information was provided.
5. **Additional Information:** For additional information on The Irish Longitudinal Study on Ageing, please visit the [TILDA website](#).

ICPSR 37105

The Irish Longitudinal Study on Ageing (TILDA), 2012-2013

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, arithmetic mean, median, mode, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

ID: Anonymised ID

Based upon 7,207 valid cases out of 7,207 total cases.

Location: 1-6 (width: 6; decimal: 0)

Variable Type: character

HOUSEHOLD: Household ID

Based upon 7,207 valid cases out of 7,207 total cases.

Location: 7-11 (width: 5; decimal: 0)

Variable Type: character

CLUSTER: Cluster ID

| Value | Label | Unweighted Frequency | % |
|-------|-------|----------------------|-------|
| 1 | - | 8 | 0.1 % |
| 10 | - | 10 | 0.1 % |
| 100 | - | 17 | 0.2 % |
| 101 | - | 17 | 0.2 % |
| 102 | - | 17 | 0.2 % |
| 103 | - | 14 | 0.2 % |
| 104 | - | 11 | 0.2 % |
| 105 | - | 6 | 0.1 % |
| 106 | - | 16 | 0.2 % |
| 107 | - | 16 | 0.2 % |
| 108 | - | 13 | 0.2 % |
| 109 | - | 11 | 0.2 % |
| 11 | - | 7 | 0.1 % |
| 110 | - | 18 | 0.2 % |
| 111 | - | 17 | 0.2 % |
| 112 | - | 7 | 0.1 % |
| 113 | - | 12 | 0.2 % |
| 114 | - | 10 | 0.1 % |
| 115 | - | 16 | 0.2 % |
| 116 | - | 12 | 0.2 % |
| 117 | - | 13 | 0.2 % |
| 118 | - | 8 | 0.1 % |
| 119 | - | 12 | 0.2 % |
| 12 | - | 1 | 0.0 % |
| 120 | - | 12 | 0.2 % |
| 121 | - | 7 | 0.1 % |
| 122 | - | 11 | 0.2 % |

| Value | Label | Unweighted Frequency | % |
|-------|--------------|----------------------|-------------|
| 123 | - | 7 | 0.1 % |
| 124 | - | 7 | 0.1 % |
| 125 | - | 8 | 0.1 % |
| 126 | - | 13 | 0.2 % |
| 127 | - | 16 | 0.2 % |
| 128 | - | 10 | 0.1 % |
| 129 | - | 7 | 0.1 % |
| 13 | - | 8 | 0.1 % |
| 130 | - | 8 | 0.1 % |
| 131 | - | 8 | 0.1 % |
| 132 | - | 8 | 0.1 % |
| 133 | - | 10 | 0.1 % |
| 134 | - | 14 | 0.2 % |
| 135 | - | 14 | 0.2 % |
| 136 | - | 7 | 0.1 % |
| 137 | - | 5 | 0.1 % |
| 138 | - | 14 | 0.2 % |
| 139 | - | 6 | 0.1 % |
| 14 | - | 8 | 0.1 % |
| 140 | - | 5 | 0.1 % |
| 141 | - | 23 | 0.3 % |
| 142 | - | 10 | 0.1 % |
| 143 | - | 12 | 0.2 % |
| | Total | 7,207 | 100% |

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 7,207 valid cases out of 7,207 total cases.

Location: 12-14 (width: 3; decimal: 0)

Variable Type: character

AGE: Age of Respondent at 2nd interview

| Value | Label | Unweighted Frequency | % |
|-------|--------------|----------------------|-------|
| 51 | Less than 52 | 301 | 4.2 % |
| 52 | - | 254 | 3.5 % |
| 53 | - | 305 | 4.2 % |
| 54 | - | 283 | 3.9 % |
| 55 | - | 290 | 4.0 % |
| 56 | - | 262 | 3.6 % |

| Value | Label | Unweighted Frequency | % |
|-------|--------------|----------------------|-------------|
| 57 | - | 306 | 4.2 % |
| 58 | - | 294 | 4.1 % |
| 59 | - | 291 | 4.0 % |
| 60 | - | 265 | 3.7 % |
| 61 | - | 284 | 3.9 % |
| 62 | - | 246 | 3.4 % |
| 63 | - | 260 | 3.6 % |
| 64 | - | 248 | 3.4 % |
| 65 | - | 250 | 3.5 % |
| 66 | - | 241 | 3.3 % |
| 67 | - | 229 | 3.2 % |
| 68 | - | 214 | 3.0 % |
| 69 | - | 214 | 3.0 % |
| 70 | - | 199 | 2.8 % |
| 71 | - | 160 | 2.2 % |
| 72 | - | 191 | 2.7 % |
| 73 | - | 172 | 2.4 % |
| 74 | - | 178 | 2.5 % |
| 75 | - | 139 | 1.9 % |
| 76 | - | 137 | 1.9 % |
| 77 | - | 118 | 1.6 % |
| 78 | - | 117 | 1.6 % |
| 79 | - | 113 | 1.6 % |
| 80 | - | 108 | 1.5 % |
| 81 | - | 95 | 1.3 % |
| 82 | 82+ | 443 | 6.1 % |
| | Total | 7,207 | 100% |

Based upon 7,207 valid cases out of 7,207 total cases.

- Mean: 64.55
- Median: 63.00
- Mode: 82.00
- Minimum: 51.00
- Maximum: 82.00
- Standard Deviation: 9.17

Location: 15-16 (width: 2; decimal: 0)

Variable Type: numeric

ADL_NUM: Number of ADL impairments

| Value | Label | Unweighted Frequency | % |
|-------|--------------|----------------------|-------------|
| 0 | None | 6801 | 94.4 % |
| 1 | Single ADL | 242 | 3.4 % |
| 2 | 2-3 ADLs | 108 | 1.5 % |
| 3 | 4+ ADLs | 56 | 0.8 % |
| | Total | 7,207 | 100% |

Based upon 7,207 valid cases out of 7,207 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 17-17 (width: 1; decimal: 0)

Variable Type: numeric

IADL_NUM: Number of IADL impairments

| Value | Label | Unweighted Frequency | % |
|-------|--------------|----------------------|-------------|
| 0 | None | 6680 | 92.7 % |
| 1 | Single IADL | 259 | 3.6 % |
| 2 | 2-3 IADLs | 204 | 2.8 % |
| 3 | 4+ IADLs | 64 | 0.9 % |
| | Total | 7,207 | 100% |

Based upon 7,207 valid cases out of 7,207 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 18-18 (width: 1; decimal: 0)

Variable Type: numeric

MDPOLYPHARMACY: Five or more medications

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 0 | - | 5209 | 72.3 % |
| 1 | - | 1991 | 27.6 % |
| | Missing Data | | |
| . | - | 7 | 0.1 % |
| | Total | 7,207 | 100% |

Based upon 7,200 valid cases out of 7,207 total cases.

- Mean: 0.28
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00

- Maximum: 1.00
- Standard Deviation: 0.45

Location: 19-19 (width: 1; decimal: 0)

Variable Type: numeric

MHCESD_CAPI: CES-D From CAPI

| Value | Label | Unweighted Frequency | % |
|-------|-------|----------------------|--------|
| 0 | - | 1710 | 23.7 % |
| 1 | - | 841 | 11.7 % |
| 2 | - | 680 | 9.4 % |
| 3 | - | 659 | 9.1 % |
| 4 | - | 484 | 6.7 % |
| 5 | - | 389 | 5.4 % |
| 6 | - | 358 | 5.0 % |
| 7 | - | 265 | 3.7 % |
| 8 | - | 213 | 3.0 % |
| 9 | - | 192 | 2.7 % |
| 10 | - | 177 | 2.5 % |
| 11 | - | 129 | 1.8 % |
| 12 | - | 128 | 1.8 % |
| 13 | - | 102 | 1.4 % |
| 14 | - | 83 | 1.2 % |
| 15 | - | 72 | 1.0 % |
| 16 | - | 59 | 0.8 % |
| 17 | - | 79 | 1.1 % |
| 18 | - | 59 | 0.8 % |
| 19 | - | 52 | 0.7 % |
| 20 | - | 50 | 0.7 % |
| 21 | - | 37 | 0.5 % |
| 22 | - | 36 | 0.5 % |
| 23 | - | 31 | 0.4 % |
| 24 | - | 27 | 0.4 % |
| 25 | - | 20 | 0.3 % |
| 26 | - | 19 | 0.3 % |
| 27 | - | 12 | 0.2 % |
| 28 | - | 16 | 0.2 % |
| 29 | - | 18 | 0.2 % |
| 30 | - | 10 | 0.1 % |
| 31 | - | 11 | 0.2 % |
| 32 | - | 8 | 0.1 % |

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 33 | - | 8 | 0.1 % |
| 34 | - | 3 | 0.0 % |
| 35 | - | 9 | 0.1 % |
| 36 | - | 7 | 0.1 % |
| 37 | - | 6 | 0.1 % |
| 38 | - | 3 | 0.0 % |
| 39 | - | 4 | 0.1 % |
| 40 | - | 4 | 0.1 % |
| 41 | - | 5 | 0.1 % |
| 42 | - | 4 | 0.1 % |
| 44 | - | 3 | 0.0 % |
| 45 | - | 5 | 0.1 % |
| 46 | - | 2 | 0.0 % |
| 47 | - | 2 | 0.0 % |
| 48 | - | 1 | 0.0 % |
| 49 | - | 2 | 0.0 % |
| 50 | - | 1 | 0.0 % |
| | Missing Data | | |
| . | - | 107 | 1.5 % |
| | Total | 7,207 | 100% |

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 7,100 valid cases out of 7,207 total cases.

- Mean: 5.38
- Median: 3.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 54.00
- Standard Deviation: 7.02

Location: 20-21 (width: 2; decimal: 0)

Variable Type: numeric

MHCASP19_CONTROL: CASP-19 Control

| Value | Label | Unweighted Frequency | % |
|-------|-------|----------------------|-------|
| 0 | - | 9 | 0.1 % |
| 1 | - | 21 | 0.3 % |
| 2 | - | 50 | 0.7 % |
| 3 | - | 133 | 1.8 % |
| 4 | - | 232 | 3.2 % |

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 5 | - | 401 | 5.6 % |
| 6 | - | 499 | 6.9 % |
| 7 | - | 744 | 10.3 % |
| 8 | - | 887 | 12.3 % |
| 9 | - | 964 | 13.4 % |
| 10 | - | 738 | 10.2 % |
| 11 | - | 600 | 8.3 % |
| 12 | - | 558 | 7.7 % |
| | Missing Data | | |
| . | - | 1371 | 19.0 % |
| | Total | 7,207 | 100% |

Based upon 5,836 valid cases out of 7,207 total cases.

- Mean: 8.24
- Median: 8.00
- Mode: 9.00
- Minimum: 0.00
- Maximum: 12.00
- Standard Deviation: 2.44

Location: 22-23 (width: 2; decimal: 0)

Variable Type: numeric

MHCASP19_AUTONOMY: CASP-19 Autonomy

| Value | Label | Unweighted Frequency | % |
|-------|-------|----------------------|--------|
| 0 | - | 1 | 0.0 % |
| 1 | - | 3 | 0.0 % |
| 2 | - | 14 | 0.2 % |
| 3 | - | 25 | 0.3 % |
| 4 | - | 46 | 0.6 % |
| 5 | - | 121 | 1.7 % |
| 6 | - | 213 | 3.0 % |
| 7 | - | 381 | 5.3 % |
| 8 | - | 487 | 6.8 % |
| 9 | - | 692 | 9.6 % |
| 10 | - | 744 | 10.3 % |
| 11 | - | 805 | 11.2 % |
| 12 | - | 821 | 11.4 % |
| 13 | - | 701 | 9.7 % |
| 14 | - | 365 | 5.1 % |
| 15 | - | 417 | 5.8 % |

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| | Missing Data | | |
| . | - | 1371 | 19.0 % |
| | Total | 7,207 | 100% |

Based upon 5,836 valid cases out of 7,207 total cases.

- Mean: 10.55
- Median: 11.00
- Mode: 12.00
- Minimum: 0.00
- Maximum: 15.00
- Standard Deviation: 2.67

Location: 24-25 (width: 2; decimal: 0)

Variable Type: numeric

MHCASP19_PLEASURE: CASP-19 Pleasure

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 0 | - | 22 | 0.3 % |
| 1 | - | 3 | 0.0 % |
| 2 | - | 3 | 0.0 % |
| 3 | - | 3 | 0.0 % |
| 4 | - | 5 | 0.1 % |
| 5 | - | 14 | 0.2 % |
| 6 | - | 20 | 0.3 % |
| 7 | - | 36 | 0.5 % |
| 8 | - | 49 | 0.7 % |
| 9 | - | 132 | 1.8 % |
| 10 | - | 264 | 3.7 % |
| 11 | - | 288 | 4.0 % |
| 12 | - | 461 | 6.4 % |
| 13 | - | 626 | 8.7 % |
| 14 | - | 1123 | 15.6 % |
| 15 | - | 2854 | 39.6 % |
| | Missing Data | | |
| . | - | 1304 | 18.1 % |
| | Total | 7,207 | 100% |

Based upon 5,903 valid cases out of 7,207 total cases.

- Mean: 13.56
- Median: 14.00
- Mode: 15.00

- Minimum: 0.00
- Maximum: 15.00
- Standard Deviation: 2.11

Location: 26-27 (width: 2; decimal: 0)

Variable Type: numeric

MHCASP19_SELFREAL: CASP-19 Self-Realisation

| Value | Label | Unweighted Frequency | % |
|-------|--------------|----------------------|--------|
| 0 | - | 25 | 0.3 % |
| 1 | - | 23 | 0.3 % |
| 2 | - | 23 | 0.3 % |
| 3 | - | 40 | 0.6 % |
| 4 | - | 64 | 0.9 % |
| 5 | - | 114 | 1.6 % |
| 6 | - | 184 | 2.6 % |
| 7 | - | 266 | 3.7 % |
| 8 | - | 408 | 5.7 % |
| 9 | - | 622 | 8.6 % |
| 10 | - | 811 | 11.3 % |
| 11 | - | 784 | 10.9 % |
| 12 | - | 740 | 10.3 % |
| 13 | - | 677 | 9.4 % |
| 14 | - | 669 | 9.3 % |
| 15 | - | 448 | 6.2 % |
| | Missing Data | | |
| . | - | 1309 | 18.2 % |
| | Total | 7,207 | 100% |

Based upon 5,898 valid cases out of 7,207 total cases.

- Mean: 10.74
- Median: 11.00
- Mode: 10.00
- Minimum: 0.00
- Maximum: 15.00
- Standard Deviation: 2.88

Location: 28-29 (width: 2; decimal: 0)

Variable Type: numeric

MHCASP19_TOTAL: CASP-19 Quality of Life Scale

| Value | Label | Unweighted Frequency | % |
|-------|-------|----------------------|-------|
| 4 | - | 1 | 0.0 % |

| Value | Label | Unweighted Frequency | % |
|-------|-------|----------------------|-------|
| 10 | - | 1 | 0.0 % |
| 11 | - | 3 | 0.0 % |
| 12 | - | 3 | 0.0 % |
| 13 | - | 2 | 0.0 % |
| 14 | - | 1 | 0.0 % |
| 15 | - | 5 | 0.1 % |
| 16 | - | 6 | 0.1 % |
| 17 | - | 7 | 0.1 % |
| 18 | - | 13 | 0.2 % |
| 19 | - | 12 | 0.2 % |
| 20 | - | 13 | 0.2 % |
| 21 | - | 12 | 0.2 % |
| 22 | - | 14 | 0.2 % |
| 23 | - | 11 | 0.2 % |
| 24 | - | 19 | 0.3 % |
| 25 | - | 33 | 0.5 % |
| 26 | - | 33 | 0.5 % |
| 27 | - | 50 | 0.7 % |
| 28 | - | 46 | 0.6 % |
| 29 | - | 53 | 0.7 % |
| 30 | - | 68 | 0.9 % |
| 31 | - | 73 | 1.0 % |
| 32 | - | 99 | 1.4 % |
| 33 | - | 87 | 1.2 % |
| 34 | - | 103 | 1.4 % |
| 35 | - | 107 | 1.5 % |
| 36 | - | 138 | 1.9 % |
| 37 | - | 179 | 2.5 % |
| 38 | - | 170 | 2.4 % |
| 39 | - | 199 | 2.8 % |
| 40 | - | 224 | 3.1 % |
| 41 | - | 224 | 3.1 % |
| 42 | - | 255 | 3.5 % |
| 43 | - | 275 | 3.8 % |
| 44 | - | 263 | 3.6 % |
| 45 | - | 296 | 4.1 % |
| 46 | - | 281 | 3.9 % |
| 47 | - | 302 | 4.2 % |
| 48 | - | 294 | 4.1 % |

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 49 | - | 247 | 3.4 % |
| 50 | - | 267 | 3.7 % |
| 51 | - | 226 | 3.1 % |
| 52 | - | 230 | 3.2 % |
| 53 | - | 198 | 2.7 % |
| 54 | - | 154 | 2.1 % |
| 55 | - | 103 | 1.4 % |
| 56 | - | 77 | 1.1 % |
| 57 | - | 60 | 0.8 % |
| | Missing Data | | |
| . | - | 1670 | 23.2 % |
| | Total | 7,207 | 100% |

Based upon 5,537 valid cases out of 7,207 total cases.

- Mean: 43.27
- Median: 44.00
- Mode: 47.00
- Minimum: 4.00
- Maximum: 57.00
- Standard Deviation: 7.99

Location: 30-31 (width: 2; decimal: 0)

Variable Type: numeric

MHPENNWORRY: Penn worry scale (range=8-40)

| Value | Label | Unweighted Frequency | % |
|-------|-------|----------------------|--------|
| 8 | - | 1068 | 14.8 % |
| 9 | - | 415 | 5.8 % |
| 10 | - | 410 | 5.7 % |
| 11 | - | 330 | 4.6 % |
| 12 | - | 345 | 4.8 % |
| 13 | - | 245 | 3.4 % |
| 14 | - | 305 | 4.2 % |
| 15 | - | 247 | 3.4 % |
| 16 | - | 278 | 3.9 % |
| 17 | - | 217 | 3.0 % |
| 18 | - | 202 | 2.8 % |
| 19 | - | 156 | 2.2 % |
| 20 | - | 170 | 2.4 % |
| 21 | - | 133 | 1.8 % |
| 22 | - | 162 | 2.2 % |

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 23 | - | 138 | 1.9 % |
| 24 | - | 179 | 2.5 % |
| 25 | - | 77 | 1.1 % |
| 26 | - | 96 | 1.3 % |
| 27 | - | 73 | 1.0 % |
| 28 | - | 58 | 0.8 % |
| 29 | - | 41 | 0.6 % |
| 30 | - | 57 | 0.8 % |
| 31 | - | 37 | 0.5 % |
| 32 | - | 46 | 0.6 % |
| 33 | - | 25 | 0.3 % |
| 34 | - | 37 | 0.5 % |
| 35 | - | 25 | 0.3 % |
| 36 | - | 41 | 0.6 % |
| 37 | - | 20 | 0.3 % |
| 38 | - | 28 | 0.4 % |
| 39 | - | 12 | 0.2 % |
| 40 | - | 45 | 0.6 % |
| | Missing Data | | |
| . | - | 1489 | 20.7 % |
| | Total | 7,207 | 100% |

Based upon 5,718 valid cases out of 7,207 total cases.

- Mean: 15.62
- Median: 14.00
- Mode: 8.00
- Minimum: 8.00
- Maximum: 40.00
- Standard Deviation: 7.52

Location: 32-33 (width: 2; decimal: 0)

Variable Type: numeric

MHUCLA_LONELINESS: UCLA loneliness scale

| Value | Label | Unweighted Frequency | % |
|-------|-------|----------------------|--------|
| 0 | - | 2196 | 30.5 % |
| 1 | - | 1096 | 15.2 % |
| 2 | - | 845 | 11.7 % |
| 3 | - | 549 | 7.6 % |
| 4 | - | 460 | 6.4 % |
| 5 | - | 415 | 5.8 % |

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 6 | - | 157 | 2.2 % |
| 7 | - | 99 | 1.4 % |
| 8 | - | 80 | 1.1 % |
| 9 | - | 86 | 1.2 % |
| 10 | - | 10 | 0.1 % |
| | Missing Data | | |
| . | - | 1214 | 16.8 % |
| | Total | 7,207 | 100% |

Based upon 5,993 valid cases out of 7,207 total cases.

- Mean: 1.92
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 10.00
- Standard Deviation: 2.19

Location: 34-35 (width: 2; decimal: 0)

Variable Type: numeric

MHCAPI_LONELINESS: Frequency of loneliness (CAPI)

| Value | Label | Unweighted Frequency | % |
|-------|-----------------------------|----------------------|-------------|
| 1 | Rarely or never | 5899 | 81.9 % |
| 2 | Some of the time | 843 | 11.7 % |
| 3 | Moderate amount of the time | 335 | 4.6 % |
| 4 | All of the time | 125 | 1.7 % |
| | Missing Data | | |
| . | - | 5 | 0.1 % |
| | Total | 7,207 | 100% |

Based upon 7,202 valid cases out of 7,207 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 36-36 (width: 1; decimal: 0)

Variable Type: numeric

MHCIDI_ANXIETY: fulfills DSM criteria for GAD based on an episode lasting 6 months or longer

| Value | Label | Unweighted Frequency | % |
|-------|-------|----------------------|--------|
| 0 | - | 6970 | 96.7 % |
| 1 | - | 237 | 3.3 % |

| Value | Label | Unweighted Frequency | % |
|-------|--------------|----------------------|-------------|
| | Total | 7,207 | 100% |

Based upon 7,207 valid cases out of 7,207 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.18

Location: 37-37 (width: 1; decimal: 0)

Variable Type: numeric

MHCIDI_DEPRESSION: Major Depressive episode in the last 12 months

| Value | Label | Unweighted Frequency | % |
|-------|--------------|----------------------|-------------|
| 0 | - | 6766 | 93.9 % |
| 1 | - | 441 | 6.1 % |
| | Total | 7,207 | 100% |

Based upon 7,207 valid cases out of 7,207 total cases.

- Mean: 0.06
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.24

Location: 38-38 (width: 1; decimal: 0)

Variable Type: numeric

W2SOCIALCLASS: w2socialclass

| Value | Label | Unweighted Frequency | % |
|-------|------------------------------|----------------------|-------------|
| 1 | Professional | 338 | 4.7 % |
| 2 | Managerial & Technical | 1753 | 24.3 % |
| 3 | Non-Manual | 2023 | 28.1 % |
| 4 | Skilled | 1159 | 16.1 % |
| 5 | Semi-skilled | 1115 | 15.5 % |
| 6 | Unskilled | 295 | 4.1 % |
| | Missing Data | | |
| -9 | Unknown/Refused/Never worked | 524 | 7.3 % |
| | Total | 7,207 | 100% |

Based upon 6,683 valid cases out of 7,207 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 39-40 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

CS_RESPONDENT: Respondent completed coverscreen

| Value | Label | Unweighted Frequency | % |
|-------|--------------|----------------------|-------------|
| 0 | No | 1819 | 25.2 % |
| 1 | Yes | 5388 | 74.8 % |
| | Total | 7,207 | 100% |

Based upon 7,207 valid cases out of 7,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 41-41 (width: 1; decimal: 0)

Variable Type: numeric

HH005: hh005 - IWER: Designate type of interview:

| Value | Label | Unweighted Frequency | % |
|-------|-----------------|----------------------|-------------|
| 1 | Self-interview | 7207 | 100.0 % |
| 2 | Proxy interview | 0 | 0.0 % |
| | Total | 7,207 | 100% |

Based upon 7,207 valid cases out of 7,207 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 42-42 (width: 1; decimal: 0)

Variable Type: numeric

CS017: cs017 - Please classify this respondent as one of the following:

| Value | Label | Unweighted Frequency | % |
|-------|------------------------|----------------------|-------------|
| 1 | FINANCIAL R | 597 | 8.3 % |
| 2 | FAMILY R | 596 | 8.3 % |
| 3 | FINANCIAL AND FAMILY R | 4815 | 66.8 % |
| 4 | NEITHER | 1199 | 16.6 % |
| | Total | 7,207 | 100% |

Based upon 7,207 valid cases out of 7,207 total cases.

- Minimum: 1.00

- Maximum: 4.00

Location: 43-43 (width: 1; decimal: 0)

Variable Type: numeric

GD002: gd002 - Gender of respondent

| Value | Label | Unweighted Frequency | % |
|-------|--------------|----------------------|-------------|
| 1 | Male | 3203 | 44.4 % |
| 2 | Female | 4004 | 55.6 % |
| | Total | 7,207 | 100% |

Based upon 7,207 valid cases out of 7,207 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 44-44 (width: 1; decimal: 0)

Variable Type: numeric

DM048: dm048 - At what age did [you/he/she] leave full-time education? (as in the age [

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 13 | 0-13 | 433 | 6.0 % |
| 14 | - | 1322 | 18.3 % |
| 15 | - | 802 | 11.1 % |
| 16 | - | 1071 | 14.9 % |
| 17 | - | 974 | 13.5 % |
| 18 | - | 1177 | 16.3 % |
| 19 | - | 344 | 4.8 % |
| 20 | - | 211 | 2.9 % |
| 21 | - | 304 | 4.2 % |
| 22 | - | 229 | 3.2 % |
| 23 | 23+ | 332 | 4.6 % |
| | Missing Data | | |
| 98 | Don't know | 6 | 0.1 % |
| 99 | Refused | 2 | 0.0 % |
| | Total | 7,207 | 100% |

Based upon 7,199 valid cases out of 7,207 total cases.

- Mean: 16.79
- Median: 16.00
- Mode: 14.00
- Minimum: 13.00
- Maximum: 23.00
- Standard Deviation: 2.63

Location: 45-46 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98 , 99

TC008: tc008 - In the last two years [have/has] [you/Rname] given financial help or gift

| Value | Label | Unweighted Frequency | % |
|-------|---|----------------------|-------------|
| 1 | Yes | 1003 | 13.9 % |
| 5 | No | 3537 | 49.1 % |
| | Missing Data | | |
| -1 | Not applicable or skipped due to routing patterns | 2653 | 36.8 % |
| 98 | Don't know | 5 | 0.1 % |
| 99 | Refused | 9 | 0.1 % |
| | Total | 7,207 | 100% |

Based upon 4,540 valid cases out of 7,207 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 47-48 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -1 , 98 , 99

TC011: tc011 - During the last 2 years, did [you/he/she] give financial or in-kind supp

| Value | Label | Unweighted Frequency | % |
|-------|---|----------------------|-------------|
| 1 | Yes | 2283 | 31.7 % |
| 5 | No | 2255 | 31.3 % |
| | Missing Data | | |
| -1 | Not applicable or skipped due to routing patterns | 2653 | 36.8 % |
| 98 | Don't know | 7 | 0.1 % |
| 99 | Refused | 9 | 0.1 % |
| | Total | 7,207 | 100% |

Based upon 4,538 valid cases out of 7,207 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 49-50 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -1 , 98 , 99

TC041: tc041 - Did [you/he/she] agree to be guarantor, either fully or partially when [

| Value | Label | Unweighted Frequency | % |
|-------|-------------------|----------------------|--------|
| 1 | No/Not applicable | 4325 | 60.0 % |

| Value | Label | Unweighted Frequency | % |
|-------|---|----------------------|-------------|
| 2 | Yes | 218 | 3.0 % |
| | Missing Data | | |
| -1 | Not applicable or skipped due to routing patterns | 2653 | 36.8 % |
| 98 | Don't know | 11 | 0.2 % |
| | Total | 7,207 | 100% |

Based upon 4,543 valid cases out of 7,207 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 51-52 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -1 , 98 , 99

TC014: tc014 - In the last 2 years, excluding childcare, [have/has] [you/he/she] spent

| Value | Label | Unweighted Frequency | % |
|-------|---|----------------------|-------------|
| 1 | Yes | 1259 | 17.5 % |
| 5 | No | 3295 | 45.7 % |
| | Missing Data | | |
| -1 | Not applicable or skipped due to routing patterns | 2653 | 36.8 % |
| | Total | 7,207 | 100% |

Based upon 4,554 valid cases out of 7,207 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 53-54 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -1 , 98 , 99

TC021: tc021 - In the last 2 years, [have/has] [your/Rname's] children or grandchildren

| Value | Label | Unweighted Frequency | % |
|-------|---|----------------------|-------------|
| 1 | Yes | 1699 | 23.6 % |
| 5 | No | 2852 | 39.6 % |
| | Missing Data | | |
| -1 | Not applicable or skipped due to routing patterns | 2653 | 36.8 % |
| 98 | Don't know | 2 | 0.0 % |
| 99 | Refused | 1 | 0.0 % |
| | Total | 7,207 | 100% |

Based upon 4,551 valid cases out of 7,207 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 55-56 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -1 , 98 , 99

TC023: tc023 - In the last 2 years, did [your/his/her] relatives regularly give [you/hi

| Value | Label | Unweighted Frequency | % |
|-------|---|----------------------|-------------|
| 1 | Yes | 591 | 8.2 % |
| 5 | No | 4819 | 66.9 % |
| | Missing Data | | |
| -1 | Not applicable or skipped due to routing patterns | 1796 | 24.9 % |
| 98 | Don't know | 1 | 0.0 % |
| | Total | 7,207 | 100% |

Based upon 5,410 valid cases out of 7,207 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 57-58 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -1 , 98 , 99

TC025: tc025 - In the last 2 years, did [you/he/she] regularly give any kind of help to

| Value | Label | Unweighted Frequency | % |
|-------|---|----------------------|-------------|
| 1 | Yes | 1290 | 17.9 % |
| 5 | No | 4120 | 57.2 % |
| | Missing Data | | |
| -1 | Not applicable or skipped due to routing patterns | 1796 | 24.9 % |
| 98 | Don't know | 1 | 0.0 % |
| | Total | 7,207 | 100% |

Based upon 5,410 valid cases out of 7,207 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 59-60 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -1 , 98 , 99

TC027: tc027 - In the last 2 years, did [your/his/her] neighbours or friends regularly

| Value | Label | Unweighted Frequency | % |
|-------|-------|----------------------|--------|
| 1 | Yes | 799 | 11.1 % |

| Value | Label | Unweighted Frequency | % |
|-------|---|----------------------|-------------|
| 5 | No | 4611 | 64.0 % |
| | Missing Data | | |
| -1 | Not applicable or skipped due to routing patterns | 1796 | 24.9 % |
| 98 | Don't know | 1 | 0.0 % |
| | Total | 7,207 | 100% |

Based upon 5,410 valid cases out of 7,207 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 61-62 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -1 , 98 , 99

TC029: tc029 - In the last 2 years, did [you/he/she] regularly give any kind of help to

| Value | Label | Unweighted Frequency | % |
|-------|---|----------------------|-------------|
| 1 | Yes | 1047 | 14.5 % |
| 5 | No | 4363 | 60.5 % |
| | Missing Data | | |
| -1 | Not applicable or skipped due to routing patterns | 1796 | 24.9 % |
| 98 | Don't know | 1 | 0.0 % |
| | Total | 7,207 | 100% |

Based upon 5,410 valid cases out of 7,207 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 63-64 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -1 , 98 , 99

PH001: ph001 - Now I would like to ask you some questions about your health. Would you

| Value | Label | Unweighted Frequency | % |
|-------|--------------|----------------------|-------------|
| 1 | Excellent | 1049 | 14.6 % |
| 2 | Very good | 2363 | 32.8 % |
| 3 | Good | 2485 | 34.5 % |
| 4 | Fair | 1074 | 14.9 % |
| 5 | Poor | 236 | 3.3 % |
| | Total | 7,207 | 100% |

Based upon 7,207 valid cases out of 7,207 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 65-66 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98 , 99

PH002: ph002 - What about your emotional or mental health? Is it ...

| Value | Label | Unweighted Frequency | % |
|---------------------|------------|----------------------|-------------|
| 1 | Excellent | 1497 | 20.8 % |
| 2 | Very good | 2514 | 34.9 % |
| 3 | Good | 2451 | 34.0 % |
| 4 | Fair | 642 | 8.9 % |
| 5 | Poor | 101 | 1.4 % |
| Missing Data | | | |
| 98 | Don't know | 1 | 0.0 % |
| 99 | Refused | 1 | 0.0 % |
| Total | | 7,207 | 100% |

Based upon 7,205 valid cases out of 7,207 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 67-68 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98 , 99

PH003: ph003 - [Do/Does] [you/he/she] have any long-term health problems, illness, disa

| Value | Label | Unweighted Frequency | % |
|---------------------|------------|----------------------|-------------|
| 1 | Yes | 3002 | 41.7 % |
| 5 | No | 4201 | 58.3 % |
| Missing Data | | | |
| 98 | Don't know | 4 | 0.1 % |
| Total | | 7,207 | 100% |

Based upon 7,203 valid cases out of 7,207 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 69-70 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98 , 99

PH004: ph004 - Does this illness or disability limit [your/his/her] activities in any w

| Value | Label | Unweighted Frequency | % |
|-------|---|----------------------|-------------|
| 1 | Yes | 1776 | 24.6 % |
| 5 | No | 1226 | 17.0 % |
| | Missing Data | | |
| -1 | Not applicable or skipped due to routing patterns | 4205 | 58.3 % |
| | Total | 7,207 | 100% |

Based upon 3,002 valid cases out of 7,207 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 71-72 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -1 , 98 , 99

PH101: ph101 - [Do/Does] [you/he/she] usually wear glasses or contact lenses?

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 1 | Yes | 4451 | 61.8 % |
| 5 | No | 2754 | 38.2 % |
| | Missing Data | | |
| 98 | Don't know | 2 | 0.0 % |
| | Total | 7,207 | 100% |

Based upon 7,205 valid cases out of 7,207 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 73-74 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98 , 99

PH102: ph102 - Is your eyesight (using glasses or contact lenses if you use them)...

| Value | Label | Unweighted Frequency | % |
|-------|--------------------------------|----------------------|-------------|
| 1 | Excellent | 1062 | 14.7 % |
| 2 | Very good | 2529 | 35.1 % |
| 3 | Good | 2781 | 38.6 % |
| 4 | Fair | 697 | 9.7 % |
| 5 | poor or register/legally blind | 136 | 1.9 % |
| | Missing Data | | |
| 99 | Refused | 2 | 0.0 % |
| | Total | 7,207 | 100% |

Based upon 7,205 valid cases out of 7,207 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 75-76 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98 , 99

PH145: ph145 - Do you feel [you/he/she] [have/has] a hearing loss?

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 1 | Yes | 2462 | 34.2 % |
| 5 | No | 4735 | 65.7 % |
| | Missing Data | | |
| 98 | Don't know | 10 | 0.1 % |
| | Total | 7,207 | 100% |

Based upon 7,197 valid cases out of 7,207 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 77-78 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98 , 99

PH108: ph108 - Is your hearing (with or without a hearing aid)...

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 1 | Excellent | 1405 | 19.5 % |
| 2 | Very good | 2212 | 30.7 % |
| 3 | Good | 2474 | 34.3 % |
| 4 | Fair | 939 | 13.0 % |
| 5 | Poor | 176 | 2.4 % |
| | Missing Data | | |
| 98 | Don't know | 1 | 0.0 % |
| | Total | 7,207 | 100% |

Based upon 7,206 valid cases out of 7,207 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 79-80 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98 , 99

PH109: ph109 - Can you follow a conversation with one person (with or without a hearing

| Value | Label | Unweighted Frequency | % |
|-------|--------------------------------|----------------------|-------------|
| 1 | With no difficulty | 6865 | 95.3 % |
| 2 | With difficulty or no I cannot | 342 | 4.7 % |
| | Total | 7,207 | 100% |

Based upon 7,207 valid cases out of 7,207 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 81-82 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98 , 99

PH110: ph110 - Can you follow a conversation with four people (with or without a hearin

| Value | Label | Unweighted Frequency | % |
|-------|--------------------------------|----------------------|-------------|
| 1 | With no difficulty | 5267 | 73.1 % |
| 2 | With difficulty or no I cannot | 1935 | 26.8 % |
| | Missing Data | | |
| 98 | Don't know | 5 | 0.1 % |
| | Total | 7,207 | 100% |

Based upon 7,202 valid cases out of 7,207 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 83-84 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98 , 99

PH114: ph114 - How would you rate your day-to-day memory at the present time? Would you

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 1 | Excellent | 658 | 9.1 % |
| 2 | Very good | 2139 | 29.7 % |
| 3 | Good | 3019 | 41.9 % |
| 4 | Fair | 1194 | 16.6 % |
| 5 | Poor | 195 | 2.7 % |
| | Missing Data | | |
| 98 | Don't know | 2 | 0.0 % |
| | Total | 7,207 | 100% |

Based upon 7,205 valid cases out of 7,207 total cases.

- Minimum: 1.00

- Maximum: 5.00

Location: 85-86 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98 , 99

PH142: ph142 - Compared to the last time we interviewed you in [date of previous interv

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 1 | Better | 105 | 1.5 % |
| 2 | Same | 5671 | 78.7 % |
| 3 | Worse | 1417 | 19.7 % |
| | Missing Data | | |
| 98 | Don't know | 14 | 0.2 % |
| | Total | 7,207 | 100% |

Based upon 7,193 valid cases out of 7,207 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 87-88 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98 , 99

PH121: ph121 - Please tell me what year it is.

| Value | Label | Unweighted Frequency | % |
|-------|------------------------|----------------------|-------------|
| 0 | Year given incorrectly | 90 | 1.2 % |
| 1 | Year given correctly | 7109 | 98.6 % |
| | Missing Data | | |
| 100 | Task not done | 8 | 0.1 % |
| | Total | 7,207 | 100% |

Based upon 7,199 valid cases out of 7,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 89-91 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 100

PH126: ph126 - What season it is.

| Value | Label | Unweighted Frequency | % |
|-------|--------------------------|----------------------|--------|
| 0 | Season given incorrectly | 102 | 1.4 % |
| 1 | Season given correctly | 7102 | 98.5 % |

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| | Missing Data | | |
| 100 | Task not done | 3 | 0.0 % |
| | Total | 7,207 | 100% |

Based upon 7,204 valid cases out of 7,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 92-94 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 100

PH122: ph122 - What month it is.

| Value | Label | Unweighted Frequency | % |
|-------|-------------------------|----------------------|-------------|
| 0 | Month given incorrectly | 88 | 1.2 % |
| 1 | Month given correctly | 7113 | 98.7 % |
| | Missing Data | | |
| 100 | Task not done | 6 | 0.1 % |
| | Total | 7,207 | 100% |

Based upon 7,201 valid cases out of 7,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 95-97 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 100

PH123: ph123 - Can you tell me what day of the week it is?

| Value | Label | Unweighted Frequency | % |
|-------|-------------------------------|----------------------|-------------|
| 0 | Day of week given incorrectly | 113 | 1.6 % |
| 1 | Day of week given correctly | 7090 | 98.4 % |
| | Missing Data | | |
| 100 | Task not done | 4 | 0.1 % |
| | Total | 7,207 | 100% |

Based upon 7,203 valid cases out of 7,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 98-100 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 100

PH124: ph124 - Can you tell me what today's date is?

| Value | Label | Unweighted Frequency | % |
|-------|------------------------|----------------------|-------------|
| 0 | Date given incorrectly | 631 | 8.8 % |
| 1 | Date given correctly | 6530 | 90.6 % |
| | Missing Data | | |
| 100 | Task not done | 46 | 0.6 % |
| | Total | 7,207 | 100% |

Based upon 7,161 valid cases out of 7,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 101-103 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 100

PH127: ph127 - What is the name of this country?

| Value | Label | Unweighted Frequency | % |
|-------|-----------------------------------|----------------------|-------------|
| 0 | Name of country given incorrectly | 23 | 0.3 % |
| 1 | Name of country given correctly | 7177 | 99.6 % |
| | Missing Data | | |
| 100 | Task not done | 7 | 0.1 % |
| | Total | 7,207 | 100% |

Based upon 7,200 valid cases out of 7,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 104-106 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 100

PH128: ph128 - What is the name of this county?

| Value | Label | Unweighted Frequency | % |
|-------|----------------------------------|----------------------|-------------|
| 0 | Name of county given incorrectly | 10 | 0.1 % |
| 1 | Name of county given correctly | 7194 | 99.8 % |
| | Missing Data | | |
| 100 | Task not done | 3 | 0.0 % |
| | Total | 7,207 | 100% |

Based upon 7,204 valid cases out of 7,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 107-109 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 100

PH129: ph129 - What is the name of this city/town?

| Value | Label | Unweighted Frequency | % |
|-------|-------------------------------------|----------------------|-------------|
| 0 | Name of city/town given incorrectly | 10 | 0.1 % |
| 1 | Name of city/town given correctly | 7196 | 99.8 % |
| | Missing Data | | |
| 100 | Task not done | 1 | 0.0 % |
| | Total | 7,207 | 100% |

Based upon 7,206 valid cases out of 7,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 110-112 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 100

PH130: ph130 - What is this building?

| Value | Label | Unweighted Frequency | % |
|-------|------------------------------------|----------------------|-------------|
| 0 | Name of building given incorrectly | 30 | 0.4 % |
| 1 | Name of building given correctly | 7175 | 99.6 % |
| | Missing Data | | |
| 100 | Task not done | 2 | 0.0 % |
| | Total | 7,207 | 100% |

Based upon 7,205 valid cases out of 7,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 113-115 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 100

PH131: ph131 - What floor are we on?

| Value | Label | Unweighted Frequency | % |
|-------|--------------------------------|----------------------|--------|
| 0 | Floor number given incorrectly | 23 | 0.3 % |
| 1 | Floor number given correctly | 7179 | 99.6 % |
| | Missing Data | | |

| Value | Label | Unweighted Frequency | % |
|-------|---------------|----------------------|-------------|
| 100 | Task not done | 5 | 0.1 % |
| | Total | 7,207 | 100% |

Based upon 7,202 valid cases out of 7,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 116-118 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 100

PH132: ph132 - IWER: CODE THE ONE THAT APPLIES. CODE NULL FOR NO WORDS RECALLED.

| Value | Label | Unweighted Frequency | % |
|-------|-----------------------------|----------------------|-------------|
| 0 | No words recalled | 1 | 0.0 % |
| 1 | One word given correctly | 24 | 0.3 % |
| 2 | Two words given correctly | 53 | 0.7 % |
| 3 | Three words given correctly | 7122 | 98.8 % |
| | Missing Data | | |
| 100 | Task not done | 7 | 0.1 % |
| | Total | 7,207 | 100% |

Based upon 7,200 valid cases out of 7,207 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 119-121 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 100

PH133: ph133 - IWER: CODE THE ONE THAT APPLIES. CODE NULL FOR NONE CORRECT.

| Value | Label | Unweighted Frequency | % |
|-------|-------------------------------|----------------------|-------------|
| 0 | None correct | 68 | 0.9 % |
| 1 | One number given correctly | 273 | 3.8 % |
| 2 | Two numbers given correctly | 271 | 3.8 % |
| 3 | Three numbers given correctly | 627 | 8.7 % |
| 4 | Four numbers given correctly | 1290 | 17.9 % |
| 5 | Five numbers given correctly | 4527 | 62.8 % |
| | Missing Data | | |
| 100 | Task not done | 151 | 2.1 % |
| | Total | 7,207 | 100% |

Based upon 7,056 valid cases out of 7,207 total cases.

- Minimum: 0.00
- Maximum: 5.00

Location: 122-124 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 100

PH134: ph134 - IWER: CODE THE ONE THAT APPLIES CODE NULL FOR NONE CORRECT.

| Value | Label | Unweighted Frequency | % |
|-------|---|----------------------|-------------|
| 0 | None correct | 102 | 1.4 % |
| 1 | One letter given correctly | 101 | 1.4 % |
| 2 | Two letters in sequence given correctly | 828 | 11.5 % |
| 3 | Three letters in sequence given correctly | 181 | 2.5 % |
| 4 | Four letters in sequence given correctly | 51 | 0.7 % |
| 5 | Five letters in sequence given correctly | 5735 | 79.6 % |
| | Missing Data | | |
| 100 | Task not done | 209 | 2.9 % |
| | Total | 7,207 | 100% |

Based upon 6,998 valid cases out of 7,207 total cases.

- Minimum: 0.00
- Maximum: 5.00

Location: 125-127 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 100

PH135: ph135 - IWER: CODE THE ONE THAT APPLIES CODE NULL FOR NO WORDS RECALLED

| Value | Label | Unweighted Frequency | % |
|-------|-----------------------------|----------------------|-------------|
| 0 | No words recalled | 90 | 1.2 % |
| 1 | One word given correctly | 552 | 7.7 % |
| 2 | Two words given correctly | 1617 | 22.4 % |
| 3 | Three words given correctly | 4850 | 67.3 % |
| | Missing Data | | |
| 100 | Task not done | 98 | 1.4 % |
| | Total | 7,207 | 100% |

Based upon 7,109 valid cases out of 7,207 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 128-130 (width: 3; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: 100

PH136: ph136 - INTRO: SHOW THE RESPONDENT A PENCIL OR PEN AND ASK 'What is this?'

| Value | Label | Unweighted Frequency | % |
|---------------------|----------------------------------|----------------------|-------------|
| 0 | No objects identified | 0 | 0.0 % |
| 1 | One object correctly identified | 125 | 1.7 % |
| 2 | Two objects correctly identified | 7064 | 98.0 % |
| Missing Data | | | |
| 100 | Task not done | 18 | 0.2 % |
| Total | | 7,207 | 100% |

Based upon 7,189 valid cases out of 7,207 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 131-133 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 100

PH137: ph137 - IWER: CODE THE ONE THAT APPLIES

| Value | Label | Unweighted Frequency | % |
|---------------------|----------------------------------|----------------------|-------------|
| 0 | Phrase repeated incorrectly | 1255 | 17.4 % |
| 1 | Entire phrase repeated correctly | 5923 | 82.2 % |
| Missing Data | | | |
| 100 | Task not done | 29 | 0.4 % |
| Total | | 7,207 | 100% |

Based upon 7,178 valid cases out of 7,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 134-136 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 100

PH138: ph138 - IWER: CODE THE ONE THAT APPLIES CODE NULL FOR NO INSTRUCTIONS CORRECTLY

| Value | Label | Unweighted Frequency | % |
|-------|--|----------------------|--------|
| 0 | No instructions correctly completed | 2 | 0.0 % |
| 1 | One instruction correctly completed | 82 | 1.1 % |
| 2 | Two instructions correctly completed | 809 | 11.2 % |
| 3 | Three instructions correctly completed | 6299 | 87.4 % |

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| | Missing Data | | |
| 100 | Task not done | 15 | 0.2 % |
| | Total | 7,207 | 100% |

Based upon 7,192 valid cases out of 7,207 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 137-139 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 100

PH139: ph139 - IWER: CODE THE ONE THAT APPLIES

| Value | Label | Unweighted Frequency | % |
|-------|--|----------------------|-------------|
| 0 | Individual does something else | 122 | 1.7 % |
| 1 | Individual closes his/her eyes without prompting | 7030 | 97.5 % |
| | Missing Data | | |
| 100 | Task not done | 55 | 0.8 % |
| | Total | 7,207 | 100% |

Based upon 7,152 valid cases out of 7,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 140-142 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 100

PH140: ph140 - INTRO: GIVE THE RESPONDENT THE COGNITIVE BOOKLET AND A PEN OR PENCIL. IW

| Value | Label | Unweighted Frequency | % |
|-------|--|----------------------|-------------|
| 0 | Individual writes a sentence that does not make sense | 259 | 3.6 % |
| 1 | Individual writes a comprehensible sentence that contains a subject and a verb | 6797 | 94.3 % |
| | Missing Data | | |
| 100 | Task not done | 151 | 2.1 % |
| | Total | 7,207 | 100% |

Based upon 7,056 valid cases out of 7,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 143-145 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 100

PH141: ph141 - IWER: CODE THE ONE THAT APPLIES

| Value | Label | Unweighted Frequency | % |
|-------|--|----------------------|-------------|
| 0 | Figure not copied correctly | 1516 | 21.0 % |
| 1 | Individual draws two 5-sided figures that intersect to form a 4-sided figure | 5598 | 77.7 % |
| | Missing Data | | |
| 100 | Task not done | 93 | 1.3 % |
| | Total | 7,207 | 100% |

Based upon 7,114 valid cases out of 7,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 146-148 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 100

MMSESCR_CAPI: Mini-mental state examination (CAPI)

| Value | Label | Unweighted Frequency | % |
|-------|--------------|----------------------|-------------|
| 10 | - | 1 | 0.0 % |
| 13 | - | 4 | 0.1 % |
| 14 | - | 2 | 0.0 % |
| 15 | - | 6 | 0.1 % |
| 16 | - | 6 | 0.1 % |
| 17 | - | 13 | 0.2 % |
| 18 | - | 7 | 0.1 % |
| 19 | - | 18 | 0.2 % |
| 20 | - | 26 | 0.4 % |
| 21 | - | 54 | 0.7 % |
| 22 | - | 62 | 0.9 % |
| 23 | - | 85 | 1.2 % |
| 24 | - | 121 | 1.7 % |
| 25 | - | 176 | 2.4 % |
| 26 | - | 291 | 4.0 % |
| 27 | - | 540 | 7.5 % |
| 28 | - | 992 | 13.8 % |
| 29 | - | 1890 | 26.2 % |
| 30 | - | 2913 | 40.4 % |
| | Total | 7,207 | 100% |

Based upon 7,207 valid cases out of 7,207 total cases.

- Mean: 28.50
- Median: 29.00
- Mode: 30.00
- Minimum: 10.00
- Maximum: 30.00
- Standard Deviation: 2.14

Location: 149-150 (width: 2; decimal: 0)

Variable Type: numeric

PH116: ph116 - list yourself.

| Value | Label | Unweighted Frequency | % |
|-------|------------------------------|----------------------|-------------|
| 1 | List read out by computer | 6426 | 89.2 % |
| 2 | List read out by interviewer | 781 | 10.8 % |
| | Total | 7,207 | 100% |

Based upon 7,207 valid cases out of 7,207 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 151-151 (width: 1; decimal: 0)

Variable Type: numeric

PH117: ph117 - Now please tell me all the words you can recall.

| Value | Label | Unweighted Frequency | % |
|-------|---|----------------------|-------------|
| 0 | - | 9 | 0.1 % |
| 1 | - | 37 | 0.5 % |
| 2 | - | 105 | 1.5 % |
| 3 | - | 313 | 4.3 % |
| 4 | - | 704 | 9.8 % |
| 5 | - | 1225 | 17.0 % |
| 6 | - | 1623 | 22.5 % |
| 7 | - | 1292 | 17.9 % |
| 8 | - | 754 | 10.5 % |
| 9 | - | 256 | 3.6 % |
| 10 | - | 103 | 1.4 % |
| | Missing Data | | |
| -1 | Not applicable or skipped due to routing patterns | 781 | 10.8 % |
| 100 | Task not done | 5 | 0.1 % |
| | Total | 7,207 | 100% |

Based upon 6,421 valid cases out of 7,207 total cases.

- Mean: 5.96
- Median: 6.00
- Mode: 6.00
- Minimum: 0.00
- Maximum: 10.00
- Standard Deviation: 1.68

Location: 152-154 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -1 , 100

PH118: ph118 - Now please tell me all the words you can recall.

| Value | Label | Unweighted Frequency | % |
|---------------------|---|----------------------|-------------|
| 0 | - | 4 | 0.1 % |
| 1 | - | 11 | 0.2 % |
| 2 | - | 28 | 0.4 % |
| 3 | - | 68 | 0.9 % |
| 4 | - | 189 | 2.6 % |
| 5 | - | 393 | 5.5 % |
| 6 | - | 658 | 9.1 % |
| 7 | - | 1066 | 14.8 % |
| 8 | - | 1460 | 20.3 % |
| 9 | - | 1344 | 18.6 % |
| 10 | - | 1201 | 16.7 % |
| Missing Data | | | |
| -1 | Not applicable or skipped due to routing patterns | 781 | 10.8 % |
| 100 | Task not done | 4 | 0.1 % |
| Total | | 7,207 | 100% |

Based upon 6,422 valid cases out of 7,207 total cases.

- Mean: 7.82
- Median: 8.00
- Mode: 8.00
- Minimum: 0.00
- Maximum: 10.00
- Standard Deviation: 1.75

Location: 155-157 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -1 , 100

PH119: ph119 - Now please tell me all the words you can recall.

| Value | Label | Unweighted Frequency | % |
|-------|-------|----------------------|-------|
| 0 | - | 5 | 0.1 % |
| 1 | - | 16 | 0.2 % |

| Value | Label | Unweighted Frequency | % |
|---------------------|---|----------------------|-------------|
| 2 | - | 27 | 0.4 % |
| 3 | - | 57 | 0.8 % |
| 4 | - | 123 | 1.7 % |
| 5 | - | 142 | 2.0 % |
| 6 | - | 147 | 2.0 % |
| 7 | - | 142 | 2.0 % |
| 8 | - | 79 | 1.1 % |
| 9 | - | 28 | 0.4 % |
| 10 | - | 12 | 0.2 % |
| Missing Data | | | |
| -1 | Not applicable or skipped due to routing patterns | 6426 | 89.2 % |
| 100 | Task not done | 3 | 0.0 % |
| Total | | 7,207 | 100% |

Based upon 778 valid cases out of 7,207 total cases.

- Mean: 5.56
- Median: 6.00
- Mode: 6.00
- Minimum: 0.00
- Maximum: 10.00
- Standard Deviation: 1.93

Location: 158-160 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -1 , 100

PH120: ph120 - Now please tell me all the words you can recall.

| Value | Label | Unweighted Frequency | % |
|---------------------|---|----------------------|--------|
| 0 | - | 2 | 0.0 % |
| 1 | - | 4 | 0.1 % |
| 2 | - | 6 | 0.1 % |
| 3 | - | 18 | 0.2 % |
| 4 | - | 46 | 0.6 % |
| 5 | - | 73 | 1.0 % |
| 6 | - | 110 | 1.5 % |
| 7 | - | 128 | 1.8 % |
| 8 | - | 126 | 1.7 % |
| 9 | - | 111 | 1.5 % |
| 10 | - | 153 | 2.1 % |
| Missing Data | | | |
| -1 | Not applicable or skipped due to routing patterns | 6426 | 89.2 % |

| Value | Label | Unweighted Frequency | % |
|-------|---------------|----------------------|-------------|
| 100 | Task not done | 4 | 0.1 % |
| | Total | 7,207 | 100% |

Based upon 777 valid cases out of 7,207 total cases.

- Mean: 7.35
- Median: 8.00
- Mode: 10.00
- Minimum: 0.00
- Maximum: 10.00
- Standard Deviation: 2.08

Location: 161-163 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -1 , 100

PH125: ph125 - Now I would like you to name as many different animals as you can think

| Value | Label | Unweighted Frequency | % |
|-------|-------|----------------------|-------|
| 0 | - | 5 | 0.1 % |
| 1 | - | 2 | 0.0 % |
| 2 | - | 3 | 0.0 % |
| 3 | - | 4 | 0.1 % |
| 4 | - | 8 | 0.1 % |
| 5 | - | 10 | 0.1 % |
| 6 | - | 24 | 0.3 % |
| 7 | - | 34 | 0.5 % |
| 8 | - | 59 | 0.8 % |
| 9 | - | 108 | 1.5 % |
| 10 | - | 163 | 2.3 % |
| 11 | - | 176 | 2.4 % |
| 12 | - | 309 | 4.3 % |
| 13 | - | 325 | 4.5 % |
| 14 | - | 446 | 6.2 % |
| 15 | - | 437 | 6.1 % |
| 16 | - | 493 | 6.8 % |
| 17 | - | 482 | 6.7 % |
| 18 | - | 450 | 6.2 % |
| 19 | - | 408 | 5.7 % |
| 20 | - | 445 | 6.2 % |
| 21 | - | 391 | 5.4 % |
| 22 | - | 384 | 5.3 % |
| 23 | - | 331 | 4.6 % |

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 24 | - | 301 | 4.2 % |
| 25 | - | 276 | 3.8 % |
| 26 | - | 203 | 2.8 % |
| 27 | - | 196 | 2.7 % |
| 28 | - | 144 | 2.0 % |
| 29 | - | 134 | 1.9 % |
| 30 | - | 111 | 1.5 % |
| 31 | - | 80 | 1.1 % |
| 32 | - | 71 | 1.0 % |
| 33 | - | 55 | 0.8 % |
| 34 | - | 43 | 0.6 % |
| 35 | - | 23 | 0.3 % |
| 36 | - | 21 | 0.3 % |
| 37 | - | 19 | 0.3 % |
| 38 | - | 10 | 0.1 % |
| 39 | - | 6 | 0.1 % |
| 40 | - | 4 | 0.1 % |
| 41 | - | 6 | 0.1 % |
| 44 | - | 1 | 0.0 % |
| 45 | - | 2 | 0.0 % |
| | Missing Data | | |
| 100 | Task not done | 4 | 0.1 % |
| | Total | 7,207 | 100% |

Based upon 7,203 valid cases out of 7,207 total cases.

- Mean: 19.26
- Median: 19.00
- Mode: 16.00
- Minimum: 0.00
- Maximum: 45.00
- Standard Deviation: 6.18

Location: 164-166 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 100

PH201_01: [ph201)01] - [Since our last interview] has a doctor ever told [you/Rname] that [you/

| Value | Label | Unweighted Frequency | % |
|-------|---|----------------------|-------------|
| 0 | NOT High blood pressure or hypertension | 6765 | 93.9 % |
| 1 | High blood pressure or hypertension | 442 | 6.1 % |
| | Total | 7,207 | 100% |

Based upon 7,207 valid cases out of 7,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 167-167 (width: 1; decimal: 0)

Variable Type: numeric

PH201_96: [ph201_96] - [Since our last interview] has a doctor ever told [you/Rname] that [you/

| Value | Label | Unweighted Frequency | % |
|-------|-----------------------|----------------------|-------------|
| 0 | NOT None of the these | 1531 | 21.2 % |
| 1 | None of the these | 5676 | 78.8 % |
| | Total | 7,207 | 100% |

Based upon 7,207 valid cases out of 7,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 168-168 (width: 1; decimal: 0)

Variable Type: numeric

PH201_98: [ph201_98] - [Since our last interview] has a doctor ever told [you/Rname] that [you/

| Value | Label | Unweighted Frequency | % |
|-------|----------------|----------------------|-------------|
| 0 | NOT Don't know | 7198 | 99.9 % |
| 1 | Don't know | 9 | 0.1 % |
| | Total | 7,207 | 100% |

Based upon 7,207 valid cases out of 7,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 169-169 (width: 1; decimal: 0)

Variable Type: numeric

PH201_99: [ph201_99] ph201 - [Since our last interview] has a doctor ever told [you/Rname] that [you/

| Value | Label | Unweighted Frequency | % |
|-------|--------------|----------------------|-------------|
| 0 | NOT Refused | 7207 | 100.0 % |
| 1 | Refused | 0 | 0.0 % |
| | Total | 7,207 | 100% |

Based upon 7,207 valid cases out of 7,207 total cases.

- Minimum: 0.00
- Maximum: 0.00

Location: 170-170 (width: 1; decimal: 0)

Variable Type: numeric

PH202A: ph202a - [Is/Are] [you/he/she] currently taking any tablets or pills for high bl

| Value | Label | Unweighted Frequency | % |
|-------|---|----------------------|-------------|
| 1 | Yes | 2387 | 33.1 % |
| 5 | No | 312 | 4.3 % |
| | Missing Data | | |
| -1 | Not applicable or skipped due to routing patterns | 4504 | 62.5 % |
| 98 | Don't know | 4 | 0.1 % |
| | Total | 7,207 | 100% |

Based upon 2,699 valid cases out of 7,207 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 171-172 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -1 , 98 , 99

PH225: ph225 - [Is/Are] [you/he/she] currently taking any tablets or pills for high cho

| Value | Label | Unweighted Frequency | % |
|-------|---|----------------------|-------------|
| 1 | Yes | 1894 | 26.3 % |
| 5 | No | 957 | 13.3 % |
| | Missing Data | | |
| -1 | Not applicable or skipped due to routing patterns | 4350 | 60.4 % |
| 98 | Don't know | 6 | 0.1 % |
| | Total | 7,207 | 100% |

Based upon 2,851 valid cases out of 7,207 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 173-174 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -1 , 98 , 99

PH301_03: [ph301_03] ph301 - [Since our last interview] has a doctor ever told [you/Rname] that [you/

| Value | Label | Unweighted Frequency | % |
|-------|---|----------------------|--------|
| 0 | NOT Arthritis (including osteoarthritis, or rheumatism) | 6699 | 93.0 % |

| Value | Label | Unweighted Frequency | % |
|-------|---|----------------------|-------------|
| 1 | Arthritis (including osteoarthritis, or rheumatism) | 508 | 7.0 % |
| | Total | 7,207 | 100% |

Based upon 7,207 valid cases out of 7,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 175-175 (width: 1; decimal: 0)

Variable Type: numeric

PH301_15A: [ph301_15a] ph301 - [Since our last interview] has a doctor ever told [you/Rname] that [you/

| Value | Label | Unweighted Frequency | % |
|-------|----------------------|----------------------|-------------|
| 0 | NOT Thyroid problems | 6778 | 94.0 % |
| 1 | Thyroid problems | 429 | 6.0 % |
| | Total | 7,207 | 100% |

Based upon 7,207 valid cases out of 7,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 176-176 (width: 1; decimal: 0)

Variable Type: numeric

PH301_96: [ph301_96] ph301 - [Since our last interview] has a doctor ever told [you/Rname] that [you/

| Value | Label | Unweighted Frequency | % |
|-------|-------------------|----------------------|-------------|
| 0 | NOT None of these | 1774 | 24.6 % |
| 1 | None of these | 5433 | 75.4 % |
| | Total | 7,207 | 100% |

Based upon 7,207 valid cases out of 7,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 177-177 (width: 1; decimal: 0)

Variable Type: numeric

PH301_98: [ph301_98] ph301 - [Since our last interview] has a doctor ever told [you/Rname] that [you/

| Value | Label | Unweighted Frequency | % |
|-------|----------------|----------------------|--------|
| 0 | NOT Don't know | 7199 | 99.9 % |

| Value | Label | Unweighted Frequency | % |
|-------|--------------|----------------------|-------------|
| 1 | Don't know | 8 | 0.1 % |
| | Total | 7,207 | 100% |

Based upon 7,207 valid cases out of 7,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 178-178 (width: 1; decimal: 0)

Variable Type: numeric

PH301_99: [ph301_99] ph301 - [Since our last interview] has a doctor ever told [you/Rname] that [you/

| Value | Label | Unweighted Frequency | % |
|-------|--------------|----------------------|-------------|
| 0 | NOT Refused | 7205 | 100.0 % |
| 1 | Refused | 2 | 0.0 % |
| | Total | 7,207 | 100% |

Based upon 7,207 valid cases out of 7,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 179-179 (width: 1; decimal: 0)

Variable Type: numeric

PH401: ph401 - [Have/Has] [you/Rname] fallen [since our last interview/in the last year

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 1 | Yes | 1589 | 22.0 % |
| 5 | No | 5611 | 77.9 % |
| | Missing Data | | |
| 98 | Don't know | 7 | 0.1 % |
| | Total | 7,207 | 100% |

Based upon 7,200 valid cases out of 7,207 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 180-181 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98 , 99

PH402: ph402 - How many times [have/has] [you/he/she] fallen [since our last interview/

| Value | Label | Unweighted Frequency | % |
|-------|---|----------------------|-------------|
| 1 | Single fall | 958 | 13.3 % |
| 2 | Multiple falls | 621 | 8.6 % |
| | Missing Data | | |
| -98 | Don't know | 10 | 0.1 % |
| -1 | Not applicable or skipped due to routing patterns | 5618 | 78.0 % |
| | Total | 7,207 | 100% |

Based upon 1,579 valid cases out of 7,207 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 182-184 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99 , -98 , -1

PH403: ph403 - Were any of these falls non-accidental, i.e. with no apparent or obvious

| Value | Label | Unweighted Frequency | % |
|-------|---|----------------------|-------------|
| 1 | Yes | 348 | 4.8 % |
| 5 | No | 1236 | 17.1 % |
| | Missing Data | | |
| -1 | Not applicable or skipped due to routing patterns | 5618 | 78.0 % |
| 98 | Don't know | 5 | 0.1 % |
| | Total | 7,207 | 100% |

Based upon 1,584 valid cases out of 7,207 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 185-186 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -1 , 98 , 99

PH404: ph404 - Did [you/he/she] injure [yourself/himself/herself] seriously enough to n

| Value | Label | Unweighted Frequency | % |
|-------|---|----------------------|-------------|
| 1 | Yes | 695 | 9.6 % |
| 5 | No | 894 | 12.4 % |
| | Missing Data | | |
| -1 | Not applicable or skipped due to routing patterns | 5618 | 78.0 % |
| | Total | 7,207 | 100% |

Based upon 1,589 valid cases out of 7,207 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 187-188 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -1 , 98 , 99

PH408: ph408 - [Is/Are] [you/Rname] afraid of falling?

| Value | Label | Unweighted Frequency | % |
|-------|--------------|----------------------|-------------|
| 1 | Yes | 1768 | 24.5 % |
| 5 | No | 5439 | 75.5 % |
| | Total | 7,207 | 100% |

Based upon 7,207 valid cases out of 7,207 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 189-190 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 98 , 99

PH409: ph409 - Do you feel somewhat afraid or very much afraid of falling?

| Value | Label | Unweighted Frequency | % |
|-------|---|----------------------|-------------|
| 1 | Somewhat afraid of falling | 1346 | 18.7 % |
| 2 | Very much afraid of falling | 421 | 5.8 % |
| | Missing Data | | |
| -1 | Not applicable or skipped due to routing patterns | 5439 | 75.5 % |
| 98 | Don't know | 1 | 0.0 % |
| | Total | 7,207 | 100% |

Based upon 1,767 valid cases out of 7,207 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 191-192 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -1 , 98 , 99

PH410: ph410 - [Do/Does] [you/he/she] ever limit [your/his/her] activities, for example

| Value | Label | Unweighted Frequency | % |
|-------|---|----------------------|--------|
| 1 | Yes | 634 | 8.8 % |
| 5 | No | 1133 | 15.7 % |
| | Missing Data | | |
| -1 | Not applicable or skipped due to routing patterns | 5439 | 75.5 % |

| Value | Label | Unweighted Frequency | % |
|-------|--------------|----------------------|-------------|
| 98 | Don't know | 1 | 0.0 % |
| | Total | 7,207 | 100% |

Based upon 1,767 valid cases out of 7,207 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 193-194 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -1 , 98 , 99

PH411: ph411 - When walking, do you feel...

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 1 | Very steady | 5580 | 77.4 % |
| 2 | Slightly steady | 813 | 11.3 % |
| 3 | Slightly unsteady | 658 | 9.1 % |
| 4 | Very unsteady | 147 | 2.0 % |
| | Missing Data | | |
| 98 | Don't know | 5 | 0.1 % |
| 99 | Refused | 4 | 0.1 % |
| | Total | 7,207 | 100% |

Based upon 7,198 valid cases out of 7,207 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 195-196 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98 , 99

PH412: ph412 - When standing, do you feel ...

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 1 | Very steady | 5866 | 81.4 % |
| 2 | Slightly steady | 714 | 9.9 % |
| 3 | Slightly unsteady | 476 | 6.6 % |
| 4 | Very unsteady | 144 | 2.0 % |
| | Missing Data | | |
| 98 | Don't know | 3 | 0.0 % |
| 99 | Refused | 4 | 0.1 % |
| | Total | 7,207 | 100% |

Based upon 7,200 valid cases out of 7,207 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 197-198 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98 , 99

PH413: ph413 - When getting up from a chair, do you feel...

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 1 | Very steady | 5286 | 73.3 % |
| 2 | Slightly steady | 980 | 13.6 % |
| 3 | Slightly unsteady | 760 | 10.5 % |
| 4 | Very unsteady | 175 | 2.4 % |
| | Missing Data | | |
| 98 | Don't know | 2 | 0.0 % |
| 99 | Refused | 4 | 0.1 % |
| | Total | 7,207 | 100% |

Based upon 7,201 valid cases out of 7,207 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 199-200 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98 , 99

PH436: ph436 - Did either of [your/his/her] parents ever have a hip or wrist fracture?

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 1 | Yes | 1197 | 16.6 % |
| 5 | No | 5876 | 81.5 % |
| | Missing Data | | |
| 98 | Don't know | 134 | 1.9 % |
| | Total | 7,207 | 100% |

Based upon 7,073 valid cases out of 7,207 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 201-202 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98 , 99

PH418: ph418 - IWER: HAND THE COGNITIVE MODULE BOOKLET TO THE RESPONDENT WITH THE 5-SID

| Value | Label | Unweighted Frequency | % |
|-------|-----------------|----------------------|-------------|
| 1 | No prompt given | 5641 | 78.3 % |
| 2 | Prompt given | 1566 | 21.7 % |
| | Total | 7,207 | 100% |

Based upon 7,207 valid cases out of 7,207 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 203-203 (width: 1; decimal: 0)

Variable Type: numeric

PH419: ph419 - IWER: NOW TAKE BACK THE BOOKLET AND PEN AND CODE WHAT RESPONDENT DID WHE

| Value | Label | Unweighted Frequency | % |
|-------|--|----------------------|-------------|
| 1 | Wrote their initials in top left hand corner | 6053 | 84.0 % |
| 2 | Wrote their initials somewhere else | 247 | 3.4 % |
| 3 | Wrote something else in top left hand corner | 213 | 3.0 % |
| 4 | Did something else | 101 | 1.4 % |
| 5 | Did nothing/did not remember what to do | 546 | 7.6 % |
| | Missing Data | | |
| 100 | Task not done | 47 | 0.7 % |
| | Total | 7,207 | 100% |

Based upon 7,160 valid cases out of 7,207 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 204-206 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 100

PH501: ph501 - [Is/Are] [you/Rname] often troubled with pain?

| Value | Label | Unweighted Frequency | % |
|-------|--------------|----------------------|-------------|
| 1 | Yes | 2495 | 34.6 % |
| 5 | No | 4712 | 65.4 % |
| | Total | 7,207 | 100% |

Based upon 7,207 valid cases out of 7,207 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 207-208 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98 , 99

PH502: ph502 - How bad is the pain most of the time? Is it...

| Value | Label | Unweighted Frequency | % |
|---------------------|---|----------------------|-------------|
| 1 | Mild | 719 | 10.0 % |
| 2 | Moderate | 1200 | 16.7 % |
| 3 | Severe | 573 | 8.0 % |
| Missing Data | | | |
| -1 | Not applicable or skipped due to routing patterns | 4712 | 65.4 % |
| 98 | Don't know | 2 | 0.0 % |
| 99 | Refused | 1 | 0.0 % |
| Total | | 7,207 | 100% |

Based upon 2,492 valid cases out of 7,207 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 209-210 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -1 , 98 , 99

PH503_01: [ph503_01] ph503 - Now thinking about this pain, in which part of your body is it most seve

| Value | Label | Unweighted Frequency | % |
|---------------------|---|----------------------|-------------|
| 0 | NOT Back | 1506 | 20.9 % |
| 1 | Back | 989 | 13.7 % |
| Missing Data | | | |
| -1 | Not applicable or skipped due to routing patterns | 4712 | 65.4 % |
| Total | | 7,207 | 100% |

Based upon 2,495 valid cases out of 7,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 211-212 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -1

PH503_02: [ph503_02] ph503 - Now thinking about this pain, in which part of your body is it most seve

| Value | Label | Unweighted Frequency | % |
|-------|---|----------------------|-------------|
| 0 | NOT Hips | 2115 | 29.3 % |
| 1 | Hips | 380 | 5.3 % |
| | Missing Data | | |
| -1 | Not applicable or skipped due to routing patterns | 4712 | 65.4 % |
| | Total | 7,207 | 100% |

Based upon 2,495 valid cases out of 7,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 213-214 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -1

PH503_03: [ph503_03] ph503 - Now thinking about this pain, in which part of your body is it most seve

| Value | Label | Unweighted Frequency | % |
|-------|---|----------------------|-------------|
| 0 | NOT Knees | 1948 | 27.0 % |
| 1 | Knees | 547 | 7.6 % |
| | Missing Data | | |
| -1 | Not applicable or skipped due to routing patterns | 4712 | 65.4 % |
| | Total | 7,207 | 100% |

Based upon 2,495 valid cases out of 7,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 215-216 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -1

PH503_04: [ph503_04] ph503 - Now thinking about this pain, in which part of your body is it most seve

| Value | Label | Unweighted Frequency | % |
|-------|---|----------------------|-------------|
| 0 | NOT Feet | 2240 | 31.1 % |
| 1 | Feet | 255 | 3.5 % |
| | Missing Data | | |
| -1 | Not applicable or skipped due to routing patterns | 4712 | 65.4 % |
| | Total | 7,207 | 100% |

Based upon 2,495 valid cases out of 7,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 217-218 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -1

PH503_06: [ph503_06] ph503 - Now thinking about this pain, in which part of your body is it most seve

| Value | Label | Unweighted Frequency | % |
|-------|---|----------------------|-------------|
| 0 | NOT All over | 2317 | 32.1 % |
| 1 | All over | 178 | 2.5 % |
| | Missing Data | | |
| -1 | Not applicable or skipped due to routing patterns | 4712 | 65.4 % |
| | Total | 7,207 | 100% |

Based upon 2,495 valid cases out of 7,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 219-220 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -1

PH503_95: [ph503_95] ph503 - Now thinking about this pain, in which part of your body is it most seve

| Value | Label | Unweighted Frequency | % |
|-------|---|----------------------|-------------|
| 0 | NOT Other | 1725 | 23.9 % |
| 1 | Other | 770 | 10.7 % |
| | Missing Data | | |
| -1 | Not applicable or skipped due to routing patterns | 4712 | 65.4 % |
| | Total | 7,207 | 100% |

Based upon 2,495 valid cases out of 7,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 221-222 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -1

PH503_98: [ph503_98] ph503 - Now thinking about this pain, in which part of your body is it most seve

| Value | Label | Unweighted Frequency | % |
|-------|---|----------------------|-------------|
| 0 | NOT Don't know | 2494 | 34.6 % |
| 1 | Don't know | 1 | 0.0 % |
| | Missing Data | | |
| -1 | Not applicable or skipped due to routing patterns | 4712 | 65.4 % |
| | Total | 7,207 | 100% |

Based upon 2,495 valid cases out of 7,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 223-224 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -1

PH503_99: [ph503_99] ph503 - Now thinking about this pain, in which part of your body is it most seve

| Value | Label | Unweighted Frequency | % |
|-------|---|----------------------|-------------|
| 0 | NOT Refused | 2494 | 34.6 % |
| 1 | Refused | 1 | 0.0 % |
| | Missing Data | | |
| -1 | Not applicable or skipped due to routing patterns | 4712 | 65.4 % |
| | Total | 7,207 | 100% |

Based upon 2,495 valid cases out of 7,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 225-226 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -1

PH504: ph504 - Does the pain make it difficult for you to do your usual activities such

| Value | Label | Unweighted Frequency | % |
|-------|---|----------------------|-------------|
| 1 | Yes | 1451 | 20.1 % |
| 5 | No | 1041 | 14.4 % |
| | Missing Data | | |
| -1 | Not applicable or skipped due to routing patterns | 4712 | 65.4 % |
| 98 | Don't know | 2 | 0.0 % |
| 99 | Refused | 1 | 0.0 % |
| | Total | 7,207 | 100% |

Based upon 2,492 valid cases out of 7,207 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 227-228 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -1 , 98 , 99

PH505: ph505 - Are you taking any medication to control the pain?

| Value | Label | Unweighted Frequency | % |
|-------|---|----------------------|-------------|
| 1 | Yes | 1394 | 19.3 % |
| 5 | No | 1095 | 15.2 % |
| | Missing Data | | |
| -1 | Not applicable or skipped due to routing patterns | 4712 | 65.4 % |
| 98 | Don't know | 6 | 0.1 % |
| | Total | 7,207 | 100% |

Based upon 2,489 valid cases out of 7,207 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 229-230 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -1 , 98 , 99

PH601: ph601 - During the last 12 months, [have/has] [you/Rname] lost any amount of uri

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 1 | Yes | 1085 | 15.1 % |
| 5 | No | 6039 | 83.8 % |
| | Missing Data | | |
| 100 | Don't know/Refused | 83 | 1.2 % |
| | Total | 7,207 | 100% |

Based upon 7,124 valid cases out of 7,207 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 231-233 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 100

PH602: ph602 - Did this happen more than once during a 1 month period?

| Value | Label | Unweighted Frequency | % |
|-------|---|----------------------|-------------|
| 1 | Yes | 767 | 10.6 % |
| 5 | No | 313 | 4.3 % |
| | Missing Data | | |
| -1 | Not applicable or skipped due to routing patterns | 6122 | 84.9 % |
| 98 | Don't know | 5 | 0.1 % |
| | Total | 7,207 | 100% |

Based upon 1,080 valid cases out of 7,207 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 234-235 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -1 , 98 , 99

PH603: ph603 - [Have/Has] [you/he/she] ever mentioned this problem to a doctor, nurse o

| Value | Label | Unweighted Frequency | % |
|-------|---|----------------------|-------------|
| 1 | Yes | 584 | 8.1 % |
| 5 | No | 500 | 6.9 % |
| | Missing Data | | |
| -1 | Not applicable or skipped due to routing patterns | 6122 | 84.9 % |
| 98 | Don't know | 1 | 0.0 % |
| | Total | 7,207 | 100% |

Based upon 1,084 valid cases out of 7,207 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 236-237 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -1 , 98 , 99

PH604: ph604 - [Do/Does] [you/he/she] ever limit [your/his/her] activities, for example

| Value | Label | Unweighted Frequency | % |
|-------|---|----------------------|-------------|
| 1 | Yes | 242 | 3.4 % |
| 5 | No | 843 | 11.7 % |
| | Missing Data | | |
| -1 | Not applicable or skipped due to routing patterns | 6122 | 84.9 % |
| | Total | 7,207 | 100% |

Based upon 1,085 valid cases out of 7,207 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 238-239 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -1 , 98 , 99

PH701: ph701 - A flu vaccination?

| Value | Label | Unweighted Frequency | % |
|-------|---|----------------------|-------------|
| 1 | Yes | 497 | 6.9 % |
| 5 | No | 3234 | 44.9 % |
| | Missing Data | | |
| -1 | Not applicable or skipped due to routing patterns | 3474 | 48.2 % |
| 98 | Don't know | 2 | 0.0 % |
| | Total | 7,207 | 100% |

Based upon 3,731 valid cases out of 7,207 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 240-241 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -1 , 98 , 99

PH701A: ph701a - Since [your/Rname's] last interview, [have/had] [you/he/she] had a flu

| Value | Label | Unweighted Frequency | % |
|-------|---|----------------------|-------------|
| 1 | Yes | 2757 | 38.3 % |
| 5 | No | 713 | 9.9 % |
| | Missing Data | | |
| -1 | Not applicable or skipped due to routing patterns | 3733 | 51.8 % |
| 98 | Don't know | 4 | 0.1 % |
| | Total | 7,207 | 100% |

Based upon 3,470 valid cases out of 7,207 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 242-243 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -1 , 98 , 99

PH702: ph702 - A blood test for cholesterol?

| Value | Label | Unweighted Frequency | % |
|-------|-------|----------------------|-------|
| 1 | Yes | 484 | 6.7 % |

| Value | Label | Unweighted Frequency | % |
|-------|---|----------------------|-------------|
| 5 | No | 394 | 5.5 % |
| | Missing Data | | |
| -1 | Not applicable or skipped due to routing patterns | 6316 | 87.6 % |
| 98 | Don't know | 13 | 0.2 % |
| | Total | 7,207 | 100% |

Based upon 878 valid cases out of 7,207 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 244-245 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -1 , 98 , 99

PH702A: ph702a - Since [your/Rname's] last interview, [have/has] [you/he/she] had a bloo

| Value | Label | Unweighted Frequency | % |
|-------|---|----------------------|-------------|
| 1 | Yes | 5379 | 74.6 % |
| 5 | No | 906 | 12.6 % |
| | Missing Data | | |
| -1 | Not applicable or skipped due to routing patterns | 891 | 12.4 % |
| 98 | Don't know | 31 | 0.4 % |
| | Total | 7,207 | 100% |

Based upon 6,285 valid cases out of 7,207 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 246-247 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -1 , 98 , 99

PH708: ph708 - Do you check your breasts for lumps regularly?

| Value | Label | Unweighted Frequency | % |
|-------|---|----------------------|-------------|
| 1 | Yes | 2572 | 35.7 % |
| 5 | No | 1431 | 19.9 % |
| | Missing Data | | |
| -1 | Not applicable or skipped due to routing patterns | 3203 | 44.4 % |
| 99 | Refused | 1 | 0.0 % |
| | Total | 7,207 | 100% |

Based upon 4,003 valid cases out of 7,207 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 248-249 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -1 , 98 , 99

PH709: ph709 - Have you had a mammogram or x-ray of the breast, to search for cancer?

| Value | Label | Unweighted Frequency | % |
|-------|---|----------------------|-------------|
| 1 | Yes | 284 | 3.9 % |
| 5 | No | 697 | 9.7 % |
| | Missing Data | | |
| -1 | Not applicable or skipped due to routing patterns | 6225 | 86.4 % |
| 98 | Don't know | 1 | 0.0 % |
| | Total | 7,207 | 100% |

Based upon 981 valid cases out of 7,207 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 250-251 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -1 , 98 , 99

PH709A: ph709a - Since your last interview, have you had a mammogram or x-ray of the bre

| Value | Label | Unweighted Frequency | % |
|-------|---|----------------------|-------------|
| 1 | Yes | 1999 | 27.7 % |
| 5 | No | 1018 | 14.1 % |
| | Missing Data | | |
| -1 | Not applicable or skipped due to routing patterns | 4185 | 58.1 % |
| 98 | Don't know | 5 | 0.1 % |
| | Total | 7,207 | 100% |

Based upon 3,017 valid cases out of 7,207 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 252-253 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -1 , 98 , 99

PH710: ph710 - An examination of your prostate to screen for cancer?

| Value | Label | Unweighted Frequency | % |
|-------|-------|----------------------|--------|
| 1 | Yes | 1534 | 21.3 % |

| Value | Label | Unweighted Frequency | % |
|-------|---|----------------------|-------------|
| 5 | No | 1651 | 22.9 % |
| | Missing Data | | |
| -1 | Not applicable or skipped due to routing patterns | 4004 | 55.6 % |
| 98 | Don't know | 18 | 0.2 % |
| | Total | 7,207 | 100% |

Based upon 3,185 valid cases out of 7,207 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 254-255 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -1 , 98 , 99

PH711: ph711 - A PSA blood test to screen for cancer?

| Value | Label | Unweighted Frequency | % |
|-------|---|----------------------|-------------|
| 1 | Yes | 453 | 6.3 % |
| 5 | No | 577 | 8.0 % |
| | Missing Data | | |
| -1 | Not applicable or skipped due to routing patterns | 6142 | 85.2 % |
| 98 | Don't know | 35 | 0.5 % |
| | Total | 7,207 | 100% |

Based upon 1,030 valid cases out of 7,207 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 256-257 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -1 , 98 , 99

PH711A: ph711a - Since your last interview, have you had a PSA blood test to screen for

| Value | Label | Unweighted Frequency | % |
|-------|---|----------------------|-------------|
| 1 | Yes | 1711 | 23.7 % |
| 5 | No | 394 | 5.5 % |
| | Missing Data | | |
| -1 | Not applicable or skipped due to routing patterns | 5069 | 70.3 % |
| 98 | Don't know | 33 | 0.5 % |
| | Total | 7,207 | 100% |

Based upon 2,105 valid cases out of 7,207 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 258-259 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -1 , 98 , 99

PH720: ph720 - Weight in kilograms

| Value | Label | Unweighted Frequency | % |
|-------|--------------|----------------------|-------|
| 49 | Less than 50 | 126 | 1.7 % |
| 50 | - | 19 | 0.3 % |
| 51 | - | 89 | 1.2 % |
| 52 | - | 29 | 0.4 % |
| 53 | - | 37 | 0.5 % |
| 54 | - | 151 | 2.1 % |
| 55 | - | 51 | 0.7 % |
| 56 | - | 27 | 0.4 % |
| 57 | - | 221 | 3.1 % |
| 58 | - | 60 | 0.8 % |
| 59 | - | 90 | 1.2 % |
| 60 | - | 226 | 3.1 % |
| 61 | - | 61 | 0.8 % |
| 62 | - | 66 | 0.9 % |
| 63 | - | 57 | 0.8 % |
| 64 | - | 407 | 5.6 % |
| 65 | - | 84 | 1.2 % |
| 66 | - | 57 | 0.8 % |
| 67 | - | 317 | 4.4 % |
| 68 | - | 104 | 1.4 % |
| 69 | - | 55 | 0.8 % |
| 70 | - | 453 | 6.3 % |
| 71 | - | 107 | 1.5 % |
| 72 | - | 81 | 1.1 % |
| 73 | - | 343 | 4.8 % |
| 74 | - | 79 | 1.1 % |
| 75 | - | 75 | 1.0 % |
| 76 | - | 451 | 6.3 % |
| 77 | - | 74 | 1.0 % |
| 78 | - | 88 | 1.2 % |
| 79 | - | 278 | 3.9 % |
| 80 | - | 92 | 1.3 % |
| 81 | - | 51 | 0.7 % |

| Value | Label | Unweighted Frequency | % |
|-------|---|----------------------|-------------|
| 82 | - | 46 | 0.6 % |
| 83 | - | 437 | 6.1 % |
| 84 | - | 63 | 0.9 % |
| 85 | - | 67 | 0.9 % |
| 86 | - | 261 | 3.6 % |
| 87 | - | 57 | 0.8 % |
| 88 | - | 43 | 0.6 % |
| 89 | - | 289 | 4.0 % |
| 90 | - | 72 | 1.0 % |
| 91 | - | 37 | 0.5 % |
| 92 | - | 138 | 1.9 % |
| 93 | - | 56 | 0.8 % |
| 94 | - | 23 | 0.3 % |
| 95 | - | 206 | 2.9 % |
| 96 | - | 28 | 0.4 % |
| 97 | - | 27 | 0.4 % |
| 98 | - | 98 | 1.4 % |
| | Missing Data | | |
| -1 | Not applicable or skipped due to routing patterns | 177 | 2.5 % |
| | Total | 7,207 | 100% |

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 7,030 valid cases out of 7,207 total cases.

- Mean: 75.84
- Median: 76.00
- Mode: 100.00
- Minimum: 49.00
- Maximum: 100.00
- Standard Deviation: 13.80

Location: 260-262 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99 , -98 , -1

PH723: ph723 - Height in centimetres

| Value | Label | Unweighted Frequency | % |
|-------|---------------|----------------------|-------|
| 1 | Less than 150 | 0 | 0.0 % |
| 149 | - | 58 | 0.8 % |
| 150 | - | 124 | 1.7 % |
| 152 | - | 257 | 3.6 % |

| Value | Label | Unweighted Frequency | % |
|-------|---|----------------------|-------------|
| 154 | - | 1 | 0.0 % |
| 155 | - | 373 | 5.2 % |
| 156 | - | 3 | 0.0 % |
| 157 | - | 620 | 8.6 % |
| 158 | - | 3 | 0.0 % |
| 159 | - | 1 | 0.0 % |
| 160 | - | 594 | 8.2 % |
| 161 | - | 3 | 0.0 % |
| 163 | - | 676 | 9.4 % |
| 164 | - | 3 | 0.0 % |
| 165 | - | 545 | 7.6 % |
| 166 | - | 1 | 0.0 % |
| 168 | - | 627 | 8.7 % |
| 169 | - | 1 | 0.0 % |
| 170 | - | 644 | 8.9 % |
| 171 | - | 2 | 0.0 % |
| 172 | - | 2 | 0.0 % |
| 173 | - | 591 | 8.2 % |
| 174 | - | 3 | 0.0 % |
| 175 | - | 523 | 7.3 % |
| 176 | - | 1 | 0.0 % |
| 178 | - | 564 | 7.8 % |
| 179 | - | 2 | 0.0 % |
| 180 | - | 418 | 5.8 % |
| 181 | - | 1 | 0.0 % |
| 182 | - | 3 | 0.0 % |
| 183 | - | 233 | 3.2 % |
| 184 | - | 1 | 0.0 % |
| 185 | - | 129 | 1.8 % |
| 186 | Greater than 185 | 116 | 1.6 % |
| | Missing Data | | |
| -1 | Not applicable or skipped due to routing patterns | 84 | 1.2 % |
| | Total | 7,207 | 100% |

Based upon 7,123 valid cases out of 7,207 total cases.

- Mean: 167.64
- Median: 168.00
- Mode: 163.00
- Minimum: 149.00
- Maximum: 186.00

- Standard Deviation: 9.28

Location: 263-265 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99 , -98 , -1

PH726_01: [ph726_01] ph726 - Do/did any of [your/his/her] primary or first-degree relatives have any

| Value | Label | Unweighted Frequency | % |
|-------|----------------------------------|----------------------|-------------|
| 0 | NOT Diabetes or high blood sugar | 5637 | 78.2 % |
| 1 | Diabetes or high blood sugar | 1570 | 21.8 % |
| | Total | 7,207 | 100% |

Based upon 7,207 valid cases out of 7,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 266-266 (width: 1; decimal: 0)

Variable Type: numeric

PH726_02: [ph726_02] ph726 - Do/did any of [your/his/her] primary or first-degree relatives have any

| Value | Label | Unweighted Frequency | % |
|-------|----------------------|----------------------|-------------|
| 0 | NOT High cholesterol | 5685 | 78.9 % |
| 1 | High cholesterol | 1522 | 21.1 % |
| | Total | 7,207 | 100% |

Based upon 7,207 valid cases out of 7,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 267-267 (width: 1; decimal: 0)

Variable Type: numeric

PH726_03: [ph726_03] ph726 - Do/did any of [your/his/her] primary or first-degree relatives have any

| Value | Label | Unweighted Frequency | % |
|-------|---|----------------------|-------------|
| 0 | NOT High blood pressure or hypertension | 4723 | 65.5 % |
| 1 | High blood pressure or hypertension | 2484 | 34.5 % |
| | Total | 7,207 | 100% |

Based upon 7,207 valid cases out of 7,207 total cases.

- Minimum: 0.00

- Maximum: 1.00

Location: 268-268 (width: 1; decimal: 0)

Variable Type: numeric

PH726_04: [ph726_04] ph726 - Do/did any of [your/his/her] primary or first-degree relatives have any

| Value | Label | Unweighted Frequency | % |
|-------|--|----------------------|-------------|
| 0 | NOT Heart disease (heart attack, stroke, angina) | 3666 | 50.9 % |
| 1 | Heart disease (heart attack, stroke, angina) | 3541 | 49.1 % |
| | Total | 7,207 | 100% |

Based upon 7,207 valid cases out of 7,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 269-269 (width: 1; decimal: 0)

Variable Type: numeric

PH726_05: [ph726_05] ph726 - Do/did any of [your/his/her] primary or first-degree relatives have any

| Value | Label | Unweighted Frequency | % |
|-------|--------------|----------------------|-------------|
| 0 | NOT Obesity | 6644 | 92.2 % |
| 1 | Obesity | 563 | 7.8 % |
| | Total | 7,207 | 100% |

Based upon 7,207 valid cases out of 7,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 270-270 (width: 1; decimal: 0)

Variable Type: numeric

PH726_06: [ph726_06] ph726 - Do/did any of [your/his/her] primary or first-degree relatives have any

| Value | Label | Unweighted Frequency | % |
|-------|--|----------------------|-------------|
| 0 | NOT Osteoporosis (thin or brittle bones) | 6264 | 86.9 % |
| 1 | Osteoporosis (thin or brittle bones) | 943 | 13.1 % |
| | Total | 7,207 | 100% |

Based upon 7,207 valid cases out of 7,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 271-271 (width: 1; decimal: 0)

Variable Type: numeric

PH726_07: [ph726_07] ph726 - Do/did any of [your/his/her] primary or first-degree relatives have any

| Value | Label | Unweighted Frequency | % |
|-------|-------------------------------------|----------------------|-------------|
| 0 | NOT Alzheimer's disease or dementia | 6278 | 87.1 % |
| 1 | Alzheimer's disease or dementia | 929 | 12.9 % |
| | Total | 7,207 | 100% |

Based upon 7,207 valid cases out of 7,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 272-272 (width: 1; decimal: 0)

Variable Type: numeric

PH726_12: [ph726_12] ph726 - Do/did any of [your/his/her] primary or first-degree relatives have any

| Value | Label | Unweighted Frequency | % |
|-------|----------------|----------------------|-------------|
| 0 | NOT Depression | 6212 | 86.2 % |
| 1 | Depression | 995 | 13.8 % |
| | Total | 7,207 | 100% |

Based upon 7,207 valid cases out of 7,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 273-273 (width: 1; decimal: 0)

Variable Type: numeric

PH726_13: [ph726_13] ph726 - Do/did any of [your/his/her] primary or first-degree relatives have any

| Value | Label | Unweighted Frequency | % |
|-------|--------------|----------------------|-------------|
| 0 | NOT Anxiety | 6677 | 92.6 % |
| 1 | Anxiety | 530 | 7.4 % |
| | Total | 7,207 | 100% |

Based upon 7,207 valid cases out of 7,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 274-274 (width: 1; decimal: 0)

Variable Type: numeric

PH726_95: [ph726_95] ph726 - Do/did any of [your/his/her] primary or first-degree relatives have any

| Value | Label | Unweighted Frequency | % |
|-------|--------------|----------------------|-------------|
| 0 | NOT Other | 5880 | 81.6 % |
| 1 | Other | 1327 | 18.4 % |
| | Total | 7,207 | 100% |

Based upon 7,207 valid cases out of 7,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 275-275 (width: 1; decimal: 0)

Variable Type: numeric

PH726_96: [ph726_96] ph726 - Do/did any of [your/his/her] primary or first-degree relatives have any

| Value | Label | Unweighted Frequency | % |
|-------|--------------------------------------|----------------------|-------------|
| 0 | NOT No family history of ANY disease | 6466 | 89.7 % |
| 1 | No family history of ANY disease | 741 | 10.3 % |
| | Total | 7,207 | 100% |

Based upon 7,207 valid cases out of 7,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 276-276 (width: 1; decimal: 0)

Variable Type: numeric

PH726_98: [ph726_98] ph726 - Do/did any of [your/his/her] primary or first-degree relatives have any

| Value | Label | Unweighted Frequency | % |
|-------|----------------|----------------------|-------------|
| 0 | NOT Don't know | 7151 | 99.2 % |
| 1 | Don't know | 56 | 0.8 % |
| | Total | 7,207 | 100% |

Based upon 7,207 valid cases out of 7,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 277-277 (width: 1; decimal: 0)

Variable Type: numeric

PH726_99: [ph726_99] ph726 - Do/did any of [your/his/her] primary or first-degree relatives have any

| Value | Label | Unweighted Frequency | % |
|-------|--------------|----------------------|-------------|
| 0 | NOT Refused | 7207 | 100.0 % |
| 1 | Refused | 0 | 0.0 % |
| | Total | 7,207 | 100% |

Based upon 7,207 valid cases out of 7,207 total cases.

- Minimum: 0.00
- Maximum: 0.00

Location: 278-278 (width: 1; decimal: 0)

Variable Type: numeric

PH712: ph712 - A little while ago, the computer read you a list of words twice, and you

| Value | Label | Unweighted Frequency | % |
|-------|---|----------------------|-------------|
| 0 | - | 179 | 2.5 % |
| 1 | - | 137 | 1.9 % |
| 2 | - | 265 | 3.7 % |
| 3 | - | 424 | 5.9 % |
| 4 | - | 648 | 9.0 % |
| 5 | - | 826 | 11.5 % |
| 6 | - | 912 | 12.7 % |
| 7 | - | 922 | 12.8 % |
| 8 | - | 829 | 11.5 % |
| 9 | - | 648 | 9.0 % |
| 10 | - | 608 | 8.4 % |
| | Missing Data | | |
| -1 | Not applicable or skipped due to routing patterns | 781 | 10.8 % |
| 100 | Task not done | 28 | 0.4 % |
| | Total | 7,207 | 100% |

Based upon 6,398 valid cases out of 7,207 total cases.

- Mean: 6.12
- Median: 6.00
- Mode: 7.00
- Minimum: 0.00
- Maximum: 10.00
- Standard Deviation: 2.53

Location: 279-281 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -1 , 100

PH713: ph713 - A little while ago, I read you a list of words twice, and you repeated t

| Value | Label | Unweighted Frequency | % |
|-------|---|----------------------|-------------|
| 0 | - | 53 | 0.7 % |
| 1 | - | 31 | 0.4 % |
| 2 | - | 63 | 0.9 % |
| 3 | - | 62 | 0.9 % |
| 4 | - | 80 | 1.1 % |
| 5 | - | 86 | 1.2 % |
| 6 | - | 93 | 1.3 % |
| 7 | - | 97 | 1.3 % |
| 8 | - | 90 | 1.2 % |
| 9 | - | 48 | 0.7 % |
| 10 | - | 62 | 0.9 % |
| | Missing Data | | |
| -1 | Not applicable or skippeded due to routing patterns | 6426 | 89.2 % |
| 100 | Task not done | 16 | 0.2 % |
| | Total | 7,207 | 100% |

Based upon 765 valid cases out of 7,207 total cases.

- Mean: 5.36
- Median: 6.00
- Mode: 7.00
- Minimum: 0.00
- Maximum: 10.00
- Standard Deviation: 2.85

Location: 282-284 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -1 , 100

PH714: ph714 - That is the end of the memory and concentration tasks.

| Value | Label | Unweighted Frequency | % |
|-------|------------------|----------------------|-------------|
| 1 | Prompt not given | 5092 | 70.7 % |
| 2 | Prompt given | 2115 | 29.3 % |
| | Total | 7,207 | 100% |

Based upon 7,207 valid cases out of 7,207 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 285-285 (width: 1; decimal: 0)

Variable Type: numeric

PH715: ph715 - IWER: CODE WHAT RESPONDENT DID

| Value | Label | Unweighted Frequency | % |
|-------|---|----------------------|-------------|
| 1 | Reminded you to record the time | 5722 | 79.4 % |
| 2 | Did something else | 342 | 4.7 % |
| 3 | Did nothing/did not remember what to do | 1088 | 15.1 % |
| | Missing Data | | |
| 100 | Task not done | 55 | 0.8 % |
| | Total | 7,207 | 100% |

Based upon 7,152 valid cases out of 7,207 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 286-288 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 100

PH716: ph716 - IWER: DURING THE COGNITIVE FUNCTION TEST WERE THERE ANY FACTORS THAT MAY

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 1 | Yes | 372 | 5.2 % |
| 5 | No | 6833 | 94.8 % |
| | Missing Data | | |
| 98 | Don't know | 2 | 0.0 % |
| | Total | 7,207 | 100% |

Based upon 7,205 valid cases out of 7,207 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 289-290 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98 , 99

FL001_01: fl001_01 - Because of a physical or mental health problem, [do/does] [you/Rname]

| Value | Label | Unweighted Frequency | % |
|-------|------------------------------------|----------------------|-------------|
| 0 | NOT Walking 100 metres (100 yards) | 6717 | 93.2 % |
| 1 | Walking 100 metres (100 yards) | 490 | 6.8 % |
| | Total | 7,207 | 100% |

Based upon 7,207 valid cases out of 7,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 291-291 (width: 1; decimal: 0)

Variable Type: numeric

FL001_02: fl001_02 - Because of a physical or mental health problem, [do/does] [you/Rname]

| Value | Label | Unweighted Frequency | % |
|-------|--|----------------------|-------------|
| 0 | NOT Running or jogging about 1.5 kilometres (1 mile) | 2424 | 33.6 % |
| 1 | Running or jogging about 1.5 kilometres (1 mile) | 4783 | 66.4 % |
| | Total | 7,207 | 100% |

Based upon 7,207 valid cases out of 7,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 292-292 (width: 1; decimal: 0)

Variable Type: numeric

FL001_03: fl001_03 - Because of a physical or mental health problem, [do/does] [you/Rname]

| Value | Label | Unweighted Frequency | % |
|-------|---------------------------------|----------------------|-------------|
| 0 | NOT Sitting for about two hours | 6427 | 89.2 % |
| 1 | Sitting for about two hours | 780 | 10.8 % |
| | Total | 7,207 | 100% |

Based upon 7,207 valid cases out of 7,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 293-293 (width: 1; decimal: 0)

Variable Type: numeric

FL001_04: fl001_04 - Because of a physical or mental health problem, [do/does] [you/Rname]

| Value | Label | Unweighted Frequency | % |
|-------|--|----------------------|-------------|
| 0 | NOT Getting up from a chair after sitting for long periods | 5861 | 81.3 % |
| 1 | Getting up from a chair after sitting for long periods | 1346 | 18.7 % |
| | Total | 7,207 | 100% |

Based upon 7,207 valid cases out of 7,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 294-294 (width: 1; decimal: 0)

Variable Type: numeric

FL001_05: f1001_05 - Because of a physical or mental health problem, [do/does] [you/Rname]

| Value | Label | Unweighted Frequency | % |
|-------|--|----------------------|-------------|
| 0 | NOT Climbing several flights of stairs without resting | 4825 | 66.9 % |
| 1 | Climbing several flights of stairs without resting | 2382 | 33.1 % |
| | Total | 7,207 | 100% |

Based upon 7,207 valid cases out of 7,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 295-295 (width: 1; decimal: 0)

Variable Type: numeric

FL001_06: f1001_06 - Because of a physical or mental health problem, [do/does] [you/Rname]

| Value | Label | Unweighted Frequency | % |
|-------|---|----------------------|-------------|
| 0 | NOT Climbing one flight of stairs without resting | 6700 | 93.0 % |
| 1 | Climbing one flight of stairs without resting | 507 | 7.0 % |
| | Total | 7,207 | 100% |

Based upon 7,207 valid cases out of 7,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 296-296 (width: 1; decimal: 0)

Variable Type: numeric

FL001_07: f1001_07 - Because of a physical or mental health problem, [do/does] [you/Rname]

| Value | Label | Unweighted Frequency | % |
|-------|--------------------------------------|----------------------|-------------|
| 0 | NOT Stooping, kneeling, or crouching | 4985 | 69.2 % |
| 1 | Stooping, kneeling, or crouching | 2222 | 30.8 % |
| | Total | 7,207 | 100% |

Based upon 7,207 valid cases out of 7,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 297-297 (width: 1; decimal: 0)

Variable Type: numeric

FL001_08: f1001_08 - Because of a physical or mental health problem, [do/does] [you/Rname]

| Value | Label | Unweighted Frequency | % |
|-------|--|----------------------|--------|
| 0 | NOT Reaching or extending your arms above shoulder level | 6624 | 91.9 % |

| Value | Label | Unweighted Frequency | % |
|-------|--|----------------------|-------------|
| 1 | Reaching or extending your arms above shoulder level | 583 | 8.1 % |
| | Total | 7,207 | 100% |

Based upon 7,207 valid cases out of 7,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 298-298 (width: 1; decimal: 0)

Variable Type: numeric

FL001_09: fl001_09 - Because of a physical or mental health problem, [do/does] [you/Rname]

| Value | Label | Unweighted Frequency | % |
|-------|---|----------------------|-------------|
| 0 | NOT Pulling or pushing large objects like a living room chair | 6271 | 87.0 % |
| 1 | Pulling or pushing large objects like a living room chair | 936 | 13.0 % |
| | Total | 7,207 | 100% |

Based upon 7,207 valid cases out of 7,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 299-299 (width: 1; decimal: 0)

Variable Type: numeric

FL001_10: fl001_10 - Because of a physical or mental health problem, [do/does] [you/Rname]

| Value | Label | Unweighted Frequency | % |
|-------|--|----------------------|-------------|
| 0 | NOT Lifting or carrying weights over 10 pounds/5 kilos, like a heavy bag of groc | 5919 | 82.1 % |
| 1 | Lifting or carrying weights over 10 pounds/5 kilos, like a heavy bag of grocerie | 1288 | 17.9 % |
| | Total | 7,207 | 100% |

Based upon 7,207 valid cases out of 7,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 300-300 (width: 1; decimal: 0)

Variable Type: numeric

FL001_11: fl001_11 - Because of a physical or mental health problem, [do/does] [you/Rname]

| Value | Label | Unweighted Frequency | % |
|-------|--|----------------------|-------------|
| 0 | NOT Picking up a small coin from a table | 6892 | 95.6 % |
| 1 | Picking up a small coin from a table | 315 | 4.4 % |
| | Total | 7,207 | 100% |

Based upon 7,207 valid cases out of 7,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 301-301 (width: 1; decimal: 0)

Variable Type: numeric

FL001_96: fl001_96 - Because of a physical or mental health problem, [do/does] [you/Rname]

| Value | Label | Unweighted Frequency | % |
|-------|-----------------------|----------------------|-------------|
| 0 | NOT None of the these | 5300 | 73.5 % |
| 1 | None of the these | 1907 | 26.5 % |
| | Total | 7,207 | 100% |

Based upon 7,207 valid cases out of 7,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 302-302 (width: 1; decimal: 0)

Variable Type: numeric

FL001_99: fl001_99 - Because of a physical or mental health problem, [do/does] [you/Rname]

| Value | Label | Unweighted Frequency | % |
|-------|--------------|----------------------|-------------|
| 0 | NOT Refused | 7205 | 100.0 % |
| 1 | Refused | 2 | 0.0 % |
| | Total | 7,207 | 100% |

Based upon 7,207 valid cases out of 7,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 303-303 (width: 1; decimal: 0)

Variable Type: numeric

HU005: hu005 - In the last 12 months, about how often did [you/he/she] visit [your/his/

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|--------|
| 0 | None | 752 | 10.4 % |
| 1 | 1-4 | 4630 | 64.2 % |
| 2 | 5-9 | 1159 | 16.1 % |
| 3 | 10-14 | 464 | 6.4 % |
| 4 | 15+ | 187 | 2.6 % |
| | Missing Data | | |
| -98 | Don't know | 15 | 0.2 % |

| Value | Label | Unweighted Frequency | % |
|-------|--------------|----------------------|-------------|
| | Total | 7,207 | 100% |

Based upon 7,192 valid cases out of 7,207 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 304-306 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99 , -98

HU007: hu007 - In the last 12 months, how many times did [you/he/she] visit a hospital

| Value | Label | Unweighted Frequency | % |
|-------|----------------------|----------------------|-------------|
| 0 | None | 6054 | 84.0 % |
| 1 | Single visit | 865 | 12.0 % |
| 2 | Multiple visits (2+) | 286 | 4.0 % |
| | Missing Data | | |
| -99 | Refused | 1 | 0.0 % |
| -98 | Don't know | 1 | 0.0 % |
| | Total | 7,207 | 100% |

Based upon 7,205 valid cases out of 7,207 total cases.

- Minimum: 0.00
- Maximum: 2.00

Location: 307-309 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99 , -98

HU008: hu008 - In the last 12 months, about how many visits did [you/he/she] make to a

| Value | Label | Unweighted Frequency | % |
|-------|----------------------|----------------------|-------------|
| 0 | None | 3933 | 54.6 % |
| 1 | Single visit | 1325 | 18.4 % |
| 2 | Multiple visits (2+) | 1945 | 27.0 % |
| | Missing Data | | |
| -98 | Don't know | 4 | 0.1 % |
| | Total | 7,207 | 100% |

Based upon 7,203 valid cases out of 7,207 total cases.

- Minimum: 0.00
- Maximum: 2.00

Location: 310-312 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99 , -98

HU010: hu010 - In the last 12 months, on how many occasions [were/was] [you/he/she] adm

| Value | Label | Unweighted Frequency | % |
|---------------------|--------------------------|----------------------|-------------|
| 0 | None | 6213 | 86.2 % |
| 1 | Single admission | 707 | 9.8 % |
| 2 | Multiple admissions (2+) | 285 | 4.0 % |
| Missing Data | | | |
| -99 | Refused | 1 | 0.0 % |
| -98 | Don't know | 1 | 0.0 % |
| Total | | 7,207 | 100% |

Based upon 7,205 valid cases out of 7,207 total cases.

- Minimum: 0.00
- Maximum: 2.00

Location: 313-315 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99 , -98

HU012: hu012 - In total, about how many nights did [you/he/she] spend in hospital in th

| Value | Label | Unweighted Frequency | % |
|---------------------|---|----------------------|-------------|
| 1 | 1 | 183 | 2.5 % |
| 2 | 2 | 110 | 1.5 % |
| 3 | 3 | 97 | 1.3 % |
| 4 | 4 | 88 | 1.2 % |
| 5 | 5-9 | 239 | 3.3 % |
| 6 | 10-14 | 118 | 1.6 % |
| 7 | 15-19 | 28 | 0.4 % |
| 8 | 20-24 | 47 | 0.7 % |
| 9 | 25+ | 81 | 1.1 % |
| Missing Data | | | |
| -98 | Don't know | 1 | 0.0 % |
| -1 | Not applicable or skipped due to routing patterns | 6215 | 86.2 % |
| Total | | 7,207 | 100% |

Based upon 991 valid cases out of 7,207 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 316-318 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99 , -98 , -1

HU013: hu013 - When [you/he/she] stayed overnight in hospital, was this...

| Value | Label | Unweighted Frequency | % |
|-------|---|----------------------|-------------|
| 1 | As a public patient | 528 | 7.3 % |
| 2 | As a private patient | 462 | 6.4 % |
| | Missing Data | | |
| -1 | Not applicable or skipped due to routing patterns | 6215 | 86.2 % |
| 98 | Don't know | 2 | 0.0 % |
| | Total | 7,207 | 100% |

Based upon 990 valid cases out of 7,207 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 319-320 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -1 , 98 , 99

HU015A_01: [hu015a_01] hu015a - In the last 12 months, did [you/Rname] receive any of the following Sta

| Value | Label | Unweighted Frequency | % |
|-------|--------------|----------------------|-------------|
| 0 | you/Rname | 6983 | 96.9 % |
| 1 | you/Rname | 224 | 3.1 % |
| | Total | 7,207 | 100% |

Based upon 7,207 valid cases out of 7,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 321-321 (width: 1; decimal: 0)

Variable Type: numeric

HU015A_02: [hu015a_02] hu015a - In the last 12 months, did [you/Rname] receive any of the following Sta

| Value | Label | Unweighted Frequency | % |
|-------|--|----------------------|-------------|
| 0 | NOT Personal care attendant (a person employed by the State to assist [you/Rnam | 7140 | 99.1 % |
| 1 | you/Rname | 67 | 0.9 % |
| | Total | 7,207 | 100% |

Based upon 7,207 valid cases out of 7,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 322-322 (width: 1; decimal: 0)

Variable Type: numeric

HU015A_98: [hu015a_98] hu015a - In the last 12 months, did [you/Rname] receive any of the following Sta

| Value | Label | Unweighted Frequency | % |
|-------|----------------|----------------------|-------------|
| 0 | NOT Don't know | 7204 | 100.0 % |
| 1 | Don't know | 3 | 0.0 % |
| | Total | 7,207 | 100% |

Based upon 7,207 valid cases out of 7,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 323-323 (width: 1; decimal: 0)

Variable Type: numeric

HU015A_99: [hu015a_99] hu015a - In the last 12 months, did [you/Rname] receive any of the following Sta

| Value | Label | Unweighted Frequency | % |
|-------|--------------|----------------------|-------------|
| 0 | NOT Refused | 7207 | 100.0 % |
| 1 | Refused | 0 | 0.0 % |
| | Total | 7,207 | 100% |

Based upon 7,207 valid cases out of 7,207 total cases.

- Minimum: 0.00
- Maximum: 0.00

Location: 324-324 (width: 1; decimal: 0)

Variable Type: numeric

HU015_13: [hu015_13] hu015 - In the last 12 months, did [you/Rname] receive any of these other State

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 0 | NOT Dental services | 6533 | 90.6 % |
| 1 | Dental services | 674 | 9.4 % |
| | Total | 7,207 | 100% |

Based upon 7,207 valid cases out of 7,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 325-325 (width: 1; decimal: 0)

Variable Type: numeric

HU015_96: [hu015_96] hu015 - In the last 12 months, did [you/Rname] receive any of these other State

| Value | Label | Unweighted Frequency | % |
|-------|-----------------------|----------------------|-------------|
| 0 | NOT None of the these | 2046 | 28.4 % |
| 1 | None of the these | 5161 | 71.6 % |
| | Total | 7,207 | 100% |

Based upon 7,207 valid cases out of 7,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 326-326 (width: 1; decimal: 0)

Variable Type: numeric

HU015_98: [hu015_98] hu015 - In the last 12 months, did [you/Rname] receive any of these other State

| Value | Label | Unweighted Frequency | % |
|-------|----------------|----------------------|-------------|
| 0 | NOT Don't know | 7200 | 99.9 % |
| 1 | Don't know | 7 | 0.1 % |
| | Total | 7,207 | 100% |

Based upon 7,207 valid cases out of 7,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 327-327 (width: 1; decimal: 0)

Variable Type: numeric

HU015_99: [hu015_99] hu015 - In the last 12 months, did [you/Rname] receive any of these other State

| Value | Label | Unweighted Frequency | % |
|-------|--------------|----------------------|-------------|
| 0 | NOT Refused | 7207 | 100.0 % |
| 1 | Refused | 0 | 0.0 % |
| | Total | 7,207 | 100% |

Based upon 7,207 valid cases out of 7,207 total cases.

- Minimum: 0.00
- Maximum: 0.00

Location: 328-328 (width: 1; decimal: 0)

Variable Type: numeric

MH001: MH001: I was bothered by things that usually don't bother me

| Value | Label | Unweighted Frequency | % |
|-------|--|----------------------|-------------|
| 1 | Rarely or none of the time (less than 1 day) | 5739 | 79.6 % |
| 2 | Some or a little of the time (1-2 days) | 930 | 12.9 % |
| 3 | Occasionally or a moderate amount of time (3-4 days) | 410 | 5.7 % |
| 4 | All of the time (5-7 days) | 121 | 1.7 % |
| | Missing Data | | |
| 98 | Don't know | 4 | 0.1 % |
| 99 | Refused | 3 | 0.0 % |
| | Total | 7,207 | 100% |

Based upon 7,200 valid cases out of 7,207 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 329-330 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98 , 99

MH002: MH002: I did not feel like eating; my appetite was poor.

| Value | Label | Unweighted Frequency | % |
|-------|--|----------------------|-------------|
| 1 | Rarely or none of the time (less than 1 day) | 6443 | 89.4 % |
| 2 | Some or a little of the time (1-2 days) | 488 | 6.8 % |
| 3 | Occasionally or a moderate amount of time (3-4 days) | 188 | 2.6 % |
| 4 | All of the time (5-7 days) | 84 | 1.2 % |
| | Missing Data | | |
| 99 | Refused | 4 | 0.1 % |
| | Total | 7,207 | 100% |

Based upon 7,203 valid cases out of 7,207 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 331-332 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98 , 99

MH003: MH003: I felt that I could not shake off the blues even with help from my family

| Value | Label | Unweighted Frequency | % |
|-------|--|----------------------|--------|
| 1 | Rarely or none of the time (less than 1 day) | 6386 | 88.6 % |
| 2 | Some or a little of the time (1-2 days) | 520 | 7.2 % |
| 3 | Occasionally or a moderate amount of time (3-4 days) | 216 | 3.0 % |
| 4 | All of the time (5-7 days) | 79 | 1.1 % |

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| | Missing Data | | |
| 98 | Don't know | 3 | 0.0 % |
| 99 | Refused | 3 | 0.0 % |
| | Total | 7,207 | 100% |

Based upon 7,201 valid cases out of 7,207 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 333-334 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98 , 99

MH004: MH004: I felt that I was just as good as other people.

| Value | Label | Unweighted Frequency | % |
|-------|--|----------------------|-------------|
| 1 | Rarely or none of the time (less than 1 day) | 253 | 3.5 % |
| 2 | Some or a little of the time (1-2 days) | 242 | 3.4 % |
| 3 | Occasionally or a moderate amount of time (3-4 days) | 394 | 5.5 % |
| 4 | All of the time (5-7 days) | 6289 | 87.3 % |
| | Missing Data | | |
| 98 | Don't know | 25 | 0.3 % |
| 99 | Refused | 4 | 0.1 % |
| | Total | 7,207 | 100% |

Based upon 7,178 valid cases out of 7,207 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 335-336 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98 , 99

MH005: MH005: I had trouble keeping my mind on what I was doing.

| Value | Label | Unweighted Frequency | % |
|-------|--|----------------------|--------|
| 1 | Rarely or none of the time (less than 1 day) | 5212 | 72.3 % |
| 2 | Some or a little of the time (1-2 days) | 1377 | 19.1 % |
| 3 | Occasionally or a moderate amount of time (3-4 days) | 502 | 7.0 % |
| 4 | All of the time (5-7 days) | 112 | 1.6 % |
| | Missing Data | | |
| 98 | Don't know | 1 | 0.0 % |
| 99 | Refused | 3 | 0.0 % |

| Value | Label | Unweighted Frequency | % |
|-------|--------------|----------------------|-------------|
| | Total | 7,207 | 100% |

Based upon 7,203 valid cases out of 7,207 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 337-338 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98 , 99

MH006: MH006: I felt depressed.

| Value | Label | Unweighted Frequency | % |
|-------|--|----------------------|-------------|
| 1 | Rarely or none of the time (less than 1 day) | 6007 | 83.3 % |
| 2 | Some or a little of the time (1-2 days) | 811 | 11.3 % |
| 3 | Occasionally or a moderate amount of time (3-4 days) | 292 | 4.1 % |
| 4 | All of the time (5-7 days) | 93 | 1.3 % |
| | Missing Data | | |
| 98 | Don't know | 1 | 0.0 % |
| 99 | Refused | 3 | 0.0 % |
| | Total | 7,207 | 100% |

Based upon 7,203 valid cases out of 7,207 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 339-340 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98 , 99

MH007: MH007: I felt that everything I did was an effort.

| Value | Label | Unweighted Frequency | % |
|-------|--|----------------------|-------------|
| 1 | Rarely or none of the time (less than 1 day) | 5687 | 78.9 % |
| 2 | Some or a little of the time (1-2 days) | 1020 | 14.2 % |
| 3 | Occasionally or a moderate amount of time (3-4 days) | 316 | 4.4 % |
| 4 | All of the time (5-7 days) | 181 | 2.5 % |
| | Missing Data | | |
| 99 | Refused | 3 | 0.0 % |
| | Total | 7,207 | 100% |

Based upon 7,204 valid cases out of 7,207 total cases.

- Minimum: 1.00

- Maximum: 4.00

Location: 341-342 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98 , 99

MH008: MH008: I felt hopeful about the future.

| Value | Label | Unweighted Frequency | % |
|-------|--|----------------------|-------------|
| 1 | Rarely or none of the time (less than 1 day) | 459 | 6.4 % |
| 2 | Some or a little of the time (1-2 days) | 747 | 10.4 % |
| 3 | Occasionally or a moderate amount of time (3-4 days) | 1324 | 18.4 % |
| 4 | All of the time (5-7 days) | 4629 | 64.2 % |
| | Missing Data | | |
| 98 | Don't know | 45 | 0.6 % |
| 99 | Refused | 3 | 0.0 % |
| | Total | 7,207 | 100% |

Based upon 7,159 valid cases out of 7,207 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 343-344 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98 , 99

MH009: MH009: I thought my life had been a failure.

| Value | Label | Unweighted Frequency | % |
|-------|--|----------------------|-------------|
| 1 | Rarely or none of the time (less than 1 day) | 6698 | 92.9 % |
| 2 | Some or a little of the time (1-2 days) | 296 | 4.1 % |
| 3 | Occasionally or a moderate amount of time (3-4 days) | 137 | 1.9 % |
| 4 | All of the time (5-7 days) | 67 | 0.9 % |
| | Missing Data | | |
| 98 | Don't know | 5 | 0.1 % |
| 99 | Refused | 4 | 0.1 % |
| | Total | 7,207 | 100% |

Based upon 7,198 valid cases out of 7,207 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 345-346 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98 , 99

MH010: MH010: I felt fearful.

| Value | Label | Unweighted Frequency | % |
|-------|--|----------------------|-------------|
| 1 | Rarely or none of the time (less than 1 day) | 6210 | 86.2 % |
| 2 | Some or a little of the time (1-2 days) | 694 | 9.6 % |
| 3 | Occasionally or a moderate amount of time (3-4 days) | 215 | 3.0 % |
| 4 | All of the time (5-7 days) | 80 | 1.1 % |
| | Missing Data | | |
| 98 | Don't know | 5 | 0.1 % |
| 99 | Refused | 3 | 0.0 % |
| | Total | 7,207 | 100% |

Based upon 7,199 valid cases out of 7,207 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 347-348 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98 , 99

MH011: MH011: My sleep was restless.

| Value | Label | Unweighted Frequency | % |
|-------|--|----------------------|-------------|
| 1 | Rarely or none of the time (less than 1 day) | 4243 | 58.9 % |
| 2 | Some or a little of the time (1-2 days) | 1631 | 22.6 % |
| 3 | Occasionally or a moderate amount of time (3-4 days) | 767 | 10.6 % |
| 4 | All of the time (5-7 days) | 562 | 7.8 % |
| | Missing Data | | |
| 98 | Don't know | 1 | 0.0 % |
| 99 | Refused | 3 | 0.0 % |
| | Total | 7,207 | 100% |

Based upon 7,203 valid cases out of 7,207 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 349-350 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98 , 99

MH012: MH012: I was happy.

| Value | Label | Unweighted Frequency | % |
|-------|--|----------------------|-------|
| 1 | Rarely or none of the time (less than 1 day) | 244 | 3.4 % |

| Value | Label | Unweighted Frequency | % |
|-------|--|----------------------|-------------|
| 2 | Some or a little of the time (1-2 days) | 509 | 7.1 % |
| 3 | Occasionally or a moderate amount of time (3-4 days) | 1361 | 18.9 % |
| 4 | All of the time (5-7 days) | 5086 | 70.6 % |
| | Missing Data | | |
| 98 | Don't know | 4 | 0.1 % |
| 99 | Refused | 3 | 0.0 % |
| | Total | 7,207 | 100% |

Based upon 7,200 valid cases out of 7,207 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 351-352 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98 , 99

MH013: MH013: I talked less than usual.

| Value | Label | Unweighted Frequency | % |
|-------|--|----------------------|-------------|
| 1 | Rarely or none of the time (less than 1 day) | 6207 | 86.1 % |
| 2 | Some or a little of the time (1-2 days) | 672 | 9.3 % |
| 3 | Occasionally or a moderate amount of time (3-4 days) | 249 | 3.5 % |
| 4 | All of the time (5-7 days) | 74 | 1.0 % |
| | Missing Data | | |
| 98 | Don't know | 2 | 0.0 % |
| 99 | Refused | 3 | 0.0 % |
| | Total | 7,207 | 100% |

Based upon 7,202 valid cases out of 7,207 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 353-354 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98 , 99

MH014: MH014: I felt lonely.

| Value | Label | Unweighted Frequency | % |
|-------|--|----------------------|--------|
| 1 | Rarely or none of the time (less than 1 day) | 5899 | 81.9 % |
| 2 | Some or a little of the time (1-2 days) | 843 | 11.7 % |
| 3 | Occasionally or a moderate amount of time (3-4 days) | 335 | 4.6 % |
| 4 | All of the time (5-7 days) | 125 | 1.7 % |

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| | Missing Data | | |
| 98 | Don't know | 2 | 0.0 % |
| 99 | Refused | 3 | 0.0 % |
| | Total | 7,207 | 100% |

Based upon 7,202 valid cases out of 7,207 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 355-356 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98 , 99

MH015: MH015: People were unfriendly.

| Value | Label | Unweighted Frequency | % |
|-------|--|----------------------|-------------|
| 1 | Rarely or none of the time (less than 1 day) | 6749 | 93.6 % |
| 2 | Some or a little of the time (1-2 days) | 325 | 4.5 % |
| 3 | Occasionally or a moderate amount of time (3-4 days) | 84 | 1.2 % |
| 4 | All of the time (5-7 days) | 42 | 0.6 % |
| | Missing Data | | |
| 98 | Don't know | 4 | 0.1 % |
| 99 | Refused | 3 | 0.0 % |
| | Total | 7,207 | 100% |

Based upon 7,200 valid cases out of 7,207 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 357-358 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98 , 99

MH016: MH016: I enjoyed life.

| Value | Label | Unweighted Frequency | % |
|-------|--|----------------------|--------|
| 1 | Rarely or none of the time (less than 1 day) | 207 | 2.9 % |
| 2 | Some or a little of the time (1-2 days) | 398 | 5.5 % |
| 3 | Occasionally or a moderate amount of time (3-4 days) | 1050 | 14.6 % |
| 4 | All of the time (5-7 days) | 5543 | 76.9 % |
| | Missing Data | | |
| 98 | Don't know | 6 | 0.1 % |
| 99 | Refused | 3 | 0.0 % |

| Value | Label | Unweighted Frequency | % |
|-------|--------------|----------------------|-------------|
| | Total | 7,207 | 100% |

Based upon 7,198 valid cases out of 7,207 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 359-360 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98 , 99

MH017: MH017: I had crying spells.

| Value | Label | Unweighted Frequency | % |
|-------|--|----------------------|-------------|
| 1 | Rarely or none of the time (less than 1 day) | 6491 | 90.1 % |
| 2 | Some or a little of the time (1-2 days) | 462 | 6.4 % |
| 3 | Occasionally or a moderate amount of time (3-4 days) | 197 | 2.7 % |
| 4 | All of the time (5-7 days) | 50 | 0.7 % |
| | Missing Data | | |
| 98 | Don't know | 3 | 0.0 % |
| 99 | Refused | 4 | 0.1 % |
| | Total | 7,207 | 100% |

Based upon 7,200 valid cases out of 7,207 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 361-362 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98 , 99

MH018: MH018: I felt sad.

| Value | Label | Unweighted Frequency | % |
|-------|--|----------------------|-------------|
| 1 | Rarely or none of the time (less than 1 day) | 5382 | 74.7 % |
| 2 | Some or a little of the time (1-2 days) | 1342 | 18.6 % |
| 3 | Occasionally or a moderate amount of time (3-4 days) | 374 | 5.2 % |
| 4 | All of the time (5-7 days) | 103 | 1.4 % |
| | Missing Data | | |
| 98 | Don't know | 2 | 0.0 % |
| 99 | Refused | 4 | 0.1 % |
| | Total | 7,207 | 100% |

Based upon 7,201 valid cases out of 7,207 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 363-364 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98 , 99

MH019: MH019: I felt that people disliked me.

| Value | Label | Unweighted Frequency | % |
|-------|--|----------------------|-------------|
| 1 | Rarely or none of the time (less than 1 day) | 6856 | 95.1 % |
| 2 | Some or a little of the time (1-2 days) | 245 | 3.4 % |
| 3 | Occasionally or a moderate amount of time (3-4 days) | 64 | 0.9 % |
| 4 | All of the time (5-7 days) | 28 | 0.4 % |
| | Missing Data | | |
| 98 | Don't know | 11 | 0.2 % |
| 99 | Refused | 3 | 0.0 % |
| | Total | 7,207 | 100% |

Based upon 7,193 valid cases out of 7,207 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 365-366 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98 , 99

MH020: MH020: I could not get 'going'

| Value | Label | Unweighted Frequency | % |
|-------|--|----------------------|-------------|
| 1 | Rarely or none of the time (less than 1 day) | 5773 | 80.1 % |
| 2 | Some or a little of the time (1-2 days) | 1046 | 14.5 % |
| 3 | Occasionally or a moderate amount of time (3-4 days) | 279 | 3.9 % |
| 4 | All of the time (5-7 days) | 99 | 1.4 % |
| | Missing Data | | |
| 98 | Don't know | 6 | 0.1 % |
| 99 | Refused | 4 | 0.1 % |
| | Total | 7,207 | 100% |

Based upon 7,197 valid cases out of 7,207 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 367-368 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98 , 99

BH101: bh101 - During the last 7 days, on how many days did [you/he/she] do vigorous ph

| Value | Label | Unweighted Frequency | % |
|-------|--------------|----------------------|-------------|
| 0 | - | 5344 | 74.2 % |
| 1 | - | 418 | 5.8 % |
| 2 | - | 407 | 5.6 % |
| 3 | - | 337 | 4.7 % |
| 4 | - | 178 | 2.5 % |
| 5 | - | 196 | 2.7 % |
| 6 | - | 84 | 1.2 % |
| 7 | - | 243 | 3.4 % |
| | Total | 7,207 | 100% |

Based upon 7,207 valid cases out of 7,207 total cases.

- Mean: 0.85
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 1.77

Location: 369-371 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99 , -98

BH103: bh103 - During the last 7 days, on how many days did [you/he/she] do moderate ph

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 0 | - | 3372 | 46.8 % |
| 1 | - | 477 | 6.6 % |
| 2 | - | 585 | 8.1 % |
| 3 | - | 538 | 7.5 % |
| 4 | - | 344 | 4.8 % |
| 5 | - | 416 | 5.8 % |
| 6 | - | 190 | 2.6 % |
| 7 | - | 1281 | 17.8 % |
| | Missing Data | | |
| -98 | Don't know | 4 | 0.1 % |
| | Total | 7,207 | 100% |

Based upon 7,203 valid cases out of 7,207 total cases.

- Mean: 2.34
- Median: 1.00
- Mode: 0.00

- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 2.74

Location: 372-374 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99 , -98

BH200: bh200 - Approximately how many hours [do/does] [you/he/she] sleep on a weeknight

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 1 | 2-5 | 903 | 12.5 % |
| 2 | 6-8 | 5633 | 78.2 % |
| 3 | 9-24 | 659 | 9.1 % |
| | Missing Data | | |
| -98 | Don't know | 12 | 0.2 % |
| | Total | 7,207 | 100% |

Based upon 7,195 valid cases out of 7,207 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 375-377 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99 , -98

BH201: bh201 - How likely [are/is] [you/he/she] to doze off or fall asleep during the d

| Value | Label | Unweighted Frequency | % |
|-------|---------------------------|----------------------|-------------|
| 1 | Would never doze | 2818 | 39.1 % |
| 2 | Slight chance of dozing | 1930 | 26.8 % |
| 3 | Moderate chance of dozing | 1129 | 15.7 % |
| 4 | High chance of dozing | 1329 | 18.4 % |
| | Missing Data | | |
| 98 | Don't know | 1 | 0.0 % |
| | Total | 7,207 | 100% |

Based upon 7,206 valid cases out of 7,207 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 378-379 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98 , 99

BH202: bh202 - How often do you have trouble falling asleep?

| Value | Label | Unweighted Frequency | % |
|-------|------------------|----------------------|-------------|
| 1 | Most of the time | 703 | 9.8 % |
| 2 | Sometimes | 1765 | 24.5 % |
| 3 | Rarely or never | 4739 | 65.8 % |
| | Total | 7,207 | 100% |

Based upon 7,207 valid cases out of 7,207 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 380-381 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98 , 99

BH203: bh203 - How often do you have trouble with waking up too early and not being abl

| Value | Label | Unweighted Frequency | % |
|-------|------------------|----------------------|-------------|
| 1 | Most of the time | 1071 | 14.9 % |
| 2 | Sometimes | 2291 | 31.8 % |
| 3 | Rarely or never | 3845 | 53.4 % |
| | Total | 7,207 | 100% |

Based upon 7,207 valid cases out of 7,207 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 382-383 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98 , 99

MH023: mh023 - How much do you agree or disagree with the statement - I am satisfied wi

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 1 | Strongly Agree | 3048 | 42.3 % |
| 2 | - | 2936 | 40.7 % |
| 3 | - | 535 | 7.4 % |
| 4 | - | 241 | 3.3 % |
| 5 | - | 204 | 2.8 % |
| 6 | - | 130 | 1.8 % |
| 7 | Strongly Disagree | 102 | 1.4 % |
| | Missing Data | | |
| 98 | Don't know | 7 | 0.1 % |
| 99 | Refused | 4 | 0.1 % |
| | Total | 7,207 | 100% |

Based upon 7,196 valid cases out of 7,207 total cases.

- Mean: 1.95
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 1.24

Location: 384-385 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98 , 99

WE107: we107 - How many hours a week [do/does] [you/he/she] usually work in this job, e

| Value | Label | Unweighted Frequency | % |
|-------|---|----------------------|-------------|
| 1 | Less than 5 | 51 | 0.7 % |
| 2 | 5.0-9.9 | 91 | 1.3 % |
| 3 | 10.0-14.9 | 119 | 1.7 % |
| 4 | 15.0-19.9 | 155 | 2.2 % |
| 5 | 20.0-24.9 | 255 | 3.5 % |
| 6 | 25.0-29.9 | 95 | 1.3 % |
| 7 | 30.0-34.9 | 189 | 2.6 % |
| 8 | 35.0-39.9 | 433 | 6.0 % |
| 9 | 40.0-44.9 | 272 | 3.8 % |
| 10 | 45.0-49.9 | 91 | 1.3 % |
| 11 | 50.0-54.9 | 57 | 0.8 % |
| 12 | 55.0-59.9 | 20 | 0.3 % |
| 13 | 60.0+ | 53 | 0.7 % |
| | Missing Data | | |
| -98 | Don't know | 15 | 0.2 % |
| -1 | Not applicable or skipped due to routing patterns | 5311 | 73.7 % |
| | Total | 7,207 | 100% |

Based upon 1,881 valid cases out of 7,207 total cases.

- Minimum: 1.00
- Maximum: 13.00

Location: 386-388 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99 , -98 , -1

WE109: we109 - Excluding paid vacation or paid leave, for how many weeks did [you/he/sh

| Value | Label | Unweighted Frequency | % |
|-------|-------------------------|----------------------|-------|
| 1 | <=13 weeks (<=3 months) | 89 | 1.2 % |

| Value | Label | Unweighted Frequency | % |
|-------|---|----------------------|-------------|
| 2 | 14-26 weeks (>3 & <=6 months) | 96 | 1.3 % |
| 3 | 27-39 weeks (>6 & <=9 months) | 190 | 2.6 % |
| 4 | 40 to 56 weeks (>9 & <=12 months) | 1497 | 20.8 % |
| | Missing Data | | |
| -99 | Refused | 3 | 0.0 % |
| -98 | Don't know | 21 | 0.3 % |
| -1 | Not applicable or skipped due to routing patterns | 5311 | 73.7 % |
| | Total | 7,207 | 100% |

Based upon 1,872 valid cases out of 7,207 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 389-391 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99 , -98 , -1

WE112: we112 - Thinking about [your/his/her] typical wage/salary payment, what time per

| Value | Label | Unweighted Frequency | % |
|-------|---|----------------------|-------------|
| 1 | One week | 757 | 10.5 % |
| 2 | Two weeks | 483 | 6.7 % |
| 3 | A month (4 weeks) | 523 | 7.3 % |
| 95 | Other (specify) | 115 | 1.6 % |
| | Missing Data | | |
| -1 | Not applicable or skipped due to routing patterns | 5311 | 73.7 % |
| 98 | Don't know | 13 | 0.2 % |
| 99 | Refused | 5 | 0.1 % |
| | Total | 7,207 | 100% |

Based upon 1,878 valid cases out of 7,207 total cases.

- Minimum: 1.00
- Maximum: 95.00

Location: 392-393 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -1 , 98 , 99

WE114: we114 - Before any deductions, about how much is [your/his/her] typical wage/sal

| Value | Label | Unweighted Frequency | % |
|-------|---------------|----------------------|-------|
| 1 | Less than 100 | 58 | 0.8 % |
| 2 | 100-199 | 107 | 1.5 % |

| Value | Label | Unweighted Frequency | % |
|-------|---|----------------------|-------------|
| 3 | 200-299 | 141 | 2.0 % |
| 4 | 300-399 | 135 | 1.9 % |
| 5 | 400-499 | 107 | 1.5 % |
| 6 | 500-599 | 101 | 1.4 % |
| 7 | 600-699 | 77 | 1.1 % |
| 8 | 700-799 | 81 | 1.1 % |
| 9 | 800-899 | 47 | 0.7 % |
| 10 | 900-999 | 41 | 0.6 % |
| 11 | 1,000-1,099 | 56 | 0.8 % |
| 12 | 1,100-1,199 | 36 | 0.5 % |
| 13 | 1,200-1,299 | 49 | 0.7 % |
| 14 | 1,300-1,399 | 26 | 0.4 % |
| 15 | 1,400-1,499 | 31 | 0.4 % |
| 16 | 1,500-1,999 | 110 | 1.5 % |
| 17 | 2,000-2,499 | 122 | 1.7 % |
| 18 | 2,500-2,999 | 76 | 1.1 % |
| 19 | 3,000-3,499 | 54 | 0.7 % |
| 20 | 3,500-3,999 | 33 | 0.5 % |
| 21 | 4,000-4,999 | 51 | 0.7 % |
| 22 | 5,000-5,999 | 43 | 0.6 % |
| 23 | 6,000-6,999 | 28 | 0.4 % |
| 24 | 7,000+ | 76 | 1.1 % |
| | Missing Data | | |
| -99 | Refused | 49 | 0.7 % |
| -98 | Don't know | 109 | 1.5 % |
| -1 | Not applicable or skipped due to routing patterns | 5363 | 74.4 % |
| | Total | 7,207 | 100% |

Based upon 1,686 valid cases out of 7,207 total cases.

- Minimum: 1.00
- Maximum: 24.00

Location: 394-396 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99 , -98 , -1

WE122: we122 - What is the total net amount, [you/he/she] [receive/receives] in [your/

| Value | Label | Unweighted Frequency | % |
|-------|---------------|----------------------|-------|
| 1 | Less than 100 | 68 | 0.9 % |
| 2 | 100-199 | 148 | 2.1 % |

| Value | Label | Unweighted Frequency | % |
|-------|---|----------------------|-------------|
| 3 | 200-299 | 161 | 2.2 % |
| 4 | 300-399 | 181 | 2.5 % |
| 5 | 400-499 | 134 | 1.9 % |
| 6 | 500-599 | 107 | 1.5 % |
| 7 | 600-699 | 84 | 1.2 % |
| 8 | 700-799 | 58 | 0.8 % |
| 9 | 800-899 | 63 | 0.9 % |
| 10 | 900-999 | 64 | 0.9 % |
| 11 | 1,000-1,099 | 56 | 0.8 % |
| 12 | 1,100-1,199 | 46 | 0.6 % |
| 13 | 1,200-1,299 | 71 | 1.0 % |
| 14 | 1,300-1,399 | 35 | 0.5 % |
| 15 | 1,400-1,499 | 36 | 0.5 % |
| 16 | 1,500-1,999 | 119 | 1.7 % |
| 17 | 2,000-2,499 | 68 | 0.9 % |
| 18 | 2,500-2,999 | 58 | 0.8 % |
| 19 | 3,000-3,499 | 48 | 0.7 % |
| 20 | 3,500-3,999 | 25 | 0.3 % |
| 21 | 4,000-4,999 | 34 | 0.5 % |
| 22 | 5,000+ | 52 | 0.7 % |
| | Missing Data | | |
| -99 | Refused | 52 | 0.7 % |
| -98 | Don't know | 76 | 1.1 % |
| -1 | Not applicable or skipped due to routing patterns | 5363 | 74.4 % |
| | Total | 7,207 | 100% |

Based upon 1,716 valid cases out of 7,207 total cases.

- Minimum: 1.00
- Maximum: 22.00

Location: 397-399 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99 , -98 , -1

GS001: gs001 - Now I would like to assess the strength of your hand in a gripping actio

| Value | Label | Unweighted Frequency | % |
|-------|----------------------------|----------------------|--------|
| 1 | Yes | 7031 | 97.6 % |
| 5 | No | 89 | 1.2 % |
| | Missing Data | | |
| 97 | Unable to take measurement | 87 | 1.2 % |

| Value | Label | Unweighted Frequency | % |
|-------|--------------|----------------------|-------------|
| | Total | 7,207 | 100% |

Based upon 7,120 valid cases out of 7,207 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 400-401 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97

GS005: gs005 - IWER: DOMINANT HAND MEASUREMENT. SAY: 'ONE, TWO, THREE, SQUEEZE!' Enter

| Value | Label | Unweighted Frequency | % |
|-------|-------|----------------------|-------|
| 0 | - | 5 | 0.1 % |
| 1 | - | 1 | 0.0 % |
| 2 | - | 7 | 0.1 % |
| 3 | - | 6 | 0.1 % |
| 4 | - | 6 | 0.1 % |
| 5 | - | 3 | 0.0 % |
| 6 | - | 3 | 0.0 % |
| 7 | - | 3 | 0.0 % |
| 8 | - | 29 | 0.4 % |
| 9 | - | 11 | 0.2 % |
| 10 | - | 46 | 0.6 % |
| 11 | - | 33 | 0.5 % |
| 12 | - | 94 | 1.3 % |
| 13 | - | 39 | 0.5 % |
| 14 | - | 108 | 1.5 % |
| 15 | - | 83 | 1.2 % |
| 16 | - | 161 | 2.2 % |
| 17 | - | 107 | 1.5 % |
| 18 | - | 256 | 3.6 % |
| 19 | - | 145 | 2.0 % |
| 20 | - | 334 | 4.6 % |
| 21 | - | 158 | 2.2 % |
| 22 | - | 402 | 5.6 % |
| 23 | - | 193 | 2.7 % |
| 24 | - | 329 | 4.6 % |
| 25 | - | 216 | 3.0 % |
| 26 | - | 292 | 4.1 % |

| Value | Label | Unweighted Frequency | % |
|-------|---|----------------------|-------------|
| 27 | - | 161 | 2.2 % |
| 28 | - | 347 | 4.8 % |
| 29 | - | 177 | 2.5 % |
| 30 | - | 339 | 4.7 % |
| 31 | - | 121 | 1.7 % |
| 32 | - | 262 | 3.6 % |
| 33 | - | 130 | 1.8 % |
| 34 | - | 169 | 2.3 % |
| 35 | - | 106 | 1.5 % |
| 36 | - | 171 | 2.4 % |
| 37 | - | 98 | 1.4 % |
| 38 | - | 231 | 3.2 % |
| 39 | - | 117 | 1.6 % |
| 40 | - | 213 | 3.0 % |
| 41 | - | 75 | 1.0 % |
| 42 | - | 145 | 2.0 % |
| 43 | - | 73 | 1.0 % |
| 44 | - | 108 | 1.5 % |
| 45 | - | 88 | 1.2 % |
| 46 | - | 84 | 1.2 % |
| 47 | - | 50 | 0.7 % |
| 48 | - | 84 | 1.2 % |
| 49 | - | 37 | 0.5 % |
| | Missing Data | | |
| -98 | Unable to record | 8 | 0.1 % |
| -1 | Not applicable or skipped due to routing patterns | 410 | 5.7 % |
| | Total | 7,207 | 100% |

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 6,789 valid cases out of 7,207 total cases.

- Mean: 29.38
- Median: 28.00
- Mode: 22.00
- Minimum: 0.00
- Maximum: 79.00
- Standard Deviation: 10.77

Location: 402-404 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -98 , -1

GS006: gs006 - IWER: NON-DOMINANT HAND MEASUREMENT. SAY: 'ONE, TWO, THREE, SQUEEZE!' E

| Value | Label | Unweighted Frequency | % |
|-------|-------|----------------------|-------|
| 2 | - | 1 | 0.0 % |
| 4 | - | 1 | 0.0 % |
| 8 | - | 3 | 0.0 % |
| 9 | - | 3 | 0.0 % |
| 10 | - | 1 | 0.0 % |
| 11 | - | 3 | 0.0 % |
| 12 | - | 2 | 0.0 % |
| 13 | - | 3 | 0.0 % |
| 14 | - | 7 | 0.1 % |
| 15 | - | 6 | 0.1 % |
| 16 | - | 9 | 0.1 % |
| 17 | - | 8 | 0.1 % |
| 18 | - | 13 | 0.2 % |
| 19 | - | 11 | 0.2 % |
| 20 | - | 13 | 0.2 % |
| 21 | - | 8 | 0.1 % |
| 22 | - | 14 | 0.2 % |
| 23 | - | 5 | 0.1 % |
| 24 | - | 5 | 0.1 % |
| 25 | - | 3 | 0.0 % |
| 26 | - | 7 | 0.1 % |
| 27 | - | 5 | 0.1 % |
| 28 | - | 9 | 0.1 % |
| 29 | - | 2 | 0.0 % |
| 30 | - | 7 | 0.1 % |
| 31 | - | 3 | 0.0 % |
| 32 | - | 12 | 0.2 % |
| 33 | - | 4 | 0.1 % |
| 34 | - | 2 | 0.0 % |
| 35 | - | 4 | 0.1 % |
| 36 | - | 1 | 0.0 % |
| 37 | - | 2 | 0.0 % |
| 38 | - | 7 | 0.1 % |
| 39 | - | 4 | 0.1 % |
| 40 | - | 2 | 0.0 % |
| 41 | - | 3 | 0.0 % |
| 42 | - | 5 | 0.1 % |

| Value | Label | Unweighted Frequency | % |
|---------------------|---|----------------------|-------------|
| 43 | - | 2 | 0.0 % |
| 44 | - | 1 | 0.0 % |
| 45 | - | 1 | 0.0 % |
| 46 | - | 3 | 0.0 % |
| 48 | - | 2 | 0.0 % |
| 49 | - | 1 | 0.0 % |
| 50 | - | 3 | 0.0 % |
| 51 | - | 1 | 0.0 % |
| 52 | - | 3 | 0.0 % |
| 53 | - | 1 | 0.0 % |
| 54 | - | 1 | 0.0 % |
| 55 | - | 2 | 0.0 % |
| Missing Data | | | |
| -1 | Not applicable or skipped due to routing patterns | 6988 | 97.0 % |
| Total | | 7,207 | 100% |

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 219 valid cases out of 7,207 total cases.

- Mean: 26.26
- Median: 23.00
- Mode: 22.00
- Minimum: 2.00
- Maximum: 55.00
- Standard Deviation: 11.24

Location: 405-407 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -98 , -1

GS007: gs007 - IWER: Record respondent's position.

| Value | Label | Unweighted Frequency | % |
|---------------------|---|----------------------|-------------|
| 1 | Standing without arm support | 6698 | 92.9 % |
| 2 | Sitting without arm support | 246 | 3.4 % |
| 3 | Standing with arm support | 39 | 0.5 % |
| 4 | Sitting with arm support | 33 | 0.5 % |
| Missing Data | | | |
| -1 | Not applicable or skipped due to routing patterns | 191 | 2.7 % |
| Total | | 7,207 | 100% |

Based upon 7,016 valid cases out of 7,207 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 408-409 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -1

TUG007: tug007 - IWER: RECORD HEIGHT OF CHAIR FROM THE SEAT TO THE GROUND TO NEAREST CM.

| Value | Label | Unweighted Frequency | % |
|-------|---|----------------------|-------------|
| 35 | - | 5 | 0.1 % |
| 36 | - | 22 | 0.3 % |
| 37 | - | 16 | 0.2 % |
| 38 | - | 15 | 0.2 % |
| 39 | - | 13 | 0.2 % |
| 40 | - | 60 | 0.8 % |
| 41 | - | 55 | 0.8 % |
| 42 | - | 131 | 1.8 % |
| 43 | - | 402 | 5.6 % |
| 44 | - | 684 | 9.5 % |
| 45 | - | 1344 | 18.6 % |
| 46 | - | 2118 | 29.4 % |
| 47 | - | 971 | 13.5 % |
| 48 | - | 615 | 8.5 % |
| 49 | - | 304 | 4.2 % |
| 50 | - | 236 | 3.3 % |
| 51 | - | 1 | 0.0 % |
| 55 | - | 1 | 0.0 % |
| 71 | - | 1 | 0.0 % |
| | Missing Data | | |
| -98 | Don't know | 1 | 0.0 % |
| -1 | Not applicable or skipped due to routing patterns | 212 | 2.9 % |
| | Total | 7,207 | 100% |

Based upon 6,994 valid cases out of 7,207 total cases.

- Mean: 45.77
- Median: 46.00
- Mode: 46.00
- Minimum: 35.00
- Maximum: 71.00
- Standard Deviation: 2.05

Location: 410-412 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -98 , -1

TUG009M: tug009m - IWER: Enter time taken to complete walk in minutes, seconds and centis

| Value | Label | Unweighted Frequency | % |
|-------|---|----------------------|-------------|
| 0 | - | 6976 | 96.8 % |
| 1 | - | 8 | 0.1 % |
| 2 | - | 2 | 0.0 % |
| 6 | - | 1 | 0.0 % |
| 7 | - | 1 | 0.0 % |
| 8 | - | 2 | 0.0 % |
| 9 | - | 2 | 0.0 % |
| 10 | - | 1 | 0.0 % |
| | Missing Data | | |
| -1 | Not applicable or skipped due to routing patterns | 214 | 3.0 % |
| | Total | 7,207 | 100% |

Based upon 6,993 valid cases out of 7,207 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 10.00
- Standard Deviation: 0.26

Location: 413-414 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -1

TUG009S: tug009s - IWER: Enter time taken to complete walk in minutes, seconds and centis

| Value | Label | Unweighted Frequency | % |
|-------|-------|----------------------|--------|
| 2 | - | 1 | 0.0 % |
| 3 | - | 1 | 0.0 % |
| 4 | - | 6 | 0.1 % |
| 5 | - | 65 | 0.9 % |
| 6 | - | 443 | 6.1 % |
| 7 | - | 1124 | 15.6 % |
| 8 | - | 1561 | 21.7 % |
| 9 | - | 1369 | 19.0 % |
| 10 | - | 857 | 11.9 % |
| 11 | - | 510 | 7.1 % |
| 12 | - | 306 | 4.2 % |
| 13 | - | 200 | 2.8 % |
| 14 | - | 136 | 1.9 % |
| 15 | - | 77 | 1.1 % |

| Value | Label | Unweighted Frequency | % |
|-------|---|----------------------|-------------|
| 16 | - | 65 | 0.9 % |
| 17 | - | 41 | 0.6 % |
| 18 | - | 36 | 0.5 % |
| 19 | - | 36 | 0.5 % |
| 20 | - | 34 | 0.5 % |
| 21 | - | 23 | 0.3 % |
| 22 | - | 20 | 0.3 % |
| 23 | - | 11 | 0.2 % |
| 24 | - | 6 | 0.1 % |
| 25 | - | 8 | 0.1 % |
| 26 | - | 5 | 0.1 % |
| 27 | - | 5 | 0.1 % |
| 28 | - | 4 | 0.1 % |
| 29 | - | 3 | 0.0 % |
| 30 | - | 3 | 0.0 % |
| 31 | - | 2 | 0.0 % |
| 32 | - | 2 | 0.0 % |
| 33 | - | 1 | 0.0 % |
| 34 | - | 3 | 0.0 % |
| 35 | - | 5 | 0.1 % |
| 36 | - | 3 | 0.0 % |
| 37 | - | 1 | 0.0 % |
| 38 | - | 1 | 0.0 % |
| 39 | - | 1 | 0.0 % |
| 41 | - | 4 | 0.1 % |
| 42 | - | 1 | 0.0 % |
| 43 | - | 2 | 0.0 % |
| 44 | - | 1 | 0.0 % |
| 45 | - | 3 | 0.0 % |
| 46 | - | 1 | 0.0 % |
| 48 | - | 2 | 0.0 % |
| 51 | - | 1 | 0.0 % |
| 53 | - | 1 | 0.0 % |
| 55 | - | 1 | 0.0 % |
| 58 | - | 1 | 0.0 % |
| | Missing Data | | |
| -1 | Not applicable or skipped due to routing patterns | 214 | 3.0 % |
| | Total | 7,207 | 100% |

Based upon 6,993 valid cases out of 7,207 total cases.

- Mean: 9.51
- Median: 9.00
- Mode: 8.00
- Minimum: 2.00
- Maximum: 58.00
- Standard Deviation: 3.74

Location: 415-416 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -1

TUG009C: tug009c - IWER: Enter time taken to complete walk in minutes, seconds and centis

| Value | Label | Unweighted Frequency | % |
|-------|-------|----------------------|-------|
| 0 | - | 197 | 2.7 % |
| 1 | - | 33 | 0.5 % |
| 2 | - | 51 | 0.7 % |
| 3 | - | 155 | 2.2 % |
| 4 | - | 58 | 0.8 % |
| 5 | - | 61 | 0.8 % |
| 6 | - | 143 | 2.0 % |
| 7 | - | 76 | 1.1 % |
| 8 | - | 26 | 0.4 % |
| 9 | - | 140 | 1.9 % |
| 10 | - | 94 | 1.3 % |
| 11 | - | 22 | 0.3 % |
| 12 | - | 122 | 1.7 % |
| 13 | - | 75 | 1.0 % |
| 14 | - | 19 | 0.3 % |
| 15 | - | 95 | 1.3 % |
| 16 | - | 99 | 1.4 % |
| 17 | - | 13 | 0.2 % |
| 18 | - | 51 | 0.7 % |
| 19 | - | 133 | 1.8 % |
| 20 | - | 45 | 0.6 % |
| 21 | - | 34 | 0.5 % |
| 22 | - | 158 | 2.2 % |
| 23 | - | 24 | 0.3 % |
| 24 | - | 15 | 0.2 % |
| 25 | - | 216 | 3.0 % |
| 26 | - | 9 | 0.1 % |
| 27 | - | 25 | 0.3 % |

| Value | Label | Unweighted Frequency | % |
|-------|---|----------------------|-------------|
| 28 | - | 142 | 2.0 % |
| 29 | - | 28 | 0.4 % |
| 30 | - | 29 | 0.4 % |
| 31 | - | 146 | 2.0 % |
| 32 | - | 64 | 0.9 % |
| 33 | - | 12 | 0.2 % |
| 34 | - | 155 | 2.2 % |
| 35 | - | 69 | 1.0 % |
| 36 | - | 12 | 0.2 % |
| 37 | - | 95 | 1.3 % |
| 38 | - | 91 | 1.3 % |
| 39 | - | 17 | 0.2 % |
| 40 | - | 93 | 1.3 % |
| 41 | - | 115 | 1.6 % |
| 42 | - | 19 | 0.3 % |
| 43 | - | 58 | 0.8 % |
| 44 | - | 140 | 1.9 % |
| 45 | - | 24 | 0.3 % |
| 46 | - | 42 | 0.6 % |
| 47 | - | 193 | 2.7 % |
| 48 | - | 13 | 0.2 % |
| 49 | - | 16 | 0.2 % |
| | Missing Data | | |
| -1 | Not applicable or skipped due to routing patterns | 214 | 3.0 % |
| | Total | 7,207 | 100% |

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 6,993 valid cases out of 7,207 total cases.

- Mean: 45.78
- Median: 45.00
- Mode: 25.00
- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 28.59

Location: 417-418 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -1

CN003: cn003 - In general, how many other relatives do you have that you feel close to?

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 0 | - | 693 | 9.6 % |
| 1 | - | 1078 | 15.0 % |
| 2 | - | 1271 | 17.6 % |
| 3 | - | 1049 | 14.6 % |
| 4 | - | 826 | 11.5 % |
| 5 | - | 599 | 8.3 % |
| 6 | - | 483 | 6.7 % |
| 7 | - | 226 | 3.1 % |
| 8 | - | 171 | 2.4 % |
| 9 | - | 84 | 1.2 % |
| 10 | - | 313 | 4.3 % |
| 11 | - | 28 | 0.4 % |
| 12 | - | 113 | 1.6 % |
| 13 | - | 8 | 0.1 % |
| 14 | - | 15 | 0.2 % |
| 15 | - | 56 | 0.8 % |
| 16 | - | 6 | 0.1 % |
| 18 | - | 3 | 0.0 % |
| 19 | - | 4 | 0.1 % |
| 20 | - | 147 | 2.0 % |
| | Missing Data | | |
| -99 | Refused | 1 | 0.0 % |
| -98 | Don't know | 33 | 0.5 % |
| | Total | 7,207 | 100% |

Based upon 7,173 valid cases out of 7,207 total cases.

- Mean: 4.01
- Median: 3.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 20.00
- Standard Deviation: 3.83

Location: 419-421 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99 , -98

CN004: cn004 - In general, how many close friends do you have?

| Value | Label | Unweighted Frequency | % |
|-------|-------|----------------------|--------|
| 0 | - | 848 | 11.8 % |
| 1 | - | 689 | 9.6 % |

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 2 | - | 1171 | 16.2 % |
| 3 | - | 1083 | 15.0 % |
| 4 | - | 955 | 13.3 % |
| 5 | - | 769 | 10.7 % |
| 6 | - | 681 | 9.4 % |
| 7 | - | 134 | 1.9 % |
| 8 | - | 141 | 2.0 % |
| 9 | - | 34 | 0.5 % |
| 10 | - | 386 | 5.4 % |
| 11 | - | 2 | 0.0 % |
| 12 | - | 98 | 1.4 % |
| 13 | - | 1 | 0.0 % |
| 14 | - | 7 | 0.1 % |
| 15 | - | 38 | 0.5 % |
| 16 | - | 4 | 0.1 % |
| 20 | - | 138 | 1.9 % |
| | Missing Data | | |
| -99 | Refused | 4 | 0.1 % |
| -98 | Don't know | 24 | 0.3 % |
| | Total | 7,207 | 100% |

Based upon 7,179 valid cases out of 7,207 total cases.

- Mean: 4.03
- Median: 3.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 20.00
- Standard Deviation: 3.64

Location: 422-424 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99 , -98

CN001: cn001 - Do you participate in any groups such as a sports or social group or clu

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 1 | Yes | 3763 | 52.2 % |
| 5 | No | 3442 | 47.8 % |
| | Missing Data | | |
| 98 | Don't know | 1 | 0.0 % |
| 99 | Refused | 1 | 0.0 % |
| | Total | 7,207 | 100% |

Based upon 7,205 valid cases out of 7,207 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 425-426 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98 , 99

SI301_01: [si301_01] si301 - Did [you/he/she] receive any of these payments in the last 12 months?

| Value | Label | Unweighted Frequency | % |
|-------|---|----------------------|-------------|
| 0 | NOT Contributory State Pension (previously known as Contributory Old Age Pension) | 5329 | 73.9 % |
| 1 | Contributory State Pension (previously known as Contributory Old Age Pension) | 1878 | 26.1 % |
| | Total | 7,207 | 100% |

Based upon 7,207 valid cases out of 7,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 427-427 (width: 1; decimal: 0)

Variable Type: numeric

SI301_02: [si301_02] si301 - Did [you/he/she] receive any of these payments in the last 12 months?

| Value | Label | Unweighted Frequency | % |
|-------|--|----------------------|-------------|
| 0 | NOT Non-Contributory State Pension (previously known as Non-Contributory Old Age | 6630 | 92.0 % |
| 1 | Non-Contributory State Pension (previously known as Non-Contributory Old Age Pen | 577 | 8.0 % |
| | Total | 7,207 | 100% |

Based upon 7,207 valid cases out of 7,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 428-428 (width: 1; decimal: 0)

Variable Type: numeric

SI326_01: [si326_01] si326 - Did [you/he/she] receive any of these types of benefits in the last 12 m

| Value | Label | Unweighted Frequency | % |
|-------|-----------------|----------------------|-------------|
| 0 | NOT Free travel | 3573 | 49.6 % |
| 1 | Free travel | 3634 | 50.4 % |
| | Total | 7,207 | 100% |

Based upon 7,207 valid cases out of 7,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 429-429 (width: 1; decimal: 0)

Variable Type: numeric

SI326_02: [si326_02] si326 - Did [you/he/she] receive any of these types of benefits in the last 12 m

| Value | Label | Unweighted Frequency | % |
|-------|-----------------------------|----------------------|-------------|
| 0 | NOT Free Television Licence | 4158 | 57.7 % |
| 1 | Free Television Licence | 3049 | 42.3 % |
| | Total | 7,207 | 100% |

Based upon 7,207 valid cases out of 7,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 430-430 (width: 1; decimal: 0)

Variable Type: numeric

SI326_03: [si326_03] si326 - Did [you/he/she] receive any of these types of benefits in the last 12 m

| Value | Label | Unweighted Frequency | % |
|-------|--------------------------------|----------------------|-------------|
| 0 | NOT Telephone Rental Allowance | 4278 | 59.4 % |
| 1 | Telephone Rental Allowance | 2929 | 40.6 % |
| | Total | 7,207 | 100% |

Based upon 7,207 valid cases out of 7,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 431-431 (width: 1; decimal: 0)

Variable Type: numeric

SI326_04: [si326_04] si326 - Did [you/he/she] receive any of these types of benefits in the last 12 m

| Value | Label | Unweighted Frequency | % |
|-------|--------------------------------|----------------------|-------------|
| 0 | NOT Free Electricity Allowance | 4464 | 61.9 % |
| 1 | Free Electricity Allowance | 2743 | 38.1 % |
| | Total | 7,207 | 100% |

Based upon 7,207 valid cases out of 7,207 total cases.

- Minimum: 0.00

- Maximum: 1.00

Location: 432-432 (width: 1; decimal: 0)

Variable Type: numeric

SI326_96: [si326_96] si326 - Did [you/he/she] receive any of these types of benefits in the last 12 m

| Value | Label | Unweighted Frequency | % |
|-------|-------------------|----------------------|-------------|
| 0 | NOT None of these | 3690 | 51.2 % |
| 1 | None of these | 3517 | 48.8 % |
| | Total | 7,207 | 100% |

Based upon 7,207 valid cases out of 7,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 433-433 (width: 1; decimal: 0)

Variable Type: numeric

SI326_98: [si326_98] si326 - Did [you/he/she] receive any of these types of benefits in the last 12 m

| Value | Label | Unweighted Frequency | % |
|-------|----------------|----------------------|-------------|
| 0 | NOT Don't know | 7203 | 99.9 % |
| 1 | Don't know | 4 | 0.1 % |
| | Total | 7,207 | 100% |

Based upon 7,207 valid cases out of 7,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 434-434 (width: 1; decimal: 0)

Variable Type: numeric

SI326_99: [si326_99] si326 - Did [you/he/she] receive any of these types of benefits in the last 12 m

| Value | Label | Unweighted Frequency | % |
|-------|--------------|----------------------|-------------|
| 0 | NOT Refused | 7204 | 100.0 % |
| 1 | Refused | 3 | 0.0 % |
| | Total | 7,207 | 100% |

Based upon 7,207 valid cases out of 7,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 435-435 (width: 1; decimal: 0)

Variable Type: numeric

SI403: si403 - Did [you/he/she] receive any payments from other sources, such as other

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 1 | Yes | 255 | 3.5 % |
| 5 | No | 6940 | 96.3 % |
| | Missing Data | | |
| 98 | Don't know | 2 | 0.0 % |
| 99 | Refused | 10 | 0.1 % |
| | Total | 7,207 | 100% |

Based upon 7,195 valid cases out of 7,207 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 436-437 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98 , 99

SI405: si405 - [Have/Has] [you/he/she] had any income tax directly refunded by the Reve

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 1 | Yes | 793 | 11.0 % |
| 5 | No | 6384 | 88.6 % |
| | Missing Data | | |
| 98 | Don't know | 21 | 0.3 % |
| 99 | Refused | 9 | 0.1 % |
| | Total | 7,207 | 100% |

Based upon 7,177 valid cases out of 7,207 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 438-439 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98 , 99

AS101: as101 - If [you/he/she] added up all the deposit or saving accounts [you/he/she]

| Value | Label | Unweighted Frequency | % |
|-------|-------------------|----------------------|--------|
| 0 | UNDOCUMENTED CODE | 1081 | 15.0 % |
| 1 | 1-9,999 | 921 | 12.8 % |
| 2 | 10,000-49,999 | 1114 | 15.5 % |
| 3 | 50,000-99,999 | 402 | 5.6 % |

| Value | Label | Unweighted Frequency | % |
|-------|---|----------------------|-------------|
| 4 | 100,000+ | 516 | 7.2 % |
| | Missing Data | | |
| -99 | Refused | 572 | 7.9 % |
| -98 | Don't know | 806 | 11.2 % |
| -1 | Not applicable or skipped due to routing patterns | 1795 | 24.9 % |
| | Total | 7,207 | 100% |

Based upon 4,034 valid cases out of 7,207 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 440-442 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99 , -98 , -1

AS118: AS118 - Did it amount to a total of less than XXXXX, more than YYYYY, or what?

| Value | Label | Unweighted Frequency | % |
|-------|---|----------------------|-------------|
| 1 | Less than E10,000 | 336 | 4.7 % |
| 2 | More than E10,000 but less than E20,000 | 143 | 2.0 % |
| 3 | More than E20,000 | 239 | 3.3 % |
| | Missing Data | | |
| -1 | Not applicable or skipped due to routing patterns | 5829 | 80.9 % |
| 98 | Don't know | 246 | 3.4 % |
| 99 | Refused | 414 | 5.7 % |
| | Total | 7,207 | 100% |

Based upon 718 valid cases out of 7,207 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 443-444 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -1 , 98 , 99

AS103: as103 - Think of other financial assets [you/he/she] might currently own, such a

| Value | Label | Unweighted Frequency | % |
|-------|-------------------|----------------------|--------|
| 0 | UNDOCUMENTED CODE | 3911 | 54.3 % |
| 1 | 1-9,999 | 264 | 3.7 % |
| 2 | 10,000-49,999 | 328 | 4.6 % |
| 3 | 50,000-99,999 | 135 | 1.9 % |
| 4 | 100,000+ | 230 | 3.2 % |

| Value | Label | Unweighted Frequency | % |
|-------|---|----------------------|-------------|
| | Missing Data | | |
| -99 | Refused | 177 | 2.5 % |
| -98 | Don't know | 367 | 5.1 % |
| -1 | Not applicable or skipped due to routing patterns | 1795 | 24.9 % |
| | Total | 7,207 | 100% |

Based upon 4,868 valid cases out of 7,207 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 445-447 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99 , -98 , -1

AS104: AS104 - Did it amount to a total of less than XXXXX, more than YYYYY, or what?

| Value | Label | Unweighted Frequency | % |
|-------|---|----------------------|-------------|
| 1 | Less than E10,000 | 92 | 1.3 % |
| 2 | More than E10,000 but less than E20,000 | 31 | 0.4 % |
| 3 | More than E20,000 | 82 | 1.1 % |
| | Missing Data | | |
| -1 | Not applicable or skipped due to routing patterns | 6663 | 92.5 % |
| 98 | Don't know | 168 | 2.3 % |
| 99 | Refused | 171 | 2.4 % |
| | Total | 7,207 | 100% |

Based upon 205 valid cases out of 7,207 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 448-449 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -1 , 98 , 99

AS106: as106 - [Do/Does] [you/he/she] own one or more cars?

| Value | Label | Unweighted Frequency | % |
|-------|---|----------------------|--------|
| 1 | Yes | 4404 | 61.1 % |
| 5 | No | 1004 | 13.9 % |
| | Missing Data | | |
| -1 | Not applicable or skipped due to routing patterns | 1795 | 24.9 % |
| 98 | Don't know | 1 | 0.0 % |
| 99 | Refused | 3 | 0.0 % |

| Value | Label | Unweighted Frequency | % |
|-------|--------------|----------------------|-------------|
| | Total | 7,207 | 100% |

Based upon 5,408 valid cases out of 7,207 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 450-451 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -1 , 98 , 99

EX108: ex108 - What are the chances that you will lose your job during the next year?

| Value | Label | Unweighted Frequency | % |
|-------|---|----------------------|-------------|
| 0 | - | 1102 | 15.3 % |
| 1 | - | 21 | 0.3 % |
| 2 | - | 6 | 0.1 % |
| 3 | - | 1 | 0.0 % |
| 5 | - | 26 | 0.4 % |
| 6 | - | 1 | 0.0 % |
| 7 | - | 1 | 0.0 % |
| 10 | - | 90 | 1.2 % |
| 15 | - | 4 | 0.1 % |
| 20 | - | 58 | 0.8 % |
| 25 | - | 17 | 0.2 % |
| 30 | - | 23 | 0.3 % |
| 40 | - | 11 | 0.2 % |
| 50 | - | 164 | 2.3 % |
| 60 | - | 11 | 0.2 % |
| 70 | - | 8 | 0.1 % |
| 75 | - | 8 | 0.1 % |
| 80 | - | 14 | 0.2 % |
| 90 | - | 10 | 0.1 % |
| 95 | - | 1 | 0.0 % |
| 100 | - | 65 | 0.9 % |
| | Missing Data | | |
| -99 | Refused | 1 | 0.0 % |
| -98 | Don't know | 40 | 0.6 % |
| -1 | Not applicable or skipped due to routing patterns | 5524 | 76.6 % |
| | Total | 7,207 | 100% |

Based upon 1,642 valid cases out of 7,207 total cases.

- Mean: 13.70
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 100.00
- Standard Deviation: 26.34

Location: 452-454 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99 , -98 , -1

EX109: ex109 - Suppose you were to lose your job this month. What do you think are the

| Value | Label | Unweighted Frequency | % |
|-------|---|----------------------|-------------|
| 0 | - | 989 | 13.7 % |
| 1 | - | 13 | 0.2 % |
| 2 | - | 7 | 0.1 % |
| 3 | - | 1 | 0.0 % |
| 5 | - | 40 | 0.6 % |
| 8 | - | 1 | 0.0 % |
| 10 | - | 93 | 1.3 % |
| 15 | - | 7 | 0.1 % |
| 20 | - | 53 | 0.7 % |
| 25 | - | 16 | 0.2 % |
| 30 | - | 26 | 0.4 % |
| 35 | - | 1 | 0.0 % |
| 40 | - | 19 | 0.3 % |
| 45 | - | 1 | 0.0 % |
| 50 | - | 170 | 2.4 % |
| 60 | - | 16 | 0.2 % |
| 70 | - | 18 | 0.2 % |
| 75 | - | 21 | 0.3 % |
| 80 | - | 33 | 0.5 % |
| 85 | - | 5 | 0.1 % |
| 90 | - | 20 | 0.3 % |
| 95 | - | 2 | 0.0 % |
| 98 | - | 1 | 0.0 % |
| 99 | - | 1 | 0.0 % |
| 100 | - | 105 | 1.5 % |
| | Missing Data | | |
| -99 | Refused | 2 | 0.0 % |
| -98 | Don't know | 22 | 0.3 % |
| -1 | Not applicable or skipped due to routing patterns | 5524 | 76.6 % |
| | Total | 7,207 | 100% |

Based upon 1,659 valid cases out of 7,207 total cases.

- Mean: 19.53
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 100.00
- Standard Deviation: 31.58

Location: 455-457 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99 , -98 , -1

EX110: ex110 - What are the chances that five years from now your standard of living wi

| Value | Label | Unweighted Frequency | % |
|-------|-------|----------------------|--------|
| 0 | - | 4138 | 57.4 % |
| 1 | - | 28 | 0.4 % |
| 2 | - | 11 | 0.2 % |
| 3 | - | 5 | 0.1 % |
| 4 | - | 1 | 0.0 % |
| 5 | - | 90 | 1.2 % |
| 6 | - | 1 | 0.0 % |
| 7 | - | 1 | 0.0 % |
| 8 | - | 3 | 0.0 % |
| 9 | - | 1 | 0.0 % |
| 10 | - | 263 | 3.6 % |
| 15 | - | 16 | 0.2 % |
| 20 | - | 235 | 3.3 % |
| 25 | - | 59 | 0.8 % |
| 27 | - | 1 | 0.0 % |
| 30 | - | 84 | 1.2 % |
| 33 | - | 1 | 0.0 % |
| 35 | - | 6 | 0.1 % |
| 40 | - | 89 | 1.2 % |
| 45 | - | 4 | 0.1 % |
| 50 | - | 1141 | 15.8 % |
| 51 | - | 3 | 0.0 % |
| 55 | - | 7 | 0.1 % |
| 60 | - | 108 | 1.5 % |
| 65 | - | 7 | 0.1 % |
| 66 | - | 1 | 0.0 % |
| 70 | - | 58 | 0.8 % |
| 75 | - | 59 | 0.8 % |

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 80 | - | 76 | 1.1 % |
| 85 | - | 5 | 0.1 % |
| 90 | - | 26 | 0.4 % |
| 95 | - | 4 | 0.1 % |
| 99 | - | 7 | 0.1 % |
| 100 | - | 323 | 4.5 % |
| | Missing Data | | |
| -99 | Refused | 6 | 0.1 % |
| -98 | Don't know | 339 | 4.7 % |
| | Total | 7,207 | 100% |

Based upon 6,862 valid cases out of 7,207 total cases.

- Mean: 19.15
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 100.00
- Standard Deviation: 29.25

Location: 458-460 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -99 , -98

EX112: ex112 - Using the same scale, including property and other valuables, what are t

| Value | Label | Unweighted Frequency | % |
|-------|-------|----------------------|--------|
| 0 | - | 888 | 12.3 % |
| 1 | - | 15 | 0.2 % |
| 2 | - | 2 | 0.0 % |
| 3 | - | 1 | 0.0 % |
| 5 | - | 11 | 0.2 % |
| 6 | - | 1 | 0.0 % |
| 7 | - | 1 | 0.0 % |
| 8 | - | 1 | 0.0 % |
| 9 | - | 2 | 0.0 % |
| 10 | - | 53 | 0.7 % |
| 20 | - | 33 | 0.5 % |
| 25 | - | 9 | 0.1 % |
| 30 | - | 14 | 0.2 % |
| 40 | - | 3 | 0.0 % |
| 50 | - | 284 | 3.9 % |
| 60 | - | 28 | 0.4 % |

| Value | Label | Unweighted Frequency | % |
|-------|---|----------------------|-------------|
| 65 | - | 1 | 0.0 % |
| 70 | - | 26 | 0.4 % |
| 75 | - | 26 | 0.4 % |
| 80 | - | 75 | 1.0 % |
| 85 | - | 3 | 0.0 % |
| 90 | - | 66 | 0.9 % |
| 94 | - | 1 | 0.0 % |
| 95 | - | 20 | 0.3 % |
| 98 | - | 1 | 0.0 % |
| 99 | - | 74 | 1.0 % |
| 100 | - | 3575 | 49.6 % |
| | Missing Data | | |
| -99 | Refused | 22 | 0.3 % |
| -98 | Don't know | 176 | 2.4 % |
| -1 | Not applicable or skipped due to routing patterns | 1795 | 24.9 % |
| | Total | 7,207 | 100% |

Based upon 5,214 valid cases out of 7,207 total cases.

- Mean: 76.89
- Median: 100.00
- Mode: 100.00
- Minimum: 0.00
- Maximum: 100.00
- Standard Deviation: 39.21

Location: 461-463 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99 , -98 , -1

EX113: ex113 - Using the same scale, what are the chances that you will leave an inheri

| Value | Label | Unweighted Frequency | % |
|-------|-------|----------------------|-------|
| 0 | - | 692 | 9.6 % |
| 1 | - | 11 | 0.2 % |
| 2 | - | 2 | 0.0 % |
| 3 | - | 2 | 0.0 % |
| 5 | - | 18 | 0.2 % |
| 7 | - | 1 | 0.0 % |
| 8 | - | 1 | 0.0 % |
| 9 | - | 5 | 0.1 % |
| 10 | - | 74 | 1.0 % |
| 15 | - | 2 | 0.0 % |

| Value | Label | Unweighted Frequency | % |
|-------|---|----------------------|-------------|
| 20 | - | 72 | 1.0 % |
| 25 | - | 22 | 0.3 % |
| 30 | - | 24 | 0.3 % |
| 35 | - | 1 | 0.0 % |
| 40 | - | 25 | 0.3 % |
| 50 | - | 343 | 4.8 % |
| 60 | - | 24 | 0.3 % |
| 65 | - | 1 | 0.0 % |
| 70 | - | 40 | 0.6 % |
| 75 | - | 32 | 0.4 % |
| 80 | - | 65 | 0.9 % |
| 85 | - | 3 | 0.0 % |
| 90 | - | 60 | 0.8 % |
| 94 | - | 1 | 0.0 % |
| 95 | - | 19 | 0.3 % |
| 99 | - | 51 | 0.7 % |
| 100 | - | 2541 | 35.3 % |
| | Missing Data | | |
| -99 | Refused | 10 | 0.1 % |
| -98 | Don't know | 184 | 2.6 % |
| -1 | Not applicable or skipped due to routing patterns | 2881 | 40.0 % |
| | Total | 7,207 | 100% |

Based upon 4,132 valid cases out of 7,207 total cases.

- Mean: 72.71
- Median: 100.00
- Mode: 100.00
- Minimum: 0.00
- Maximum: 100.00
- Standard Deviation: 39.99

Location: 464-466 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99 , -98 , -1

EX114: ex114 - Using the same scale, what are the chances that you will leave any inher

| Value | Label | Unweighted Frequency | % |
|-------|-------|----------------------|-------|
| 0 | - | 483 | 6.7 % |
| 1 | - | 5 | 0.1 % |
| 2 | - | 2 | 0.0 % |
| 3 | - | 1 | 0.0 % |

| Value | Label | Unweighted Frequency | % |
|-------|---|----------------------|-------------|
| 5 | - | 13 | 0.2 % |
| 7 | - | 1 | 0.0 % |
| 8 | - | 1 | 0.0 % |
| 9 | - | 3 | 0.0 % |
| 10 | - | 52 | 0.7 % |
| 15 | - | 1 | 0.0 % |
| 20 | - | 30 | 0.4 % |
| 25 | - | 8 | 0.1 % |
| 30 | - | 9 | 0.1 % |
| 40 | - | 7 | 0.1 % |
| 50 | - | 203 | 2.8 % |
| 60 | - | 10 | 0.1 % |
| 70 | - | 14 | 0.2 % |
| 75 | - | 14 | 0.2 % |
| 76 | - | 1 | 0.0 % |
| 80 | - | 19 | 0.3 % |
| 90 | - | 42 | 0.6 % |
| 94 | - | 1 | 0.0 % |
| 95 | - | 17 | 0.2 % |
| 96 | - | 1 | 0.0 % |
| 99 | - | 63 | 0.9 % |
| 100 | - | 4129 | 57.3 % |
| | Missing Data | | |
| -99 | Refused | 19 | 0.3 % |
| -98 | Don't know | 263 | 3.6 % |
| -1 | Not applicable or skipped due to routing patterns | 1795 | 24.9 % |
| | Total | 7,207 | 100% |

Based upon 5,130 valid cases out of 7,207 total cases.

- Mean: 85.98
- Median: 100.00
- Mode: 100.00
- Minimum: 0.00
- Maximum: 100.00
- Standard Deviation: 32.30

Location: 467-469 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99 , -98 , -1

IN_CAPI: in_capi

| Value | Label | Unweighted Frequency | % |
|-------|--------------|----------------------|-------------|
| 1 | - | 7207 | 100.0 % |
| | Total | 7,207 | 100% |

Based upon 7,207 valid cases out of 7,207 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

Location: 470-470 (width: 1; decimal: 0)

Variable Type: numeric

MEDCARD: Resp has a medical card or GP visit card

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 0 | No | 3496 | 48.5 % |
| 1 | Yes | 3683 | 51.1 % |
| | Missing Data | | |
| 98 | Don't know | 26 | 0.4 % |
| 99 | Refused | 2 | 0.0 % |
| | Total | 7,207 | 100% |

Based upon 7,179 valid cases out of 7,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 471-472 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98 , 99

HEALTH_INS: Resp has a private medical insurance cover

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 0 | No | 3007 | 41.7 % |
| 1 | Yes | 4192 | 58.2 % |
| | Missing Data | | |
| 98 | Don't know | 7 | 0.1 % |
| 99 | Refused | 1 | 0.0 % |
| | Total | 7,207 | 100% |

Based upon 7,199 valid cases out of 7,207 total cases.

- Minimum: 0.00

- Maximum: 1.00

Location: 473-474 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98 , 99

RETIRED: Are you currently retired

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 0 | No | 4279 | 59.4 % |
| 1 | Yes | 2878 | 39.9 % |
| | Missing Data | | |
| . | - | 50 | 0.7 % |
| | Total | 7,207 | 100% |

Based upon 7,157 valid cases out of 7,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 475-476 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98 , 99 , .

EMPLOY: Are you currently employed/self-employed?

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 0 | No | 4312 | 59.8 % |
| 1 | Yes | 2432 | 33.7 % |
| | Missing Data | | |
| . | - | 463 | 6.4 % |
| | Total | 7,207 | 100% |

Based upon 6,744 valid cases out of 7,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 477-478 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98 , 99 , .

EDU_LEVEL: Current education level - DM001, DM001a & DM025

| Value | Label | Unweighted Frequency | % |
|-------|---|----------------------|--------|
| 1 | Some primary (not complete) | 208 | 2.9 % |
| 2 | Primary or equivalent | 1739 | 24.1 % |
| 3 | Intermediate/junior/group certificate or equivalent | 1648 | 22.9 % |

| Value | Label | Unweighted Frequency | % |
|-------|-----------------------------------|----------------------|-------------|
| 4 | Leaving certificate or equivalent | 1227 | 17.0 % |
| 5 | Diploma/certificate | 1295 | 18.0 % |
| 6 | Primary degree | 641 | 8.9 % |
| 7 | Postgraduate/higher degree | 423 | 5.9 % |
| | Missing Data | | |
| 98 | Don't know | 2 | 0.0 % |
| 99 | Refused | 1 | 0.0 % |
| . | - | 23 | 0.3 % |
| | Total | 7,207 | 100% |

Based upon 7,181 valid cases out of 7,207 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 479-480 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98 , 99 , .

ICD10_01: Incident cases: Certain infectious + parasitic diseases

| Value | Label | Unweighted Frequency | % |
|-------|--------------|----------------------|-------------|
| 0 | - | 7207 | 100.0 % |
| | Total | 7,207 | 100% |

Based upon 7,207 valid cases out of 7,207 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

Location: 481-481 (width: 1; decimal: 0)

Variable Type: numeric

ICD10_02: Incident cases: Neoplasms

| Value | Label | Unweighted Frequency | % |
|-------|--------------|----------------------|-------------|
| 0 | - | 7085 | 98.3 % |
| 1 | - | 122 | 1.7 % |
| | Total | 7,207 | 100% |

Based upon 7,207 valid cases out of 7,207 total cases.

- Mean: 0.02

- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.13

Location: 482-482 (width: 1; decimal: 0)

Variable Type: numeric

ICD10_03: Incident cases:Diseases of the blood

| Value | Label | Unweighted Frequency | % |
|-------|--------------|----------------------|-------------|
| 0 | - | 7207 | 100.0 % |
| | Total | 7,207 | 100% |

Based upon 7,207 valid cases out of 7,207 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

Location: 483-483 (width: 1; decimal: 0)

Variable Type: numeric

ICD10_04: Incident cases:Endocrine, nutritional + metabolic diseases

| Value | Label | Unweighted Frequency | % |
|-------|--------------|----------------------|-------------|
| 0 | - | 6081 | 84.4 % |
| 1 | - | 1126 | 15.6 % |
| | Total | 7,207 | 100% |

Based upon 7,207 valid cases out of 7,207 total cases.

- Mean: 0.16
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.36

Location: 484-484 (width: 1; decimal: 0)

Variable Type: numeric

ICD10_05: Incident cases:Mental + behavioural disorders

| Value | Label | Unweighted Frequency | % |
|-------|-------|----------------------|--------|
| 0 | - | 7006 | 97.2 % |
| 1 | - | 201 | 2.8 % |

| Value | Label | Unweighted Frequency | % |
|-------|--------------|----------------------|-------------|
| | Total | 7,207 | 100% |

Based upon 7,207 valid cases out of 7,207 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.16

Location: 485-485 (width: 1; decimal: 0)

Variable Type: numeric

ICD10_06: Incident cases:Diseases of the nervous system

| Value | Label | Unweighted Frequency | % |
|-------|--------------|----------------------|-------------|
| 0 | - | 7129 | 98.9 % |
| 1 | - | 78 | 1.1 % |
| | Total | 7,207 | 100% |

Based upon 7,207 valid cases out of 7,207 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

Location: 486-486 (width: 1; decimal: 0)

Variable Type: numeric

ICD10_07: Incident cases:Diseases of the eye + adnexa

| Value | Label | Unweighted Frequency | % |
|-------|--------------|----------------------|-------------|
| 0 | - | 6547 | 90.8 % |
| 1 | - | 660 | 9.2 % |
| | Total | 7,207 | 100% |

Based upon 7,207 valid cases out of 7,207 total cases.

- Mean: 0.09
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.29

Location: 487-487 (width: 1; decimal: 0)

Variable Type: numeric

ICD10_08: Incident cases:Diseases of the ear + mastoid process

| Value | Label | Unweighted Frequency | % |
|-------|--------------|----------------------|-------------|
| 0 | - | 7207 | 100.0 % |
| | Total | 7,207 | 100% |

Based upon 7,207 valid cases out of 7,207 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

Location: 488-488 (width: 1; decimal: 0)

Variable Type: numeric

ICD10_09: Incident cases:Diseases of the circulatory system

| Value | Label | Unweighted Frequency | % |
|-------|--------------|----------------------|-------------|
| 0 | - | 6250 | 86.7 % |
| 1 | - | 957 | 13.3 % |
| | Total | 7,207 | 100% |

Based upon 7,207 valid cases out of 7,207 total cases.

- Mean: 0.13
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.34

Location: 489-489 (width: 1; decimal: 0)

Variable Type: numeric

ICD10_10: Incident cases:Diseases of the respiratory system

| Value | Label | Unweighted Frequency | % |
|-------|--------------|----------------------|-------------|
| 0 | - | 6993 | 97.0 % |
| 1 | - | 214 | 3.0 % |
| | Total | 7,207 | 100% |

Based upon 7,207 valid cases out of 7,207 total cases.

- Mean: 0.03
- Median: 0.00

- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.17

Location: 490-490 (width: 1; decimal: 0)

Variable Type: numeric

ICD10_11: Incident cases:Diseases of the digestive system

| Value | Label | Unweighted Frequency | % |
|-------|--------------|----------------------|-------------|
| 0 | - | 7120 | 98.8 % |
| 1 | - | 87 | 1.2 % |
| | Total | 7,207 | 100% |

Based upon 7,207 valid cases out of 7,207 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.11

Location: 491-491 (width: 1; decimal: 0)

Variable Type: numeric

ICD10_12: Incident cases:Diseases of skin and subcutaneous tissue

| Value | Label | Unweighted Frequency | % |
|-------|--------------|----------------------|-------------|
| 0 | - | 7207 | 100.0 % |
| | Total | 7,207 | 100% |

Based upon 7,207 valid cases out of 7,207 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

Location: 492-492 (width: 1; decimal: 0)

Variable Type: numeric

ICD10_13: Incident cases:Diseases of the musculoskeletal system + connective tissue

| Value | Label | Unweighted Frequency | % |
|-------|--------------|----------------------|-------------|
| 0 | - | 6317 | 87.7 % |
| 1 | - | 890 | 12.3 % |
| | Total | 7,207 | 100% |

Based upon 7,207 valid cases out of 7,207 total cases.

- Mean: 0.12
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.33

Location: 493-493 (width: 1; decimal: 0)

Variable Type: numeric

ICD10_14: Incident cases:Diseases of the genitourinary system

| Value | Label | Unweighted Frequency | % |
|-------|--------------|----------------------|-------------|
| 0 | - | 7207 | 100.0 % |
| | Total | 7,207 | 100% |

Based upon 7,207 valid cases out of 7,207 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

Location: 494-494 (width: 1; decimal: 0)

Variable Type: numeric

ICD10_15: Incident cases:Conditions originating in the perinatal period

| Value | Label | Unweighted Frequency | % |
|-------|--------------|----------------------|-------------|
| 0 | - | 7207 | 100.0 % |
| | Total | 7,207 | 100% |

Based upon 7,207 valid cases out of 7,207 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

Location: 495-495 (width: 1; decimal: 0)

Variable Type: numeric

ICD10_16: Incident cases:Congenital malformations, deformations and chromosomal abnormalit

| Value | Label | Unweighted Frequency | % |
|-------|--------------|----------------------|-------------|
| 0 | - | 7207 | 100.0 % |
| | Total | 7,207 | 100% |

Based upon 7,207 valid cases out of 7,207 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

Location: 496-496 (width: 1; decimal: 0)

Variable Type: numeric

ADL_REPORTED: Respondent reports an ADL (FL002)

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 0 | No | 6798 | 94.3 % |
| 1 | Yes | 406 | 5.6 % |
| | Missing Data | | |
| 98 | Don't know | 2 | 0.0 % |
| 99 | Refused | 1 | 0.0 % |
| | Total | 7,207 | 100% |

Based upon 7,204 valid cases out of 7,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 497-498 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98 , 99

ADL_HELPER: Respondent receives help with ADLs

| Value | Label | Unweighted Frequency | % |
|-------|---|----------------------|-------------|
| 0 | No | 238 | 3.3 % |
| 1 | Yes | 171 | 2.4 % |
| | Missing Data | | |
| -1 | Not applicable or skipped due to routing patterns | 6798 | 94.3 % |
| | Total | 7,207 | 100% |

Based upon 409 valid cases out of 7,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 499-500 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -1

IADL_REPORTED: Respondent reports an IADL (FL025)

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 0 | No | 6679 | 92.7 % |
| 1 | Yes | 527 | 7.3 % |
| | Missing Data | | |
| 99 | Refused | 1 | 0.0 % |
| | Total | 7,207 | 100% |

Based upon 7,206 valid cases out of 7,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 501-502 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 99

IADL_HELPER: Respondent receives help with IADLs

| Value | Label | Unweighted Frequency | % |
|-------|---|----------------------|-------------|
| 0 | No | 104 | 1.4 % |
| 1 | Yes | 424 | 5.9 % |
| | Missing Data | | |
| -1 | Not applicable or skipped due to routing patterns | 6679 | 92.7 % |
| | Total | 7,207 | 100% |

Based upon 528 valid cases out of 7,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 503-504 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -1

ADLA: Number of ADLs: 0-5

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|--------|
| 0 | None | 6813 | 94.5 % |
| 1 | Single ADL | 238 | 3.3 % |
| 2 | 2-3 ADLs | 109 | 1.5 % |
| 3 | 4+ ADLs | 44 | 0.6 % |
| | Missing Data | | |

| Value | Label | Unweighted Frequency | % |
|-------|--------------|----------------------|-------------|
| -99 | Refused | 1 | 0.0 % |
| -98 | Don't know | 2 | 0.0 % |
| | Total | 7,207 | 100% |

Based upon 7,204 valid cases out of 7,207 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 505-507 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99 , -98

ADLWA: Number of Wallace and Herzog proposed ADLs: 0-3

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 0 | - | 6878 | 95.4 % |
| 1 | - | 232 | 3.2 % |
| 2 | - | 62 | 0.9 % |
| 3 | - | 32 | 0.4 % |
| | Missing Data | | |
| -99 | Refused | 1 | 0.0 % |
| -98 | Don't know | 2 | 0.0 % |
| | Total | 7,207 | 100% |

Based upon 7,204 valid cases out of 7,207 total cases.

- Mean: 0.06
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.32

Location: 508-510 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99 , -98

IADLA: Number of IADLs: 0-3

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|--------|
| 0 | - | 7058 | 97.9 % |
| 1 | - | 106 | 1.5 % |
| 2 | - | 25 | 0.3 % |
| 3 | - | 17 | 0.2 % |
| | Missing Data | | |

| Value | Label | Unweighted Frequency | % |
|-------|--------------|----------------------|-------------|
| -99 | Refused | 1 | 0.0 % |
| | Total | 7,207 | 100% |

Based upon 7,206 valid cases out of 7,207 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.22

Location: 511-513 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99

IADLZA: Number of IADLs: 0-5

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 0 | None | 6819 | 94.6 % |
| 1 | Single ADL | 222 | 3.1 % |
| 2 | 2-3 ADLs | 131 | 1.8 % |
| 3 | 4+ ADLs | 34 | 0.5 % |
| | Missing Data | | |
| -99 | Refused | 1 | 0.0 % |
| | Total | 7,207 | 100% |

Based upon 7,206 valid cases out of 7,207 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 514-516 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99

MOBILB: ADL & IADL mobility index: 0-4

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|--------|
| 0 | - | 4726 | 65.6 % |
| 1 | - | 1818 | 25.2 % |
| 2 | - | 392 | 5.4 % |
| 3 | - | 203 | 2.8 % |
| 4 | - | 63 | 0.9 % |
| | Missing Data | | |
| -99 | Refused | 3 | 0.0 % |

| Value | Label | Unweighted Frequency | % |
|-------|--------------|----------------------|-------------|
| -98 | Don't know | 2 | 0.0 % |
| | Total | 7,207 | 100% |

Based upon 7,202 valid cases out of 7,207 total cases.

- Mean: 0.48
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 0.80

Location: 517-519 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99 , -98

LGMUSA: ADL & IADL large muscle index: 0-4

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 0 | - | 4274 | 59.3 % |
| 1 | - | 1440 | 20.0 % |
| 2 | - | 830 | 11.5 % |
| 3 | - | 460 | 6.4 % |
| 4 | - | 201 | 2.8 % |
| | Missing Data | | |
| -99 | Refused | 2 | 0.0 % |
| | Total | 7,207 | 100% |

Based upon 7,205 valid cases out of 7,207 total cases.

- Mean: 0.73
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 1.07

Location: 520-522 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99

GROSSA: ADL & IADL gross motor index: 0-5

| Value | Label | Unweighted Frequency | % |
|-------|-------|----------------------|--------|
| 0 | - | 6345 | 88.0 % |
| 1 | - | 514 | 7.1 % |
| 2 | - | 197 | 2.7 % |

| Value | Label | Unweighted Frequency | % |
|---------------------|--------------|----------------------|-------------|
| 3 | - | 71 | 1.0 % |
| 4 | - | 43 | 0.6 % |
| 5 | - | 32 | 0.4 % |
| Missing Data | | | |
| -99 | Refused | 3 | 0.0 % |
| -98 | Don't know | 2 | 0.0 % |
| | Total | 7,207 | 100% |

Based upon 7,202 valid cases out of 7,207 total cases.

- Mean: 0.20
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 5.00
- Standard Deviation: 0.66

Location: 523-525 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99 , -98

FINEA: ADL & IADL fine motor index: 0-3

| Value | Label | Unweighted Frequency | % |
|---------------------|--------------|----------------------|-------------|
| 0 | - | 6767 | 93.9 % |
| 1 | - | 353 | 4.9 % |
| 2 | - | 55 | 0.8 % |
| 3 | - | 27 | 0.4 % |
| Missing Data | | | |
| -99 | Refused | 3 | 0.0 % |
| -98 | Don't know | 2 | 0.0 % |
| | Total | 7,207 | 100% |

Based upon 7,202 valid cases out of 7,207 total cases.

- Mean: 0.08
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.33

Location: 526-528 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99 , -98

HU009_YN: Resp had a substantial procedure, operation or test during out-patient visit

| Value | Label | Unweighted Frequency | % |
|-------|---|----------------------|-------------|
| 0 | No | 1792 | 24.9 % |
| 1 | Yes | 1474 | 20.5 % |
| | Missing Data | | |
| -1 | Not applicable or skipped due to routing patterns | 3937 | 54.6 % |
| 98 | Don't know | 4 | 0.1 % |
| | Total | 7,207 | 100% |

Based upon 3,266 valid cases out of 7,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 529-530 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -1 , 98 , 99

MHHADSA_CAPI: HADS-A Anxiety Scale (collected during CAPI)

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|--------|
| 0 | - | 1535 | 21.3 % |
| 1 | - | 1054 | 14.6 % |
| 2 | - | 906 | 12.6 % |
| 3 | - | 872 | 12.1 % |
| 4 | - | 661 | 9.2 % |
| 5 | - | 571 | 7.9 % |
| 6 | - | 402 | 5.6 % |
| 7 | - | 334 | 4.6 % |
| 8 | - | 245 | 3.4 % |
| 9 | - | 161 | 2.2 % |
| 10 | - | 108 | 1.5 % |
| 11 | - | 108 | 1.5 % |
| 12 | - | 64 | 0.9 % |
| 13 | - | 60 | 0.8 % |
| 14 | - | 41 | 0.6 % |
| 15 | - | 28 | 0.4 % |
| 16 | - | 19 | 0.3 % |
| 17 | - | 9 | 0.1 % |
| 18 | - | 4 | 0.1 % |
| 19 | - | 3 | 0.0 % |
| 20 | - | 2 | 0.0 % |
| 21 | - | 4 | 0.1 % |
| | Missing Data | | |

| Value | Label | Unweighted Frequency | % |
|-------|--------------|----------------------|-------------|
| . | - | 16 | 0.2 % |
| | Total | 7,207 | 100% |

Based upon 7,191 valid cases out of 7,207 total cases.

- Mean: 3.43
- Median: 3.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 21.00
- Standard Deviation: 3.38

Location: 531-532 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: .

SMOKCURR: Respondent currently smokes

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 0 | No | 6077 | 84.3 % |
| 1 | Yes | 1128 | 15.7 % |
| | Missing Data | | |
| 98 | Don't know | 2 | 0.0 % |
| | Total | 7,207 | 100% |

Based upon 7,205 valid cases out of 7,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 533-534 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98 , 99

MINSWALKING: minswalking

| Value | Label | Unweighted Frequency | % |
|-------|-------|----------------------|--------|
| -61 | - | 1130 | 15.7 % |
| 10 | - | 168 | 2.3 % |
| 11 | - | 1 | 0.0 % |
| 12 | - | 5 | 0.1 % |
| 14 | - | 1 | 0.0 % |
| 15 | - | 264 | 3.7 % |
| 16 | - | 2 | 0.0 % |
| 20 | - | 558 | 7.7 % |
| 24 | - | 1 | 0.0 % |

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 25 | - | 67 | 0.9 % |
| 27 | - | 1 | 0.0 % |
| 30 | - | 1152 | 16.0 % |
| 35 | - | 24 | 0.3 % |
| 39 | - | 1 | 0.0 % |
| 40 | - | 315 | 4.4 % |
| 42 | - | 1 | 0.0 % |
| 45 | - | 401 | 5.6 % |
| 50 | - | 95 | 1.3 % |
| 55 | - | 8 | 0.1 % |
| 59 | - | 1 | 0.0 % |
| 60 | - | 1313 | 18.2 % |
| 61 | - | 4 | 0.1 % |
| 62 | - | 1 | 0.0 % |
| 63 | - | 1 | 0.0 % |
| 65 | - | 5 | 0.1 % |
| 70 | - | 39 | 0.5 % |
| 74 | - | 1 | 0.0 % |
| 75 | - | 57 | 0.8 % |
| 80 | - | 37 | 0.5 % |
| 85 | - | 1 | 0.0 % |
| 90 | - | 364 | 5.1 % |
| 100 | - | 7 | 0.1 % |
| 105 | - | 20 | 0.3 % |
| 110 | - | 2 | 0.0 % |
| 120 | - | 427 | 5.9 % |
| 122 | - | 1 | 0.0 % |
| 130 | - | 2 | 0.0 % |
| 135 | - | 1 | 0.0 % |
| 140 | - | 5 | 0.1 % |
| 150 | - | 94 | 1.3 % |
| 170 | - | 1 | 0.0 % |
| 180 | - | 591 | 8.2 % |
| | Missing Data | | |
| 98 | - | 1 | 0.0 % |
| . | - | 36 | 0.5 % |
| | Total | 7,207 | 100% |

Based upon 7,170 valid cases out of 7,207 total cases.

- Mean: 44.57
- Median: 40.00
- Mode: 60.00
- Minimum: -61.00
- Maximum: 180.00
- Standard Deviation: 63.99

Location: 535-537 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98 , .

MINSMODERATE: minsmoderate

| Value | Label | Unweighted Frequency | % |
|-------|-------|----------------------|--------|
| -61 | - | 3372 | 46.8 % |
| 10 | - | 78 | 1.1 % |
| 15 | - | 77 | 1.1 % |
| 17 | - | 1 | 0.0 % |
| 20 | - | 123 | 1.7 % |
| 25 | - | 13 | 0.2 % |
| 30 | - | 324 | 4.5 % |
| 35 | - | 8 | 0.1 % |
| 40 | - | 31 | 0.4 % |
| 45 | - | 83 | 1.2 % |
| 50 | - | 13 | 0.2 % |
| 55 | - | 2 | 0.0 % |
| 60 | - | 735 | 10.2 % |
| 61 | - | 3 | 0.0 % |
| 65 | - | 2 | 0.0 % |
| 70 | - | 16 | 0.2 % |
| 73 | - | 1 | 0.0 % |
| 75 | - | 6 | 0.1 % |
| 80 | - | 10 | 0.1 % |
| 82 | - | 1 | 0.0 % |
| 90 | - | 199 | 2.8 % |
| 100 | - | 2 | 0.0 % |
| 105 | - | 8 | 0.1 % |
| 110 | - | 1 | 0.0 % |
| 120 | - | 646 | 9.0 % |
| 122 | - | 1 | 0.0 % |
| 125 | - | 1 | 0.0 % |
| 129 | - | 1 | 0.0 % |
| 130 | - | 5 | 0.1 % |
| 135 | - | 1 | 0.0 % |

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 140 | - | 8 | 0.1 % |
| 150 | - | 122 | 1.7 % |
| 155 | - | 1 | 0.0 % |
| 170 | - | 1 | 0.0 % |
| 180 | - | 1271 | 17.6 % |
| | Missing Data | | |
| 98 | - | 1 | 0.0 % |
| . | - | 39 | 0.5 % |
| | Total | 7,207 | 100% |

Based upon 7,167 valid cases out of 7,207 total cases.

- Mean: 29.02
- Median: 20.00
- Mode: -61.00
- Minimum: -61.00
- Maximum: 180.00
- Standard Deviation: 95.48

Location: 538-540 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98 , .

MINSVIGOROUS: minsvigorous

| Value | Label | Unweighted Frequency | % |
|-------|-------|----------------------|--------|
| -61 | - | 5344 | 74.2 % |
| 10 | - | 25 | 0.3 % |
| 12 | - | 1 | 0.0 % |
| 15 | - | 14 | 0.2 % |
| 20 | - | 49 | 0.7 % |
| 25 | - | 3 | 0.0 % |
| 28 | - | 1 | 0.0 % |
| 30 | - | 140 | 1.9 % |
| 35 | - | 9 | 0.1 % |
| 40 | - | 33 | 0.5 % |
| 45 | - | 53 | 0.7 % |
| 50 | - | 10 | 0.1 % |
| 55 | - | 2 | 0.0 % |
| 59 | - | 1 | 0.0 % |
| 60 | - | 408 | 5.7 % |
| 61 | - | 4 | 0.1 % |
| 62 | - | 1 | 0.0 % |

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 70 | - | 5 | 0.1 % |
| 75 | - | 13 | 0.2 % |
| 80 | - | 8 | 0.1 % |
| 90 | - | 121 | 1.7 % |
| 95 | - | 1 | 0.0 % |
| 105 | - | 3 | 0.0 % |
| 120 | - | 291 | 4.0 % |
| 122 | - | 1 | 0.0 % |
| 123 | - | 1 | 0.0 % |
| 127 | - | 1 | 0.0 % |
| 130 | - | 2 | 0.0 % |
| 132 | - | 1 | 0.0 % |
| 135 | - | 1 | 0.0 % |
| 140 | - | 3 | 0.0 % |
| 143 | - | 1 | 0.0 % |
| 150 | - | 45 | 0.6 % |
| 180 | - | 605 | 8.4 % |
| | Missing Data | | |
| . | - | 6 | 0.1 % |
| | Total | 7,207 | 100% |

Based upon 7,201 valid cases out of 7,207 total cases.

- Mean: -17.42
- Median: -61.00
- Mode: -61.00
- Minimum: -61.00
- Maximum: 180.00
- Standard Deviation: 79.68

Location: 541-543 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: .

WALKINGMET: walkingmet

| Value | Label | Unweighted Frequency | % |
|---------------|-------|----------------------|--------|
| 0.0000000000 | - | 1130 | 15.7 % |
| 33.0000000000 | - | 23 | 0.3 % |
| 49.5000000000 | - | 21 | 0.3 % |
| 66.0000000000 | - | 62 | 0.9 % |
| 79.1999969483 | - | 3 | 0.0 % |
| 82.5000000000 | - | 5 | 0.1 % |

| Value | Label | Unweighted Frequency | % |
|----------------|-------|----------------------|-------|
| 132.0000000000 | - | 107 | 1.5 % |
| 148.5000000000 | - | 57 | 0.8 % |
| 165.0000000000 | - | 29 | 0.4 % |
| 198.0000000000 | - | 305 | 4.2 % |
| 211.1999969483 | - | 1 | 0.0 % |
| 231.0000000000 | - | 63 | 0.9 % |
| 237.6000061036 | - | 1 | 0.0 % |
| 247.5000000000 | - | 37 | 0.5 % |
| 254.1000061036 | - | 1 | 0.0 % |
| 264.0000000000 | - | 84 | 1.2 % |
| 297.0000000000 | - | 203 | 2.8 % |
| 323.3999938965 | - | 1 | 0.0 % |
| 330.0000000000 | - | 63 | 0.9 % |
| 346.5000000000 | - | 112 | 1.6 % |
| 363.0000000000 | - | 1 | 0.0 % |
| 369.6000061036 | - | 1 | 0.0 % |
| 396.0000000000 | - | 290 | 4.0 % |
| 402.6000061036 | - | 1 | 0.0 % |
| 412.5000000000 | - | 4 | 0.1 % |
| 445.5000000000 | - | 32 | 0.4 % |
| 462.0000000000 | - | 237 | 3.3 % |
| 495.0000000000 | - | 148 | 2.1 % |
| 514.7999877930 | - | 1 | 0.0 % |
| 528.0000000000 | - | 23 | 0.3 % |
| 534.5999755860 | - | 1 | 0.0 % |
| 554.4000244141 | - | 1 | 0.0 % |
| 577.5000000000 | - | 35 | 0.5 % |
| 594.0000000000 | - | 233 | 3.2 % |
| 603.9000244141 | - | 1 | 0.0 % |
| 660.0000000000 | - | 59 | 0.8 % |
| 693.0000000000 | - | 533 | 7.4 % |
| 726.0000000000 | - | 2 | 0.0 % |
| 742.5000000000 | - | 60 | 0.8 % |
| 778.7999877930 | - | 1 | 0.0 % |
| 792.0000000000 | - | 156 | 2.2 % |
| 805.2000122071 | - | 1 | 0.0 % |
| 808.5000000000 | - | 13 | 0.2 % |
| 825.0000000000 | - | 18 | 0.2 % |
| 831.5999755860 | - | 1 | 0.0 % |

| Value | Label | Unweighted Frequency | % |
|----------------|---------------------|----------------------|-------------|
| 891.0000000000 | - | 48 | 0.7 % |
| 907.5000000000 | - | 1 | 0.0 % |
| 924.0000000000 | - | 138 | 1.9 % |
| 976.7999877930 | - | 1 | 0.0 % |
| 990.0000000000 | - | 161 | 2.2 % |
| | Missing Data | | |
| 99.0000000000 | - | 114 | 1.6 % |
| . | - | 36 | 0.5 % |
| | Total | 7,207 | 100% |

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 7,057 valid cases out of 7,207 total cases.

- Mean: 1025.2010911161
- Median: 693.0000000000
- Mode: 0.0000000000
- Minimum: 0.0000000000
- Maximum: 4158.0000000000
- Standard Deviation: 1109.9847696392

Location: 544-558 (width: 15; decimal: 10)

Variable Type: numeric

(Range of) Missing Values: 99.0000000000 , .

MODERATEMET: moderatemet

| Value | Label | Unweighted Frequency | % |
|-------|-------|----------------------|--------|
| 0 | - | 3372 | 46.8 % |
| 40 | - | 16 | 0.2 % |
| 60 | - | 16 | 0.2 % |
| 80 | - | 29 | 0.4 % |
| 100 | - | 1 | 0.0 % |
| 120 | - | 75 | 1.0 % |
| 160 | - | 31 | 0.4 % |
| 180 | - | 25 | 0.3 % |
| 200 | - | 9 | 0.1 % |
| 240 | - | 197 | 2.7 % |
| 260 | - | 1 | 0.0 % |
| 280 | - | 30 | 0.4 % |
| 300 | - | 13 | 0.2 % |
| 320 | - | 30 | 0.4 % |

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 360 | - | 114 | 1.6 % |
| 400 | - | 12 | 0.2 % |
| 420 | - | 28 | 0.4 % |
| 476 | - | 1 | 0.0 % |
| 480 | - | 280 | 3.9 % |
| 500 | - | 1 | 0.0 % |
| 520 | - | 2 | 0.0 % |
| 540 | - | 12 | 0.2 % |
| 560 | - | 35 | 0.5 % |
| 600 | - | 49 | 0.7 % |
| 620 | - | 1 | 0.0 % |
| 640 | - | 3 | 0.0 % |
| 660 | - | 1 | 0.0 % |
| 700 | - | 6 | 0.1 % |
| 720 | - | 248 | 3.4 % |
| 732 | - | 1 | 0.0 % |
| 800 | - | 14 | 0.2 % |
| 840 | - | 77 | 1.1 % |
| 900 | - | 13 | 0.2 % |
| 960 | - | 176 | 2.4 % |
| 976 | - | 1 | 0.0 % |
| 980 | - | 2 | 0.0 % |
| 1000 | - | 3 | 0.0 % |
| 1080 | - | 32 | 0.4 % |
| 1120 | - | 5 | 0.1 % |
| 1200 | - | 75 | 1.0 % |
| 1220 | - | 1 | 0.0 % |
| 1260 | - | 15 | 0.2 % |
| 1280 | - | 2 | 0.0 % |
| 1320 | - | 1 | 0.0 % |
| 1400 | - | 3 | 0.0 % |
| 1440 | - | 262 | 3.6 % |
| 1464 | - | 1 | 0.0 % |
| 1540 | - | 1 | 0.0 % |
| 1560 | - | 1 | 0.0 % |
| 1600 | - | 1 | 0.0 % |
| | Missing Data | | |
| . | - | 39 | 0.5 % |
| | Total | 7,207 | 100% |

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 7,168 valid cases out of 7,207 total cases.

- Mean: 1059.17
- Median: 240.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 5040.00
- Standard Deviation: 1554.66

Location: 559-562 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: .

VIGOROUSMET: vigorousmet

| Value | Label | Unweighted Frequency | % |
|-------|-------|----------------------|--------|
| 0 | - | 5344 | 74.2 % |
| 80 | - | 6 | 0.1 % |
| 96 | - | 1 | 0.0 % |
| 120 | - | 5 | 0.1 % |
| 160 | - | 18 | 0.2 % |
| 200 | - | 1 | 0.0 % |
| 240 | - | 40 | 0.6 % |
| 280 | - | 2 | 0.0 % |
| 320 | - | 11 | 0.2 % |
| 360 | - | 9 | 0.1 % |
| 400 | - | 4 | 0.1 % |
| 448 | - | 1 | 0.0 % |
| 480 | - | 170 | 2.4 % |
| 488 | - | 1 | 0.0 % |
| 560 | - | 5 | 0.1 % |
| 600 | - | 10 | 0.1 % |
| 640 | - | 11 | 0.2 % |
| 720 | - | 60 | 0.8 % |
| 800 | - | 6 | 0.1 % |
| 840 | - | 2 | 0.0 % |
| 880 | - | 1 | 0.0 % |
| 960 | - | 198 | 2.7 % |
| 976 | - | 1 | 0.0 % |
| 1000 | - | 1 | 0.0 % |
| 1040 | - | 1 | 0.0 % |
| 1056 | - | 1 | 0.0 % |

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 1080 | - | 15 | 0.2 % |
| 1120 | - | 11 | 0.2 % |
| 1144 | - | 1 | 0.0 % |
| 1200 | - | 25 | 0.3 % |
| 1280 | - | 2 | 0.0 % |
| 1400 | - | 1 | 0.0 % |
| 1440 | - | 204 | 2.8 % |
| 1464 | - | 2 | 0.0 % |
| 1520 | - | 1 | 0.0 % |
| 1600 | - | 6 | 0.1 % |
| 1680 | - | 17 | 0.2 % |
| 1760 | - | 1 | 0.0 % |
| 1800 | - | 9 | 0.1 % |
| 1920 | - | 125 | 1.7 % |
| 1952 | - | 1 | 0.0 % |
| 1960 | - | 1 | 0.0 % |
| 2160 | - | 24 | 0.3 % |
| 2240 | - | 6 | 0.1 % |
| 2400 | - | 44 | 0.6 % |
| 2520 | - | 9 | 0.1 % |
| 2800 | - | 3 | 0.0 % |
| 2832 | - | 1 | 0.0 % |
| 2880 | - | 195 | 2.7 % |
| 2976 | - | 1 | 0.0 % |
| | Missing Data | | |
| . | - | 6 | 0.1 % |
| | Total | 7,207 | 100% |

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 7,201 valid cases out of 7,207 total cases.

- Mean: 757.76
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 10080.00
- Standard Deviation: 1866.14

Location: 563-567 (width: 5; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: .

IPAQMETMINUTES: ipaqmetminutes

| Value | Label | Unweighted Frequency | % |
|---------------|-------|----------------------|-------|
| 0.000000000 | - | 631 | 8.8 % |
| 33.000000000 | - | 16 | 0.2 % |
| 40.000000000 | - | 1 | 0.0 % |
| 49.500000000 | - | 11 | 0.2 % |
| 60.000000000 | - | 1 | 0.0 % |
| 66.000000000 | - | 27 | 0.4 % |
| 79.199996948 | - | 2 | 0.0 % |
| 80.000000000 | - | 2 | 0.0 % |
| 82.500000000 | - | 2 | 0.0 % |
| 109.500000000 | - | 1 | 0.0 % |
| 120.000000000 | - | 12 | 0.2 % |
| 132.000000000 | - | 50 | 0.7 % |
| 146.000000000 | - | 1 | 0.0 % |
| 148.500000000 | - | 36 | 0.5 % |
| 160.000000000 | - | 1 | 0.0 % |
| 165.000000000 | - | 15 | 0.2 % |
| 179.000000000 | - | 1 | 0.0 % |
| 180.000000000 | - | 5 | 0.1 % |
| 186.000000000 | - | 1 | 0.0 % |
| 193.000000000 | - | 1 | 0.0 % |
| 198.000000000 | - | 137 | 1.9 % |
| 200.000000000 | - | 1 | 0.0 % |
| 211.199996948 | - | 1 | 0.0 % |
| 212.000000000 | - | 1 | 0.0 % |
| 219.000000000 | - | 2 | 0.0 % |
| 228.500000000 | - | 1 | 0.0 % |
| 231.000000000 | - | 35 | 0.5 % |
| 238.000000000 | - | 1 | 0.0 % |
| 240.000000000 | - | 17 | 0.2 % |
| 245.000000000 | - | 1 | 0.0 % |
| 246.000000000 | - | 1 | 0.0 % |
| 247.500000000 | - | 21 | 0.3 % |
| 252.000000000 | - | 2 | 0.0 % |
| 258.000000000 | - | 1 | 0.0 % |
| 264.000000000 | - | 49 | 0.7 % |
| 280.000000000 | - | 2 | 0.0 % |
| 292.000000000 | - | 1 | 0.0 % |

| Value | Label | Unweighted Frequency | % |
|---------------|---------------------|----------------------|-------------|
| 297.000000000 | - | 88 | 1.2 % |
| 299.000000000 | - | 1 | 0.0 % |
| 306.000000000 | - | 5 | 0.1 % |
| 312.000000000 | - | 2 | 0.0 % |
| 318.000000000 | - | 2 | 0.0 % |
| 320.000000000 | - | 3 | 0.0 % |
| 323.399993897 | - | 1 | 0.0 % |
| 328.500000000 | - | 1 | 0.0 % |
| 330.000000000 | - | 28 | 0.4 % |
| 339.000000000 | - | 4 | 0.1 % |
| 346.000000000 | - | 1 | 0.0 % |
| 346.500000000 | - | 53 | 0.7 % |
| 351.000000000 | - | 2 | 0.0 % |
| | Missing Data | | |
| 99.000000000 | - | 63 | 0.9 % |
| . | - | 63 | 0.9 % |
| | Total | 7,207 | 100% |

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 7,081 valid cases out of 7,207 total cases.

- Mean: 2846.099293845
- Minimum: 0.000000000
- Maximum: 19278.000000000
- Standard Deviation: 3173.687873630

Location: 568-582 (width: 15; decimal: 9)

Variable Type: numeric

(Range of) Missing Values: 99.000000000 , .

IPAQEXERCISE3: Activity level

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 0 | - | 2298 | 31.9 % |
| 1 | - | 2494 | 34.6 % |
| 2 | - | 2352 | 32.6 % |
| | Missing Data | | |
| . | - | 63 | 0.9 % |
| | Total | 7,207 | 100% |

Based upon 7,144 valid cases out of 7,207 total cases.

- Mean: 1.01
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.81

Location: 583-583 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: .

PENSION_PAYIN: Paying into occupational, PRSA or private pension

| Value | Label | Unweighted Frequency | % |
|-------|---|----------------------|-------------|
| 0 | No | 3041 | 42.2 % |
| 1 | Yes | 1284 | 17.8 % |
| | Missing Data | | |
| -1 | Not applicable or skipped due to routing patterns | 2878 | 39.9 % |
| 98 | Don't know | 2 | 0.0 % |
| 99 | Refused | 2 | 0.0 % |
| | Total | 7,207 | 100% |

Based upon 4,325 valid cases out of 7,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 584-585 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -1 , 98 , 99

PENSION_RECEIVE: Receiving occupational, spousal, PRSA or private pension

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 0 | No | 5204 | 72.2 % |
| 1 | Yes | 1990 | 27.6 % |
| | Missing Data | | |
| 98 | Don't know | 2 | 0.0 % |
| 99 | Refused | 11 | 0.2 % |
| | Total | 7,207 | 100% |

Based upon 7,194 valid cases out of 7,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 586-587 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98 , 99

PH726_08_TO_11: ph726_08_to_11

| Value | Label | Unweighted Frequency | % |
|-------|--------------|----------------------|-------------|
| 0 | NOT Cancer | 5208 | 72.3 % |
| 1 | Cancer | 1999 | 27.7 % |
| | Total | 7,207 | 100% |

Based upon 7,207 valid cases out of 7,207 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 588-588 (width: 1; decimal: 0)

Variable Type: numeric

SCQLANG1: SCQLang1: Are you currently fluent in more than one language?

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 1 | Yes | 770 | 10.7 % |
| 2 | No | 5308 | 73.7 % |
| | Missing Data | | |
| -99 | No Response | 101 | 1.4 % |
| . | - | 1028 | 14.3 % |
| | Total | 7,207 | 100% |

Based upon 6,078 valid cases out of 7,207 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 589-591 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -99 , .

SCQLANG2: SCQLang2: Were you ever fluent in more than one language?

| Value | Label | Unweighted Frequency | % |
|-------|---|----------------------|-------------|
| 1 | Yes | 674 | 9.4 % |
| 2 | No | 4453 | 61.8 % |
| | Missing Data | | |
| -99 | No Response | 282 | 3.9 % |
| -1 | Not applicable or skipped due to routing patterns | 770 | 10.7 % |
| . | - | 1028 | 14.3 % |
| | Total | 7,207 | 100% |

Based upon 5,127 valid cases out of 7,207 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 592-594 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99 , -1 , .

SCQSOC ACT1: SCQSocAct1: Watch television

| Value | Label | Unweighted Frequency | % |
|-------|----------------------------|----------------------|-------------|
| -878 | Adjacent boxes 7&8 ticked | 0 | 0.0 % |
| -867 | Adjacent boxes 6&7 ticked | 0 | 0.0 % |
| -856 | Adjacent boxes 5&6 ticked | 0 | 0.0 % |
| -845 | Adjacent boxes 4&5 ticked | 0 | 0.0 % |
| -834 | Adjacent boxes 3&4 ticked | 0 | 0.0 % |
| -823 | Adjacent boxes 2&3 ticked | 0 | 0.0 % |
| -812 | Adjacent boxes 1&2 ticked | 2 | 0.0 % |
| 1 | Daily / Almost daily | 5627 | 78.1 % |
| 2 | Once a week or more | 384 | 5.3 % |
| 3 | Twice a month or more | 28 | 0.4 % |
| 4 | About once a month | 26 | 0.4 % |
| 5 | Every few months | 14 | 0.2 % |
| 6 | About once or twice a year | 9 | 0.1 % |
| 7 | Less than once a year | 3 | 0.0 % |
| 8 | Never | 19 | 0.3 % |
| | Missing Data | | |
| -99 | No Response | 67 | 0.9 % |
| . | - | 1028 | 14.3 % |
| | Total | 7,207 | 100% |

Based upon 6,112 valid cases out of 7,207 total cases.

- Minimum: -812.00
- Maximum: 8.00

Location: 595-598 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99 , .

SCQSOC ACT2: SCQSocAct2: Go out to films, plays and concerts

| Value | Label | Unweighted Frequency | % |
|-------|---------------------------|----------------------|-------|
| -878 | Adjacent boxes 7&8 ticked | 0 | 0.0 % |
| -867 | Adjacent boxes 6&7 ticked | 1 | 0.0 % |
| -856 | Adjacent boxes 5&6 ticked | 0 | 0.0 % |
| -845 | Adjacent boxes 4&5 ticked | 0 | 0.0 % |

| Value | Label | Unweighted Frequency | % |
|-------|----------------------------|----------------------|-------------|
| -834 | Adjacent boxes 3&4 ticked | 1 | 0.0 % |
| -823 | Adjacent boxes 2&3 ticked | 0 | 0.0 % |
| -812 | Adjacent boxes 1&2 ticked | 1 | 0.0 % |
| 1 | Daily / Almost daily | 28 | 0.4 % |
| 2 | Once a week or more | 92 | 1.3 % |
| 3 | Twice a month or more | 312 | 4.3 % |
| 4 | About once a month | 570 | 7.9 % |
| 5 | Every few months | 1610 | 22.3 % |
| 6 | About once or twice a year | 1456 | 20.2 % |
| 7 | Less than once a year | 879 | 12.2 % |
| 8 | Never | 1131 | 15.7 % |
| | Missing Data | | |
| -99 | No Response | 98 | 1.4 % |
| . | - | 1028 | 14.3 % |
| | Total | 7,207 | 100% |

Based upon 6,081 valid cases out of 7,207 total cases.

- Minimum: -867.00
- Maximum: 8.00

Location: 599-602 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99 , .

SCQSOCAC3: SCQSocAct3: Attend classes and lectures

| Value | Label | Unweighted Frequency | % |
|-------|----------------------------|----------------------|--------|
| -878 | Adjacent boxes 7&8 ticked | 0 | 0.0 % |
| -867 | Adjacent boxes 6&7 ticked | 0 | 0.0 % |
| -856 | Adjacent boxes 5&6 ticked | 0 | 0.0 % |
| -845 | Adjacent boxes 4&5 ticked | 1 | 0.0 % |
| -834 | Adjacent boxes 3&4 ticked | 0 | 0.0 % |
| -823 | Adjacent boxes 2&3 ticked | 0 | 0.0 % |
| -812 | Adjacent boxes 1&2 ticked | 1 | 0.0 % |
| 1 | Daily / Almost daily | 49 | 0.7 % |
| 2 | Once a week or more | 444 | 6.2 % |
| 3 | Twice a month or more | 184 | 2.6 % |
| 4 | About once a month | 230 | 3.2 % |
| 5 | Every few months | 587 | 8.1 % |
| 6 | About once or twice a year | 801 | 11.1 % |
| 7 | Less than once a year | 954 | 13.2 % |

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 8 | Never | 2783 | 38.6 % |
| | Missing Data | | |
| -99 | No Response | 145 | 2.0 % |
| . | - | 1028 | 14.3 % |
| | Total | 7,207 | 100% |

Based upon 6,034 valid cases out of 7,207 total cases.

- Minimum: -845.00
- Maximum: 8.00

Location: 603-606 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99 , .

SCQSOCAct4: SCQSocAct4: Travel for pleasure

| Value | Label | Unweighted Frequency | % |
|-------|----------------------------|----------------------|-------------|
| -878 | Adjacent boxes 7&8 ticked | 0 | 0.0 % |
| -867 | Adjacent boxes 6&7 ticked | 0 | 0.0 % |
| -856 | Adjacent boxes 5&6 ticked | 1 | 0.0 % |
| -845 | Adjacent boxes 4&5 ticked | 0 | 0.0 % |
| -834 | Adjacent boxes 3&4 ticked | 0 | 0.0 % |
| -823 | Adjacent boxes 2&3 ticked | 0 | 0.0 % |
| -812 | Adjacent boxes 1&2 ticked | 0 | 0.0 % |
| 1 | Daily / Almost daily | 57 | 0.8 % |
| 2 | Once a week or more | 282 | 3.9 % |
| 3 | Twice a month or more | 279 | 3.9 % |
| 4 | About once a month | 390 | 5.4 % |
| 5 | Every few months | 1563 | 21.7 % |
| 6 | About once or twice a year | 2292 | 31.8 % |
| 7 | Less than once a year | 666 | 9.2 % |
| 8 | Never | 550 | 7.6 % |
| | Missing Data | | |
| -99 | No Response | 99 | 1.4 % |
| . | - | 1028 | 14.3 % |
| | Total | 7,207 | 100% |

Based upon 6,080 valid cases out of 7,207 total cases.

- Minimum: -856.00
- Maximum: 8.00

Location: 607-610 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99 , .

SCQSOC ACT5: SCQSocAct5: Work in the garden, or your home, or on a car

| Value | Label | Unweighted Frequency | % |
|-------|----------------------------|----------------------|-------------|
| -878 | Adjacent boxes 7&8 ticked | 1 | 0.0 % |
| -867 | Adjacent boxes 6&7 ticked | 0 | 0.0 % |
| -856 | Adjacent boxes 5&6 ticked | 0 | 0.0 % |
| -845 | Adjacent boxes 4&5 ticked | 0 | 0.0 % |
| -834 | Adjacent boxes 3&4 ticked | 0 | 0.0 % |
| -823 | Adjacent boxes 2&3 ticked | 0 | 0.0 % |
| -812 | Adjacent boxes 1&2 ticked | 0 | 0.0 % |
| 1 | Daily / Almost daily | 2560 | 35.5 % |
| 2 | Once a week or more | 1813 | 25.2 % |
| 3 | Twice a month or more | 551 | 7.6 % |
| 4 | About once a month | 362 | 5.0 % |
| 5 | Every few months | 328 | 4.6 % |
| 6 | About once or twice a year | 139 | 1.9 % |
| 7 | Less than once a year | 87 | 1.2 % |
| 8 | Never | 254 | 3.5 % |
| | Missing Data | | |
| -99 | No Response | 84 | 1.2 % |
| . | - | 1028 | 14.3 % |
| | Total | 7,207 | 100% |

Based upon 6,095 valid cases out of 7,207 total cases.

- Minimum: -878.00
- Maximum: 8.00

Location: 611-614 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99 , .

SCQSOC ACT6: SCQSocAct6: Read books or magazines for pleasure

| Value | Label | Unweighted Frequency | % |
|-------|---------------------------|----------------------|-------|
| -878 | Adjacent boxes 7&8 ticked | 0 | 0.0 % |
| -867 | Adjacent boxes 6&7 ticked | 0 | 0.0 % |
| -856 | Adjacent boxes 5&6 ticked | 0 | 0.0 % |
| -845 | Adjacent boxes 4&5 ticked | 1 | 0.0 % |
| -834 | Adjacent boxes 3&4 ticked | 0 | 0.0 % |
| -823 | Adjacent boxes 2&3 ticked | 0 | 0.0 % |
| -812 | Adjacent boxes 1&2 ticked | 1 | 0.0 % |

| Value | Label | Unweighted Frequency | % |
|-------|----------------------------|----------------------|-------------|
| 1 | Daily / Almost daily | 3153 | 43.7 % |
| 2 | Once a week or more | 1469 | 20.4 % |
| 3 | Twice a month or more | 349 | 4.8 % |
| 4 | About once a month | 283 | 3.9 % |
| 5 | Every few months | 313 | 4.3 % |
| 6 | About once or twice a year | 90 | 1.2 % |
| 7 | Less than once a year | 82 | 1.1 % |
| 8 | Never | 371 | 5.1 % |
| | Missing Data | | |
| -99 | No Response | 67 | 0.9 % |
| . | - | 1028 | 14.3 % |
| | Total | 7,207 | 100% |

Based upon 6,112 valid cases out of 7,207 total cases.

- Minimum: -845.00
- Maximum: 8.00

Location: 615-618 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99 , .

SCQSOCAct7: SCQSocAct7: Listen to music, radio

| Value | Label | Unweighted Frequency | % |
|-------|----------------------------|----------------------|--------|
| -878 | Adjacent boxes 7&8 ticked | 0 | 0.0 % |
| -867 | Adjacent boxes 6&7 ticked | 0 | 0.0 % |
| -856 | Adjacent boxes 5&6 ticked | 0 | 0.0 % |
| -845 | Adjacent boxes 4&5 ticked | 0 | 0.0 % |
| -834 | Adjacent boxes 3&4 ticked | 0 | 0.0 % |
| -823 | Adjacent boxes 2&3 ticked | 0 | 0.0 % |
| -812 | Adjacent boxes 1&2 ticked | 0 | 0.0 % |
| 1 | Daily / Almost daily | 5023 | 69.7 % |
| 2 | Once a week or more | 724 | 10.0 % |
| 3 | Twice a month or more | 106 | 1.5 % |
| 4 | About once a month | 69 | 1.0 % |
| 5 | Every few months | 51 | 0.7 % |
| 6 | About once or twice a year | 14 | 0.2 % |
| 7 | Less than once a year | 18 | 0.2 % |
| 8 | Never | 114 | 1.6 % |
| | Missing Data | | |
| -99 | No Response | 60 | 0.8 % |

| Value | Label | Unweighted Frequency | % |
|-------|--------------|----------------------|-------------|
| . | - | 1028 | 14.3 % |
| | Total | 7,207 | 100% |

Based upon 6,119 valid cases out of 7,207 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 619-622 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99 , .

SCQSOC ACT8: SCQSocAct8: Spend time on hobbies or creative activities

| Value | Label | Unweighted Frequency | % |
|-------|----------------------------|----------------------|-------------|
| -878 | Adjacent boxes 7&8 ticked | 1 | 0.0 % |
| -867 | Adjacent boxes 6&7 ticked | 0 | 0.0 % |
| -856 | Adjacent boxes 5&6 ticked | 1 | 0.0 % |
| -845 | Adjacent boxes 4&5 ticked | 0 | 0.0 % |
| -834 | Adjacent boxes 3&4 ticked | 0 | 0.0 % |
| -823 | Adjacent boxes 2&3 ticked | 0 | 0.0 % |
| -812 | Adjacent boxes 1&2 ticked | 1 | 0.0 % |
| 1 | Daily / Almost daily | 1411 | 19.6 % |
| 2 | Once a week or more | 2034 | 28.2 % |
| 3 | Twice a month or more | 564 | 7.8 % |
| 4 | About once a month | 369 | 5.1 % |
| 5 | Every few months | 441 | 6.1 % |
| 6 | About once or twice a year | 196 | 2.7 % |
| 7 | Less than once a year | 223 | 3.1 % |
| 8 | Never | 756 | 10.5 % |
| | Missing Data | | |
| -99 | No Response | 182 | 2.5 % |
| . | - | 1028 | 14.3 % |
| | Total | 7,207 | 100% |

Based upon 5,997 valid cases out of 7,207 total cases.

- Minimum: -878.00
- Maximum: 8.00

Location: 623-626 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99 , .

SCQSOC ACT9: SCQSocAct9: Play cards, bingo, games in general

| Value | Label | Unweighted Frequency | % |
|-------|----------------------------|----------------------|-------------|
| -878 | Adjacent boxes 7&8 ticked | 0 | 0.0 % |
| -867 | Adjacent boxes 6&7 ticked | 0 | 0.0 % |
| -856 | Adjacent boxes 5&6 ticked | 0 | 0.0 % |
| -845 | Adjacent boxes 4&5 ticked | 0 | 0.0 % |
| -834 | Adjacent boxes 3&4 ticked | 0 | 0.0 % |
| -823 | Adjacent boxes 2&3 ticked | 0 | 0.0 % |
| -812 | Adjacent boxes 1&2 ticked | 0 | 0.0 % |
| 1 | Daily / Almost daily | 257 | 3.6 % |
| 2 | Once a week or more | 930 | 12.9 % |
| 3 | Twice a month or more | 268 | 3.7 % |
| 4 | About once a month | 266 | 3.7 % |
| 5 | Every few months | 467 | 6.5 % |
| 6 | About once or twice a year | 556 | 7.7 % |
| 7 | Less than once a year | 633 | 8.8 % |
| 8 | Never | 2661 | 36.9 % |
| | Missing Data | | |
| -99 | No Response | 141 | 2.0 % |
| . | - | 1028 | 14.3 % |
| | Total | 7,207 | 100% |

Based upon 6,038 valid cases out of 7,207 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 627-630 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99 , .

SCQSOCAct10: SCQSocAct10: Go to the pub

| Value | Label | Unweighted Frequency | % |
|-------|---------------------------|----------------------|--------|
| -878 | Adjacent boxes 7&8 ticked | 0 | 0.0 % |
| -867 | Adjacent boxes 6&7 ticked | 0 | 0.0 % |
| -856 | Adjacent boxes 5&6 ticked | 1 | 0.0 % |
| -845 | Adjacent boxes 4&5 ticked | 0 | 0.0 % |
| -834 | Adjacent boxes 3&4 ticked | 0 | 0.0 % |
| -823 | Adjacent boxes 2&3 ticked | 0 | 0.0 % |
| -812 | Adjacent boxes 1&2 ticked | 2 | 0.0 % |
| 1 | Daily / Almost daily | 124 | 1.7 % |
| 2 | Once a week or more | 1145 | 15.9 % |
| 3 | Twice a month or more | 548 | 7.6 % |

| Value | Label | Unweighted Frequency | % |
|-------|----------------------------|----------------------|-------------|
| 4 | About once a month | 551 | 7.6 % |
| 5 | Every few months | 978 | 13.6 % |
| 6 | About once or twice a year | 631 | 8.8 % |
| 7 | Less than once a year | 422 | 5.9 % |
| 8 | Never | 1654 | 22.9 % |
| | Missing Data | | |
| -99 | No Response | 123 | 1.7 % |
| . | - | 1028 | 14.3 % |
| | Total | 7,207 | 100% |

Based upon 6,056 valid cases out of 7,207 total cases.

- Minimum: -856.00
- Maximum: 8.00

Location: 631-634 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99 , .

SCQSOCAct11: SCQSocAct11: Eat out of the house

| Value | Label | Unweighted Frequency | % |
|-------|----------------------------|----------------------|-------------|
| -878 | Adjacent boxes 7&8 ticked | 1 | 0.0 % |
| -867 | Adjacent boxes 6&7 ticked | 1 | 0.0 % |
| -856 | Adjacent boxes 5&6 ticked | 0 | 0.0 % |
| -845 | Adjacent boxes 4&5 ticked | 0 | 0.0 % |
| -834 | Adjacent boxes 3&4 ticked | 0 | 0.0 % |
| -823 | Adjacent boxes 2&3 ticked | 0 | 0.0 % |
| -812 | Adjacent boxes 1&2 ticked | 1 | 0.0 % |
| 1 | Daily / Almost daily | 104 | 1.4 % |
| 2 | Once a week or more | 1002 | 13.9 % |
| 3 | Twice a month or more | 1204 | 16.7 % |
| 4 | About once a month | 1235 | 17.1 % |
| 5 | Every few months | 1608 | 22.3 % |
| 6 | About once or twice a year | 521 | 7.2 % |
| 7 | Less than once a year | 153 | 2.1 % |
| 8 | Never | 252 | 3.5 % |
| | Missing Data | | |
| -99 | No Response | 97 | 1.3 % |
| . | - | 1028 | 14.3 % |
| | Total | 7,207 | 100% |

Based upon 6,082 valid cases out of 7,207 total cases.

- Minimum: -878.00
- Maximum: 8.00

Location: 635-638 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99 , .

SCQSOC ACT12: SCQSocAct12: Participate in sport activities or exercise

| Value | Label | Unweighted Frequency | % |
|-------|---|----------------------|-------------|
| -878 | Adjacent boxes 7&8 ticked | 0 | 0.0 % |
| -867 | Adjacent boxes 6&7 ticked | 0 | 0.0 % |
| -856 | Adjacent boxes 5&6 ticked | 0 | 0.0 % |
| -845 | Adjacent boxes 4&5 ticked | 0 | 0.0 % |
| -834 | Adjacent boxes 3&4 ticked | 0 | 0.0 % |
| -823 | Adjacent boxes 2&3 ticked | 0 | 0.0 % |
| -812 | Adjacent boxes 1&2 ticked | 2 | 0.0 % |
| 1 | Daily / Almost daily | 1462 | 20.3 % |
| 2 | Once a week or more | 1825 | 25.3 % |
| 3 | Twice a month or more | 424 | 5.9 % |
| 4 | About once a month | 245 | 3.4 % |
| 5 | Every few months | 240 | 3.3 % |
| 6 | About once or twice a year | 153 | 2.1 % |
| 7 | Less than once a year | 245 | 3.4 % |
| 8 | Never | 1445 | 20.0 % |
| | Missing Data | | |
| -99 | No Response | 137 | 1.9 % |
| -1 | Not applicable or skipped due to routing patterns | 1 | 0.0 % |
| . | - | 1028 | 14.3 % |
| | Total | 7,207 | 100% |

Based upon 6,041 valid cases out of 7,207 total cases.

- Minimum: -812.00
- Maximum: 8.00

Location: 639-642 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99 , -1 , .

SCQSOC ACT13: SCQSocAct13: Visit to or from family or friends, either in person or talking on

| Value | Label | Unweighted Frequency | % |
|-------|---------------------------|----------------------|-------|
| -878 | Adjacent boxes 7&8 ticked | 0 | 0.0 % |

| Value | Label | Unweighted Frequency | % |
|-------|----------------------------|----------------------|-------------|
| -867 | Adjacent boxes 6&7 ticked | 0 | 0.0 % |
| -856 | Adjacent boxes 5&6 ticked | 0 | 0.0 % |
| -845 | Adjacent boxes 4&5 ticked | 0 | 0.0 % |
| -834 | Adjacent boxes 3&4 ticked | 0 | 0.0 % |
| -823 | Adjacent boxes 2&3 ticked | 0 | 0.0 % |
| -812 | Adjacent boxes 1&2 ticked | 0 | 0.0 % |
| 1 | Daily / Almost daily | 2692 | 37.4 % |
| 2 | Once a week or more | 2444 | 33.9 % |
| 3 | Twice a month or more | 497 | 6.9 % |
| 4 | About once a month | 213 | 3.0 % |
| 5 | Every few months | 150 | 2.1 % |
| 6 | About once or twice a year | 50 | 0.7 % |
| 7 | Less than once a year | 19 | 0.3 % |
| 8 | Never | 42 | 0.6 % |
| | Missing Data | | |
| -99 | No Response | 72 | 1.0 % |
| . | - | 1028 | 14.3 % |
| | Total | 7,207 | 100% |

Based upon 6,107 valid cases out of 7,207 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 643-646 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99 , .

SCQSOCACT14: SCQSocAct14: Do voluntary work

| Value | Label | Unweighted Frequency | % |
|-------|---------------------------|----------------------|--------|
| -878 | Adjacent boxes 7&8 ticked | 1 | 0.0 % |
| -867 | Adjacent boxes 6&7 ticked | 0 | 0.0 % |
| -856 | Adjacent boxes 5&6 ticked | 0 | 0.0 % |
| -845 | Adjacent boxes 4&5 ticked | 0 | 0.0 % |
| -834 | Adjacent boxes 3&4 ticked | 0 | 0.0 % |
| -823 | Adjacent boxes 2&3 ticked | 0 | 0.0 % |
| -812 | Adjacent boxes 1&2 ticked | 2 | 0.0 % |
| 1 | Daily / Almost daily | 226 | 3.1 % |
| 2 | Once a week or more | 865 | 12.0 % |
| 3 | Twice a month or more | 467 | 6.5 % |
| 4 | About once a month | 361 | 5.0 % |

| Value | Label | Unweighted Frequency | % |
|-------|----------------------------|----------------------|-------------|
| 5 | Every few months | 563 | 7.8 % |
| 6 | About once or twice a year | 566 | 7.9 % |
| 7 | Less than once a year | 496 | 6.9 % |
| 8 | Never | 2473 | 34.3 % |
| | Missing Data | | |
| -99 | No Response | 159 | 2.2 % |
| . | - | 1028 | 14.3 % |
| | Total | 7,207 | 100% |

Based upon 6,020 valid cases out of 7,207 total cases.

- Minimum: -878.00
- Maximum: 8.00

Location: 647-650 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99 , .

SCQLONELNS1: SCQLoneIns1: How often do you feel you lack companionship?

| Value | Label | Unweighted Frequency | % |
|-------|---------------------------|----------------------|-------------|
| -878 | Adjacent boxes 7&8 ticked | 0 | 0.0 % |
| -867 | Adjacent boxes 6&7 ticked | 0 | 0.0 % |
| -856 | Adjacent boxes 5&6 ticked | 0 | 0.0 % |
| -845 | Adjacent boxes 4&5 ticked | 0 | 0.0 % |
| -834 | Adjacent boxes 3&4 ticked | 0 | 0.0 % |
| -823 | Adjacent boxes 2&3 ticked | 2 | 0.0 % |
| -812 | Adjacent boxes 1&2 ticked | 0 | 0.0 % |
| 1 | Often | 473 | 6.6 % |
| 2 | Some of the time | 1904 | 26.4 % |
| 3 | Hardly ever / Never | 3757 | 52.1 % |
| | Missing Data | | |
| -99 | No Response | 43 | 0.6 % |
| . | - | 1028 | 14.3 % |
| | Total | 7,207 | 100% |

Based upon 6,136 valid cases out of 7,207 total cases.

- Minimum: -823.00
- Maximum: 3.00

Location: 651-654 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99 , .

SCQLONELNS2: SCQLoneIns2: How often do you feel left out?

| Value | Label | Unweighted Frequency | % |
|-------|---------------------------|----------------------|-------------|
| -878 | Adjacent boxes 7&8 ticked | 0 | 0.0 % |
| -867 | Adjacent boxes 6&7 ticked | 0 | 0.0 % |
| -856 | Adjacent boxes 5&6 ticked | 0 | 0.0 % |
| -845 | Adjacent boxes 4&5 ticked | 0 | 0.0 % |
| -834 | Adjacent boxes 3&4 ticked | 0 | 0.0 % |
| -823 | Adjacent boxes 2&3 ticked | 1 | 0.0 % |
| -812 | Adjacent boxes 1&2 ticked | 0 | 0.0 % |
| 1 | Often | 270 | 3.7 % |
| 2 | Some of the time | 1706 | 23.7 % |
| 3 | Hardly ever / Never | 4139 | 57.4 % |
| | Missing Data | | |
| -99 | No Response | 63 | 0.9 % |
| . | - | 1028 | 14.3 % |
| | Total | 7,207 | 100% |

Based upon 6,116 valid cases out of 7,207 total cases.

- Minimum: -823.00
- Maximum: 3.00

Location: 655-658 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99 , .

SCQLONELNS3: SCQLoneIns3: How often do you feel isolated from others?

| Value | Label | Unweighted Frequency | % |
|-------|---------------------------|----------------------|--------|
| -878 | Adjacent boxes 7&8 ticked | 0 | 0.0 % |
| -867 | Adjacent boxes 6&7 ticked | 0 | 0.0 % |
| -856 | Adjacent boxes 5&6 ticked | 0 | 0.0 % |
| -845 | Adjacent boxes 4&5 ticked | 0 | 0.0 % |
| -834 | Adjacent boxes 3&4 ticked | 0 | 0.0 % |
| -823 | Adjacent boxes 2&3 ticked | 3 | 0.0 % |
| -812 | Adjacent boxes 1&2 ticked | 0 | 0.0 % |
| 1 | Often | 259 | 3.6 % |
| 2 | Some of the time | 1399 | 19.4 % |
| 3 | Hardly ever / Never | 4433 | 61.5 % |
| | Missing Data | | |
| -99 | No Response | 85 | 1.2 % |
| . | - | 1028 | 14.3 % |

| Value | Label | Unweighted Frequency | % |
|-------|--------------|----------------------|-------------|
| | Total | 7,207 | 100% |

Based upon 6,094 valid cases out of 7,207 total cases.

- Minimum: -823.00
- Maximum: 3.00

Location: 659-662 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99 , .

SCQLONELNS4: SCQLoneIns4: How often do you feel in tune with the people around you?

| Value | Label | Unweighted Frequency | % |
|-------|---------------------------|----------------------|-------------|
| -878 | Adjacent boxes 7&8 ticked | 0 | 0.0 % |
| -867 | Adjacent boxes 6&7 ticked | 0 | 0.0 % |
| -856 | Adjacent boxes 5&6 ticked | 0 | 0.0 % |
| -845 | Adjacent boxes 4&5 ticked | 0 | 0.0 % |
| -834 | Adjacent boxes 3&4 ticked | 0 | 0.0 % |
| -823 | Adjacent boxes 2&3 ticked | 0 | 0.0 % |
| -812 | Adjacent boxes 1&2 ticked | 1 | 0.0 % |
| 1 | Often | 4046 | 56.1 % |
| 2 | Some of the time | 1740 | 24.1 % |
| 3 | Hardly ever / Never | 318 | 4.4 % |
| | Missing Data | | |
| -99 | No Response | 74 | 1.0 % |
| . | - | 1028 | 14.3 % |
| | Total | 7,207 | 100% |

Based upon 6,105 valid cases out of 7,207 total cases.

- Minimum: -812.00
- Maximum: 3.00

Location: 663-666 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99 , .

SCQLONELNS5: SCQLoneIns5: How often do you feel lonely?

| Value | Label | Unweighted Frequency | % |
|-------|---------------------------|----------------------|-------|
| -878 | Adjacent boxes 7&8 ticked | 0 | 0.0 % |
| -867 | Adjacent boxes 6&7 ticked | 0 | 0.0 % |
| -856 | Adjacent boxes 5&6 ticked | 0 | 0.0 % |
| -845 | Adjacent boxes 4&5 ticked | 0 | 0.0 % |

| Value | Label | Unweighted Frequency | % |
|-------|---------------------------|----------------------|-------------|
| -834 | Adjacent boxes 3&4 ticked | 0 | 0.0 % |
| -823 | Adjacent boxes 2&3 ticked | 0 | 0.0 % |
| -812 | Adjacent boxes 1&2 ticked | 0 | 0.0 % |
| 1 | Often | 360 | 5.0 % |
| 2 | Some of the time | 1738 | 24.1 % |
| 3 | Hardly ever / Never | 4033 | 56.0 % |
| | Missing Data | | |
| -99 | No Response | 48 | 0.7 % |
| . | - | 1028 | 14.3 % |
| | Total | 7,207 | 100% |

Based upon 6,131 valid cases out of 7,207 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 667-670 (width: 4; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -99 , .

SCQVOTE: SCQVOTE: Did you vote in the last general election?

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 1 | Yes | 5667 | 78.6 % |
| 2 | No | 471 | 6.5 % |
| | Missing Data | | |
| -99 | No Response | 41 | 0.6 % |
| . | - | 1028 | 14.3 % |
| | Total | 7,207 | 100% |

Based upon 6,138 valid cases out of 7,207 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 671-673 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -99 , .

SCQPSS1: SCQPSS1: Felt unable to control the important things in your life?

| Value | Label | Unweighted Frequency | % |
|-------|---------------------------|----------------------|-------|
| -878 | Adjacent boxes 7&8 ticked | 0 | 0.0 % |
| -867 | Adjacent boxes 6&7 ticked | 0 | 0.0 % |
| -856 | Adjacent boxes 5&6 ticked | 0 | 0.0 % |

| Value | Label | Unweighted Frequency | % |
|-------|---------------------------|----------------------|-------------|
| -845 | Adjacent boxes 4&5 ticked | 0 | 0.0 % |
| -834 | Adjacent boxes 3&4 ticked | 0 | 0.0 % |
| -823 | Adjacent boxes 2&3 ticked | 0 | 0.0 % |
| -812 | Adjacent boxes 1&2 ticked | 0 | 0.0 % |
| 1 | Hardly Ever | 3169 | 44.0 % |
| 2 | Almost Never | 1155 | 16.0 % |
| 3 | Sometimes | 1321 | 18.3 % |
| 4 | Fairly Often | 265 | 3.7 % |
| 5 | Very Often | 169 | 2.3 % |
| | Missing Data | | |
| -99 | No Response | 100 | 1.4 % |
| . | - | 1028 | 14.3 % |
| | Total | 7,207 | 100% |

Based upon 6,079 valid cases out of 7,207 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 674-677 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99 , .

SCQPSS2: SCQPSS2: Felt confident about your ability to handle your personal problems?

| Value | Label | Unweighted Frequency | % |
|-------|---------------------------|----------------------|-------------|
| -878 | Adjacent boxes 7&8 ticked | 0 | 0.0 % |
| -867 | Adjacent boxes 6&7 ticked | 0 | 0.0 % |
| -856 | Adjacent boxes 5&6 ticked | 0 | 0.0 % |
| -845 | Adjacent boxes 4&5 ticked | 0 | 0.0 % |
| -834 | Adjacent boxes 3&4 ticked | 1 | 0.0 % |
| -823 | Adjacent boxes 2&3 ticked | 1 | 0.0 % |
| -812 | Adjacent boxes 1&2 ticked | 0 | 0.0 % |
| 1 | Hardly Ever | 921 | 12.8 % |
| 2 | Almost Never | 424 | 5.9 % |
| 3 | Sometimes | 905 | 12.6 % |
| 4 | Fairly Often | 1655 | 23.0 % |
| 5 | Very Often | 2143 | 29.7 % |
| | Missing Data | | |
| -99 | No Response | 129 | 1.8 % |
| . | - | 1028 | 14.3 % |
| | Total | 7,207 | 100% |

Based upon 6,050 valid cases out of 7,207 total cases.

- Minimum: -834.00
- Maximum: 5.00

Location: 678-681 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99 , .

SCQPSS3: SCQPSS3: Felt that things were going your way?

| Value | Label | Unweighted Frequency | % |
|-------|---------------------------|----------------------|-------------|
| -878 | Adjacent boxes 7&8 ticked | 0 | 0.0 % |
| -867 | Adjacent boxes 6&7 ticked | 0 | 0.0 % |
| -856 | Adjacent boxes 5&6 ticked | 0 | 0.0 % |
| -845 | Adjacent boxes 4&5 ticked | 1 | 0.0 % |
| -834 | Adjacent boxes 3&4 ticked | 1 | 0.0 % |
| -823 | Adjacent boxes 2&3 ticked | 0 | 0.0 % |
| -812 | Adjacent boxes 1&2 ticked | 0 | 0.0 % |
| 1 | Hardly Ever | 388 | 5.4 % |
| 2 | Almost Never | 280 | 3.9 % |
| 3 | Sometimes | 1674 | 23.2 % |
| 4 | Fairly Often | 2526 | 35.0 % |
| 5 | Very Often | 1172 | 16.3 % |
| | Missing Data | | |
| -99 | No Response | 137 | 1.9 % |
| . | - | 1028 | 14.3 % |
| | Total | 7,207 | 100% |

Based upon 6,042 valid cases out of 7,207 total cases.

- Minimum: -845.00
- Maximum: 5.00

Location: 682-685 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99 , .

SCQPSS4: SCQPSS4: Felt difficulties were piling up so high that you could not overcome th

| Value | Label | Unweighted Frequency | % |
|-------|---------------------------|----------------------|-------|
| -878 | Adjacent boxes 7&8 ticked | 0 | 0.0 % |
| -867 | Adjacent boxes 6&7 ticked | 0 | 0.0 % |
| -856 | Adjacent boxes 5&6 ticked | 0 | 0.0 % |
| -845 | Adjacent boxes 4&5 ticked | 0 | 0.0 % |
| -834 | Adjacent boxes 3&4 ticked | 0 | 0.0 % |

| Value | Label | Unweighted Frequency | % |
|-------|---------------------------|----------------------|-------------|
| -823 | Adjacent boxes 2&3 ticked | 0 | 0.0 % |
| -812 | Adjacent boxes 1&2 ticked | 0 | 0.0 % |
| 1 | Hardly Ever | 2958 | 41.0 % |
| 2 | Almost Never | 1605 | 22.3 % |
| 3 | Sometimes | 1127 | 15.6 % |
| 4 | Fairly Often | 285 | 4.0 % |
| 5 | Very Often | 113 | 1.6 % |
| | Missing Data | | |
| -99 | No Response | 91 | 1.3 % |
| . | - | 1028 | 14.3 % |
| | Total | 7,207 | 100% |

Based upon 6,088 valid cases out of 7,207 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 686-689 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99 , .

SCQALCOHIS1: SCQAlcoHis1: Have you ever had an alcoholic drink e.g. glass of wine, glass of b

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 1 | Yes | 5382 | 74.7 % |
| 2 | No | 730 | 10.1 % |
| | Missing Data | | |
| -99 | No Response | 67 | 0.9 % |
| . | - | 1028 | 14.3 % |
| | Total | 7,207 | 100% |

Based upon 6,112 valid cases out of 7,207 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 690-692 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99 , .

SCQALCOHIS2: SCQAlcoHis2: Have you had an alcoholic drink of any kind in the last 12 months?

| Value | Label | Unweighted Frequency | % |
|-------|---|----------------------|-------------|
| 1 | Yes | 4983 | 69.1 % |
| 2 | No | 400 | 5.6 % |
| | Missing Data | | |
| -99 | No Response | 66 | 0.9 % |
| -1 | Not applicable or skipped due to routing patterns | 730 | 10.1 % |
| . | - | 1028 | 14.3 % |
| | Total | 7,207 | 100% |

Based upon 5,383 valid cases out of 7,207 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 693-695 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99 , -1 , .

SCQALCOFREQ1: SCQAlcoFreq1: Last 12 months, how often have you had drunk any alcoholic beverag

| Value | Label | Unweighted Frequency | % |
|-------|---|----------------------|-------------|
| -878 | Adjacent boxes 7&8 ticked | 0 | 0.0 % |
| -867 | Adjacent boxes 6&7 ticked | 0 | 0.0 % |
| -856 | Adjacent boxes 5&6 ticked | 0 | 0.0 % |
| -845 | Adjacent boxes 4&5 ticked | 2 | 0.0 % |
| -834 | Adjacent boxes 3&4 ticked | 1 | 0.0 % |
| -823 | Adjacent boxes 2&3 ticked | 1 | 0.0 % |
| -812 | Adjacent boxes 1&2 ticked | 4 | 0.1 % |
| 1 | Daily | 316 | 4.4 % |
| 2 | 4-6 days a week | 543 | 7.5 % |
| 3 | 2-3 days a week | 1233 | 17.1 % |
| 4 | Once a week | 1145 | 15.9 % |
| 5 | 2-3 days a month | 476 | 6.6 % |
| 6 | Once a month | 473 | 6.6 % |
| 7 | One or a couple of days per year | 737 | 10.2 % |
| | Missing Data | | |
| -99 | No Response | 118 | 1.6 % |
| -1 | Not applicable or skipped due to routing patterns | 1130 | 15.7 % |
| . | - | 1028 | 14.3 % |
| | Total | 7,207 | 100% |

Based upon 4,931 valid cases out of 7,207 total cases.

- Minimum: -845.00
- Maximum: 7.00

Location: 696-699 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99 , -1 , .

SCQALCOFREQ2: SCQAlcoFreq2: More recently (i.e. last month), would you describe your alcohol i

| Value | Label | Unweighted Frequency | % |
|-------|---|----------------------|-------------|
| -867 | Adjacent boxes 6&7 ticked | 0 | 0.0 % |
| -856 | Adjacent boxes 5&6 ticked | 0 | 0.0 % |
| -845 | Adjacent boxes 4&5 ticked | 1 | 0.0 % |
| -834 | Adjacent boxes 3&4 ticked | 1 | 0.0 % |
| -823 | Adjacent boxes 2&3 ticked | 0 | 0.0 % |
| -812 | Adjacent boxes 1&2 ticked | 2 | 0.0 % |
| 0 | UNDOCUMENTED CODE | 104 | 1.4 % |
| 1 | Daily | 313 | 4.3 % |
| 2 | 4-6 days a week | 527 | 7.3 % |
| 3 | 2-3 days a week | 1223 | 17.0 % |
| 4 | Once a week | 1108 | 15.4 % |
| 5 | 2-3 days a month | 517 | 7.2 % |
| 6 | Once a month | 967 | 13.4 % |
| | Missing Data | | |
| -99 | No Response | 283 | 3.9 % |
| -98 | Don't Know | 3 | 0.0 % |
| -1 | Not applicable or skipped due to routing patterns | 1130 | 15.7 % |
| . | - | 1028 | 14.3 % |
| | Total | 7,207 | 100% |

Based upon 4,763 valid cases out of 7,207 total cases.

- Minimum: -845.00
- Maximum: 6.00

Location: 700-703 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99 , -98 , -1 , .

SCQCAGE1: SCQCAGE1: Have you ever felt that you should cut down on drinking?

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|--------|
| 1 | Yes | 1304 | 18.1 % |
| 2 | No | 3540 | 49.1 % |
| | Missing Data | | |

| Value | Label | Unweighted Frequency | % |
|-------|---|----------------------|-------------|
| -99 | No Response | 205 | 2.8 % |
| -1 | Not applicable or skipped due to routing patterns | 1130 | 15.7 % |
| . | - | 1028 | 14.3 % |
| | Total | 7,207 | 100% |

Based upon 4,844 valid cases out of 7,207 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 704-706 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99 , -1 , .

SCQALCORD1: SCQAlcoRd1: Have you reduced your alcohol intake in the last 2 years?

| Value | Label | Unweighted Frequency | % |
|-------|---|----------------------|-------------|
| 1 | Yes | 1953 | 27.1 % |
| 2 | No | 2826 | 39.2 % |
| | Missing Data | | |
| -99 | No Response | 270 | 3.7 % |
| -1 | Not applicable or skipped due to routing patterns | 1130 | 15.7 % |
| . | - | 1028 | 14.3 % |
| | Total | 7,207 | 100% |

Based upon 4,779 valid cases out of 7,207 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 707-709 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99 , -1 , .

SCQCAGE2: SCQCAGE2: Have people ever annoyed you by criticising your drinking?

| Value | Label | Unweighted Frequency | % |
|-------|---|----------------------|-------------|
| 1 | Yes | 465 | 6.5 % |
| 2 | No | 4319 | 59.9 % |
| | Missing Data | | |
| -99 | No Response | 265 | 3.7 % |
| -1 | Not applicable or skipped due to routing patterns | 1130 | 15.7 % |
| . | - | 1028 | 14.3 % |
| | Total | 7,207 | 100% |

Based upon 4,784 valid cases out of 7,207 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 710-712 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99 , -1 , .

SCQCAGE3: SCQCAGE3: Have you ever felt bad or guilty about drinking?

| Value | Label | Unweighted Frequency | % |
|-------|---|----------------------|-------------|
| 1 | Yes | 849 | 11.8 % |
| 2 | No | 4014 | 55.7 % |
| | Missing Data | | |
| -99 | No Response | 186 | 2.6 % |
| -1 | Not applicable or skipped due to routing patterns | 1130 | 15.7 % |
| . | - | 1028 | 14.3 % |
| | Total | 7,207 | 100% |

Based upon 4,863 valid cases out of 7,207 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 713-715 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99 , -1 , .

SCQCAGE4: SCQCAGE4: Ever taken a drink first thing in morning to steady nerves or get rid

| Value | Label | Unweighted Frequency | % |
|-------|---|----------------------|-------------|
| 1 | Yes | 134 | 1.9 % |
| 2 | No | 4748 | 65.9 % |
| | Missing Data | | |
| -99 | No Response | 167 | 2.3 % |
| -1 | Not applicable or skipped due to routing patterns | 1130 | 15.7 % |
| . | - | 1028 | 14.3 % |
| | Total | 7,207 | 100% |

Based upon 4,882 valid cases out of 7,207 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 716-718 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99 , -1 , .

SCQFRIENDIED: SCQFriended: Have any of your close friends died in the past two years?

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 1 | Yes | 2284 | 31.7 % |
| 2 | No | 3760 | 52.2 % |
| | Missing Data | | |
| -99 | No Response | 135 | 1.9 % |
| . | - | 1028 | 14.3 % |
| | Total | 7,207 | 100% |

Based upon 6,044 valid cases out of 7,207 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 719-721 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99 , .

IN_SCQ: Self completion record present

| Value | Label | Unweighted Frequency | % |
|-------|--------------|----------------------|-------------|
| 0 | - | 1028 | 14.3 % |
| 1 | - | 6179 | 85.7 % |
| | Total | 7,207 | 100% |

Based upon 7,207 valid cases out of 7,207 total cases.

- Mean: 0.86
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.35

Location: 722-722 (width: 1; decimal: 0)

Variable Type: numeric

G2GH2ATOTH: h2atoth:w2 assets: net value of house/prim res

| Value | Label | Unweighted Frequency | % |
|---------|-------|----------------------|-------|
| -675000 | - | 1 | 0.0 % |
| -580000 | - | 2 | 0.0 % |
| -500000 | - | 2 | 0.0 % |
| -400000 | - | 1 | 0.0 % |
| -310000 | - | 1 | 0.0 % |
| -280000 | - | 1 | 0.0 % |

| Value | Label | Unweighted Frequency | % |
|---------|-------|----------------------|-------|
| -257000 | - | 1 | 0.0 % |
| -250000 | - | 2 | 0.0 % |
| -240000 | - | 1 | 0.0 % |
| -230000 | - | 1 | 0.0 % |
| -220000 | - | 1 | 0.0 % |
| -210000 | - | 1 | 0.0 % |
| -200000 | - | 2 | 0.0 % |
| -196660 | - | 2 | 0.0 % |
| -180000 | - | 1 | 0.0 % |
| -170000 | - | 1 | 0.0 % |
| -150000 | - | 3 | 0.0 % |
| -146000 | - | 2 | 0.0 % |
| -120000 | - | 2 | 0.0 % |
| -110000 | - | 2 | 0.0 % |
| -100000 | - | 4 | 0.1 % |
| -80000 | - | 4 | 0.1 % |
| -77000 | - | 1 | 0.0 % |
| -75000 | - | 1 | 0.0 % |
| -70000 | - | 3 | 0.0 % |
| -69000 | - | 2 | 0.0 % |
| -55000 | - | 3 | 0.0 % |
| -51000 | - | 2 | 0.0 % |
| -50000 | - | 1 | 0.0 % |
| -40000 | - | 5 | 0.1 % |
| -38000 | - | 2 | 0.0 % |
| -32000 | - | 1 | 0.0 % |
| -31000 | - | 2 | 0.0 % |
| -30000 | - | 7 | 0.1 % |
| -29000 | - | 3 | 0.0 % |
| -25000 | - | 4 | 0.1 % |
| -20000 | - | 6 | 0.1 % |
| -19000 | - | 1 | 0.0 % |
| -17000 | - | 1 | 0.0 % |
| -15000 | - | 3 | 0.0 % |
| -10000 | - | 4 | 0.1 % |
| -9000 | - | 2 | 0.0 % |
| -8000 | - | 1 | 0.0 % |
| -6000 | - | 1 | 0.0 % |
| -5000 | - | 1 | 0.0 % |

| Value | Label | Unweighted Frequency | % |
|-------|--------------|----------------------|-------------|
| -3000 | - | 1 | 0.0 % |
| 0 | - | 655 | 9.1 % |
| 1000 | - | 1 | 0.0 % |
| 4000 | - | 1 | 0.0 % |
| 5000 | - | 8 | 0.1 % |
| | Total | 7,207 | 100% |

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 7,207 valid cases out of 7,207 total cases.

- Mean: 225760.44
- Minimum: -675000.00
- Maximum: 8000000.00
- Standard Deviation: 313698.09

Location: 723-729 (width: 7; decimal: 0)

Variable Type: numeric

G2GH2AFTOTH: h2aftoth:w2 impflag: assets: net value of house/prim res

| Value | Label | Unweighted Frequency | % |
|-------|------------------------|----------------------|-------------|
| 1 | 1.continuous value | 4646 | 64.5 % |
| 2 | 2.closed range bracket | 1235 | 17.1 % |
| 3 | 3.open range bracket | 23 | 0.3 % |
| 5 | 5.no value/bracket | 658 | 9.1 % |
| 6 | 6.no income | 643 | 8.9 % |
| | Missing Data | | |
| 7 | 7.dk | 2 | 0.0 % |
| | Total | 7,207 | 100% |

Based upon 7,205 valid cases out of 7,207 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 730-730 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7

G2GH2ATOTF: h2atotf:w2 assets: non-housing financial wealth

| Value | Label | Unweighted Frequency | % |
|----------|-------|----------------------|-------|
| -4944000 | - | 2 | 0.0 % |
| -2970000 | - | 1 | 0.0 % |

| Value | Label | Unweighted Frequency | % |
|----------|-------|----------------------|-------|
| -2000000 | - | 1 | 0.0 % |
| -1400000 | - | 2 | 0.0 % |
| -1300000 | - | 2 | 0.0 % |
| -1200000 | - | 2 | 0.0 % |
| -1150000 | - | 1 | 0.0 % |
| -1096000 | - | 2 | 0.0 % |
| -1050000 | - | 2 | 0.0 % |
| -1000000 | - | 2 | 0.0 % |
| -949000 | - | 2 | 0.0 % |
| -895000 | - | 1 | 0.0 % |
| -888000 | - | 1 | 0.0 % |
| -800000 | - | 2 | 0.0 % |
| -755000 | - | 1 | 0.0 % |
| -700000 | - | 1 | 0.0 % |
| -689960 | - | 1 | 0.0 % |
| -650000 | - | 2 | 0.0 % |
| -580000 | - | 1 | 0.0 % |
| -570000 | - | 1 | 0.0 % |
| -555000 | - | 1 | 0.0 % |
| -551001 | - | 2 | 0.0 % |
| -543000 | - | 1 | 0.0 % |
| -500000 | - | 1 | 0.0 % |
| -489200 | - | 1 | 0.0 % |
| -464000 | - | 1 | 0.0 % |
| -434000 | - | 1 | 0.0 % |
| -429000 | - | 1 | 0.0 % |
| -420000 | - | 2 | 0.0 % |
| -400000 | - | 1 | 0.0 % |
| -396000 | - | 1 | 0.0 % |
| -380000 | - | 4 | 0.1 % |
| -366000 | - | 1 | 0.0 % |
| -353000 | - | 1 | 0.0 % |
| -350000 | - | 2 | 0.0 % |
| -330000 | - | 1 | 0.0 % |
| -328400 | - | 1 | 0.0 % |
| -310000 | - | 1 | 0.0 % |
| -300000 | - | 2 | 0.0 % |
| -299600 | - | 1 | 0.0 % |
| -296000 | - | 2 | 0.0 % |

| Value | Label | Unweighted Frequency | % |
|---------|--------------|----------------------|-------------|
| -295000 | - | 2 | 0.0 % |
| -280000 | - | 2 | 0.0 % |
| -272000 | - | 1 | 0.0 % |
| -250000 | - | 2 | 0.0 % |
| -246000 | - | 2 | 0.0 % |
| -243000 | - | 2 | 0.0 % |
| -240000 | - | 2 | 0.0 % |
| -214000 | - | 2 | 0.0 % |
| -213000 | - | 1 | 0.0 % |
| | Total | 7,207 | 100% |

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 7,207 valid cases out of 7,207 total cases.

- Mean: 55943.34
- Minimum: -4944000.00
- Maximum: 5500000.00
- Standard Deviation: 248264.07

Location: 731-738 (width: 8; decimal: 0)

Variable Type: numeric

G2GH2AFTOTF: h2aftotf:w2 impflag: assets: non-housing financial wealth

| Value | Label | Unweighted Frequency | % |
|-------|------------------------|----------------------|-------------|
| 1 | 1.continuous value | 5120 | 71.0 % |
| 2 | 2.closed range bracket | 655 | 9.1 % |
| 3 | 3.open range bracket | 319 | 4.4 % |
| 5 | 5.no value/bracket | 1113 | 15.4 % |
| 6 | 6.no income | 0 | 0.0 % |
| | Total | 7,207 | 100% |

Based upon 7,207 valid cases out of 7,207 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 739-739 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7

G2GH2ATOTB: h2atotb:w2 assets: total all assets inc. 2nd hm

| Value | Label | Unweighted Frequency | % |
|----------|-------|----------------------|-------|
| -2542000 | - | 2 | 0.0 % |
| -2125000 | - | 1 | 0.0 % |
| -1478500 | - | 1 | 0.0 % |
| -1398000 | - | 1 | 0.0 % |
| -1050000 | - | 2 | 0.0 % |
| -1040000 | - | 1 | 0.0 % |
| -970300 | - | 1 | 0.0 % |
| -596000 | - | 1 | 0.0 % |
| -487000 | - | 2 | 0.0 % |
| -455000 | - | 2 | 0.0 % |
| -416000 | - | 1 | 0.0 % |
| -403000 | - | 1 | 0.0 % |
| -396000 | - | 1 | 0.0 % |
| -387000 | - | 1 | 0.0 % |
| -354960 | - | 1 | 0.0 % |
| -326000 | - | 1 | 0.0 % |
| -257000 | - | 1 | 0.0 % |
| -250001 | - | 2 | 0.0 % |
| -248000 | - | 1 | 0.0 % |
| -229000 | - | 1 | 0.0 % |
| -218000 | - | 1 | 0.0 % |
| -209800 | - | 1 | 0.0 % |
| -182000 | - | 1 | 0.0 % |
| -179000 | - | 1 | 0.0 % |
| -172860 | - | 2 | 0.0 % |
| -163000 | - | 2 | 0.0 % |
| -162000 | - | 1 | 0.0 % |
| -155994 | - | 1 | 0.0 % |
| -154900 | - | 1 | 0.0 % |
| -147000 | - | 1 | 0.0 % |
| -146500 | - | 1 | 0.0 % |
| -143000 | - | 2 | 0.0 % |
| -130000 | - | 1 | 0.0 % |
| -121000 | - | 1 | 0.0 % |
| -120000 | - | 1 | 0.0 % |
| -118996 | - | 1 | 0.0 % |
| -114825 | - | 1 | 0.0 % |
| -112000 | - | 2 | 0.0 % |
| -111000 | - | 1 | 0.0 % |

| Value | Label | Unweighted Frequency | % |
|--------|--------------|----------------------|-------------|
| -93000 | - | 2 | 0.0 % |
| -83000 | - | 1 | 0.0 % |
| -82000 | - | 2 | 0.0 % |
| -80000 | - | 2 | 0.0 % |
| -79955 | - | 1 | 0.0 % |
| -76200 | - | 1 | 0.0 % |
| -74700 | - | 1 | 0.0 % |
| -72000 | - | 1 | 0.0 % |
| -71000 | - | 1 | 0.0 % |
| -70000 | - | 1 | 0.0 % |
| -63000 | - | 1 | 0.0 % |
| | Total | 7,207 | 100% |

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 7,207 valid cases out of 7,207 total cases.

- Mean: 402111.23
- Minimum: -2542000.00
- Maximum: 14520000.00
- Standard Deviation: 648595.20

Location: 740-747 (width: 8; decimal: 0)

Variable Type: numeric

G2GH2AFTOTB: h2aftotb:w2 impflag: assets: total all assets inc. 2nd hm

| Value | Label | Unweighted Frequency | % |
|-------|------------------------|----------------------|-------------|
| 1 | 1.continuous value | 3776 | 52.4 % |
| 2 | 2.closed range bracket | 1109 | 15.4 % |
| 3 | 3.open range bracket | 269 | 3.7 % |
| 5 | 5.no value/bracket | 2042 | 28.3 % |
| 6 | 6.no income | 0 | 0.0 % |
| | Missing Data | | |
| 7 | 7.dk | 11 | 0.2 % |
| | Total | 7,207 | 100% |

Based upon 7,196 valid cases out of 7,207 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 748-748 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7

G2GH2ICAP: h2icap:w2 income: total capital income

| Value | Label | Unweighted Frequency | % |
|-----------|-------|----------------------|--------|
| -200000.0 | - | 1 | 0.0 % |
| -125000.0 | - | 2 | 0.0 % |
| -65000.0 | - | 2 | 0.0 % |
| -50000.0 | - | 2 | 0.0 % |
| -43000.0 | - | 2 | 0.0 % |
| -35000.0 | - | 2 | 0.0 % |
| -33000.0 | - | 2 | 0.0 % |
| -32800.0 | - | 2 | 0.0 % |
| -30000.0 | - | 4 | 0.1 % |
| -28000.0 | - | 2 | 0.0 % |
| -25000.0 | - | 3 | 0.0 % |
| -20000.0 | - | 2 | 0.0 % |
| -15000.0 | - | 10 | 0.1 % |
| -13000.0 | - | 2 | 0.0 % |
| -10000.0 | - | 5 | 0.1 % |
| -9100.0 | - | 1 | 0.0 % |
| -8000.0 | - | 3 | 0.0 % |
| -7000.0 | - | 2 | 0.0 % |
| -6000.0 | - | 6 | 0.1 % |
| -5000.0 | - | 3 | 0.0 % |
| -4000.0 | - | 4 | 0.1 % |
| -3000.0 | - | 5 | 0.1 % |
| -2000.0 | - | 5 | 0.1 % |
| -1200.0 | - | 1 | 0.0 % |
| -1000.0 | - | 8 | 0.1 % |
| -500.0 | - | 2 | 0.0 % |
| -400.0 | - | 4 | 0.1 % |
| -300.0 | - | 4 | 0.1 % |
| 0.0 | - | 4648 | 64.5 % |
| 2.0 | - | 3 | 0.0 % |
| 25.0 | - | 2 | 0.0 % |
| 100.0 | - | 1 | 0.0 % |
| 200.0 | - | 3 | 0.0 % |
| 300.0 | - | 7 | 0.1 % |
| 350.0 | - | 1 | 0.0 % |
| 500.0 | - | 8 | 0.1 % |
| 550.0 | - | 2 | 0.0 % |

| Value | Label | Unweighted Frequency | % |
|--------|---------------------|----------------------|-------------|
| 600.0 | - | 6 | 0.1 % |
| 620.0 | - | 1 | 0.0 % |
| 700.0 | - | 2 | 0.0 % |
| 750.0 | - | 1 | 0.0 % |
| 800.0 | - | 2 | 0.0 % |
| 870.0 | - | 2 | 0.0 % |
| 1000.0 | - | 23 | 0.3 % |
| 1100.0 | - | 1 | 0.0 % |
| 1300.0 | - | 4 | 0.1 % |
| 1400.0 | - | 2 | 0.0 % |
| 1500.0 | - | 9 | 0.1 % |
| 1600.0 | - | 1 | 0.0 % |
| 1700.0 | - | 1 | 0.0 % |
| | Missing Data | | |
| . | - | 1325 | 18.4 % |
| | Total | 7,207 | 100% |

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 5,882 valid cases out of 7,207 total cases.

- Mean: 4179.03
- Median: 0.00
- Mode: 0.00
- Minimum: -200000.00
- Maximum: 705000.00
- Standard Deviation: 23815.52

Location: 749-757 (width: 9; decimal: 1)

Variable Type: numeric

G2GH2IFCAP: h2ifcap:w2 impflag: income: total capital income

| Value | Label | Unweighted Frequency | % |
|-------|------------------------|----------------------|--------|
| 1 | 1.continuous value | 1325 | 18.4 % |
| 2 | 2.closed range bracket | 82 | 1.1 % |
| 3 | 3.open range bracket | 7 | 0.1 % |
| 5 | 5.no value/bracket | 213 | 3.0 % |
| 6 | 6.no income | 4252 | 59.0 % |
| | Missing Data | | |
| 7 | 7.dk | 3 | 0.0 % |
| . | - | 1325 | 18.4 % |

| Value | Label | Unweighted Frequency | % |
|-------|--------------|----------------------|-------------|
| | Total | 7,207 | 100% |

Based upon 5,879 valid cases out of 7,207 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 758-758 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , .

G2GR2IPUBPEN: r2ipubpen:w2 income: R public pensions

| Value | Label | Unweighted Frequency | % |
|---------------|-------|----------------------|--------|
| 0.000000000 | - | 3800 | 52.7 % |
| 12.000000000 | - | 1 | 0.0 % |
| 52.000000000 | - | 1 | 0.0 % |
| 63.000000000 | - | 1 | 0.0 % |
| 84.000000000 | - | 1 | 0.0 % |
| 104.000000000 | - | 1 | 0.0 % |
| 135.000000000 | - | 1 | 0.0 % |
| 144.000000000 | - | 3 | 0.0 % |
| 188.000000000 | - | 1 | 0.0 % |
| 209.000000000 | - | 1 | 0.0 % |
| 225.000000000 | - | 1 | 0.0 % |
| 225.800003052 | - | 1 | 0.0 % |
| 324.000000000 | - | 1 | 0.0 % |
| 376.000000000 | - | 1 | 0.0 % |
| 380.000000000 | - | 1 | 0.0 % |
| 451.600006104 | - | 1 | 0.0 % |
| 468.000000000 | - | 1 | 0.0 % |
| 474.000000000 | - | 1 | 0.0 % |
| 482.000000000 | - | 1 | 0.0 % |
| 520.000000000 | - | 1 | 0.0 % |
| 528.000000000 | - | 1 | 0.0 % |
| 540.000000000 | - | 1 | 0.0 % |
| 564.000000000 | - | 2 | 0.0 % |
| 624.000000000 | - | 3 | 0.0 % |
| 677.400024415 | - | 1 | 0.0 % |
| 680.000000000 | - | 1 | 0.0 % |
| 728.000000000 | - | 1 | 0.0 % |
| 752.000000000 | - | 1 | 0.0 % |

| Value | Label | Unweighted Frequency | % |
|----------------|--------------|----------------------|-------------|
| 780.000000000 | - | 1 | 0.0 % |
| 790.000000000 | - | 1 | 0.0 % |
| 810.000000000 | - | 1 | 0.0 % |
| 816.000000000 | - | 1 | 0.0 % |
| 840.000000000 | - | 1 | 0.0 % |
| 852.000000000 | - | 2 | 0.0 % |
| 900.000000000 | - | 3 | 0.0 % |
| 920.000000000 | - | 1 | 0.0 % |
| 996.000000000 | - | 2 | 0.0 % |
| 1040.000000000 | - | 3 | 0.0 % |
| 1050.000000000 | - | 2 | 0.0 % |
| 1080.000000000 | - | 2 | 0.0 % |
| 1092.000000000 | - | 1 | 0.0 % |
| 1095.000000000 | - | 1 | 0.0 % |
| 1128.000000000 | - | 3 | 0.0 % |
| 1137.000000000 | - | 1 | 0.0 % |
| 1144.000000000 | - | 1 | 0.0 % |
| 1145.000000000 | - | 1 | 0.0 % |
| 1150.000000000 | - | 1 | 0.0 % |
| 1151.500000000 | - | 1 | 0.0 % |
| 1190.000000000 | - | 1 | 0.0 % |
| 1200.000000000 | - | 4 | 0.1 % |
| | Total | 7,207 | 100% |

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 7,207 valid cases out of 7,207 total cases.

- Mean: 5017.688243497
- Minimum: 0.000000000
- Maximum: 27664.000000000
- Standard Deviation: 5925.622362338

Location: 759-773 (width: 15; decimal: 9)

Variable Type: numeric

G2GS2IPUBPEN: s2ipubpen:w2 income: S public pensions

| Value | Label | Unweighted Frequency | % |
|---------------|-------|----------------------|--------|
| 0.000000000 | - | 2240 | 31.1 % |
| 84.000000000 | - | 1 | 0.0 % |
| 144.000000000 | - | 1 | 0.0 % |

| Value | Label | Unweighted Frequency | % |
|----------------|-------|----------------------|-------|
| 209.000000000 | - | 1 | 0.0 % |
| 225.000000000 | - | 1 | 0.0 % |
| 451.600006104 | - | 1 | 0.0 % |
| 468.000000000 | - | 1 | 0.0 % |
| 624.000000000 | - | 1 | 0.0 % |
| 680.000000000 | - | 1 | 0.0 % |
| 752.000000000 | - | 1 | 0.0 % |
| 780.000000000 | - | 1 | 0.0 % |
| 810.000000000 | - | 1 | 0.0 % |
| 816.000000000 | - | 1 | 0.0 % |
| 840.000000000 | - | 1 | 0.0 % |
| 900.000000000 | - | 1 | 0.0 % |
| 1040.000000000 | - | 2 | 0.0 % |
| 1050.000000000 | - | 2 | 0.0 % |
| 1080.000000000 | - | 1 | 0.0 % |
| 1092.000000000 | - | 1 | 0.0 % |
| 1128.000000000 | - | 2 | 0.0 % |
| 1137.000000000 | - | 1 | 0.0 % |
| 1144.000000000 | - | 1 | 0.0 % |
| 1145.000000000 | - | 1 | 0.0 % |
| 1200.000000000 | - | 4 | 0.1 % |
| 1212.000000000 | - | 1 | 0.0 % |
| 1350.000000000 | - | 1 | 0.0 % |
| 1440.000000000 | - | 1 | 0.0 % |
| 1476.000000000 | - | 1 | 0.0 % |
| 1500.000000000 | - | 1 | 0.0 % |
| 1504.000000000 | - | 1 | 0.0 % |
| 1512.000000000 | - | 1 | 0.0 % |
| 1540.000000000 | - | 1 | 0.0 % |
| 1575.000000000 | - | 1 | 0.0 % |
| 1578.199951172 | - | 1 | 0.0 % |
| 1610.000000000 | - | 3 | 0.0 % |
| 1716.000000000 | - | 1 | 0.0 % |
| 1800.000000000 | - | 1 | 0.0 % |
| 1924.000000000 | - | 1 | 0.0 % |
| 1988.000000000 | - | 1 | 0.0 % |
| 2028.000000000 | - | 1 | 0.0 % |
| 2040.000000000 | - | 1 | 0.0 % |
| 2064.000000000 | - | 2 | 0.0 % |

| Value | Label | Unweighted Frequency | % |
|----------------|---------------------|----------------------|-------------|
| 2070.000000000 | - | 2 | 0.0 % |
| 2080.000000000 | - | 3 | 0.0 % |
| 2184.000000000 | - | 1 | 0.0 % |
| 2236.000000000 | - | 2 | 0.0 % |
| 2244.000000000 | - | 1 | 0.0 % |
| 2256.000000000 | - | 1 | 0.0 % |
| 2280.000000000 | - | 1 | 0.0 % |
| 2300.000000000 | - | 2 | 0.0 % |
| | Missing Data | | |
| . | - | 3653 | 50.7 % |
| | Total | 7,207 | 100% |

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,554 valid cases out of 7,207 total cases.

- Mean: 3924.093901721
- Minimum: 0.000000000
- Maximum: 26000.000000000
- Standard Deviation: 5757.567017116

Location: 774-788 (width: 15; decimal: 9)

Variable Type: numeric

G2GR2IFPUBPEN: r2ifpubpen:w2 impflag: income: R public pensions

| Value | Label | Unweighted Frequency | % |
|-------|------------------------|----------------------|-------------|
| 1 | 1.continuous value | 3316 | 46.0 % |
| 2 | 2.closed range bracket | 0 | 0.0 % |
| 3 | 3.open range bracket | 0 | 0.0 % |
| 5 | 5.no value/bracket | 92 | 1.3 % |
| 6 | 6.no income | 3798 | 52.7 % |
| | Missing Data | | |
| 7 | 7.dk | 1 | 0.0 % |
| | Total | 7,207 | 100% |

Based upon 7,206 valid cases out of 7,207 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 789-789 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7

G2GS2IFPUBPEN: s2ifpubpen:w2 impflag: income: S public pensions

| Value | Label | Unweighted Frequency | % |
|-------|------------------------|----------------------|-------------|
| 1 | 1.continuous value | 1274 | 17.7 % |
| 2 | 2.closed range bracket | 0 | 0.0 % |
| 3 | 3.open range bracket | 0 | 0.0 % |
| 5 | 5.no value/bracket | 41 | 0.6 % |
| 6 | 6.no income | 2239 | 31.1 % |
| | Missing Data | | |
| . | - | 3653 | 50.7 % |
| | Total | 7,207 | 100% |

Based upon 3,554 valid cases out of 7,207 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 790-790 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , .

G2GH2ITOT: h2itot:w2 income: total couple level income

| Value | Label | Unweighted Frequency | % |
|-----------------|-------|----------------------|-------|
| -196640.0000000 | - | 1 | 0.0 % |
| -125000.0000000 | - | 2 | 0.0 % |
| -61640.0000000 | - | 2 | 0.0 % |
| -42340.0000000 | - | 2 | 0.0 % |
| -33000.0000000 | - | 2 | 0.0 % |
| -31640.0000000 | - | 2 | 0.0 % |
| -23848.0000000 | - | 2 | 0.0 % |
| -22696.0000000 | - | 1 | 0.0 % |
| -20900.0000000 | - | 2 | 0.0 % |
| -15000.0000000 | - | 2 | 0.0 % |
| -13000.0000000 | - | 2 | 0.0 % |
| -11880.0000000 | - | 2 | 0.0 % |
| -9648.0000000 | - | 1 | 0.0 % |
| -9240.0000000 | - | 1 | 0.0 % |
| -9100.0000000 | - | 1 | 0.0 % |
| -8280.0000000 | - | 2 | 0.0 % |
| -8000.0000000 | - | 1 | 0.0 % |
| -7000.0000000 | - | 2 | 0.0 % |
| -5224.0000000 | - | 1 | 0.0 % |

| Value | Label | Unweighted Frequency | % |
|---------------|---------------------|----------------------|-------------|
| -4964.0000000 | - | 2 | 0.0 % |
| -4000.0000000 | - | 2 | 0.0 % |
| -3640.0000000 | - | 1 | 0.0 % |
| -3000.0000000 | - | 2 | 0.0 % |
| -1600.0000000 | - | 2 | 0.0 % |
| -1200.0000000 | - | 1 | 0.0 % |
| -50.0000000 | - | 2 | 0.0 % |
| 0.0000000 | - | 73 | 1.0 % |
| 8.0000000 | - | 1 | 0.0 % |
| 25.0000000 | - | 2 | 0.0 % |
| 30.0000000 | - | 2 | 0.0 % |
| 52.0000000 | - | 1 | 0.0 % |
| 140.0000000 | - | 1 | 0.0 % |
| 188.0000000 | - | 2 | 0.0 % |
| 193.0000000 | - | 1 | 0.0 % |
| 240.0000000 | - | 1 | 0.0 % |
| 300.0000000 | - | 1 | 0.0 % |
| 324.0000000 | - | 1 | 0.0 % |
| 350.0000000 | - | 1 | 0.0 % |
| 482.0000000 | - | 1 | 0.0 % |
| 496.0000000 | - | 1 | 0.0 % |
| 500.0000000 | - | 3 | 0.0 % |
| 532.0000000 | - | 1 | 0.0 % |
| 600.0000000 | - | 1 | 0.0 % |
| 650.0000000 | - | 1 | 0.0 % |
| 800.0000000 | - | 1 | 0.0 % |
| 810.0000000 | - | 2 | 0.0 % |
| 852.0000000 | - | 1 | 0.0 % |
| 854.0000000 | - | 1 | 0.0 % |
| 920.0000000 | - | 1 | 0.0 % |
| 1000.0000000 | - | 1 | 0.0 % |
| | Missing Data | | |
| . | - | 1325 | 18.4 % |
| | Total | 7,207 | 100% |

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 5,882 valid cases out of 7,207 total cases.

- Mean: 60366.0590088
- Minimum: -196640.0000000
- Maximum: 3237696.0000000
- Standard Deviation: 112743.6443026

Location: 791-805 (width: 15; decimal: 7)

Variable Type: numeric

G2GH2IFTOT: h2iftot:w2 impflag: income: total couple level income

| Value | Label | Unweighted Frequency | % |
|---------------------|------------------------|----------------------|-------------|
| 1 | 1.continuous value | 4928 | 68.4 % |
| 2 | 2.closed range bracket | 164 | 2.3 % |
| 3 | 3.open range bracket | 15 | 0.2 % |
| 5 | 5.no value/bracket | 742 | 10.3 % |
| 6 | 6.no income | 0 | 0.0 % |
| Missing Data | | | |
| 7 | 7.dk | 33 | 0.5 % |
| . | - | 1325 | 18.4 % |
| Total | | 7,207 | 100% |

Based upon 5,849 valid cases out of 7,207 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 806-806 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , .