How to Add the Webhook: To add the webhook:

- 1. Open up your github on Github.com
- 2. Go to settings.
- 3. Click Webhooks.
- 4. Click add webhooks.
- 5. The Payload URL is: http://csci.csuniv.edu:2234/github/build-csci-315-spring-2019.php Select json for content type.
- 6. Click add webhook.

Remember, after the first push, please wait 5-10 minutes for the auto-grader to get your repository. Then subsequent pushes should receive a grade.

**Instructions:** This lab is to review arrays in C++. While Java arrays have similarities with C++ arrays, there are differences. First, Java arrays are objects, while C++ arrays are just sequential list of elements. The key usage difference is that C++ does not store any information about the array (like length.) Therefore any extraneous information must be stored separately.

Note: Your header file should be in src/arrays.hpp, your C++ code should be in src/arrays.cpp

I do not need a main file. Implement the following functions:

```
_{1} /* Returns the number of elements in the array that are less than 0. */
int countNegatives(const int array[], int size);
  /* Find the smallest odd value in the array.
   * Returns -1 if there is no odd value in the array.
   */
6
 int findMinOdd(const int array[], int size);
  /* Returns the index in the array where value is found.
   * Return -1 if the value is not present in the array.
11
int search(const int array[], int size, int value);
13
  /* Removes an item at position index by shifting later elements left.
   * Returns true iff 0 <= index < size.
  */
17 bool remove(int array[], int size, int index);
```

## Testing:

Please write some test cases to ensure you code is working correctly. You may utilize CXXtestgen or write you own manual test cases in a main file.

## How to turn in:

Turn in via GitHub. Ensure the file(s) are in your directory and then:

- \$ git add <files>
- \$ git commit
- \$ git push

**Due Date:** September 23, 2019 2359

Teamwork: No teamwork, your work must be your own.