

```

library(coda)
S=55000
B=5000
thin=50
thin2=1
RESULTPATH = "./data_output/123/"
load(paste(RESULTPATH,"THETA.post.S=",S,".RData",sep=""))
# Thin again, Keep only even rows
THETA.even <- THETA.post[seq(2, nrow(THETA.post), by = 2), ]
# Apply unlist() to each row, then row-bind results
THETA.mat.123 <- t(apply(THETA.even, 1, unlist))
THETA.mcmc.123 <- as.mcmc(THETA.mat.123)


RESULTPATH = "./data_output/456/"
load(paste(RESULTPATH,"THETA.post.S=",S,".RData",sep=""))
THETA.even <- THETA.post[seq(2, nrow(THETA.post), by = 2), ]
THETA.mat.456 <- t(apply(THETA.even, 1, unlist))
THETA.mcmc.456 <- as.mcmc(THETA.mat.456)


RESULTPATH = "./data_output/789/"
load(paste(RESULTPATH,"THETA.post.S=",S,".RData",sep=""))
THETA.even <- THETA.post[seq(2, nrow(THETA.post), by = 2), ]
THETA.mat.789 <- t(apply(THETA.even, 1, unlist))
THETA.mcmc.789 <- as.mcmc(THETA.mat.789)

THETA.post.list <- as.mcmc.list(list(THETA.mcmc.123,THETA.mcmc.456,THETA.mcmc.789))

GD <- gelman.diag(THETA.post.list)
gelman.plot(THETA.post.list)

```





```
#load(paste(RESULTPATH, "SIGMA.post.S=", S, ".RData", sep=""))
#load(paste(RESULTPATH, "GAMMA.post.S=", S, ".RData", sep=""))
```