

# OfficeX

## Response to Proposal v3.2

### Final Clarifications & Acceptance Conditions

14 August 2026

**STANDALONE DOCUMENT:** This is a dedicated Flow & Logic reference for Gap IDs G-01 to G-20 raised against the OfficeX Commercial & Technical Proposal. It is issued separately and is not merged into the Proposal or the Gap Closure Response. It sets out, for every gap, the resolution, the underlying implementation flow/logic, and — where relevant — an alternative approach. Merger of this document with the Proposal and the Gap Closure Response will follow as a separate step, on confirmation.

### Summary Table — All Gaps at a Glance

| ID   | Gap                                                                                              | Status                              |
|------|--------------------------------------------------------------------------------------------------|-------------------------------------|
| G-01 | Mobile Scope Conflict                                                                            | ACCEPTED                            |
| G-02 | Payment, Commission, Settlement & Refund Flow                                                    | ACCEPTED — SUBJECT TO CLARIFICATION |
| G-03 | Non-Functional Requirements (Performance / Availability / Security / Backup / Defect Thresholds) | ACCEPTED — SUBJECT TO CLARIFICATION |
| G-04 | Third-Party Integrations Register                                                                | ACCEPTED — SUBJECT TO CLARIFICATION |
| G-05 | Data Migration Plan                                                                              | ACCEPTED — SUBJECT TO CLARIFICATION |
| G-06 | Compliance Rules — Categories, Expiry, Retention, Escalation                                     | ACCEPTED — SUBJECT TO CLARIFICATION |
| G-07 | Role-Based Access Control (RBAC) Granularity                                                     | ACCEPTED — SUBJECT TO CLARIFICATION |
| G-08 | AI Use Cases, Data Boundaries & Human-Approval Controls                                          | ACCEPTED                            |
| G-09 | Support SLA — Response, Resolution & Escalation                                                  | ACCEPTED — SUBJECT TO CLARIFICATION |
| G-10 | Backup & Disaster Recovery                                                                       | ACCEPTED — SUBJECT TO CLARIFICATION |
| G-11 | Monitoring, Logging & Alerting                                                                   | ACCEPTED                            |
| G-12 | Security Testing Plan & Closure Thresholds                                                       | ACCEPTED — SUBJECT TO CLARIFICATION |
| G-13 | Load & Performance Testing                                                                       | ACCEPTED — SUBJECT TO CLARIFICATION |
| G-14 | CI/CD, Environments & Release/Rollback Process                                                   | ACCEPTED — SUBJECT TO CLARIFICATION |
| G-15 | Account / IP / Source-Code Ownership & Handover                                                  | ACCEPTED                            |
| G-16 | Data Retention, Privacy & Access Boundaries                                                      | ACCEPTED — SUBJECT TO CLARIFICATION |

| ID   | Gap                                                    | Status                              |
|------|--------------------------------------------------------|-------------------------------------|
| G-17 | Future API / Mobile Readiness                          | ACCEPTED                            |
| G-18 | Defect Severity, Closure & Production-Acceptance Rules | ACCEPTED — SUBJECT TO CLARIFICATION |
| G-19 | Training & Handover Package                            | ACCEPTED — SUBJECT TO CLARIFICATION |
| G-20 | Source Code Handover                                   | ACCEPTED                            |

## G-01 Mobile Scope Conflict

### STATUS: ACCEPTED

**Resolution:** Phase 1 is Web Only. Native Android/iOS applications are excluded from Phase 1 (₹1,28,000 + GST ) and are priced and tracked separately as Phase 2 (₹1,92,000 + GST).

#### Flow & Logic

1. The Work Order and Scope Matrix confirm Phase 1 = Public Website + Desktop Web Application + Browser-Based Web Portals only.
2. Any request to build native mobile apps automatically triggers a separate Phase 2 Statement of Work, with its own advance payment, its own 6–8 week timeline (after Phase 1 delivery), and its own independent 6% maximum hold-back.
3. The Phase 1 backend is still built API-first (see G-17), so Phase 2 mobile development consumes the same APIs the web portal uses — it does not require the backend to be rebuilt but major APIs need to define new logic based on mobile APK.

#### ALTERNATIVE APPROACH

If OfficeX wants app-like mobile access sooner without committing to native development, the Phase 1 web portal can be wrapped as a Progressive Web App (PWA) — installable on a phone's home screen, works offline for basic views, and needs no Play Store/App Store submission. This can be delivered as a small add-on inside Phase 1 as an interim step before Phase 2 native apps are commissioned.

## G-02 Payment, Commission, Settlement & Refund Flow

### STATUS: ACCEPTED SUBJECT TO CLARIFICATION

**Resolution:** The complete payment, commission, settlement, refund and reconciliation workflow — including the confirmed gateway, Razorpay — will be documented in the Functional Requirement Specification and formally approved before Stage 3 (Core Platform) development begins.

#### Flow & Logic

1. Trigger: a payer (tenant, occupier, or marketplace client) initiates a payment inside OfficeX — e.g. rent due, a brokerage invoice, or a marketplace work-order payment.
2. Order creation: the OfficeX backend calls Razorpay's Orders API to create an order (amount, currency, receipt reference) before any payment is collected.
3. Checkout: Razorpay's Checkout UI collects the payment method (UPI, card, netbanking, wallet) from the payer inside the OfficeX flow.
4. Signature verification: on success, Razorpay returns a payment\_id and a signature to the frontend. The backend independently re-verifies this signature using Razorpay's HMAC (**Hash-based Message Authentication Code**.) verification with the account's key secret, so a tampered or spoofed 'success' response cannot be trusted blindly.
5. Webhook as source of truth: the backend also subscribes to Razorpay Webhooks (payment.captured, payment.failed, refund.processed). This is treated as the authoritative record, because a browser-only confirmation can be missed if the payer closes the tab before the page updates.
6. Ledger update: on payment.captured, the backend marks the relevant invoice/rent/work-order record as Paid, generates a receipt, updates the Rent Roll or Billing ledger, and fires a notification to the relevant stakeholders.
7. Commission / vendor split: for marketplace or brokerage transactions where a share must go to a vendor or broker, OfficeX will choose between two models documented below in the Alternative Approach — a Manual Payout model or an Automatic Split model using Razorpay Route.
8. Refunds: an Admin-initiated refund calls Razorpay's Refunds API; the resulting refund.processed webhook updates the OfficeX ledger to Refunded (full or partial), keeping the audit trail intact.

9. Reconciliation: a scheduled job pulls Razorpay's Settlement Report (Settlements API or downloadable statement) and automatically matches each settled amount against OfficeX's internal transaction table using payment\_id; unmatched entries are flagged to Admin for manual review rather than silently ignored.
10. Sign-off: because refund policy, commission-split rules, and reconciliation cadence are business decisions (not just technical ones), these will be written into the FRS and formally approved by OfficeX before Stage 3 begins, so development doesn't proceed on assumed rules.

#### ALTERNATIVE APPROACH

Two commission-payout models are available, and OfficeX should select the Phase 1 default:

**Model A — Manual Payout** (recommended default for Phase 1): OfficeX collects the full payment; commissions/vendor shares are calculated in OfficeX and paid out in periodic batches via RazorpayX Payouts (bank transfer/UPI). This keeps full control and the simplest reconciliation, at the cost of a manual/batched payout cycle.

**Model B — Automatic Split via Razorpay Route:** a single payment is split automatically between OfficeX and a linked vendor account at the moment it is captured, based on a pre-agreed percentage or fixed rule. This removes manual payout effort but requires every vendor to be onboarded as a KYC-verified 'linked account' with Razorpay — an added onboarding step.

**Gateway fallback:** if OfficeX wants a documented business-continuity alternative in case of Razorpay downtime or KYC delays, a secondary gateway (e.g. Cashfree) or a manual NEFT/IMPS bank-file upload process can be documented as a fallback path, without being built as an active dual-gateway system in Phase 1.

## G-03 Non-Functional Requirements (Performance / Availability / Security / Backup / Defect Thresholds)

### STATUS: ACCEPTED SUBJECT TO CLARIFICATION

**Resolution:** A baseline NFR document with reasonable, engineering-standard targets will be provided at no cost. Formal, independently-evidenced testing against certified thresholds is a separately-priced add-on (see G-12, G-13).

#### Flow & Logic

1. Before Stage 3, a baseline NFR note is agreed covering indicative targets — e.g. page load under ~3 seconds on a typical connection, API responses under ~500ms for the 95th percentile of requests, and a reasonable monthly uptime expectation dependent on the chosen cloud tier.
2. These targets are engineered into the build as standard good practice — caching, database indexing, pagination, CDN-served static assets — rather than being separately tested and certified.
3. Defect-severity thresholds referenced here are the same taxonomy used in G-18 (Critical/High/Medium/Low), so NFR and UAT closure rules stay consistent.
4. If OfficeX needs documented, evidenced proof of these numbers (e.g., a signed report showing '500 concurrent users, 99.9% success rate'), that requires the dedicated testing exercises in G-12 (security) and G-13 (load) — which are the two items genuinely outside standard included effort.

#### ALTERNATIVE APPROACH

As a free, informal middle step before committing to certified paid testing, Scalezix can run a lightweight internal check using open-source tools (e.g. a k6 script for load, a Lighthouse audit for page-speed) on the staging environment and share the raw numbers with OfficeX. This gives an early signal without the cost of a certified, vendor-issued test report.

## G-04 Third-Party Integrations Register

### STATUS: ACCEPTED SUBJECT TO CLARIFICATION

**Resolution:** A full Integration Register will be produced covering Maps, AI, SMS, WhatsApp, Email, Payment Gateway, Search and Hosting, at no additional cost.

#### Flow & Logic

1. Every integration gets one register row: Provider, Purpose, API/endpoint used, Account owner during build, Data exchanged, and Cost basis (free tier vs. pay-per-use).
2. All paid accounts are registered under OfficeX's own ownership from day one — never under a Scalezix personal or trial account — so there is no vendor lock-in or account-migration step required at handover.
3. During development, sandbox/test API keys are used for every integration; production keys are swapped in at go-live through a documented cutover checklist, so test traffic never touches a live billed account.

#### ALTERNATIVE APPROACH

Where OfficeX doesn't yet have a preferred vendor (e.g. SMS or WhatsApp), Scalezix will present two options at different price/reliability points — for example MSG91 vs. Twilio for SMS, or Gupshup vs. the Meta Cloud API directly for WhatsApp — so OfficeX can choose based on budget rather than have a vendor selected unilaterally.

## G-05 Data Migration Plan

### STATUS: ACCEPTED SUBJECT TO CLARIFICATION

**Resolution:** A Data Migration Plan and import templates will be provided once OfficeX shares sample source data; effort may scale with data volume/complexity once real data is reviewed.

#### Flow & Logic

1. OfficeX shares sample source data (spreadsheet exports or exports from any existing system currently in use).
2. Scalezix maps every source field to the OfficeX data model (captured in the Data Dictionary, D-05) and flags any fields that are missing, ambiguous, or need cleansing.
3. A trial import is run into a staging/test environment first; OfficeX reviews it for accuracy (record counts, spot-checks of key records) before any data touches production.
4. Final cutover import runs only after that review passes, followed by a reconciliation check — source record count vs. imported record count — with discrepancies resolved before go-live sign-off.

#### ALTERNATIVE APPROACH

If the source data is large or inconsistent (e.g. spread across multiple spreadsheets or systems with no common format), a phased migration is recommended instead of one big-bang cutover — critical operational data (Properties, Tenants, active Leases) migrated first, with historical/archival records migrated afterward, reducing go-live risk.

## G-06 Compliance Rules — Categories, Expiry, Retention, Escalation

### STATUS: ACCEPTED SUBJECT TO CLARIFICATION

**Resolution:** A Compliance Requirements Register will be built and OfficeX-supplied rules configured inside the existing Compliance Management module, at no additional cost, once OfficeX shares the applicable business rules.

## Flow & Logic

1. OfficeX supplies the compliance categories relevant to its properties (e.g. Fire NOC, Insurance, Vendor Licences) and their renewal cycles.
2. These are configured as data-driven rules, not hardcoded logic — so OfficeX can add or edit a category later as a configuration change, not a development change.
3. Expiry logic: each document is flagged 'Expiring Soon' at a configurable lead time before its expiry date (e.g. 30 days), and escalates automatically to 'Expired' if not renewed, notifying the responsible person at each stage.

### ALTERNATIVE APPROACH

If OfficeX doesn't yet have a finalised compliance rulebook, Scalezix can pre-load a standard starter set typical for Indian commercial FM operations at go-live, which OfficeX can then refine once its own policy is finalised — this avoids blocking go-live on a policy document.

## G-07 Role-Based Access Control (RBAC) Granularity

### STATUS: ACCEPTED SUBJECT TO CLARIFICATION

**Resolution:** A detailed Role-Permission Matrix (Finance, Support, Broker/Partner, delegated approvals, and all core roles) will be jointly finalised during Stage 1 — Requirement Freeze, at no additional cost.

## Flow & Logic

1. A Stage 1 workshop lists every role against every module and every action (view / create / edit / approve / reject / export / delete).
2. The matrix is implemented as a permission table (role → module → action → allow/deny) in the backend, not hardcoded per screen — so future role changes are a configuration update, not a development task.
3. Data-boundary rules (e.g. a Property Manager only sees the properties assigned to them) are enforced via row-level filtering tied to the user's property/vendor assignment, checked on every request server-side.

### ALTERNATIVE APPROACH

To reduce Stage 1 workshop time, OfficeX can launch with a smaller set of template roles (Admin, Manager, Operator, External/Vendor, Tenant) at go-live, and layer in more granular custom roles (e.g. a dedicated 'Finance-only' or 'Broker/Partner' role) as a fast-follow update shortly after — useful if OfficeX prefers not to delay the timeline finalising every edge-case role upfront.

## G-08 AI Use Cases, Data Boundaries & Human-Approval Controls

### STATUS: ACCEPTED

**Resolution:** AI use cases, data-access boundaries and human-approval controls will be documented consistent with Proposal Sections 43–50. AI will not autonomously award work, approve invoices, commit expenditure, or execute/renew contracts.

## Flow & Logic

1. Each AI feature (assistant queries, vendor recommendations, ticket triage, document summarisation) is documented with: which data it can access, what type of output it produces, and whether a human-approval step is required before anything takes effect.
2. This is enforced in the code, not only in policy: any AI output touching a financial or contractual action is always written to a 'Pending Approval' state — it is never auto-executed. A human must actively click Approve for it to take effect.

3. Every AI recommendation and the resulting human decision is written to the Audit Trail (Section 40), so AI behaviour stays explainable and reviewable after the fact — not a black box.

#### ALTERNATIVE APPROACH

If OfficeX prefers a cautious rollout, AI can run in 'shadow mode' for the first 4–6 weeks post go-live — recommendations are generated and visible only to OfficeX admins internally, without being surfaced to vendors or tenants — before AI-assisted suggestions are trusted in day-to-day operational workflows.

## G-09 Support SLA — Response, Resolution & Escalation

### STATUS: ACCEPTED SUBJECT TO CLARIFICATION

**Resolution:** Severity levels with acknowledgement, response and resolution targets, and an escalation path, will be agreed as part of the Support SLA document (D-11), at no additional cost.

#### Flow & Logic

1. Severity tiers: Critical (platform down, data loss, payment failure), High (a major feature broken with no workaround), Medium (feature partially impaired, workaround exists), Low (cosmetic/minor).
2. Each tier gets an Acknowledgement time, a Response time, a target Resolution time, and a named escalation contact if targets are missed.
3. Support requests are logged through a simple ticketing mechanism (the same Ticketing module described in Section 27 can be reused) so OfficeX has visibility on open and closed support items throughout the 5-month window.

#### ALTERNATIVE APPROACH

If OfficeX needs faster-than-standard targets for Critical issues (e.g. a 2-hour response instead of a longer default), that can be accommodated, but is best documented as a small priority-support addition rather than assumed silently inside the complimentary 5-month period.

## G-10 Backup & Disaster Recovery

### STATUS: ACCEPTED SUBJECT TO CLARIFICATION

**Resolution:** A baseline backup/restore schedule will be documented at no cost. A formal Disaster Recovery setup with tested RPO/RTO guarantees is proposed as a scoped, separately-priced add-on.

#### Flow & Logic

1. Baseline: automated daily database backups are retained for a rolling window (e.g. 7–30 days) using the cloud provider's own managed backup service (e.g. automated snapshots on the chosen Postgres/Supabase hosting).
2. The restore process is tested at least once before go-live, so it is proven to work — not just configured and left unverified.
3. This baseline gives a modest Recovery Point Objective (data loss tolerance, roughly 'up to the last daily backup') and Recovery Time Objective (time to restore, typically a few hours) — reasonable for an SMB-scale platform, but not enterprise-grade near-zero-loss protection.

#### ALTERNATIVE APPROACH

For tighter RPO/RTO (e.g. near-zero data loss, automatic failover to a standby region), a dedicated DR setup — cross-region replication and a standby environment — is proposed as a scoped add-on. This is flagged as a separate commercial item because it requires genuinely additional infrastructure (a duplicate running environment), not just extra development effort.

## G-11 Monitoring, Logging & Alerting

### STATUS: ACCEPTED

**Resolution:** The monitoring/logging approach appropriate to the platform's scale will be confirmed at no additional cost.

#### Flow & Logic

1. Application error tracking (e.g. a starter/free tier of a tool such as Sentry) captures unhandled exceptions with stack traces so issues can be diagnosed quickly.
2. Infrastructure-level logs (API errors, response times) are retained for a reasonable window (e.g. 30 days) to support troubleshooting.
3. Critical failures — for example a payment-webhook failure — trigger an alert (email or similar) to the Scalezix support contact during the support window, rather than being discovered only when a user complains.

#### ALTERNATIVE APPROACH

If OfficeX wants a status dashboard visible to its own internal team (not only to Scalezix), a lightweight public status page using a free tool (e.g. UptimeRobot) can be added at no cost, as a simpler alternative to a full enterprise observability stack.

## G-12 Security Testing Plan & Closure Thresholds

### STATUS: ACCEPTED SUBJECT TO CLARIFICATION

**Resolution:** Standard secure-development practice (authentication, RBAC, input validation, protected routes) is included in the base scope. A formal, documented security test plan with defined severity closure thresholds — typically requiring third-party penetration testing — is recommended as a scoped, separately-priced add-on.

#### Flow & Logic

1. Secure-by-design practices are applied throughout the build as standard included work: parameterised database queries (never raw string-concatenated SQL) to prevent SQL injection; output encoding to prevent cross-site scripting (XSS); CSRF tokens on state-changing requests; server-side RBAC enforcement so a user cannot access another role's data simply by guessing a URL; industry-standard password hashing (bcrypt/argon2), never plain text; HTTPS enforced everywhere; and file uploads restricted by type and size.
2. Dependency scanning: automated checks (e.g. npm audit / Dependabot-style alerts) flag known-vulnerable third-party libraries so they are patched before go-live, rather than discovered later.
3. This baseline maps to the common OWASP Top 10 risk categories and is standard good engineering practice — it is included in the base ₹1,28,000 scope. It is not the same thing as an independently certified security audit.
4. Formal path (if OfficeX requires it): an external penetration-testing firm is engaged against a defined scope, actively attempts to find exploitable weaknesses, and issues a signed report with findings classified by severity (Critical/High/Medium/Low) and required closure timelines before production certification. This is the item classified 'Requires Separate Commercial Approval', because it involves engaging and paying an external specialist vendor.



#### ALTERNATIVE APPROACH

As a free, lower-cost middle step before a full paid penetration test, Scalezix can run an automated vulnerability scan using an open-source tool (e.g. an OWASP ZAP baseline scan) against the staging environment and share the raw findings with OfficeX at no additional cost. This does not replace a certified manual pentest, but gives an early, no-cost signal on common vulnerability classes, helping OfficeX decide whether the formal paid engagement is actually necessary before go-live.

## G-13 Load & Performance Testing

### STATUS: ACCEPTED SUBJECT TO CLARIFICATION

**Resolution:** Reasonable performance engineering practice is included for the expected initial user base. Formal load-testing with defined concurrency/response-time targets and certified test evidence is proposed as a scoped, separately-priced add-on.

#### Flow & Logic

1. Baseline: standard performance-engineering practices are applied as included work — indexed database queries, pagination on large lists, caching of expensive queries, and optimised image delivery.
2. Formal path: a dedicated load-testing exercise simulates concurrent users (for example, '500 users browsing simultaneously') against the staging environment and reports response-time percentiles, error rates, and the point at which the system starts to degrade — most useful before a major marketing push or a high-traffic launch event.

#### ALTERNATIVE APPROACH

Scalezix can run a lightweight, informal internal load test using an open-source tool (k6 or JMeter) on staging for a modest target (e.g. 50–100 concurrent users) at no additional cost, sharing the raw results with OfficeX. A larger, certified/benchmarked test with a formal report remains a scoped add-on if OfficeX specifically needs guaranteed, evidenced numbers — for example for investor or board reporting, or ahead of a large public launch.

## G-14 CI/CD, Environments & Release/Rollback Process

### STATUS: ACCEPTED SUBJECT TO CLARIFICATION

**Resolution:** Repository ownership, environment structure (dev/staging/production) and the release/rollback process will be confirmed as part of the Deployment/Handover Plan (D-10), at no additional cost.

#### Flow & Logic

1. Three environments are recommended: Development (active build work), Staging (where OfficeX reviews and performs UAT), and Production (the live platform).
2. Change flow: code is built and tested in Development, merged and auto-deployed to Staging for OfficeX review/approval, then manually promoted to Production — production deployments are never automatic, so nothing unreviewed goes live.
3. Rollback: every production deployment is tagged/versioned, so a previous known-good version can be redeployed quickly if an issue is discovered after release.
4. Repository ownership: the Git repository is created under an OfficeX-owned account/organisation from day one — not a Scalezix personal account — so OfficeX has direct access throughout the build, not only at handover.

#### ALTERNATIVE APPROACH

If OfficeX wants to reduce hosting cost during Phase 1, a simpler two-environment setup (Staging + Production only, without a separate Development environment) is a viable lighter-weight alternative for a platform of this scale.

## G-15 Account / IP / Source-Code Ownership & Handover

### STATUS: ACCEPTED

**Resolution:** Already committed in Proposal Section 71: OfficeX owns domain, cloud, repository, and API accounts wherever practicable, with source code and deliverables handed over on full payment. A specific handover/access checklist will be defined under D-10/D-19.

#### Flow & Logic

1. All core accounts — domain registrar, cloud hosting, code repository, database, key API accounts — are created under OfficeX's own credentials/organisation from the start, with Scalezix given collaborator/admin access during the build (not the other way round).
2. At final sign-off, a Handover Checklist (D-10/D-19) confirms: repository access, environment variables/secrets transferred securely, admin credentials rotated so only OfficeX retains full control, and Scalezix's access is formally revoked once OfficeX confirms successful takeover.

#### ALTERNATIVE APPROACH

No structural alternative is typically needed here — this is standard best practice. The only variant usually requested is timing: some clients prefer Scalezix's access to be rotated/revoked a few weeks into the support window rather than on day one of go-live, which can be accommodated if OfficeX prefers hands-on assistance during early stabilisation.

## G-16 Data Retention, Privacy & Access Boundaries

### STATUS: ACCEPTED SUBJECT TO CLARIFICATION

**Resolution:** Data retention/deletion rules, admin access boundaries and applicable privacy controls will be jointly agreed during Stage 1, at no additional cost.

#### Flow & Logic

1. During Stage 1, OfficeX defines how long tenant/vendor personal data is retained after a lease or contract ends, who is permitted to export data, and whether a deletion-on-request process is needed.
2. These rules are implemented as configurable retention policies (e.g. auto-archive after a defined number of months) rather than hardcoded logic, so OfficeX can adjust them later as a configuration change.

#### ALTERNATIVE APPROACH

If OfficeX doesn't yet have a finalised data-retention policy, Scalezix can apply a sensible default at go-live (indefinite retention with manual, admin-triggered deletion), refined once OfficeX's own policy is finalised — this avoids blocking the build on a policy decision that isn't ready yet.

## G-17 Future API / Mobile Readiness

### STATUS: ACCEPTED

**Resolution:** Already part of the architecture per Proposal Sections 3 and 72: the web platform's API and data model are structured to support future mobile applications and integrations without rework.

#### Flow & Logic

1. The backend is built API-first: every core action (search, enquiry, RFQ, ticket, payment, etc.) is exposed as a REST/JSON endpoint. The Phase 1 web frontend consumes these same APIs — there is no separate 'hidden' logic trapped only inside the web UI.
2. This means Phase 2 native mobile apps (or any future third-party integration) primarily require front-end build effort, since the backend logic and data contracts already exist and don't need to be rebuilt.

#### ALTERNATIVE APPROACH

Not applicable — this is an architectural default with no alternative needed; it is what makes G-01's Phase 2 timeline realistic at 6–8 weeks rather than a full rebuild.

## G-18 Defect Severity, Closure & Production-Acceptance Rules

### STATUS: ACCEPTED SUBJECT TO CLARIFICATION

**Resolution:** Critical/High/Medium/Low defect definitions and UAT/production closure rules will be agreed as part of the UAT & Acceptance Plan (D-09), at no additional cost.

#### Flow & Logic

1. Critical — platform unusable, data loss, or a payment failure: must be fixed before go-live, or immediately if found in production.
2. High — a major feature is broken with no workaround: fixed within an agreed short window.
3. Medium — a feature is partially impaired but a workaround exists: scheduled for a fix.
4. Low — cosmetic or minor issue: batched into a future update.
5. Go-live logic: production go-live is not blocked by open Low or Medium items (as long as they are documented and scheduled), but is blocked by any open Critical or High item — unless OfficeX explicitly agrees in writing to proceed with a documented workaround.

#### ALTERNATIVE APPROACH

OfficeX can adjust these severity definitions during the D-09 finalisation if its own internal standards differ — the taxonomy above is the proposed default, not a fixed constraint.

## G-19 Training & Handover Package

### STATUS: ACCEPTED SUBJECT TO CLARIFICATION

**Resolution:** Admin/user training, configuration and deployment documentation, and a credentials/source-code handover checklist will be provided at go-live, at no additional cost.

#### Flow & Logic

1. Role-specific training sessions (Admin, Leasing, Operations, Facility Manager) are conducted at/around go-live, covering day-to-day usage of each respective portal.
2. Written documentation (an admin guide and a configuration guide) is provided alongside the credentials/source-code handover checklist referenced in G-15.

#### ALTERNATIVE APPROACH

If OfficeX's team is spread across locations, training can be delivered as recorded video walkthroughs plus a live Q&A session, instead of only in-person/live sessions — this reduces scheduling friction without losing training quality.

## G-20 Source Code Handover

### STATUS: ACCEPTED

**Resolution:** Already committed in Proposal Section 71: upon full receipt of all agreed project payments, OfficeX receives the complete application source code developed for this project, subject to standard third-party/open-source licences.

#### Flow & Logic

1. Source code is released via the OfficeX-owned repository that has been the working repository throughout the build (per G-14/G-15) — this is not a separate hand-off copy created only at the end.
2. Release condition: full receipt of all agreed payments across all milestones of the applicable phase (Phase 1, and separately Phase 2 if commissioned).
3. Third-party/open-source libraries used in the build remain under their own licences (e.g. MIT/Apache). OfficeX owns the code Scalezix wrote specifically for this project, not the underlying open-source packages themselves — this is standard for any software project and is not a Scalezix-specific limitation.

#### ALTERNATIVE APPROACH

Not applicable — release timing and licence treatment are standard and not typically varied.

---

### SCALEZIX VENTURES LLP

*Technology | AI | Automation | Digital Transformation*

Contact: +91 8200010241

*Confidential & Proprietary*