

Compliance Dashboard

Total
Licenses

48

Valid

38

Expiring
<60d

6

Expired

4

Health Overview

License status
distribution

- Valid (79%)
- Expiring (12.5%)
- Expired (8.5%)

79%

Compliance Registry

[View All →](#)

CERTIFICATE NAME	PROPERTY	ISSUING AUTHORITY	EXPIRY DATE	DAYS REMAINING	STATUS	ACTIONS
Fire NOC	Crystal Tower	Fire Department	12-Sep-2025	18 days	Expiring Soon	Renew Now
Lift Fitness	Apex Tower	PWD Lift Inspector	01-Jan-2026	129 days	Valid	
PESO License	Meridian Park	Petroleum Safety Org	15-Jul-2025	-40 days	Expired	Re-apply
PCB Consent	Nexus Hub	Pollution Control Board	30-Nov-2025	98 days	Valid	
Building Insurance	Crystal Tower	HDFC Ergo	22-Aug-2025	-2 days	Expired	Renew Now

Automated Alert Escalations

"Expiring Soon" Flag Lead Time

60 Days

Daily alerts to PM at 30 days

Notify Property Manager via email & app



Auto-escalate to Facility Head at 15 days

Cc senior management on critical alerts



Status automatically flags as "Expired" on the exact expiry date at 00:00 local time.

Email Template Editor

[Preview](#)

SUBJECT LINE

[ACTION REQUIRED] License Expiring: {{LicenseName}} at {{Property}}

B *I* 

{ } Variables

Hello Team,

This is an automated reminder that the {{LicenseName}}

Cancel

Save Template