Q



m Getting Started Prediction Competition

Titanic: Machine Learning from Disaster

Start here! Predict survival on the Titanic and get familiar with ML basics



Kaggle · 9,671 teams · 2 years to go

Overview Data Kernels Discussion Leaderboard Rules

Join Competition

Competition Data

⊞ gender_submission.cs... gender submission.csv 3.18 KB

≛ Download

test.csv
test.csv

m train.csv

Data Description

Overview

The data has been split into two groups:

- training set (train.csv)
- test set (test.csv)

The training set should be used to build your machine learning models. For the training set, we provide the outcome (also known as the "ground truth") for each passenger. Your model will be based on "features" like passengers' gender and class. You can also use feature engineering to create new features.

The test set should be used to see how well your model performs on unseen data. For the test set, we do not provide the ground truth for each passenger. It is your job to predict these outcomes. For each passenger in the test set, use the model you trained to predict whether or not they survived the sinking of the Titanic.

We also include **gender_submission.csv**, a set of predictions that assume all and only female passengers survive, as an example of what a submission file should look like.

Data Dictionary

Variable Definition Key

survival Survival 0 = No, 1 = Yes

pclass Ticket class 1 = 1st, 2 = 2nd, 3 = 3rd

sex Sex

Age Age in years

sibsp # of siblings / spouses aboard the Titanic

of parents / children aboard the Titanic parch

ticket Ticket number Passenger fare fare cabin Cabin number

embarkedPort of Embarkation

C = Cherbourg, Q = Queenstown, S = Southampton

Variable Notes

pclass: A proxy for socio-economic status (SES)

1st = Upper 2nd = Middle 3rd = Lower

age: Age is fractional if less than 1. If the age is estimated, is it in the form of xx.5

sibsp: The dataset defines family relations in this way...

Sibling = brother, sister, stepbrother, stepsister

Spouse = husband, wife (mistresses and fiancés were ignored)

parch: The dataset defines family relations in this way...

Parent = mother, father

© 2018 Kaggle Inc

Child = daughter, son, stepdaughter, stepson

Some children travelled only with a nanny, therefore parch=0 for them.



