

Aluno: Cleiton Aparecido Do Carmo Silva


Disciplina: Web II




```
projeto > database > migrations > 🦬 2021_10_10_095051_create_clientes_table.php
      use Illuminate\Database\Migrations\Migration;
      use Illuminate\Database\Schema\Blueprint;
      use Illuminate\Support\Facades\Schema;
      class CreateClientesTable extends Migration
           * Run the migrations.
           * @return void
           public function up()
               Schema::create('clientes', function (Blueprint $table) {
                   $table->id();
                   $table->timestamps();
                   $table->string('nome',60);
                   $table->string('endereco',60);
                   $table->float('debito');
               });
           * Reverse the migrations.
            * @return void
           public function down()
               Schema::dropIfExists('clientes');
```

```
projeto > app > Http > Controllers > 💏 ClienteController.php
        <?php
  1
  2
        namespace App\Http\Controllers;
  4
        use Illuminate\Http\Request;
        use App\Models\Cliente;
        class ClienteController extends Controller
  8
        {
             //
 10
             public function show(){
 11
                 $clientes = Cliente::all();
 12
                 echo $clientes;
 13
 14
 15
 16
projeto > app > Models > 👭 Cliente.php
     <?php
     namespace App\Models;
     use Illuminate\Database\Eloquent\Factories\HasFactory;
     use Illuminate\Database\Eloquent\Model;
     class Cliente extends Model
         use HasFactory;
         protected $table = "clientes";
 11
 12
         protected $fillable = ['nome', 'endereco', 'debito'];
 13
      }
```





```
<?php
use Illuminate\Database\Migrations\Migration;
use Illuminate\Database\Schema\Blueprint;
use Illuminate\Support\Facades\Schema;
class CreateFornecedorTable extends Migration
{
    * Run the migrations.
     * @return void
    public function up()
        Schema::create('fornecedor', function (Blueprint $table) {
            $table->id();
            $table->timestamps();
            $table->string('nome');
            $table->string('endereco');
            $table->string('email');
       });
   3
     * Reverse the migrations.
     * @return void
    public function down()
        Schema::dropIfExists('fornecedor');
```



```
projeto > routes > 🦛 web.php
      <?php
      use Illuminate\Support\Facades\Route;
      use App\Http\Controllers\ClienteController;
      use App\Http\Controllers\FornecedorController;
      | Web Routes
 11
 12
      Here is where you can register web routes for your application. These
       routes are loaded by the RouteServiceProvider within a group which
       contains the "web" middleware group. Now create something great!
 17
      Route::get('/', function () {
          return view('welcome');
      });
 21
      Route::get('/clientes', [ClienteController::class, 'show']);
      Route::get('/fornecedor', [FornecedorController::class, 'show']);
```

```
projeto > app > Http > Controllers > 🦛 FornecedorController.php
         <?php
         namespace App\Http\Controllers;
         use Illuminate\Http\Request;
         use App\Models\Fornecedor;
         class FornecedorController extends Controller
  10
               //
               public function show(){
  11
                    $fornecedor = Fornecedor::all();
  12
                    echo $fornecedor;
  13
  14
  15
  16
🗅 Barra de Marcadore... 🚱 Facebook 🔼 YouTube 🐧 Email – Cleiton Do... 🕦 DuckDuckGo 👩 Instagram 👸 Shopee 🟕 Resultado Rastream... 讷 Moodle IF Baian
```