# Flight Planning Desk

Data quality · DEGRADED

Live verification · Checking

Published snapshot · Generated · Sunday Oct 18, 2026 · 6:26 AM ET · Next run · not before Sunday Oct 18 · 12:17 PM ET

## 1 · KLZU departure / return board

**KLZU** Lawrenceville/Gwinnett Cnty, GA, US

Home base · timed forecast changes · source detail retained

OBS - VFR

PLANNING HORIZON
**Sun 18 → Mon 19 · 2 days**

RIGHT NOW · METAR

**SUN 18 OCT 04:56 ET OBSERVED**

### Current observation

OBS - VFR

OBSER

METAR

**clear below 12,000 ft (CLR)**

WIND **NE (50°) 4 kt**

TEMPERATURE **8 °C**

VISIBILITY **10 sm**

DEWPOINT **4 °C**



**Wind favours RWY 07**

050° true · 056° magnetic · 4 kt

**Evidence & limitations**

- METAR source state: ok; observed Oct 18 04:56 ET; retrieved Oct 18 06:26 ET; 90 min before this run.
- Measured values read from the KLZU METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.41 inHg.
- Raw METAR: `METAR KLZU 180856Z AUTO 05004KT 10SM CLR 08/04 A3041 RMK AO2 SLP309 T00830044 53010 $`
- KLZU runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 07/25. Wind from 050 degrees true, 056 degrees magnetic,

at 4 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 07. Wind source: KLZU METAR 180856Z.

**Important planning / evidence detail (1 warning)**

LEGEND VFR MVFR IFR LIFR Unknown Solid = source-interval category guidance Dashed = lower-confidence outlook Weather icon = surface forecastAll times Eastern (ET), 24-hour clock · “around/after” preserves source precision.

⚠ KLZU has no TAF station. Every KLZU TAF-derived value on this page is taken from the nearby **KPDK** proxy station, not from KLZU itself — treat it as regional, and confirm KLZU conditions in an official briefing.

A raster chart may be displayed with its issuing office and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

**Sun**
Oct 18

RETURN DAY

HIGH CONFIDENCE

OCT 18 · 06:00–22:00 ET

METAR TAF NWS-hr NWS-day MAV MEX GFA NOTAM

METAR — issued hou SPECI rep visibility, w Issued by by aviatio not a fore conditions KLZU obs describes conditions now, not this trip day.

TAF — highes The N times FM an TAF st the str page covers part of this

NWS hour Weather S cell contai and reachi by-hour sk and it is th this board. reaches th

NWS day/ni Weather Se and night ha Coarser tha one day furt describe spa reach. Not by the finer- forecast.

GFS M the GF decade by the day in hours. categ the flig corrob

GFS e range twelve- Coarse numeri a long flagge short-r covere

GFA a Foreca Predic Nation surfac are ras pressu This pa office and valid time and never interprets them: no category, wind, ceiling, ranking or go/no-go here is derived from an image. A published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KLZU this run.

KPDK TAF - VFR GFS OUTLOOK - VFR GFS MOS - VFR

FORECAST

Sunny

WIND **NE (~45° true) · 9 kt**

PRECIP CHANCE **0%**

TS CHANCE **0%**

SKY COVER **1–3%**

**Wind favors RWY 07**
NE (~45° true) · 9 kt · full datum in the day evidence

Evidence & limitations

- The visible badge names the contributing product. Exact issuance, retrieval, and member-period provenance remains in Day evidence & planning note below.
- The hour-by-hour source evidence below retains every original period and its detailed wind line.

Surface prog · 06:00–10:00 ET · available

SUN 18 OCT 10:00–15:00 ET HIGH

Forecast

KPDK TAF proxy

KPDK TAF - VFR

GFS OUTLOOK - VFR

GFS MOS - VFR

Sunny

FORECAST

WINDE (~90° true) · 13 kt

PRECIP CHANCE0%

TS CHANCE0%

SKY COVER2–3%

Wind favors RWY 07

E (~90° true) · 13 kt · full datum in the day evidence

Evidence & limitations

- The visible badge names the contributing product. Exact issuance, retrieval, and member-period provenance remains in Day evidence & planning note below.
- The hour-by-hour source evidence below retains every original period and its detailed wind line.

Surface prog · 10:00–15:00 ET · available

SUN 18 OCT 15:00–18:00 ET HIGH

Forecast

KPDK TAF proxy

KPDK TAF - VFR

GFS OUTLOOK - VFR

GFS MOS - VFR

Sunny

FORECAST

WINDE–NE · 9 kt

PRECIP CHANCE0%

TS CHANCE 0%

SKY COVER 2%

Evidence & limitations

- The visible badge names the contributing product. Exact issuance, retrieval, and member-period provenance remains in Day evidence & planning note below.
- The hour-by-hour source evidence below retains every original period and its detailed wind line.

Surface prog · 15:00–18:00 ET · available

SUN 18 OCT 18:00–22:00 ET HIGH

Forecast

KPDK TAF proxy

KPDK TAF - VFR

GFS OUTLOOK - VFR

GFS MOS - VFR

Clear

FORECAST

WIND NE–E · 9 kt

PRECIP CHANCE 0%

TS CHANCE 0%

SKY COVER 1–2%

Evidence & limitations

- The visible badge names the contributing product. Exact issuance, retrieval, and member-period provenance remains in Day evidence & planning note below.
- The hour-by-hour source evidence below retains every original period and its detailed wind line.

Surface prog · 18:00–22:00 ET · available

Day evidence & planning note

No aviation-category inference — verify METAR/TAF

SOURCES & LIMITATIONS — HOUR-BY-HOUR SOURCE EVIDENCE (15 FORECAST PERIODS)

**06:00–08:00 ET**

KPDK TAF - VFR

GFS OUTLOOK - VFR

Sunny

Precipitation probability (PoP) 0%

NWS + TAF + MOS · NWS ISSUED OCT 18 02:26 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 18 06:26 ET

**08:00–09:00 ET**

KPDK TAF - VFR

GFS MOS - VFR

Sunny

Precipitation probability (PoP) 0%

NWS + TAF + MOS · NWS ISSUED OCT 18 02:26 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 18 06:26 ET

**09:00–10:00 ET**

KPDK TAF - VFR

GFS OUTLOOK - VFR

Sunny

Precipitation probability (PoP) 0%

NWS + TAF + MOS · NWS ISSUED OCT 18 02:26 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 18 06:26 ET

**10:00–11:00 ET**

KPDK TAF - VFR

GFS OUTLOOK - VFR

Sunny

Precipitation probability (PoP) 0%

NWS + TAF + MOS · NWS ISSUED OCT 18 02:26 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 18 06:26 ET

**11:00–12:00 ET**

KPDK TAF - VFR

GFS MOS - VFR

Sunny

Precipitation probability (PoP) 0%

NWS + TAF + MOS · NWS ISSUED OCT 18 02:26 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 18 06:26 ET

12:00–13:00 ET

KPDK TAF - VFR

GFS OUTLOOK - VFR

Sunny

Precipitation probability (PoP) 0%

NWS + TAF + MOS · NWS ISSUED OCT 18 02:26 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 18 06:26 ET

13:00–14:00 ET

KPDK TAF - VFR

GFS OUTLOOK - VFR

Sunny

Precipitation probability (PoP) 0%

NWS + TAF + MOS · NWS ISSUED OCT 18 02:26 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 18 06:26 ET

14:00–15:00 ET

KPDK TAF - VFR

GFS MOS - VFR

Sunny

Precipitation probability (PoP) 0%

NWS + TAF + MOS · NWS ISSUED OCT 18 02:26 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 18 06:26 ET

15:00–16:00 ET

KPDK TAF - VFR

GFS OUTLOOK - VFR

Sunny

Precipitation probability (PoP) 0%

NWS + TAF + MOS · NWS ISSUED OCT 18 02:26 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 18 06:26 ET

16:00–17:00 ET

KPDK TAF - VFR

GFS OUTLOOK - VFR

Sunny

Precipitation probability (PoP) 0%

NWS + TAF + MOS · NWS ISSUED OCT 18 02:26 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 18 06:26 ET

17:00–18:00 ET

KPDK TAF - VFR

GFS MOS - VFR

Sunny

Precipitation probability (PoP) 0%

NWS + TAF + MOS · NWS ISSUED OCT 18 02:26 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 18 06:26 ET

18:00–19:00 ET

KPDK TAF - VFR

GFS OUTLOOK - VFR

Clear

Precipitation probability (PoP) 0%

NWS + TAF + MOS · NWS ISSUED OCT 18 02:26 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 18 06:26 ET

19:00–20:00 ET

KPDK TAF - VFR

GFS OUTLOOK - VFR

Clear

Precipitation probability (PoP) 0%

NWS + TAF + MOS · NWS ISSUED OCT 18 02:26 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 18 06:26 ET

20:00–21:00 ET

KPDK TAF - VFR

GFS MOS - VFR

Clear

Precipitation probability (PoP) 0%

NWS + TAF + MOS · NWS ISSUED OCT 18 02:26 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 18 06:26 ET

21:00–22:00 ET

KPDK TAF - VFR

GFS OUTLOOK - VFR

Clear

Precipitation probability (PoP) 0%

NWS + TAF + MOS · NWS ISSUED OCT 18 02:26 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 18 06:26 ET

## WIND / WIND-FAVORED RUNWAY · ONE ENTRY PER DISPLAY BLOCK

06:00–08:00 ET

NE (~45° true) 9 kt

Approx. wind-favored RWY 07

NWS hourly surface forecast

08:00–09:00 ET

NE (~45° true) 9 kt

Approx. wind-favored RWY 07

NWS hourly surface forecast

**09:00–10:00 ET**
NE (~45° true) 9 kt
Approx. wind-favored RWY 07
NWS hourly surface forecast

**10:00–11:00 ET**
E (~90° true) 13 kt
Approx. wind-favored RWY 07
NWS hourly surface forecast

**11:00–12:00 ET**
E (~90° true) 13 kt
Approx. wind-favored RWY 07
NWS hourly surface forecast

**12:00–13:00 ET**
E (~90° true) 13 kt
Approx. wind-favored RWY 07
NWS hourly surface forecast

**13:00–14:00 ET**
E (~90° true) 13 kt
Approx. wind-favored RWY 07
NWS hourly surface forecast

**14:00–15:00 ET**
E (~90° true) 13 kt
Approx. wind-favored RWY 07
NWS hourly surface forecast

**15:00–16:00 ET**
E (~90° true) 9 kt
Approx. wind-favored RWY 07
NWS hourly surface forecast

**16:00–17:00 ET**
E (~90° true) 9 kt
Approx. wind-favored RWY 07
NWS hourly surface forecast

**17:00–18:00 ET**
NE (~45° true) 9 kt
Approx. wind-favored RWY 07
NWS hourly surface forecast

**18:00–19:00 ET**
NE (~45° true) 9 kt
Approx. wind-favored RWY 07
NWS hourly surface forecast

**19:00–20:00 ET**
NE (~45° true) 9 kt
Approx. wind-favored RWY 07
NWS hourly surface forecast

**20:00–21:00 ET**
E (~90° true) 9 kt
Approx. wind-favored RWY 07
NWS hourly surface forecast

**21:00–22:00 ET**
E (~90° true) 9 kt
Approx. wind-favored RWY 07
NWS hourly surface forecast

Surface prog evidence · Sun Oct 18

**06:00–10:00 ET ET**

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**10:00–15:00 ET ET · 15:00–18:00 ET ET**

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**18:00–22:00 ET ET**

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

Runway guidance is approximate wind alignment only; verify ATIS, NOTAMs and actual runway use.

RWY numbers magnetic; wind converted from true using 6°W variation (NOAA WMM2025)

## Day operations

**WEATHER**
TAF and radar cross-check.

**PERFORMANCE**
Temperature / performance check.

**RUNWAY**
Verify ATIS, NOTAMs and actual use.

Mon
Oct 19
RETURN DAY

MEDIUM CONFIDENCE

OCT 19 · 06:00–22:00 ET

METAR TAF NWS-hr NWS-day MAV MEX GFA NOTAM

METAR — issued hou SPECI rep visibility, w Issued by by aviation not a forec conditions KLZU obs describes

TAF — highes The N times FM an TAF st the str page about 30 hours, no any station.

NWS hour Weather S cell contai and reachi by-hour sk and it is th this board. reaches th

NWS day/ni Weather Se and night ha Coarser tha one day furt describe spa reach. Not n by the finer- forecast.

GFS M the GF decade by the day in hours. catego the flig corrob

GFS e range l twelve- Coarse numeri a long flagged short-r covere

GFA a Foreca Predic Nation surfac are ras pressu This pa office and valid time and never interprets them: no category, wind, ceiling, ranking or go/no-go here is derived from an image. A published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KLZU this run.

GFS OUTLOOK - VFR

GFS MOS - VFR

FORECAST

WIND NE (~45° true) · 9 kt

PRECIP CHANCE 0%

TS CHANCE 0%

SKY COVER 1–4%

**Wind favors RWY 07**
NE (~45° true) · 9 kt · full datum in the day evidence

Evidence & limitations

- The visible badge names the contributing product. Exact issuance, retrieval, and member-period provenance remains in Day evidence & planning note below.
- The hour-by-hour source evidence below retains every original period and its detailed wind line.

Surface prog · 06:00–10:00 ET · available

MON 19 OCT 10:00–15:00 ET MEDIUM

Forecast

GFS MAV

Sunny

GFS OUTLOOK - VFR

GFS MOS - VFR

FORECAST

WIND NE (~45° true) · 4–9 kt

PRECIP CHANCE **0%**

TS CHANCE **0%**

SKY COVER **2–3%**

**Wind favors RWY 07**
**NE (~45° true) · 4–9 kt · full datum in the day evidence**

Evidence & limitations

- The visible badge names the contributing product. Exact issuance, retrieval, and member-period provenance remains in Day evidence & planning note below.
- The hour-by-hour source evidence below retains every original period and its detailed wind line.

**Surface prog · 10:00–15:00 ET · available**

## MON 19 OCT 15:00–18:00 ET MEDIUM

### Forecast

GFS MAV

GFS OUTLOOK - VFR

GFS MOS - VFR

FORECAST

**Sunny**

WIND **NE–N · 0–4 kt**

PRECIP CHANCE **0%**

TS CHANCE **0%**

SKY COVER **2–3%**

Evidence & limitations

- The visible badge names the contributing product. Exact issuance, retrieval, and member-period provenance remains in Day evidence & planning note below.
- The hour-by-hour source evidence below retains every original period and its detailed wind line.

**Surface prog · 15:00–18:00 ET · available**

## MON 19 OCT 18:00–22:00 ET MEDIUM

## Forecast

GFS MAV

GFS OUTLOOK - VFR

GFS MOS - VFR

FORECAST

Clear

WIND **CALM · 0 kt**

PRECIP CHANCE **0%**

TS CHANCE **0%**

SKY COVER **0–2%**

### Evidence & limitations

- The visible badge names the contributing product. Exact issuance, retrieval, and member-period provenance remains in Day evidence & planning note below.
- The hour-by-hour source evidence below retains every original period and its detailed wind line.

**Surface prog · 18:00–22:00 ET · available**

### Day evidence & planning note

No aviation-category inference — verify METAR/TAF

SOURCES & LIMITATIONS — HOUR-BY-HOUR SOURCE EVIDENCE (15 FORECAST PERIODS)

**06:00–08:00 ET**

GFS OUTLOOK - VFR

Sunny

Precipitation probability (PoP) 0%

**Beyond the 72 h short-range GFS MOS horizon at this lead time. The product published normally; this day is simply past its reach, which is expected and is not a fault. Expected to be covered from about Fri Oct 16 · 12:00 AM ET.**

NWS + MOS · NWS ISSUED OCT 18 02:26 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 18 06:26 ET

**08:00–09:00 ET**

GFS MOS - VFR

Sunny

Precipitation probability (PoP) 0%

NWS + MOS · NWS ISSUED OCT 18 02:26 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 18 06:26 ET

09:00–10:00 ET



GFS OUTLOOK - VFR

Sunny

Precipitation probability (PoP) 0%

**Beyond the 72 h short-range GFS MOS horizon at this lead time. The product published normally; this day is simply past its reach, which is expected and is not a fault. Expected to be covered from about Fri Oct 16 · 12:00 AM ET.**

NWS + MOS · NWS ISSUED OCT 18 02:26 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 18 06:26 ET

10:00–11:00 ET



GFS OUTLOOK - VFR

Sunny

Precipitation probability (PoP) 0%

**Beyond the 72 h short-range GFS MOS horizon at this lead time. The product published normally; this day is simply past its reach, which is expected and is not a fault. Expected to be covered from about Fri Oct 16 · 12:00 AM ET.**

NWS + MOS · NWS ISSUED OCT 18 02:26 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 18 06:26 ET

11:00–12:00 ET



GFS MOS - VFR

Sunny

Precipitation probability (PoP) 0%

NWS + MOS · NWS ISSUED OCT 18 02:26 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 18 06:26 ET

12:00–13:00 ET



GFS OUTLOOK - VFR

Sunny

Precipitation probability (PoP) 0%

**Beyond the 72 h short-range GFS MOS horizon at this lead time. The product published normally; this day is simply past its reach, which is expected and is not a fault. Expected to be covered from about Fri Oct 16 · 12:00 AM ET.**

NWS + MOS · NWS ISSUED OCT 18 02:26 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 18 06:26 ET

13:00–14:00 ET



GFS OUTLOOK - VFR

Sunny

Precipitation probability (PoP) 0%

**Beyond the 72 h short-range GFS MOS horizon at this lead time. The product published normally; this day is simply past its reach, which is expected and is not a fault. Expected to be covered from about Fri Oct 16 · 12:00 AM ET.**

NWS + MOS · NWS ISSUED OCT 18 02:26 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 18 06:26 ET

14:00–15:00 ET



GFS MOS - VFR

Sunny

Precipitation probability (PoP) 0%

NWS + MOS · NWS ISSUED OCT 18 02:26 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 18 06:26 ET

15:00–16:00 ET



GFS OUTLOOK - VFR

Sunny

Precipitation probability (PoP) 0%

**Beyond the 72 h short-range GFS MOS horizon at this lead time. The product published normally; this day is simply past its reach, which is expected and is not a fault. Expected to be covered from about Fri Oct 16 · 12:00 AM ET.**

NWS + MOS · NWS ISSUED OCT 18 02:26 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 18 06:26 ET

16:00–17:00 ET



GFS OUTLOOK - VFR

Sunny

Precipitation probability (PoP) 0%

**Beyond the 72 h short-range GFS MOS horizon at this lead time. The product published normally; this day is simply past its reach, which is expected and is not a fault. Expected to be covered from about Fri Oct 16 · 12:00 AM ET.**

NWS + MOS · NWS ISSUED OCT 18 02:26 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 18 06:26 ET

17:00–18:00 ET



GFS MOS - VFR

Sunny

Precipitation probability (PoP) 0%

NWS + MOS · NWS ISSUED OCT 18 02:26 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 18 06:26 ET

18:00–19:00 ET



GFS OUTLOOK - VFR

Clear

Precipitation probability (PoP) 0%

**Beyond the 72 h short-range GFS MOS horizon at this lead time. The product published normally; this day is simply past its reach, which is expected and is not a fault. Expected to be covered from about Fri Oct 16 · 12:00 AM ET.**

NWS + MOS · NWS ISSUED OCT 18 02:26 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 18 06:26 ET

19:00–20:00 ET



GFS OUTLOOK - VFR

Clear

Precipitation probability (PoP) 0%

**Beyond the 72 h short-range GFS MOS horizon at this lead time. The product published normally; this day is simply past its reach, which is expected and is not a fault. Expected to be covered from about Fri Oct 16 · 12:00 AM ET.**

NWS + MOS · NWS ISSUED OCT 18 02:26 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 18 06:26 ET

20:00–21:00 ET



GFS MOS - VFR

Clear

Precipitation probability (PoP) 0%

NWS + MOS · NWS ISSUED OCT 18 02:26 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 18 06:26 ET

21:00–22:00 ET

GFS OUTLOOK - VFR

Clear

Precipitation probability (PoP) 0%

**Beyond the 72 h short-range GFS MOS horizon at this lead time. The product published normally; this day is simply past its reach, which is expected and is not a fault. Expected to be covered from about Fri Oct 16 · 12:00 AM ET.**

NWS + MOS · NWS ISSUED OCT 18 02:26 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 18 06:26 ET

## WIND / WIND-FAVORED RUNWAY · ONE ENTRY PER DISPLAY BLOCK

06:00–08:00 ET
NE (~45° true) 9 kt
Approx. wind-favored RWY 07
NWS hourly surface forecast

08:00–09:00 ET
NE (~45° true) 9 kt
Approx. wind-favored RWY 07
NWS hourly surface forecast

09:00–10:00 ET
NE (~45° true) 9 kt
Approx. wind-favored RWY 07
NWS hourly surface forecast

10:00–11:00 ET
NE (~45° true) 9 kt
Approx. wind-favored RWY 07
NWS hourly surface forecast

11:00–12:00 ET
NE (~45° true) 9 kt
Approx. wind-favored RWY 07
NWS hourly surface forecast

12:00–13:00 ET
NE (~45° true) 9 kt
Approx. wind-favored RWY 07
NWS hourly surface forecast

13:00–14:00 ET
NE (~45° true) 9 kt
Approx. wind-favored RWY 07
NWS hourly surface forecast

14:00–15:00 ET
NE (~45° true) 4 kt
Approx. wind-favored RWY 07
NWS hourly surface forecast

15:00–16:00 ET
NE (~45° true) 4 kt
Approx. wind-favored RWY 07
NWS hourly surface forecast

16:00–17:00 ET
N (~360° true) 4 kt
Approx. wind-favored RWY 07
NWS hourly surface forecast

17:00–18:00 ET
CALM 0 kt
Runway alignment unavailable
NWS hourly surface forecast

18:00–19:00 ET
CALM 0 kt
Runway alignment unavailable
NWS hourly surface forecast

19:00–20:00 ET
CALM 0 kt
Runway alignment unavailable
NWS hourly surface forecast

20:00–21:00 ET
CALM 0 kt
Runway alignment unavailable
NWS hourly surface forecast

21:00–22:00 ET
CALM 0 kt
Runway alignment unavailable
NWS hourly surface forecast

Surface prog evidence · Mon Oct 19

06:00–10:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

10:00–15:00 ET ET · 15:00–18:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–22:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

Runway guidance is approximate wind alignment only; verify ATIS, NOTAMs and actual runway use.

RWY numbers magnetic; wind converted from true using 6°W variation (NOAA WMM2025)

**Day operations**

**WEATHER**
TAF and radar cross-check.

**PERFORMANCE**
Temperature / performance check.

**RUNWAY**
Verify ATIS, NOTAMs and actual use.

≡

**Pattern summary: .. (Today through Monday) Issued at 246 AM EDT Sun Oct 18 2026 Cool and dry conditions will continue to be reinforced by Northeast flow around the coastal low to the northeast. — .. (Monday night through Saturday) Issued at 246 AM EDT Sun Oct 18 2026 The long term period begins on Monday night with upper level ridging extending from the central Gulf Coast towards the Gre…**

NWS FFC Area Forecast Discussion · regional context, not a KLZU category or exact timing forecast

Extended outlook ▾

EXTENDED OUTLOOK SUMMARY

.. (Today through Monday)
Issued at 246 AM EDT Sun Oct 18 2026

Cool and dry conditions will continue to be reinforced by Northeast
flow around the coastal low to the northeast. — .. (Monday night through Saturday)
Issued at 246 AM EDT Sun Oct 18 2026

The long term period begins on Monday night with upper level ridging
extending from the central Gulf Coast towards the Gre…

SHORT TERM

..
(Today through Monday)
Issued at 246 AM EDT Sun Oct 18 2026

Cool and dry conditions will continue to be reinforced by Northeast
flow around the coastal low to the northeast. Winds will remain
models at 5 to 10 mph with gusts up to 15 mph, at least outside
of the northeast mountains where the sfc pressure gradient will be
weaker. Dry air will hold through the period with PWATs of 0.4"
or less. RH values will fall each day, however cooler temperatures
will keep the fire danger from being too high.

Clear and dry conditions, especially with light winds at night, will
result in frost formation for the northeast GA mountains.
Temperatures there will fall into the low to mid 30s, with
potentially the first freezing temps for the highest ridgelines.
Elsewhere, lows will fall into the upper 30s and 40s Sunday morning
and Monday morning. Ample sun will mean highs still climb back into
the mid to upper 60s to start the week. Enjoy the beautiful fall
conditions while you can!&&

LONG TERM

..
(Monday night through Saturday)
Issued at 246 AM EDT Sun Oct 18 2026

The long term period begins on Monday night with upper level ridging extending from the central Gulf Coast towards the Great Lakes region, with an associated broad surface high pressure positioned over much of the eastern CONUS. This high pressure regime will keep a vertically stacked low pressure system just east of the Mid-Atlantic and Northeast coast. It will also keep conditions dry, with precipitable water values at or below 0.5 inches and rain chances near 0% across Georgia for the majority of the week. Strong radiational cooling overnight will lead to low temperatures in the low to mid 40s on Tuesday morning. With plenty of sunshine and increasing 1000-500 mb thicknesses, temperatures will be on the rise through midweek. High temperatures on Tuesday will rise into the upper 60s to low 70s mid 70s across the majority of the forecast area. In spite of the gradual warming trend, morning lows will remain brisk each morning, in the 40s with some low 50s creeping in by the end of the week. By Thursday and Friday, highs are forecast to be in the upper 70s in north Georgia and low 80s in central Georgia. The lack of rain and plenty of sunshine will help dry out finer fuels, so the development of fire danger concerns will need to be monitored as the week goes on.

+ Raw NWS AFD text

```
000
FXUS62 KFFC 180647
AFDFFC

Area Forecast Discussion
National Weather Service Peachtree City GA
247 AM EDT Sun Oct 18 2026


...Morning Area Forecast Discussion...

.KEY MESSAGES...

  - Breezy winds will linger into the evening.

  - A Frost Advisory is in effect for the mountains of northeast
    Georgia. Near-freezing temperatures and the first frost of the
    season are likely along ridgelines, in valleys, and other
    sheltered areas.

  - Mostly clear and dry conditions will persist for the next 7
    days.

&&

.SHORT TERM...
(Today through Monday)
Issued at 246 AM EDT Sun Oct 18 2026

Cool and dry conditions will continue to be reinforced by Northeast
flow around the coastal low to the northeast. Winds will remain
models at 5 to 10 mph with gusts up to 15 mph, at least outside
of the northeast mountains where the sfc pressure gradient will be
weaker. Dry air will hold through the period with PWATs of 0.4"
```

or less. RH values will fall each day, however cooler temperatures
will keep the fire danger from being too high.

Clear and dry conditions, especially with light winds at night, will
result in frost formation for the northeast GA mountains.
Temperatures there will fall into the low to mid 30s, with
potentially the first freezing temps for the highest ridgelines.
Elsewhere, lows will fall into the upper 30s and 40s Sunday morning
and Monday morning. Ample sun will mean highs still climb back into
the mid to upper 60s to start the week. Enjoy the beautiful fall
conditions while you can!&&

.LONG TERM...
(Monday night through Saturday)
Issued at 246 AM EDT Sun Oct 18 2026

The long term period begins on Monday night with upper level ridging
extending from the central Gulf Coast towards the Great Lakes
region, with an associated broad surface high pressure positioned
over much of the eastern CONUS. This high pressure regime will keep
a vertically stacked low pressure system just east of the Mid-
Atlantic and Northeast coast. It will also keep conditions dry, with
precipitable water values at or below 0.5 inches and rain chances
near 0% across Georgia for the majority of the week. Strong
radiational cooling overnight will lead to low temperatures in the
low to mid 40s on Tuesday morning. With plenty of sunshine and
increasing 1000-500 mb thicknesses, temperatures will be on the rise
through midweek. High temperatures on Tuesday will rise into the
upper 60s to low 70s mid 70s across the majority of the forecast
area. In spite of the gradual warming trend, morning lows will
remain brisk each morning, in the 40s with some low 50s creeping in
by the end of the week. By Thursday and Friday, highs are forecast
to be in the upper 70s in north Georgia and low 80s in central
Georgia. The lack of rain and plenty of sunshine will help dry out
finer fuels, so the development of fire danger concerns will need to
be monitored as the week goes on.

&&

.AVIATION...
(06Z TAFS)
Issued at 123 AM EDT Sun Oct 18 2026

VFR through period. N to NE winds at 4-10kts tngt, gusting 18 to
20kts beginning by 14z. Wind gusts slacken around sunset. No
impacts due to wx, vsby, or cigs expected.

//ATL Confidence...06Z Update...
High confidence all elements.

SM

&&

.PRELIMINARY POINT TEMPS/POPS...
Athens          64  42  68  41 /   0   0   0   0
Atlanta         65  45  69  45 /   0   0   0   0
Blairsville     65  35  70  40 /   0   0   0   0

```
Cartersville    68  41  70  41 /   0   0   0   0
Columbus        69  44  72  44 /   0   0   0   0
Gainesville     64  42  68  44 /   0   0   0   0
Macon           68  43  72  43 /   0   0   0   0
Rome            69  39  70  41 /   0   0   0   0
Peachtree City  65  41  69  41 /   0   0   0   0
Vidalia         66  46  69  46 /   0   0   0   0

&&

.FFC WATCHES/WARNINGS/ADVISORIES...
Frost Advisory until 9 AM EDT this morning for GAZ006>009-
014>016.

&&

$$

SHORT TERM...SM
LONG TERM....King
AVIATION...SM
```

### 1.1 · KLZU departure-airport NOTAM state

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 1 Act on 1 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What 3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

ed 2026-10-18T10:26:31.837770Z.

oritative)

FRI OCT 16 | SAT OCT 17 | SUN OCT 18 | MON OCT 19

04/013

A0166/26

6/5419

7 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 10:26 Z

*NOTAMs as of 10:26 Z — advisory only; verify an official briefing.*

**A0397/26**

*NOTAM text not available in this projection.*

**A0399/26**

*NOTAM text not available in this projection.*

**04/013**

*NOTAM text not available in this projection.*

**A0166/26**

*NOTAM text not available in this projection.*

**6/5419**

*NOTAM text not available in this projection.*

**A0178/26**

*NOTAM text not available in this projection.*

**07/030**

*NOTAM text not available in this projection.*

**07/034**

*NOTAM text not available in this projection.*

**08/001**

*NOTAM text not available in this projection.*

**08/024**

*NOTAM text not available in this projection.*

**10/023**

*NOTAM text not available in this projection.*

**A0395/26**

*NOTAM text not available in this projection.*

+ **NOTAM DETAILS**

**FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)**

026-10-18T10:26:31.837770Z.

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this

source was read this run; technical environment: preprod.

NAV_APPROACH

Effective 2026-04-23T14:33:00Z → 2028-04-23T14:33:00Z

7 additional normalized FAA NOTAM records omitted from this view.

## 2 · All 29 destinations — existing editorial RANK order

#1 **KAVL** **Asheville Muni, NC, US** · Mountain · cool mountain escape

OBS - VFR

ETE 0h49

DIST 112 nm

SUN 18 OCT 04:54 ET OBSERVED

### Current observation

OBS - VFR

OBSER

METAR

clear below 12,000 ft (CLR)

WIND calm

TEMPERATURE 3 °C

VISIBILITY 10 sm

DEWPOINT 1 °C

Evidence & limitations

- METAR source state: ok; observed Oct 18 04:54 ET; retrieved Oct 18 06:26 ET; 92 min before this run.
- Measured values read from the KAVL METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.46 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.

DESTINATION OUTLOOK

## SUN, OCT 18

### SUN 18 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

### SUN 18 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

### SUN 18 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 18

**06:00–12:00 ET ET**

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**12:00–18:00 ET ET**

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**18:00–00:00 ET ET**

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 19

MON 19 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 19 OCT 06:00–12:00 ET MEDIUM

Forecast GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 2 kt

TEMPERATURE 37–40 °F

DEWPOINT 28–29 °F

PRECIP CHANCE 0%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 19 OCT 12:00–18:00 ET MEDIUM

## Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

### Flight-category guidance

WIND 3–10 kt

TEMPERATURE 36–51 °F

DEWPOINT 27–30 °F

PRECIP CHANCE 0%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 19 OCT 18:00–00:00 ET MEDIUM

## Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

### Flight-category guidance

WIND 10–11 kt

TEMPERATURE 64–68 °F

DEWPOINT 30–31 °F

PRECIP CHANCE 0%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 19

**00:00–06:00 ET ET**

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**06:00–12:00 ET ET**

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**12:00–18:00 ET ET**

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**18:00–00:00 ET ET**

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

## Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
6000 ft

CURRENT METAR TEMP DEP / DEST
8°C dep KLZU → 3°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

## Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
17/35 (170/350°M · 163/343°T) — designators and °M headings are magnetic; °T are true; variation 7°W (NOAA WMM2025)

INFO

## Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

| | | | |
|---|---|---|---|
| Runway dimensions / surface | UNAVAILABLE | FBO / provider | UNAVAILABLE |
| Available services | UNAVAILABLE | Frequencies | UNAVAILABLE |
| Pattern altitude | UNAVAILABLE | | |

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 9 Act on 1 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What 3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

ed 2026-10-18T10:26:31.838588Z.

RI OCT 16 SAT OCT 17 SUN OCT 18 MON OCT 19

| | |
|---|---|
| **A1278/26** | [redacted] |
| **A1279/26** | [redacted] |
| **A1280/26** | [redacted] |

37 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 10:26 Z

*NOTAMs as of 10:26 Z — advisory only; verify an official briefing.*

**10/054**

*NOTAM text not available in this projection.*

**A1277/26**

*NOTAM text not available in this projection.*

**A1278/26**

*NOTAM text not available in this projection.*

**A1279/26**

*NOTAM text not available in this projection.*

**A1280/26**

*NOTAM text not available in this projection.*

**A1284/26**

*NOTAM text not available in this projection.*

**01/023**

*NOTAM text not available in this projection.*

**A0040/26**

*NOTAM text not available in this projection.*

**10/056**

*NOTAM text not available in this projection.*

**A1271/26**

*NOTAM text not available in this projection.*

**A1281/26**

*NOTAM text not available in this projection.*

**A1282/26**

*NOTAM text not available in this projection.*

**A1283/26**

*NOTAM text not available in this projection.*

**A1285/26**

*NOTAM text not available in this projection.*

**10/062**

*NOTAM text not available in this projection.*

**A1286/26**

*NOTAM text not available in this projection.*

**10/052**

*NOTAM text not available in this projection.*

**A1265/26**

*NOTAM text not available in this projection.*

**4/1431**

*NOTAM text not available in this projection.*

**A0991/24**

*NOTAM text not available in this projection.*

**5/9960**

*NOTAM text not available in this projection.*

**A0285/25**

*NOTAM text not available in this projection.*

**06/067**

*NOTAM text not available in this projection.*

**A0730/26**

*NOTAM text not available in this projection.*

**09/118**

*NOTAM text not available in this projection.*

**09/119**

*NOTAM text not available in this projection.*

**A1161/26**

*NOTAM text not available in this projection.*

**A1162/26**

*NOTAM text not available in this projection.*

**10/036**

*NOTAM text not available in this projection.*

**A1238/26**

*NOTAM text not available in this projection.*

**10/037**

*NOTAM text not available in this projection.*

**A1240/26**

*NOTAM text not available in this projection.*

**12/023**

*NOTAM text not available in this projection.*

**A1148/25**

*NOTAM text not available in this projection.*

**07/051**

*NOTAM text not available in this projection.*

**08/090**

*NOTAM text not available in this projection.*

**09/026**

*NOTAM text not available in this projection.*

**09/120**

*NOTAM text not available in this projection.*

**10/007**

*NOTAM text not available in this projection.*

**10/014**

*NOTAM text not available in this projection.*

**10/063**

*NOTAM text not available in this projection.*

**A1276/26**

*NOTAM text not available in this projection.*

**+ NOTAM DETAILS**

**FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)**

026-10-18T10:26:31.838588Z.

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains

:00Z

preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

RUNWAY

Effective 2026-10-16T22:23:00Z → 2026-10-19T22:23:00Z

37 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KAVL this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · VFR

· 06:00–12:00 ET ET · VFR

· 12:00–18:00 ET ET · VFR

• **Mon, Oct 19 · 18:00–00:00 ET**: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-18=GFS, 2026-10-19=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

| PRODUCT | TIME UTC | TMP°F | SKY | WIND | POP% | CEIL | VIS |
|---|---|---|---|---|---|---|---|
| GFS | 2026-10-18 12:00 | 35 | Clear | 340/2kt | — | >10kft | >6SM |
| GFS | 2026-10-18 15:00 | 48 | Clear | 160/4kt | — | >10kft | >6SM |
| GFS | 2026-10-18 18:00 | 59 | Clear | 60/10kt | 0.0 | >10kft | >6SM |

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| GFS | 2026-10-18 21:00 | 60 | Clear | 100/9kt | — | >10kft | >6SM |
| GFS | 2026-10-19 00:00 | 50 | Clear | 350/5kt | 0.0 | >10kft | >6SM |
| GFS | 2026-10-19 03:00 | 45 | Clear | 180/2kt | — | >10kft | >6SM |
| GFS | 2026-10-19 06:00 | 40 | Clear | 360/2kt | 0.0 | >10kft | >6SM |
| GFS | 2026-10-19 09:00 | 37 | Clear | 350/2kt | — | >10kft | >6SM |
| GFS | 2026-10-19 12:00 | 36 | Clear | 350/3kt | 0.0 | >10kft | >6SM |
| GFS | 2026-10-19 15:00 | 51 | Clear | 350/10kt | — | >10kft | >6SM |
| GFS | 2026-10-19 18:00 | 64 | Clear | 350/11kt | 0.0 | >10kft | >6SM |
| GFS | 2026-10-19 21:00 | 68 | Clear | 360/10kt | — | >10kft | >6SM |
| GFS | 2026-10-20 00:00 | 56 | Clear | 340/3kt | 0.0 | >10kft | >6SM |
| GFS | 2026-10-20 03:00 | 48 | Clear | 350/1kt | — | >10kft | >6SM |

+ Raw products

+ Raw METAR / TAF

```
METAR KAVL 180854Z AUTO 00000KT 10SM CLR 03/01 A3046 RMK AO2 SLP312 T00280011 53012 $

TAF KAVL 180520Z 1806/1906 35005KT P6SM SKC FM181500 03007G15KT P6SM SKC FM182100 01003KT P6SM SKC
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KAVL; actual-station=KAVL; fetched-at=2026-10-18T10:26:28.552624+00:00; observed-or-issued-at=2026-10-18T08:54:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KAVL; actual-station=KAVL; fetched-at=2026-10-18T10:26:28.744313+00:00; observed-or-issued-at=2026-10-18T05:20:00+00:00; valid-from=2026-10-18T06:00:00+00:00; valid-through=2026-10-19T06:00:00+00:00; partial-target-dates=2026-10-18,2026-10-19 — AWC API

  **TAF proxy · KAVL**
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KAVL; actual-station=KAVL; fetched-at=2026-10-18T10:26:29.417101+00:00
- FAA NMS NOTAM — state=OK; requested-station=KAVL; actual-station=KAVL; fetched-at=2026-10-18T10:26:31.838588Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KAVL; actual-station=KAVL; fetched-at=2026-10-18T10:26:53.288472+00:00; observed-or-issued-at=2026-10-18T06:00:00+00:00; valid-from=2026-10-18T12:00:00+00:00; valid-through=2026-10-21T06:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KAVL; actual-station=KAVL; fetched-at=2026-10-18T10:26:53.833191+00:00; observed-or-issued-at=2026-10-18T00:00:00+00:00; valid-from=2026-10-19T00:00:00+00:00; valid-through=2026-10-26T00:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19 — Iowa State API
- MOS effective date selection — state=partial; rows=14; requested-station=KAVL; actual-station=KAVL; fetched-at=2026-10-18T10:26:53.288472+00:00; observed-or-issued-at=2026-10-18T06:00:00+00:00; valid-from=2026-10-18T12:00:00+00:00; valid-through=2026-10-21T06:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19; selected-by-date=2026-10-18=GFS, 2026-10-19=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#2 **KSAV** **Savannah Intl, GA, US** · Atlantic South · historic coast

OBS - VFR

ETE 1h15

DIST 178 nm

SUN 18 OCT 04:53 ET OBSERVED

## Current observation

OBS - VFR

OBSER

METAR

clear below 12,000 ft (CLR)

WIND N (20°) 11 kt gust 19 kt

TEMPERATURE 11 °C

VISIBILITY 10 sm

DEWPOINT 7 °C



**Wind favours RWY 01**

020° true · 027° magnetic · 11G19 kt · NOTAM-affected: 10 and 28

### Evidence & limitations

- METAR source state: ok; observed Oct 18 04:53 ET; retrieved Oct 18 06:26 ET; 93 min before this run.
- Measured values read from the KSAV METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.32 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KSAV runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 10/28, 01/19. Wind from 020 degrees true, 027 degrees magnetic, at 11 knots gusting 19 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 01. NOTAM-affected runway ends, hatched separately from the wind highlight: 10 and 28. The hatch marks only that a NOTAM names the runway; it does not decode the NOTAM's effective times, so confirm the closure window in the NOTAM text below. Wind source: KSAV METAR 180853Z.

## DESTINATION OUTLOOK

## SUN, OCT 18

### SUN 18 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

### SUN 18 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

### SUN 18 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 18

**06:00–12:00 ET ET**

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**12:00–18:00 ET ET**

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**18:00–00:00 ET ET**

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 19

MON 19 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 19 OCT 06:00–12:00 ET MEDIUM

Forecast GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 9 kt

TEMPERATURE 51–54 °F

DEWPOINT 45–47 °F

PRECIP CHANCE 4%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 19 OCT 12:00–18:00 ET MEDIUM

## Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

### Flight-category guidance

WIND 8–11 kt

TEMPERATURE 50–62 °F

DEWPOINT 45–47 °F

PRECIP CHANCE 3%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 19 OCT 18:00–00:00 ET MEDIUM

## Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

### Flight-category guidance

WIND 9–11 kt

TEMPERATURE 69 °F

DEWPOINT 44–45 °F

PRECIP CHANCE 1%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 19

**00:00–06:00 ET ET**

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**06:00–12:00 ET ET**

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**12:00–18:00 ET ET**

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**18:00–00:00 ET ET**

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

## Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
6000 ft

CURRENT METAR TEMP DEP / DEST
8°C dep KLZU → 11°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

## Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
10/28 (100/280°M · 093/273°T) · 01/19 (010/190°M · 003/183°T) — designators and °M headings are magnetic; °T are true; variation 7°W (NOAA WMM2025)

INFO

## Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

| | | | |
|---|---|---|---|
| Runway dimensions / surface | UNAVAILABLE | FBO / provider | UNAVAILABLE |
| Available services | UNAVAILABLE | Frequencies | UNAVAILABLE |
| Pattern altitude | UNAVAILABLE | | |

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 17 Act on 3 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What 3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

ed 2026-10-18T10:26:31.839326Z.

RI OCT 16 | SAT OCT 17 | SUN OCT 18 | MON OCT 19

| | | | | |
|---|---|---|---|---|
| **A1073/26** | | | | |
| **A1074/26** | | | | |
| **10/059** | *Outside trip window* | | | |

43 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 10:26 Z

*NOTAMs as of 10:26 Z — advisory only; verify an official briefing.*

**10/064**

*NOTAM text not available in this projection.*

**10/065**

*NOTAM text not available in this projection.*

**A1073/26**

*NOTAM text not available in this projection.*

**A1074/26**

*NOTAM text not available in this projection.*

**10/059**

*NOTAM text not available in this projection.*

**A1067/26**

*NOTAM text not available in this projection.*

**09/025**

*NOTAM text not available in this projection.*

**A0416/24**

*NOTAM text not available in this projection.*

**M0022/26**

*NOTAM text not available in this projection.*

**M0023/26**

*NOTAM text not available in this projection.*

**09/111**

*NOTAM text not available in this projection.*

**A1016/26**

*NOTAM text not available in this projection.*

**10/070**

*NOTAM text not available in this projection.*

**A1079/26**

*NOTAM text not available in this projection.*

**5/5965**

*NOTAM text not available in this projection.*

**A0799/25**

*NOTAM text not available in this projection.*

**5/5767**

*NOTAM text not available in this projection.*

**5/5768**

*NOTAM text not available in this projection.*

**A0796/25**

*NOTAM text not available in this projection.*

**A0797/25**

*NOTAM text not available in this projection.*

**6/8138**

*NOTAM text not available in this projection.*

**6/8148**

*NOTAM text not available in this projection.*

**A1044/26**

*NOTAM text not available in this projection.*

**A1046/26**

*NOTAM text not available in this projection.*

**10/062**

*NOTAM text not available in this projection.*

**A1072/26**

*NOTAM text not available in this projection.*

**A1080/26**

*NOTAM text not available in this projection.*

**6/9994**

*NOTAM text not available in this projection.*

**A1081/26**

*NOTAM text not available in this projection.*

**12/023**

*NOTAM text not available in this projection.*

**A0801/25**

*NOTAM text not available in this projection.*

**08/003**

*NOTAM text not available in this projection.*

**08/017**

*NOTAM text not available in this projection.*

**08/025**

*NOTAM text not available in this projection.*

**08/058**

*NOTAM text not available in this projection.*

**08/080**

*NOTAM text not available in this projection.*

**08/107**

*NOTAM text not available in this projection.*

**09/030**

*NOTAM text not available in this projection.*

**10/010**

*NOTAM text not available in this projection.*

**10/012**

*NOTAM text not available in this projection.*

**10/037**

*NOTAM text not available in this projection.*

**10/047**

*NOTAM text not available in this projection.*

**10/054**

*NOTAM text not available in this projection.*

**10/056**

*NOTAM text not available in this projection.*

**10/066**

*NOTAM text not available in this projection.*

**10/069**

*NOTAM text not available in this projection.*

**10/072**

*NOTAM text not available in this projection.*

**10/071**

*NOTAM text not available in this projection.*

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

…026-10-18T10:26:31.839326Z.

…:00Z

…:00Z

…:00Z

…:00Z

RUNWAY …10/059 … RWY 10/28 CLSD EXC XNG

Effective 2026-10-20T12:00:00Z → 2026-10-20T13:30:00Z

RUNWAY …10/072 … RWY 10/28 CLSD EXC XNG

Effective 2026-10-20T12:00:00Z → 2026-10-20T13:30:00Z

42 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and

…ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KSAV this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
· 06:00–12:00 ET ET · VFR
• **Mon, Oct 19 · 12:00–18:00 ET**: GFS MAV MOS · 12:00–18:00 ET ET · VFR
• **Mon, Oct 19 · 18:00–00:00 ET**: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-18=GFS, 2026-10-19=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

| PRODUCT | TIME UTC | TMP°F | SKY | WIND | POP% | CEIL | VIS |
|---|---|---|---|---|---|---|---|
| GFS | 2026-10-18 12:00 | 50 | Clear | 20/11kt | — | >10kft | >6SM |
| GFS | 2026-10-18 15:00 | 60 | Clear | 30/15kt | — | >10kft | >6SM |
| GFS | 2026-10-18 18:00 | 66 | Clear | 30/13kt | 0.0 | >10kft | >6SM |
| GFS | 2026-10-18 21:00 | 66 | Clear | 40/13kt | — | >10kft | >6SM |
| GFS | 2026-10-19 00:00 | 60 | Clear | 30/8kt | 6.0 | >10kft | >6SM |
| GFS | 2026-10-19 03:00 | 56 | Clear | 20/9kt | — | >10kft | >6SM |
| GFS | 2026-10-19 06:00 | 54 | Clear | 10/9kt | 4.0 | >10kft | >6SM |
| GFS | 2026-10-19 09:00 | 51 | Clear | 10/9kt | — | >10kft | >6SM |
| GFS | 2026-10-19 12:00 | 50 | Clear | 10/8kt | 3.0 | >10kft | >6SM |
| GFS | 2026-10-19 15:00 | 62 | Clear | 20/11kt | — | >10kft | >6SM |
| GFS | 2026-10-19 18:00 | 69 | Clear | 10/11kt | 1.0 | >10kft | >6SM |
| GFS | 2026-10-19 21:00 | 69 | Clear | 10/9kt | — | >10kft | >6SM |
| GFS | 2026-10-20 00:00 | 61 | Clear | 10/5kt | 0.0 | >10kft | >6SM |
| GFS | 2026-10-20 03:00 | 55 | Clear | 10/4kt | — | >10kft | >6SM |

+ Raw products

+ Raw METAR / TAF

```
METAR KSAV 180853Z AUTO 02011G19KT 10SM CLR 11/07 A3032 RMK AO2 SLP267 T01060067 51005 TSNO

TAF KSAV 180522Z 1806/1906 03010G18KT P6SM SKC FM181400 02014G22KT P6SM SKC FM182100 03010G17KT P6SM SKC FM190200 02008KT P6SM SKC
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KSAV; actual-station=KSAV; fetched-at=2026-10-18T10:26:28.552624+00:00; observed-or-issued-at=2026-10-18T08:53:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KSAV; actual-station=KSAV; fetched-at=2026-10-18T10:26:28.744313+00:00; observed-or-issued-at=2026-10-18T05:22:00+00:00; valid-from=2026-10-18T06:00:00+00:00; valid-through=2026-10-19T06:00:00+00:00; partial-target-dates=2026-10-18,2026-10-19 — AWC API

  **TAF proxy · KSAV**
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KSAV; actual-station=KSAV; fetched-at=2026-10-18T10:26:29.626776+00:00
- FAA NMS NOTAM — state=OK; requested-station=KSAV; actual-station=KSAV; fetched-at=2026-10-18T10:26:31.839326Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KSAV; actual-station=KSAV; fetched-at=2026-10-18T10:26:53.304671+00:00; observed-or-issued-at=2026-10-18T06:00:00+00:00; valid-from=2026-10-18T12:00:00+00:00; valid-through=2026-10-21T06:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KSAV; actual-station=KSAV; fetched-at=2026-10-18T10:26:53.830994+00:00; observed-or-issued-at=2026-10-18T00:00:00+00:00; valid-from=2026-10-19T00:00:00+00:00; valid-through=2026-10-26T00:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19 — Iowa State API
- MOS effective date selection — state=partial; rows=14; requested-station=KSAV; actual-station=KSAV; fetched-at=2026-10-18T10:26:53.304671+00:00; observed-or-issued-at=2026-10-18T06:00:00+00:00; valid-from=2026-10-18T12:00:00+00:00; valid-through=2026-10-21T06:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19; selected-by-date=2026-10-18=GFS, 2026-10-19=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#3 **KSSI** **Brunswick/McKinnon St Simons Arpt, GA, US** · Atlantic South · St Simons beach

OBS - VFR

ETE 1h29

DIST 214 nm

SUN 18 OCT 04:35 ET OBSERVED

## Current observation

OBS - VFR

OBSER

METAR

scattered 3,900 ft

WIND N (20°) 14 kt gust 30 kt

TEMPERATURE 17 °C

VISIBILITY 10 sm

DEWPOINT 6 °C



**Wind favours RWY 04**

020° true · 027° magnetic · 14G30 kt

Evidence & limitations

- METAR source state: ok; observed Oct 18 04:35 ET; retrieved Oct 18 06:26 ET; 111 min before this run.
- Measured values read from the KSSI METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.24 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KSSI runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 04/22, 16/34. Wind from 020 degrees true, 027 degrees magnetic, at 14 knots gusting 30 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 04. Wind source: KSSI METAR 180835Z.

## DESTINATION OUTLOOK

### SUN, OCT 18

**SUN 18 OCT 06:00–12:00 ET HIGH**

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

**SUN 18 OCT 12:00–18:00 ET HIGH**

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

**SUN 18 OCT 18:00–00:00 ET HIGH**

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 18

**06:00–12:00 ET ET**

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**12:00–18:00 ET ET**

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**18:00–00:00 ET ET**

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 19

MON 19 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 19 OCT 06:00–12:00 ET MEDIUM

Forecast GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 13–14 kt

TEMPERATURE 58–60 °F

DEWPOINT 51–53 °F

PRECIP CHANCE 16%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 19 OCT 12:00–18:00 ET MEDIUM

## Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

### Flight-category guidance

WIND 11–14 kt

TEMPERATURE 57–65 °F

DEWPOINT 51–52 °F

PRECIP CHANCE 13%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 19 OCT 18:00–00:00 ET MEDIUM

## Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

### Flight-category guidance

WIND 12–14 kt

TEMPERATURE 68–69 °F

DEWPOINT 50 °F

PRECIP CHANCE 10%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 19

**00:00–06:00 ET ET**

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**06:00–12:00 ET ET**

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**12:00–18:00 ET ET**

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**18:00–00:00 ET ET**

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

## Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
6000 ft

CURRENT METAR TEMP DEP / DEST
8°C dep KLZU → 17°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — source state: not_queried

RWY

## Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
04/22 (040/220°M · 033/213°T) · 16/34 (160/340°M · 153/333°T) — designators and °M headings are magnetic; °T are true; variation 7°W (NOAA WMM2025)

INFO

## Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

| | | | |
|---|---|---|---|
| Runway dimensions / surface | UNAVAILABLE | FBO / provider | UNAVAILABLE |
| Available services | UNAVAILABLE | Frequencies | UNAVAILABLE |
| Pattern altitude | UNAVAILABLE | | |

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 1 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What

3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

d 2026-10-18T10:26:31.839666Z.

RI OCT 16 | SAT OCT 17 | SUN OCT 18 | MON OCT 19

07/001

Raw NOTAM data · NOTAMs as of 10:26 Z

*NOTAMs as of 10:26 Z — advisory only; verify an official briefing.*

**A0047/26**

*NOTAM text not available in this projection.*

**10/001**

*NOTAM text not available in this projection.*

**07/001**

*NOTAM text not available in this projection.*

**+ NOTAM DETAILS**

**FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)**

26-10-18T10:26:31.839666Z.

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

**METAR**

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

weather, and they never change a flight category. NOTAMs were read for KSSI this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

:00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · VFR

- **Mon, Oct 19 · 00:00–06:00 ET**: TAF · 00:00–06:00 ET ET · VFR
- **Mon, Oct 19 · 06:00–12:00 ET**: GFS MAV MOS · 06:00–12:00 ET ET · VFR
- **Mon, Oct 19 · 12:00–18:00 ET**: GFS MAV MOS · 12:00–18:00 ET ET · VFR
- **Mon, Oct 19 · 18:00–00:00 ET**: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-18=GFS, 2026-10-19=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

| PRODUCT | TIME UTC | TMP°F | SKY | WIND | POP% | CEIL | VIS |
|---|---|---|---|---|---|---|---|
| GFS | 2026-10-18 12:00 | 54 | Sct | 20/16kt | — | >10kft | >6SM |
| GFS | 2026-10-18 15:00 | 65 | Sct | 30/18kt | — | >10kft | >6SM |
| GFS | 2026-10-18 18:00 | 68 | Sct | 20/18kt | 12.0 | >10kft | >6SM |
| GFS | 2026-10-18 21:00 | 67 | Few | 30/18kt | — | 5-10kft | >6SM |
| GFS | 2026-10-19 00:00 | 64 | Clear | 30/14kt | 17.0 | >10kft | >6SM |
| GFS | 2026-10-19 03:00 | 63 | Few | 30/13kt | — | >10kft | >6SM |
| GFS | 2026-10-19 06:00 | 60 | Clear | 20/14kt | 16.0 | >10kft | >6SM |
| GFS | 2026-10-19 09:00 | 58 | Clear | 20/13kt | — | >10kft | >6SM |
| GFS | 2026-10-19 12:00 | 57 | Clear | 10/11kt | 13.0 | >10kft | >6SM |
| GFS | 2026-10-19 15:00 | 65 | Clear | 10/14kt | — | >10kft | >6SM |
| GFS | 2026-10-19 18:00 | 68 | Clear | 20/14kt | 10.0 | >10kft | >6SM |
| GFS | 2026-10-19 21:00 | 69 | Clear | 30/12kt | — | >10kft | >6SM |
| GFS | 2026-10-20 00:00 | 64 | Clear | 30/6kt | 1.0 | >10kft | >6SM |
| GFS | 2026-10-20 03:00 | 61 | Clear | 20/5kt | — | >10kft | >6SM |

+ Raw products

+ Raw METAR / TAF

```
METAR KSSI 180835Z AUTO 02014G30KT 10SM SCT039 17/06 A3024 RMK AO2

TAF KSSI 180523Z 1806/1906 03016G25KT P6SM FEW035 SCT045 FM180800 02022G30KT P6SM SCT045 FM181900 03020G29KT P6SM FEW035 BKN050 FM190000 02021G28KT P6SM FEW045
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KSSI; actual-station=KSSI; fetched-at=2026-10-18T10:26:28.552624+00:00; observed-or-issued-at=2026-10-18T08:35:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KSSI; actual-station=KSSI; fetched-at=2026-10-18T10:26:28.744313+00:00; observed-or-issued-at=2026-10-18T05:23:00+00:00; valid-from=2026-10-18T06:00:00+00:00; valid-through=2026-10-19T06:00:00+00:00; partial-target-dates=2026-10-18,2026-10-19 — AWC API

  **TAF proxy · KSSI**
- FAA airport status — state=not_queried; fetch-state=not_attempted; payload-state=not_attempted; requested-station=KSSI
- FAA NMS NOTAM — state=OK; requested-station=KSSI; actual-station=KSSI; fetched-at=2026-10-18T10:26:31.839666Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KSSI; actual-station=KSSI; fetched-at=2026-10-18T10:26:53.403528+00:00; observed-or-issued-at=2026-10-18T06:00:00+00:00; valid-from=2026-10-18T12:00:00+00:00; valid-through=2026-10-21T06:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KSSI; actual-station=KSSI; fetched-at=2026-10-18T10:26:53.809484+00:00; observed-or-issued-at=2026-10-18T00:00:00+00:00; valid-from=2026-10-19T00:00:00+00:00; valid-through=2026-10-26T00:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19 — Iowa State API
- MOS effective date selection — state=partial; rows=14; requested-station=KSSI; actual-station=KSSI; fetched-at=2026-10-18T10:26:53.403528+00:00; observed-or-issued-at=2026-10-18T06:00:00+00:00; valid-from=2026-10-18T12:00:00+00:00; valid-through=2026-10-21T06:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19; selected-by-date=2026-10-18=GFS, 2026-10-19=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#4 **KJZI** **Charleston Exec, SC, US** · Atlantic South · Charleston Exec

OBS - VFR

ETE **1h28**

DIST **213 nm**

SUN 18 OCT 04:35 ET OBSERVED

## Current observation

OBS - VFR

OBSER

METAR

clear below 12,000 ft (CLR)

WIND **N (20°) 12 kt**

TEMPERATURE **10 °C**

VISIBILITY **10 sm**

DEWPOINT **5 °C**



**Wind favours RWY 04**

020° true · 028° magnetic · 12 kt

Evidence & limitations

- METAR source state: ok; observed Oct 18 04:35 ET; retrieved Oct 18 06:26 ET; 111 min before this run.
- Measured values read from the KJZI METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.31 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KJZI runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 09/27, 04/22. Wind from 020 degrees true, 028 degrees magnetic, at 12 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 04. Wind source: KJZI METAR 180835Z.

## DESTINATION OUTLOOK

### SUN, OCT 18

**SUN 18 OCT 06:00–12:00 ET HIGH**

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

**SUN 18 OCT 12:00–18:00 ET HIGH**

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

**SUN 18 OCT 18:00–00:00 ET HIGH**

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 18

**06:00–12:00 ET ET**

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**12:00–18:00 ET ET**

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**18:00–00:00 ET ET**

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 19

MON 19 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 19 OCT 06:00–12:00 ET MEDIUM

Forecast GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 9–10 kt

TEMPERATURE 53–55 °F

DEWPOINT 44–45 °F

PRECIP CHANCE 8%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 19 OCT 12:00–18:00 ET MEDIUM

## Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

### Flight-category guidance

WIND 8–12 kt

TEMPERATURE 51–60 °F

DEWPOINT 44–46 °F

PRECIP CHANCE 9%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 19 OCT 18:00–00:00 ET MEDIUM

## Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

### Flight-category guidance

WIND 9–10 kt

TEMPERATURE 68–69 °F

DEWPOINT 47 °F

PRECIP CHANCE 4%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 19

**00:00–06:00 ET ET**

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**06:00–12:00 ET ET**

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**12:00–18:00 ET ET**

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**18:00–00:00 ET ET**

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

## Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
6000 ft

CURRENT METAR TEMP DEP / DEST
8°C dep KLZU → 10°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed (proxy KCHS)

RWY

## Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
09/27 (090/270°M · 082/262°T) · 04/22 (040/220°M · 032/212°T) — designators and °M headings are magnetic; °T are true; variation 8°W (NOAA WMM2025)

INFO

## Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

| | | | |
|---|---|---|---|
| Runway dimensions / surface | UNAVAILABLE | FBO / provider | UNAVAILABLE |
| Available services | UNAVAILABLE | Frequencies | UNAVAILABLE |
| Pattern altitude | UNAVAILABLE | | |

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs
FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)
2 Act on

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What
3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

d 2026-10-18T10:26:32.281480Z.
oritative)

RI OCT 16 | SAT OCT 17 | SUN OCT 18 | MON OCT 19

| | |
|---|---|
| 08/354 | |
| 10/062 | |
| 09/426 | |

Raw NOTAM data · NOTAMs as of 10:26 Z

*NOTAMs as of 10:26 Z — advisory only; verify an official briefing.*

**5/3307**

*NOTAM text not available in this projection.*

**07/354**

*NOTAM text not available in this projection.*

**08/354**

*NOTAM text not available in this projection.*

**10/062**

*NOTAM text not available in this projection.*

**09/426**

*NOTAM text not available in this projection.*

+ NOTAM DETAILS

**FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)**

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

26-10-18T10:26:32.281480Z.

OBSTRUCTION

Effective 2026-10-05T06:39:00Z → 2027-01-03T07:39:00Z

OTHER

Effective 2026-09-30T11:40:00Z → 2026-10-31T18:00:00Z

+ Forecast evidence

**METAR**

METAR — the routine surface observation

issued hourly by the reporting station, with SPECI reports off-cycle, carrying ceiling, visibility, wind, temperature and altimeter. Issued by the observing station and distributed by aviationweather.gov. This is measured fact, not a forecast, and on this page it describes conditions right now, not this day. A current KJZI observation was read this run. It describes conditions now, not this trip day.

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KJZI this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
S · 06:00–12:00 ET ET · VFR
S · 12:00–18:00 ET ET · VFR
• **Mon, Oct 19 · 18:00–00:00 ET**: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-18=GFS, 2026-10-19=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

| PRODUCT | TIME UTC | TMP°F | SKY | WIND | POP% | CEIL | VIS |
|---|---|---|---|---|---|---|---|
| GFS | 2026-10-18 12:00 | 49 | Clear | 360/15kt | — | >10kft | >6SM |
| GFS | 2026-10-18 15:00 | 60 | Clear | 10/16kt | — | >10kft | >6SM |
| GFS | 2026-10-18 18:00 | 68 | Clear | 20/15kt | 5.0 | >10kft | >6SM |
| GFS | 2026-10-18 21:00 | 67 | Clear | 20/15kt | — | >10kft | >6SM |
| GFS | 2026-10-19 00:00 | 62 | Clear | 20/10kt | 11.0 | >10kft | >6SM |
| GFS | 2026-10-19 03:00 | 59 | Clear | 10/10kt | — | >10kft | >6SM |
| GFS | 2026-10-19 06:00 | 55 | Clear | 360/9kt | 8.0 | >10kft | >6SM |
| GFS | 2026-10-19 09:00 | 53 | Clear | 350/10kt | — | >10kft | >6SM |
| GFS | 2026-10-19 12:00 | 51 | Clear | 350/8kt | 9.0 | >10kft | >6SM |
| GFS | 2026-10-19 15:00 | 60 | Clear | 360/12kt | — | >10kft | >6SM |
| GFS | 2026-10-19 18:00 | 68 | Clear | 360/10kt | 4.0 | >10kft | >6SM |
| GFS | 2026-10-19 21:00 | 69 | Clear | 360/9kt | — | >10kft | >6SM |

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| GFS | 2026-10-20 00:00 | 61 | Clear | 10/4kt | 0.0 | >10kft | >6SM |
| GFS | 2026-10-20 03:00 | 57 | Clear | 360/3kt | — | >10kft | >6SM |

+ Raw products

+ Raw METAR / TAF

```
METAR KJZI 180835Z AUTO 02012KT 10SM CLR 10/05 A3031 RMK AO2

TAF KJZI 180522Z 1806/1906 02013G22KT P6SM SKC FM181500 02016G26KT P6SM FEW045 FM182200 02012G22KT P6SM SKC FM190300 01010G17KT P6SM SKC
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KJZI; actual-station=KJZI; fetched-at=2026-10-18T10:26:28.552624+00:00; observed-or-issued-at=2026-10-18T08:35:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KJZI; actual-station=KJZI; fetched-at=2026-10-18T10:26:28.744313+00:00; observed-or-issued-at=2026-10-18T05:22:00+00:00; valid-from=2026-10-18T06:00:00+00:00; valid-through=2026-10-19T06:00:00+00:00; partial-target-dates=2026-10-18,2026-10-19 — AWC API

  TAF proxy · KJZI
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KJZI; actual-station=KCHS; fetched-at=2026-10-18T10:26:29.392731+00:00
- FAA NMS NOTAM — state=OK; requested-station=KJZI; actual-station=KJZI; fetched-at=2026-10-18T10:26:32.281480Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KJZI; actual-station=KJZI; fetched-at=2026-10-18T10:26:53.314287+00:00; observed-or-issued-at=2026-10-18T06:00:00+00:00; valid-from=2026-10-18T12:00:00+00:00; valid-through=2026-10-21T06:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KJZI; actual-station=KJZI; fetched-at=2026-10-18T10:26:53.862861+00:00; observed-or-issued-at=2026-10-18T00:00:00+00:00; valid-from=2026-10-19T00:00:00+00:00; valid-through=2026-10-26T00:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19 — Iowa State API
- MOS effective date selection — state=partial; rows=14; requested-station=KJZI; actual-station=KJZI; fetched-at=2026-10-18T10:26:53.314287+00:00; observed-or-issued-at=2026-10-18T06:00:00+00:00; valid-from=2026-10-18T12:00:00+00:00; valid-through=2026-10-21T06:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19; selected-by-date=2026-10-18=GFS, 2026-10-19=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#5 **KMYR** **Myrtle Beach Intl, SC, US** · Atlantic North · Myrtle Beach (Class C)

OBS - UNKNOWN

ETE 1h45

DIST 251 nm

SUN 18 OCT 04:53 ET OBSERVED

**Current observation**

OBS - UNKNOWN

METAR

**Condition not reported**

WIND N (340°) 8 kt

**TEMPERATURE** **8 °C**

**VISIBILITY** **10 sm**

**DEWPOINT** **5 °C**



**Wind favours RWY 36**

340° true · 349° magnetic · 8 kt · also NOTAM-affected: 18 and 36

**Evidence & limitations**

- METAR source state: ok; observed Oct 18 04:53 ET; retrieved Oct 18 06:26 ET; 93 min before this run.
- Measured values read from the KMYR METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.34 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KMYR runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 18/36. Wind from 340 degrees true, 349 degrees magnetic, at 8 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 36. NOTAM-affected runway ends, hatched separately from the wind highlight: 18 and 36. The wind-favoured end 36 is also NOTAM-affected: the wind does favour it, but a NOTAM on this card names it, so the highlight is not a statement that the runway is usable. The hatch marks only that a NOTAM names the runway; it does not decode the NOTAM's effective times, so confirm the closure window in the NOTAM text below. Wind source: KMYR METAR 180853Z.

## DESTINATION OUTLOOK

## SUN, OCT 18

### SUN 18 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

### SUN 18 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

### SUN 18 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 18

**06:00–12:00 ET ET**

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**12:00–18:00 ET ET**

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**18:00–00:00 ET ET**

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 19

MON 19 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 19 OCT 06:00–12:00 ET MEDIUM

Forecast GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 11 kt

TEMPERATURE 52–54 °F

DEWPOINT 43–44 °F

PRECIP CHANCE 8%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 19 OCT 12:00–18:00 ET MEDIUM

## Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

### Flight-category guidance

WIND 11–15 kt

TEMPERATURE 51–60 °F

DEWPOINT 43–45 °F

PRECIP CHANCE 8%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 19 OCT 18:00–00:00 ET MEDIUM

## Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

### Flight-category guidance

WIND 12–15 kt

TEMPERATURE 66–67 °F

DEWPOINT 46–47 °F

PRECIP CHANCE 3%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 19

**00:00–06:00 ET ET**

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**06:00–12:00 ET ET**

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**12:00–18:00 ET ET**

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**18:00–00:00 ET ET**

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

## Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
8°C dep KLZU → 8°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

## Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
18/36 (180/000°M · 171/351°T) — designators and °M headings are magnetic; °T are true; variation 9°W (NOAA WMM2025)

INFO

## Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

| | | | |
|---|---|---|---|
| Runway dimensions / surface | UNAVAILABLE | FBO / provider | UNAVAILABLE |
| Available services | UNAVAILABLE | Frequencies | UNAVAILABLE |
| Pattern altitude | UNAVAILABLE | | |

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 17 Act on 4 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What 3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

ed 2026-10-18T10:26:32.309368Z.

oritative) Narrow bars = daily schedule sub-windows

RI OCT 16 | SAT OCT 17 | SUN OCT 18 | MON OCT 19




56 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 10:26 Z

*NOTAMs as of 10:26 Z — advisory only; verify an official briefing.*

**08/053**

*NOTAM text not available in this projection.*

**A0660/26**

*NOTAM text not available in this projection.*

**6/8172**

*NOTAM text not available in this projection.*

**09/037**

*NOTAM text not available in this projection.*

**09/050**

*NOTAM text not available in this projection.*

**A0761/26**

*NOTAM text not available in this projection.*

**10/004**

*NOTAM text not available in this projection.*

**A0776/26**

*NOTAM text not available in this projection.*

**10/007**

*NOTAM text not available in this projection.*

**A0777/26**

*NOTAM text not available in this projection.*

**A0799/26**

*NOTAM text not available in this projection.*

**A0801/26**

*NOTAM text not available in this projection.*

**A0802/26**

*NOTAM text not available in this projection.*

**A0803/26**

*NOTAM text not available in this projection.*

**A0804/26**

*NOTAM text not available in this projection.*

**A0805/26**

*NOTAM text not available in this projection.*

**A0806/26**

*NOTAM text not available in this projection.*

**A0807/26**

*NOTAM text not available in this projection.*

**A0809/26**

*NOTAM text not available in this projection.*

**A0810/26**

*NOTAM text not available in this projection.*

**A0811/26**

*NOTAM text not available in this projection.*

**A0812/26**

*NOTAM text not available in this projection.*

**A0813/26**

*NOTAM text not available in this projection.*

**A0818/26**

*NOTAM text not available in this projection.*

**A0821/26**

*NOTAM text not available in this projection.*

**10/037**

*NOTAM text not available in this projection.*

**A0823/26**

*NOTAM text not available in this projection.*

**10/036**

*NOTAM text not available in this projection.*

**A0822/26**

*NOTAM text not available in this projection.*

**09/035**

*NOTAM text not available in this projection.*

**A0739/26**

*NOTAM text not available in this projection.*

**09/036**

*NOTAM text not available in this projection.*

**A0741/26**

*NOTAM text not available in this projection.*

**09/038**

*NOTAM text not available in this projection.*

**A0743/26**

*NOTAM text not available in this projection.*

**09/039**

*NOTAM text not available in this projection.*

**A0746/26**

*NOTAM text not available in this projection.*

**09/040**

*NOTAM text not available in this projection.*

**A0747/26**

*NOTAM text not available in this projection.*

**09/041**

*NOTAM text not available in this projection.*

**09/042**

*NOTAM text not available in this projection.*

**09/043**

*NOTAM text not available in this projection.*

**A0750/26**

*NOTAM text not available in this projection.*

**09/048**

*NOTAM text not available in this projection.*

**A0757/26**

*NOTAM text not available in this projection.*

**09/051**

*NOTAM text not available in this projection.*

**09/052**

*NOTAM text not available in this projection.*

**A0762/26**

*NOTAM text not available in this projection.*

**09/058**

*NOTAM text not available in this projection.*

**A0768/26**

*NOTAM text not available in this projection.*

**A0684/26**

*NOTAM text not available in this projection.*

**07/032**

*NOTAM text not available in this projection.*

**09/034**

*NOTAM text not available in this projection.*

**10/038**

*NOTAM text not available in this projection.*

**10/038**

*NOTAM text not available in this projection.*

**08/005**

*NOTAM text not available in this projection.*

**A0600/26**

*NOTAM text not available in this projection.*

**A0798/26**

*NOTAM text not available in this projection.*

**10/025**

*NOTAM text not available in this projection.*

**10/027**

*NOTAM text not available in this projection.*

**10/028**

*NOTAM text not available in this projection.*

**A0800/26**

*NOTAM text not available in this projection.*

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

026-10-18T10:26:32.309368Z.

ED PLS LGT U/S

:00Z

NCED PLS LGT U/S

:00Z

SH INTL, MYRTLE BEACH, SC. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 2... ADD TAKEOFF OBSTACLE NOTE: RWY 36

DER, 1,079FT LEFT OF CENTERLINE, 120FT AGL/ 139FT MSL (2022-ASO-24634-OE). ALL OTHER DATA REMAINS AS PUBLISHED. 2609261007 2701221007EST

:00Z

FOR RWY 36 U/S

Effective 2026-09-24T11:30:00Z → 2027-01-04T11:00:00Z

RUNWAY 09/080 — RWY 12/30 CLSD DLY 0400-1000

Effective 2026-09-26T04:00:00Z → 2026-10-31T10:00:00Z

RUNWAY A0701/26 — RWY 18/36 CLSD

Effective 2026-09-26T04:00:00Z → 2026-10-31T10:00:00Z

RUNWAY A0702/26 — RWY 12/30 CLSD EXC SKED AIR CARRIER DLY 0300-0459

Effective 2026-10-18T03:00:00Z → 2026-10-31T04:59:00Z

RUNWAY A0923/26 — RWY 18/36 CLSD EXC SKED AIR CARRIER

Effective 2026-10-18T03:00:00Z → 2026-10-31T04:59:00Z

RUNWAY A0924/26 — RWY 18/36 CLSD DLY 0500-0900

Effective 2026-10-18T05:00:00Z → 2026-10-31T09:00:00Z

RUNWAY A0922/26 — RWY 18/36 CLSD

Effective 2026-10-18T05:00:00Z → 2026-10-31T09:00:00Z

51 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

weather, and they never change a flight category. NOTAMs were read for KMYR this run.

no-go here is derived from an image. A published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR

- **Mon, Oct 19 · 06:00–12:00 ET**: GFS MAV MOS · 06:00–12:00 ET ET · VFR
- **Mon, Oct 19 · 12:00–18:00 ET**: GFS MAV MOS · 12:00–18:00 ET ET · VFR
- **Mon, Oct 19 · 18:00–00:00 ET**: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-18=GFS, 2026-10-19=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

| PRODUCT | TIME UTC | TMP°F | SKY | WIND | POP% | CEIL | VIS |
|---|---|---|---|---|---|---|---|
| GFS | 2026-10-18 12:00 | 47 | Clear | 350/12kt | — | >10kft | >6SM |
| GFS | 2026-10-18 15:00 | 57 | Clear | 20/16kt | — | >10kft | >6SM |
| GFS | 2026-10-18 18:00 | 63 | Clear | 10/16kt | 2.0 | >10kft | >6SM |
| GFS | 2026-10-18 21:00 | 65 | Few | 10/15kt | — | >10kft | >6SM |
| GFS | 2026-10-19 00:00 | 60 | Clear | 20/11kt | 5.0 | >10kft | >6SM |
| GFS | 2026-10-19 03:00 | 58 | Clear | 20/11kt | — | >10kft | >6SM |
| GFS | 2026-10-19 06:00 | 54 | Clear | 360/11kt | 8.0 | >10kft | >6SM |
| GFS | 2026-10-19 09:00 | 52 | Clear | 360/11kt | — | >10kft | >6SM |
| GFS | 2026-10-19 12:00 | 51 | Clear | 360/11kt | 8.0 | >10kft | >6SM |
| GFS | 2026-10-19 15:00 | 60 | Clear | 360/15kt | — | >10kft | >6SM |
| GFS | 2026-10-19 18:00 | 66 | Clear | 360/15kt | 3.0 | >10kft | >6SM |
| GFS | 2026-10-19 21:00 | 67 | Clear | 350/12kt | — | >10kft | >6SM |
| GFS | 2026-10-20 00:00 | 62 | Clear | 360/6kt | 0.0 | >10kft | >6SM |
| GFS | 2026-10-20 03:00 | 58 | Clear | 360/6kt | — | >10kft | >6SM |

+ Raw products

+ Raw METAR / TAF

```
METAR KMYR 180853Z AUTO 34008KT 10SM 08/05 A3034 RMK AO2 SLP275 T00830050 53005 $

TAF KMYR 180526Z 1806/1906 01012KT P6SM FEW060 WS016/03050KT FM181300 01016G24KT P6SM SCT040 FM190200 01011KT P6SM SKC
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KMYR; actual-station=KMYR; fetched-at=2026-10-18T10:26:28.552624+00:00; observed-or-issued-at=2026-10-18T08:53:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KMYR; actual-station=KMYR; fetched-at=2026-10-18T10:26:28.744313+00:00; observed-or-issued-at=2026-10-18T05:26:00+00:00; valid-from=2026-10-18T06:00:00+00:00; valid-through=2026-10-19T06:00:00+00:00; partial-target-dates=2026-10-18,2026-10-19 — AWC API

  **TAF proxy · KMYR**
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KMYR; actual-station=KMYR; fetched-at=2026-10-18T10:26:29.585485+00:00
- FAA NMS NOTAM — state=OK; requested-station=KMYR; actual-station=KMYR; fetched-at=2026-10-18T10:26:32.309368Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KMYR; actual-station=KMYR; fetched-at=2026-10-18T10:26:53.408424+00:00; observed-or-issued-at=2026-10-18T06:00:00+00:00; valid-from=2026-10-18T12:00:00+00:00; valid-through=2026-10-21T06:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KMYR; actual-station=KMYR; fetched-at=2026-10-18T10:26:53.865310+00:00; observed-or-issued-at=2026-10-18T00:00:00+00:00; valid-from=2026-10-19T00:00:00+00:00; valid-through=2026-10-26T00:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19 — Iowa State API
- MOS effective date selection — state=partial; rows=14; requested-station=KMYR; actual-station=KMYR; fetched-at=2026-10-18T10:26:53.408424+00:00; observed-or-issued-at=2026-10-18T06:00:00+00:00; valid-from=2026-10-18T12:00:00+00:00; valid-through=2026-10-21T06:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19; selected-by-date=2026-10-18=GFS, 2026-10-19=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#6 **KCRE** **North Myrtle Beach/Grand Strand Arpt, SC, US** · Atlantic North · N Myrtle Beach

OBS - VFR

ETE 1h49

DIST 261 nm

SUN 18 OCT 04:53 ET OBSERVED

## Current observation

OBS - VFR

OBSER

METAR

clear below 12,000 ft (CLR)

WIND N (10°) 8 kt

TEMPERATURE 8 °C

VISIBILITY 10 sm

DEWPOINT 4 °C



**Wind favours RWY 05**

010° true · 019° magnetic · 8 kt

Evidence & limitations

- METAR source state: ok; observed Oct 18 04:53 ET; retrieved Oct 18 06:26 ET; 93 min before this run.
- Measured values read from the KCRE METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.32 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KCRE runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 05/23. Wind from 010 degrees true, 019 degrees magnetic, at 8 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 05. Wind source: KCRE METAR 180853Z.

## DESTINATION OUTLOOK

### SUN, OCT 18

**SUN 18 OCT 06:00–12:00 ET HIGH**

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

**SUN 18 OCT 12:00–18:00 ET HIGH**

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

**SUN 18 OCT 18:00–00:00 ET HIGH**

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 18

**06:00–12:00 ET ET**

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**12:00–18:00 ET ET**

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**18:00–00:00 ET ET**

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 19

MON 19 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 19 OCT 06:00–12:00 ET MEDIUM

Forecast GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 9 kt

TEMPERATURE 52–55 °F

DEWPOINT 43–44 °F

PRECIP CHANCE 8%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 19 OCT 12:00–18:00 ET MEDIUM

## Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

### Flight-category guidance

WIND 9–13 kt

TEMPERATURE 51–61 °F

DEWPOINT 43–46 °F

PRECIP CHANCE 8%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 19 OCT 18:00–00:00 ET MEDIUM

## Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

### Flight-category guidance

WIND 9–12 kt

TEMPERATURE 68–69 °F

DEWPOINT 46–47 °F

PRECIP CHANCE 3%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 19

**00:00–06:00 ET ET**

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**06:00–12:00 ET ET**

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**12:00–18:00 ET ET**

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**18:00–00:00 ET ET**

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

## Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
8°C dep KLZU → 8°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — source state: not_queried

RWY

## Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
05/23 (050/230°M · 041/221°T) — designators and °M headings are magnetic; °T are true; variation 9°W (NOAA WMM2025)

INFO

## Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

| | | | |
|---|---|---|---|
| Runway dimensions / surface | UNAVAILABLE | FBO / provider | UNAVAILABLE |
| Available services | UNAVAILABLE | Frequencies | UNAVAILABLE |
| Pattern altitude | UNAVAILABLE | | |

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

3 Act on

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What

3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

d 2026-10-18T10:26:32.331199Z.

oritative)

RI OCT 16 | SAT OCT 17 | SUN OCT 18 | MON OCT 19

10/007

08/002

Raw NOTAM data · NOTAMs as of 10:26 Z

*NOTAMs as of 10:26 Z — advisory only; verify an official briefing.*

**5/9932**

*NOTAM text not available in this projection.*

**5/9933**

*NOTAM text not available in this projection.*

**10/007**

*NOTAM text not available in this projection.*

**08/002**

*NOTAM text not available in this projection.*

**+ NOTAM DETAILS**

**FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)**

26-10-18T10:26:32.331199Z.

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

:00Z

:00Z

:00Z

OTHER

Effective 2026-08-05T21:13:00Z → 2026-11-18T13:00:00Z

**+ Forecast evidence**

**METAR**

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-

range MOS product, issued twice a day in twelve-hourly steps out to about 192 hours. Coarse, but the only station-calibrated numeric guidance that reaches the far end of a long weekend. This card shows it only as a labelled rough outlook and never as a resolved forecast. A station-calibrated MEX MOS product was read for this airport this run (state: partial).

valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KCRE this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
S · 06:00–12:00 ET ET · VFR
S · 12:00–18:00 ET ET · VFR
• **Mon, Oct 19 · 18:00–00:00 ET**: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-18=GFS, 2026-10-19=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

| PRODUCT | TIME UTC | TMP°F | SKY | WIND | POP% | CEIL | VIS |
|---|---|---|---|---|---|---|---|
| GFS | 2026-10-18 12:00 | 46 | Clear | 10/12kt | — | >10kft | >6SM |
| GFS | 2026-10-18 15:00 | 59 | Clear | 20/17kt | — | >10kft | >6SM |
| GFS | 2026-10-18 18:00 | 65 | Clear | 30/15kt | 2.0 | >10kft | >6SM |
| GFS | 2026-10-18 21:00 | 66 | Clear | 30/12kt | — | >10kft | >6SM |
| GFS | 2026-10-19 00:00 | 60 | Clear | 30/8kt | 5.0 | >10kft | >6SM |
| GFS | 2026-10-19 03:00 | 57 | Clear | 30/9kt | — | >10kft | >6SM |
| GFS | 2026-10-19 06:00 | 55 | Clear | 20/9kt | 8.0 | >10kft | >6SM |
| GFS | 2026-10-19 09:00 | 52 | Clear | 10/9kt | — | >10kft | >6SM |
| GFS | 2026-10-19 12:00 | 51 | Clear | 10/9kt | 8.0 | >10kft | >6SM |
| GFS | 2026-10-19 15:00 | 61 | Clear | 10/13kt | — | >10kft | >6SM |
| GFS | 2026-10-19 18:00 | 68 | Clear | 10/12kt | 3.0 | >10kft | >6SM |
| GFS | 2026-10-19 21:00 | 69 | Clear | 10/9kt | — | >10kft | >6SM |
| GFS | 2026-10-20 00:00 | 61 | Clear | 20/5kt | 0.0 | >10kft | >6SM |
| GFS | 2026-10-20 03:00 | 57 | Clear | 30/5kt | — | >10kft | >6SM |

+ Raw products

+ Raw METAR / TAF

```
METAR KCRE 180853Z AUTO 01008KT 10SM CLR 08/04 A3032 RMK AO2 SLP269 T00780039 53006

TAF KMYR 180526Z 1806/1906 01012KT P6SM FEW060 WS016/03050KT FM181300 01016G24KT P6SM SCT040 FM190200 01011KT P6SM SKC
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KCRE; actual-station=KCRE; fetched-at=2026-10-18T10:26:28.552624+00:00; observed-or-issued-at=2026-10-18T08:53:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KCRE; actual-station=KMYR; fetched-at=2026-10-18T10:26:28.744313+00:00; observed-or-issued-at=2026-10-18T05:26:00+00:00; valid-from=2026-10-18T06:00:00+00:00; valid-through=2026-10-19T06:00:00+00:00; partial-target-dates=2026-10-18,2026-10-19 — AWC API

  TAF proxy · KMYR
- FAA airport status — state=not_queried; fetch-state=not_attempted; payload-state=not_attempted; requested-station=KCRE
- FAA NMS NOTAM — state=OK; requested-station=KCRE; actual-station=KCRE; fetched-at=2026-10-18T10:26:32.331199Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KCRE; actual-station=KCRE; fetched-at=2026-10-18T10:26:53.405116+00:00; observed-or-issued-at=2026-10-18T06:00:00+00:00; valid-from=2026-10-18T12:00:00+00:00; valid-through=2026-10-21T06:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KCRE; actual-station=KCRE; fetched-at=2026-10-18T10:26:53.814422+00:00; observed-or-issued-at=2026-10-18T00:00:00+00:00; valid-from=2026-10-19T00:00:00+00:00; valid-through=2026-10-26T00:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19 — Iowa State API
- MOS effective date selection — state=partial; rows=14; requested-station=KCRE; actual-station=KCRE; fetched-at=2026-10-18T10:26:53.405116+00:00; observed-or-issued-at=2026-10-18T06:00:00+00:00; valid-from=2026-10-18T12:00:00+00:00; valid-through=2026-10-21T06:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19; selected-by-date=2026-10-18=GFS, 2026-10-19=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#7 **KHXD** **Hilton Head Arpt, SC, US** · Atlantic South · Hilton Head

OBS - VFR

ETE 1h21

DIST 195 nm

SUN 18 OCT 04:35 ET OBSERVED

## Current observation

OBS - VFR

METAR

OBSER

clear below 12,000 ft (CLR)

WIND **NE (40°) 21 kt gust 26 kt**

TEMPERATURE **12 °C**

VISIBILITY **10 sm**

**DEWPOINT5 °C**



**Wind favours RWY 03**

040° true · 048° magnetic · 21G26 kt

**Evidence & limitations**

- METAR source state: ok; observed Oct 18 04:35 ET; retrieved Oct 18 06:26 ET; 111 min before this run.
- Measured values read from the KHXD METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.31 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KHXD runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 03/21. Wind from 040 degrees true, 048 degrees magnetic, at 21 knots gusting 26 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 03. Wind source: KHXD METAR 180835Z.

**DESTINATION OUTLOOK**

## SUN, OCT 18

### SUN 18 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

### SUN 18 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

### SUN 18 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 18

**06:00–12:00 ET ET**

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**12:00–18:00 ET ET**

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**18:00–00:00 ET ET**

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 19

MON 19 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 19 OCT 06:00–12:00 ET MEDIUM

Forecast GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 12–13 kt

TEMPERATURE 55–57 °F

DEWPOINT 44–45 °F

PRECIP CHANCE 6%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 19 OCT 12:00–18:00 ET MEDIUM

## Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

### Flight-category guidance

WIND 11–14 kt

TEMPERATURE 54–60 °F

DEWPOINT 45–47 °F

PRECIP CHANCE 6%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 19 OCT 18:00–00:00 ET MEDIUM

## Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

### Flight-category guidance

WIND 9–10 kt

TEMPERATURE 67–69 °F

DEWPOINT 46–47 °F

PRECIP CHANCE 4%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 19

**00:00–06:00 ET ET**

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**06:00–12:00 ET ET**

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**12:00–18:00 ET ET**

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**18:00–00:00 ET ET**

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

## Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
6000 ft

CURRENT METAR TEMP DEP / DEST
8°C dep KLZU → 12°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

## Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
03/21 (030/210°M · 022/202°T) — designators and °M headings are magnetic; °T are true; variation 8°W (NOAA WMM2025)

INFO

## Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

| | | | |
|---|---|---|---|
| Runway dimensions / surface | UNAVAILABLE | FBO / provider | UNAVAILABLE |
| Available services | UNAVAILABLE | Frequencies | UNAVAILABLE |
| Pattern altitude | UNAVAILABLE | | |

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs
FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 6 Act on 1 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

ed 2026-10-18T10:26:32.336104Z.

oritative)

RI OCT 16 | SAT OCT 17 | SUN OCT 18 | MON OCT 19




6 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 10:26 Z

*NOTAMs as of 10:26 Z — advisory only; verify an official briefing.*

**07/013**

*NOTAM text not available in this projection.*

**A0238/26**

*NOTAM text not available in this projection.*

**A0380/26**

*NOTAM text not available in this projection.*

**5/3292**

*NOTAM text not available in this projection.*

**A0137/25**

*NOTAM text not available in this projection.*

**6/8144**

*NOTAM text not available in this projection.*

**6/8144**

*NOTAM text not available in this projection.*

**A0365/26**

*NOTAM text not available in this projection.*

**A0366/26**

*NOTAM text not available in this projection.*

**09/029**

*NOTAM text not available in this projection.*

**10/010**

*NOTAM text not available in this projection.*

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

)26-10-18T10:26:32.336104Z.

AREA IRREGULAR SFC

:00Z

CTY AREA IRREGULAR SFC

:00Z

:00Z

NAV_APPROACH

Effective 2025-04-29T20:01:00Z → 2027-04-29T20:01:00Z

NAV_APPROACH

Effective 2025-04-29T20:01:00Z → 2027-04-29T20:01:00Z

6 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

**METAR**

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KHXD this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · VFR

S · 06:00–12:00 ET ET · VFR

S · 12:00–18:00 ET ET · VFR

• **Mon, Oct 19 · 18:00–00:00 ET**: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-18=GFS, 2026-10-19=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

| PRODUCT | TIME UTC | TMP°F | SKY | WIND | POP% | CEIL | VIS |
|---|---|---|---|---|---|---|---|
| GFS | 2026-10-18 12:00 | 51 | Clear | 30/18kt | — | >10kft | >6SM |

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| GFS | 2026-10-18 15:00 | 59 | Clear | 30/17kt | — | >10kft | >6SM |
| GFS | 2026-10-18 18:00 | 66 | Clear | 30/16kt | 4.0 | >10kft | >6SM |
| GFS | 2026-10-18 21:00 | 66 | Clear | 30/15kt | — | >10kft | >6SM |
| GFS | 2026-10-19 00:00 | 63 | Clear | 30/12kt | 10.0 | >10kft | >6SM |
| GFS | 2026-10-19 03:00 | 60 | Clear | 30/12kt | — | >10kft | >6SM |
| GFS | 2026-10-19 06:00 | 57 | Clear | 20/12kt | 6.0 | >10kft | >6SM |
| GFS | 2026-10-19 09:00 | 55 | Clear | 20/13kt | — | >10kft | >6SM |
| GFS | 2026-10-19 12:00 | 54 | Clear | 10/11kt | 6.0 | >10kft | >6SM |
| GFS | 2026-10-19 15:00 | 60 | Clear | 20/14kt | — | >10kft | >6SM |
| GFS | 2026-10-19 18:00 | 67 | Clear | 20/10kt | 4.0 | >10kft | >6SM |
| GFS | 2026-10-19 21:00 | 69 | Clear | 20/9kt | — | >10kft | >6SM |
| GFS | 2026-10-20 00:00 | 63 | Clear | 20/6kt | 0.0 | >10kft | >6SM |
| GFS | 2026-10-20 03:00 | 59 | Clear | 20/5kt | — | >10kft | >6SM |

+ Raw products

+ Raw METAR / TAF

```
METAR KHXD 180835Z AUTO 04021G26KT 10SM CLR 12/05 A3031 RMK AO2

TAF KSAV 180522Z 1806/1906 03010G18KT P6SM SKC FM181400 02014G22KT P6SM SKC FM182100 03010G17KT P6SM SKC FM190200 02008KT P6SM SKC
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KHXD; actual-station=KHXD; fetched-at=2026-10-18T10:26:28.552624+00:00; observed-or-issued-at=2026-10-18T08:35:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KHXD; actual-station=KSAV; fetched-at=2026-10-18T10:26:28.744313+00:00; observed-or-issued-at=2026-10-18T05:22:00+00:00; valid-from=2026-10-18T06:00:00+00:00; valid-through=2026-10-19T06:00:00+00:00; partial-target-dates=2026-10-18,2026-10-19 — AWC API
  **TAF proxy · KSAV**
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KHXD; actual-station=KHXD; fetched-at=2026-10-18T10:26:29.881793+00:00
- FAA NMS NOTAM — state=OK; requested-station=KHXD; actual-station=KHXD; fetched-at=2026-10-18T10:26:32.336104Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KHXD; actual-station=KHXD; fetched-at=2026-10-18T10:26:53.289709+00:00; observed-or-issued-at=2026-10-18T06:00:00+00:00; valid-from=2026-10-18T12:00:00+00:00; valid-through=2026-10-21T06:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KHXD; actual-station=KHXD; fetched-at=2026-10-18T10:26:53.815137+00:00; observed-or-issued-at=2026-10-18T00:00:00+00:00; valid-from=2026-10-19T00:00:00+00:00; valid-through=2026-10-26T00:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19 — Iowa State API
- MOS effective date selection — state=partial; rows=14; requested-station=KHXD; actual-station=KHXD; fetched-at=2026-10-18T10:26:53.289709+00:00; observed-or-issued-at=2026-10-18T06:00:00+00:00; valid-from=2026-10-18T12:00:00+00:00; valid-through=2026-10-21T06:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19; selected-by-date=2026-10-18=GFS, 2026-10-19=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#8 **KTRI** **Bristol/Tri-Cities Arpt, TN, US** · Mountain · Tri-Cities TN/VA

OBS - VFR

ETE 1h11

DIST 168 nm

**SUN 18 OCT 04:53 ET OBSERVED**

## Current observation

OBS - VFR

OBSER

METAR

clear below 12,000 ft (CLR)

WIND **calm**

TEMPERATURE **1 °C**

VISIBILITY **10 sm**

DEWPOINT **0 °C**

Evidence & limitations

- METAR source state: ok; observed Oct 18 04:53 ET; retrieved Oct 18 06:26 ET; 93 min before this run.
- Measured values read from the KTRI METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.46 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.

**DESTINATION OUTLOOK**

## SUN, OCT 18

### SUN 18 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

### SUN 18 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

### SUN 18 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 18

**06:00–12:00 ET ET**

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**12:00–18:00 ET ET**

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**18:00–00:00 ET ET**

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 19

MON 19 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 19 OCT 06:00–12:00 ET MEDIUM

Forecast GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 0 kt

TEMPERATURE 33–36 °F

DEWPOINT 27–29 °F

PRECIP CHANCE 1%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 19 OCT 12:00–18:00 ET MEDIUM

## Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

### Flight-category guidance

WIND 0–1 kt

TEMPERATURE 31–50 °F

DEWPOINT 27–34 °F

PRECIP CHANCE 1%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 19 OCT 18:00–00:00 ET MEDIUM

## Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

### Flight-category guidance

WIND 2–3 kt

TEMPERATURE 61–67 °F

DEWPOINT 34 °F

PRECIP CHANCE 1%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 19

**00:00–06:00 ET ET**

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**06:00–12:00 ET ET**

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**12:00–18:00 ET ET**

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**18:00–00:00 ET ET**

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

## Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
6000 ft

CURRENT METAR TEMP DEP / DEST
8°C dep KLZU → 1°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

## Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
05/23 (050/230°M · 042/222°T) · 09/27 (090/270°M · 082/262°T) — designators and °M headings are magnetic; °T are true; variation 8°W (NOAA WMM2025)

INFO

## Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

| | | | |
|---|---|---|---|
| Runway dimensions / surface | UNAVAILABLE | FBO / provider | UNAVAILABLE |
| Available services | UNAVAILABLE | Frequencies | UNAVAILABLE |
| Pattern altitude | UNAVAILABLE | | |

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs
FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 19 Act on 1 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What
3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

ed 2026-10-18T10:26:32.516741Z.
oritative)

RI OCT 16 | SAT OCT 17 | SUN OCT 18 | MON OCT 19

| | |
|---|---|
| **09/068** | |
| **09/069** | |
| **09/070** | |

37 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 10:26 Z

*NOTAMs as of 10:26 Z — advisory only; verify an official briefing.*

**5/8343**

*NOTAM text not available in this projection.*

**5/8558**

*NOTAM text not available in this projection.*

**09/068**

*NOTAM text not available in this projection.*

**09/069**

*NOTAM text not available in this projection.*

**09/070**

*NOTAM text not available in this projection.*

**09/071**

*NOTAM text not available in this projection.*

**09/072**

*NOTAM text not available in this projection.*

**09/078**

*NOTAM text not available in this projection.*

**A1280/26**

*NOTAM text not available in this projection.*

**5/1221**

*NOTAM text not available in this projection.*

**A1144/25**

*NOTAM text not available in this projection.*

**A1251/25**

*NOTAM text not available in this projection.*

**A1252/25**

*NOTAM text not available in this projection.*

**5/8404**

*NOTAM text not available in this projection.*

**5/8405**

*NOTAM text not available in this projection.*

**5/8406**

*NOTAM text not available in this projection.*

**5/8407**

*NOTAM text not available in this projection.*

**A1367/25**

*NOTAM text not available in this projection.*

**A1368/25**

*NOTAM text not available in this projection.*

**A1369/25**

*NOTAM text not available in this projection.*

**A1370/25**

*NOTAM text not available in this projection.*

**5/8409**

*NOTAM text not available in this projection.*

**A1373/25**

*NOTAM text not available in this projection.*

**5/8411**

*NOTAM text not available in this projection.*

**A1374/25**

*NOTAM text not available in this projection.*

**06/034**

*NOTAM text not available in this projection.*

**A0975/26**

*NOTAM text not available in this projection.*

**06/042**

*NOTAM text not available in this projection.*

**A0980/26**

*NOTAM text not available in this projection.*

**06/043**

*NOTAM text not available in this projection.*

**A0981/26**

*NOTAM text not available in this projection.*

**07/054**

*NOTAM text not available in this projection.*

**08/034**

*NOTAM text not available in this projection.*

**08/053**

*NOTAM text not available in this projection.*

**09/017**

*NOTAM text not available in this projection.*

**09/055**

*NOTAM text not available in this projection.*

**09/064**

*NOTAM text not available in this projection.*

**10/001**

*NOTAM text not available in this projection.*

**10/004**

*NOTAM text not available in this projection.*

**10/008**

*NOTAM text not available in this projection.*

**10/010**

*NOTAM text not available in this projection.*

**10/035**

*NOTAM text not available in this projection.*

+ NOTAM DETAILS

**FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)**

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains

026-10-18T10:26:32.516741Z.

preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

RUNWAY
Effective 2026-09-29T11:56:00Z → 2026-10-31T22:00:00Z

RUNWAY
Effective 2026-09-29T11:57:00Z → 2026-10-31T22:00:00Z

37 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

**METAR**

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KTRI this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
· 06:00–12:00 ET ET · VFR
· 12:00–18:00 ET ET · VFR
• **Mon, Oct 19 · 18:00–00:00 ET**: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-18=GFS, 2026-10-19=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

| PRODUCT | TIME UTC | TMP°F | SKY | WIND | POP% | CEIL | VIS |
|---|---|---|---|---|---|---|---|
| GFS | 2026-10-18 12:00 | 32 | Clear | 0/0kt | — | >10kft | >6SM |
| GFS | 2026-10-18 15:00 | 50 | Clear | 80/2kt | — | >10kft | >6SM |

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| GFS | 2026-10-18 18:00 | 63 | Clear | 80/2kt | 0.0 | >10kft | >6SM |
| GFS | 2026-10-18 21:00 | 67 | Clear | 70/3kt | — | >10kft | >6SM |
| GFS | 2026-10-19 00:00 | 53 | Clear | 60/2kt | 0.0 | >10kft | >6SM |
| GFS | 2026-10-19 03:00 | 43 | Clear | 0/0kt | — | >10kft | >6SM |
| GFS | 2026-10-19 06:00 | 36 | Clear | 0/0kt | 1.0 | >10kft | >6SM |
| GFS | 2026-10-19 09:00 | 33 | Clear | 0/0kt | — | >10kft | >6SM |
| GFS | 2026-10-19 12:00 | 31 | Clear | 0/0kt | 1.0 | >10kft | >6SM |
| GFS | 2026-10-19 15:00 | 50 | Clear | 50/1kt | — | >10kft | >6SM |
| GFS | 2026-10-19 18:00 | 61 | Clear | 340/2kt | 1.0 | >10kft | >6SM |
| GFS | 2026-10-19 21:00 | 67 | Few | 350/3kt | — | >10kft | >6SM |
| GFS | 2026-10-20 00:00 | 53 | Clear | 340/1kt | 1.0 | >10kft | >6SM |
| GFS | 2026-10-20 03:00 | 44 | Clear | 0/0kt | — | >10kft | >6SM |

+ Raw products

+ Raw METAR / TAF

```
METAR KTRI 180853Z 00000KT 10SM CLR 01/00 A3046 RMK AO2 SLP310 T00110000 51006 $

TAF KTRI 180531Z 1806/1906 VRB03KT P6SM SKC
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KTRI; actual-station=KTRI; fetched-at=2026-10-18T10:26:28.552624+00:00; observed-or-issued-at=2026-10-18T08:53:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KTRI; actual-station=KTRI; fetched-at=2026-10-18T10:26:28.744313+00:00; observed-or-issued-at=2026-10-18T05:31:00+00:00; valid-from=2026-10-18T06:00:00+00:00; valid-through=2026-10-19T06:00:00+00:00; partial-target-dates=2026-10-18,2026-10-19 — AWC API

  **TAF proxy · KTRI**
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KTRI; actual-station=KTRI; fetched-at=2026-10-18T10:26:29.404260+00:00
- FAA NMS NOTAM — state=OK; requested-station=KTRI; actual-station=KTRI; fetched-at=2026-10-18T10:26:32.516741Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KTRI; actual-station=KTRI; fetched-at=2026-10-18T10:26:53.353993+00:00; observed-or-issued-at=2026-10-18T06:00:00+00:00; valid-from=2026-10-18T12:00:00+00:00; valid-through=2026-10-21T06:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KTRI; actual-station=KTRI; fetched-at=2026-10-18T10:26:53.867020+00:00; observed-or-issued-at=2026-10-18T00:00:00+00:00; valid-from=2026-10-19T00:00:00+00:00; valid-through=2026-10-26T00:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19 — Iowa State API
- MOS effective date selection — state=partial; rows=14; requested-station=KTRI; actual-station=KTRI; fetched-at=2026-10-18T10:26:53.353993+00:00; observed-or-issued-at=2026-10-18T06:00:00+00:00; valid-from=2026-10-18T12:00:00+00:00; valid-through=2026-10-21T06:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19; selected-by-date=2026-10-18=GFS, 2026-10-19=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#9 **KROA** **Roanoke Rgnl, VA, US** · Mountain · Roanoke valley

OBS - VFR

ETE 1h56

DIST 279 nm

SUN 18 OCT 04:54 ET OBSERVED

## Current observation

OBS - VFR

OBSER

METAR

clear below 12,000 ft (CLR)

WIND W (290°) 3 kt

TEMPERATURE 3 °C

VISIBILITY 10 sm

DEWPOINT 0 °C



**Wind favours RWY 34**

290° true · 299° magnetic · 3 kt

### Evidence & limitations

- METAR source state: ok; observed Oct 18 04:54 ET; retrieved Oct 18 06:26 ET; 92 min before this run.
- Measured values read from the KROA METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.51 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KROA runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 06/24, 16/34. Wind from 290 degrees true, 299 degrees magnetic, at 3 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 34. Wind source: KROA METAR 180854Z.

## DESTINATION OUTLOOK

## SUN, OCT 18

### SUN 18 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

### SUN 18 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

### SUN 18 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 18

**06:00–12:00 ET ET**

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**12:00–18:00 ET ET**

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**18:00–00:00 ET ET**

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 19

MON 19 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 19 OCT 06:00–12:00 ET MEDIUM

Forecast GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 4 kt

TEMPERATURE 41–43 °F

DEWPOINT 28 °F

PRECIP CHANCE 0%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 19 OCT 12:00–18:00 ET MEDIUM

## Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

### Flight-category guidance

WIND 4–6 kt

TEMPERATURE 40–56 °F

DEWPOINT 28–30 °F

PRECIP CHANCE 0%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 19 OCT 18:00–00:00 ET MEDIUM

## Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

### Flight-category guidance

WIND 7 kt

TEMPERATURE 67–68 °F

DEWPOINT 30–31 °F

PRECIP CHANCE 0%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 19

**00:00–06:00 ET ET**

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**06:00–12:00 ET ET**

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**12:00–18:00 ET ET**

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**18:00–00:00 ET ET**

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

## Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
8°C dep KLZU → 3°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

## Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
06/24 (060/240°M · 051/231°T) · 16/34 (160/340°M · 151/331°T) — designators and °M headings are magnetic; °T are true; variation 9°W (NOAA WMM2025)

INFO

## Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

| | | | |
|---|---|---|---|
| Runway dimensions / surface | UNAVAILABLE | FBO / provider | UNAVAILABLE |
| Available services | UNAVAILABLE | Frequencies | UNAVAILABLE |
| Pattern altitude | UNAVAILABLE | | |

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs
FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 4 Act on 5 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What 3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

ed 2026-10-18T10:26:32.565404Z.

tes whether it is permanent or simply not supplied) — continues past this window

RI OCT 16 | SAT OCT 17 | SUN OCT 18 | MON OCT 19




40 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 10:26 Z

*NOTAMs as of 10:26 Z — advisory only; verify an official briefing.*

**10/013**

*NOTAM text not available in this projection.*

**A1219/26**

*NOTAM text not available in this projection.*

**10/015**

*NOTAM text not available in this projection.*

**A1222/26**

*NOTAM text not available in this projection.*

**A1248/26**

*NOTAM text not available in this projection.*

**A1254/26**

*NOTAM text not available in this projection.*

**A1256/26**

*NOTAM text not available in this projection.*

**A1257/26**

*NOTAM text not available in this projection.*

**A1260/26**

*NOTAM text not available in this projection.*

**A1261/26**

*NOTAM text not available in this projection.*

**A1265/26**

*NOTAM text not available in this projection.*

**A1266/26**

*NOTAM text not available in this projection.*

**10/036**

*NOTAM text not available in this projection.*

**A1252/26**

*NOTAM text not available in this projection.*

**10/034**

*NOTAM text not available in this projection.*

**A1250/26**

*NOTAM text not available in this projection.*

**10/035**

*NOTAM text not available in this projection.*

**09/077**

*NOTAM text not available in this projection.*

**09/078**

*NOTAM text not available in this projection.*

**09/079**

*NOTAM text not available in this projection.*

**09/080**

*NOTAM text not available in this projection.*

**09/081**

*NOTAM text not available in this projection.*

**09/082**

*NOTAM text not available in this projection.*

**09/083**

*NOTAM text not available in this projection.*

**09/084**

*NOTAM text not available in this projection.*

**09/085**

*NOTAM text not available in this projection.*

**5/6949**

*NOTAM text not available in this projection.*

**A0691/25**

*NOTAM text not available in this projection.*

**09/074**

*NOTAM text not available in this projection.*

**A1193/26**

*NOTAM text not available in this projection.*

**A1251/26**

*NOTAM text not available in this projection.*

**08/074**

*NOTAM text not available in this projection.*

**08/075**

*NOTAM text not available in this projection.*

**08/076**

*NOTAM text not available in this projection.*

**09/088**

*NOTAM text not available in this projection.*

**A1201/26**

*NOTAM text not available in this projection.*

**10/008**

*NOTAM text not available in this projection.*

**10/009**

*NOTAM text not available in this projection.*

**A1214/26**

*NOTAM text not available in this projection.*

**10/041**

*NOTAM text not available in this projection.*

**10/045**

*NOTAM text not available in this projection.*

**A1267/26**

*NOTAM text not available in this projection.*

**09/056**

*NOTAM text not available in this projection.*

**A1162/26**

*NOTAM text not available in this projection.*

**A1249/26**

*NOTAM text not available in this projection.*

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

026-10-18T10:26:32.565404Z.

OMMISSIONED

xpiry published

COMMISSIONED

xpiry published

MISSIONED

xpiry published

MMISSIONED

xpiry published

RUNWAY

Effective 2026-10-15T14:34:00Z → 2026-10-18T14:34:00Z

40 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KROA this run.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

:00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · VFR

S · 06:00–12:00 ET ET · VFR

S · 12:00–18:00 ET ET · VFR

• **Mon, Oct 19 · 18:00–00:00 ET**: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-18=GFS, 2026-10-19=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

| PRODUCT | TIME UTC | TMP°F | SKY | WIND | POP% | CEIL | VIS |
|---|---|---|---|---|---|---|---|
| GFS | 2026-10-18 12:00 | 36 | Clear | 310/4kt | — | >10kft | >6SM |
| GFS | 2026-10-18 15:00 | 50 | Clear | 40/8kt | — | >10kft | >6SM |
| GFS | 2026-10-18 18:00 | 59 | Clear | 50/8kt | 0.0 | >10kft | >6SM |
| GFS | 2026-10-18 21:00 | 62 | Clear | 70/7kt | — | >10kft | >6SM |
| GFS | 2026-10-19 00:00 | 53 | Clear | 50/5kt | 0.0 | >10kft | >6SM |
| GFS | 2026-10-19 03:00 | 47 | Clear | 350/2kt | — | >10kft | >6SM |
| GFS | 2026-10-19 06:00 | 43 | Clear | 360/4kt | 0.0 | >10kft | >6SM |
| GFS | 2026-10-19 09:00 | 41 | Clear | 330/4kt | — | >10kft | >6SM |
| GFS | 2026-10-19 12:00 | 40 | Clear | 330/4kt | 0.0 | >10kft | >6SM |
| GFS | 2026-10-19 15:00 | 56 | Clear | 360/6kt | — | >10kft | >6SM |
| GFS | 2026-10-19 18:00 | 67 | Clear | 360/7kt | 0.0 | >10kft | >6SM |
| GFS | 2026-10-19 21:00 | 68 | Clear | 10/7kt | — | >10kft | >6SM |
| GFS | 2026-10-20 00:00 | 59 | Clear | 360/4kt | 0.0 | >10kft | >6SM |
| GFS | 2026-10-20 03:00 | 53 | Clear | 320/1kt | — | >10kft | >6SM |

+ Raw products

+ Raw METAR / TAF

```
METAR KROA 180854Z 29003KT 10SM CLR 03/00 A3051 RMK AO2 SLP332 T00280000 51012 $

TAF KROA 180520Z 1806/1906 34003KT P6SM SKC FM181300 06007KT P6SM SKC FM190000 VRB03KT P6SM SKC
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KROA; actual-station=KROA; fetched-at=2026-10-18T10:26:28.552624+00:00; observed-or-issued-at=2026-10-18T08:54:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KROA; actual-station=KROA; fetched-at=2026-10-18T10:26:28.744313+00:00; observed-or-issued-at=2026-10-18T05:20:00+00:00; valid-from=2026-10-18T06:00:00+00:00; valid-through=2026-10-19T06:00:00+00:00; partial-target-dates=2026-10-18,2026-10-19 — AWC API
  TAF proxy · KROA
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KROA; actual-station=KROA; fetched-at=2026-10-18T10:26:29.524670+00:00
- FAA NMS NOTAM — state=OK; requested-station=KROA; actual-station=KROA; fetched-at=2026-10-18T10:26:32.565404Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KROA; actual-station=KROA; fetched-at=2026-10-18T10:26:53.287511+00:00; observed-or-issued-at=2026-10-18T06:00:00+00:00; valid-from=2026-10-18T12:00:00+00:00; valid-through=2026-10-21T06:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19 — Iowa State API

- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KROA; actual-station=KROA; fetched-at=2026-10-18T10:26:53.816455+00:00; observed-or-issued-at=2026-10-18T00:00:00+00:00; valid-from=2026-10-19T00:00:00+00:00; valid-through=2026-10-26T00:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19 — Iowa State API
- MOS effective date selection — state=partial; rows=14; requested-station=KROA; actual-station=KROA; fetched-at=2026-10-18T10:26:53.287511+00:00; observed-or-issued-at=2026-10-18T06:00:00+00:00; valid-from=2026-10-18T12:00:00+00:00; valid-through=2026-10-21T06:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19; selected-by-date=2026-10-18=GFS, 2026-10-19=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#10 **KSGJ** **St Augustine Arpt, FL, US** · Atlantic South · St Augustine FL

OBS - VFR

ETE 1h55

DIST 276 nm

SUN 18 OCT 04:56 ET OBSERVED

## Current observation

OBS - VFR

OBSER

METAR

broken 4,200 ft, overcast 4,900 ft

WIND **NE (40°) 21 kt gust 30 kt**

TEMPERATURE **21 °C**

VISIBILITY **10 sm**

DEWPOINT **12 °C**



**Wind favours RWY 06**

040° true · 047° magnetic · 21G30 kt

### Evidence & limitations

- METAR source state: ok; observed Oct 18 04:56 ET; retrieved Oct 18 06:26 ET; 90 min before this run.
- Measured values read from the KSGJ METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.19 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.

• KSGJ runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 13/31, 06/24, 02/20. Seaplane water lanes (17W, 35W, 18W, 36W, 12W and 30W) are excluded from the diagram and are never marked as favoured. Wind from 040 degrees true, 047 degrees magnetic, at 21 knots gusting 30 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 06. Wind source: KSGJ METAR 180856Z.

## DESTINATION OUTLOOK

### SUN, OCT 18

#### SUN 18 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

#### SUN 18 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

#### SUN 18 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 18

**06:00–12:00 ET ET**

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**12:00–18:00 ET ET**

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**18:00–00:00 ET ET**

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 19

MON 19 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 19 OCT 06:00–12:00 ET MEDIUM

Forecast GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 18 kt

TEMPERATURE 69–71 °F

DEWPOINT 60–62 °F

PRECIP CHANCE 21%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 19 OCT 12:00–18:00 ET MEDIUM

## Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

### Flight-category guidance

WIND 16 kt

TEMPERATURE 68–71 °F

DEWPOINT 60 °F

PRECIP CHANCE 17%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 19 OCT 18:00–00:00 ET MEDIUM

## Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

### Flight-category guidance

WIND 16–17 kt

TEMPERATURE 69–70 °F

DEWPOINT 57–59 °F

PRECIP CHANCE 11%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 19

**00:00–06:00 ET ET**

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**06:00–12:00 ET ET**

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**12:00–18:00 ET ET**

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**18:00–00:00 ET ET**

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

## Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
8°C dep KLZU → 21°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

## Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
13/31 (130/310°M · 123/303°T) · 06/24 (060/240°M · 053/233°T) · 02/20 (020/200°M · 013/193°T) · 17W/35W (170/350°M · 163/343°T · water lane, not wind-favored) · 18W/36W (180/000°M · 173/353°T · water lane, not wind-favored) · 12W/30W (120/300°M · 113/293°T · water lane, not wind-favored) — designators and °M headings are magnetic; °T are true; variation 7°W (NOAA WMM2025)

INFO

## Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

| | | | |
|---|---|---|---|
| Runway dimensions / surface | UNAVAILABLE | FBO / provider | UNAVAILABLE |
| Available services | UNAVAILABLE | Frequencies | UNAVAILABLE |
| Pattern altitude | UNAVAILABLE | | |

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs
FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 4 Act on 2 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What 3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this

ed 2026-10-18T10:26:32.569962Z.

oritative) » = no published end (each row states whether it is permanent or simply not supplied) — continues past this window

RI OCT 16 | SAT OCT 17 | SUN OCT 18 | MON OCT 19

source was read this run; technical environment: preprod.




9 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 10:26 Z

*NOTAMs as of 10:26 Z — advisory only; verify an official briefing.*

**10/007**

*NOTAM text not available in this projection.*

**10/014**

*NOTAM text not available in this projection.*

**5/0380**

*NOTAM text not available in this projection.*

**12/004**

*NOTAM text not available in this projection.*

**6/6168**

*NOTAM text not available in this projection.*

**06/017**

*NOTAM text not available in this projection.*

**08/008**

*NOTAM text not available in this projection.*

**09/001**

*NOTAM text not available in this projection.*

**09/004**

*NOTAM text not available in this projection.*

**09/005**

*NOTAM text not available in this projection.*

**10/003**

*NOTAM text not available in this projection.*

**10/005**

*NOTAM text not available in this projection.*

**10/006**

*NOTAM text not available in this projection.*

**10/011**

*NOTAM text not available in this projection.*

**+ NOTAM DETAILS**

**FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)**

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

1 …026-10-18T10:26:32.569962Z.

…:00Z

…:00Z

…:00Z

**NAV_APPROACH** …12/004 — RNAV VOR/DME DECOMMISSIONED

Effective 2025-12-04T15:30:00Z → Permanent — no expiry published

**NAV_APPROACH** …6/106 — IAP ST AUGUSTINE, ST AUGUSTINE, FL, RNAV (GPS) RWY 31, AMDT 2A... LPV DA 258/HAT 250 ALL CATS. 2602011537-2611002359EST

Effective 2026-03-31T12:37:00Z → 2026-11-10T12:36:00Z

9 additional normalized FAA NOTAM records omitted from this view.

**+ Forecast evidence**

**METAR**

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KSGJ this run.

…ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

…:00 ET ET · VFR

…:00 ET ET · VFR

…:00 ET ET · VFR

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

:00 ET ET · VFR
· 06:00–12:00 ET ET · VFR
· 12:00–18:00 ET ET · VFR
• **Mon, Oct 19 · 18:00–00:00 ET**. GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-18=GFS, 2026-10-19=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

| PRODUCT | TIME UTC | TMP°F | SKY | WIND | POP% | CEIL | VIS |
|---|---|---|---|---|---|---|---|
| GFS | 2026-10-18 12:00 | 67 | Ovc | 40/22kt | — | 5-10kft | >6SM |
| GFS | 2026-10-18 15:00 | 69 | Bkn | 30/20kt | — | 5-10kft | >6SM |
| GFS | 2026-10-18 18:00 | 70 | Ovc | 20/21kt | 13.0 | 5-10kft | >6SM |
| GFS | 2026-10-18 21:00 | 69 | Ovc | 10/20kt | — | 3-5kft | >6SM |
| GFS | 2026-10-19 00:00 | 69 | Bkn | 30/21kt | 15.0 | 5-10kft | >6SM |
| GFS | 2026-10-19 03:00 | 72 | Bkn | 40/20kt | — | 5-10kft | >6SM |
| GFS | 2026-10-19 06:00 | 71 | Ovc | 40/18kt | 21.0 | 5-10kft | >6SM |
| GFS | 2026-10-19 09:00 | 69 | Bkn | 30/18kt | — | 5-10kft | >6SM |
| GFS | 2026-10-19 12:00 | 68 | Few | 20/16kt | 17.0 | 5-10kft | >6SM |
| GFS | 2026-10-19 15:00 | 71 | Clear | 10/16kt | — | >10kft | >6SM |
| GFS | 2026-10-19 18:00 | 70 | Clear | 10/17kt | 11.0 | >10kft | >6SM |
| GFS | 2026-10-19 21:00 | 69 | Clear | 10/16kt | — | >10kft | >6SM |
| GFS | 2026-10-20 00:00 | 66 | Clear | 30/11kt | 4.0 | >10kft | >6SM |
| GFS | 2026-10-20 03:00 | 64 | Clear | 30/10kt | — | >10kft | >6SM |

+ Raw products

+ Raw METAR / TAF

```
METAR KSGJ 180856Z AUTO 04021G30KT 10SM BKN042 OVC049 21/12 A3019 RMK AO2 PK WND 04031/0838 SLP222 T02060122 53002 $

TAF KSGJ 180523Z 1806/1906 03022G29KT P6SM SCT035 BKN050 FM181300 03020G30KT P6SM VCSH SCT035 BKN045 FM182000 02023G33KT P6SM VCSH BKN030 FM190500 03018G28KT P6SM BKN035
```

+ Data sources used

• METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KSGJ; actual-station=KSGJ; fetched-at=2026-10-18T10:26:28.552624+00:00; observed-or-issued-at=2026-10-18T08:56:00+00:00 — AWC API

- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KSGJ; actual-station=KSGJ; fetched-at=2026-10-18T10:26:28.744313+00:00; observed-or-issued-at=2026-10-18T05:23:00+00:00; valid-from=2026-10-18T06:00:00+00:00; valid-through=2026-10-19T06:00:00+00:00; partial-target-dates=2026-10-18,2026-10-19 — AWC API

TAF proxy · KSGJ

- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KSGJ; actual-station=KSGJ; fetched-at=2026-10-18T10:26:29.970141+00:00
- FAA NMS NOTAM — state=OK; requested-station=KSGJ; actual-station=KSGJ; fetched-at=2026-10-18T10:26:32.569962Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KSGJ; actual-station=KSGJ; fetched-at=2026-10-18T10:26:53.458267+00:00; observed-or-issued-at=2026-10-18T06:00:00+00:00; valid-from=2026-10-18T12:00:00+00:00; valid-through=2026-10-21T06:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KSGJ; actual-station=KSGJ; fetched-at=2026-10-18T10:26:53.915798+00:00; observed-or-issued-at=2026-10-18T00:00:00+00:00; valid-from=2026-10-19T00:00:00+00:00; valid-through=2026-10-26T00:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19 — Iowa State API
- MOS effective date selection — state=partial; rows=14; requested-station=KSGJ; actual-station=KSGJ; fetched-at=2026-10-18T10:26:53.458267+00:00; observed-or-issued-at=2026-10-18T06:00:00+00:00; valid-from=2026-10-18T12:00:00+00:00; valid-through=2026-10-21T06:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19; selected-by-date=2026-10-18=GFS, 2026-10-19=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#11 **KCRG** **Jacksonville/Executive at Craig Arpt, FL, US** · Atlantic North · Jacksonville Exec

OBS - VFR

ETE 1h45

DIST 252 nm

SUN 18 OCT 04:53 ET OBSERVED

## Current observation

METAR

OBS - VFR

OBSER

broken 4,700 ft

WIND NE (30°) 14 kt gust 28 kt

TEMPERATURE 18 °C

VISIBILITY 10 sm

DEWPOINT 11 °C



**Wind favours RWY 05**

030° true · 037° magnetic · 14G28 kt

### Evidence & limitations

- METAR source state: ok; observed Oct 18 04:53 ET; retrieved Oct 18 06:26 ET; 93 min before this run.
- Measured values read from the KCRG METAR. This is a current surface observation only; it is not a forecast.

- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.20 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KCRG runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 14/32, 05/23. Wind from 030 degrees true, 037 degrees magnetic, at 14 knots gusting 28 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 05. Wind source: KCRG METAR 180853Z.

## DESTINATION OUTLOOK

### SUN, OCT 18

**SUN 18 OCT 06:00–12:00 ET HIGH**

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

**SUN 18 OCT 12:00–18:00 ET HIGH**

Forecast TAF

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

**SUN 18 OCT 18:00–00:00 ET HIGH**

Forecast TAF

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 18

**06:00–12:00 ET ET**

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**12:00–18:00 ET ET**

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**18:00–00:00 ET ET**

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 19

MON 19 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 19 OCT 06:00–12:00 ET MEDIUM

Forecast GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 12–13 kt

TEMPERATURE 63–65 °F

DEWPOINT 56–57 °F

PRECIP CHANCE 17%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 19 OCT 12:00–18:00 ET MEDIUM

## Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

### Flight-category guidance

WIND 11–13 kt

TEMPERATURE 63–69 °F

DEWPOINT 56–57 °F

PRECIP CHANCE 13%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 19 OCT 18:00–00:00 ET MEDIUM

## Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

### Flight-category guidance

WIND 12–14 kt

TEMPERATURE 69 °F

DEWPOINT 55–56 °F

PRECIP CHANCE 8%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 19

**00:00–06:00 ET ET**

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**06:00–12:00 ET ET**

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**12:00–18:00 ET ET**

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**18:00–00:00 ET ET**

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

## Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
8°C dep KLZU → 18°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

## Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
14/32 (140/320°M · 133/313°T) · 05/23 (050/230°M · 043/223°T) — designators and °M headings are magnetic; °T are true; variation 7°W (NOAA WMM2025)

INFO

## Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

| | | | |
|---|---|---|---|
| Runway dimensions / surface | UNAVAILABLE | FBO / provider | UNAVAILABLE |
| Available services | UNAVAILABLE | Frequencies | UNAVAILABLE |
| Pattern altitude | UNAVAILABLE | | |

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

3 Act on

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What

3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

ed 2026-10-18T10:26:32.664310Z.

oritative)

RI OCT 16 | SAT OCT 17 | SUN OCT 18 | MON OCT 19




11 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 10:26 Z

*NOTAMs as of 10:26 Z — advisory only; verify an official briefing.*

**10/009**

*NOTAM text not available in this projection.*

**A0316/26**

*NOTAM text not available in this projection.*

**6/8452**

*NOTAM text not available in this projection.*

**A0170/26**

*NOTAM text not available in this projection.*

**6/9357**

*NOTAM text not available in this projection.*

**6/9358**

*NOTAM text not available in this projection.*

**A0189/26**

*NOTAM text not available in this projection.*

**A0190/26**

*NOTAM text not available in this projection.*

**12/015**

*NOTAM text not available in this projection.*

**A0332/25**

*NOTAM text not available in this projection.*

**02/057**

*NOTAM text not available in this projection.*

**09/013**

*NOTAM text not available in this projection.*

**09/014**

*NOTAM text not available in this projection.*

**09/016**

*NOTAM text not available in this projection.*

**09/019**

*NOTAM text not available in this projection.*

**10/008**

*NOTAM text not available in this projection.*

**+ NOTAM DETAILS**

**FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)**

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

Effective 2026-05-06T18:55:00Z → 2028-05-06T18:55:00Z

NAV_APPROACH

Effective 2026-05-11T15:08:00Z → 2028-05-11T15:08:00Z

11 additional normalized FAA NOTAM records omitted from this view.

**+ Forecast evidence**

**METAR**

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air

Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KCRG this run.

…ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

…go here is derived from an image. A published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

…:00 ET ET · VFR
…:00 ET ET · MVFR
…:00 ET ET · MVFR
…:00 ET ET · VFR
…S · 06:00–12:00 ET ET · VFR
…MOS · 12:00–18:00 ET ET · VFR
• **Mon, Oct 19 · 18:00–00:00 ET**: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-18=GFS, 2026-10-19=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

| PRODUCT | TIME UTC | TMP°F | SKY | WIND | POP% | CEIL | VIS |
|---|---|---|---|---|---|---|---|
| GFS | 2026-10-18 12:00 | 62 | Bkn | 30/15kt | — | 5-10kft | >6SM |
| GFS | 2026-10-18 15:00 | 67 | Bkn | 30/15kt | — | >10kft | >6SM |
| GFS | 2026-10-18 18:00 | 68 | Bkn | 30/18kt | 11.0 | 5-10kft | >6SM |
| GFS | 2026-10-18 21:00 | 66 | Ovc | 30/17kt | — | 3-5kft | >6SM |
| GFS | 2026-10-19 00:00 | 67 | Bkn | 30/15kt | 12.0 | 5-10kft | >6SM |
| GFS | 2026-10-19 03:00 | 67 | Bkn | 30/13kt | — | >10kft | >6SM |
| GFS | 2026-10-19 06:00 | 65 | Sct | 30/13kt | 17.0 | >10kft | >6SM |
| GFS | 2026-10-19 09:00 | 63 | Sct | 20/12kt | — | >10kft | >6SM |
| GFS | 2026-10-19 12:00 | 63 | Sct | 10/11kt | 13.0 | >10kft | >6SM |
| GFS | 2026-10-19 15:00 | 69 | Few | 20/13kt | — | >10kft | >6SM |
| GFS | 2026-10-19 18:00 | 69 | Few | 20/14kt | 8.0 | >10kft | >6SM |
| GFS | 2026-10-19 21:00 | 69 | Clear | 30/12kt | — | >10kft | >6SM |
| GFS | 2026-10-20 00:00 | 64 | Clear | 20/7kt | 2.0 | >10kft | >6SM |
| GFS | 2026-10-20 03:00 | 61 | Clear | 20/4kt | — | >10kft | >6SM |

+ Raw products

+ Raw METAR / TAF

```
METAR KCRG 180853Z AUTO 03014G28KT 10SM BKN047 18/11 A3020 RMK AO2 PK WND 03028/0853 SLP227 T01830106 55000

TAF KCRG 180523Z 1806/1906 03015G26KT P6SM BKN050 FM181200 01017G26KT P6SM SCT035 BKN050 FM182000 02018G31KT P6SM BKN025 FM190100 02016G26KT P6SM SCT035 BKN045
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KCRG; actual-station=KCRG; fetched-at=2026-10-18T10:26:28.552624+00:00; observed-or-issued-at=2026-10-18T08:53:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KCRG; actual-station=KCRG; fetched-at=2026-10-18T10:26:28.744313+00:00; observed-or-issued-at=2026-10-18T05:23:00+00:00; valid-from=2026-10-18T06:00:00+00:00; valid-through=2026-10-19T06:00:00+00:00; partial-target-dates=2026-10-18,2026-10-19 — AWC API

  TAF proxy · KCRG
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KCRG; actual-station=KCRG; fetched-at=2026-10-18T10:26:29.411570+00:00
- FAA NMS NOTAM — state=OK; requested-station=KCRG; actual-station=KCRG; fetched-at=2026-10-18T10:26:32.664310Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KCRG; actual-station=KCRG; fetched-at=2026-10-18T10:26:53.402031+00:00; observed-or-issued-at=2026-10-18T06:00:00+00:00; valid-from=2026-10-18T12:00:00+00:00; valid-through=2026-10-21T06:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KCRG; actual-station=KCRG; fetched-at=2026-10-18T10:26:53.966610+00:00; observed-or-issued-at=2026-10-18T00:00:00+00:00; valid-from=2026-10-19T00:00:00+00:00; valid-through=2026-10-26T00:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19 — Iowa State API
- MOS effective date selection — state=partial; rows=14; requested-station=KCRG; actual-station=KCRG; fetched-at=2026-10-18T10:26:53.402031+00:00; observed-or-issued-at=2026-10-18T06:00:00+00:00; valid-from=2026-10-18T12:00:00+00:00; valid-through=2026-10-21T06:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19; selected-by-date=2026-10-18=GFS, 2026-10-19=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#12 **KFIN** **Palm Coast/Flagler Exec, FL, US** · Atlantic South · Flagler Exec FL

OBS - VFR

ETE 2h03

DIST 295 nm

SUN 18 OCT 04:35 ET OBSERVED

**Current observation** METAR

OBS - VFR

OBSER

**broken 3,400 ft, broken 4,100 ft, overcast 5,500 ft**

WIND **NE (30°) 13 kt gust 18 kt**

TEMPERATURE **20 °C**

VISIBILITY **10 sm**

**DEWPOINT** 13 °C



**Wind favours RWY 06**

030° true · 037° magnetic · 13G18 kt

**Evidence & limitations**

- METAR source state: ok; observed Oct 18 04:35 ET; retrieved Oct 18 06:26 ET; 111 min before this run.
- Measured values read from the KFIN METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.15 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KFIN runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 11/29, 06/24. Seaplane water lanes (18W and 36W) are excluded from the diagram and are never marked as favoured. Wind from 030 degrees true, 037 degrees magnetic, at 13 knots gusting 18 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 06. Wind source: KFIN METAR 180835Z.

**DESTINATION OUTLOOK**

## SUN, OCT 18

### SUN 18 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

### SUN 18 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

### SUN 18 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 18

**06:00–12:00 ET ET**

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**12:00–18:00 ET ET**

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**18:00–00:00 ET ET**

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 19

MON 19 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 19 OCT 06:00–12:00 ET MEDIUM

Forecast GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 11–13 kt

TEMPERATURE 71–72 °F

DEWPOINT 63 °F

PRECIP CHANCE 27%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 19 OCT 12:00–18:00 ET MEDIUM

## Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

### Flight-category guidance

WIND 11–14 kt

TEMPERATURE 70–73 °F

DEWPOINT 62–63 °F

PRECIP CHANCE 20%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 19 OCT 18:00–00:00 ET MEDIUM

## Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

### Flight-category guidance

WIND 14–16 kt

TEMPERATURE 70–72 °F

DEWPOINT 59–61 °F

PRECIP CHANCE 14%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 19

**00:00–06:00 ET ET**

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**06:00–12:00 ET ET**

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**12:00–18:00 ET ET**

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**18:00–00:00 ET ET**

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

## Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
8°C dep KLZU → 20°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — source state: not_queried

RWY

## Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
11/29 (110/290°M · 103/283°T) · 06/24 (060/240°M · 053/233°T) · 18W/36W (180/000°M · 173/353°T · water lane, not wind-favored) — designators and °M headings are magnetic; °T are true; variation 7°W (NOAA WMM2025)

INFO

## Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

| | | | |
|---|---|---|---|
| Runway dimensions / surface | UNAVAILABLE | FBO / provider | UNAVAILABLE |
| Available services | UNAVAILABLE | Frequencies | UNAVAILABLE |
| Pattern altitude | UNAVAILABLE | | |

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs
FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 8 Act on 1 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

ed 2026-10-18T10:26:32.855379Z.

oritative)

RI OCT 16 | SAT OCT 17 | SUN OCT 18 | MON OCT 19




18 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 10:26 Z

*NOTAMs as of 10:26 Z — advisory only; verify an official briefing.*

**6/4977**

*NOTAM text not available in this projection.*

**6/4978**

*NOTAM text not available in this projection.*

**6/4982**

*NOTAM text not available in this projection.*

**6/4983**

*NOTAM text not available in this projection.*

**A0039/26**

*NOTAM text not available in this projection.*

**A0040/26**

*NOTAM text not available in this projection.*

**A0041/26**

*NOTAM text not available in this projection.*

**A0042/26**

*NOTAM text not available in this projection.*

**06/004**

*NOTAM text not available in this projection.*

**07/008**

*NOTAM text not available in this projection.*

**A0036/26**

*NOTAM text not available in this projection.*

**08/004**

*NOTAM text not available in this projection.*

**08/007**

*NOTAM text not available in this projection.*

**10/001**

*NOTAM text not available in this projection.*

**10/002**

*NOTAM text not available in this projection.*

**10/003**

*NOTAM text not available in this projection.*

**A0048/26**

*NOTAM text not available in this projection.*

**10/002**

*NOTAM text not available in this projection.*

**10/003**

*NOTAM text not available in this projection.*

**10/004**

*NOTAM text not available in this projection.*

**09/008**

*NOTAM text not available in this projection.*

**09/011**

*NOTAM text not available in this projection.*

**A0046/26**

*NOTAM text not available in this projection.*

**+ NOTAM DETAILS**

**FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)**

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

Effective 2026-09-23T04:36:00Z → 2026-10-22T04:36:00Z

NAV_APPROACH 04/4/18 — IAP FLAGLER EXEC, PALM COAST, FL, RNAV (GPS) RWY 26, AMDT 1C... WHEN LOCAL ALTIMETER SETTING NOT RECEIVED USE GAB ALTIMETER SETTING AND INCREASE ALL MDAS 80 FEET. INCREASE ALL VISIBILITIES CATS C/D 1/4 SM. VDP NA WHEN USING GAB ALTIMETER SETTING. FIN AWOS OUT OF SERVICE. 2509230836-2510202359EST

Effective 2026-09-23T04:36:00Z → 2026-10-22T04:36:00Z

NAV_APPROACH 4003/26 — IAP FLAGLER EXEC, PALM COAST, FL, RNAV (GPS) RWY 13, AMDT 2B... WHEN LOCAL ALTIMETER SETTING NOT AVAILABLE USE GAB ALTIMETER SETTING AND INCREASE ALL MDAS 80 FEET. INCREASE ALL VISIBILITIES CATS C/D 1/4 SM. FIN AWOS OUT OF SERVICE.

Effective 2026-09-23T04:36:00Z → 2026-10-22T04:36:00Z

18 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KFIN this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · VFR

S · 06:00–12:00 ET ET · VFR

S · 12:00–18:00 ET ET · VFR

• **Mon, Oct 19 · 18:00–00:00 ET**: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-18=GFS, 2026-10-19=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

| PRODUCT | TIME UTC | TMP°F | SKY | WIND | POP% | CEIL | VIS |
|---|---|---|---|---|---|---|---|
| GFS | 2026-10-18 12:00 | 64 | Ovc | 40/15kt | — | 5-10kft | >6SM |
| GFS | 2026-10-18 15:00 | 71 | Bkn | 30/16kt | — | 5-10kft | >6SM |
| GFS | 2026-10-18 18:00 | 72 | Ovc | 30/19kt | 14.0 | 5-10kft | >6SM |
| GFS | 2026-10-18 21:00 | 71 | Ovc | 30/16kt | — | 5-10kft | >6SM |

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| GFS | 2026-10-19 00:00 | 69 | Bkn | 30/15kt | 17.0 | 5-10kft | >6SM |
| GFS | 2026-10-19 03:00 | 72 | Bkn | 50/14kt | — | 5-10kft | >6SM |
| GFS | 2026-10-19 06:00 | 72 | Ovc | 40/13kt | 27.0 | 5-10kft | >6SM |
| GFS | 2026-10-19 09:00 | 71 | Ovc | 40/11kt | — | 5-10kft | >6SM |
| GFS | 2026-10-19 12:00 | 70 | Bkn | 30/11kt | 20.0 | 5-10kft | >6SM |
| GFS | 2026-10-19 15:00 | 73 | Sct | 30/14kt | — | 5-10kft | >6SM |
| GFS | 2026-10-19 18:00 | 72 | Sct | 20/16kt | 14.0 | 5-10kft | >6SM |
| GFS | 2026-10-19 21:00 | 70 | Sct | 20/14kt | — | >10kft | >6SM |
| GFS | 2026-10-20 00:00 | 67 | Few | 20/9kt | 8.0 | >10kft | >6SM |
| GFS | 2026-10-20 03:00 | 64 | Clear | 30/6kt | — | >10kft | >6SM |

+ Raw products

+ Raw METAR / TAF

```
METAR KFIN 180835Z AUTO 03013G18KT 10SM BKN034 BKN041 OVC055 20/13 A3015 RMK AO2 T02000128
TAF KDAB 180529Z 1806/1906 02015G22KT P6SM BKN040 FM181500 03020G30KT P6SM BKN040 FM190000 03018G26KT P6SM SCT060
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KFIN; actual-station=KFIN; fetched-at=2026-10-18T10:26:28.552624+00:00; observed-or-issued-at=2026-10-18T08:35:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KFIN; actual-station=KDAB; fetched-at=2026-10-18T10:26:28.744313+00:00; observed-or-issued-at=2026-10-18T05:29:00+00:00; valid-from=2026-10-18T06:00:00+00:00; valid-through=2026-10-19T06:00:00+00:00; partial-target-dates=2026-10-18,2026-10-19 — AWC API

  **TAF proxy · KDAB**
- FAA airport status — state=not_queried; fetch-state=not_attempted; payload-state=not_attempted; requested-station=KFIN
- FAA NMS NOTAM — state=OK; requested-station=KFIN; actual-station=KFIN; fetched-at=2026-10-18T10:26:32.855379Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KFIN; actual-station=KFIN; fetched-at=2026-10-18T10:26:53.455455+00:00; observed-or-issued-at=2026-10-18T06:00:00+00:00; valid-from=2026-10-18T12:00:00+00:00; valid-through=2026-10-21T06:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KFIN; actual-station=KFIN; fetched-at=2026-10-18T10:26:53.913867+00:00; observed-or-issued-at=2026-10-18T00:00:00+00:00; valid-from=2026-10-19T00:00:00+00:00; valid-through=2026-10-26T00:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19 — Iowa State API
- MOS effective date selection — state=partial; rows=14; requested-station=KFIN; actual-station=KFIN; fetched-at=2026-10-18T10:26:53.455455+00:00; observed-or-issued-at=2026-10-18T06:00:00+00:00; valid-from=2026-10-18T12:00:00+00:00; valid-through=2026-10-21T06:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19; selected-by-date=2026-10-18=GFS, 2026-10-19=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#13 **KGKT** **Gatlinburg-Pigeon Forge Arpt, TN, US** · Mountain · Smokies/Gatlinburg

OBS - VFR

ETE 0h50

DIST 114 nm

SUN 18 OCT 04:36 ET OBSERVED

## Current observation

OBS - VFR

OBSER

METAR

clear below 12,000 ft (CLR)

WIND calm

TEMPERATURE 4 °C

VISIBILITY 10 sm

DEWPOINT 4 °C

Evidence & limitations

- METAR source state: ok; observed Oct 18 04:36 ET; retrieved Oct 18 06:26 ET; 110 min before this run.
- Measured values read from the KGKT METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.46 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.

**DESTINATION OUTLOOK**

## SUN, OCT 18

### SUN 18 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

### SUN 18 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

### SUN 18 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 18

**06:00–12:00 ET ET**

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**12:00–18:00 ET ET**

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**18:00–00:00 ET ET**

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 19

MON 19 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 19 OCT 06:00–12:00 ET MEDIUM

Forecast GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 0 kt

TEMPERATURE 37–40 °F

DEWPOINT 36–39 °F

PRECIP CHANCE 1%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 19 OCT 12:00–18:00 ET MEDIUM

## Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

### Flight-category guidance

WIND 0 kt

TEMPERATURE 35–52 °F

DEWPOINT 34–38 °F

PRECIP CHANCE 1%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 19 OCT 18:00–00:00 ET MEDIUM

## Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

### Flight-category guidance

WIND 3 kt

TEMPERATURE 64–69 °F

DEWPOINT 37 °F

PRECIP CHANCE 2%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 19

**00:00–06:00 ET ET**

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**06:00–12:00 ET ET**

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**12:00–18:00 ET ET**

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**18:00–00:00 ET ET**

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

## Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
6000 ft

CURRENT METAR TEMP DEP / DEST
8°C dep KLZU → 4°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — source state: not_queried

RWY

## Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
10/28 (100/280°M · 093/273°T) — designators and °M headings are magnetic; °T are true; variation 7°W (NOAA WMM2025)

INFO

## Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

| | | | |
|---|---|---|---|
| Runway dimensions / surface | UNAVAILABLE | FBO / provider | UNAVAILABLE |
| Available services | UNAVAILABLE | Frequencies | UNAVAILABLE |
| Pattern altitude | UNAVAILABLE | | |

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 4 Act on 2 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

ed 2026-10-18T10:26:32.872352Z.

oritative) » = no published end (each row states whether it is permanent or simply not supplied) — continues past this window

RI OCT 16 | SAT OCT 17 | SUN OCT 18 | MON OCT 19




14 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 10:26 Z

*NOTAMs as of 10:26 Z — advisory only; verify an official briefing.*

**5/5737**

*NOTAM text not available in this projection.*

**04/104**

*NOTAM text not available in this projection.*

**04/122**

*NOTAM text not available in this projection.*

**04/123**

*NOTAM text not available in this projection.*

**5/0055**

*NOTAM text not available in this projection.*

**5/0067**

*NOTAM text not available in this projection.*

**6/4578**

*NOTAM text not available in this projection.*

**07/683**

*NOTAM text not available in this projection.*

**08/632**

*NOTAM text not available in this projection.*

**09/026**

*NOTAM text not available in this projection.*

**09/050**

*NOTAM text not available in this projection.*

**09/491**

*NOTAM text not available in this projection.*

**09/537**

*NOTAM text not available in this projection.*

**10/113**

*NOTAM text not available in this projection.*

**10/312**

*NOTAM text not available in this projection.*

**10/313**

*NOTAM text not available in this projection.*

**10/405**

*NOTAM text not available in this projection.*

**10/414**

*NOTAM text not available in this projection.*

**09/688**

*NOTAM text not available in this projection.*

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

RUNWAY
Effective 2026-04-07T10:24:00Z → 2027-11-30T19:00:00Z

RUNWAY
Effective 2026-04-07T10:26:00Z → Permanent — no expiry published

NAV_APPROACH
Effective 2025-09-24T20:31:00Z → 2027-09-24T20:31:00Z

14 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the

highest-resolution aviation forecast available. The National Weather Service issues it four times a day, valid 24 to 30 hours, with explicit FM and TEMPO change groups. Airports without their own TAF station use a nearby proxy, which is a normal condition and not a fault. A TAF was read for this airport this run (state: partial). This airport has no TAF station of its own, so KTYS is used as a proxy; that is a normal condition, not a failure.

Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KGKT this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
S · 06:00–12:00 ET ET · VFR
S · 12:00–18:00 ET ET · VFR
• **Mon, Oct 19 · 18:00–00:00 ET**: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-18=GFS, 2026-10-19=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

| PRODUCT | TIME UTC | TMP°F | SKY | WIND | POP% | CEIL | VIS |
|---|---|---|---|---|---|---|---|
| GFS | 2026-10-18 12:00 | 35 | Clear | 40/1kt | — | >10kft | >6SM |
| GFS | 2026-10-18 15:00 | 50 | Clear | 60/1kt | — | >10kft | >6SM |
| GFS | 2026-10-18 18:00 | 62 | Clear | 30/2kt | 0.0 | >10kft | >6SM |
| GFS | 2026-10-18 21:00 | 66 | Clear | 50/3kt | — | >10kft | >6SM |
| GFS | 2026-10-19 00:00 | 53 | Clear | 0/0kt | 0.0 | >10kft | >6SM |
| GFS | 2026-10-19 03:00 | 44 | Clear | 0/0kt | — | >10kft | >6SM |
| GFS | 2026-10-19 06:00 | 40 | Clear | 0/0kt | 1.0 | >10kft | >6SM |
| GFS | 2026-10-19 09:00 | 37 | Clear | 0/0kt | — | >10kft | >6SM |
| GFS | 2026-10-19 12:00 | 35 | Clear | 0/0kt | 1.0 | >10kft | >6SM |
| GFS | 2026-10-19 15:00 | 52 | Clear | 0/0kt | — | >10kft | >6SM |
| GFS | 2026-10-19 18:00 | 64 | Clear | 10/3kt | 2.0 | >10kft | >6SM |
| GFS | 2026-10-19 21:00 | 69 | Few | 30/3kt | — | >10kft | >6SM |
| GFS | 2026-10-20 00:00 | 57 | Clear | 0/0kt | 1.0 | >10kft | >6SM |

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| GFS | 2026-10-20 03:00 | 48 | Clear | 60/1kt | — | >10kft | >6SM |

+ Raw products

+ Raw METAR / TAF

```
METAR KGKT 180836Z AUTO 00000KT 10SM CLR 04/04 A3046 RMK A01

TAF KTYS 180531Z 1806/1906 03006KT P6SM SKC
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KGKT; actual-station=KGKT; fetched-at=2026-10-18T10:26:28.552624+00:00; observed-or-issued-at=2026-10-18T08:36:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KGKT; actual-station=KTYS; fetched-at=2026-10-18T10:26:28.744313+00:00; observed-or-issued-at=2026-10-18T05:31:00+00:00; valid-from=2026-10-18T06:00:00+00:00; valid-through=2026-10-19T06:00:00+00:00; partial-target-dates=2026-10-18,2026-10-19 — AWC API
  TAF proxy · KTYS
- FAA airport status — state=not_queried; fetch-state=not_attempted; payload-state=not_attempted; requested-station=KGKT
- FAA NMS NOTAM — state=OK; requested-station=KGKT; actual-station=KGKT; fetched-at=2026-10-18T10:26:32.872352Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KGKT; actual-station=KGKT; fetched-at=2026-10-18T10:26:53.413877+00:00; observed-or-issued-at=2026-10-18T06:00:00+00:00; valid-from=2026-10-18T12:00:00+00:00; valid-through=2026-10-21T06:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KGKT; actual-station=KGKT; fetched-at=2026-10-18T10:26:53.995637+00:00; observed-or-issued-at=2026-10-18T00:00:00+00:00; valid-from=2026-10-19T00:00:00+00:00; valid-through=2026-10-26T00:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19 — Iowa State API
- MOS effective date selection — state=partial; rows=14; requested-station=KGKT; actual-station=KGKT; fetched-at=2026-10-18T10:26:53.413877+00:00; observed-or-issued-at=2026-10-18T06:00:00+00:00; valid-from=2026-10-18T12:00:00+00:00; valid-through=2026-10-21T06:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19; selected-by-date=2026-10-18=GFS, 2026-10-19=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#14 **KSHD** **Staunton/Shenandoah Valley Rgnl, VA, US** · Mountain · Shenandoah valley

OBS - VFR

ETE 2h25

DIST 355 nm

SUN 18 OCT 04:35 ET OBSERVED

**Current observation**

OBS - VFR

OBSER

METAR

clear below 12,000 ft (CLR)

WIND calm

TEMPERATURE 4 °C

VISIBILITY **10 sm**

DEWPOINT **-1 °C**

Evidence & limitations

- METAR source state: ok; observed Oct 18 04:35 ET; retrieved Oct 18 06:26 ET; 111 min before this run.
- Measured values read from the KSHD METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.52 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.

## DESTINATION OUTLOOK

### SUN, OCT 18

**SUN 18 OCT 06:00–12:00 ET HIGH**

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

**SUN 18 OCT 12:00–18:00 ET HIGH**

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

**SUN 18 OCT 18:00–00:00 ET HIGH**

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 18

**06:00–12:00 ET ET**

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**12:00–18:00 ET ET**

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**18:00–00:00 ET ET**

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 19

MON 19 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 19 OCT 06:00–12:00 ET MEDIUM

Forecast GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 0–2 kt

TEMPERATURE 31–34 °F

DEWPOINT 26–27 °F

PRECIP CHANCE 0%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 19 OCT 12:00–18:00 ET MEDIUM

## Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

### Flight-category guidance

WIND 1–4 kt

TEMPERATURE 29–50 °F

DEWPOINT 27–32 °F

PRECIP CHANCE 0%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 19 OCT 18:00–00:00 ET MEDIUM

## Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

### Flight-category guidance

WIND 5 kt

TEMPERATURE 61–64 °F

DEWPOINT 30 °F

PRECIP CHANCE 0%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 19

**00:00–06:00 ET ET**

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**06:00–12:00 ET ET**

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**12:00–18:00 ET ET**

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**18:00–00:00 ET ET**

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

## Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
8°C dep KLZU → 4°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — source state: not_queried

RWY

## Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
05/23 (050/230°M · 040/220°T) — designators and °M headings are magnetic; °T are true; variation 10°W (NOAA WMM2025)

INFO

## Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

| | | | |
|---|---|---|---|
| Runway dimensions / surface | UNAVAILABLE | FBO / provider | UNAVAILABLE |
| Available services | UNAVAILABLE | Frequencies | UNAVAILABLE |
| Pattern altitude | UNAVAILABLE | | |

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs
FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 2 Act on 2 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

d 2026-10-18T10:26:32.881830Z.

oritative)

RI OCT 16 | SAT OCT 17 | SUN OCT 18 | MON OCT 19

| | |
|---|---|
| **5/3811** | |
| **A0196/25** | |
| **07/006** | |

2 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 10:26 Z

*NOTAMs as of 10:26 Z — advisory only; verify an official briefing.*

**03/004**

*NOTAM text not available in this projection.*

**A0068/26**

*NOTAM text not available in this projection.*

**5/3811**

*NOTAM text not available in this projection.*

**A0196/25**

*NOTAM text not available in this projection.*

**07/006**

*NOTAM text not available in this projection.*

**A0111/26**

*NOTAM text not available in this projection.*

**10/006**

*NOTAM text not available in this projection.*

**+ NOTAM DETAILS**

**FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)**

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

26-10-18T10:26:32.881830Z.

RANSIENT

:00Z

O TO TRANSIENT

:00Z

:00Z

Effective 2025-09-15T15:42:00Z → 2027-09-15T15:41:00Z

NAV_APPROACH 07/006 — NAV ILS RWY 05 OM U/S

Effective 2026-07-15T17:40:00Z → 2028-02-29T21:11:00Z

2 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

**METAR**

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KSHD this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
S · 06:00–12:00 ET ET · VFR
S · 12:00–18:00 ET ET · VFR
• **Mon, Oct 19 · 18:00–00:00 ET**: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-18=GFS, 2026-10-19=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

| PRODUCT | TIME UTC | TMP°F | SKY | WIND | POP% | CEIL | VIS |
|---|---|---|---|---|---|---|---|
| GFS | 2026-10-18 12:00 | 35 | Clear | 40/3kt | — | >10kft | >6SM |
| GFS | 2026-10-18 15:00 | 50 | Clear | 20/6kt | — | >10kft | >6SM |
| GFS | 2026-10-18 18:00 | 57 | Clear | 40/6kt | 0.0 | >10kft | >6SM |
| GFS | 2026-10-18 21:00 | 58 | Clear | 40/5kt | — | >10kft | >6SM |
| GFS | 2026-10-19 00:00 | 46 | Clear | 0/0kt | 0.0 | >10kft | >6SM |
| GFS | 2026-10-19 03:00 | 38 | Clear | 0/0kt | — | >10kft | >6SM |
| GFS | 2026-10-19 06:00 | 34 | Clear | 0/0kt | 0.0 | >10kft | >6SM |
| GFS | 2026-10-19 09:00 | 31 | Clear | 10/2kt | — | >10kft | >6SM |

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| GFS | 2026-10-19 12:00 | 29 | Clear | 20/1kt | 0.0 | >10kft | >6SM |
| GFS | 2026-10-19 15:00 | 50 | Clear | 20/4kt | — | >10kft | >6SM |
| GFS | 2026-10-19 18:00 | 61 | Clear | 20/5kt | 0.0 | >10kft | >6SM |
| GFS | 2026-10-19 21:00 | 64 | Clear | 30/5kt | — | >10kft | >6SM |
| GFS | 2026-10-20 00:00 | 50 | Clear | 20/1kt | 0.0 | >10kft | >6SM |
| GFS | 2026-10-20 03:00 | 41 | Clear | 0/0kt | — | >10kft | >6SM |

+ Raw products

+ Raw METAR / TAF

```
METAR KSHD 180835Z AUTO 00000KT 10SM CLR 04/M01 A3052 RMK AO2 T00361007

TAF KCHO 180521Z 1806/1906 36004KT P6SM SKC FM181400 03008KT P6SM SKC FM182200 06004KT P6SM SKC
```

+ Data sources used

• METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KSHD; actual-station=KSHD; fetched-at=2026-10-18T10:26:28.552624+00:00; observed-or-issued-at=2026-10-18T08:35:00+00:00 — AWC API
• TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KSHD; actual-station=KCHO; fetched-at=2026-10-18T10:26:28.744313+00:00; observed-or-issued-at=2026-10-18T05:21:00+00:00; valid-from=2026-10-18T06:00:00+00:00; valid-through=2026-10-19T06:00:00+00:00; partial-target-dates=2026-10-18,2026-10-19 — AWC API

TAF proxy · KCHO

• FAA airport status — state=not_queried; fetch-state=not_attempted; payload-state=not_attempted; requested-station=KSHD
• FAA NMS NOTAM — state=OK; requested-station=KSHD; actual-station=KSHD; fetched-at=2026-10-18T10:26:32.881830Z — FAA NMS overview
• MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KSHD; actual-station=KSHD; fetched-at=2026-10-18T10:26:53.436456+00:00; observed-or-issued-at=2026-10-18T06:00:00+00:00; valid-from=2026-10-18T12:00:00+00:00; valid-through=2026-10-21T06:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19 — Iowa State API
• MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KSHD; actual-station=KSHD; fetched-at=2026-10-18T10:26:53.939190+00:00; observed-or-issued-at=2026-10-18T00:00:00+00:00; valid-from=2026-10-19T00:00:00+00:00; valid-through=2026-10-26T00:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19 — Iowa State API
• MOS effective date selection — state=partial; rows=14; requested-station=KSHD; actual-station=KSHD; fetched-at=2026-10-18T10:26:53.436456+00:00; observed-or-issued-at=2026-10-18T06:00:00+00:00; valid-from=2026-10-18T12:00:00+00:00; valid-through=2026-10-21T06:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19; selected-by-date=2026-10-18=GFS, 2026-10-19=GFS
• Extended outlook and hazard-feed states are reported in the source stamp.
• Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#15 **KECP** **Panama City/NW Florida Beaches Intl, FL, US** · Gulf East · Panama City Beach

OBS - VFR

ETE 1h38

DIST 237 nm

SUN 18 OCT 04:53 ET OBSERVED

## Current observation

METAR

OBS - VFR

OBSER

clear below 12,000 ft (CLR)

WIND **N (10°) 6 kt**

TEMPERATURE **12 °C**

VISIBILITY **10 sm**

DEWPOINT **8 °C**



**Wind favours RWY 34**

010° true · 013° magnetic · 6 kt

Evidence & limitations

- METAR source state: ok; observed Oct 18 04:53 ET; retrieved Oct 18 06:26 ET; 93 min before this run.
- Measured values read from the KECP METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.27 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KECP runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 16/34. Wind from 010 degrees true, 013 degrees magnetic, at 6 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 34. Wind source: KECP METAR 180853Z.

## DESTINATION OUTLOOK

## SUN, OCT 18

### SUN 18 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

### SUN 18 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

### SUN 18 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 18

**06:00–12:00 ET ET**

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**12:00–18:00 ET ET**

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**18:00–00:00 ET ET**

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 19

MON 19 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 19 OCT 06:00–12:00 ET MEDIUM

Forecast GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 7–8 kt

TEMPERATURE 52–54 °F

DEWPOINT 42–43 °F

PRECIP CHANCE 0%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 19 OCT 12:00–18:00 ET MEDIUM

## Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

### Flight-category guidance

WIND 8–13 kt

TEMPERATURE 52–66 °F

DEWPOINT 44–49 °F

PRECIP CHANCE 3%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 19 OCT 18:00–00:00 ET MEDIUM

## Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

### Flight-category guidance

WIND 9–11 kt

TEMPERATURE 74–76 °F

DEWPOINT 47–49 °F

PRECIP CHANCE 0%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 19

**00:00–06:00 ET ET**

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**06:00–12:00 ET ET**

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**12:00–18:00 ET ET**

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**18:00–00:00 ET ET**

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

## Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
6000 ft

CURRENT METAR TEMP DEP / DEST
8°C dep KLZU → 12°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

## Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
16/34 (160/340°M · 157/337°T) — designators and °M headings are magnetic; °T are true; variation 3°W (NOAA WMM2025)

INFO

## Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

| | | | |
|---|---|---|---|
| Runway dimensions / surface | UNAVAILABLE | FBO / provider | UNAVAILABLE |
| Available services | UNAVAILABLE | Frequencies | UNAVAILABLE |
| Pattern altitude | UNAVAILABLE | | |

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs
FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 4 Act on 1 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What
3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

ed 2026-10-18T10:26:32.944508Z.
oritative)

RI OCT 16 | SAT OCT 17 | SUN OCT 18 | MON OCT 19




11 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 10:26 Z

*NOTAMs as of 10:26 Z — advisory only; verify an official briefing.*

**A0201/26**

*NOTAM text not available in this projection.*

**A0202/26**

*NOTAM text not available in this projection.*

**07/022**

*NOTAM text not available in this projection.*

**A0129/26**

*NOTAM text not available in this projection.*

**6/0313**

*NOTAM text not available in this projection.*

**A0153/26**

*NOTAM text not available in this projection.*

**A0203/26**

*NOTAM text not available in this projection.*

**08/033**

*NOTAM text not available in this projection.*

**09/003**

*NOTAM text not available in this projection.*

**A0152/26**

*NOTAM text not available in this projection.*

**09/027**

*NOTAM text not available in this projection.*

**09/035**

*NOTAM text not available in this projection.*

**10/008**

*NOTAM text not available in this projection.*

**10/038**

*NOTAM text not available in this projection.*

**10/039**

*NOTAM text not available in this projection.*

**A0204/26**

*NOTAM text not available in this projection.*

+ NOTAM DETAILS

**FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)**

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

026-10-18T10:26:32.944508Z.

:00Z

:00Z

:00Z

:00Z

NAV_APPROACH

Effective 2026-09-02T17:00:00Z → 2027-01-15T16:23:00Z

11 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

**METAR**

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KECP this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR

- **Mon, Oct 19 · 06:00–12:00 ET**: GFS MAV MOS · 06:00–12:00 ET ET · VFR
- **Mon, Oct 19 · 12:00–18:00 ET**: GFS MAV MOS · 12:00–18:00 ET ET · VFR
- **Mon, Oct 19 · 18:00–00:00 ET**: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-18=GFS, 2026-10-19=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

| PRODUCT | TIME UTC | TMP°F | SKY | WIND | POP% | CEIL | VIS |
|---|---|---|---|---|---|---|---|
| GFS | 2026-10-18 12:00 | 51 | Clear | 20/8kt | — | >10kft | >6SM |
| GFS | 2026-10-18 15:00 | 63 | Clear | 30/14kt | — | >10kft | >6SM |
| GFS | 2026-10-18 18:00 | 71 | Clear | 30/14kt | 1.0 | >10kft | >6SM |
| GFS | 2026-10-18 21:00 | 72 | Clear | 20/12kt | — | >10kft | >6SM |
| GFS | 2026-10-19 00:00 | 61 | Clear | 20/5kt | 1.0 | >10kft | >6SM |
| GFS | 2026-10-19 03:00 | 55 | Clear | 30/7kt | — | >10kft | >6SM |
| GFS | 2026-10-19 06:00 | 54 | Clear | 20/7kt | 0.0 | >10kft | >6SM |
| GFS | 2026-10-19 09:00 | 52 | Clear | 10/8kt | — | >10kft | >6SM |
| GFS | 2026-10-19 12:00 | 52 | Few | 10/8kt | 3.0 | >10kft | >6SM |
| GFS | 2026-10-19 15:00 | 66 | Clear | 30/13kt | — | >10kft | >6SM |
| GFS | 2026-10-19 18:00 | 74 | Clear | 20/11kt | 0.0 | >10kft | >6SM |
| GFS | 2026-10-19 21:00 | 76 | Clear | 360/9kt | — | >10kft | >6SM |
| GFS | 2026-10-20 00:00 | 64 | Clear | 360/4kt | 0.0 | >10kft | >6SM |
| GFS | 2026-10-20 03:00 | 56 | Clear | 20/4kt | — | >10kft | >6SM |

+ Raw products

+ Raw METAR / TAF

```
METAR KECP 180853Z AUTO 01006KT 10SM CLR 12/08 A3027 RMK AO2 SLP262 T01220078 53008 $

TAF KECP 180520Z 1806/1906 03010KT P6SM SKC FM181400 03014G22KT P6SM SKC FM190000 03008KT P6SM SKC
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KECP; actual-station=KECP; fetched-at=2026-10-18T10:26:28.552624+00:00; observed-or-issued-at=2026-10-18T08:53:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KECP; actual-station=KECP; fetched-at=2026-10-18T10:26:28.744313+00:00; observed-or-issued-at=2026-10-18T05:20:00+00:00; valid-from=2026-10-18T06:00:00+00:00; valid-through=2026-10-19T06:00:00+00:00; partial-target-dates=2026-10-18,2026-10-19 — AWC API

  **TAF proxy · KECP**
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KECP; actual-station=KECP; fetched-at=2026-10-18T10:26:29.404965+00:00
- FAA NMS NOTAM — state=OK; requested-station=KECP; actual-station=KECP; fetched-at=2026-10-18T10:26:32.944508Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KECP; actual-station=KECP; fetched-at=2026-10-18T10:26:53.493756+00:00; observed-or-issued-at=2026-10-18T06:00:00+00:00; valid-from=2026-10-18T12:00:00+00:00; valid-through=2026-10-21T06:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KECP; actual-station=KECP; fetched-at=2026-10-18T10:26:53.963066+00:00; observed-or-issued-at=2026-10-18T00:00:00+00:00; valid-from=2026-10-19T00:00:00+00:00; valid-through=2026-10-26T00:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19 — Iowa State API
- MOS effective date selection — state=partial; rows=14; requested-station=KECP; actual-station=KECP; fetched-at=2026-10-18T10:26:53.493756+00:00; observed-or-issued-at=2026-10-18T06:00:00+00:00; valid-from=2026-10-18T12:00:00+00:00; valid-through=2026-10-21T06:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19; selected-by-date=2026-10-18=GFS, 2026-10-19=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#16 **KPNS** **Pensacola Intl, FL, US** · Gulf East · Pensacola (Class C)

OBS - VFR

ETE **1h51**

DIST **267 nm**

SUN 18 OCT 04:53 ET OBSERVED

## Current observation

OBS - VFR

OBSER

METAR

clear below 12,000 ft (CLR)

WIND **NE (40°) 6 kt gust 18 kt**

TEMPERATURE **13 °C**

VISIBILITY **10 sm**

DEWPOINT **7 °C**



**Wind favours RWY 08**

040° true · 042° magnetic · 6G18 kt · also NOTAM-affected: 08 and 26

Evidence & limitations

- METAR source state: ok; observed Oct 18 04:53 ET; retrieved Oct 18 06:26 ET; 93 min before this run.
- Measured values read from the KPNS METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.28 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KPNS runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 17/35, 08/26. Wind from 040 degrees true, 042 degrees magnetic, at 6 knots gusting 18 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 08. NOTAM-affected runway ends, hatched separately from the wind highlight: 08 and 26. The wind-favoured end 08 is also NOTAM-affected: the wind does favour it, but a NOTAM on this card names it, so the highlight is not a statement that the runway is usable. The hatch marks only that a NOTAM names the runway; it does not decode the NOTAM's effective times, so confirm the closure window in the NOTAM text below. Wind source: KPNS METAR 180853Z.

## DESTINATION OUTLOOK

### SUN, OCT 18

#### SUN 18 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

#### SUN 18 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

#### SUN 18 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 18

**06:00–12:00 ET ET**

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**12:00–18:00 ET ET**

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**18:00–00:00 ET ET**

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 19

MON 19 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 19 OCT 06:00–12:00 ET MEDIUM

Forecast GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 7 kt

TEMPERATURE 57–58 °F

DEWPOINT 44–45 °F

PRECIP CHANCE 0%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 19 OCT 12:00–18:00 ET MEDIUM

## Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

### Flight-category guidance

WIND 10 kt

TEMPERATURE 56–66 °F

DEWPOINT 46–49 °F

PRECIP CHANCE 1%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 19 OCT 18:00–00:00 ET MEDIUM

## Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

### Flight-category guidance

WIND 10–11 kt

TEMPERATURE 74–76 °F

DEWPOINT 47–48 °F

PRECIP CHANCE 1%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 19

**00:00–06:00 ET ET**

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**06:00–12:00 ET ET**

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**12:00–18:00 ET ET**

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**18:00–00:00 ET ET**

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

## Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
8°C dep KLZU → 13°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

## Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
17/35 (170/350°M · 168/348°T) · 08/26 (080/260°M · 078/258°T) — designators and °M headings are magnetic; °T are true; variation 2°W (NOAA WMM2025)

INFO

## Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

| | | | |
|---|---|---|---|
| Runway dimensions / surface | UNAVAILABLE | FBO / provider | UNAVAILABLE |
| Available services | UNAVAILABLE | Frequencies | UNAVAILABLE |
| Pattern altitude | UNAVAILABLE | | |

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs
FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 19 Act on 6 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What
3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

ed 2026-10-18T10:26:33.113954Z.

RI OCT 16 | SAT OCT 17 | SUN OCT 18 | MON OCT 19

| | |
|---|---|
| **04/047** | |
| **A0477/26** | |
| **A0478/26** | |

83 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 10:26 Z

*NOTAMs as of 10:26 Z — advisory only; verify an official briefing.*

**5/9591**

*NOTAM text not available in this projection.*

**04/046**

*NOTAM text not available in this projection.*

**04/047**

*NOTAM text not available in this projection.*

**A0477/26**

*NOTAM text not available in this projection.*

**A0478/26**

*NOTAM text not available in this projection.*

**04/048**

*NOTAM text not available in this projection.*

**A0479/26**

*NOTAM text not available in this projection.*

**04/049**

*NOTAM text not available in this projection.*

**A0480/26**

*NOTAM text not available in this projection.*

**6/7052**

*NOTAM text not available in this projection.*

**09/005**

*NOTAM text not available in this projection.*

**09/006**

*NOTAM text not available in this projection.*

**09/007**

*NOTAM text not available in this projection.*

**A1014/26**

*NOTAM text not available in this projection.*

**A1015/26**

*NOTAM text not available in this projection.*

**09/008**

*NOTAM text not available in this projection.*

**09/074**

*NOTAM text not available in this projection.*

**A1113/26**

*NOTAM text not available in this projection.*

**09/080**

*NOTAM text not available in this projection.*

**A1116/26**

*NOTAM text not available in this projection.*

**09/082**

*NOTAM text not available in this projection.*

**09/085**

*NOTAM text not available in this projection.*

**10/005**

*NOTAM text not available in this projection.*

**10/006**

*NOTAM text not available in this projection.*

**10/012**

*NOTAM text not available in this projection.*

**A1134/26**

*NOTAM text not available in this projection.*

**10/013**

*NOTAM text not available in this projection.*

**A1135/26**

*NOTAM text not available in this projection.*

**10/026**

*NOTAM text not available in this projection.*

**A1150/26**

*NOTAM text not available in this projection.*

**10/073**

*NOTAM text not available in this projection.*

**A1204/26**

*NOTAM text not available in this projection.*

**A1210/26**

*NOTAM text not available in this projection.*

**A1211/26**

*NOTAM text not available in this projection.*

**12/025**

*NOTAM text not available in this projection.*

**A1113/25**

*NOTAM text not available in this projection.*

**05/004**

*NOTAM text not available in this projection.*

**A0495/26**

*NOTAM text not available in this projection.*

**05/065**

*NOTAM text not available in this projection.*

**A0605/26**

*NOTAM text not available in this projection.*

**08/079**

*NOTAM text not available in this projection.*

**08/082**

*NOTAM text not available in this projection.*

**09/075**

*NOTAM text not available in this projection.*

**A1115/26**

*NOTAM text not available in this projection.*

**09/076**

*NOTAM text not available in this projection.*

**09/077**

*NOTAM text not available in this projection.*

**A1114/26**

*NOTAM text not available in this projection.*

**09/078**

*NOTAM text not available in this projection.*

**09/079**

*NOTAM text not available in this projection.*

**09/081**

*NOTAM text not available in this projection.*

**10/004**

*NOTAM text not available in this projection.*

**A1127/26**

*NOTAM text not available in this projection.*

**10/007**

*NOTAM text not available in this projection.*

**A1129/26**

*NOTAM text not available in this projection.*

**10/023**

*NOTAM text not available in this projection.*

**A1148/26**

*NOTAM text not available in this projection.*

**10/024**

*NOTAM text not available in this projection.*

**10/025**

*NOTAM text not available in this projection.*

**A1149/26**

*NOTAM text not available in this projection.*

**10/027**

*NOTAM text not available in this projection.*

**A1153/26**

*NOTAM text not available in this projection.*

**10/028**

*NOTAM text not available in this projection.*

**A1154/26**

*NOTAM text not available in this projection.*

**A1212/26**

*NOTAM text not available in this projection.*

**A0797/25**

*NOTAM text not available in this projection.*

**01/160**

*NOTAM text not available in this projection.*

**A0199/26**

*NOTAM text not available in this projection.*

**6/3336**

*NOTAM text not available in this projection.*

**A0624/26**

*NOTAM text not available in this projection.*

**A0826/26**

*NOTAM text not available in this projection.*

**6/7054**

*NOTAM text not available in this projection.*

**A0828/26**

*NOTAM text not available in this projection.*

**6/8258**

*NOTAM text not available in this projection.*

**A0849/26**

*NOTAM text not available in this projection.*

**6/8259**

*NOTAM text not available in this projection.*

**A0850/26**

*NOTAM text not available in this projection.*

**A1213/26**

*NOTAM text not available in this projection.*

**08/044**

*NOTAM text not available in this projection.*

**08/045**

*NOTAM text not available in this projection.*

**08/053**

*NOTAM text not available in this projection.*

**A0967/26**

*NOTAM text not available in this projection.*

**09/066**

*NOTAM text not available in this projection.*

**09/087**

*NOTAM text not available in this projection.*

**10/072**

*NOTAM text not available in this projection.*

**10/076**

*NOTAM text not available in this projection.*

**10/078**

*NOTAM text not available in this projection.*

**10/074**

*NOTAM text not available in this projection.*

**A1206/26**

*NOTAM text not available in this projection.*

**+ NOTAM DETAILS**

**FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)**

026-10-18T10:26:33.113954Z.

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

CENTERLINE, UP TO 100 FT MSL. RWY 26: TREES. ELECTRICAL SYSTEM: POLES BEGINNING 8 FT FROM DER, 280 FT LEFT OF CENTERLINE, UP TO 90 FT AGL/125 FT MSL. TREES 975 FT FROM DER, 313 FT RIGHT OF CENTERLINE, 40 FT AGL/135 FT MSL. TREE 950 FT FROM DER, 541 FT RIGHT OF CENTERLINE, 50 FT AGL/155 FT MSL. TREES BEGINNING 997 FT FROM DER, 308 FT RIGHT OF CENTERLINE, UP TO 140 FT MSL. TREES BEGINNING 1332 FT FROM DER, 469 FT RIGHT OF CENTERLINE, UP TO 80 FT AGL/247 FT MSL. RWY 26: LIGHT POLES BEGINNING 8 FT FROM DER, 78 FT RIGHT OF 76 FT AGL/250 FT MSL. END PART 2 OF 3 ODP PENSACOLA INTL PENSACOLA, FL. CENTERLINE, UP TO 1 FT AGL/122 FT MSL. LIGHT POLES BEGINNING 10 FT FROM DER, 25 F

Effective 2025-09-08T16:19:00Z → 2027-09-08T16:19:00Z

**FAA NOTAM text was truncated in this preview; verify the complete official record.**

RUNWAY 04/046 — RWY 02 RWY END ID LGT U/S

Effective 2026-04-24T22:11:00Z → 2027-01-29T20:00:00Z

RUNWAY 04/047 — RWY 26 PAPI U/S

Effective 2026-04-24T22:11:00Z → 2027-01-29T20:00:00Z

RUNWAY A0477/26 — RWY 26 PAPI U/S

Effective 2026-04-24T22:11:00Z → 2027-01-29T20:00:00Z

RUNWAY A0478/26 — RWY 08 RWY END ID LGT U/S

Effective 2026-04-24T22:11:00Z → 2027-01-29T20:00:00Z

RUNWAY 09/074 — RWY 09/27 CLSD EXC XNG AND TAXI

Effective 2026-09-29T12:42:00Z → 2026-12-28T23:00:00Z

RUNWAY A1103/26 — RWY 09/27 CLSD EXC XNG AND TAXI

Effective 2026-09-29T12:42:00Z → 2026-12-28T23:00:00Z

81 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

**METAR**

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KPNS this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
S · 06:00–12:00 ET ET · VFR
S · 12:00–18:00 ET ET · VFR
• **Mon, Oct 19 · 18:00–00:00 ET**: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-18=GFS, 2026-10-19=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

| PRODUCT | TIME UTC | TMP°F | SKY | WIND | POP% | CEIL | VIS |
|---|---|---|---|---|---|---|---|
| GFS | 2026-10-18 12:00 | 54 | Clear | 50/8kt | — | >10kft | >6SM |
| GFS | 2026-10-18 15:00 | 64 | Clear | 60/11kt | — | >10kft | >6SM |
| GFS | 2026-10-18 18:00 | 72 | Clear | 60/14kt | 2.0 | >10kft | >6SM |
| GFS | 2026-10-18 21:00 | 74 | Clear | 40/12kt | — | >10kft | >6SM |
| GFS | 2026-10-19 00:00 | 66 | Clear | 50/6kt | 0.0 | >10kft | >6SM |
| GFS | 2026-10-19 03:00 | 60 | Clear | 50/7kt | — | >10kft | >6SM |
| GFS | 2026-10-19 06:00 | 58 | Clear | 60/7kt | 0.0 | >10kft | >6SM |
| GFS | 2026-10-19 09:00 | 57 | Clear | 40/7kt | — | >10kft | >6SM |
| GFS | 2026-10-19 12:00 | 56 | Sct | 40/10kt | 1.0 | >10kft | >6SM |
| GFS | 2026-10-19 15:00 | 66 | Clear | 50/10kt | — | >10kft | >6SM |
| GFS | 2026-10-19 18:00 | 74 | Few | 50/11kt | 1.0 | >10kft | >6SM |
| GFS | 2026-10-19 21:00 | 76 | Clear | 50/10kt | — | >10kft | >6SM |
| GFS | 2026-10-20 00:00 | 68 | Clear | 40/6kt | 0.0 | >10kft | >6SM |
| GFS | 2026-10-20 03:00 | 63 | Clear | 30/6kt | — | >10kft | >6SM |

+ Raw products

+ Raw METAR / TAF

```
METAR KPNS 180853Z AUTO 04006G18KT 10SM CLR 13/07 A3028 RMK AO2 SLP256 T01280067 51003

TAF KPNS 180528Z 1806/1906 01009G17KT P6SM SKC FM181400 05013G21KT P6SM SKC FM182300 04008KT P6SM SKC
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KPNS; actual-station=KPNS; fetched-at=2026-10-18T10:26:28.552624+00:00; observed-or-issued-at=2026-10-18T08:53:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KPNS; actual-station=KPNS; fetched-at=2026-10-18T10:26:28.744313+00:00; observed-or-issued-at=2026-10-18T05:28:00+00:00; valid-from=2026-10-18T06:00:00+00:00; valid-through=2026-10-19T06:00:00+00:00; partial-target-dates=2026-10-18,2026-10-19 — AWC API
  TAF proxy · KPNS
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KPNS; actual-station=KPNS; fetched-at=2026-10-18T10:26:29.789159+00:00
- FAA NMS NOTAM — state=OK; requested-station=KPNS; actual-station=KPNS; fetched-at=2026-10-18T10:26:33.113954Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KPNS; actual-station=KPNS; fetched-at=2026-10-18T10:26:53.492413+00:00; observed-or-issued-at=2026-10-18T06:00:00+00:00; valid-from=2026-10-18T12:00:00+00:00; valid-through=2026-10-21T06:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19 — Iowa State API

- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KPNS; actual-station=KPNS; fetched-at=2026-10-18T10:26:53.960281+00:00; observed-or-issued-at=2026-10-18T00:00:00+00:00; valid-from=2026-10-19T00:00:00+00:00; valid-through=2026-10-26T00:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19 — Iowa State API
- MOS effective date selection — state=partial; rows=14; requested-station=KPNS; actual-station=KPNS; fetched-at=2026-10-18T10:26:53.492413+00:00; observed-or-issued-at=2026-10-18T06:00:00+00:00; valid-from=2026-10-18T12:00:00+00:00; valid-through=2026-10-21T06:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19; selected-by-date=2026-10-18=GFS, 2026-10-19=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#17 **KDAB** **Daytona Beach Intl, FL, US** · Gulf East · Daytona Beach (Class C)

OBS - VFR

ETE 2h13

DIST 324 nm

SUN 18 OCT 04:53 ET OBSERVED

**Current observation** METAR

OBS - VFR

OBSER

**scattered 3,300 ft, scattered 4,600 ft, broken 5,500 ft**

WIND **NE (30°) 21 kt gust 28 kt**

TEMPERATURE **21 °C**

VISIBILITY **10 sm**

DEWPOINT **14 °C**



**Wind equally favours RWY 07L and 07R**

030° true · 037° magnetic · 21G28 kt

**Evidence & limitations**

- METAR source state: ok; observed Oct 18 04:53 ET; retrieved Oct 18 06:26 ET; 93 min before this run.
- Measured values read from the KDAB METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.12 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KDAB runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 07L/25R, 16/34, 07R/25L. Wind from 030 degrees true, 037 degrees magnetic, at 21 knots gusting 28 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Equally wind-favoured runway ends, highlighted: 07L and 07R. Wind source: KDAB METAR 180853Z.

DESTINATION OUTLOOK

## SUN, OCT 18

### SUN 18 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

### SUN 18 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

### SUN 18 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 18

**06:00–12:00 ET ET**

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**12:00–18:00 ET ET**

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**18:00–00:00 ET ET**

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 19

MON 19 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 19 OCT 06:00–12:00 ET MEDIUM

Forecast GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 13–15 kt

TEMPERATURE 73–74 °F

DEWPOINT 66 °F

PRECIP CHANCE 29%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 19 OCT 12:00–18:00 ET MEDIUM

## Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

### Flight-category guidance

WIND 12–16 kt

TEMPERATURE 72–76 °F

DEWPOINT 65–66 °F

PRECIP CHANCE 24%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 19 OCT 18:00–00:00 ET MEDIUM

## Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

### Flight-category guidance

WIND 17–19 kt

TEMPERATURE 74–76 °F

DEWPOINT 61–63 °F

PRECIP CHANCE 17%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 19

**00:00–06:00 ET ET**

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**06:00–12:00 ET ET**

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**12:00–18:00 ET ET**

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**18:00–00:00 ET ET**

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

## Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
8°C dep KLZU → 21°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

## Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
07L/25R (070/250°M · 063/243°T) · 16/34 (160/340°M · 153/333°T) · 07R/25L (070/250°M · 063/243°T) — designators and °M headings are magnetic; °T are true; variation 7°W (NOAA WMM2025)

INFO

## Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

| | | | |
|---|---|---|---|
| Runway dimensions / surface | UNAVAILABLE | FBO / provider | UNAVAILABLE |
| Available services | UNAVAILABLE | Frequencies | UNAVAILABLE |
| Pattern altitude | UNAVAILABLE | | |

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 13 Act on 2 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What 3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

ed 2026-10-18T10:26:33.115848Z.

oritative)

RI OCT 16 SAT OCT 17 SUN OCT 18 MON OCT 19




36 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 10:26 Z

*NOTAMs as of 10:26 Z — advisory only; verify an official briefing.*

**09/144**

*NOTAM text not available in this projection.*

**A1640/26**

*NOTAM text not available in this projection.*

**10/049**

*NOTAM text not available in this projection.*

**A1733/26**

*NOTAM text not available in this projection.*

**10/050**

*NOTAM text not available in this projection.*

**A1735/26**

*NOTAM text not available in this projection.*

**10/066**

*NOTAM text not available in this projection.*

**A1766/26**

*NOTAM text not available in this projection.*

**A1773/26**

*NOTAM text not available in this projection.*

**A1774/26**

*NOTAM text not available in this projection.*

**A1775/26**

*NOTAM text not available in this projection.*

**A1772/26**

*NOTAM text not available in this projection.*

**A1776/26**

*NOTAM text not available in this projection.*

**6/8810**

*NOTAM text not available in this projection.*

**6/8811**

*NOTAM text not available in this projection.*

**6/8814**

*NOTAM text not available in this projection.*

**6/8816**

*NOTAM text not available in this projection.*

**A0825/26**

*NOTAM text not available in this projection.*

**A0828/26**

*NOTAM text not available in this projection.*

**A0829/26**

*NOTAM text not available in this projection.*

**A0830/26**

*NOTAM text not available in this projection.*

**6/3056**

*NOTAM text not available in this projection.*

**A0972/26**

*NOTAM text not available in this projection.*

**6/0752**

*NOTAM text not available in this projection.*

**A1405/26**

*NOTAM text not available in this projection.*

**08/067**

*NOTAM text not available in this projection.*

**08/069**

*NOTAM text not available in this projection.*

**08/070**

*NOTAM text not available in this projection.*

**08/071**

*NOTAM text not available in this projection.*

**02/081**

*NOTAM text not available in this projection.*

**A0203/26**

*NOTAM text not available in this projection.*

**09/149**

*NOTAM text not available in this projection.*

**A1643/26**

*NOTAM text not available in this projection.*

**10/031**

*NOTAM text not available in this projection.*

**A1704/26**

*NOTAM text not available in this projection.*

**10/032**

*NOTAM text not available in this projection.*

**A1705/26**

*NOTAM text not available in this projection.*

**10/033**

*NOTAM text not available in this projection.*

**A1706/26**

*NOTAM text not available in this projection.*

**10/074**

*NOTAM text not available in this projection.*

**10/075**

*NOTAM text not available in this projection.*

+ NOTAM DETAILS

**FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)**

026-10-18T10:26:33.115848Z.

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state:

OK. The dot colour reports whether this source was read this run; technical environment: preprod.

RUNWAY

Effective 2026-10-09T11:19:00Z → 2026-12-04T20:00:00Z

36 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KDAB this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · VFR

· 06:00–12:00 ET ET · VFR

· 12:00–18:00 ET ET · VFR

• **Mon, Oct 19 · 18:00–00:00 ET**: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-18=GFS, 2026-10-19=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

| PRODUCT | TIME UTC | TMP°F | SKY | WIND | POP% | CEIL | VIS |
|---|---|---|---|---|---|---|---|
| GFS | 2026-10-18 12:00 | 69 | Bkn | 30/19kt | — | 5-10kft | >6SM |
| GFS | 2026-10-18 15:00 | 75 | Bkn | 40/21kt | — | 5-10kft | >6SM |
| GFS | 2026-10-18 18:00 | 75 | Ovc | 30/21kt | 15.0 | 5-10kft | >6SM |
| GFS | 2026-10-18 21:00 | 74 | Bkn | 30/20kt | — | 5-10kft | >6SM |
| GFS | 2026-10-19 00:00 | 72 | Bkn | 30/17kt | 18.0 | 5-10kft | >6SM |

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| GFS | 2026-10-19 03:00 | 74 | Bkn | 40/16kt | — | 5-10kft | >6SM |
| GFS | 2026-10-19 06:00 | 74 | Ovc | 40/15kt | 29.0 | 5-10kft | >6SM |
| GFS | 2026-10-19 09:00 | 73 | Ovc | 30/13kt | — | 5-10kft | >6SM |
| GFS | 2026-10-19 12:00 | 72 | Bkn | 30/12kt | 24.0 | 5-10kft | >6SM |
| GFS | 2026-10-19 15:00 | 76 | Sct | 30/16kt | — | 5-10kft | >6SM |
| GFS | 2026-10-19 18:00 | 76 | Sct | 20/19kt | 17.0 | 5-10kft | >6SM |
| GFS | 2026-10-19 21:00 | 74 | Sct | 20/17kt | — | 5-10kft | >6SM |
| GFS | 2026-10-20 00:00 | 70 | Few | 20/13kt | 10.0 | >10kft | >6SM |
| GFS | 2026-10-20 03:00 | 68 | Few | 20/10kt | — | >10kft | >6SM |

+ Raw products

+ Raw METAR / TAF

```
METAR KDAB 180853Z 03021G28KT 10SM SCT033 SCT046 BKN055 21/14 A3012

TAF KDAB 180529Z 1806/1906 02015G22KT P6SM BKN040 FM181500 03020G30KT P6SM BKN040 FM190000 03018G26KT P6SM SCT060
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KDAB; actual-station=KDAB; fetched-at=2026-10-18T10:26:28.552624+00:00; observed-or-issued-at=2026-10-18T08:53:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KDAB; actual-station=KDAB; fetched-at=2026-10-18T10:26:28.744313+00:00; observed-or-issued-at=2026-10-18T05:29:00+00:00; valid-from=2026-10-18T06:00:00+00:00; valid-through=2026-10-19T06:00:00+00:00; partial-target-dates=2026-10-18,2026-10-19 — AWC API

  **TAF proxy · KDAB**
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KDAB; actual-station=KDAB; fetched-at=2026-10-18T10:26:29.818842+00:00
- FAA NMS NOTAM — state=OK; requested-station=KDAB; actual-station=KDAB; fetched-at=2026-10-18T10:26:33.115848Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KDAB; actual-station=KDAB; fetched-at=2026-10-18T10:26:53.517743+00:00; observed-or-issued-at=2026-10-18T06:00:00+00:00; valid-from=2026-10-18T12:00:00+00:00; valid-through=2026-10-21T06:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KDAB; actual-station=KDAB; fetched-at=2026-10-18T10:26:54.030074+00:00; observed-or-issued-at=2026-10-18T00:00:00+00:00; valid-from=2026-10-19T00:00:00+00:00; valid-through=2026-10-26T00:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19 — Iowa State API
- MOS effective date selection — state=partial; rows=14; requested-station=KDAB; actual-station=KDAB; fetched-at=2026-10-18T10:26:53.517743+00:00; observed-or-issued-at=2026-10-18T06:00:00+00:00; valid-from=2026-10-18T12:00:00+00:00; valid-through=2026-10-21T06:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19; selected-by-date=2026-10-18=GFS, 2026-10-19=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#18 **KJKA** **Gulf Shores/Edwards Arpt, AL, US** · Gulf West · Gulf Shores AL

OBS - VFR

ETE 2h01

DIST 291 nm

SUN 18 OCT 04:35 ET OBSERVED

## Current observation

METAR

OBS - VFR

OBSER

clear below 12,000 ft (CLR)

WIND NE (40°) 8 kt

TEMPERATURE 12 °C

VISIBILITY 10 sm

DEWPOINT 8 °C



**Wind favours RWY 09**

040° true · 042° magnetic · 8 kt

### Evidence & limitations

- METAR source state: ok; observed Oct 18 04:35 ET; retrieved Oct 18 06:26 ET; 111 min before this run.
- Measured values read from the KJKA METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.28 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KJKA runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 09/27, 17/35. Wind from 040 degrees true, 042 degrees magnetic, at 8 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 09. Wind source: KJKA METAR 180835Z.

## DESTINATION OUTLOOK

## SUN, OCT 18

### SUN 18 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

### SUN 18 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

### SUN 18 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 18

**06:00–12:00 ET ET**

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**12:00–18:00 ET ET**

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**18:00–00:00 ET ET**

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 19

MON 19 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 19 OCT 06:00–12:00 ET MEDIUM

Forecast GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 4–5 kt

TEMPERATURE 50–51 °F

DEWPOINT 42–43 °F

PRECIP CHANCE 0%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 19 OCT 12:00–18:00 ET MEDIUM

## Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

### Flight-category guidance

WIND 7–10 kt

TEMPERATURE 51–63 °F

DEWPOINT 45–52 °F

PRECIP CHANCE 1%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 19 OCT 18:00–00:00 ET MEDIUM

## Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

### Flight-category guidance

WIND 10–11 kt

TEMPERATURE 70–71 °F

DEWPOINT 51–52 °F

PRECIP CHANCE 3%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 19

**00:00–06:00 ET ET**

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**06:00–12:00 ET ET**

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**12:00–18:00 ET ET**

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**18:00–00:00 ET ET**

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

## Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
8°C dep KLZU → 12°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

## Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
09/27 (090/270°M · 088/268°T) · 17/35 (170/350°M · 168/348°T) — designators and °M headings are magnetic; °T are true; variation 2°W (NOAA WMM2025)

INFO

## Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

| | | | |
|---|---|---|---|
| Runway dimensions / surface | UNAVAILABLE | FBO / provider | UNAVAILABLE |
| Available services | UNAVAILABLE | Frequencies | UNAVAILABLE |
| Pattern altitude | UNAVAILABLE | | |

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs
FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 7 Act on 2 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What
3 · Where

ed 2026-10-18T10:26:33.227965Z.
oritative)

RI OCT 16 | SAT OCT 17 | SUN OCT 18 | MON OCT 19




7 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 10:26 Z

*NOTAMs as of 10:26 Z — advisory only; verify an official briefing.*

**05/473**

*NOTAM text not available in this projection.*

**5/1161**

*NOTAM text not available in this projection.*

**5/1162**

*NOTAM text not available in this projection.*

**6/3337**

*NOTAM text not available in this projection.*

**6/2179**

*NOTAM text not available in this projection.*

**6/8649**

*NOTAM text not available in this projection.*

**6/8650**

*NOTAM text not available in this projection.*

**6/8651**

*NOTAM text not available in this projection.*

**09/693**

*NOTAM text not available in this projection.*

**10/074**

*NOTAM text not available in this projection.*

**10/083**

*NOTAM text not available in this projection.*

**10/867**

*NOTAM text not available in this projection.*

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

026-10-18T10:26:33.227965Z.

:00Z

:00Z

:00Z

NAV_APPROACH

Effective 2026-05-27T18:27:00Z → 2027-01-06T18:27:00Z

NAV_APPROACH

Effective 2026-08-05T16:28:00Z → 2026-11-18T16:28:00Z

7 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KJKA this run.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · VFR

S · 06:00–12:00 ET ET · VFR

S · 12:00–18:00 ET ET · VFR

• **Mon, Oct 19 · 18:00–00:00 ET**: GFS MAV MOS · 18:00–00:00 ET ET · VFR

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-18=GFS, 2026-10-19=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

| PRODUCT | TIME UTC | TMP°F | SKY | WIND | POP% | CEIL | VIS |
|---|---|---|---|---|---|---|---|
| GFS | 2026-10-18 12:00 | 51 | Clear | 60/6kt | — | >10kft | >6SM |
| GFS | 2026-10-18 15:00 | 63 | Clear | 70/12kt | — | >10kft | >6SM |
| GFS | 2026-10-18 18:00 | 71 | Clear | 70/13kt | 2.0 | >10kft | >6SM |
| GFS | 2026-10-18 21:00 | 72 | Clear | 70/11kt | — | >10kft | >6SM |
| GFS | 2026-10-19 00:00 | 62 | Clear | 60/6kt | 0.0 | >10kft | >6SM |
| GFS | 2026-10-19 03:00 | 54 | Clear | 70/4kt | — | >10kft | >6SM |
| GFS | 2026-10-19 06:00 | 50 | Clear | 70/4kt | 0.0 | >10kft | >6SM |
| GFS | 2026-10-19 09:00 | 51 | Clear | 50/5kt | — | >10kft | >6SM |
| GFS | 2026-10-19 12:00 | 51 | Sct | 40/7kt | 1.0 | >10kft | >6SM |
| GFS | 2026-10-19 15:00 | 63 | Few | 60/10kt | — | >10kft | >6SM |
| GFS | 2026-10-19 18:00 | 70 | Sct | 80/11kt | 3.0 | >10kft | >6SM |
| GFS | 2026-10-19 21:00 | 71 | Few | 70/10kt | — | >10kft | >6SM |
| GFS | 2026-10-20 00:00 | 62 | Clear | 60/4kt | 0.0 | >10kft | >6SM |
| GFS | 2026-10-20 03:00 | 57 | Clear | 50/4kt | — | >10kft | >6SM |

+ Raw products

+ Raw METAR / TAF

```
METAR KJKA 180835Z AUTO 04008KT 10SM CLR 12/08 A3028 RMK AO2

TAF KJKA 180528Z 1806/1906 04008KT P6SM SKC FM181300 06013G21KT P6SM SKC FM190000 06006KT P6SM SKC
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KJKA; actual-station=KJKA; fetched-at=2026-10-18T10:26:28.552624+00:00; observed-or-issued-at=2026-10-18T08:35:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KJKA; actual-station=KJKA; fetched-at=2026-10-18T10:26:28.744313+00:00; observed-or-issued-at=2026-10-18T05:28:00+00:00; valid-from=2026-10-18T06:00:00+00:00; valid-through=2026-10-19T06:00:00+00:00; partial-target-dates=2026-10-18,2026-10-19 — AWC API
  TAF proxy · KJKA
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KJKA; actual-station=KJKA; fetched-at=2026-10-18T10:26:29.892855+00:00
- FAA NMS NOTAM — state=OK; requested-station=KJKA; actual-station=KJKA; fetched-at=2026-10-18T10:26:33.227965Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KJKA; actual-station=KJKA; fetched-at=2026-10-18T10:26:53.512466+00:00; observed-or-issued-at=2026-10-18T06:00:00+00:00; valid-from=2026-10-18T12:00:00+00:00; valid-through=2026-10-21T06:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19 — Iowa State API

- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KJKA; actual-station=KJKA; fetched-at=2026-10-18T10:26:54.012015+00:00; observed-or-issued-at=2026-10-18T00:00:00+00:00; valid-from=2026-10-19T00:00:00+00:00; valid-through=2026-10-26T00:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19 — Iowa State API
- MOS effective date selection — state=partial; rows=14; requested-station=KJKA; actual-station=KJKA; fetched-at=2026-10-18T10:26:53.512466+00:00; observed-or-issued-at=2026-10-18T06:00:00+00:00; valid-from=2026-10-18T12:00:00+00:00; valid-through=2026-10-21T06:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19; selected-by-date=2026-10-18=GFS, 2026-10-19=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#19 **KBFM** **Mobile/Downtown Arpt, AL, US** · Gulf West · Mobile Downtown

OBS - VFR

ETE 2h00

DIST 290 nm

SUN 18 OCT 04:53 ET OBSERVED

## Current observation

OBS - VFR

METAR

OBSER

clear below 12,000 ft (CLR)

WIND **NE (30°) 9 kt gust 17 kt**

TEMPERATURE **13 °C**

VISIBILITY **10 sm**

DEWPOINT **8 °C**



**Wind favours RWY 36**

030° true · 032° magnetic · 9G17 kt

### Evidence & limitations

- METAR source state: ok; observed Oct 18 04:53 ET; retrieved Oct 18 06:26 ET; 93 min before this run.
- Measured values read from the KBFM METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.31 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KBFM runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 14/32, 18/36. Wind from 030 degrees true, 032 degrees magnetic, at 9 knots gusting 17 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 36. Wind source: KBFM METAR 180853Z.

DESTINATION OUTLOOK

## SUN, OCT 18

### SUN 18 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

### SUN 18 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

### SUN 18 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 18

**06:00–12:00 ET ET**

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**12:00–18:00 ET ET**

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**18:00–00:00 ET ET**

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 19

MON 19 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 19 OCT 06:00–12:00 ET MEDIUM

Forecast GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 7–8 kt

TEMPERATURE 54–56 °F

DEWPOINT 44–45 °F

PRECIP CHANCE 0%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 19 OCT 12:00–18:00 ET MEDIUM

## Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

### Flight-category guidance

WIND 10 kt

TEMPERATURE 53–65 °F

DEWPOINT 44–48 °F

PRECIP CHANCE 1%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 19 OCT 18:00–00:00 ET MEDIUM

## Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

### Flight-category guidance

WIND 8–9 kt

TEMPERATURE 74–76 °F

DEWPOINT 48 °F

PRECIP CHANCE 2%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 19

**00:00–06:00 ET ET**

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**06:00–12:00 ET ET**

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**12:00–18:00 ET ET**

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**18:00–00:00 ET ET**

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

## Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
8°C dep KLZU → 13°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

## Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
14/32 (140/320°M · 138/318°T) · 18/36 (180/000°M · 178/358°T) — designators and °M headings are magnetic; °T are true; variation 2°W (NOAA WMM2025)

INFO

## Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

| | | | |
|---|---|---|---|
| Runway dimensions / surface | UNAVAILABLE | FBO / provider | UNAVAILABLE |
| Available services | UNAVAILABLE | Frequencies | UNAVAILABLE |
| Pattern altitude | UNAVAILABLE | | |

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs
FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 14 Act on 5 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What
3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

ved 2026-10-18T10:26:33.325126Z.

RI OCT 16 | SAT OCT 17 | SUN OCT 18 | MON OCT 19

| | |
|---|---|
| **08/020** | |
| **A0373/26** | |
| **10/010** | |

184 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 10:26 Z

*NOTAMs as of 10:26 Z — advisory only; verify an official briefing.*

**08/004**

*NOTAM text not available in this projection.*

**A0354/26**

*NOTAM text not available in this projection.*

**08/020**

*NOTAM text not available in this projection.*

**A0373/26**

*NOTAM text not available in this projection.*

**10/010**

*NOTAM text not available in this projection.*

**A0483/26**

*NOTAM text not available in this projection.*

**A0505/26**

*NOTAM text not available in this projection.*

**A0506/26**

*NOTAM text not available in this projection.*

**A0507/26**

*NOTAM text not available in this projection.*

**10/014**

*NOTAM text not available in this projection.*

**A0489/26**

*NOTAM text not available in this projection.*

**09/083**

*NOTAM text not available in this projection.*

**09/089**

*NOTAM text not available in this projection.*

**A0514/26**

*NOTAM text not available in this projection.*

**A0520/26**

*NOTAM text not available in this projection.*

**09/123**

*NOTAM text not available in this projection.*

**A0558/26**

*NOTAM text not available in this projection.*

**09/288**

*NOTAM text not available in this projection.*

**A0884/26**

*NOTAM text not available in this projection.*

**09/334**

*NOTAM text not available in this projection.*

**09/340**

*NOTAM text not available in this projection.*

**A0937/26**

*NOTAM text not available in this projection.*

**A0944/26**

*NOTAM text not available in this projection.*

**09/345**

*NOTAM text not available in this projection.*

**09/348**

*NOTAM text not available in this projection.*

**A0950/26**

*NOTAM text not available in this projection.*

**A0953/26**

*NOTAM text not available in this projection.*

**09/359**

*NOTAM text not available in this projection.*

**09/365**

*NOTAM text not available in this projection.*

**A0965/26**

*NOTAM text not available in this projection.*

**A0972/26**

*NOTAM text not available in this projection.*

**09/372**

*NOTAM text not available in this projection.*

**A0980/26**

*NOTAM text not available in this projection.*

**09/379**

*NOTAM text not available in this projection.*

**09/386**

*NOTAM text not available in this projection.*

**09/391**

*NOTAM text not available in this projection.*

**A0988/26**

*NOTAM text not available in this projection.*

**A0996/26**

*NOTAM text not available in this projection.*

**A1001/26**

*NOTAM text not available in this projection.*

**09/401**

*NOTAM text not available in this projection.*

**09/404**

*NOTAM text not available in this projection.*

**09/406**

*NOTAM text not available in this projection.*

**09/407**

*NOTAM text not available in this projection.*

**A1012/26**

*NOTAM text not available in this projection.*

**A1015/26**

*NOTAM text not available in this projection.*

**A1018/26**

*NOTAM text not available in this projection.*

**A1019/26**

*NOTAM text not available in this projection.*

**09/422**

*NOTAM text not available in this projection.*

**09/431**

*NOTAM text not available in this projection.*

**A1036/26**

*NOTAM text not available in this projection.*

**A1046/26**

*NOTAM text not available in this projection.*

**09/436**

*NOTAM text not available in this projection.*

**A1051/26**

*NOTAM text not available in this projection.*

**09/456**

*NOTAM text not available in this projection.*

**A1074/26**

*NOTAM text not available in this projection.*

**09/463**

*NOTAM text not available in this projection.*

**09/472**

*NOTAM text not available in this projection.*

**A1081/26**

*NOTAM text not available in this projection.*

**A1091/26**

*NOTAM text not available in this projection.*

**09/493**

*NOTAM text not available in this projection.*

**A1116/26**

*NOTAM text not available in this projection.*

**09/529**

*NOTAM text not available in this projection.*

**09/530**

*NOTAM text not available in this projection.*

**A1156/26**

*NOTAM text not available in this projection.*

**A1157/26**

*NOTAM text not available in this projection.*

**09/540**

*NOTAM text not available in this projection.*

**A1170/26**

*NOTAM text not available in this projection.*

**09/543**

*NOTAM text not available in this projection.*

**09/548**

*NOTAM text not available in this projection.*

**09/549**

*NOTAM text not available in this projection.*

**A1173/26**

*NOTAM text not available in this projection.*

**A1178/26**

*NOTAM text not available in this projection.*

**A1179/26**

*NOTAM text not available in this projection.*

**09/569**

*NOTAM text not available in this projection.*

**A1203/26**

*NOTAM text not available in this projection.*

**09/584**

*NOTAM text not available in this projection.*

**A1220/26**

*NOTAM text not available in this projection.*

**09/601**

*NOTAM text not available in this projection.*

**09/604**

*NOTAM text not available in this projection.*

**A1239/26**

*NOTAM text not available in this projection.*

**A1243/26**

*NOTAM text not available in this projection.*

**09/610**

*NOTAM text not available in this projection.*

**A1249/26**

*NOTAM text not available in this projection.*

**09/627**

*NOTAM text not available in this projection.*

**09/630**

*NOTAM text not available in this projection.*

**A1268/26**

*NOTAM text not available in this projection.*

**A1271/26**

*NOTAM text not available in this projection.*

**09/669**

*NOTAM text not available in this projection.*

**09/672**

*NOTAM text not available in this projection.*

**A1315/26**

*NOTAM text not available in this projection.*

**A1318/26**

*NOTAM text not available in this projection.*

**09/698**

*NOTAM text not available in this projection.*

**09/709**

*NOTAM text not available in this projection.*

**A1348/26**

*NOTAM text not available in this projection.*

**A1360/26**

*NOTAM text not available in this projection.*

**09/726**

*NOTAM text not available in this projection.*

**09/727**

*NOTAM text not available in this projection.*

**09/733**

*NOTAM text not available in this projection.*

**A1379/26**

*NOTAM text not available in this projection.*

**A1381/26**

*NOTAM text not available in this projection.*

**A1387/26**

*NOTAM text not available in this projection.*

**09/763**

*NOTAM text not available in this projection.*

**A1420/26**

*NOTAM text not available in this projection.*

**09/769**

*NOTAM text not available in this projection.*

**A1426/26**

*NOTAM text not available in this projection.*

**09/791**

*NOTAM text not available in this projection.*

**09/796**

*NOTAM text not available in this projection.*

**A1448/26**

*NOTAM text not available in this projection.*

**A1453/26**

*NOTAM text not available in this projection.*

**09/813**

*NOTAM text not available in this projection.*

**A1470/26**

*NOTAM text not available in this projection.*

**09/821**

*NOTAM text not available in this projection.*

**09/822**

*NOTAM text not available in this projection.*

**09/833**

*NOTAM text not available in this projection.*

**A1478/26**

*NOTAM text not available in this projection.*

**A1479/26**

*NOTAM text not available in this projection.*

**A1490/26**

*NOTAM text not available in this projection.*

**09/847**

*NOTAM text not available in this projection.*

**09/848**

*NOTAM text not available in this projection.*

**A1504/26**

*NOTAM text not available in this projection.*

**A1505/26**

*NOTAM text not available in this projection.*

**09/860**

*NOTAM text not available in this projection.*

**A1517/26**

*NOTAM text not available in this projection.*

**09/871**

*NOTAM text not available in this projection.*

**09/877**

*NOTAM text not available in this projection.*

**A1528/26**

*NOTAM text not available in this projection.*

**A1534/26**

*NOTAM text not available in this projection.*

**09/887**

*NOTAM text not available in this projection.*

**09/888**

*NOTAM text not available in this projection.*

**A1544/26**

*NOTAM text not available in this projection.*

**A1545/26**

*NOTAM text not available in this projection.*

**09/910**

*NOTAM text not available in this projection.*

**A1567/26**

*NOTAM text not available in this projection.*

**09/921**

*NOTAM text not available in this projection.*

**A1578/26**

*NOTAM text not available in this projection.*

**09/936**

*NOTAM text not available in this projection.*

**A1593/26**

*NOTAM text not available in this projection.*

**09/945**

*NOTAM text not available in this projection.*

**A1602/26**

*NOTAM text not available in this projection.*

**09/959**

*NOTAM text not available in this projection.*

**A1616/26**

*NOTAM text not available in this projection.*

**09/971**

*NOTAM text not available in this projection.*

**A1628/26**

*NOTAM text not available in this projection.*

**09/980**

*NOTAM text not available in this projection.*

**09/984**

*NOTAM text not available in this projection.*

**A1637/26**

*NOTAM text not available in this projection.*

**A1641/26**

*NOTAM text not available in this projection.*

**09/001**

*NOTAM text not available in this projection.*

**09/005**

*NOTAM text not available in this projection.*

**09/993**

*NOTAM text not available in this projection.*

**A1650/26**

*NOTAM text not available in this projection.*

**A1657/26**

*NOTAM text not available in this projection.*

**A1660/26**

*NOTAM text not available in this projection.*

**09/013**

*NOTAM text not available in this projection.*

**A1667/26**

*NOTAM text not available in this projection.*

**A0504/26**

*NOTAM text not available in this projection.*

**6/2188**

*NOTAM text not available in this projection.*

**A0356/26**

*NOTAM text not available in this projection.*

**6/6897**

*NOTAM text not available in this projection.*

**6/6898**

*NOTAM text not available in this projection.*

**6/6899**

*NOTAM text not available in this projection.*

**A0478/26**

*NOTAM text not available in this projection.*

**A0479/26**

*NOTAM text not available in this projection.*

**A0480/26**

*NOTAM text not available in this projection.*

**6/9259**

*NOTAM text not available in this projection.*

**A0497/26**

*NOTAM text not available in this projection.*

**6/9269**

*NOTAM text not available in this projection.*

**A0499/26**

*NOTAM text not available in this projection.*

**10/034**

*NOTAM text not available in this projection.*

**05/009**

*NOTAM text not available in this projection.*

**A0240/26**

*NOTAM text not available in this projection.*

**06/026**

*NOTAM text not available in this projection.*

**06/027**

*NOTAM text not available in this projection.*

**06/028**

*NOTAM text not available in this projection.*

**06/029**

*NOTAM text not available in this projection.*

**06/030**

*NOTAM text not available in this projection.*

**06/031**

*NOTAM text not available in this projection.*

**06/032**

*NOTAM text not available in this projection.*

**06/033**

*NOTAM text not available in this projection.*

**08/021**

*NOTAM text not available in this projection.*

**10/007**

*NOTAM text not available in this projection.*

**10/024**

*NOTAM text not available in this projection.*

**10/030**

*NOTAM text not available in this projection.*

**10/031**

*NOTAM text not available in this projection.*

**10/032**

*NOTAM text not available in this projection.*

**10/033**

*NOTAM text not available in this projection.*

**08/027**

*NOTAM text not available in this projection.*

**10/035**

*NOTAM text not available in this projection.*

**A0508/26**

*NOTAM text not available in this projection.*

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2026-10-18T10:26:33.325126Z.

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

RUNWAY

Effective 2026-10-05T13:49:00Z → 2026-10-30T22:00:00Z

184 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KBFM this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · VFR

· 06:00–12:00 ET ET · VFR

· 12:00–18:00 ET ET · VFR

• **Mon, Oct 19 · 18:00–00:00 ET**: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-18=GFS, 2026-10-19=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

| PRODUCT | TIME UTC | TMP°F | SKY | WIND | POP% | CEIL | VIS |
|---|---|---|---|---|---|---|---|
| GFS | 2026-10-18 12:00 | 54 | Clear | 30/12kt | — | >10kft | >6SM |
| GFS | 2026-10-18 15:00 | 65 | Clear | 50/13kt | — | >10kft | >6SM |
| GFS | 2026-10-18 18:00 | 73 | Clear | 40/10kt | 2.0 | >10kft | >6SM |
| GFS | 2026-10-18 21:00 | 75 | Clear | 30/11kt | — | >10kft | >6SM |
| GFS | 2026-10-19 00:00 | 65 | Clear | 40/10kt | 0.0 | >10kft | >6SM |
| GFS | 2026-10-19 03:00 | 59 | Clear | 40/9kt | — | >10kft | >6SM |
| GFS | 2026-10-19 06:00 | 56 | Clear | 40/8kt | 0.0 | >10kft | >6SM |
| GFS | 2026-10-19 09:00 | 54 | Clear | 20/7kt | — | >10kft | >6SM |
| GFS | 2026-10-19 12:00 | 53 | Clear | 20/10kt | 1.0 | >10kft | >6SM |
| GFS | 2026-10-19 15:00 | 65 | Clear | 40/10kt | — | >10kft | >6SM |
| GFS | 2026-10-19 18:00 | 74 | Few | 40/9kt | 2.0 | >10kft | >6SM |
| GFS | 2026-10-19 21:00 | 76 | Few | 30/8kt | — | >10kft | >6SM |
| GFS | 2026-10-20 00:00 | 67 | Clear | 30/7kt | 0.0 | >10kft | >6SM |
| GFS | 2026-10-20 03:00 | 62 | Clear | 30/7kt | — | >10kft | >6SM |

+ Raw products

+ Raw METAR / TAF

```
METAR KBFM 180853Z AUTO 03009G17KT 10SM CLR 13/08 A3031 RMK AO2 SLP264 T01330083 52002

TAF KBFM 180528Z 1806/1906 01011G20KT P6SM SKC FM181500 05013KT P6SM SKC FM190200 04008KT P6SM SKC
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KBFM; actual-station=KBFM; fetched-at=2026-10-18T10:26:28.552624+00:00; observed-or-issued-at=2026-10-18T08:53:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KBFM; actual-station=KBFM; fetched-at=2026-10-18T10:26:28.744313+00:00; observed-or-issued-at=2026-10-18T05:28:00+00:00; valid-from=2026-10-18T06:00:00+00:00; valid-through=2026-10-19T06:00:00+00:00; partial-target-dates=2026-10-18,2026-10-19 — AWC API
  TAF proxy · KBFM
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KBFM; actual-station=KBFM; fetched-at=2026-10-18T10:26:29.767027+00:00
- FAA NMS NOTAM — state=OK; requested-station=KBFM; actual-station=KBFM; fetched-at=2026-10-18T10:26:33.325126Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KBFM; actual-station=KBFM; fetched-at=2026-10-18T10:26:53.516288+00:00; observed-or-issued-at=2026-10-18T06:00:00+00:00; valid-from=2026-10-18T12:00:00+00:00; valid-through=2026-10-21T06:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19 — Iowa State API

- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KBFM; actual-station=KBFM; fetched-at=2026-10-18T10:26:53.987980+00:00; observed-or-issued-at=2026-10-18T00:00:00+00:00; valid-from=2026-10-19T00:00:00+00:00; valid-through=2026-10-26T00:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19 — Iowa State API
- MOS effective date selection — state=partial; rows=14; requested-station=KBFM; actual-station=KBFM; fetched-at=2026-10-18T10:26:53.516288+00:00; observed-or-issued-at=2026-10-18T06:00:00+00:00; valid-from=2026-10-18T12:00:00+00:00; valid-through=2026-10-21T06:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19; selected-by-date=2026-10-18=GFS, 2026-10-19=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#20 **KGPT** **Gulfport-Biloxi Intl, MS, US** · Gulf West · Gulfport-Biloxi

OBS - VFR

ETE 2h18

DIST 337 nm

SUN 18 OCT 04:53 ET OBSERVED

## Current observation

OBS - VFR

OBSER

METAR

clear below 12,000 ft (CLR)

WIND **NE (30°) 7 kt**

TEMPERATURE **12 °C**

VISIBILITY **10 sm**

DEWPOINT **6 °C**



**Wind favours RWY 36**

030° true · 031° magnetic · 7 kt

### Evidence & limitations

- METAR source state: ok; observed Oct 18 04:53 ET; retrieved Oct 18 06:26 ET; 93 min before this run.
- Measured values read from the KGPT METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.29 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KGPT runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 14/32, 18/36. Wind from 030 degrees true, 031 degrees magnetic, at 7 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 36. Wind source: KGPT METAR 180853Z.

DESTINATION OUTLOOK

## SUN, OCT 18

### SUN 18 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

### SUN 18 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

### SUN 18 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 18

**06:00–12:00 ET ET**

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**12:00–18:00 ET ET**

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**18:00–00:00 ET ET**

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 19

MON 19 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 19 OCT 06:00–12:00 ET MEDIUM

Forecast GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 4–5 kt

TEMPERATURE 51–53 °F

DEWPOINT 42–43 °F

PRECIP CHANCE 1%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 19 OCT 12:00–18:00 ET MEDIUM

## Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

### Flight-category guidance

WIND 5–9 kt

TEMPERATURE 50–65 °F

DEWPOINT 42–50 °F

PRECIP CHANCE 1%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 19 OCT 18:00–00:00 ET MEDIUM

## Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

### Flight-category guidance

WIND 11 kt

TEMPERATURE 75 °F

DEWPOINT 53–54 °F

PRECIP CHANCE 6%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 19

**00:00–06:00 ET ET**

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**06:00–12:00 ET ET**

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**12:00–18:00 ET ET**

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**18:00–00:00 ET ET**

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

## Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
8°C dep KLZU → 12°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

## Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
14/32 (140/320°M · 139/319°T) · 18/36 (180/000°M · 179/359°T) — designators and °M headings are magnetic; °T are true; variation 1°W (NOAA WMM2025)

INFO

## Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

| | | | |
|---|---|---|---|
| Runway dimensions / surface | UNAVAILABLE | FBO / provider | UNAVAILABLE |
| Available services | UNAVAILABLE | Frequencies | UNAVAILABLE |
| Pattern altitude | UNAVAILABLE | | |

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs
FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)
11 Act on

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What
3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

ed 2026-10-18T10:26:33.494292Z.
oritative)

RI OCT 16 | SAT OCT 17 | SUN OCT 18 | MON OCT 19




19 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 10:26 Z

*NOTAMs as of 10:26 Z — advisory only; verify an official briefing.*

**09/057**

*NOTAM text not available in this projection.*

**6/5422**

*NOTAM text not available in this projection.*

**A0386/26**

*NOTAM text not available in this projection.*

**06/065**

*NOTAM text not available in this projection.*

**6/9967**

*NOTAM text not available in this projection.*

**A0597/26**

*NOTAM text not available in this projection.*

**09/048**

*NOTAM text not available in this projection.*

**A0727/26**

*NOTAM text not available in this projection.*

**6/9277**

*NOTAM text not available in this projection.*

**6/9279**

*NOTAM text not available in this projection.*

**6/9282**

*NOTAM text not available in this projection.*

**A0759/26**

*NOTAM text not available in this projection.*

**A0760/26**

*NOTAM text not available in this projection.*

**07/031**

*NOTAM text not available in this projection.*

**08/023**

*NOTAM text not available in this projection.*

**08/040**

*NOTAM text not available in this projection.*

**08/041**

*NOTAM text not available in this projection.*

**09/007**

*NOTAM text not available in this projection.*

**09/050**

*NOTAM text not available in this projection.*

**10/003**

*NOTAM text not available in this projection.*

**10/004**

*NOTAM text not available in this projection.*

**10/006**

*NOTAM text not available in this projection.*

**10/007**

*NOTAM text not available in this projection.*

**10/026**

*NOTAM text not available in this projection.*

**+ NOTAM DETAILS**

**FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)**

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

NAV_APPROACH 06/006 — NAV VOR CND REC CHECKPOINT 015

Effective 2026-06-23T11:42:00Z → 2026-12-23T21:11:00Z

NAV_APPROACH 06/007 — IAP GULFPORT BILOXI INTL GULFPORT MS VOR Y RWY 32 AMDT 21D ... PROCEDURE NA 2606230257-2606231057EST

Effective 2026-06-23T12:17:00Z → 2028-06-23T12:17:00Z

19 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KGPT this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · VFR

S · 06:00–12:00 ET ET · VFR

S · 12:00–18:00 ET ET · VFR

• **Mon, Oct 19 · 18:00–00:00 ET**: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-18=GFS, 2026-10-19=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

| PRODUCT | TIME UTC | TMP°F | SKY | WIND | POP% | CEIL | VIS |
|---|---|---|---|---|---|---|---|
| GFS | 2026-10-18 12:00 | 52 | Clear | 40/7kt | — | >10kft | >6SM |
| GFS | 2026-10-18 15:00 | 64 | Clear | 70/13kt | — | >10kft | >6SM |
| GFS | 2026-10-18 18:00 | 73 | Clear | 80/16kt | 2.0 | >10kft | >6SM |
| GFS | 2026-10-18 21:00 | 74 | Clear | 90/15kt | — | >10kft | >6SM |
| GFS | 2026-10-19 00:00 | 65 | Clear | 80/7kt | 0.0 | >10kft | >6SM |
| GFS | 2026-10-19 03:00 | 58 | Clear | 80/7kt | — | >10kft | >6SM |

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| GFS | 2026-10-19 06:00 | 53 | Clear | 60/5kt | 1.0 | >10kft | >6SM |
| GFS | 2026-10-19 09:00 | 51 | Clear | 10/4kt | — | >10kft | >6SM |
| GFS | 2026-10-19 12:00 | 50 | Clear | 20/5kt | 1.0 | >10kft | >6SM |
| GFS | 2026-10-19 15:00 | 65 | Clear | 50/9kt | — | >10kft | >6SM |
| GFS | 2026-10-19 18:00 | 75 | Few | 80/11kt | 6.0 | >10kft | >6SM |
| GFS | 2026-10-19 21:00 | 75 | Few | 110/11kt | — | >10kft | >6SM |
| GFS | 2026-10-20 00:00 | 69 | Clear | 70/6kt | 2.0 | >10kft | >6SM |
| GFS | 2026-10-20 03:00 | 64 | Clear | 70/5kt | — | >10kft | >6SM |

+ Raw products

+ Raw METAR / TAF

```
METAR KGPT 180853Z AUTO 03007KT 10SM CLR 12/06 A3029 RMK AO2 SLP256 T01220056 50000

TAF KGPT 180520Z 1806/1906 02007KT P6SM SKC FM181500 07013KT P6SM SKC
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KGPT; actual-station=KGPT; fetched-at=2026-10-18T10:26:28.552624+00:00; observed-or-issued-at=2026-10-18T08:53:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KGPT; actual-station=KGPT; fetched-at=2026-10-18T10:26:28.744313+00:00; observed-or-issued-at=2026-10-18T05:20:00+00:00; valid-from=2026-10-18T06:00:00+00:00; valid-through=2026-10-19T06:00:00+00:00; partial-target-dates=2026-10-18,2026-10-19 — AWC API

  **TAF proxy · KGPT**
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KGPT; actual-station=KGPT; fetched-at=2026-10-18T10:26:29.789802+00:00
- FAA NMS NOTAM — state=OK; requested-station=KGPT; actual-station=KGPT; fetched-at=2026-10-18T10:26:33.494292Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KGPT; actual-station=KGPT; fetched-at=2026-10-18T10:26:53.536521+00:00; observed-or-issued-at=2026-10-18T06:00:00+00:00; valid-from=2026-10-18T12:00:00+00:00; valid-through=2026-10-21T06:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KGPT; actual-station=KGPT; fetched-at=2026-10-18T10:26:54.005404+00:00; observed-or-issued-at=2026-10-18T00:00:00+00:00; valid-from=2026-10-19T00:00:00+00:00; valid-through=2026-10-26T00:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19 — Iowa State API
- MOS effective date selection — state=partial; rows=14; requested-station=KGPT; actual-station=KGPT; fetched-at=2026-10-18T10:26:53.536521+00:00; observed-or-issued-at=2026-10-18T06:00:00+00:00; valid-from=2026-10-18T12:00:00+00:00; valid-through=2026-10-21T06:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19; selected-by-date=2026-10-18=GFS, 2026-10-19=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#21 **KSPG** **St Petersburg/Whitted Arpt, FL, US** · Gulf East · St Petersburg

OBS - VFR

ETE 2h35

DIST 379 nm

SUN 18 OCT 04:53 ET OBSERVED

## Current observation

OBS - VFR

OBSER

METAR

clear below 12,000 ft (CLR)

WIND NE (30°) 18 kt gust 26 kt

TEMPERATURE 20 °C

VISIBILITY 10 sm

DEWPOINT 16 °C



**Wind favours RWY 07**

030° true · 036° magnetic · 18G26 kt

### Evidence & limitations

- METAR source state: ok; observed Oct 18 04:53 ET; retrieved Oct 18 06:26 ET; 93 min before this run.
- Measured values read from the KSPG METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.09 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KSPG runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 07/25, 18/36. Wind from 030 degrees true, 036 degrees magnetic, at 18 knots gusting 26 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 07. Wind source: KSPG METAR 180853Z.

**DESTINATION OUTLOOK**

## SUN, OCT 18

### SUN 18 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

### SUN 18 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

### SUN 18 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 18

**06:00–12:00 ET ET**

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**12:00–18:00 ET ET**

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**18:00–00:00 ET ET**

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 19

MON 19 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 19 OCT 06:00–12:00 ET MEDIUM

Forecast GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 17 kt

TEMPERATURE 72 °F

DEWPOINT 66 °F

PRECIP CHANCE 6%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 19 OCT 12:00–18:00 ET MEDIUM

## Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

### Flight-category guidance

WIND 14–16 kt

TEMPERATURE 71–75 °F

DEWPOINT 66–67 °F

PRECIP CHANCE 4%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 19 OCT 18:00–00:00 ET MEDIUM

## Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

### Flight-category guidance

WIND 15–16 kt

TEMPERATURE 79–80 °F

DEWPOINT 65–66 °F

PRECIP CHANCE 6%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 19

**00:00–06:00 ET ET**

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**06:00–12:00 ET ET**

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**12:00–18:00 ET ET**

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**18:00–00:00 ET ET**

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

## Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
8°C dep KLZU → 20°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

## Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
07/25 (070/250°M · 064/244°T) · 18/36 (180/000°M · 174/354°T) — designators and °M headings are magnetic; °T are true; variation 6°W (NOAA WMM2025)

INFO

## Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

| | | | |
|---|---|---|---|
| Runway dimensions / surface | UNAVAILABLE | FBO / provider | UNAVAILABLE |
| Available services | UNAVAILABLE | Frequencies | UNAVAILABLE |
| Pattern altitude | UNAVAILABLE | | |

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs
FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What
3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

d 2026-10-18T10:26:33.506629Z.
oritative)

RI OCT 16 | SAT OCT 17 | SUN OCT 18 | MON OCT 19

08/001

Raw NOTAM data · NOTAMs as of 10:26 Z

*NOTAMs as of 10:26 Z — advisory only; verify an official briefing.*

**6/3728**

*NOTAM text not available in this projection.*

**07/010**

*NOTAM text not available in this projection.*

**08/001**

*NOTAM text not available in this projection.*

**+ NOTAM DETAILS**

**FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)**

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

**+ Forecast evidence**

**METAR**

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KSPG this run.

no-go here is derived from an image. A published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
· 06:00–12:00 ET ET · VFR
• **Mon, Oct 19 · 12:00–18:00 ET**: GFS MAV MOS · 12:00–18:00 ET ET · VFR
• **Mon, Oct 19 · 18:00–00:00 ET**: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-18=GFS, 2026-10-19=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

| PRODUCT | TIME UTC | TMP°F | SKY | WIND | POP% | CEIL | VIS |
|---|---|---|---|---|---|---|---|
| GFS | 2026-10-18 12:00 | 68 | Clear | 40/19kt | — | >10kft | >6SM |
| GFS | 2026-10-18 15:00 | 73 | Clear | 50/20kt | — | >10kft | >6SM |
| GFS | 2026-10-18 18:00 | 77 | Few | 60/18kt | 2.0 | >10kft | >6SM |
| GFS | 2026-10-18 21:00 | 77 | Few | 60/19kt | — | >10kft | >6SM |
| GFS | 2026-10-19 00:00 | 74 | Few | 60/20kt | 1.0 | 5-10kft | >6SM |
| GFS | 2026-10-19 03:00 | 73 | Clear | 50/18kt | — | >10kft | >6SM |
| GFS | 2026-10-19 06:00 | 72 | Clear | 40/17kt | 6.0 | >10kft | >6SM |
| GFS | 2026-10-19 09:00 | 72 | Clear | 40/17kt | — | >10kft | >6SM |
| GFS | 2026-10-19 12:00 | 71 | Clear | 40/14kt | 4.0 | >10kft | >6SM |
| GFS | 2026-10-19 15:00 | 75 | Clear | 50/16kt | — | >10kft | >6SM |
| GFS | 2026-10-19 18:00 | 79 | Few | 60/15kt | 6.0 | 5-10kft | >6SM |
| GFS | 2026-10-19 21:00 | 80 | Few | 50/16kt | — | >10kft | >6SM |
| GFS | 2026-10-20 00:00 | 76 | Clear | 50/17kt | 1.0 | >10kft | >6SM |
| GFS | 2026-10-20 03:00 | 73 | Clear | 50/16kt | — | >10kft | >6SM |

+ Raw products

+ Raw METAR / TAF

```
METAR KSPG 180853Z AUTO 03018G26KT 10SM CLR 20/16 A3009 RMK AO2 PK WND 03027/0758 SLP187 T02000156 55003

TAF KPIE 180538Z 1806/1906 04014G23KT P6SM OVC250
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KSPG; actual-station=KSPG; fetched-at=2026-10-18T10:26:28.552624+00:00; observed-or-issued-at=2026-10-18T08:53:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KSPG; actual-station=KPIE; fetched-at=2026-10-18T10:26:28.744313+00:00; observed-or-issued-at=2026-10-18T05:38:00+00:00; valid-from=2026-10-18T06:00:00+00:00; valid-through=2026-10-19T06:00:00+00:00; partial-target-dates=2026-10-18,2026-10-19 — AWC API

  **TAF proxy · KPIE**
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KSPG; actual-station=KSPG; fetched-at=2026-10-18T10:26:30.159047+00:00
- FAA NMS NOTAM — state=OK; requested-station=KSPG; actual-station=KSPG; fetched-at=2026-10-18T10:26:33.506629Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KSPG; actual-station=KSPG; fetched-at=2026-10-18T10:26:53.524762+00:00; observed-or-issued-at=2026-10-18T06:00:00+00:00; valid-from=2026-10-18T12:00:00+00:00; valid-through=2026-10-21T06:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KSPG; actual-station=KSPG; fetched-at=2026-10-18T10:26:54.014082+00:00; observed-or-issued-at=2026-10-18T00:00:00+00:00; valid-from=2026-10-19T00:00:00+00:00; valid-through=2026-10-26T00:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19 — Iowa State API
- MOS effective date selection — state=partial; rows=14; requested-station=KSPG; actual-station=KSPG; fetched-at=2026-10-18T10:26:53.524762+00:00; observed-or-issued-at=2026-10-18T06:00:00+00:00; valid-from=2026-10-18T12:00:00+00:00; valid-through=2026-10-21T06:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19; selected-by-date=2026-10-18=GFS, 2026-10-19=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#22 **KTPF** **Tampa/Knight Arpt, FL, US** · Gulf East · Tampa Peter O Knight

OBS - VFR

ETE **2h32**

DIST **372 nm**

SUN 18 OCT 04:35 ET OBSERVED

## Current observation

OBS - VFR

OBSER

METAR

clear below 12,000 ft (CLR)

WIND **NE (40°) 10 kt**

TEMPERATURE **17 °C**

VISIBILITY **10 sm**

DEWPOINT **13 °C**



**Wind favours RWY 04**

040° true · 046° magnetic · 10 kt

Evidence & limitations

- METAR source state: ok; observed Oct 18 04:35 ET; retrieved Oct 18 06:26 ET; 111 min before this run.
- Measured values read from the KTPF METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.07 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KTPF runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 04/22, 18/36. Wind from 040 degrees true, 046 degrees magnetic, at 10 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 04. Wind source: KTPF METAR 180835Z.

## DESTINATION OUTLOOK

### SUN, OCT 18

**SUN 18 OCT 06:00–12:00 ET HIGH**

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

**SUN 18 OCT 12:00–18:00 ET HIGH**

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

**SUN 18 OCT 18:00–00:00 ET HIGH**

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 18

**06:00–12:00 ET ET**

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

## MON, OCT 19

### MON 19 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

### MON 19 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

### MON 19 OCT 12:00–18:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 10–14 kt

TEMPERATURE 66–76 °F

DEWPOINT 61–64 °F

PRECIP CHANCE 5%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

### MON 19 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 13–15 kt

TEMPERATURE 80–81 °F

DEWPOINT 61–62 °F

PRECIP CHANCE 7%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 19

**00:00–06:00 ET ET**

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**06:00–12:00 ET ET**

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**12:00–18:00 ET ET**

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**18:00–00:00 ET ET**

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

## AIRPORT PLANNING REFERENCE

NOW

### Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
8°C dep KLZU → 17°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

### Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
04/22 (040/220°M · 034/214°T) · 18/36 (180/000°M · 174/354°T) — designators and °M headings are magnetic; °T are true; variation 6°W (NOAA WMM2025)

INFO

## Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

| | | | |
|---|---|---|---|
| Runway dimensions / surface | UNAVAILABLE | FBO / provider | UNAVAILABLE |
| Available services | UNAVAILABLE | Frequencies | UNAVAILABLE |
| Pattern altitude | UNAVAILABLE | | |

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 2 Act on 2 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

1 · When 2 · What 3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

ed 2026-10-18T10:26:33.575634Z.

oritative)

| | RI OCT 16 | SAT OCT 17 | SUN OCT 18 | MON OCT 19 |
|---|---|---|---|---|
| 6/8311 | | | | |
| 10/003 | | | | |
| 4/6304 | | | | |

9 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 10:26 Z

*NOTAMs as of 10:26 Z — advisory only; verify an official briefing.*

**06/014**

*NOTAM text not available in this projection.*

**6/0956**

*NOTAM text not available in this projection.*

**6/8311**

*NOTAM text not available in this projection.*

**10/003**

*NOTAM text not available in this projection.*

**4/6304**

*NOTAM text not available in this projection.*

**6/8312**

*NOTAM text not available in this projection.*

**09/025**

*NOTAM text not available in this projection.*

**12/007**

*NOTAM text not available in this projection.*

**02/001**

*NOTAM text not available in this projection.*

**06/005**

*NOTAM text not available in this projection.*

**07/015**

*NOTAM text not available in this projection.*

**07/016**

*NOTAM text not available in this projection.*

**10/002**

*NOTAM text not available in this projection.*

**06/015**

*NOTAM text not available in this projection.*

**+ NOTAM DETAILS**

**FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)**

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

Effective 2026-08-28T10:00:00Z → 2028-01-29T16:33:00Z

TAXIWAY 10/003 — TWY A1 HLDG PSN SIGN NORTHEAST SIDE B TN RWY 04/22 AND TWY A NOT STD

Effective 2026-10-09T14:27:00Z → 2026-11-30T22:00:00Z

NAV_APPROACH 06/004 — TAP PETER O KNIGHT, TAMPA, FL. RNAV (GPS) RWY 36, AMDT 2E... VDSI AND DESCENT ANGLES NOT COINCIDENT (VDSI ANGLE 3.00TCH 55.0', 2.61[illegible]

Effective 2024-11-19T21:27:00Z → 2026-11-19T21:27:00Z

9 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KTPF this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · VFR

S · 12:00–18:00 ET ET · VFR

• **Mon, Oct 19 · 18:00–00:00 ET**: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-18=GFS, 2026-10-19=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

| PRODUCT | TIME UTC | TMP°F | SKY | WIND | POP% | CEIL | VIS |
|---|---|---|---|---|---|---|---|
| GFS | 2026-10-18 12:00 | 62 | Clear | 40/13kt | — | >10kft | >6SM |
| GFS | 2026-10-18 15:00 | 74 | Clear | 60/16kt | — | >10kft | >6SM |
| GFS | 2026-10-18 18:00 | 80 | Sct | 70/18kt | 2.0 | >10kft | >6SM |
| GFS | 2026-10-18 21:00 | 78 | Sct | 60/16kt | — | 5-10kft | >6SM |
| GFS | 2026-10-19 00:00 | 73 | Sct | 50/13kt | 2.0 | 5-10kft | >6SM |

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| GFS | 2026-10-19 03:00 | 70 | Few | 50/10kt | — | >10kft | >6SM |
| GFS | 2026-10-19 06:00 | 68 | Clear | 40/11kt | 6.0 | >10kft | >6SM |
| GFS | 2026-10-19 09:00 | 66 | Clear | 40/11kt | — | >10kft | >6SM |
| GFS | 2026-10-19 12:00 | 66 | Few | 40/10kt | 5.0 | >10kft | >6SM |
| GFS | 2026-10-19 15:00 | 76 | Few | 50/14kt | — | >10kft | >6SM |
| GFS | 2026-10-19 18:00 | 81 | Sct | 70/15kt | 7.0 | 5-10kft | >6SM |
| GFS | 2026-10-19 21:00 | 80 | Sct | 60/13kt | — | >10kft | >6SM |
| GFS | 2026-10-20 00:00 | 74 | Clear | 50/11kt | 0.0 | >10kft | >6SM |
| GFS | 2026-10-20 03:00 | 70 | Clear | 40/10kt | — | >10kft | >6SM |

+ Raw products

+ Raw METAR / TAF

```
METAR KTPF 180835Z AUTO 04010KT 10SM CLR 17/13 A3007 RMK AO2 T01700132 $

TAF KTPA 180905Z 1809/1912 02012G18KT P6SM BKN250 FM181900 05011G18KT P6SM SCT050 FM190200 02012G22KT P6SM BKN250
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KTPF; actual-station=KTPF; fetched-at=2026-10-18T10:26:28.552624+00:00; observed-or-issued-at=2026-10-18T08:35:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KTPF; actual-station=KTPA; fetched-at=2026-10-18T10:26:28.744313+00:00; observed-or-issued-at=2026-10-18T09:05:00+00:00; valid-from=2026-10-18T09:00:00+00:00; valid-through=2026-10-19T12:00:00+00:00; partial-target-dates=2026-10-18,2026-10-19 — AWC API

  **TAF proxy · KTPA**
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KTPF; actual-station=KTPF; fetched-at=2026-10-18T10:26:30.073107+00:00
- FAA NMS NOTAM — state=OK; requested-station=KTPF; actual-station=KTPF; fetched-at=2026-10-18T10:26:33.575634Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KTPF; actual-station=KTPF; fetched-at=2026-10-18T10:26:53.558836+00:00; observed-or-issued-at=2026-10-18T06:00:00+00:00; valid-from=2026-10-18T12:00:00+00:00; valid-through=2026-10-21T06:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KTPF; actual-station=KTPF; fetched-at=2026-10-18T10:26:54.045650+00:00; observed-or-issued-at=2026-10-18T00:00:00+00:00; valid-from=2026-10-19T00:00:00+00:00; valid-through=2026-10-26T00:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19 — Iowa State API
- MOS effective date selection — state=partial; rows=14; requested-station=KTPF; actual-station=KTPF; fetched-at=2026-10-18T10:26:53.558836+00:00; observed-or-issued-at=2026-10-18T06:00:00+00:00; valid-from=2026-10-18T12:00:00+00:00; valid-through=2026-10-21T06:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19; selected-by-date=2026-10-18=GFS, 2026-10-19=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#23 **KSRQ** **Sarasota-Bradenton Intl, FL, US** · Gulf East · Sarasota-Bradenton

OBS - VFR

ETE 2h43

DIST 402 nm

**SUN 18 OCT 04:53 ET OBSERVED**

## Current observation

OBS - VFR

OBSER

METAR

**clear below 12,000 ft (CLR)**

WIND **NE (30°) 11 kt gust 19 kt**

TEMPERATURE **19 °C**

VISIBILITY **10 sm**

DEWPOINT **13 °C**



**Wind favours RWY 04**

030° true · 036° magnetic · 11G19 kt

### Evidence & limitations

- METAR source state: ok; observed Oct 18 04:53 ET; retrieved Oct 18 06:26 ET; 93 min before this run.
- Measured values read from the KSRQ METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.08 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KSRQ runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 14/32, 04/22. Wind from 030 degrees true, 036 degrees magnetic, at 11 knots gusting 19 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 04. Wind source: KSRQ METAR 180853Z.

**DESTINATION OUTLOOK**

## SUN, OCT 18

### SUN 18 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

### SUN 18 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

### SUN 18 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 18

**06:00–12:00 ET ET**

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**12:00–18:00 ET ET**

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**18:00–00:00 ET ET**

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 19

MON 19 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 19 OCT 06:00–12:00 ET MEDIUM

Forecast GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 9–10 kt

TEMPERATURE 69–70 °F

DEWPOINT 64–65 °F

PRECIP CHANCE 5%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 19 OCT 12:00–18:00 ET MEDIUM

## Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

### Flight-category guidance

WIND 9–14 kt

TEMPERATURE 68–79 °F

DEWPOINT 64–67 °F

PRECIP CHANCE 2%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 19 OCT 18:00–00:00 ET MEDIUM

## Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

### Flight-category guidance

WIND 14–15 kt

TEMPERATURE 84 °F

DEWPOINT 63–64 °F

PRECIP CHANCE 7%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 19

**00:00–06:00 ET ET**

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**06:00–12:00 ET ET**

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**12:00–18:00 ET ET**

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**18:00–00:00 ET ET**

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

## Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
8°C dep KLZU → 19°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

## Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
14/32 (140/320°M · 134/314°T) · 04/22 (040/220°M · 034/214°T) — designators and °M headings are magnetic; °T are true; variation 6°W (NOAA WMM2025)

INFO

## Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

| | | | |
|---|---|---|---|
| Runway dimensions / surface | UNAVAILABLE | FBO / provider | UNAVAILABLE |
| Available services | UNAVAILABLE | Frequencies | UNAVAILABLE |
| Pattern altitude | UNAVAILABLE | | |

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 5 Act on 1 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What 3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

ed 2026-10-18T10:26:33.770851Z.

RI OCT 16 | SAT OCT 17 | SUN OCT 18 | MON OCT 19




20 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 10:26 Z

*NOTAMs as of 10:26 Z — advisory only; verify an official briefing.*

**A1080/26**

*NOTAM text not available in this projection.*

**A1081/26**

*NOTAM text not available in this projection.*

**A1082/26**

*NOTAM text not available in this projection.*

**A1092/26**

*NOTAM text not available in this projection.*

**05/096**

*NOTAM text not available in this projection.*

**A0516/26**

*NOTAM text not available in this projection.*

**08/070**

*NOTAM text not available in this projection.*

**A0920/26**

*NOTAM text not available in this projection.*

**5/0499**

*NOTAM text not available in this projection.*

**A1001/25**

*NOTAM text not available in this projection.*

**6/4825**

*NOTAM text not available in this projection.*

**A0754/26**

*NOTAM text not available in this projection.*

**10/040**

*NOTAM text not available in this projection.*

**06/005**

*NOTAM text not available in this projection.*

**A0527/26**

*NOTAM text not available in this projection.*

**09/080**

*NOTAM text not available in this projection.*

**09/081**

*NOTAM text not available in this projection.*

**10/002**

*NOTAM text not available in this projection.*

**10/003**

*NOTAM text not available in this projection.*

**A1049/26**

*NOTAM text not available in this projection.*

**10/012**

*NOTAM text not available in this projection.*

**10/013**

*NOTAM text not available in this projection.*

**09/069**

*NOTAM text not available in this projection.*

**A1085/26**

*NOTAM text not available in this projection.*

**A1086/26**

*NOTAM text not available in this projection.*

**+ NOTAM DETAILS**

**FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)**

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state:

026-10-18T10:26:33.770851Z.

:00Z

:00Z

OK. The dot colour reports whether this source was read this run; technical environment: preprod.

TAXIWAY

Effective 2026-05-30T00:06:00Z → 2026-12-31T23:00:00Z

20 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KSRQ this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · VFR

· 06:00–12:00 ET ET · VFR

· 12:00–18:00 ET ET · VFR

• **Mon, Oct 19 · 18:00–00:00 ET**: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-18=GFS, 2026-10-19=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

| PRODUCT | TIME UTC | TMP°F | SKY | WIND | POP% | CEIL | VIS |
|---|---|---|---|---|---|---|---|
| GFS | 2026-10-18 12:00 | 66 | Clear | 40/10kt | — | >10kft | >6SM |
| GFS | 2026-10-18 15:00 | 76 | Clear | 50/17kt | — | >10kft | >6SM |
| GFS | 2026-10-18 18:00 | 83 | Few | 60/16kt | 4.0 | >10kft | >6SM |
| GFS | 2026-10-18 21:00 | 83 | Sct | 60/16kt | — | >10kft | >6SM |
| GFS | 2026-10-19 00:00 | 77 | Few | 50/14kt | 1.0 | 5-10kft | >6SM |

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| GFS | 2026-10-19 03:00 | 74 | Clear | 40/10kt | — | >10kft | >6SM |
| GFS | 2026-10-19 06:00 | 70 | Clear | 40/9kt | 5.0 | >10kft | >6SM |
| GFS | 2026-10-19 09:00 | 69 | Clear | 40/10kt | — | >10kft | >6SM |
| GFS | 2026-10-19 12:00 | 68 | Clear | 30/9kt | 2.0 | >10kft | >6SM |
| GFS | 2026-10-19 15:00 | 79 | Clear | 50/14kt | — | >10kft | >6SM |
| GFS | 2026-10-19 18:00 | 84 | Sct | 70/15kt | 7.0 | 5-10kft | >6SM |
| GFS | 2026-10-19 21:00 | 84 | Sct | 60/14kt | — | >10kft | >6SM |
| GFS | 2026-10-20 00:00 | 76 | Clear | 50/10kt | 4.0 | >10kft | >6SM |
| GFS | 2026-10-20 03:00 | 72 | Clear | 50/9kt | — | >10kft | >6SM |

+ Raw products

+ Raw METAR / TAF

```
METAR KSRQ 180853Z AUTO 03011G19KT 10SM CLR 19/13 A3008 RMK AO2 SLP185 T01890133 55001

TAF KSRQ 180538Z 1806/1906 04012G24KT P6SM SCT100
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KSRQ; actual-station=KSRQ; fetched-at=2026-10-18T10:26:28.552624+00:00; observed-or-issued-at=2026-10-18T08:53:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KSRQ; actual-station=KSRQ; fetched-at=2026-10-18T10:26:28.744313+00:00; observed-or-issued-at=2026-10-18T05:38:00+00:00; valid-from=2026-10-18T06:00:00+00:00; valid-through=2026-10-19T06:00:00+00:00; partial-target-dates=2026-10-18,2026-10-19 — AWC API

  **TAF proxy · KSRQ**
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KSRQ; actual-station=KSRQ; fetched-at=2026-10-18T10:26:29.885119+00:00
- FAA NMS NOTAM — state=OK; requested-station=KSRQ; actual-station=KSRQ; fetched-at=2026-10-18T10:26:33.770851Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KSRQ; actual-station=KSRQ; fetched-at=2026-10-18T10:26:53.564921+00:00; observed-or-issued-at=2026-10-18T06:00:00+00:00; valid-from=2026-10-18T12:00:00+00:00; valid-through=2026-10-21T06:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KSRQ; actual-station=KSRQ; fetched-at=2026-10-18T10:26:54.049564+00:00; observed-or-issued-at=2026-10-18T00:00:00+00:00; valid-from=2026-10-19T00:00:00+00:00; valid-through=2026-10-26T00:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19 — Iowa State API
- MOS effective date selection — state=partial; rows=14; requested-station=KSRQ; actual-station=KSRQ; fetched-at=2026-10-18T10:26:53.564921+00:00; observed-or-issued-at=2026-10-18T06:00:00+00:00; valid-from=2026-10-18T12:00:00+00:00; valid-through=2026-10-21T06:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19; selected-by-date=2026-10-18=GFS, 2026-10-19=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#24 **KVNC** **Venice Muni, FL, US** · Gulf East · Venice FL

OBS - VFR

ETE 2h51

DIST 422 nm

**SUN 18 OCT 04:35 ET OBSERVED**

## Current observation

OBS - VFR

OBSER

METAR

clear below 12,000 ft (CLR)

WIND **NE (30°) 11 kt**

TEMPERATURE **19 °C**

VISIBILITY **9 sm**

DEWPOINT **15 °C**



**Wind favours RWY 05**

030° true · 036° magnetic · 11 kt

### Evidence & limitations

- METAR source state: ok; observed Oct 18 04:35 ET; retrieved Oct 18 06:26 ET; 111 min before this run.
- Measured values read from the KVNC METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.04 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KVNC runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 13/31, 05/23. Wind from 030 degrees true, 036 degrees magnetic, at 11 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 05. Wind source: KVNC METAR 180835Z.

**DESTINATION OUTLOOK**

## SUN, OCT 18

### SUN 18 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

### SUN 18 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

### SUN 18 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 18

**06:00–12:00 ET ET**

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**12:00–18:00 ET ET**

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**18:00–00:00 ET ET**

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 19

MON 19 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 19 OCT 06:00–12:00 ET MEDIUM

Forecast GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 11–12 kt

TEMPERATURE 69–70 °F

DEWPOINT 66 °F

PRECIP CHANCE 5%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 19 OCT 12:00–18:00 ET MEDIUM

## Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

### Flight-category guidance

WIND 11–15 kt

TEMPERATURE 68–79 °F

DEWPOINT 66–67 °F

PRECIP CHANCE 1%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 19 OCT 18:00–00:00 ET MEDIUM

## Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

### Flight-category guidance

WIND 16–17 kt

TEMPERATURE 83–84 °F

DEWPOINT 65 °F

PRECIP CHANCE 7%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 19

**00:00–06:00 ET ET**

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**06:00–12:00 ET ET**

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**12:00–18:00 ET ET**

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**18:00–00:00 ET ET**

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

## Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
8°C dep KLZU → 18°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — source state: not_queried

RWY

## Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
13/31 (130/310°M · 124/304°T) · 05/23 (050/230°M · 044/224°T) — designators and °M headings are magnetic; °T are true; variation 6°W (NOAA WMM2025)

INFO

## Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

| | | | |
|---|---|---|---|
| Runway dimensions / surface | UNAVAILABLE | FBO / provider | UNAVAILABLE |
| Available services | UNAVAILABLE | Frequencies | UNAVAILABLE |
| Pattern altitude | UNAVAILABLE | | |

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 1 Act on

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What

3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

d 2026-10-18T10:26:33.821708Z.

oritative)

RI OCT 16 | SAT OCT 17 | SUN OCT 18 | MON OCT 19

10/039

10/040

10/046

Raw NOTAM data · NOTAMs as of 10:26 Z

*NOTAMs as of 10:26 Z — advisory only; verify an official briefing.*

**6/5337**

*NOTAM text not available in this projection.*

**6/5336**

*NOTAM text not available in this projection.*

**10/039**

*NOTAM text not available in this projection.*

**10/040**

*NOTAM text not available in this projection.*

**10/046**

*NOTAM text not available in this projection.*

+ NOTAM DETAILS

**FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)**

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

26-10-18T10:26:33.821708Z.

VENICE, FL. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 2... ATO TAKEOFF OBSTACLE NOTE: RWY 23, TEMPORARY CRANES

CENTERLINE, 150FT AGL/162FT MSL (2021 ASO 15156-OE, 2024ASO-17015-OE) ALL OTHER DATA REMAINS AS PUBLISHED. 2508231507/2708091507EST.

:00Z

NUNI VENICE FL. RNAV (GPS) RWY 23, AMDT 2A... LPV DA 1038HAT 100 ALL CATS VIS ALL CATS 1 1/8. TEMPORARY CRANES (ASI NSU 10/037) NW OF RWY 23

2508231507/2708091507EST.

:00Z

CT (ASR 1060040) 270457.00N0822029.00W (0.7NM N VNC) 482.7FT (164.7FT AGL) OUS

:00Z

OBSTRUCTION 10/040 — CREST TOWER (CT (ASR 1027570) 270750.20N0822239.40W (4.5NM NNE VNC) 635.0FT (500.0FT AGL) OUS

Effective 2026-10-05T13:02:00Z → 2027-01-03T04:00:00Z

OBSTRUCTION 10/046 — CREST TOWER (CT (ASR 1060040) 270457.00N0822029.00W (0.7NM N VNC) 1482FT (1164FT AGL) OUS

Effective 2026-10-05T15:40:00.000Z → 2026-11-19T21:38:00.000Z

+ Forecast evidence

**METAR**

METAR — the routine surface observation

issued hourly by the reporting station, with SPECI reports off-cycle, carrying ceiling, visibility, wind, temperature and altimeter. Issued by the observing station and distributed by aviationweather.gov. This is measured fact, not a forecast, and on this page it describes conditions right now, not this day. A current KVNC observation was read this run. It describes conditions now, not this trip day.

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KVNC this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
S · 06:00–12:00 ET ET · VFR
S · 12:00–18:00 ET ET · VFR
• **Mon, Oct 19 · 18:00–00:00 ET**: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-18=GFS, 2026-10-19=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

| PRODUCT | TIME UTC | TMP°F | SKY | WIND | POP% | CEIL | VIS |
|---|---|---|---|---|---|---|---|
| GFS | 2026-10-18 12:00 | 65 | Clear | 40/13kt | — | >10kft | >6SM |
| GFS | 2026-10-18 15:00 | 77 | Clear | 50/19kt | — | >10kft | >6SM |
| GFS | 2026-10-18 18:00 | 84 | Sct | 60/17kt | 6.0 | >10kft | >6SM |
| GFS | 2026-10-18 21:00 | 83 | Sct | 60/18kt | — | >10kft | >6SM |
| GFS | 2026-10-19 00:00 | 77 | Sct | 40/15kt | 0.0 | 5-10kft | >6SM |
| GFS | 2026-10-19 03:00 | 73 | Clear | 40/13kt | — | >10kft | >6SM |
| GFS | 2026-10-19 06:00 | 70 | Clear | 30/12kt | 5.0 | >10kft | >6SM |
| GFS | 2026-10-19 09:00 | 69 | Clear | 40/11kt | — | >10kft | >6SM |
| GFS | 2026-10-19 12:00 | 68 | Clear | 30/11kt | 1.0 | >10kft | >6SM |
| GFS | 2026-10-19 15:00 | 79 | Clear | 50/15kt | — | >10kft | >6SM |
| GFS | 2026-10-19 18:00 | 84 | Sct | 60/16kt | 7.0 | 5-10kft | >6SM |
| GFS | 2026-10-19 21:00 | 83 | Sct | 50/17kt | — | >10kft | >6SM |

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| GFS | 2026-10-20 00:00 | 77 | Clear | 50/12kt | 8.0 | >10kft | >6SM |
| GFS | 2026-10-20 03:00 | 72 | Clear | 40/11kt | — | >10kft | >6SM |

+ Raw products

+ Raw METAR / TAF

```
METAR KVNC 180835Z AUTO 03011KT 9SM CLR 19/15 A3004 RMK AO2 T01850150 $

TAF KSRQ 180538Z 1806/1906 04012G24KT P6SM SCT100
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KVNC; actual-station=KVNC; fetched-at=2026-10-18T10:26:28.552624+00:00; observed-or-issued-at=2026-10-18T08:35:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KVNC; actual-station=KSRQ; fetched-at=2026-10-18T10:26:28.744313+00:00; observed-or-issued-at=2026-10-18T05:38:00+00:00; valid-from=2026-10-18T06:00:00+00:00; valid-through=2026-10-19T06:00:00+00:00; partial-target-dates=2026-10-18,2026-10-19 — AWC API

  TAF proxy · KSRQ
- FAA airport status — state=not_queried; fetch-state=not_attempted; payload-state=not_attempted; requested-station=KVNC
- FAA NMS NOTAM — state=OK; requested-station=KVNC; actual-station=KVNC; fetched-at=2026-10-18T10:26:33.821708Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KVNC; actual-station=KVNC; fetched-at=2026-10-18T10:26:53.566604+00:00; observed-or-issued-at=2026-10-18T06:00:00+00:00; valid-from=2026-10-18T12:00:00+00:00; valid-through=2026-10-21T06:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KVNC; actual-station=KVNC; fetched-at=2026-10-18T10:26:54.065893+00:00; observed-or-issued-at=2026-10-18T00:00:00+00:00; valid-from=2026-10-19T00:00:00+00:00; valid-through=2026-10-26T00:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19 — Iowa State API
- MOS effective date selection — state=partial; rows=14; requested-station=KVNC; actual-station=KVNC; fetched-at=2026-10-18T10:26:53.566604+00:00; observed-or-issued-at=2026-10-18T06:00:00+00:00; valid-from=2026-10-18T12:00:00+00:00; valid-through=2026-10-21T06:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19; selected-by-date=2026-10-18=GFS, 2026-10-19=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#25 **KHSA** — · Gulf West · Stennis MS

OBS - UNKNOWN

ETE 2h25

DIST 353 nm

SUN 18 OCT Time unavailable UNAVAILABLE

**Current observation**

OBS - UNKNOWN

UNAVA

META R

**Current observation unavailable**

WIND Unavailable

TEMPERATURE Unavailable

VISIBILITY Unavailable

DEWPOINT Unavailable

Evidence & limitations

- Source state: unavailable.
- No usable current KHSA observation was available this run.
- This is a current surface observation only. It is not a forecast. No forecast value is substituted for a missing observation.

## DESTINATION OUTLOOK

### SUN, OCT 18

**SUN 18 OCT 06:00–12:00 ET HIGH**

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

**SUN 18 OCT 12:00–18:00 ET HIGH**

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

**SUN 18 OCT 18:00–00:00 ET HIGH**

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 18

**06:00–12:00 ET ET**

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**12:00–18:00 ET ET**

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**18:00–00:00 ET ET**

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 19

MON 19 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 19 OCT 06:00–12:00 ET MEDIUM

Forecast GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 99 kt

TEMPERATURE 999 °F

DEWPOINT 999 °F

PRECIP CHANCE 1%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 19 OCT 12:00–18:00 ET MEDIUM

## Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

### Flight-category guidance

WIND 6–7 kt

TEMPERATURE 999 °F

DEWPOINT 999 °F

PRECIP CHANCE 1%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 19 OCT 18:00–00:00 ET MEDIUM

## Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

### Flight-category guidance

WIND 9 kt

TEMPERATURE 999 °F

DEWPOINT 999 °F

PRECIP CHANCE 5%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 19

**00:00–06:00 ET ET**

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**06:00–12:00 ET ET**

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**12:00–18:00 ET ET**

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**18:00–00:00 ET ET**

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

## Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
8°C dep KLZU → Unavailable at destination

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — source state: not_queried

RWY

## Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
18/36 (180/000°M · 179/359°T) — designators and °M headings are magnetic; °T are true; variation 1°W (NOAA WMM2025)

INFO

## Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

| | | | |
|---|---|---|---|
| Runway dimensions / surface | UNAVAILABLE | FBO / provider | UNAVAILABLE |
| Available services | UNAVAILABLE | Frequencies | UNAVAILABLE |
| Pattern altitude | UNAVAILABLE | | |

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs
FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 4 Act on 1 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

ed 2026-10-18T10:26:33.860646Z.

RI OCT 16 | SAT OCT 17 | SUN OCT 18 | MON OCT 19

| | | | | |
|---|---|---|---|---|
| **10/007** | *Outside trip window* | | | |
| **10/008** | *Outside trip window* | | | |
| **09/005** | | | | |

7 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 10:26 Z

*NOTAMs as of 10:26 Z — advisory only; verify an official briefing.*

**09/011**

*NOTAM text not available in this projection.*

**09/015**

*NOTAM text not available in this projection.*

**10/007**

*NOTAM text not available in this projection.*

**10/008**

*NOTAM text not available in this projection.*

**09/005**

*NOTAM text not available in this projection.*

**10/009**

*NOTAM text not available in this projection.*

**10/009**

*NOTAM text not available in this projection.*

**12/015**

*NOTAM text not available in this projection.*

**6/5656**

*NOTAM text not available in this projection.*

**10/002**

*NOTAM text not available in this projection.*

**10/003**

*NOTAM text not available in this projection.*

**02/005**

*NOTAM text not available in this projection.*

**10/006**

*NOTAM text not available in this projection.*

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

026-10-18T10:26:33.860646Z.

:00Z

:00Z

:00Z

:00Z

TAXIWAY

Effective 2026-09-08T14:00:00Z → 2026-10-30T23:00:00Z

7 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KHSA this run.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

:00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · VFR

· 06:00–12:00 ET ET · VFR

· 12:00–18:00 ET ET · VFR

• **Mon, Oct 19 · 18:00–00:00 ET**: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-18=GFS, 2026-10-19=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

| PRODUCT | TIME UTC | TMP°F | SKY | WIND | POP% | CEIL | VIS |
|---|---|---|---|---|---|---|---|
| GFS | 2026-10-18 12:00 | 52 | Clear | 50/5kt | — | >10kft | >6SM |
| GFS | 2026-10-18 15:00 | 64 | Clear | 70/10kt | — | >10kft | >6SM |
| GFS | 2026-10-18 18:00 | 999 | Clear | 80/12kt | 2.0 | >10kft | >6SM |
| GFS | 2026-10-18 21:00 | 999 | Clear | 90/11kt | — | >10kft | >6SM |
| GFS | 2026-10-19 00:00 | 999 | Clear | 80/4kt | 0.0 | >10kft | >6SM |
| GFS | 2026-10-19 03:00 | 999 | Clear | 80/4kt | — | >10kft | >6SM |
| GFS | 2026-10-19 06:00 | 999 | Clear | 990/99kt | 1.0 | >10kft | >6SM |
| GFS | 2026-10-19 09:00 | 999 | Clear | 990/99kt | — | >10kft | >6SM |
| GFS | 2026-10-19 12:00 | 999 | Clear | 50/6kt | 1.0 | >10kft | >6SM |
| GFS | 2026-10-19 15:00 | 999 | Clear | 60/7kt | — | >10kft | >6SM |
| GFS | 2026-10-19 18:00 | 999 | Few | 80/9kt | 5.0 | >10kft | >6SM |
| GFS | 2026-10-19 21:00 | 999 | Few | 100/9kt | — | >10kft | >6SM |
| GFS | 2026-10-20 00:00 | 999 | Clear | 80/4kt | 2.0 | >10kft | >6SM |
| GFS | 2026-10-20 03:00 | 999 | Clear | 70/1kt | — | >10kft | >6SM |

+ Raw products

+ Raw METAR / TAF

```
METAR unavailable

TAF KGPT 180520Z 1806/1906 02007KT P6SM SKC FM181500 07013KT P6SM SKC
```

+ Data sources used

- METAR — state=unavailable; fetch-state=ok; payload-state=valid; requested-station=KHSA; actual-station=KHSA; fetched-at=2026-10-18T10:26:28.552624+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KHSA; actual-station=KGPT; fetched-at=2026-10-18T10:26:28.744313+00:00; observed-or-issued-at=2026-10-18T05:20:00+00:00; valid-from=2026-10-18T06:00:00+00:00; valid-through=2026-10-19T06:00:00+00:00; partial-target-dates=2026-10-18,2026-10-19 — AWC API
  TAF proxy · KGPT
- FAA airport status — state=not_queried; fetch-state=not_attempted; payload-state=not_attempted; requested-station=KHSA
- FAA NMS NOTAM — state=OK; requested-station=KHSA; actual-station=KHSA; fetched-at=2026-10-18T10:26:33.860646Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KHSA; actual-station=KHSA; fetched-at=2026-10-18T10:26:53.608808+00:00; observed-or-issued-at=2026-10-18T06:00:00+00:00; valid-from=2026-10-18T12:00:00+00:00; valid-through=2026-10-21T06:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19 — Iowa State API

- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KHSA; actual-station=KHSA; fetched-at=2026-10-18T10:26:54.059056+00:00; observed-or-issued-at=2026-10-18T00:00:00+00:00; valid-from=2026-10-19T00:00:00+00:00; valid-through=2026-10-26T00:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19 — Iowa State API
- MOS effective date selection — state=partial; rows=14; requested-station=KHSA; actual-station=KHSA; fetched-at=2026-10-18T10:26:53.608808+00:00; observed-or-issued-at=2026-10-18T06:00:00+00:00; valid-from=2026-10-18T12:00:00+00:00; valid-through=2026-10-21T06:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19; selected-by-date=2026-10-18=GFS, 2026-10-19=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#26 **KNEW** **New Orleans/Lakefront Arpt, LA, US** · Gulf West · New Orleans Lakefront

OBS - VFR

ETE 2h38

DIST 389 nm

SUN 18 OCT 04:53 ET OBSERVED

## Current observation

OBS - VFR

OBSER

METAR


clear below 12,000 ft (CLR)

WIND **NE (60°) 21 kt gust 28 kt**

TEMPERATURE **16 °C**

VISIBILITY **10 sm**

DEWPOINT **8 °C**



**Wind favours RWY 09**

060° true · 061° magnetic · 21G28 kt

### Evidence & limitations

- METAR source state: ok; observed Oct 18 04:53 ET; retrieved Oct 18 06:26 ET; 93 min before this run.
- Measured values read from the KNEW METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.29 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KNEW runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 18R/36L, 18L/36R, 09/27. Wind from 060 degrees true, 061 degrees magnetic, at 21 knots gusting 28 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 09. Wind source: KNEW METAR 180853Z.

DESTINATION OUTLOOK

## SUN, OCT 18

### SUN 18 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

### SUN 18 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

### SUN 18 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 18

**06:00–12:00 ET ET**

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**12:00–18:00 ET ET**

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**18:00–00:00 ET ET**

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 19

MON 19 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 19 OCT 06:00–12:00 ET MEDIUM

Forecast GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 12 kt

TEMPERATURE 62 °F

DEWPOINT 50–51 °F

PRECIP CHANCE 1%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 19 OCT 12:00–18:00 ET MEDIUM

## Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

### Flight-category guidance

WIND 12 kt

TEMPERATURE 62–66 °F

DEWPOINT 52–53 °F

PRECIP CHANCE 1%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 19 OCT 18:00–00:00 ET MEDIUM

## Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

### Flight-category guidance

WIND 10 kt

TEMPERATURE 71–74 °F

DEWPOINT 53–55 °F

PRECIP CHANCE 3%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 19

**00:00–06:00 ET ET**

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**06:00–12:00 ET ET**

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**12:00–18:00 ET ET**

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**18:00–00:00 ET ET**

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

## Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
8°C dep KLZU → 16°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

## Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
18R/36L (180/000°M · 179/359°T) · 18L/36R (180/000°M · 179/359°T) · 09/27 (090/270°M · 089/269°T) — designators and °M headings are magnetic; °T are true; variation 1°W (NOAA WMM2025)

INFO

## Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

| | | | |
|---|---|---|---|
| Runway dimensions / surface | UNAVAILABLE | FBO / provider | UNAVAILABLE |
| Available services | UNAVAILABLE | Frequencies | UNAVAILABLE |
| Pattern altitude | UNAVAILABLE | | |

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs
FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 4 Act on 4 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What
3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

ed 2026-10-18T10:26:33.886398Z.
oritative)

RI OCT 16 | SAT OCT 17 | SUN OCT 18 | MON OCT 19

| | |
|---|---|
| 6/5292 |  |
| 6/5293 |  |
| 10/014 |  |

10 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 10:26 Z

*NOTAMs as of 10:26 Z — advisory only; verify an official briefing.*

**10/004**

*NOTAM text not available in this projection.*

**10/005**

*NOTAM text not available in this projection.*

**6/5292**

*NOTAM text not available in this projection.*

**6/5293**

*NOTAM text not available in this projection.*

**10/014**

*NOTAM text not available in this projection.*

**10/016**

*NOTAM text not available in this projection.*

**10/016**

*NOTAM text not available in this projection.*

**07/014**

*NOTAM text not available in this projection.*

**08/020**

*NOTAM text not available in this projection.*

**09/002**

*NOTAM text not available in this projection.*

**10/004**

*NOTAM text not available in this projection.*

**10/006**

*NOTAM text not available in this projection.*

**10/009**

*NOTAM text not available in this projection.*

**10/013**

*NOTAM text not available in this projection.*

**09/003**

*NOTAM text not available in this projection.*

**10/017**

*NOTAM text not available in this projection.*

+ NOTAM DETAILS

**FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)**

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

026-10-18T10:26:33.886398Z.

:00Z

:00Z

:00Z

Effective 2026-09-24T15:07:00Z → 2027-05-06T15:07:00Z

NAV_APPROACH

Effective 2026-10-15T20:41:00Z → 2026-10-21T20:00:00Z

10 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

**METAR**

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · VFR

:00 ET ET · VFR

category. NOTAMs were read for KNEW this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

:00 ET ET · VFR

:00 ET ET · VFR

S · 06:00–12:00 ET ET · VFR

S · 12:00–18:00 ET ET · VFR

S · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-18=GFS, 2026-10-19=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

| PRODUCT | TIME UTC | TMP°F | SKY | WIND | POP% | CEIL | VIS |
|---|---|---|---|---|---|---|---|
| GFS | 2026-10-18 12:00 | 61 | Clear | 60/16kt | — | >10kft | >6SM |
| GFS | 2026-10-18 15:00 | 65 | Clear | 60/14kt | — | >10kft | >6SM |
| GFS | 2026-10-18 18:00 | 71 | Clear | 70/14kt | 1.0 | >10kft | >6SM |
| GFS | 2026-10-18 21:00 | 73 | Clear | 80/14kt | — | >10kft | >6SM |
| GFS | 2026-10-19 00:00 | 69 | Clear | 80/11kt | 0.0 | >10kft | >6SM |
| GFS | 2026-10-19 03:00 | 64 | Clear | 70/11kt | — | >10kft | >6SM |
| GFS | 2026-10-19 06:00 | 62 | Clear | 60/12kt | 1.0 | >10kft | >6SM |
| GFS | 2026-10-19 09:00 | 62 | Clear | 50/12kt | — | >10kft | >6SM |
| GFS | 2026-10-19 12:00 | 62 | Clear | 50/12kt | 1.0 | >10kft | >6SM |
| GFS | 2026-10-19 15:00 | 66 | Clear | 50/12kt | — | >10kft | >6SM |
| GFS | 2026-10-19 18:00 | 71 | Clear | 60/10kt | 3.0 | >10kft | >6SM |
| GFS | 2026-10-19 21:00 | 74 | Few | 70/10kt | — | >10kft | >6SM |
| GFS | 2026-10-20 00:00 | 71 | Clear | 80/9kt | 3.0 | >10kft | >6SM |
| GFS | 2026-10-20 03:00 | 69 | Clear | 70/9kt | — | >10kft | >6SM |

+ Raw products

+ Raw METAR / TAF

```
METAR KNEW 180853Z AUTO 06021G28KT 10SM CLR 16/08 A3029 RMK AO1 PK WND 06028/0814 SLP251 T01610083 58004

TAF KNEW 180520Z 1806/1906 05023G30KT P6SM SKC FM190000 07006KT P6SM SKC
```

+ Data sources used

• METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KNEW; actual-station=KNEW; fetched-at=2026-10-18T10:26:28.552624+00:00; observed-or-issued-at=2026-10-18T08:53:00+00:00 — AWC API

• TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KNEW; actual-station=KNEW; fetched-at=2026-10-18T10:26:28.744313+00:00; observed-or-issued-at=2026-10-18T05:20:00+00:00; valid-from=2026-10-18T06:00:00+00:00; valid-through=2026-10-19T06:00:00+00:00; partial-target-dates=2026-10-18,2026-10-19 — AWC API

TAF proxy · KNEW

• FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KNEW; actual-station=KNEW; fetched-at=2026-10-18T10:26:30.182885+00:00

• FAA NMS NOTAM — state=OK; requested-station=KNEW; actual-station=KNEW; fetched-at=2026-10-18T10:26:33.886398Z — FAA NMS overview

• MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KNEW; actual-station=KNEW; fetched-at=2026-10-18T10:26:53.616148+00:00; observed-or-issued-at=2026-10-18T06:00:00+00:00; valid-from=2026-10-18T12:00:00+00:00; valid-through=2026-10-21T06:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19 — Iowa State API

• MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KNEW; actual-station=KNEW; fetched-at=2026-10-18T10:26:54.086578+00:00; observed-or-issued-at=2026-10-18T00:00:00+00:00; valid-from=2026-10-19T00:00:00+00:00; valid-through=2026-10-26T00:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19 — Iowa State API

• MOS effective date selection — state=partial; rows=14; requested-station=KNEW; actual-station=KNEW; fetched-at=2026-10-18T10:26:53.616148+00:00; observed-or-issued-at=2026-10-18T06:00:00+00:00; valid-from=2026-10-18T12:00:00+00:00; valid-through=2026-10-21T06:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19; selected-by-date=2026-10-18=GFS, 2026-10-19=GFS

• Extended outlook and hazard-feed states are reported in the source stamp.

• Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#27 **KOPF** **Miami/Opa Locka Arpt, FL, US** · Long-range · Miami-Opa Locka

OBS - MVFR

ETE 3h30

DIST 521 nm

SUN 18 OCT 04:50 ET OBSERVED

**Current observation** METAR

OBS - MVFR

OBSE

**broken 1,900 ft, broken 2,400 ft, overcast 7,500 ft**

WIND **N (10°) 6 kt**

TEMPERATURE **24 °C**

VISIBILITY **10 sm**

DEWPOINT **23 °C**



**Wind equally favours RWY 09L and 09R**

010° true · 017° magnetic · 6 kt · also NOTAM-affected: 09L and 27R

Evidence & limitations

• METAR source state: ok; observed Oct 18 04:50 ET; retrieved Oct 18 06:26 ET; 96 min before this run.

• Measured values read from the KOPF METAR. This is a current surface observation only; it is not a forecast.

• Only fields decoded from this METAR are shown; every missing field remains unavailable.

• Altimeter: 30.00 inHg.

• The complete raw METAR remains in this airport's Raw products disclosure.

• KOPF runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 09L/27R, 12/30, 09R/27L. Wind from 010 degrees true, 017 degrees magnetic, at 6 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Equally wind-favoured runway ends, highlighted: 09L and 09R. NOTAM-affected runway ends, hatched separately from the wind highlight: 09L and 27R. The wind-favoured end 09L is also NOTAM-affected: the wind does favour it, but a NOTAM on this card names it, so the highlight is not a statement that the runway is usable. The hatch marks only that a NOTAM names the runway; it does not decode the NOTAM's effective times, so confirm the closure window in the NOTAM text below. Wind source: KOPF METAR 180850Z.

## DESTINATION OUTLOOK

### SUN, OCT 18

**SUN 18 OCT 06:00–12:00 ET HIGH**

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

**SUN 18 OCT 12:00–18:00 ET HIGH**

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

**SUN 18 OCT 18:00–00:00 ET HIGH**

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 18

**06:00–12:00 ET ET**

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**12:00–18:00 ET ET**

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**18:00–00:00 ET ET**

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 19

MON 19 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 19 OCT 06:00–12:00 ET MEDIUM

Forecast GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 11–13 kt

TEMPERATURE 75–76 °F

DEWPOINT 67–68 °F

PRECIP CHANCE 21%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 19 OCT 12:00–18:00 ET MEDIUM

## Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

### Flight-category guidance

WIND 11–14 kt

TEMPERATURE 75–82 °F

DEWPOINT 67 °F

PRECIP CHANCE 12%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 19 OCT 18:00–00:00 ET MEDIUM

## Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

### Flight-category guidance

WIND 16 kt

TEMPERATURE 82–84 °F

DEWPOINT 66–67 °F

PRECIP CHANCE 5%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 19

**00:00–06:00 ET ET**

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**06:00–12:00 ET ET**

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**12:00–18:00 ET ET**

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**18:00–00:00 ET ET**

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

## Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
8°C dep KLZU → 24°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

## Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
09L/27R (090/270°M · 083/263°T) · 12/30 (120/300°M · 113/293°T) · 09R/27L (090/270°M · 083/263°T) — designators and °M headings are magnetic; °T are true; variation 7°W (NOAA WMM2025)

INFO

## Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

| | | | |
|---|---|---|---|
| Runway dimensions / surface | UNAVAILABLE | FBO / provider | UNAVAILABLE |
| Available services | UNAVAILABLE | Frequencies | UNAVAILABLE |
| Pattern altitude | UNAVAILABLE | | |

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs
FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 17 Act on

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What
3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

ved 2026-10-18T10:26:34.067726Z.

RI OCT 16 | SAT OCT 17 | SUN OCT 18 | MON OCT 19




95 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 10:26 Z

*NOTAMs as of 10:26 Z — advisory only; verify an official briefing.*

**6/2604**

*NOTAM text not available in this projection.*

**08/050**

*NOTAM text not available in this projection.*

**08/051**

*NOTAM text not available in this projection.*

**10/070**

*NOTAM text not available in this projection.*

**10/071**

*NOTAM text not available in this projection.*

**10/072**

*NOTAM text not available in this projection.*

**10/057**

*NOTAM text not available in this projection.*

**10/058**

*NOTAM text not available in this projection.*

**5/7064**

*NOTAM text not available in this projection.*

**5/0554**

*NOTAM text not available in this projection.*

**6/2599**

*NOTAM text not available in this projection.*

**6/2236**

*NOTAM text not available in this projection.*

**6/1259**

*NOTAM text not available in this projection.*

**6/8187**

*NOTAM text not available in this projection.*

**6/8903**

*NOTAM text not available in this projection.*

**6/8910**

*NOTAM text not available in this projection.*

**6/8914**

*NOTAM text not available in this projection.*

**6/8915**

*NOTAM text not available in this projection.*

**6/8918**

*NOTAM text not available in this projection.*

**6/8919**

*NOTAM text not available in this projection.*

**6/8921**

*NOTAM text not available in this projection.*

**05/045**

*NOTAM text not available in this projection.*

**07/090**

*NOTAM text not available in this projection.*

**07/091**

*NOTAM text not available in this projection.*

**07/092**

*NOTAM text not available in this projection.*

**07/093**

*NOTAM text not available in this projection.*

**07/094**

*NOTAM text not available in this projection.*

**07/095**

*NOTAM text not available in this projection.*

**07/096**

*NOTAM text not available in this projection.*

**07/097**

*NOTAM text not available in this projection.*

**07/098**

*NOTAM text not available in this projection.*

**07/102**

*NOTAM text not available in this projection.*

**07/103**

*NOTAM text not available in this projection.*

**07/104**

*NOTAM text not available in this projection.*

**07/110**

*NOTAM text not available in this projection.*

**07/111**

*NOTAM text not available in this projection.*

**07/112**

*NOTAM text not available in this projection.*

**07/113**

*NOTAM text not available in this projection.*

**07/114**

*NOTAM text not available in this projection.*

**07/115**

*NOTAM text not available in this projection.*

**07/116**

*NOTAM text not available in this projection.*

**07/117**

*NOTAM text not available in this projection.*

**07/118**

*NOTAM text not available in this projection.*

**07/119**

*NOTAM text not available in this projection.*

**07/120**

*NOTAM text not available in this projection.*

**07/121**

*NOTAM text not available in this projection.*

**07/124**

*NOTAM text not available in this projection.*

**07/125**

*NOTAM text not available in this projection.*

**07/126**

*NOTAM text not available in this projection.*

**07/130**

*NOTAM text not available in this projection.*

**07/131**

*NOTAM text not available in this projection.*

**07/132**

*NOTAM text not available in this projection.*

**07/133**

*NOTAM text not available in this projection.*

**07/134**

*NOTAM text not available in this projection.*

**10/001**

*NOTAM text not available in this projection.*

**10/002**

*NOTAM text not available in this projection.*

**10/046**

*NOTAM text not available in this projection.*

**10/047**

*NOTAM text not available in this projection.*

**10/048**

*NOTAM text not available in this projection.*

**10/049**

*NOTAM text not available in this projection.*

**11/025**

*NOTAM text not available in this projection.*

**11/026**

*NOTAM text not available in this projection.*

**11/027**

*NOTAM text not available in this projection.*

**11/028**

*NOTAM text not available in this projection.*

**02/017**

*NOTAM text not available in this projection.*

**02/018**

*NOTAM text not available in this projection.*

**03/037**

*NOTAM text not available in this projection.*

**03/038**

*NOTAM text not available in this projection.*

**05/068**

*NOTAM text not available in this projection.*

**05/069**

*NOTAM text not available in this projection.*

**05/070**

*NOTAM text not available in this projection.*

**05/071**

*NOTAM text not available in this projection.*

**05/073**

*NOTAM text not available in this projection.*

**05/074**

*NOTAM text not available in this projection.*

**06/061**

*NOTAM text not available in this projection.*

**06/062**

*NOTAM text not available in this projection.*

**06/063**

*NOTAM text not available in this projection.*

**08/030**

*NOTAM text not available in this projection.*

**08/033**

*NOTAM text not available in this projection.*

**08/034**

*NOTAM text not available in this projection.*

**08/035**

*NOTAM text not available in this projection.*

**08/036**

*NOTAM text not available in this projection.*

**08/039**

*NOTAM text not available in this projection.*

**08/040**

*NOTAM text not available in this projection.*

**08/041**

*NOTAM text not available in this projection.*

**08/042**

*NOTAM text not available in this projection.*

**10/007**

*NOTAM text not available in this projection.*

**10/008**

*NOTAM text not available in this projection.*

**10/009**

*NOTAM text not available in this projection.*

**10/010**

*NOTAM text not available in this projection.*

**10/013**

*NOTAM text not available in this projection.*

**10/014**

*NOTAM text not available in this projection.*

**10/036**

*NOTAM text not available in this projection.*

**10/034**

*NOTAM text not available in this projection.*

**10/035**

*NOTAM text not available in this projection.*

**10/045**

*NOTAM text not available in this projection.*

**10/052**

*NOTAM text not available in this projection.*

**10/053**

*NOTAM text not available in this projection.*

**10/054**

*NOTAM text not available in this projection.*

**10/055**

*NOTAM text not available in this projection.*

+ NOTAM DETAILS

**FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)**

2026-10-18T10:26:34.067726Z.

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

Effective 2026-03-03T15:34:00Z → 2026-11-16T15:34:00Z

RUNWAY

Effective 2026-08-20T11:42:00Z → 2027-08-01T04:00:00Z

RUNWAY

Effective 2026-08-20T11:43:00Z → 2027-08-01T04:00:00Z

RUNWAY

Effective 2026-10-17T20:30:00Z → 2026-10-18T20:30:00Z

RUNWAY

Effective 2026-10-17T20:31:00Z → 2026-10-18T20:31:00Z

RUNWAY

Effective 2026-10-21T03:00:00Z → 2026-10-21T11:00:00Z

94 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

**METAR**

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KOPF this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
S · 06:00–12:00 ET ET · VFR
S · 12:00–18:00 ET ET · VFR
• **Mon, Oct 19 · 18:00–00:00 ET**: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-18=GFS, 2026-10-19=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

| PRODUCT | TIME UTC | TMP°F | SKY | WIND | POP% | CEIL | VIS |
|---|---|---|---|---|---|---|---|
| GFS | 2026-10-18 12:00 | 75 | Ovc | 20/11kt | — | 1-3kft | >6SM |
| GFS | 2026-10-18 15:00 | 79 | Ovc | 40/12kt | — | 1-3kft | >6SM |
| GFS | 2026-10-18 18:00 | 82 | Ovc | 50/15kt | 86.0 | 3-5kft | >6SM |
| GFS | 2026-10-18 21:00 | 80 | Ovc | 40/13kt | — | 5-10kft | >6SM |
| GFS | 2026-10-19 00:00 | 78 | Ovc | 50/13kt | 41.0 | 5-10kft | >6SM |
| GFS | 2026-10-19 03:00 | 77 | Ovc | 40/13kt | — | 5-10kft | >6SM |
| GFS | 2026-10-19 06:00 | 76 | Ovc | 50/13kt | 21.0 | 5-10kft | >6SM |
| GFS | 2026-10-19 09:00 | 75 | Ovc | 40/11kt | — | 5-10kft | >6SM |

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| GFS | 2026-10-19 12:00 | 75 | Bkn | 40/11kt | 12.0 | 5-10kft | >6SM |
| GFS | 2026-10-19 15:00 | 82 | Bkn | 60/14kt | — | 5-10kft | >6SM |
| GFS | 2026-10-19 18:00 | 84 | Bkn | 60/16kt | 5.0 | >10kft | >6SM |
| GFS | 2026-10-19 21:00 | 82 | Bkn | 50/16kt | — | >10kft | >6SM |
| GFS | 2026-10-20 00:00 | 79 | Sct | 50/12kt | 12.0 | 5-10kft | >6SM |
| GFS | 2026-10-20 03:00 | 77 | Sct | 30/11kt | — | >10kft | >6SM |

+ Raw products

+ Raw METAR / TAF

```
SPECI KOPF 180850Z AUTO 01006KT 10SM BKN019 BKN024 OVC075 24/23 A3000 RMK AO2

TAF KOPF 180856Z 1809/1906 01010KT P6SM VCSH FEW010 SCT020 OVC050 FM181100 02011G21KT P6SM VCSH SCT020 BKN030 OVC050 FM181600 04014G24KT P6SM VCSH SCT030 BKN050 BKN250 FM190000 05012G22KT P6SM
SCT030 SCT050 BKN250
```

+ Data sources used

• METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KOPF; actual-station=KOPF; fetched-at=2026-10-18T10:26:28.552624+00:00; observed-or-issued-at=2026-10-18T08:50:00+00:00 — AWC API

• TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KOPF; actual-station=KOPF; fetched-at=2026-10-18T10:26:28.744313+00:00; observed-or-issued-at=2026-10-18T08:56:00+00:00; valid-from=2026-10-18T09:00:00+00:00; valid-through=2026-10-19T06:00:00+00:00; partial-target-dates=2026-10-18,2026-10-19 — AWC API

TAF proxy · KOPF

• FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KOPF; actual-station=KOPF; fetched-at=2026-10-18T10:26:30.300809+00:00

• FAA NMS NOTAM — state=OK; requested-station=KOPF; actual-station=KOPF; fetched-at=2026-10-18T10:26:34.067726Z — FAA NMS overview

• MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KOPF; actual-station=KOPF; fetched-at=2026-10-18T10:26:53.645455+00:00; observed-or-issued-at=2026-10-18T06:00:00+00:00; valid-from=2026-10-18T12:00:00+00:00; valid-through=2026-10-21T06:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19 — Iowa State API

• MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KOPF; actual-station=KOPF; fetched-at=2026-10-18T10:26:54.096101+00:00; observed-or-issued-at=2026-10-18T00:00:00+00:00; valid-from=2026-10-19T00:00:00+00:00; valid-through=2026-10-26T00:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19 — Iowa State API

• MOS effective date selection — state=partial; rows=14; requested-station=KOPF; actual-station=KOPF; fetched-at=2026-10-18T10:26:53.645455+00:00; observed-or-issued-at=2026-10-18T06:00:00+00:00; valid-from=2026-10-18T12:00:00+00:00; valid-through=2026-10-21T06:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19; selected-by-date=2026-10-18=GFS, 2026-10-19=GFS

• Extended outlook and hazard-feed states are reported in the source stamp.

• Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#28 **KHPN** **White Plains/Westchester Cnty, NY, US** · Long-range · White Plains NY

OBS - VFR

ETE 4h18

DIST 647 nm

SUN 18 OCT 04:56 ET OBSERVED

## Current observation

OBS - VFR

OBSER

METAR

clear below 12,000 ft (CLR)

WIND N (340°) 11 kt

TEMPERATURE 2 °C

VISIBILITY 10 sm

DEWPOINT -3 °C



**Wind favours RWY 34**

340° true · 353° magnetic · 11 kt · also NOTAM-affected: 16 and 34

Evidence & limitations

- METAR source state: ok; observed Oct 18 04:56 ET; retrieved Oct 18 06:26 ET; 90 min before this run.
- Measured values read from the KHPN METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.48 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KHPN runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 16/34, 11/29. Wind from 340 degrees true, 353 degrees magnetic, at 11 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 34. NOTAM-affected runway ends, hatched separately from the wind highlight: 16 and 34. The wind-favoured end 34 is also NOTAM-affected: the wind does favour it, but a NOTAM on this card names it, so the highlight is not a statement that the runway is usable. The hatch marks only that a NOTAM names the runway; it does not decode the NOTAM's effective times, so confirm the closure window in the NOTAM text below. Wind source: KHPN METAR 180856Z.

## DESTINATION OUTLOOK

## SUN, OCT 18

### SUN 18 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

### SUN 18 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

### SUN 18 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 18

**06:00–12:00 ET ET**

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**12:00–18:00 ET ET**

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**18:00–00:00 ET ET**

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 19

MON 19 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 19 OCT 06:00–12:00 ET MEDIUM

Forecast GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 4–5 kt

TEMPERATURE 42–44 °F

DEWPOINT 34–35 °F

PRECIP CHANCE 0%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 19 OCT 12:00–18:00 ET MEDIUM

## Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

### Flight-category guidance

WIND 6–8 kt

TEMPERATURE 43–55 °F

DEWPOINT 36–38 °F

PRECIP CHANCE 1%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 19 OCT 18:00–00:00 ET MEDIUM

## Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

### Flight-category guidance

WIND 9 kt

TEMPERATURE 60–61 °F

DEWPOINT 35–36 °F

PRECIP CHANCE 1%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 19

**00:00–06:00 ET ET**

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**06:00–12:00 ET ET**

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**12:00–18:00 ET ET**

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**18:00–00:00 ET ET**

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

## Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
8°C dep KLZU → 2°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

## Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
16/34 (160/340°M · 147/327°T) · 11/29 (110/290°M · 097/277°T) — designators and °M headings are magnetic; °T are true; variation 13°W (NOAA WMM2025)

INFO

## Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

| | | | |
|---|---|---|---|
| Runway dimensions / surface | UNAVAILABLE | FBO / provider | UNAVAILABLE |
| Available services | UNAVAILABLE | Frequencies | UNAVAILABLE |
| Pattern altitude | UNAVAILABLE | | |

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs
FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 8 Act on 1 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What
3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

ed 2026-10-18T10:26:34.159486Z.

RI OCT 16 | SAT OCT 17 | SUN OCT 18 | MON OCT 19

| | |
|---|---|
| **10/039** | |
| **10/094** | |
| **A4591/26** | |

32 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 10:26 Z

*NOTAMs as of 10:26 Z — advisory only; verify an official briefing.*

**10/020**

*NOTAM text not available in this projection.*

**A4296/26**

*NOTAM text not available in this projection.*

**10/039**

*NOTAM text not available in this projection.*

**10/094**

*NOTAM text not available in this projection.*

**A4591/26**

*NOTAM text not available in this projection.*

**A4592/26**

*NOTAM text not available in this projection.*

**A4592/26**

*NOTAM text not available in this projection.*

**A4593/26**

*NOTAM text not available in this projection.*

**A4598/26**

*NOTAM text not available in this projection.*

**A4602/26**

*NOTAM text not available in this projection.*

**10/163**

*NOTAM text not available in this projection.*

**A4555/26**

*NOTAM text not available in this projection.*

**03/058**

*NOTAM text not available in this projection.*

**A1006/26**

*NOTAM text not available in this projection.*

**03/062**

*NOTAM text not available in this projection.*

**A1019/26**

*NOTAM text not available in this projection.*

**04/112**

*NOTAM text not available in this projection.*

**A1392/26**

*NOTAM text not available in this projection.*

**07/120**

*NOTAM text not available in this projection.*

**A2868/26**

*NOTAM text not available in this projection.*

**08/016**

*NOTAM text not available in this projection.*

**A3278/26**

*NOTAM text not available in this projection.*

**10/096**

*NOTAM text not available in this projection.*

**A4425/26**

*NOTAM text not available in this projection.*

**A4589/26**

*NOTAM text not available in this projection.*

**10/181**

*NOTAM text not available in this projection.*

**A4590/26**

*NOTAM text not available in this projection.*

**A4596/26**

*NOTAM text not available in this projection.*

**03/045**

*NOTAM text not available in this projection.*

**6/9015**

*NOTAM text not available in this projection.*

**A1738/26**

*NOTAM text not available in this projection.*

**6/5296**

*NOTAM text not available in this projection.*

**6/5312**

*NOTAM text not available in this projection.*

**A4160/26**

*NOTAM text not available in this projection.*

**A4161/26**

*NOTAM text not available in this projection.*

**6/9236**

*NOTAM text not available in this projection.*

**A4518/26**

*NOTAM text not available in this projection.*

**09/238**

*NOTAM text not available in this projection.*

+ NOTAM DETAILS

**FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)**

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

026-10-18T10:26:34.159486Z.

RUNWAY

Effective 2026-10-15T18:15:00Z → 2026-10-18T18:15:00Z

RUNWAY

Effective 2026-10-19T04:00:00Z → 2026-10-19T09:30:00Z

RUNWAY

Effective 2026-10-19T04:00:00Z → 2026-10-19T09:30:00Z

30 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KHPN this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
S · 06:00–12:00 ET ET · VFR
S · 12:00–18:00 ET ET · VFR
• **Mon, Oct 19 · 18:00–00:00 ET**: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-18=GFS, 2026-10-19=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

| PRODUCT | TIME UTC | TMP°F | SKY | WIND | POP% | CEIL | VIS |
|---|---|---|---|---|---|---|---|
| GFS | 2026-10-18 12:00 | 38 | Clear | 350/7kt | — | >10kft | >6SM |
| GFS | 2026-10-18 15:00 | 49 | Clear | 10/6kt | — | >10kft | >6SM |
| GFS | 2026-10-18 18:00 | 55 | Clear | 350/6kt | 0.0 | >10kft | >6SM |
| GFS | 2026-10-18 21:00 | 55 | Clear | 30/4kt | — | >10kft | >6SM |
| GFS | 2026-10-19 00:00 | 48 | Clear | 70/2kt | 0.0 | >10kft | >6SM |
| GFS | 2026-10-19 03:00 | 46 | Clear | 70/3kt | — | >10kft | >6SM |
| GFS | 2026-10-19 06:00 | 44 | Clear | 50/4kt | 0.0 | >10kft | >6SM |
| GFS | 2026-10-19 09:00 | 42 | Clear | 20/5kt | — | >10kft | >6SM |
| GFS | 2026-10-19 12:00 | 43 | Clear | 20/6kt | 1.0 | >10kft | >6SM |

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| GFS | 2026-10-19 15:00 | 55 | Few | 40/8kt | — | >10kft | >6SM |
| GFS | 2026-10-19 18:00 | 61 | Few | 20/9kt | 1.0 | >10kft | >6SM |
| GFS | 2026-10-19 21:00 | 60 | Few | 10/9kt | — | >10kft | >6SM |
| GFS | 2026-10-20 00:00 | 53 | Few | 350/9kt | 0.0 | >10kft | >6SM |
| GFS | 2026-10-20 03:00 | 51 | Clear | 350/10kt | — | >10kft | >6SM |

+ Raw products

+ Raw METAR / TAF

```
METAR KHPN 180856Z 34011KT 10SM CLR 02/M03 A3048 RMK AO2 SLP328 T00221028 53013

TAF KHPN 180830Z 1809/1906 35009KT P6SM SKC FM181500 02006KT P6SM SKC FM182200 VRB03KT P6SM SKC AMD NOT SKED
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KHPN; actual-station=KHPN; fetched-at=2026-10-18T10:26:28.552624+00:00; observed-or-issued-at=2026-10-18T08:56:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KHPN; actual-station=KHPN; fetched-at=2026-10-18T10:26:28.744313+00:00; observed-or-issued-at=2026-10-18T08:30:00+00:00; valid-from=2026-10-18T09:00:00+00:00; valid-through=2026-10-19T06:00:00+00:00; partial-target-dates=2026-10-18,2026-10-19 — AWC API

**TAF proxy · KHPN**

- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KHPN; actual-station=KHPN; fetched-at=2026-10-18T10:26:30.039598+00:00
- FAA NMS NOTAM — state=OK; requested-station=KHPN; actual-station=KHPN; fetched-at=2026-10-18T10:26:34.159486Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KHPN; actual-station=KHPN; fetched-at=2026-10-18T10:26:53.646041+00:00; observed-or-issued-at=2026-10-18T06:00:00+00:00; valid-from=2026-10-18T12:00:00+00:00; valid-through=2026-10-21T06:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KHPN; actual-station=KHPN; fetched-at=2026-10-18T10:26:54.106932+00:00; observed-or-issued-at=2026-10-18T00:00:00+00:00; valid-from=2026-10-19T00:00:00+00:00; valid-through=2026-10-26T00:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19 — Iowa State API
- MOS effective date selection — state=partial; rows=14; requested-station=KHPN; actual-station=KHPN; fetched-at=2026-10-18T10:26:53.646041+00:00; observed-or-issued-at=2026-10-18T06:00:00+00:00; valid-from=2026-10-18T12:00:00+00:00; valid-through=2026-10-21T06:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19; selected-by-date=2026-10-18=GFS, 2026-10-19=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#29 **KBED** **Bedford/Hanscom Fld, MA, US** · Long-range · Boston-Bedford MA

OBS - VFR

ETE 5h11

DIST 784 nm

**SUN 18 OCT 04:51 ET OBSERVED**

## Current observation

METAR

OBS - VFR

OBSER

clear below 12,000 ft (CLR)

WIND **calm**

TEMPERATURE **-3 °C**

VISIBILITY **10 sm**

DEWPOINT **-4 °C**

### Evidence & limitations

- METAR source state: ok; observed Oct 18 04:51 ET; retrieved Oct 18 06:26 ET; 95 min before this run.
- Measured values read from the KBED METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.50 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.

## DESTINATION OUTLOOK

## SUN, OCT 18

### SUN 18 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

### SUN 18 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

### SUN 18 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 18

**06:00–12:00 ET ET**

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**12:00–18:00 ET ET**

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**18:00–00:00 ET ET**

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 19

MON 19 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 19 OCT 06:00–12:00 ET MEDIUM

Forecast GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 1 kt

TEMPERATURE 39 °F

DEWPOINT 32 °F

PRECIP CHANCE 0%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 19 OCT 12:00–18:00 ET MEDIUM

## Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

### Flight-category guidance

WIND 1–4 kt

TEMPERATURE 40–54 °F

DEWPOINT 34–38 °F

PRECIP CHANCE 1%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 19 OCT 18:00–00:00 ET MEDIUM

## Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

### Flight-category guidance

WIND 6–8 kt

TEMPERATURE 59–61 °F

DEWPOINT 37–38 °F

PRECIP CHANCE 1%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 19

**00:00–06:00 ET ET**

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**06:00–12:00 ET ET**

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**12:00–18:00 ET ET**

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

**18:00–00:00 ET ET**

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

## Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
8°C dep KLZU → -3°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

## Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
11/29 (110/290°M · 096/276°T) · 05/23 (050/230°M · 036/216°T) — designators and °M headings are magnetic; °T are true; variation 14°W (NOAA WMM2025)

INFO

## Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

| | | | |
|---|---|---|---|
| Runway dimensions / surface | UNAVAILABLE | FBO / provider | UNAVAILABLE |
| Available services | UNAVAILABLE | Frequencies | UNAVAILABLE |
| Pattern altitude | UNAVAILABLE | | |

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 6 Act on

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What


3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

ed 2026-10-18T10:26:34.199578Z.

oritative)

RI OCT 16 | SAT OCT 17 | SUN OCT 18 | MON OCT 19




46 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 10:26 Z

*NOTAMs as of 10:26 Z — advisory only; verify an official briefing.*

**5/0511**

*NOTAM text not available in this projection.*

**A2775/26**

*NOTAM text not available in this projection.*

**A2777/26**

*NOTAM text not available in this projection.*

**10/076**

*NOTAM text not available in this projection.*

**A2793/26**

*NOTAM text not available in this projection.*

**A2794/26**

*NOTAM text not available in this projection.*

**10/078**

*NOTAM text not available in this projection.*

**A2795/26**

*NOTAM text not available in this projection.*

**08/020**

*NOTAM text not available in this projection.*

**A2431/26**

*NOTAM text not available in this projection.*

**09/072**

*NOTAM text not available in this projection.*

**09/074**

*NOTAM text not available in this projection.*

**A2667/26**

*NOTAM text not available in this projection.*

**09/075**

*NOTAM text not available in this projection.*

**09/076**

*NOTAM text not available in this projection.*

**10/006**

*NOTAM text not available in this projection.*

**A2689/26**

*NOTAM text not available in this projection.*

**10/034**

*NOTAM text not available in this projection.*

**10/036**

*NOTAM text not available in this projection.*

**A2730/26**

*NOTAM text not available in this projection.*

**10/042**

*NOTAM text not available in this projection.*

**A2737/26**

*NOTAM text not available in this projection.*

**A2782/26**

*NOTAM text not available in this projection.*

**10/070**

*NOTAM text not available in this projection.*

**A2784/26**

*NOTAM text not available in this projection.*

**10/071**

*NOTAM text not available in this projection.*

**A2783/26**

*NOTAM text not available in this projection.*

**A2785/26**

*NOTAM text not available in this projection.*

**10/072**

*NOTAM text not available in this projection.*

**A2786/26**

*NOTAM text not available in this projection.*

**A1392/25**

*NOTAM text not available in this projection.*

**5/0197**

*NOTAM text not available in this projection.*

**A2784/25**

*NOTAM text not available in this projection.*

**6/8189**

*NOTAM text not available in this projection.*

**A2533/26**

*NOTAM text not available in this projection.*

**07/034**

*NOTAM text not available in this projection.*

**A2378/26**

*NOTAM text not available in this projection.*

**08/093**

*NOTAM text not available in this projection.*

**10/037**

*NOTAM text not available in this projection.*

**10/057**

*NOTAM text not available in this projection.*

**A2765/26**

*NOTAM text not available in this projection.*

**A2787/26**

*NOTAM text not available in this projection.*

**10/073**

*NOTAM text not available in this projection.*

**A2788/26**

*NOTAM text not available in this projection.*

**A2789/26**

*NOTAM text not available in this projection.*

**A2791/26**

*NOTAM text not available in this projection.*

**10/074**

*NOTAM text not available in this projection.*

**A2790/26**

*NOTAM text not available in this projection.*

**10/075**

*NOTAM text not available in this projection.*

**A2792/26**

*NOTAM text not available in this projection.*

**10/077**

*NOTAM text not available in this projection.*

+ NOTAM DETAILS

**FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)**

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

RUNWAY
Effective 2026-10-17T03:12:00Z → 2026-10-18T23:00:00Z

RUNWAY
Effective 2026-10-17T03:12:00Z → 2026-10-20T03:12:00Z

RUNWAY
Effective 2026-10-17T03:12:00Z → 2026-10-18T23:00:00Z

45 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

**METAR**

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the

highest-resolution aviation forecast available. The National Weather Service issues it four times a day, valid 24 to 30 hours, with explicit FM and TEMPO change groups. Airports without their own TAF station use a nearby proxy, which is a normal condition and not a fault. A TAF was read for this airport this run (state: partial).

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KBED this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

[redacted]

[redacted]

[redacted]

[redacted]

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · VFR

S · 06:00–12:00 ET ET · VFR

S · 12:00–18:00 ET ET · VFR

• **Mon, Oct 19 · 18:00–00:00 ET**: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-18=GFS, 2026-10-19=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

| PRODUCT | TIME UTC | TMP°F | SKY | WIND | POP% | CEIL | VIS |
|---|---|---|---|---|---|---|---|
| GFS | 2026-10-18 12:00 | 30 | Clear | 0/0kt | — | >10kft | >6SM |
| GFS | 2026-10-18 15:00 | 50 | Clear | 210/3kt | — | >10kft | >6SM |
| GFS | 2026-10-18 18:00 | 56 | Clear | 240/5kt | 0.0 | >10kft | >6SM |
| GFS | 2026-10-18 21:00 | 53 | Clear | 120/3kt | — | >10kft | >6SM |
| GFS | 2026-10-19 00:00 | 44 | Clear | 140/3kt | 0.0 | >10kft | >6SM |
| GFS | 2026-10-19 03:00 | 41 | Clear | 150/2kt | — | >10kft | >6SM |
| GFS | 2026-10-19 06:00 | 39 | Clear | 170/1kt | 0.0 | >10kft | >6SM |
| GFS | 2026-10-19 09:00 | 39 | Clear | 160/1kt | — | >10kft | >6SM |
| GFS | 2026-10-19 12:00 | 40 | Clear | 100/1kt | 1.0 | >10kft | >6SM |
| GFS | 2026-10-19 15:00 | 54 | Clear | 60/4kt | — | >10kft | >6SM |
| GFS | 2026-10-19 18:00 | 61 | Clear | 70/6kt | 1.0 | >10kft | >6SM |
| GFS | 2026-10-19 21:00 | 59 | Clear | 70/8kt | — | >10kft | >6SM |
| GFS | 2026-10-20 00:00 | 51 | Sct | 20/5kt | 1.0 | >10kft | >6SM |

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| GFS | 2026-10-20 03:00 | 48 | Sct | 10/5kt | — | >10kft | >6SM |

+ Raw products

+ Raw METAR / TAF

```
METAR KBED 180851Z AUTO 00000KT 10SM CLR M03/M04 A3050 RMK AO2 SLP344 I1000 I3000 T10281039 51021 $

TAF KBED 180520Z 1806/1906 00000KT P6SM SKC FM181600 28004KT P6SM SKC FM182200 15003KT P6SM SKC
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KBED; actual-station=KBED; fetched-at=2026-10-18T10:26:28.552624+00:00; observed-or-issued-at=2026-10-18T08:51:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KBED; actual-station=KBED; fetched-at=2026-10-18T10:26:28.744313+00:00; observed-or-issued-at=2026-10-18T05:20:00+00:00; valid-from=2026-10-18T06:00:00+00:00; valid-through=2026-10-19T06:00:00+00:00; partial-target-dates=2026-10-18,2026-10-19 — AWC API

  **TAF proxy · KBED**
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KBED; actual-station=KBED; fetched-at=2026-10-18T10:26:30.138878+00:00
- FAA NMS NOTAM — state=OK; requested-station=KBED; actual-station=KBED; fetched-at=2026-10-18T10:26:34.199578Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KBED; actual-station=KBED; fetched-at=2026-10-18T10:26:53.646646+00:00; observed-or-issued-at=2026-10-18T06:00:00+00:00; valid-from=2026-10-18T12:00:00+00:00; valid-through=2026-10-21T06:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KBED; actual-station=KBED; fetched-at=2026-10-18T10:26:54.104088+00:00; observed-or-issued-at=2026-10-18T00:00:00+00:00; valid-from=2026-10-19T00:00:00+00:00; valid-through=2026-10-26T00:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19 — Iowa State API
- MOS effective date selection — state=partial; rows=14; requested-station=KBED; actual-station=KBED; fetched-at=2026-10-18T10:26:53.646646+00:00; observed-or-issued-at=2026-10-18T06:00:00+00:00; valid-from=2026-10-18T12:00:00+00:00; valid-through=2026-10-21T06:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19; selected-by-date=2026-10-18=GFS, 2026-10-19=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

## 3 · Hazard feeds & regional observations

Unfiltered hazard feeds (not route-geometry screened): 3 SIGMET records, 35 G-AIRMET records, 2 CWA records. Regional current observations (not corridor forecasts): Atlantic North: category unavailable at KMYR; Gulf West: category unavailable at KHSA; Long-range: MVFR at KOPF.

**Scope:** Hazard counts are raw feed totals and have not been filtered against a proposed route, altitude, or time. Airport flight categories are current point observations, not corridor forecasts.

## 4 · Planning gates

- **Evidence gate:** an unavailable, stale, or out-of-horizon source is unknown — never treat it as favorable.
- **Weather gate:** compare current observations and valid-period forecasts with personal ceiling, visibility, convection, wind, and crosswind minimums.
- **Route gate:** screen the actual route, altitude, and time against official hazard products; feed totals on this page are not route-filtered.
- **Operations gate:** verify NOTAMs, TFRs, runway conditions, fuel, aircraft performance, daylight, and alternates.

## 5 · ForeFlight manual cross-check (before flight)

- Official briefing matches these go/no-go windows
- Prog charts / radar / satellite trend agrees with convection timing
- Winds & temps aloft along actual route (may shift ETE)
- **NOTAMs & TFRs** — airport-scoped NMS records may be shown, but route-wide/TFR coverage is not included; pull a fresh official briefing for departure, destination, and alternates
- Runway condition / length / closures at destination & alternate
- Weight & balance + performance at forecast density altitude (heat!)
- File & brief in ForeFlight; confirm fuel stops if long-range

## 6 · Source stamp

Show source stamp and evidence inventory

KLZU METAR excerpt: METAR KLZU 180856Z AUTO . AWC METAR state OK for 29/30 airports; TAF target coverage for 0/30; MOS fetch health GFS 30/30, MEX 30/30; target coverage 30/60 airport-days; planned-window board coverage 2/2; combined target forecast coverage for 0/30; FAA status known for 0/30. Hazard feeds: state=ok; SIGMET=3, G-AIRMET=35, CWA=2; counts are unfiltered and are not a route assessment.
NWS AFD state: ok · FAA NMS NOTAM states: OK=30; normalized records=984; unnormalized records=0; environment=preprod; sandbox-public-preview=true · Fuel: best-effort (verify) · FAA chart cycle: VFR Sectional Ed. 98 (eff. 09/03/2026); Chart Supplement Ed. 5 (eff. 09/03/2026).

### Executive summary

DETERMINISTIC · RESTATES PAGE EVIDENCE · NO MODEL CALLED

A plain restatement of evidence shown in full below, computed from that evidence with no model call. It reports what the sources say; it does not rank the days, rate them, or make a go/no-go call. It follows the order the owner asked for: feasibility evidence, KLZU, destinations, weather by area or region, then new KLZU NOTAMs.

#### 1 · Feasibility evidence for the trip window

This part is a derivation, not an observation: it states how much of the trip window carries a forecast flight category, and nothing more. It is not a go/no-go call, not a recommendation, and not a flight category. Its inputs and its gaps are listed in the tooltip on the line below.

- Trip window: Fri Oct 16 – Mon Oct 19, 2026. “This weekend” is taken to mean exactly this window; no other date range is assessed.
- Trip-window feasibility evidence (Derived): assessable for every active trip day — 2 of 2 active trip days in Fri Oct 16 – Mon Oct 19, 2026 carry a forecast flight category and 0 carry none. This is a derived statement about how much evidence exists, it is not a flight category, and it says nothing about whether a flight is advisable. Every input and every gap is named in this line's tooltip.

#### 2 · KLZU home-base status

The KLZU observation and the per-day board categories, taken from the same helpers the board itself renders from, so the two cannot disagree.

- KLZU current observation: VFR — from the surface observation read this run; it describes conditions now, not a trip day.
- Sun Oct 18, 06:00–22:00 ET: VFR — most restrictive forecast flight category; high confidence; from TAF, MOS.
- Mon Oct 19, 06:00–22:00 ET: VFR — most restrictive forecast flight category; medium confidence; from MOS.
- A forecast flight category is available for 2 of 2 active trip days; 0 reach no category-capable product at this lead time.
- Data quality: DEGRADED — as reported by the badge in the page header; it gates publication, it is not a weather statement.

#### 3 · Destination coverage

Coverage, not a pick: this counts which destinations a product permitted to state a flight category actually reaches. It is not a ranking, not a recommendation, and the editorial order of the destination list is not a flyability score.

- Destinations: 29 of 29 covered airports resolve a forecast flight category on at least one active trip day; 0 resolve none at this lead time. Counted from the same per-day outlook the destination cards render, with outlook-grade blocks excluded.
- Most restrictive resolved category per covered airport, across the active trip days: KAVL VFR (2/2 d), KBED VFR (2/2 d), KBFM VFR (2/2 d), KCRE VFR (2/2 d), KCRG MVFR (2/2 d), KDAB VFR (2/2 d), KECP VFR (2/2 d), KFIN VFR (2/2 d), KGKT VFR (2/2 d), KGPT VFR (2/2 d), KHPN VFR (2/2 d), KHSA VFR (2/2 d); 17 further airports in section 2.
- NOTAMs: 29 of 29 destinations report an active NOTAM. KLZU departure NOTAM state: OK.

### 4 · Weather events by area or region

Weather events by area or region, from products that carry an area. Per-airport categories are never clustered into a region here: an area inferred that way would be a spatial claim no source made.

- 40 hazard areas retained with their own coordinate rings. Each is related to an airport only by point-in-polygon (ray casting) against the product's own coordinate ring, or by great-circle distance from the airport to the nearest point on the product's boundary within 100 NM — tested against 29 airports that reported a position this run. No area name is inferred: the only names stated are the ones a product supplies itself. Per-airport categories are never clustered into a region.
- 40 of 40 retained hazard areas are valid at some point inside the planned trip window; the rest describe conditions before it.
- G-AIRMET TANGO — LLWS: contains KHXD, KJZI, KSAV, KCRE, KMYR (point-in-polygon (ray casting) against the product's own coordinate ring); boundary within 100 NM of KSSI 17 NM, KROA 44 NM, KCRG 53 NM, KLZU 59 NM, KSHD 66 NM, KECP 71 NM, KSGJ 77 NM, KAVL 85 NM. valid 2026-10-18 08:45Z to 2026-10-18 15:00Z.
- G-AIRMET TANGO — SFC_WND: contains KJZI, KHXD (point-in-polygon (ray casting) against the product's own coordinate ring); boundary within 100 NM of KSSI 4 NM, KSGJ 8 NM, KCRG 10 NM, KCRE 10 NM, KMYR 10 NM, KFIN 15 NM, KDAB 16 NM, KSAV 18 NM. valid 2026-10-18 08:45Z to 2026-10-18 15:00Z.
- G-AIRMET TANGO — TURB-HI: contains KBED (point-in-polygon (ray casting) against the product's own coordinate ring); boundary within 100 NM of KHPN 2 NM, KCRE 26 NM, KMYR 38 NM, KSHD 90 NM. valid 2026-10-18 08:45Z to 2026-10-18 15:00Z.
- SIGMET 15E — CONVECTIVE: contains KOPF (point-in-polygon (ray casting) against the product's own coordinate ring). valid 2026-10-18 09:55Z to 2026-10-18 11:55Z.
- G-AIRMET ZULU — FZLVL: boundary within 100 NM of KBED 95 NM; published as a line, not an enclosed area, so no containment test is made against it. valid 2026-10-18 08:45Z to 2026-10-18 15:00Z.
- G-AIRMET ZULU — FZLVL: boundary within 100 NM of KHPN 75 NM; published as a line, not an enclosed area, so no containment test is made against it. valid 2026-10-18 08:45Z to 2026-10-18 15:00Z.
- G-AIRMET ZULU — FZLVL: boundary within 100 NM of KNEW 96 NM; published as a line, not an enclosed area, so no containment test is made against it. valid 2026-10-18 08:45Z to 2026-10-18 15:00Z.
- G-AIRMET ZULU — FZLVL: boundary within 100 NM of KHPN 57 NM, KBED 69 NM; published as a line, not an enclosed area, so no containment test is made against it. valid 2026-10-18 08:45Z to 2026-10-18 15:00Z.
- G-AIRMET ZULU — FZLVL: boundary within 100 NM of KCRE 24 NM, KROA 33 NM, KMYR 36 NM, KSHD 43 NM; published as a line, not an enclosed area, so no containment test is made against it. valid 2026-10-18 08:45Z to 2026-10-18 15:00Z.
- G-AIRMET SIERRA — IFR: boundary within 100 NM of KTRI 13 NM, KGKT 25 NM, KROA 29 NM, KSHD 48 NM, KAVL 68 NM. valid 2026-10-18 08:45Z to 2026-10-18 15:00Z.
- G-AIRMET ZULU — M_FZLVL: boundary within 100 NM of KHPN 36 NM. valid 2026-10-18 08:45Z to 2026-10-18 15:00Z.
- G-AIRMET ZULU — M_FZLVL: boundary within 100 NM of KBED 25 NM, KHPN 62 NM. valid 2026-10-18 08:45Z to 2026-10-18 15:00Z.
- G-AIRMET TANGO — TURB-LO: boundary within 100 NM of KCRE 1 NM, KMYR 14 NM, KJZI 82 NM. valid 2026-10-18 08:45Z to 2026-10-18 15:00Z.
- SIGMET ROMEO 6 — TURB: boundary within 100 NM of KBED 82 NM. valid 2026-10-18 06:47Z to 2026-10-18 10:46Z.
- 26 of 40 retained hazard areas could not be related to any airport this page covers, by either test. They remain national-unfiltered: their geography is real but lies outside 100 NM of every airport tested, and nothing is claimed about where they are.
- Hazard feed record counts this run, unfiltered and national: SIGMET 3, G-AIRMET 35, CWA 2; overall feed state ok; feed states — CWA: ok, G-AIRMET: ok, SIGMET: ok. These are totals over the whole feed, not a count near KLZU, not a count along any route, and not a route assessment.

### 5 · New KLZU NOTAMs

This run keeps no snapshot of the previous run, so “new” cannot mean “changed since last time”. It is defined below as an FAA-published timestamp window, and the service-status scan reads the published text of every KLZU record so a status embedded inside a record of another category is not missed.

- Baseline for “new”: a KLZU NOTAM whose own FAA-published timestamp (last update, else issue, else effective start) falls within the 72 hours before this run's generation time (2026-10-18T10:26:28.315241+00:00). This run holds no copy of the previous run's NOTAM set, so this is a source-timestamp window and not a difference against an earlier run.
- KLZU: 4 of 12 current NOTAMs are new by that baseline — 10/023 (OBSTRUCTION, last_updated_at 2026-10-15T11:34:00+00:00); A0395/26 (OTHER, last_updated_at 2026-10-15T16:48:00+00:00); A0397/26 (RUNWAY, last_updated_at 2026-10-15T20:17:00+00:00); A0399/26 (RUNWAY, last_updated_at 2026-10-15T22:02:00+00:00).
- No service-status wording was found in the published text of the 12 current KLZU records. The scan reads every record's full published text rather than its category, so a status stated inside a record of another category would still be reported.

This restates evidence; it is not a recommendation, not an all-clear, and not a data outage. The decision surfaces are the planning gates and the ForeFlight cross-check below, read against the KLZU board and destination cards. Every line above restates a value shown elsewhere on this page.

⚠ **Pre-planning only — not an official weather briefing.** Verify an official briefing, METAR/TAF/GFA/SIGMET/CWA, NOTAMs, TFRs, runway conditions, fuel, W&B, performance, and personal minimums before flight.