

Flight Planning Desk

Performance profile: Mooney M20J · Lawrenceville, GA · **Fri Sep 4** – **Mon Sep 7, 2026**

✔ Data quality · OK

✔ Live verification · Checking

● Published snapshot · Generated · Sunday Sep 6, 2026 · 1:59 AM ET · Next run · not before Sunday Sep 6 · 8:17 AM ET

1 · KLZU departure / return board

KLZU

Lawrenceville/Gwinnett Cnty, GA, US

Home base · timed forecast changes · source detail retained

OBS - VFR

PLANNING HORIZON
Sun 6 → Mon 7 · 2 days

RIGHT NOW · METAR

SUN 6 SEP 00:56 ET OBSERVED VALUE

Current observation

OBS - VFR

OBSERVED

METAR

clear below 12,000 ft (CLR)

WINDcalm

TEMPERATUREUnavailable

VISIBILITY10 sm

DEWPOINTUnavailable

Evidence & limitations

• METAR source state: ok; observed Sep 6 00:56 ET; retrieved Sep 6 01:59 ET; 63 min before this run.

• Measured values read from the KLZU METAR. This is a current surface observation only; it is not a forecast.

• Only fields decoded from this METAR are shown; every missing field remains unavailable.

• Altimeter: 29.95 inHg.

• Raw METAR: METAR KLZU 060456Z AUTO 00000KT 10SM CLR 23/ A2995 RMK A02 SLP138 T0233 403720222 \$

Important planning / evidence detail (1 warning)

LEGEND

VFR MVFR IFR LIFR Unknown

Solid = source-interval category guidance; Dashed = lower-confidence outlook; Weather icon = surface forecast

All times Eastern (ET), 24-hour clock · “around/after” preserves source precision.

⚠ KLZU has no TAF station. Every KLZU TAF-derived value on this page is taken from the nearby **KPDK** proxy station, not from KLZU itself — treat it as regional, and confirm KLZU conditions in an official briefing.

A raster chart may be displayed with its issuing office and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

MEDIUM CONFIDENCE

SEP 6 · 06:00–22:00 ET

- METAR
- TAF
- NWS-hr
- NWS-day
- MAV
- MEX
- GFA
- NOTAM

METAR – issued hourly. The NWS issues a SPECI report if there is a significant change in visibility, wind, or other weather conditions. Issued by the NWS, not a forecast. KLZU observations describe current conditions.

TAF – highest forecast. The NWS issues a TAF by aviation forecasters. TAFs are not a forecast. KLZU observations describe current conditions.

NWS hour – Weather Service hourly forecast. Cell contains a by-hour sky and it is the most detailed forecast. Reaches the board about 5 hours before any station.

NWS day/night – Weather Service day and night forecast. Coarser than one day further out. Describe space reach. Not reached by the finer-forecast.

GFS M – the GFS model range. Twelve-hour forecast. Coarser than a long-range forecast. Short-range coverage.

GFS E – the GFS model range. Twelve-hour forecast. Coarser than a long-range forecast. Short-range coverage.

GFA – Forecast Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KLZU this run.

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KLZU this run.

office and valid time and never interprets them: no category, wind, ceiling, ranking or go/no-go here is derived from an image. A published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

WINDNW (~315° true) · 4 kt

PRECIPITATION1–6%

THUNDER1–5%

SKY COVER8–19%

Wind favors RWY 25

NW (~315° true) · 4 kt · full datum in the day evidence

GFS OUTLOOK - VFR

GFS MOS - VFR

FORECAST

Evidence & limitations

- The visible badge names the contributing product. Exact issuance, retrieval, and member-period provenance remains in Day evidence & planning note below.
- The hour-by-hour source evidence below retains every original period and its detailed wind line.

Surface prog · 06:00–10:00 ET · available

SUN 6 SEP 10:00–15:00 ET MEDIUM CONFIDENCE

Forecast

GFS
MAV

Sunny

GFS OUTLOOK - VFR

GFS MOS - VFR

FORECAST

WINDN (~360° true) · 4 kt

PRECIPITATION1–6%

THUNDER1–6%

SKY COVER6–13%

Wind favors RWY 07

N (~360° true) · 4 kt · full datum in the day evidence

Evidence & limitations

- The visible badge names the contributing product. Exact issuance, retrieval, and member-period provenance remains in Day evidence & planning note below.
- The hour-by-hour source evidence below retains every original period and its detailed wind line.

Surface prog · 10:00–15:00 ET · available

SUN 6 SEP 15:00–18:00 ET MEDIUM CONFIDENCE

Forecast

GFS
MAV

Sunny → Mostly Sunny

WINDN–NW · 4 kt

PRECIPITATION6–13%

THUNDER6–13%

SKY COVER16–29%

GFS OUTLOOK - VFR

GFS MOS - VFR

FORECAST

Evidence & limitations

- The visible badge names the contributing product. Exact issuance, retrieval, and member-period provenance remains in Day evidence & planning note below.
- The hour-by-hour source evidence below retains every original period and its detailed wind line.

Surface prog · 15:00–18:00 ET · available

SUN 6 SEP 18:00–22:00 ET MEDIUM CONFIDENCE

Forecast

GFS
MAV

GFS OUTLOOK - VFR

GFS MOS - VFR

TS 29%

Slight Chance Showers And Thunderstorms → Chance Showers And Thunderstorms

WINDNW-NE · 4 kt

PRECIPITATION23-42%

THUNDER23-29%

SKY COVER23-35%

Evidence & limitations

The visible badge names the contributing product. Exact issuance, retrieval, and member-period provenance remains in Day evidence & planning note below.

The hour-by-hour source evidence below retains every original period and its detailed wind line.

Surface prog · 18:00-22:00 ET · available

Day evidence & planning note

NWS surface forecast mentions fog/mist; ceiling/visibility unknown; Surface temperature 94°F; calculate aircraft performance

SOURCES & LIMITATIONS — HOUR-BY-HOUR SOURCE EVIDENCE (15 FORECAST PERIODS)

06:00-08:00 ET

GFS OUTLOOK - VFR

Patchy Fog

Precipitation probability (PoP) 3-6%

Beyond the 72 h short-range GFS MOS horizon at this lead time. The product published normally; this day is simply past its reach, which is expected and is not a fault. Expected to be covered from about Thu Sep 3 · 12:00 AM ET.

NWS + MOS · NWS ISSUED SEP 5 20:41 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 6 02:00 ET

08:00-09:00 ET

GFS MOS - VFR

Patchy Fog

Precipitation probability (PoP) 2%

NWS + MOS · NWS ISSUED SEP 5 20:41 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 6 02:00 ET

09:00–10:00 ET GFS OUTLOOK - VFR Sunny Precipitation probability (PoP) 1% Beyond the 72 h short-range GFS MOS horizon at this lead time. The product published normally; this day is simply past its reach, which is expected and is not a fault. Expected to be covered from about Thu Sep 3 · 12:00 AM ET. NWS + MOS · NWS ISSUED SEP 5 20:41 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 6 02:00 ET
10:00–11:00 ET GFS OUTLOOK - VFR Sunny Precipitation probability (PoP) 1% Beyond the 72 h short-range GFS MOS horizon at this lead time. The product published normally; this day is simply past its reach, which is expected and is not a fault. Expected to be covered from about Thu Sep 3 · 12:00 AM ET. NWS + MOS · NWS ISSUED SEP 5 20:41 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 6 02:00 ET
11:00–12:00 ET GFS MOS - VFR Sunny Precipitation probability (PoP) 1% NWS + MOS · NWS ISSUED SEP 5 20:41 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 6 02:00 ET
12:00–13:00 ET GFS OUTLOOK - VFR Sunny Precipitation probability (PoP) 1% Beyond the 72 h short-range GFS MOS horizon at this lead time. The product published normally; this day is simply past its reach, which is expected and is not a fault. Expected to be covered from about Thu Sep 3 · 12:00 AM ET. NWS + MOS · NWS ISSUED SEP 5 20:41 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 6 02:00 ET
13:00–14:00 ET GFS OUTLOOK - VFR Sunny Precipitation probability (PoP) 3% Beyond the 72 h short-range GFS MOS horizon at this lead time. The product published normally; this day is simply past its reach, which is expected and is not a fault. Expected to be covered from about Thu Sep 3 · 12:00 AM ET. NWS + MOS · NWS ISSUED SEP 5 20:41 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 6 02:00 ET
14:00–15:00 ET GFS MOS - VFR Sunny Precipitation probability (PoP) 6% NWS + MOS · NWS ISSUED SEP 5 20:41 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 6 02:00 ET

15:00–16:00 ET

GFS OUTLOOK - VFR

Sunny

Precipitation probability (PoP) 6%

Beyond the 72 h short-range GFS MOS horizon at this lead time. The product published normally; this day is simply past its reach, which is expected and is not a fault. Expected to be covered from about Thu Sep 3 · 12:00 AM ET.

NWS + MOS · NWS ISSUED SEP 5 20:41 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 6 02:00 ET

16:00–17:00 ET

GFS OUTLOOK - VFR

Sunny

Precipitation probability (PoP) 10%

Beyond the 72 h short-range GFS MOS horizon at this lead time. The product published normally; this day is simply past its reach, which is expected and is not a fault. Expected to be covered from about Thu Sep 3 · 12:00 AM ET.

NWS + MOS · NWS ISSUED SEP 5 20:41 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 6 02:00 ET

17:00–18:00 ET

GFS MOS - VFR

Mostly Sunny

Precipitation probability (PoP) 13%

NWS + MOS · NWS ISSUED SEP 5 20:41 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 6 02:00 ET

18:00–19:00 ET

TS 23%

GFS OUTLOOK - VFR

Slight Chance Showers And Thunderstorms

Precipitation probability (PoP) 23%

Conditions only — not a flight category; states nothing about ceiling or visibility. Beyond the 72 h short-range GFS MOS horizon at this lead time. The product published normally; this day is simply past its reach, which is expected and is not a fault. Expected to be covered from about Thu Sep 3 · 12:00 AM ET.

NWS + MOS · NWS ISSUED SEP 5 20:41 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 6 02:00 ET

19:00–20:00 ET

TS 23%

GFS OUTLOOK - VFR

Slight Chance Showers And Thunderstorms

Precipitation probability (PoP) 23%

Conditions only — not a flight category; states nothing about ceiling or visibility. Beyond the 72 h short-range GFS MOS horizon at this lead time. The product published normally; this day is simply past its reach, which is expected and is not a fault. Expected to be covered from about Thu Sep 3 · 12:00 AM ET.

NWS + MOS · NWS ISSUED SEP 5 20:41 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 6 02:00 ET

20:00–21:00 ET

GFS MOS - VFR

TS 29%

Chance Showers And Thunderstorms

Precipitation probability (PoP) 42%

Conditions only — not a flight category; states nothing about ceiling or visibility.

NWS + MOS · NWS ISSUED SEP 5 20:41 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 6 02:00 ET

21:00–22:00 ET

TS

29%

GFS OUTLOOK - VFR

Chance Showers And Thunderstorms

Precipitation probability (PoP) 33%

Conditions only — not a flight category; states nothing about ceiling or visibility. Beyond the 72 h short-range GFS MOS horizon at this lead time. The product published normally; this day is simply past its reach, which is expected and is not a fault. Expected to be covered from about Thu Sep 3 · 12:00 AM ET.

NWS + MOS · NWS ISSUED SEP 5 20:41 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 6 02:00 ET

WIND / WIND-FAVORED RUNWAY · ONE ENTRY PER DISPLAY BLOCK

06:00–08:00 ET NW (~315° true) 4 kt Approx. wind-favored RWY 25 NWS hourly surface forecast	08:00–09:00 ET NW (~315° true) 4 kt Approx. wind-favored RWY 25 NWS hourly surface forecast
09:00–10:00 ET NW (~315° true) 4 kt Approx. wind-favored RWY 25 NWS hourly surface forecast	10:00–11:00 ET N (~360° true) 4 kt Approx. wind-favored RWY 07 NWS hourly surface forecast
11:00–12:00 ET N (~360° true) 4 kt Approx. wind-favored RWY 07 NWS hourly surface forecast	12:00–13:00 ET N (~360° true) 4 kt Approx. wind-favored RWY 07 NWS hourly surface forecast
13:00–14:00 ET N (~360° true) 4 kt Approx. wind-favored RWY 07 NWS hourly surface forecast	14:00–15:00 ET N (~360° true) 4 kt Approx. wind-favored RWY 07 NWS hourly surface forecast
15:00–16:00 ET N (~360° true) 4 kt Approx. wind-favored RWY 07 NWS hourly surface forecast	16:00–17:00 ET N (~360° true) 4 kt Approx. wind-favored RWY 07 NWS hourly surface forecast
17:00–18:00 ET NW (~315° true) 4 kt Approx. wind-favored RWY 25 NWS hourly surface forecast	18:00–19:00 ET NW (~315° true) 4 kt Approx. wind-favored RWY 25 NWS hourly surface forecast
19:00–20:00 ET NE (~45° true) 4 kt Approx. wind-favored RWY 07 NWS hourly surface forecast	20:00–21:00 ET NE (~45° true) 4 kt Approx. wind-favored RWY 07 NWS hourly surface forecast
21:00–22:00 ET NE (~45° true) 4 kt Approx. wind-favored RWY 07 NWS hourly surface forecast	

Surface prog evidence · Sun Sep 6

06:00–10:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

10:00–15:00 ET ET · 15:00–18:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–22:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

Runway guidance is approximate wind alignment only; verify ATIS, NOTAMs and actual runway use.

NWS surface forecast mentions fog/mist; ceiling/visibility unknown; Surface temperature 94°F; calculate aircraft performance

Runway guidance is approximate wind alignment only; verify ATIS, NOTAMS and actual runway use.

RWY numbers magnetic; wind converted from true using 6°W variation (NOAA WMM2025)

MEDIUM CONFIDENCE

SEP 7 · 06:00–22:00 ET

- METAR
- TAF
- NWS-hr
- NWS-day
- MAV
- MEX
- GFA
- NOTAM

METAR — issued hourly. The highest visibility, wind, and temperature are reported. Issued by the National Weather Service (NWS) and the FAA. Not a forecast. KLZU observations describe the current weather.

TAF — The National Weather Service (NWS) issues TAFs for the next 24 hours. It includes the time of day and the time of day. TAFs are issued by the NWS and the FAA. TAFs are not a forecast. KLZU observations describe the current weather.

NWS hour — The National Weather Service (NWS) issues hourly weather forecasts. It includes the time of day and the time of day. NWS hourly forecasts are issued by the NWS and the FAA. NWS hourly forecasts are not a forecast. KLZU observations describe the current weather.

NWS day/night — The National Weather Service (NWS) issues daily and nighttime weather forecasts. It includes the time of day and the time of day. NWS daily/nighttime forecasts are issued by the NWS and the FAA. NWS daily/nighttime forecasts are not a forecast. KLZU observations describe the current weather.

GFS Model — The Global Forecast System (GFS) is a numerical weather prediction model. It includes the time of day and the time of day. GFS forecasts are issued by the NWS and the FAA. GFS forecasts are not a forecast. KLZU observations describe the current weather.

GFS extended range — The Global Forecast System (GFS) is a numerical weather prediction model. It includes the time of day and the time of day. GFS extended range forecasts are issued by the NWS and the FAA. GFS extended range forecasts are not a forecast. KLZU observations describe the current weather.

GFA and NOTAM — The Global Forecast System (GFA) and Notices to Air Missions (NOTAM) are issued by the FAA. They include the time of day and the time of day. GFA and NOTAMs are issued by the FAA. GFA and NOTAMs are not a forecast. KLZU observations describe the current weather.

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KLZU this run.

MVFR → VFR

GFS OUTLOOK - IFR

GFS MOS - IFR

SHWRS 40%

FORECAST

☞

WIND (~90° true) · 9–13 kt

💧

PRECIPITATION26–40%

⚡

THUNDER6%

☁

SKY COVER63–81%

☞

Wind favors RWY 07

E (~90° true) · 9–13 kt · full datum in the day evidence

Evidence & limitations

- The visible badge names the contributing product. Exact issuance, retrieval, and member-period provenance remains in Day evidence & planning note below.
- The hour-by-hour source evidence below retains every original period and its detailed wind line.

Surface prog · 06:00–10:00 ET · available

MON 7 SEP 10:00–15:00 ET MEDIUM CONFIDENCE

Forecast

GFS

MAV

☁

Chance Rain Showers → Slight Chance Showers And Thunderstorms

GFS OUTLOOK - MVFR → VFR

GFS MOS - MVFR → VFR

SHWRS 40%

FORECAST

WINDE (~90° true) · 13 kt

PRECIPITATION16–40%

THUNDER6–16%

SKY COVER71–79%

Wind favors RWY 07

E (~90° true) · 13 kt · full datum in the day evidence

Evidence & limitations

- The visible badge names the contributing product. Exact issuance, retrieval, and member-period provenance remains in Day evidence & planning note below.
- Flight category changes within this box: MVFR → VFR. The most restrictive displayed value is MVFR.
- The hour-by-hour source evidence below retains every original period and its detailed wind line.

Surface prog · 10:00–15:00 ET · available

MON 7 SEP 15:00–18:00 ET MEDIUM CONFIDENCE

Forecast

GFS
MAV

Slight Chance Showers And
Thunderstorms

GFS OUTLOOK - VFR

GFS MOS - VFR

CLOUD 67%

FORECAST

WINDE (~90° true) · 9–13 kt

PRECIPITATION16%

THUNDER16%

SKY COVER55–67%

Wind favors RWY 07

E (~90° true) · 9–13 kt · full datum in the day evidence

Evidence & limitations

- The visible badge names the contributing product. Exact issuance, retrieval, and member-period provenance remains in Day evidence & planning note below.

◦ The hour-by-hour source evidence below retains every original period and its detailed wind line.

Surface prog · 15:00–18:00 ET · available

MON 7 SEP 18:00–22:00 ET MEDIUM CONFIDENCE

Forecast

GFS
MAV

GFS OUTLOOK - VFR

GFS MOS - VFR

Slight Chance Showers And Thunderstorms → Partly Cloudy

FORECAST

☞

WINDE (~90° true) · 9 kt

💧

PRECIPITATION5–16%

⚡

THUNDER5–16%

☁

SKY COVER35–49%

☞

Wind favors RWY 07

E (~90° true) · 9 kt · full datum in the day evidence

Evidence & limitations

◦ The visible badge names the contributing product. Exact issuance, retrieval, and member-period provenance remains in Day evidence & planning note below.

◦ The hour-by-hour source evidence below retains every original period and its detailed wind line.

Surface prog · 18:00–22:00 ET · available

Day evidence & planning note

NWS surface forecast mentions convection/showers (40% precipitation probability); compare timed periods with TAF and current radar

SOURCES & LIMITATIONS — HOUR-BY-HOUR SOURCE EVIDENCE (15 FORECAST PERIODS)

06:00–08:00 ET

☞ SHWRS 33%

GFS OUTLOOK - IFR

Chance Rain Showers

Precipitation probability (PoP) 26–33%

Conditions only — not a flight category; states nothing about ceiling or visibility. Beyond the 72 h short-range GFS MOS horizon at this lead time. The product published normally; this day is simply past its reach, which is expected and is not a fault. Expected to be covered from about Fri Sep 4 · 12:00 AM ET.

NWS + MOS · NWS ISSUED SEP 5 20:41 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 6 02:00 ET

08:00–09:00 ET



GFS MOS - IFR



Chance Rain Showers

Precipitation probability (PoP) 40%

Conditions only — not a flight category; states nothing about ceiling or visibility.

NWS + MOS · NWS ISSUED SEP 5 20:41 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 6 02:00 ET

09:00–10:00 ET



SHWRS 40%

GFS OUTLOOK - IFR → MVFR

Chance Rain Showers

Precipitation probability (PoP) 40%

Conditions only — not a flight category; states nothing about ceiling or visibility. Beyond the 72 h short-range GFS MOS horizon at this lead time. The product published normally; this day is simply past its reach, which is expected and is not a fault. Expected to be covered from about Fri Sep 4 · 12:00 AM ET.

NWS + MOS · NWS ISSUED SEP 5 20:41 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 6 02:00 ET

10:00–11:00 ET



SHWRS 40%

GFS OUTLOOK - MVFR

Chance Rain Showers

Precipitation probability (PoP) 40%

Conditions only — not a flight category; states nothing about ceiling or visibility. Beyond the 72 h short-range GFS MOS horizon at this lead time. The product published normally; this day is simply past its reach, which is expected and is not a fault. Expected to be covered from about Fri Sep 4 · 12:00 AM ET.

NWS + MOS · NWS ISSUED SEP 5 20:41 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 6 02:00 ET

11:00–12:00 ET



GFS MOS - MVFR



Chance Rain Showers

Precipitation probability (PoP) 40%

Conditions only — not a flight category; states nothing about ceiling or visibility.

NWS + MOS · NWS ISSUED SEP 5 20:41 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 6 02:00 ET

12:00–13:00 ET



SHWRS 40%

GFS OUTLOOK - MVFR → VFR

Chance Rain Showers

Precipitation probability (PoP) 40%

Conditions only — not a flight category; states nothing about ceiling or visibility. Beyond the 72 h short-range GFS MOS horizon at this lead time. The product published normally; this day is simply past its reach, which is expected and is not a fault. Expected to be covered from about Fri Sep 4 · 12:00 AM ET.

NWS + MOS · NWS ISSUED SEP 5 20:41 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 6 02:00 ET

13:00–14:00 ET



GFS OUTLOOK - VFR

Chance Rain Showers

Precipitation probability (PoP) 40%

Conditions only — not a flight category; states nothing about ceiling or visibility. Beyond the 72 h short-range GFS MOS horizon at this lead time. The product published normally; this day is simply past its reach, which is expected and is not a fault. Expected to be covered from about Fri Sep 4 · 12:00 AM ET.

NWS + MOS · NWS ISSUED SEP 5 20:41 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 6 02:00 ET

14:00–15:00 ET



GFS MOS - VFR



Slight Chance Showers And Thunderstorms

Precipitation probability (PoP) 16%

Conditions only — not a flight category; states nothing about ceiling or visibility.

NWS + MOS · NWS ISSUED SEP 5 20:41 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 6 02:00 ET

15:00–16:00 ET



GFS OUTLOOK - VFR

Slight Chance Showers And Thunderstorms

Precipitation probability (PoP) 16%

Conditions only — not a flight category; states nothing about ceiling or visibility. Beyond the 72 h short-range GFS MOS horizon at this lead time. The product published normally; this day is simply past its reach, which is expected and is not a fault. Expected to be covered from about Fri Sep 4 · 12:00 AM ET.

NWS + MOS · NWS ISSUED SEP 5 20:41 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 6 02:00 ET

16:00–17:00 ET



GFS OUTLOOK - VFR

Slight Chance Showers And Thunderstorms

Precipitation probability (PoP) 16%

Conditions only — not a flight category; states nothing about ceiling or visibility. Beyond the 72 h short-range GFS MOS horizon at this lead time. The product published normally; this day is simply past its reach, which is expected and is not a fault. Expected to be covered from about Fri Sep 4 · 12:00 AM ET.

NWS + MOS · NWS ISSUED SEP 5 20:41 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 6 02:00 ET

17:00–18:00 ET



GFS MOS - VFR

Slight Chance Showers And Thunderstorms

Precipitation probability (PoP) 16%

NWS + MOS · NWS ISSUED SEP 5 20:41 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 6 02:00 ET

18:00–19:00 ET



GFS OUTLOOK - VFR

Slight Chance Showers And Thunderstorms

Precipitation probability (PoP) 16%

Beyond the 72 h short-range GFS MOS horizon at this lead time. The product published normally; this day is simply past its reach, which is expected and is not a fault. Expected to be covered from about Fri Sep 4 · 12:00 AM ET.

NWS + MOS · NWS ISSUED SEP 5 20:41 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 6 02:00 ET

19:00–20:00 ET

GFS OUTLOOK - VFR

Slight Chance Showers And Thunderstorms

Precipitation probability (PoP) 16%

Beyond the 72 h short-range GFS MOS horizon at this lead time. The product published normally; this day is simply past its reach, which is expected and is not a fault. Expected to be covered from about Fri Sep 4 · 12:00 AM ET.

NWS + MOS · NWS ISSUED SEP 5 20:41 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 6 02:00 ET

20:00–21:00 ET

GFS MOS - VFR

Partly Cloudy

Precipitation probability (PoP) 5%

NWS + MOS · NWS ISSUED SEP 5 20:41 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 6 02:00 ET

21:00–22:00 ET

GFS OUTLOOK - VFR

Partly Cloudy

Precipitation probability (PoP) 5%

Beyond the 72 h short-range GFS MOS horizon at this lead time. The product published normally; this day is simply past its reach, which is expected and is not a fault. Expected to be covered from about Fri Sep 4 · 12:00 AM ET.

NWS + MOS · NWS ISSUED SEP 5 20:41 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 6 02:00 ET

WIND / WIND-FAVORED RUNWAY · ONE ENTRY PER DISPLAY BLOCK

06:00–08:00 ET E (~90° true) 9–13 kt Approx. wind-favored RWY 07 NWS hourly surface forecast	08:00–09:00 ET E (~90° true) 9 kt Approx. wind-favored RWY 07 NWS hourly surface forecast
09:00–10:00 ET E (~90° true) 13 kt Approx. wind-favored RWY 07 NWS hourly surface forecast	10:00–11:00 ET E (~90° true) 13 kt Approx. wind-favored RWY 07 NWS hourly surface forecast
11:00–12:00 ET E (~90° true) 13 kt Approx. wind-favored RWY 07 NWS hourly surface forecast	12:00–13:00 ET E (~90° true) 13 kt Approx. wind-favored RWY 07 NWS hourly surface forecast
13:00–14:00 ET E (~90° true) 13 kt Approx. wind-favored RWY 07 NWS hourly surface forecast	14:00–15:00 ET E (~90° true) 13 kt Approx. wind-favored RWY 07 NWS hourly surface forecast
15:00–16:00 ET E (~90° true) 13 kt Approx. wind-favored RWY 07 NWS hourly surface forecast	16:00–17:00 ET E (~90° true) 13 kt Approx. wind-favored RWY 07 NWS hourly surface forecast
17:00–18:00 ET E (~90° true) 9 kt Approx. wind-favored RWY 07 NWS hourly surface forecast	18:00–19:00 ET E (~90° true) 9 kt Approx. wind-favored RWY 07 NWS hourly surface forecast
19:00–20:00 ET E (~90° true) 9 kt Approx. wind-favored RWY 07 NWS hourly surface forecast	20:00–21:00 ET E (~90° true) 9 kt Approx. wind-favored RWY 07 NWS hourly surface forecast

21:00–22:00 ET
E (~90° true) 9 kt
Approx. wind-favored RWY 07
NWS hourly surface forecast

Surface prog evidence · Mon Sep 7

06:00–10:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

10:00–15:00 ET ET · 15:00–18:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–22:00 ET ET

WPC surface prog raster chart for F+048 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

Runway guidance is approximate wind alignment only; verify ATIS, NOTAMs and actual runway use.

NWS surface forecast mentions convection/showers (40% precipitation probability); compare timed periods with TAF and current radar

Runway guidance is approximate wind alignment only; verify ATIS, NOTAMs and actual runway use.

RWY numbers magnetic; wind converted from true using 6°W variation (NOAA WMM2025)



Pattern summary: .. (This evening through Sunday) Issued at 359 PM EDT Sat Sep 5 2026 Heat Concerns Continue: Current satellite loop shows scattered clouds developing across the area with some showers and thunderstorms across North and Central GA. — .. (Monday morning through next Friday) Issued at 359 PM EDT Sat Sep 5 2026 By Monday and the start of the long term, mid-level ridging situ...

NWS FFC Area Forecast Discussion · regional context, not a KLZU category or exact timing forecast

Extended outlook ▼

EXTENDED OUTLOOK SUMMARY

.. (This evening through Sunday)
Issued at 359 PM EDT Sat Sep 5 2026

Heat Concerns Continue:

Current satellite loop shows scattered clouds developing across the area with some showers and thunderstorms across North and Central GA. — .. (Monday morning through next Friday)
Issued at 359 PM EDT Sat Sep 5 2026

By Monday and the start of the long term, mid-level ridging situ...

SHORT TERM

..
(This evening through Sunday)
Issued at 359 PM EDT Sat Sep 5 2026

Heat Concerns Continue:

Current satellite loop shows scattered clouds developing across the area with some showers and thunderstorms across North and Central GA.
Very warm temps continue across the area with highs expected in the middle to upper 90s through the short term. With dewpoints in the 70s we can expect to see Heat Index values in the 103 to 109 deg range Today and Sunday. Have extended the heat advisory to include Sunday which should be our last day of these extreme temps (at least through the next 7 days).

Severe Thunderstorms Possible This Weekend:

The Bermuda ridge that kept us mostly dry for most of this past week is finally weakening as the next frontal boundary nears the area from the NE. This weakening ridge is allowing typical scattered summertime pop-up showers and storms to develop across central GA, where moisture has pooled and subsidence from the fleeting ridge is lower. The second area for storms is across north/northeast GA associated with increased moisture ahead of the approaching cold front which is pushing SW down the eastern seaboard and should move into NE GA between 12z-18z Sun. Scattered strong to severe storms are possible, with the primary threat being damaging wind gusts, and frequent lightning strikes. SPC has the aforementioned corridor of north/northeast GA in a Marginal Risk (Level 1 of 5) for severe weather with a Severe Thunderstorm watch just N and E of our area across portions of the Carolinas.

On Sunday, convective activity will ramp up even more, as a shortwave and associated frontal boundary start to move across the area. This forcing, combined with the warm and humid airmass in place out ahead of it, will support scattered to numerous afternoon showers and storms, with generally higher coverage across central GA. Several storms may be strong to severe, with damaging wind gusts, and frequent lightning strikes as the primary threats. The greatest risk for severe storms will be across portions of east and Central GA, where SPC has a Slight Risk (Level 2 of 5) for severe weather. With the potential for repeated rounds of storms and efficient rainfall rates, we'll also have to watch out for localized flash flooding, especially in urban and poor-drainage areas.

LONG TERM

..
(Monday morning through next Friday)
Issued at 359 PM EDT Sat Sep 5 2026

By Monday and the start of the long term, mid-level ridging situated across the midsection of the country will begin migrating eastward. Chances for showers and thunderstorms will largely be focused along the front (which may slow down or speed up as we approach the short term), the best of which (60-80%) appear to be across the far southeastern portion of the forecast area. Sensible effects of the front will be fairly substantial given the preceding heat, with highs as much as 8-10 degrees "cooler" (relatively speaking) than Sunday -- in the lower 80s to lower 90s. Portions of northeast Georgia at elevation may even remain in the 70s. Expect further fine tuning of Monday's temperatures as they're directly tied to frontal progress.

Tuesday and beyond, the core of the aforementioned mid-level ridging will move overhead, accompanied by high pressure at the surface -- oriented such that we're likely to have an extended period of "cold" air damming. Heat will begin to build once again, with highs returning to several degrees above average by mid-to-late week. Breezy easterly winds should support ample mixing during the afternoon, which will initially serve to keep heat index values within a few degrees of air temperatures. Widespread convective development will be hampered by subsidence, with rain chances

relegated largely to portions of south central Georgia through Wednesday.

The presiding mid-level ridge will retrograde westward across the Four Corners region on Thursday, allowing for more substantial moisture intrusion across the Southeast, and a return to more uniform afternoon thunderstorm chances areawide.

+ Raw NWS AFD text

000
FXUS62 KFFC 060537
AFDFFC

Area Forecast Discussion
National Weather Service Peachtree City GA
137 AM EDT Sun Sep 6 2026

...New 06Z Aviation Discussion...

.KEY MESSAGES...

- A Heat Advisory remains in effect across most of north and central Georgia through this evening due to well above normal temperatures and heat index values in the triple digits.

- Numerous thunderstorms will develop across the area this afternoon and evening. Several storms may be severe with damaging wind gusts.

- Cooler and drier weather moves in early next week, with temperatures warming back to above normal by mid-week.

&&

.SHORT TERM...
(This evening through Sunday)
Issued at 359 PM EDT Sat Sep 5 2026

Heat Concerns Continue:

Current satellite loop shows scattered clouds developing across the area with some showers and thunderstorms across North and Central GA. Very warm temps continue across the area with highs expected in the middle to upper 90s through the short term. With dewpoints in the 70s we can expect to see Heat Index values in the 103 to 109 deg range Today and Sunday. Have extended the heat advisory to include Sunday which should be our last day of these extreme temps (at least through the next 7 days).

Severe Thunderstorms Possible This Weekend:

The Bermuda ridge that kept us mostly dry for most of this past week is finally weakening as the next frontal boundary nears the area from the NE. This weakening ridge is allowing typical scattered summertime pop-up showers and storms to develop across central GA, where moisture has pooled and subsidence from the fleeting ridge is

lower. The second area for storms is across north/northeast GA associated with increased moisture ahead of the approaching cold front which is pushing SW down the eastern seaboard and should move into NE GA between 12z-18z Sun. Scattered strong to severe storms are possible, with the primary threat being damaging wind gusts, and frequent lightning strikes. SPC has the aforementioned corridor of north/northeast GA in a Marginal Risk (Level 1 of 5) for severe weather with a Severe Thunderstorm watch just N and E of our area across portions of the Carolinas.

On Sunday, convective activity will ramp up even more, as a shortwave and associated frontal boundary start to move across the area. This forcing, combined with the warm and humid airmass in place out ahead of it, will support scattered to numerous afternoon showers and storms, with generally higher coverage across central GA. Several storms may be strong to severe, with damaging wind gusts, and frequent lightning strikes as the primary threats. The greatest risk for severe storms will be across portions of east and Central GA, where SPC has a Slight Risk (Level 2 of 5) for severe weather. With the potential for repeated rounds of storms and efficient rainfall rates, we'll also have to watch out for localized flash flooding, especially in urban and poor-drainage areas.

&&

.LONG TERM...
(Monday morning through next Friday)
Issued at 359 PM EDT Sat Sep 5 2026

By Monday and the start of the long term, mid-level ridging situated across the midsection of the country will begin migrating eastward. Chances for showers and thunderstorms will largely be focused along the front (which may slow down or speed up as we approach the short term), the best of which (60-80%) appear to be across the far southeastern portion of the forecast area. Sensible effects of the front will be fairly substantial given the preceding heat, with highs as much as 8-10 degrees "cooler" (relatively speaking) than Sunday -- in the lower 80s to lower 90s. Portions of northeast Georgia at elevation may even remain in the 70s. Expect further fine tuning of Monday's temperatures as they're directly tied to frontal progress.

Tuesday and beyond, the core of the aforementioned mid-level ridging will move overhead, accompanied by high pressure at the surface -- oriented such that

1.1 · KLZU departure-airport NOTAM state

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

8 Act on

1 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production
source per owner decision 2026-08-09;
technical transport environment remains
preprod. Limited 2026-07-30 spot check
covered KLZU, KAVL, and KSGJ (3 of 30
airports). NOTAMs were read from this source
and used on this card this run. Typed state:
OK. The dot colour reports whether this
source was read this run; technical
environment: preprod.

2 · What

3 · Where

ed 2026-09-06T05:59:22.295562Z.

oritative)

FRI SEP 4

SAT SEP 5

SUN SEP 6

MON SEP 7

6/5419

A0178/26

6/6851

20 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 05:59 Z

04/013

NOTAM text not available in this projection.

A0166/26

NOTAM text not available in this projection.

6/5419

NOTAM text not available in this projection.

A0178/26

NOTAM text not available in this projection.

6/6851

NOTAM text not available in this projection.

6/6854

NOTAM text not available in this projection.

6/6855

NOTAM text not available in this projection.

A0318/26

NOTAM text not available in this projection.

A0319/26

NOTAM text not available in this projection.
A0320/26 NOTAM text not available in this projection.
09/006 NOTAM text not available in this projection.
A0335/26 NOTAM text not available in this projection.
06/009 NOTAM text not available in this projection.
07/011 NOTAM text not available in this projection.
07/030 NOTAM text not available in this projection.
07/034 NOTAM text not available in this projection.
08/001 NOTAM text not available in this projection.
08/007 NOTAM text not available in this projection.
08/024 NOTAM text not available in this projection.
09/008 NOTAM text not available in this projection.
09/009 NOTAM text not available in this projection.
09/010 NOTAM text not available in this projection.
09/011 NOTAM text not available in this projection.
A0333/26 NOTAM text not available in this projection.
A0336/26

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

026-09-06T05:59:22.295562Z.
RWY 25 CAT OPS
00Z
RWY 25 CAT OPS
00Z
METT COUNTYBRISCOE FLD, LAWRENCEVILLE, GA, TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 5... TAKE-OFF MINIMUMS RWY 25, 300-1
LIMIT OF 330 FTNM TO 1400. ALL OTHER DATA REMAINS AS PUBLISHED. 2004231433-2004231433EST
00Z
METT COUNTYBRISCOE FLD, LAWRENCEVILLE, GA, TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 5... TAKE-OFF MINIMUMS RWY 25, 300-1
LIMIT OF 330 FTNM TO 1400. ALL OTHER DATA REMAINS AS PUBLISHED.

Effective 2026-04-23T14:33:00Z → 2028-04-23T14:33:00Z

NAV_APPROACH 00001 — IAP GA METT COUNTYBRISCOE FLD, LAWRENCEVILLE, GA, ALS OR LOC RWY 25, AMDT 4A... WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE WDR ALTIMETER SETTING AND INCREASE S-ALS 25 GA TO 1444 FT. INCREASE ALL MDAS 80 FT AND CIRCLING VISIBILITY CAT C/D 1/4 SM. FOR INOPERATIVE ALS WHEN USING WDR ALTIMETER SETTING, INCREASE S-ALS 25 ALL DATA VISIBILITY TO 1/4 SM AND INCREASE S-LOC 25 CAT A/B TO 1 SM. L2U RWYS OUT OF SERVICE. 2008201711-2010211711EST

Effective 2026-08-20T17:11:00Z → 2026-10-21T17:11:00Z

20 additional normalized FAA NOTAM records omitted from this view.

2 · All 29 destinations — existing editorial RANK order

#1

KAVL Asheville Muni, NC, US

· Mountain · cool mountain escape

OBS - VFR

ETE

0h49

DIST

112 nm

SUN 6 SEP 00:54 ET OBSERVED VALUE

Current observation

OBS - VFR

META

R

clear below 12,000 ft (CLR)

WIND

calm

TEMPERATURE

22 °C

VISIBILITY

10 sm



DEWPOINT**21 °C**

Evidence & limitations

- METAR source state: ok; observed Sep 6 00:54 ET; retrieved Sep 6 01:59 ET; 65 min before this run.
- Measured values read from the KAVL METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.01 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.

DESTINATION OUTLOOK

SUN 6 SEP 00:00–06:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV MOS

GFS MAV MOS · LIFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• GFS MAV MOS · 00:00–06:00 ET ET · LIFR

• Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 6 SEP 12:00–18:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND2–4 kt

TEMPERATURE70–79 °F

DEWPOINT68 °F

PRECIPITATION41%

Evidence & limitations

• GFS MAV MOS · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 6 SEP 06:00–12:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV MOS

GFS MAV MOS · LIFR

FORECAST

Flight-category guidance

WIND0–1 kt

TEMPERATURE69–71 °F

DEWPOINT68–69 °F

Evidence & limitations

• GFS MAV MOS · 06:00–12:00 ET ET · LIFR

• Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 6 SEP 18:00–00:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV MOS

GFS MAV MOS · MVFR

FORECAST

Flight-category guidance

WIND6–7 kt

TEMPERATURE82–84 °F

DEWPOINT66–67 °F

PRECIPITATION12%

Evidence & limitations

• GFS MAV MOS · 18:00–00:00 ET ET · MVFR

• Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

00:00–06:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

Forecast

GFS MAV
MOS

GFS MAV MOS ·
LIFR

FORECAST

Flight-category guidance

WIND3–4 kt

TEMPERATURE72–77 °F

DEWPOINT68–69 °F

PRECIPITATION31%

Evidence & limitations

- GFS MAV MOS · 00:00–06:00 ET ET · LIFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

Forecast

GFS MAV
MOS

GFS MAV MOS ·
LIFR

FORECAST

Flight-category guidance

WIND3 kt

TEMPERATURE70 °F

DEWPOINT67 °F

PRECIPITATION42%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · LIFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · MVFR

FORECAST

Flight-category guidance

WIND3–4 kt

TEMPERATURE69–70 °F

DEWPOINT66–67 °F

PRECIPITATION34%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND7–8 kt

TEMPERATURE73 °F

DEWPOINT65–66 °F

PRECIPITATION38%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 7

00:00–06:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+048 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

now

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

6000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

23°C dep KLZU → 22°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

rwY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

17/35 (170/350°M · 163/343°T) — designators and °M headings are magnetic; °T are true; variation 7°W (NOAA WMM2025)

info

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

14 Act on1 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

ed 2026-09-06T05:59:22.296030Z.			
FRI SEP 4	SAT SEP 5	SUN SEP 6	MON SEP 7

08/089					
A1012/26					
A1021/26					
47 additional normalized NOTAM records omitted from this view.					

Raw NOTAM data · NOTAMs as of 05:59 Z

NOTAMs as of 05:59 Z — advisory only; verify an official briefing.

08/087	NOTAM text not available in this projection.
08/088	NOTAM text not available in this projection.
08/089	NOTAM text not available in this projection.
A1012/26	NOTAM text not available in this projection.
A1021/26	NOTAM text not available in this projection.
A1026/26	NOTAM text not available in this projection.
09/020	NOTAM text not available in this projection.
A1028/26	NOTAM text not available in this projection.
09/013	NOTAM text not available in this projection.
A1017/26	NOTAM text not available in this projection.
09/015	NOTAM text not available in this projection.
A1020/26	NOTAM text not available in this projection.
01/023	NOTAM text not available in this projection.

A0040/26

NOTAM text not available in this projection.

A1010/26

NOTAM text not available in this projection.

A1023/26

NOTAM text not available in this projection.

A1027/26

NOTAM text not available in this projection.

09/019

NOTAM text not available in this projection.

A1025/26

NOTAM text not available in this projection.

09/021

NOTAM text not available in this projection.

A1029/26

NOTAM text not available in this projection.

09/014

NOTAM text not available in this projection.

A1018/26

NOTAM text not available in this projection.

09/016

NOTAM text not available in this projection.

A1019/26

NOTAM text not available in this projection.

4/1431

NOTAM text not available in this projection.

A0991/24

NOTAM text not available in this projection.

5/9960

NOTAM text not available in this projection.

A0285/25

NOTAM text not available in this projection.

06/067

NOTAM text not available in this projection.

A0730/26

NOTAM text not available in this projection.

08/078

NOTAM text not available in this projection.

08/079

NOTAM text not available in this projection.

08/080

NOTAM text not available in this projection.

08/081

NOTAM text not available in this projection.

A0978/26

NOTAM text not available in this projection.

A0979/26

NOTAM text not available in this projection.

08/082

NOTAM text not available in this projection.

A0980/26

NOTAM text not available in this projection.

A1013/26

NOTAM text not available in this projection.

A1014/26

NOTAM text not available in this projection.

12/023

NOTAM text not available in this projection.

A1148/25

NOTAM text not available in this projection.

06/036

NOTAM text not available in this projection.

06/045

NOTAM text not available in this projection.

07/051

NOTAM text not available in this projection.

08/013

NOTAM text not available in this projection.

08/058

NOTAM text not available in this projection.

08/069

NOTAM text not available in this projection.

08/090

NOTAM text not available in this projection.

08/072

NOTAM text not available in this projection.

A0967/26

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production
source per owner decision 2026-08-09;
technical transport environment remains
preprod. Limited 2026-07-30 spot check
covered KLZU, KAVL, and KSGJ (3 of 30
airports). NOTAMs were read from this source
and used on this card this run. Typed state:
OK. The dot colour reports whether this
source was read this run; technical
environment: preprod.

026-09-06T05:59:22.296030Z.

:00Z

:00Z

:00Z

:00Z

Effective 2026-09-04T16:35:00Z → 2026-09-07T16:35:00Z

• **RUNWAY** 09/20 — RWY 17/35 CLSD

Effective 2026-09-09T03:30:00Z → 2026-09-09T09:30:00Z

- RUNWAY** A1028/26 — RWY 17/35 CLSD

Effective 2026-09-09T03:30:00Z → 2026-09-09T09:30:00Z

- **RUNWAY** 09/013 — RWY 17/35 CLSD

Effective 2026-09-10T04:00:00Z → 2026-09-10T09:30:00Z

- RUNWAY** A1017/26 — RWY 17/35 CLSD

Effective 2026-09-10T04:00:00Z → 2026-09-10T09:30:00Z

- **RUNWAY** 09/015 — RWY 17/35 CLSD

Effective 2026-09-11T04:00:00Z → 2026-09-11T09:30:00Z

RUNWAY

Effective 2026-09-11T04:00:00Z → 2026-09-11T09:30:00Z

41 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KAVL this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

00:00–06:00 ET ET · LIFR

06:00–12:00 ET ET · LIFR

12:00–18:00 ET ET · VFR

18:00–00:00 ET ET · MVFR

00:00–06:00 ET ET · LIFR

06:00–12:00 ET ET · LIFR

• Mon, Sep 7 · 12:00–18:00 ET: GFS MAV MOS · 12:00–18:00 ET ET · MVFR

• Mon, Sep 7 · 18:00–00:00 ET: GFS MAV MOS · 18:00–00:00 ET ET · VFR

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-06=GFS, 2026-09-07=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-06 06:00	71	Sct	0/0kt	—	>10kft	3-5SM
GFS	2026-09-06 09:00	69	Bkn	290/1kt	—	>10kft	<¼SM
GFS	2026-09-06 12:00	70	Ovc	340/2kt	41.0	200-500ft	<¼SM
GFS	2026-09-06 15:00	79	Sct	350/4kt	—	>10kft	>6SM
GFS	2026-09-06 18:00	84	Bkn	350/6kt	12.0	>10kft	>6SM
GFS	2026-09-06 21:00	82	Sct	350/7kt	—	>10kft	>6SM

GFS	2026-09-07 00:00	77	Bkn	350/4kt	31.0	>10kft	>6SM
GFS	2026-09-07 03:00	72	Ovc	40/3kt	—	5-10kft	3-5SM
GFS	2026-09-07 06:00	70	Ovc	20/3kt	42.0	200-500ft	<¼SM
GFS	2026-09-07 09:00	70	Ovc	350/3kt	—	200-500ft	<¼SM
GFS	2026-09-07 12:00	69	Ovc	360/3kt	34.0	200-500ft	<¼SM
GFS	2026-09-07 15:00	70	Ovc	140/4kt	—	500-1kft	3-5SM
GFS	2026-09-07 18:00	73	Ovc	150/7kt	38.0	1-3kft	>6SM
GFS	2026-09-07 21:00	73	Ovc	150/8kt	—	5-10kft	>6SM
GFS	2026-09-08 00:00	69	Ovc	160/4kt	26.0	5-10kft	>6SM
GFS	2026-09-08 03:00	65	Few	170/1kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KAVL 060454Z AUTO 00000KT 10SM CLR 22/21 A3001 RMK A02 SLP128 T02220206 403220200 \$

TAF unavailable (unavailable)

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KAVL; actual-station=KAVL; fetched-at=2026-09-06T05:59:15.982442+00:00; observed-or-issued-at=2026-09-06T04:54:00+00:00 — [AWC API](#)
- TAF — state=unavailable; fetch-state=ok; payload-state=valid; requested-station=KAVL; actual-station=KAVL; fetched-at=2026-09-06T05:59:19.070292+00:00 — [AWC API](#)

TAF proxy · KAVL

- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KAVL; actual-station=KAVL; fetched-at=2026-09-06T05:59:19.687425+00:00
- FAA NMS NOTAM — state=OK; requested-station=KAVL; actual-station=KAVL; fetched-at=2026-09-06T05:59:22.296030Z — [FAA NMS overview](#)
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KAVL; actual-station=KAVL; fetched-at=2026-09-06T06:00:03.250998+00:00; observed-or-issued-at=2026-09-06T00:00:00+00:00; valid-from=2026-09-06T06:00:00+00:00; valid-through=2026-09-09T00:00:00+00:00; target-dates=2026-09-06,2026-09-07; dates-with-points=2026-09-06,2026-09-07 — [Iowa State API](#)
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KAVL; actual-station=KAVL; fetched-at=2026-09-06T06:00:04.246726+00:00; observed-or-issued-at=2026-09-06T00:00:00+00:00; valid-from=2026-09-07T00:00:00+00:00; valid-through=2026-09-14T00:00:00+00:00; target-dates=2026-09-07; partial-target-dates=2026-09-06; dates-with-points=2026-09-06,2026-09-07 — [Iowa State API](#)
- MOS effective date selection — state=partial; rows=16; requested-station=KAVL; actual-station=KAVL; fetched-at=2026-09-06T06:00:03.250998+00:00; observed-or-issued-at=2026-09-06T00:00:00+00:00; valid-from=2026-09-06T06:00:00+00:00; valid-through=2026-09-09T00:00:00+00:00; target-dates=2026-09-06,2026-09-07; dates-with-points=2026-09-06,2026-09-07; selected-by-date=2026-09-06=GFS, 2026-09-07=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — [FAA Chart Supplement \(current cycle\)](#) — see AirNav link above

SUN 6 SEP 00:53 ET OBSERVED VALUE

Current observation

OBS - VFR

METAR

OBSERVED

clear below 12,000 ft (CLR)

WIND

SW (230°)

4 kt

TEMPERATURE

27 °C

VISIBILITY

10 sm

DEWPOINT

26 °C

From 237°M - 4 kt

Alt: 29.87 inHg - 7207 ft

Wind source: METAR

KSAV runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 10/28, 01/19. Wind from 230 degrees true, 237 degrees magnetic, at 4 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 28. Wind source: KSAV METAR 060453Z.

Evidence & limitations

- METAR source state: ok; observed Sep 6 00:53 ET; retrieved Sep 6 01:59 ET; 66 min before this run.
- Measured values read from the KSAV METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.87 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- The runway schematic is alignment-only; verify current runway use and NOTAMs.

DESTINATION OUTLOOK

SUN 6 SEP 00:00–06:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• GFS MAV MOS · 00:00–06:00 ET ET · VFR

• Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 6 SEP 12:00–18:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND2–3 kt

TEMPERATURE79–88 °F

DEWPOINT77 °F

PRECIPITATION6%

Evidence & limitations

• GFS MAV MOS · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 6 SEP 06:00–12:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND3 kt

TEMPERATURE79–80 °F

DEWPOINT77–78 °F

Evidence & limitations

• GFS MAV MOS · 06:00–12:00 ET ET · VFR

• Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 6 SEP 18:00–00:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV MOS

GFS MAV MOS · MVFR

FORECAST

Flight-category guidance

WIND4–8 kt

TEMPERATURE87–91 °F

DEWPOINT75–76 °F

PRECIPITATION0%

Evidence & limitations

• GFS MAV MOS · 18:00–00:00 ET ET · MVFR

• Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

00:00–06:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

Forecast

GFS MAV
MOS

GFS MAV MOS ·
MVFR

FORECAST

Flight-category guidance

WIND6 kt

TEMPERATURE77–80 °F

DEWPOINT73–74 °F

PRECIPITATION59%

Evidence & limitations

- GFS MAV MOS · 00:00–06:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

Forecast

GFS MAV
MOS

GFS MAV MOS ·
LIFR

FORECAST

Flight-category guidance

WIND3–4 kt

TEMPERATURE75 °F

DEWPOINT73–74 °F

PRECIPITATION53%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · LIFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND4–6 kt

TEMPERATURE75–82 °F

DEWPOINT73–74 °F

PRECIPITATION31%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · MVFR

FORECAST

Flight-category guidance

WIND10–12 kt

TEMPERATURE82–84 °F

DEWPOINT72 °F

PRECIPITATION36%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 7

00:00–06:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+048 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

6000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

23°C dep KLZU → 27°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

10/28 (100/280°M · 093/273°T) · 01/19 (010/190°M · 003/183°T) — designators and °M headings are magnetic; °T are true; variation 7°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

15 Act on

5 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

ed 2026-09-06T05:59:22.296416Z.

(oritative)

FRI SEP 4

SAT SEP 5

SUN SEP 6

MON SEP 7

A0925/26					
A0923/26					
A0930/26					
61 additional normalized NOTAM records omitted from this view.					

Raw NOTAM data · NOTAMs as of 05:59 Z

NOTAMs as of 05:59 Z — advisory only; verify an official briefing.

08/102 <i>NOTAM text not available in this projection.</i>
09/007 <i>NOTAM text not available in this projection.</i>
A0925/26 <i>NOTAM text not available in this projection.</i>
A0923/26 <i>NOTAM text not available in this projection.</i>
A0930/26 <i>NOTAM text not available in this projection.</i>
09/025 <i>NOTAM text not available in this projection.</i>
A0416/24 <i>NOTAM text not available in this projection.</i>
10/066 <i>NOTAM text not available in this projection.</i>
A0512/24 <i>NOTAM text not available in this projection.</i>
M0014/26 <i>NOTAM text not available in this projection.</i>
06/059 <i>NOTAM text not available in this projection.</i>
A0639/26 <i>NOTAM text not available in this projection.</i>
06/076 <i>NOTAM text not available in this projection.</i>

A0665/26

NOTAM text not available in this projection.

M0018/26

NOTAM text not available in this projection.

08/103

NOTAM text not available in this projection.

08/093

NOTAM text not available in this projection.

A0897/26

NOTAM text not available in this projection.

5/5965

NOTAM text not available in this projection.

A0799/25

NOTAM text not available in this projection.

5/5767

NOTAM text not available in this projection.

5/5768

NOTAM text not available in this projection.

A0796/25

NOTAM text not available in this projection.

A0797/25

NOTAM text not available in this projection.

05/093

NOTAM text not available in this projection.

A0523/26

NOTAM text not available in this projection.

M0015/26

NOTAM text not available in this projection.

6/8574

NOTAM text not available in this projection.

A0899/26

NOTAM text not available in this projection.

A0926/26

NOTAM text not available in this projection.

04/008

NOTAM text not available in this projection.

A0273/25

NOTAM text not available in this projection.

04/009

NOTAM text not available in this projection.

A0275/25

NOTAM text not available in this projection.

04/010

NOTAM text not available in this projection.

A0276/25

NOTAM text not available in this projection.

04/007

NOTAM text not available in this projection.

A0272/25

NOTAM text not available in this projection.

12/023

NOTAM text not available in this projection.

A0801/25

NOTAM text not available in this projection.

06/027

NOTAM text not available in this projection.

06/039

NOTAM text not available in this projection.

06/053

NOTAM text not available in this projection.

06/072

NOTAM text not available in this projection.

07/025

NOTAM text not available in this projection.

07/027

NOTAM text not available in this projection.

07/081

NOTAM text not available in this projection.

08/003

NOTAM text not available in this projection.

08/017

NOTAM text not available in this projection.

08/025

NOTAM text not available in this projection.

08/041

NOTAM text not available in this projection.

08/058

NOTAM text not available in this projection.

08/080

NOTAM text not available in this projection.

08/083

NOTAM text not available in this projection.

08/094

NOTAM text not available in this projection.

08/095

NOTAM text not available in this projection.

08/107

NOTAM text not available in this projection.

09/002

NOTAM text not available in this projection.

09/004

NOTAM text not available in this projection.

09/005

NOTAM text not available in this projection.

09/013

NOTAM text not available in this projection.

08/063

NOTAM text not available in this projection.

A0869/26

NOTAM text not available in this projection.

A0922/26

NOTAM text not available in this projection.

09/008

NOTAM text not available in this projection.

A0924/26

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production
source per owner decision 2026-08-09;
technical transport environment remains
preprod. Limited 2026-07-30 spot check
covered KLZU, KAVL, and KSGJ (3 of 30
airports). NOTAMs were read from this source
and used on this card this run. Typed state:
OK. The dot colour reports whether this
source was read this run; technical
environment: preprod.

26-09-06T05:59:22.296416Z.

:00Z

:00Z

:00Z

:00Z

Effective 2026-09-04T17:04:00Z → 2026-09-07T17:04:00Z

61 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics,
the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical

Forecast for Aviation and the Weather Prediction Center surface progs, issued by the National Weather Service through the day; the surface prog series reaches 144 hours. They are raster images a pilot reads for fronts, pressure systems and precipitation shields. This page displays them with their issuing office and valid time and never interprets them: no category, wind, ceiling, ranking or go/no-go here is derived from an image. A published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

- Mon, Sep 7 · 06:00–12:00 ET: GFS MAV MOS · 06:00–12:00 ET ET · LIFR
- Mon, Sep 7 · 12:00–18:00 ET: GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Mon, Sep 7 · 18:00–00:00 ET: GFS MAV MOS · 18:00–00:00 ET ET · MVFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-06=GFS, 2026-09-07=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-06 06:00	80	Sct	270/3kt	—	>10kft	>6SM
GFS	2026-09-06 09:00	79	Sct	280/3kt	—	>10kft	>6SM
GFS	2026-09-06 12:00	79	Few	280/2kt	6.0	>10kft	>6SM
GFS	2026-09-06 15:00	88	Few	330/3kt	—	>10kft	>6SM
GFS	2026-09-06 18:00	91	Bkn	70/4kt	0.0	>10kft	>6SM
GFS	2026-09-06 21:00	87	Bkn	140/8kt	—	>10kft	>6SM
GFS	2026-09-07 00:00	80	Ovc	160/6kt	59.0	5-10kft	3-5SM
GFS	2026-09-07 03:00	77	Ovc	10/6kt	—	>10kft	>6SM
GFS	2026-09-07 06:00	75	Ovc	20/4kt	53.0	5-10kft	3-5SM
GFS	2026-09-07 09:00	75	Ovc	20/3kt	—	3-5kft	3-5SM
GFS	2026-09-07 12:00	75	Ovc	10/4kt	31.0	200-500ft	1-2SM
GFS	2026-09-07 15:00	82	Ovc	40/6kt	—	1-3kft	>6SM
GFS	2026-09-07 18:00	84	Ovc	70/10kt	36.0	3-5kft	>6SM
GFS	2026-09-07 21:00	82	Ovc	80/12kt	—	3-5kft	>6SM
GFS	2026-09-08 00:00	79	Ovc	60/7kt	48.0	1-3kft	>6SM
GFS	2026-09-08 03:00	76	Ovc	50/7kt	—	3-5kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KSAV 060453Z AUTO 23004KT 10SM CLR 27/26 A2987 RMK A02 SLP114 T02720261 403390244

TAF unavailable (unavailable)

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KSAV; actual-station=KSAV; fetched-at=2026-09-06T05:59:15.982442+00:00; observed-or-issued-at=2026-09-06T04:53:00+00:00 — [AWC API](#)
- TAF — state=unavailable; fetch-state=ok; payload-state=valid; requested-station=KSAV; actual-station=KSAV; fetched-at=2026-09-06T05:59:19.070292+00:00 — [AWC API](#)
- TAF proxy · KSAV
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KSAV; actual-station=KSAV; fetched-at=2026-09-06T05:59:19.399279+00:00
- FAA NMS NOTAM — state=OK; requested-station=KSAV; actual-station=KSAV; fetched-at=2026-09-06T05:59:22.296416Z — [FAA NMS overview](#)
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KSAV; actual-station=KSAV; fetched-at=2026-09-06T06:00:03.284482+00:00; observed-or-issued-at=2026-09-06T00:00:00+00:00; valid-from=2026-09-06T06:00:00+00:00; valid-through=2026-09-09T00:00:00+00:00; target-dates=2026-09-06,2026-09-07; dates-with-points=2026-09-06,2026-09-07 — [Iowa State API](#)
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KSAV; actual-station=KSAV; fetched-at=2026-09-06T06:00:04.189932+00:00; observed-or-issued-at=2026-09-06T00:00:00+00:00; valid-from=2026-09-07T00:00:00+00:00; valid-through=2026-09-14T00:00:00+00:00; target-dates=2026-09-07; partial-target-dates=2026-09-06; dates-with-points=2026-09-06,2026-09-07 — [Iowa State API](#)
- MOS effective date selection — state=partial; rows=16; requested-station=KSAV; actual-station=KSAV; fetched-at=2026-09-06T06:00:03.284482+00:00; observed-or-issued-at=2026-09-06T00:00:00+00:00; valid-from=2026-09-06T06:00:00+00:00; valid-through=2026-09-09T00:00:00+00:00; target-dates=2026-09-06,2026-09-07; dates-with-points=2026-09-06,2026-09-07; selected-by-date=2026-09-06=GFS, 2026-09-07=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#3

KSSI

Brunswick/McKinnon St Simons Arpt, GA, US

· Atlantic South · St Simons beach

OBS - VFR

ETE

1h29

DIST

214 nm

SUN 6 SEP 00:15 ET OBSERVED VALUE

Current observation

OBS - VFR

METAR

OBSERVED

clear below 12,000 ft (CLR)

WIND

SW (210°) 5 kt

TEMPERATURE


28 °C

VISIBILITY

10 sm



DEWPOINT**26 °C**



KSSI runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 04/22, 16/34. Wind from 210 degrees true, 217 degrees magnetic, at 5 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 22. Wind source: KSSI METAR 060415Z.

Evidence & limitations

- METAR source state: ok; observed Sep 6 00:15 ET; retrieved Sep 6 01:59 ET; 104 min before this run.
- Measured values read from the KSSI METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.86 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- The runway schematic is alignment-only; verify current runway use and NOTAMs.

DESTINATION OUTLOOK

SUN 6 SEP 00:00–06:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

GFS MAV MOS · 00:00–06:00 ET ET · VFR

Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 6 SEP 12:00–18:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND5 kt

TEMPERATURE80–87 °F

DEWPOINT76–77 °F

PRECIPITATION14%

Evidence & limitations

GFS MAV MOS · 12:00–18:00 ET ET · VFR

Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 6 SEP 06:00–12:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND5 kt

TEMPERATURE80–82 °F

DEWPOINT76–78 °F

Evidence & limitations

GFS MAV MOS · 06:00–12:00 ET ET · VFR

Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 6 SEP 18:00–00:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND7–8 kt

TEMPERATURE85–90 °F

DEWPOINT79 °F

PRECIPITATION14%

Evidence & limitations

GFS MAV MOS · 18:00–00:00 ET ET · VFR

Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

00:00–06:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

Forecast

GFS MAV
MOS

GFS MAV MOS · IFR

FORECAST

Flight-category guidance

WIND4 kt

TEMPERATURE80–82 °F

DEWPOINT77–79 °F

PRECIPITATION59%

Evidence & limitations

- GFS MAV MOS · 00:00–06:00 ET ET · IFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

Forecast

GFS MAV
MOS

GFS MAV MOS · IFR

FORECAST

Flight-category guidance

WIND3–5 kt

TEMPERATURE76–78 °F

DEWPOINT74–75 °F

PRECIPITATION55%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · IFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND5–6 kt

TEMPERATURE76–83 °F

DEWPOINT74–75 °F

PRECIPITATION44%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · MVFR

FORECAST

Flight-category guidance

WIND9 kt

TEMPERATURE84–85 °F

DEWPOINT75 °F

PRECIPITATION33%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 7

00:00–06:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+048 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

6000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — source state: not_queried

CURRENT METAR TEMP DEP / DEST

23°C dep KLZU → 28°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

04/22 (040/220°M · 033/213°T) · 16/34 (160/340°M · 153/333°T) — designators and °M headings are magnetic; °T are true; variation 7°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

1 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

2026-09-06T05:59:22.296867Z.

FRI SEP 4	SAT SEP 5	SUN SEP 6	MON SEP 7

NOTAMS as of 05:59 Z — advisory only; verify an official briefing.

A0047/26

NOTAM text not available in this projection.

07/001

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMS were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

26-09-06T05:59:22.296867Z.

00Z

00Z

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMS were read for KSSI this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

· 00:00–06:00 ET ET · VFR

· 06:00–12:00 ET ET · VFR

· 12:00–18:00 ET ET · VFR

· 18:00–00:00 ET ET · VFR

· 00:00–06:00 ET ET · IFR

· 06:00–12:00 ET ET · IFR

• Mon, Sep 7 • 12:00–18:00 ET: GFS MAV MOS • 12:00–18:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-06=GFS, 2026-09-07=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-06 06:00	82	Bkn	230/5kt	—	>10kft	>6SM
GFS	2026-09-06 09:00	80	Sct	260/5kt	—	>10kft	>6SM
GFS	2026-09-06 12:00	80	Sct	270/5kt	14.0	>10kft	>6SM
GFS	2026-09-06 15:00	87	Sct	280/5kt	—	>10kft	>6SM
GFS	2026-09-06 18:00	90	Bkn	130/7kt	14.0	>10kft	>6SM
GFS	2026-09-06 21:00	85	Bkn	140/8kt	—	>10kft	>6SM
GFS	2026-09-07 00:00	82	Ovc	140/4kt	59.0	>10kft	>6SM
GFS	2026-09-07 03:00	80	Ovc	90/4kt	—	>10kft	>6SM
GFS	2026-09-07 06:00	78	Ovc	340/3kt	55.0	1-3kft	>6SM
GFS	2026-09-07 09:00	76	Ovc	30/5kt	—	500-1kft	>6SM
GFS	2026-09-07 12:00	76	Ovc	40/5kt	44.0	500-1kft	>6SM
GFS	2026-09-07 15:00	83	Ovc	60/6kt	—	3-5kft	>6SM
GFS	2026-09-07 18:00	85	Bkn	80/9kt	33.0	5-10kft	>6SM
GFS	2026-09-07 21:00	84	Ovc	60/9kt	—	5-10kft	>6SM
GFS	2026-09-08 00:00	81	Ovc	50/8kt	54.0	3-5kft	>6SM
GFS	2026-09-08 03:00	80	Ovc	50/9kt	—	1-3kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KSSI 060415Z AUTO 21005KT 10SM CLR 28/26 A2986 RMK A02

TAF unavailable (unavailable)

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KSSI; actual-station=KSSI; fetched-at=2026-09-06T05:59:15.982442+00:00; observed-or-issued-at=2026-09-06T04:15:00+00:00 — AWC API
- TAF — state=unavailable; fetch-state=ok; payload-state=valid; requested-station=KSSI; actual-station=KSSI; fetched-at=2026-09-06T05:59:19.070292+00:00 — AWC API

- FAA airport status — state=not_queried; fetch-state=not_attempted; payload-state=not_attempted; requested-station=KSSI
- FAA NMS NOTAM — state=OK; requested-station=KSSI; actual-station=KSSI; fetched-at=2026-09-06T05:59:22.296867Z — [FAA NMS overview](#)
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KSSI; actual-station=KSSI; fetched-at=2026-09-06T06:00:03.262094+00:00; observed-or-issued-at=2026-09-06T00:00:00+00:00; valid-from=2026-09-06T06:00:00+00:00; valid-through=2026-09-09T00:00:00+00:00; target-dates=2026-09-06,2026-09-07; dates-with-points=2026-09-06,2026-09-07 — [Iowa State API](#)
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KSSI; actual-station=KSSI; fetched-at=2026-09-06T06:00:04.151822+00:00; observed-or-issued-at=2026-09-06T00:00:00+00:00; valid-from=2026-09-07T00:00:00+00:00; valid-through=2026-09-14T00:00:00+00:00; target-dates=2026-09-07; partial-target-dates=2026-09-06; dates-with-points=2026-09-06,2026-09-07 — [Iowa State API](#)
- MOS effective date selection — state=partial; rows=16; requested-station=KSSI; actual-station=KSSI; fetched-at=2026-09-06T06:00:03.262094+00:00; observed-or-issued-at=2026-09-06T00:00:00+00:00; valid-from=2026-09-06T06:00:00+00:00; valid-through=2026-09-09T00:00:00+00:00; target-dates=2026-09-06,2026-09-07; dates-with-points=2026-09-06,2026-09-07; selected-by-date=2026-09-06=GFS, 2026-09-07=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — [FAA Chart Supplement \(current cycle\)](#) — see AirNav link above

#4

KJZI

Charleston Exec, SC, US

· Atlantic South · Charleston Exec

OBS - VFR

ETE

1h28

DIST

213 nm

SUN 6 SEP 00:15 ET OBSERVED VALUE

Current observation

METAR

R

clear below 12,000 ft (CLR)

WIND

calm

TEMPERATURE

28 °C

VISIBILITY

10 sm

DEWPOINT

27 °C

OBS - VFR

OBSERVED

Evidence & limitations

- METAR source state: ok; observed Sep 6 00:15 ET; retrieved Sep 6 01:59 ET; 104 min before this run.
- Measured values read from the KJZI METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.86 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.

DESTINATION OUTLOOK

SUN 6 SEP 00:00–06:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

GFS MAV MOS · 00:00–06:00 ET ET · VFR

Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 6 SEP 12:00–18:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND3–5 kt

TEMPERATURE80–87 °F

DEWPOINT77–78 °F

PRECIPITATION11%

Evidence & limitations

GFS MAV MOS · 12:00–18:00 ET ET · VFR

Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 6 SEP 06:00–12:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND2 kt

TEMPERATURE79–81 °F

DEWPOINT79–80 °F

Evidence & limitations

GFS MAV MOS · 06:00–12:00 ET ET · VFR

Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 6 SEP 18:00–00:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV MOS

GFS MAV MOS · MVFR

FORECAST

Flight-category guidance

WIND7 kt

TEMPERATURE88–90 °F

DEWPOINT76 °F

PRECIPITATION8%

Evidence & limitations

GFS MAV MOS · 18:00–00:00 ET ET · MVFR

Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

00:00–06:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

Forecast

GFS MAV
MOS

GFS MAV MOS ·
MVFR

FORECAST

Flight-category guidance

WIND4–5 kt

TEMPERATURE78–81 °F

DEWPOINT75–76 °F

PRECIPITATION41%

Evidence & limitations

- GFS MAV MOS · 00:00–06:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

Forecast

GFS MAV
MOS

GFS MAV MOS · IFR

FORECAST

Flight-category guidance

WIND3–5 kt

TEMPERATURE76–77 °F

DEWPOINT73–74 °F

PRECIPITATION56%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · IFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

Forecast

GFS MAV
MOS

GFS MAV MOS · IFR

FORECAST

Flight-category guidance

WIND6–11 kt

TEMPERATURE76–80 °F

DEWPOINT73–75 °F

PRECIPITATION50%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · IFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Forecast

GFS MAV
MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND12–14 kt

TEMPERATURE80–82 °F

DEWPOINT73–75 °F

PRECIPITATION70%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 7

00:00–06:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+048 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

now

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

6000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed (proxy KCHS)

CURRENT METAR TEMP DEP / DEST

23°C dep KLZU → 28°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

09/27 (090/270°M · 082/262°T) · 04/22 (040/220°M · 032/212°T) — designators and °M headings are magnetic; °T are true; variation 8°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		
Verify the current FAA Chart Supplement and provider before flight.			

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 Act on

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

2026-09-06T05:59:22.466635Z.

(prioritative)

FRI SEP 4

SAT SEP 5

SUN SEP 6

MON SEP 7

07/354				
08/049				
08/247				
3 additional normalized NOTAM records omitted from this view.				

Raw NOTAM data · NOTAMs as of 05:59 Z

NOTAMs as of 05:59 Z — advisory only; verify an official briefing.

- 5/3307

NOTAM text not available in this projection.
- 07/235

NOTAM text not available in this projection.
- 07/354

NOTAM text not available in this projection.
- 08/049

NOTAM text not available in this projection.
- 08/247

NOTAM text not available in this projection.
- 08/354

NOTAM text not available in this projection.
- 08/501

NOTAM text not available in this projection.
- 08/546

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

26-09-06T05:59:22.466635Z.
STON EXEC. CHARLESTON, SC. RNAV (GPS) RWY 27. AMDT 2C. . LNAV MDA 420HAT 405. CHANGE NOTE TO READ: WHEN LOCAL ALTIMETER SETTING NOT
TING AND INCREASE LPV DA TO 287 FEET AND VISIBILITY ALL CATS 1/8 SM. INCREASE LNAV/VNAV DA TO 335 FEET AND VISIBILITY ALL CATS 1/8 SM.
VISIBILITY CAT C/D 1/4 SM. 2507231400-2707231400EST
:00Z
LIST (ASR 1245475) 224335 40ND706229 40W (4.0NM ESE, J21) 256.0FT (245.1FT AGL) URS
:00Z
LIST (ASR 1245475) 224335 70ND706229 40W (3.4NM ENE, J21) 274.0FT (265.1FT AGL) URS
:00Z

OBSTRUCTION

000000 — LOWEST FLIGHT LEVEL (ASPH 104700Z) 324215 UNIMPROVED RWY (A 1047 0000 120) 275 DPT (254 DPT AGL) OPS
Effective 2026-08-04T11:22:00Z → 2026-10-03T04:00:00Z

OBSTRUCTION

000007 — LOWEST FLIGHT LEVEL (ASPH 104704Z) 324227 UNIMPROVED RWY (A 1047 0000 120) 425 DPT (416 DPT AGL) OPS
Effective 2026-08-15T15:48:00Z → 2026-11-13T16:48:00Z

3 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KJZI this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

00:00–06:00 ET ET · VFR

06:00–12:00 ET ET · VFR

12:00–18:00 ET ET · VFR

18:00–00:00 ET ET · MVFR

00:00–06:00 ET ET · MVFR

06:00–12:00 ET ET · IFR

• Mon, Sep 7 · 12:00–18:00 ET: GFS MAV MOS · 12:00–18:00 ET ET · IFR

• Mon, Sep 7 · 18:00–00:00 ET: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-06=GFS, 2026-09-07=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-06 06:00	81	Bkn	230/2kt	—	>10kft	>6SM
GFS	2026-09-06 09:00	79	Clear	280/2kt	—	>10kft	>6SM
GFS	2026-09-06 12:00	80	Clear	320/3kt	11.0	>10kft	>6SM
GFS	2026-09-06 15:00	87	Few	360/5kt	—	>10kft	>6SM
GFS	2026-09-06 18:00	90	Sct	80/7kt	8.0	>10kft	>6SM

GFS	2026-09-06 21:00	88	Sct	80/7kt	—	>10kft	>6SM
GFS	2026-09-07 00:00	81	Ovc	80/5kt	41.0	>10kft	>6SM
GFS	2026-09-07 03:00	78	Ovc	360/4kt	—	5-10kft	3-5SM
GFS	2026-09-07 06:00	77	Ovc	20/3kt	56.0	1-3kft	3-5SM
GFS	2026-09-07 09:00	76	Ovc	30/5kt	—	1-3kft	>6SM
GFS	2026-09-07 12:00	76	Ovc	40/6kt	50.0	500-1kft	3-5SM
GFS	2026-09-07 15:00	80	Ovc	60/11kt	—	1-3kft	1-2SM
GFS	2026-09-07 18:00	82	Ovc	60/14kt	70.0	1-3kft	1-2SM
GFS	2026-09-07 21:00	80	Ovc	60/12kt	—	1-3kft	3-5SM
GFS	2026-09-08 00:00	76	Ovc	50/8kt	52.0	5-10kft	>6SM
GFS	2026-09-08 03:00	76	Ovc	40/6kt	—	5-10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KJZI 060415Z AUTO 00000KT 10SM CLR 28/27 A2986 RMK A02

TAF unavailable (unavailable)

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KJZI; actual-station=KJZI; fetched-at=2026-09-06T05:59:15.982442+00:00; observed-or-issued-at=2026-09-06T04:15:00+00:00 — [AWC API](#)
- TAF — state=unavailable; fetch-state=ok; payload-state=valid; requested-station=KJZI; actual-station=KJZI; fetched-at=2026-09-06T05:59:19.070292+00:00 — [AWC API](#)

TAF proxy · KJZI

- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KJZI; actual-station=KCHS; fetched-at=2026-09-06T05:59:19.631828+00:00
- FAA NMS NOTAM — state=OK; requested-station=KJZI; actual-station=KJZI; fetched-at=2026-09-06T05:59:22.466635Z — [FAA NMS overview](#)
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KJZI; actual-station=KJZI; fetched-at=2026-09-06T06:00:03.285955+00:00; observed-or-issued-at=2026-09-06T00:00:00+00:00; valid-from=2026-09-06T06:00:00+00:00; valid-through=2026-09-09T00:00:00+00:00; target-dates=2026-09-06,2026-09-07; dates-with-points=2026-09-06,2026-09-07 — [Iowa State API](#)
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KJZI; actual-station=KJZI; fetched-at=2026-09-06T06:00:04.206133+00:00; observed-or-issued-at=2026-09-06T00:00:00+00:00; valid-from=2026-09-07T00:00:00+00:00; valid-through=2026-09-14T00:00:00+00:00; target-dates=2026-09-07; partial-target-dates=2026-09-06; dates-with-points=2026-09-06,2026-09-07 — [Iowa State API](#)
- MOS effective date selection — state=partial; rows=16; requested-station=KJZI; actual-station=KJZI; fetched-at=2026-09-06T06:00:03.285955+00:00; observed-or-issued-at=2026-09-06T00:00:00+00:00; valid-from=2026-09-06T06:00:00+00:00; valid-through=2026-09-09T00:00:00+00:00; target-dates=2026-09-06,2026-09-07; dates-with-points=2026-09-06,2026-09-07; selected-by-date=2026-09-06=GFS, 2026-09-07=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

SUN 6 SEP 00:53 ET OBSERVED VALUE

Current observation

METAR

clear below 12,000 ft (CLR)

WINDS (180°) 3 kt

TEMPERATURE26 °C

VISIBILITY10 sm

DEWPOINT23 °C

From 180°M: 3 kt

Wind direction: 180°M

Wind speed: 3 kt

Wind direction: 180°M

Wind speed: 3 kt

KMYR runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 18/36. Wind from 180 degrees true, 189 degrees magnetic, at 3 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 18. Wind source: KMYR METAR 060453Z.

Evidence & limitations

- METAR source state: ok; observed Sep 6 00:53 ET; retrieved Sep 6 01:59 ET; 66 min before this run.
- Measured values read from the KMYR METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.85 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- The runway schematic is alignment-only; verify current runway use and NOTAMs.

DESTINATION OUTLOOK

SUN 6 SEP 00:00–06:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV
MOS

GFS MAV MOS ·
MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- GFS MAV MOS · 00:00–06:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 6 SEP 12:00–18:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV
MOS

GFS MAV MOS ·
VFR

FORECAST

Flight-category guidance

WIND5–8 kt

TEMPERATURE78–84 °F

DEWPOINT74 °F

PRECIPITATION5%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 6 SEP 06:00–12:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV
MOS

GFS MAV MOS ·
MVFR

FORECAST

Flight-category guidance

WIND4 kt

TEMPERATURE78–80 °F

DEWPOINT75–76 °F

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 6 SEP 18:00–00:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV
MOS

GFS MAV MOS ·
MVFR

FORECAST

Flight-category guidance

WIND9 kt

TEMPERATURE83–85 °F

DEWPOINT74 °F

PRECIPITATION0%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

00:00–06:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

Forecast

GFS MAV
MOS

GFS MAV MOS · IFR

FORECAST

Flight-category guidance

WIND9 kt

TEMPERATURE79–80 °F

DEWPOINT75 °F

PRECIPITATION39%

Evidence & limitations

- GFS MAV MOS · 00:00–06:00 ET ET · IFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

Forecast

GFS MAV
MOS

GFS MAV MOS ·
MVFR

FORECAST

Flight-category guidance

WIND5–6 kt

TEMPERATURE75–77 °F

DEWPOINT73–74 °F

PRECIPITATION55%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND9–12 kt

TEMPERATURE74–79 °F

DEWPOINT71 °F

PRECIPITATION55%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND10–11 kt

TEMPERATURE82–83 °F

DEWPOINT70 °F

PRECIPITATION45%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 7

00:00–06:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+048 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

now

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

23°C dep KLZU → 26°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

rwY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

18/36 (180/000°M · 171/351°T) — designators and °M headings are magnetic; °T are true; variation 9°W (NOAA WMM2025)

info

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

NOTAM rate limited

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). The query failed this run, so the NOTAM list here is unknown rather than empty. Typed state: RATE_LIMITED. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

NOTAM timeline unavailable; verify an official briefing.

last attempt 05:59 Z (state: RATE_LIMITED)

TE_LIMITED) — advisory only; verify an official briefing.

Raw NOTAM text not available — source unavailable or result withheld. Verify an official briefing.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). The query failed this run, so the NOTAM list here is unknown rather than

NOTAM status is unknown; verify an official briefing.

+ METAR

METAR — the routine surface observation issued hourly by the reporting station, with

+ TAF

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

+ GFS MOS (MAV)

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

+ GFS extended MOS (MEX)

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

+ GFA and prog charts

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

+ FAA NOTAM (NMS)

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. The NOTAM query failed this run (state: RATE_LIMITED), so the NOTAM list is unknown rather than empty.

+ period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

00:00–06:00 ET ET · MVFR

06:00–12:00 ET ET · MVFR

12:00–18:00 ET ET · VFR

18:00–00:00 ET ET · MVFR

00:00–06:00 ET ET · IFR

06:00–12:00 ET ET · MVFR

Source state: partial; selected by target date: 2026-09-06=GFS, 2026-09-07=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

• Mon, Sep 7 · 00:00–06:00 ET ET · MVFR

• Mon, Sep 7 · 06:00–12:00 ET ET · MVFR

• Mon, Sep 7 · 12:00–18:00 ET ET · VFR

• Mon, Sep 7 · 18:00–00:00 ET ET · MVFR

• Mon, Sep 7 · 00:00–06:00 ET ET · IFR

• Mon, Sep 7 · 06:00–12:00 ET ET · MVFR

• Mon, Sep 7 · 12:00–18:00 ET ET · GFS MAV MOS · 12:00–18:00 ET ET · VFR

• Mon, Sep 7 · 18:00–00:00 ET ET · GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-06=GFS, 2026-09-07=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-06 06:00	80	Ovc	170/4kt	—	1-3kft	>6SM
GFS	2026-09-06 09:00	78	Sct	310/4kt	—	1-3kft	>6SM
GFS	2026-09-06 12:00	78	Sct	360/5kt	5.0	1-3kft	>6SM

GFS	2026-09-06 15:00	84	Sct	60/8kt	—	>10kft	>6SM
GFS	2026-09-06 18:00	85	Sct	110/9kt	0.0	>10kft	>6SM
GFS	2026-09-06 21:00	83	Bkn	120/9kt	—	>10kft	>6SM
GFS	2026-09-07 00:00	80	Ovc	100/9kt	39.0	>10kft	>6SM
GFS	2026-09-07 03:00	79	Ovc	80/9kt	—	5-10kft	3-5SM
GFS	2026-09-07 06:00	77	Ovc	70/5kt	55.0	1-3kft	3-5SM
GFS	2026-09-07 09:00	75	Ovc	50/6kt	—	500-1kft	>6SM
GFS	2026-09-07 12:00	74	Ovc	60/9kt	55.0	1-3kft	3-5SM
GFS	2026-09-07 15:00	79	Ovc	70/12kt	—	1-3kft	3-5SM
GFS	2026-09-07 18:00	83	Ovc	80/11kt	45.0	3-5kft	>6SM
GFS	2026-09-07 21:00	82	Bkn	90/10kt	—	>10kft	>6SM
GFS	2026-09-08 00:00	79	Few	60/9kt	17.0	>10kft	>6SM
GFS	2026-09-08 03:00	77	Sct	50/10kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KMYR 060453Z AUTO 18003KT 10SM CLR 26/23 A2985 RMK A02 LTG DSNT NE-S SLP108 T02610233 \$

TAF unavailable (unavailable)

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KMYR; actual-station=KMYR; fetched-at=2026-09-06T05:59:15.982442+00:00; observed-or-issued-at=2026-09-06T04:53:00+00:00 — [AWC API](#)
- TAF — state=unavailable; fetch-state=ok; payload-state=valid; requested-station=KMYR; actual-station=KMYR; fetched-at=2026-09-06T05:59:19.070292+00:00 — [AWC API](#)
- TAF proxy · KMYR
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KMYR; actual-station=KMYR; fetched-at=2026-09-06T05:59:19.482678+00:00
- FAA NMS NOTAM — state=RATE_LIMITED; requested-station=KMYR; fetched-at=2026-09-06T05:59:22.614723Z; reason-code=RATE_LIMITED_ERROR — [FAA NMS overview](#)
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KMYR; actual-station=KMYR; fetched-at=2026-09-06T06:00:03.292085+00:00; observed-or-issued-at=2026-09-06T00:00:00+00:00; valid-from=2026-09-06T06:00:00+00:00; valid-through=2026-09-09T00:00:00+00:00; target-dates=2026-09-06,2026-09-07; dates-with-points=2026-09-06,2026-09-07 — [Iowa State API](#)
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KMYR; actual-station=KMYR; fetched-at=2026-09-06T06:00:04.185868+00:00; observed-or-issued-at=2026-09-06T00:00:00+00:00; valid-from=2026-09-07T00:00:00+00:00; valid-through=2026-09-14T00:00:00+00:00; target-dates=2026-09-07; partial-target-dates=2026-09-06; dates-with-points=2026-09-06,2026-09-07 — [Iowa State API](#)
- MOS effective date selection — state=partial; rows=16; requested-station=KMYR; actual-station=KMYR; fetched-at=2026-09-06T06:00:03.292085+00:00; observed-or-issued-at=2026-09-06T00:00:00+00:00; valid-from=2026-09-06T06:00:00+00:00; valid-through=2026-09-09T00:00:00+00:00; target-dates=2026-09-06,2026-09-07; dates-with-points=2026-09-06,2026-09-07; selected-by-date=2026-09-06=GFS, 2026-09-07=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — [FAA Chart Supplement \(current cycle\)](#) — see AirNav link above

#6

KCRE North Myrtle Beach/Grand Strand Arpt, SC, US · Atlantic North · N Myrtle Beach

OBS - VFR

ETE

1h49

DIST

261 nm

SUN 6 SEP 00:00 ET OBSERVED VALUE

Current observation

OBS - VFR

METAR

OBSERVED

clear below 12,000 ft (CLR)

WINDcalm

TEMPERATURE24 °C

VISIBILITY10 sm

DEWPOINT23 °C

Evidence & limitations

- METAR source state: ok; observed Sep 6 00:00 ET; retrieved Sep 6 01:59 ET; 119 min before this run.
- Measured values read from the KCRE METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.87 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.

DESTINATION OUTLOOK

SUN 6 SEP 00:00–06:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV MOS

GFS MAV MOS · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

GFS MAV MOS · 00:00–06:00 ET ET · MVFR

Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 6 SEP 12:00–18:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND5–8 kt

TEMPERATURE74–83 °F

DEWPOINT73–74 °F

PRECIPITATION4%

Evidence & limitations

GFS MAV MOS · 12:00–18:00 ET ET · VFR

Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 6 SEP 06:00–12:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV MOS

GFS MAV MOS · MVFR

FORECAST

Flight-category guidance

WIND3 kt

TEMPERATURE72–73 °F

DEWPOINT72 °F

Evidence & limitations

GFS MAV MOS · 06:00–12:00 ET ET · MVFR

Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 6 SEP 18:00–00:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND8–9 kt

TEMPERATURE83–85 °F

DEWPOINT74–75 °F

PRECIPITATION0%

Evidence & limitations

GFS MAV MOS · 18:00–00:00 ET ET · VFR

Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

00:00–06:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

Forecast

GFS MAV
MOS

GFS MAV MOS ·
MVFR

FORECAST

Flight-category guidance

WIND6–7 kt

TEMPERATURE78–79 °F

DEWPOINT74–75 °F

PRECIPITATION42%

Evidence & limitations

- GFS MAV MOS · 00:00–06:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

Forecast

GFS MAV
MOS

GFS MAV MOS ·
MVFR

FORECAST

Flight-category guidance

WIND5–7 kt

TEMPERATURE76–77 °F

DEWPOINT72–73 °F

PRECIPITATION52%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND10–13 kt

TEMPERATURE74–79 °F

DEWPOINT70 °F

PRECIPITATION49%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND10–11 kt

TEMPERATURE83 °F

DEWPOINT69–70 °F

PRECIPITATION40%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 7

00:00–06:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+048 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — source state: not queried

CURRENT METAR TEMP DEP / DEST

23°C dep KLZU → 24°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

05/23 (050/230°M · 041/221°T) — designators and °M headings are magnetic; °T are true; variation 9°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

3 Act on

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production
source per owner decision 2026-08-09;
technical transport environment remains
preprod. Limited 2026-07-30 spot check
covered KLZU, KAVL, and KSGJ (3 of 30
airports). NOTAMs were read from this source
and used on this card this run. Typed state:
OK. The dot colour reports whether this
source was read this run; technical
environment: preprod.

2 · What

3 · Where

d 2026-09-06T05:59:23.519377Z.

oritative)

FRI SEP 4

SAT SEP 5

SUN SEP 6

MON SEP 7

07/004				
07/005				
08/003				
3 additional normalized NOTAM records omitted from this view.				

Raw NOTAM data · NOTAMs as of 05:59 Z

NOTAMs as of 05:59 Z — advisory only; verify an official briefing.

5/9932	NOTAM text not available in this projection.
5/9933	NOTAM text not available in this projection.
07/004	NOTAM text not available in this projection.
07/005	NOTAM text not available in this projection.
08/003	NOTAM text not available in this projection.
09/002	NOTAM text not available in this projection.
09/003	NOTAM text not available in this projection.
08/002	NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

26-09-06T05:59:23.519377Z.
STRAND, NORTH MYRTLE BEACH, SC, VOR RWY 23, AMDT 12B... DISREGARD WAGRA FIX MINIMUMS, 5.23 MDA 620/HAT 593 ALL CATS, VISIBILITY CAT C, P, 1/4.
TEMPORARY CRANE 252FT MSL 500FT SOUTHEAST OF RWY 23 (2025-ASD-19995-0E), 2512162107-2612212107EST
:00Z
STRAND, NORTH MYRTLE BEACH, SC, ILS OR LOC RWY 23, AMDT 12B... RNAV (GPS) RWY 23, AMDT 1C... RNAV (GPS) RWY 5, ORIG-A... VOR RWY 5, AMDT 22B.
TEMPORARY CRANE 252FT MSL 1.18 NM SOUTHEAST OF CRE AIRPORT (2025-ASD-19995-0E), 2512162107-2612212107EST
:00Z
LIST (ASR 120000) 204959.20N0780150.00W (7.0NM W CRE) 402.2FT (365.2FT AGL) URS
:00Z

OBSTRUCTION

OBSTRUCTION

Effective 2026-07-09T22:41:00Z → 2026-10-10T23:59:00Z

Effective 2026-08-12T02:56:00Z → 2026-09-26T02:56:00Z

3 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KCRE this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

00:00–06:00 ET ET · MVFR

06:00–12:00 ET ET · MVFR

12:00–18:00 ET ET · VFR

18:00–00:00 ET ET · VFR

00:00–06:00 ET ET · MVFR

06:00–12:00 ET ET · MVFR

• Mon, Sep 7 · 12:00–18:00 ET: GFS MAV MOS · 12:00–18:00 ET ET · VFR

• Mon, Sep 7 · 18:00–00:00 ET: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-06=GFS, 2026-09-07=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-06 06:00	73	Bkn	20/3kt	—	>10kft	>6SM
GFS	2026-09-06 09:00	72	Sct	350/3kt	—	1-3kft	3-5SM
GFS	2026-09-06 12:00	74	Bkn	20/5kt	4.0	1-3kft	>6SM
GFS	2026-09-06 15:00	83	Sct	50/8kt	—	>10kft	>6SM
GFS	2026-09-06 18:00	85	Sct	110/8kt	0.0	>10kft	>6SM

GFS	2026-09-06 21:00	83	Ovc	120/9kt	—	>10kft	>6SM
GFS	2026-09-07 00:00	79	Ovc	90/7kt	42.0	>10kft	>6SM
GFS	2026-09-07 03:00	78	Ovc	80/6kt	—	5-10kft	6SM
GFS	2026-09-07 06:00	77	Ovc	60/5kt	52.0	3-5kft	>6SM
GFS	2026-09-07 09:00	76	Ovc	50/7kt	—	1-3kft	>6SM
GFS	2026-09-07 12:00	74	Ovc	50/10kt	49.0	1-3kft	>6SM
GFS	2026-09-07 15:00	79	Ovc	70/13kt	—	1-3kft	>6SM
GFS	2026-09-07 18:00	83	Bkn	80/11kt	40.0	5-10kft	>6SM
GFS	2026-09-07 21:00	83	Bkn	80/10kt	—	>10kft	>6SM
GFS	2026-09-08 00:00	79	Sct	70/7kt	12.0	>10kft	>6SM
GFS	2026-09-08 03:00	76	Sct	50/8kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

SPECI KCRE 060400Z AUTO 00000KT 10SM CLR 24/23 A2987 RMK A02 LTG DSNT SE AND S T02440233 \$

TAF unavailable (unavailable)

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KCRE; actual-station=KCRE; fetched-at=2026-09-06T05:59:15.982442+00:00; observed-or-issued-at=2026-09-06T04:00:00+00:00 — [AWC API](#)
- TAF — state=unavailable; fetch-state=ok; payload-state=valid; requested-station=KCRE; actual-station=KMYR; fetched-at=2026-09-06T05:59:19.070292+00:00 — [AWC API](#)

TAF proxy · KMYR

- FAA airport status — state=not_queried; fetch-state=not_attempted; payload-state=not_attempted; requested-station=KCRE
- FAA NMS NOTAM — state=OK; requested-station=KCRE; actual-station=KCRE; fetched-at=2026-09-06T05:59:23.519377Z — [FAA NMS overview](#)
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KCRE; actual-station=KCRE; fetched-at=2026-09-06T06:00:03.286929+00:00; observed-or-issued-at=2026-09-06T00:00:00+00:00; valid-from=2026-09-06T06:00:00+00:00; valid-through=2026-09-09T00:00:00+00:00; target-dates=2026-09-06,2026-09-07; dates-with-points=2026-09-06,2026-09-07 — [Iowa State API](#)
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KCRE; actual-station=KCRE; fetched-at=2026-09-06T06:00:04.197242+00:00; observed-or-issued-at=2026-09-06T00:00:00+00:00; valid-from=2026-09-07T00:00:00+00:00; valid-through=2026-09-14T00:00:00+00:00; target-dates=2026-09-07; partial-target-dates=2026-09-06; dates-with-points=2026-09-06,2026-09-07 — [Iowa State API](#)
- MOS effective date selection — state=partial; rows=16; requested-station=KCRE; actual-station=KCRE; fetched-at=2026-09-06T06:00:03.286929+00:00; observed-or-issued-at=2026-09-06T00:00:00+00:00; valid-from=2026-09-06T06:00:00+00:00; valid-through=2026-09-09T00:00:00+00:00; target-dates=2026-09-06,2026-09-07; dates-with-points=2026-09-06,2026-09-07; selected-by-date=2026-09-06=GFS, 2026-09-07=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

SUN 6 SEP 00:15 ET OBSERVED VALUE

Current observation

OBS - VFR

OBSER



clear below 12,000 ft (CLR)

WINDSW (240°) 6 kt

TEMPERATURE28 °C

VISIBILITY10 sm

DEWPOINT27 °C



KHxD runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 03/21. Wind from 240 degrees true, 248 degrees magnetic, at 6 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 21. Wind source: KHxD METAR 060415Z.

Evidence & limitations

- METAR source state: ok; observed Sep 6 00:15 ET; retrieved Sep 6 01:59 ET; 104 min before this run.
- Measured values read from the KHxD METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.88 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- The runway schematic is alignment-only; verify current runway use and NOTAMs.

DESTINATION OUTLOOK

SUN 6 SEP 00:00–06:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

GFS MAV MOS · 00:00–06:00 ET ET · VFR

Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 6 SEP 12:00–18:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND3–5 kt

TEMPERATURE80–87 °F

DEWPOINT76–77 °F

PRECIPITATION8%

Evidence & limitations

GFS MAV MOS · 12:00–18:00 ET ET · VFR

Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 6 SEP 06:00–12:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND2–3 kt

TEMPERATURE80–82 °F

DEWPOINT78–79 °F

Evidence & limitations

GFS MAV MOS · 06:00–12:00 ET ET · VFR

Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 6 SEP 18:00–00:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV MOS

GFS MAV MOS · MVFR

FORECAST

Flight-category guidance

WIND5–6 kt

TEMPERATURE87–88 °F

DEWPOINT76 °F

PRECIPITATION2%

Evidence & limitations

GFS MAV MOS · 18:00–00:00 ET ET · MVFR

Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

00:00–06:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

Forecast

GFS MAV
MOS

GFS MAV MOS ·
MVFR

FORECAST

Flight-category guidance

WIND4–5 kt

TEMPERATURE79–83 °F

DEWPOINT75 °F

PRECIPITATION52%

Evidence & limitations

- GFS MAV MOS · 00:00–06:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

Forecast

GFS MAV
MOS

GFS MAV MOS · IFR

FORECAST

Flight-category guidance

WIND4–5 kt

TEMPERATURE75–77 °F

DEWPOINT74–75 °F

PRECIPITATION52%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · IFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

Forecast

GFS MAV
MOS

GFS MAV MOS ·
MVFR

FORECAST

Flight-category guidance

WIND5–7 kt

TEMPERATURE75–81 °F

DEWPOINT73–74 °F

PRECIPITATION39%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Forecast

GFS MAV
MOS

GFS MAV MOS ·
MVFR

FORECAST

Flight-category guidance

WIND9–11 kt

TEMPERATURE81–82 °F

DEWPOINT74 °F

PRECIPITATION49%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 7

00:00–06:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+048 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

6000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

23°C dep KLZU → 28°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

03/21 (030/210°M · 022/202°T) — designators and °M headings are magnetic; °T are true; variation 8°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

3 Act on

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

HEAD, HILTON HEAD ISLAND, SC. LOC RWY 21. AMDT 5. VGS) AND DESCENT ANGLES NOT COINCIDENT (VGS) ANGLE 3.00(TCH 35).

4 additional normalized FAA NOTAM records omitted from this view.

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KHXD this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

• Mon, Sep 7 • 12:00–18:00 ET: GFS MAV MOS • 12:00–18:00 ET ET • MVFR

• Mon, Sep 7 · 18:00–00:00 ET: GFS MAV MOS · 18:00–00:00 ET ET · MVFR

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

· 00:00–06:00 ET ET · VFR

· 06:00–12:00 ET ET · VFR

· 12:00–18:00 ET ET · VFR

· 18:00–00:00 ET ET · MVFR

· 00:00–06:00 ET ET · MVFR

· 06:00–12:00 ET ET · IFR

- + MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-06=GFS, 2026-09-07=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-06 06:00	82	Sct	260/3kt	—	>10kft	>6SM
GFS	2026-09-06 09:00	80	Few	300/2kt	—	>10kft	>6SM
GFS	2026-09-06 12:00	80	Clear	300/3kt	8.0	>10kft	>6SM
GFS	2026-09-06 15:00	87	Few	350/5kt	—	>10kft	>6SM

GFS	2026-09-06 18:00	88	Sct	80/5kt	2.0	>10kft	>6SM
GFS	2026-09-06 21:00	87	Bkn	130/6kt	—	>10kft	>6SM
GFS	2026-09-07 00:00	83	Ovc	180/4kt	52.0	>10kft	3-5SM
GFS	2026-09-07 03:00	79	Ovc	30/5kt	—	>10kft	>6SM
GFS	2026-09-07 06:00	77	Ovc	30/5kt	52.0	5-10kft	3-5SM
GFS	2026-09-07 09:00	75	Ovc	40/4kt	—	5-10kft	>6SM
GFS	2026-09-07 12:00	75	Ovc	50/5kt	39.0	500-1kft	3-5SM
GFS	2026-09-07 15:00	81	Ovc	50/7kt	—	1-3kft	>6SM
GFS	2026-09-07 18:00	82	Ovc	50/9kt	49.0	1-3kft	3-5SM
GFS	2026-09-07 21:00	81	Ovc	60/11kt	—	1-3kft	3-5SM
GFS	2026-09-08 00:00	79	Ovc	50/8kt	54.0	1-3kft	>6SM
GFS	2026-09-08 03:00	78	Ovc	40/8kt	—	3-5kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KHXD 060415Z AUTO 24006KT 10SM CLR 28/27 A2988 RMK A02

TAF unavailable (unavailable)

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KHXD; actual-station=KHXD; fetched-at=2026-09-06T05:59:15.982442+00:00; observed-or-issued-at=2026-09-06T04:15:00+00:00 — [AWC API](#)
- TAF — state=unavailable; fetch-state=ok; payload-state=valid; requested-station=KHXD; actual-station=KSAV; fetched-at=2026-09-06T05:59:19.070292+00:00 — [AWC API](#)

TAF proxy · KSAV

- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KHXD; actual-station=KHXD; fetched-at=2026-09-06T05:59:19.737199+00:00
- FAA NMS NOTAM — state=OK; requested-station=KHXD; actual-station=KHXD; fetched-at=2026-09-06T05:59:23.562998Z — [FAA NMS overview](#)
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KHXD; actual-station=KHXD; fetched-at=2026-09-06T06:00:03.300901+00:00; observed-or-issued-at=2026-09-06T00:00:00+00:00; valid-from=2026-09-06T06:00:00+00:00; valid-through=2026-09-09T00:00:00+00:00; target-dates=2026-09-06,2026-09-07; dates-with-points=2026-09-06,2026-09-07 — [Iowa State API](#)
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KHXD; actual-station=KHXD; fetched-at=2026-09-06T06:00:04.157393+00:00; observed-or-issued-at=2026-09-06T00:00:00+00:00; valid-from=2026-09-07T00:00:00+00:00; valid-through=2026-09-14T00:00:00+00:00; target-dates=2026-09-07; partial-target-dates=2026-09-06; dates-with-points=2026-09-06,2026-09-07 — [Iowa State API](#)
- MOS effective date selection — state=partial; rows=16; requested-station=KHXD; actual-station=KHXD; fetched-at=2026-09-06T06:00:03.300901+00:00; observed-or-issued-at=2026-09-06T00:00:00+00:00; valid-from=2026-09-06T06:00:00+00:00; valid-through=2026-09-09T00:00:00+00:00; target-dates=2026-09-06,2026-09-07; dates-with-points=2026-09-06,2026-09-07; selected-by-date=2026-09-06=GFS, 2026-09-07=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

SUN 6 SEP 00:53 ET OBSERVED VALUE

Current observation

OBS - VFR

METAR

OBSERVED

few 5,000 ft, scattered 25,000 ft

WINDN (350°) 3 kt

TEMPERATURE21 °C

VISIBILITY9 sm

DEWPOINT21 °C

From 350°M: 3 kt

05 23

KTRI runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 05/23, 09/27. Wind from 350 degrees true, 358 degrees magnetic, at 3 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 05. NOTAM-affected runway ends, hatched separately from the wind highlight: 05 and 23. The wind-favoured end 05 is also NOTAM-affected: the wind does favour it, but a NOTAM on this card names it, so the highlight is not a statement that the runway is usable. The hatch marks only that a NOTAM names the runway; it does not decode the NOTAM's effective times, so confirm the closure window in the NOTAM text below. Wind source: KTRI METAR 060453Z.

Evidence & limitations

- METAR source state: ok; observed Sep 6 00:53 ET; retrieved Sep 6 01:59 ET; 66 min before this run.
- Measured values read from the KTRI METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.97 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- The runway schematic is alignment-only; verify current runway use and NOTAMs.

DESTINATION OUTLOOK

SUN 6 SEP 00:00–06:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV MOS

GFS MAV MOS · LIFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

GFS MAV MOS · 00:00–06:00 ET ET · LIFR

Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 6 SEP 12:00–18:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND0–1 kt

TEMPERATURE68–78 °F

DEWPOINT67–70 °F

PRECIPITATION44%

Evidence & limitations

GFS MAV MOS · 12:00–18:00 ET ET · VFR

Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 6 SEP 06:00–12:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV MOS

GFS MAV MOS · LIFR

FORECAST

Flight-category guidance

WIND0 kt

TEMPERATURE68–69 °F

DEWPOINT67–68 °F

Evidence & limitations

GFS MAV MOS · 06:00–12:00 ET ET · LIFR

Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 6 SEP 18:00–00:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND3–6 kt

TEMPERATURE85 °F

DEWPOINT68–69 °F

PRECIPITATION15%

Evidence & limitations

GFS MAV MOS · 18:00–00:00 ET ET · VFR

Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

00:00–06:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

Forecast

GFS MAV
MOS

GFS MAV MOS ·
LIFR

FORECAST

Flight-category guidance

WIND2–3 kt

TEMPERATURE71–78 °F

DEWPOINT67–69 °F

PRECIPITATION29%

Evidence & limitations

- GFS MAV MOS · 00:00–06:00 ET ET · LIFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

Forecast

GFS MAV
MOS

GFS MAV MOS ·
LIFR

FORECAST

Flight-category guidance

WIND2 kt

TEMPERATURE67–68 °F

DEWPOINT65–66 °F

PRECIPITATION20%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · LIFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND1–6 kt

TEMPERATURE67–73 °F

DEWPOINT65–67 °F

PRECIPITATION19%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND4–6 kt

TEMPERATURE78–80 °F

DEWPOINT64–66 °F

PRECIPITATION17%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 7

00:00–06:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+048 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

now

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

6000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

23°C dep KLZU → 21°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

rwY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

05/23 (050/230°M · 042/222°T) · 09/27 (090/270°M · 082/262°T) — designators and °M headings are magnetic; °T are true; variation 8°W (NOAA WMM2025)

info

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

23 Act on2 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

ed 2026-09-06T05:59:24.860295Z.

(oritative)

FRI SEP 4	SAT SEP 5	SUN SEP 6	MON SEP 7

08/068				
08/069				
08/070				
57 additional normalized NOTAM records omitted from this view.				

Raw NOTAM data · NOTAMs as of 05:59 Z

NOTAMs as of 05:59 Z — advisory only; verify an official briefing.

5/8343	NOTAM text not available in this projection.
5/8558	NOTAM text not available in this projection.
08/068	NOTAM text not available in this projection.
08/069	NOTAM text not available in this projection.
08/070	NOTAM text not available in this projection.
08/071	NOTAM text not available in this projection.
08/072	NOTAM text not available in this projection.
09/005	NOTAM text not available in this projection.
A1192/26	NOTAM text not available in this projection.
09/016	NOTAM text not available in this projection.
A1210/26	NOTAM text not available in this projection.
09/019	NOTAM text not available in this projection.
A1211/26	NOTAM text not available in this projection.

A1212/26

NOTAM text not available in this projection.

08/067

NOTAM text not available in this projection.

08/073

NOTAM text not available in this projection.

09/015

NOTAM text not available in this projection.

A1208/26

NOTAM text not available in this projection.

5/1221

NOTAM text not available in this projection.

A1144/25

NOTAM text not available in this projection.

A1251/25

NOTAM text not available in this projection.

A1252/25

NOTAM text not available in this projection.

5/8404

NOTAM text not available in this projection.

5/8405

NOTAM text not available in this projection.

5/8406

NOTAM text not available in this projection.

5/8407

NOTAM text not available in this projection.

A1367/25

NOTAM text not available in this projection.

A1368/25

NOTAM text not available in this projection.

A1369/25

NOTAM text not available in this projection.

A1370/25

NOTAM text not available in this projection.

5/8409

NOTAM text not available in this projection.

A1373/25

NOTAM text not available in this projection.

5/8411

NOTAM text not available in this projection.

A1374/25

NOTAM text not available in this projection.

06/034

NOTAM text not available in this projection.

A0975/26

NOTAM text not available in this projection.

06/042

NOTAM text not available in this projection.

A0980/26

NOTAM text not available in this projection.

06/043

NOTAM text not available in this projection.

A0981/26

NOTAM text not available in this projection.

6/3714

NOTAM text not available in this projection.

A1099/26

NOTAM text not available in this projection.

06/035

NOTAM text not available in this projection.

06/044

NOTAM text not available in this projection.

06/046

NOTAM text not available in this projection.

06/061

NOTAM text not available in this projection.

06/068

NOTAM text not available in this projection.

07/010

NOTAM text not available in this projection.

07/028

NOTAM text not available in this projection.

07/029

NOTAM text not available in this projection.

07/054

NOTAM text not available in this projection.

08/034

NOTAM text not available in this projection.

08/053

NOTAM text not available in this projection.

08/066

NOTAM text not available in this projection.

08/078

NOTAM text not available in this projection.

A1181/26

NOTAM text not available in this projection.

09/004

NOTAM text not available in this projection.

09/017

NOTAM text not available in this projection.

09/018

NOTAM text not available in this projection.

A1206/26

NOTAM text not available in this projection.

A1209/26

NOTAM text not available in this projection.

09/020

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

RUNWAY 000000 — RWY 22 TWO MARKINGS NOT STD
Effective 2026-08-28T12:08:00Z → 2026-09-30T22:00:00Z

RUNWAY 000010 — RWY 05 TWO MARKINGS NOT STD
Effective 2026-08-28T12:08:00Z → 2026-09-30T22:00:00Z

RUNWAY 000016 — RWY 05S FLSD TO TOL FOR ACFT MORE THAN 80000LB
Effective 2026-09-04T17:39:00Z → 2026-09-11T22:00:00Z

RUNWAY 0120026 — RWY 05S FLSD TO TOL FOR ACFT MORE THAN 80000LB
Effective 2026-09-04T17:39:00Z → 2026-09-11T22:00:00Z

55 additional normalized FAA NOTAM records omitted from this view.

026-09-06T05:59:24.860295Z.

PISTOLJOHNSONKINGSPOORT, TN, TRICITIES THREE DEPARTURE ... DISREGARD TAKE-OFF MINIMUMS RWY 27, ADD 2 1/2 OR STANDARD WITH MINIMUM CLIMB
OFF MINIMUMS, RWY 27 ADD 2 1/2. ALL OTHER DATA REMAINS AS PUBLISHED. 2509221540-2709221540EST
:00Z

PISTOLJOHNSONKINGSPOORT, TN, KINGS TWO DEPARTURE ... TAKE-OFFTAKE-OFF MINIMUMS, RWY 27, NOT AUTHORIZED. ALL OTHER DATA REMAINS AS
EST
:00Z

MARKINGS NOT STD
:00Z

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight

category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

· 00:00–06:00 ET ET · LIFR

category. NOTAMs were read for KTRI this run.

no-go here is derived from an image. A published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

· 06:00–12:00 ET ET · LIFR

· 12:00–18:00 ET ET · VFR

· 18:00–00:00 ET ET · VFR

· 00:00–06:00 ET ET · LIFR

· 06:00–12:00 ET ET · LIFR

· 12:00–18:00 ET ET · VFR

• Mon, Sep 7 · 18:00–00:00 ET: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-06=GFS, 2026-09-07=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-06 06:00	69	Bkn	0/0kt	—	>10kft	3-5SM
GFS	2026-09-06 09:00	68	Bkn	0/0kt	—	>10kft	¼-½SM
GFS	2026-09-06 12:00	68	Ovc	0/0kt	44.0	>10kft	<¼SM
GFS	2026-09-06 15:00	78	Bkn	330/1kt	—	>10kft	>6SM
GFS	2026-09-06 18:00	85	Bkn	320/3kt	15.0	>10kft	>6SM
GFS	2026-09-06 21:00	85	Bkn	310/6kt	—	>10kft	>6SM
GFS	2026-09-07 00:00	78	Bkn	30/3kt	29.0	>10kft	>6SM
GFS	2026-09-07 03:00	71	Ovc	40/2kt	—	5-10kft	>6SM
GFS	2026-09-07 06:00	68	Ovc	60/2kt	20.0	3-5kft	3-5SM
GFS	2026-09-07 09:00	67	Ovc	340/2kt	—	1-3kft	½-1SM
GFS	2026-09-07 12:00	67	Ovc	60/1kt	19.0	500-1kft	<¼SM
GFS	2026-09-07 15:00	73	Ovc	100/6kt	—	1-3kft	>6SM
GFS	2026-09-07 18:00	78	Ovc	90/4kt	17.0	5-10kft	>6SM
GFS	2026-09-07 21:00	80	Bkn	110/6kt	—	>10kft	>6SM
GFS	2026-09-08 00:00	73	Bkn	130/3kt	7.0	>10kft	>6SM
GFS	2026-09-08 03:00	66	Few	130/2kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KTRI 060453Z 35003KT 9SM FEW050 SCT250 21/21 A2997 RMK A02 SLP124 T02110206 403060194 \$

TAF unavailable (unavailable)

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KTRI; actual-station=KTRI; fetched-at=2026-09-06T05:59:15.982442+00:00; observed-or-issued-at=2026-09-06T04:53:00+00:00 — [AWC API](#)
- TAF — state=unavailable; fetch-state=ok; payload-state=valid; requested-station=KTRI; actual-station=KTRI; fetched-at=2026-09-06T05:59:19.070292+00:00 — [AWC API](#)

TAF proxy · KTRI
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KTRI; actual-station=KTRI; fetched-at=2026-09-06T05:59:19.918872+00:00
- FAA NMS NOTAM — state=OK; requested-station=KTRI; actual-station=KTRI; fetched-at=2026-09-06T05:59:24.860295Z — [FAA NMS overview](#)
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KTRI; actual-station=KTRI; fetched-at=2026-09-06T06:00:03.261146+00:00; observed-or-issued-at=2026-09-06T00:00:00+00:00; valid-from=2026-09-06T06:00:00+00:00; valid-through=2026-09-09T00:00:00+00:00; target-dates=2026-09-06,2026-09-07; dates-with-points=2026-09-06,2026-09-07 — [Iowa State API](#)
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KTRI; actual-station=KTRI; fetched-at=2026-09-06T06:00:04.245132+00:00; observed-or-issued-at=2026-09-06T00:00:00+00:00; valid-from=2026-09-07T00:00:00+00:00; valid-through=2026-09-14T00:00:00+00:00; target-dates=2026-09-07; partial-target-dates=2026-09-06; dates-with-points=2026-09-06,2026-09-07 — [Iowa State API](#)
- MOS effective date selection — state=partial; rows=16; requested-station=KTRI; actual-station=KTRI; fetched-at=2026-09-06T06:00:03.261146+00:00; observed-or-issued-at=2026-09-06T00:00:00+00:00; valid-from=2026-09-06T06:00:00+00:00; valid-through=2026-09-09T00:00:00+00:00; target-dates=2026-09-06,2026-09-07; dates-with-points=2026-09-06,2026-09-07; selected-by-date=2026-09-06=GFS, 2026-09-07=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — [FAA Chart Supplement \(current cycle\)](#) — see AirNav link above

#9

KROA

Roanoke Rgnl, VA, US

· Mountain · Roanoke valley

OBS - VFR

EFE

1h56

DIST

279 nm

SUN 6 SEP 00:54 ET OBSERVED VALUE

Current observation

OBS - VFR

OBSER

META

R

broken 7,000 ft

WINDSE (150°) 3 kt

TEMPERATURE23 °C

VISIBILITY10 sm



DEWPOINT**19 °C**



KROA runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 06/24, 16/34. Wind from 150 degrees true, 159 degrees magnetic, at 3 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 16. Wind source: KROA METAR 060454Z.

Evidence & limitations

- METAR source state: ok; observed Sep 6 00:54 ET; retrieved Sep 6 01:59 ET; 65 min before this run.
- Measured values read from the KROA METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.95 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- The runway schematic is alignment-only; verify current runway use and NOTAMs.

DESTINATION OUTLOOK

SUN 6 SEP 00:00–06:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV MOS

GFS MAV MOS · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

GFS MAV MOS · 00:00–06:00 ET ET · MVFR

Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 6 SEP 12:00–18:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND3–4 kt

TEMPERATURE72–77 °F

DEWPOINT66–67 °F

PRECIPITATION7%

Evidence & limitations

GFS MAV MOS · 12:00–18:00 ET ET · VFR

Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 6 SEP 06:00–12:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV MOS

GFS MAV MOS · MVFR

FORECAST

Flight-category guidance

WIND2–3 kt

TEMPERATURE71–73 °F

DEWPOINT66 °F

Evidence & limitations

GFS MAV MOS · 06:00–12:00 ET ET · MVFR

Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 6 SEP 18:00–00:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND6–7 kt

TEMPERATURE78–79 °F

DEWPOINT66 °F

PRECIPITATION27%

Evidence & limitations

GFS MAV MOS · 18:00–00:00 ET ET · VFR

Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

00:00–06:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

Forecast

GFS MAV
MOS

GFS MAV MOS ·
MVFR

FORECAST

Flight-category guidance

WIND3–5 kt

TEMPERATURE70–74 °F

DEWPOINT66 °F

PRECIPITATION48%

Evidence & limitations

- GFS MAV MOS · 00:00–06:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

Forecast

GFS MAV
MOS

GFS MAV MOS ·
VFR

FORECAST

Flight-category guidance

WIND3–4 kt

TEMPERATURE65–67 °F

DEWPOINT63–65 °F

PRECIPITATION38%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND4–5 kt



TEMPERATURE66–72 °F



DEWPOINT63 °F



PRECIPITATION25%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND6 kt



TEMPERATURE76–78 °F



DEWPOINT59–60 °F



PRECIPITATION8%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 7

00:00–06:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+048 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

23°C dep KLZU → 23°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

06/24 (060/240°M · 051/231°T) · 16/34 (160/340°M · 151/331°T) — designators and °M headings are magnetic; °T are true; variation 9°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		
Verify the current FAA Chart Supplement and provider before flight.			

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

4 Act on

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

ed 2026-09-06T05:59:24.897742Z.

FRI SEP 4	SAT SEP 5	SUN SEP 6	MON SEP 7

A1088/26					
08/147					
08/148					
22 additional normalized NOTAM records omitted from this view.					

Raw NOTAM data · NOTAMs as of 05:59 Z

NOTAMs as of 05:59 Z — advisory only; verify an official briefing.

A1081/26	NOTAM text not available in this projection.
A1087/26	NOTAM text not available in this projection.
A1088/26	NOTAM text not available in this projection.
08/147	NOTAM text not available in this projection.
08/148	NOTAM text not available in this projection.
08/149	NOTAM text not available in this projection.
08/150	NOTAM text not available in this projection.
08/152	NOTAM text not available in this projection.
08/153	NOTAM text not available in this projection.
A1062/26	NOTAM text not available in this projection.
08/154	NOTAM text not available in this projection.
08/155	NOTAM text not available in this projection.
08/156	NOTAM text not available in this projection.

A1083/26

NOTAM text not available in this projection.

5/6949

NOTAM text not available in this projection.

A0691/25

NOTAM text not available in this projection.

08/084

NOTAM text not available in this projection.

A0956/26

NOTAM text not available in this projection.

09/011

NOTAM text not available in this projection.

A1084/26

NOTAM text not available in this projection.

08/050

NOTAM text not available in this projection.

A1138/25

NOTAM text not available in this projection.

07/040

NOTAM text not available in this projection.

08/074

NOTAM text not available in this projection.

08/075

NOTAM text not available in this projection.

08/076

NOTAM text not available in this projection.

08/114

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

source per owner decision 2026-08-09;
technical transport environment remains
preprod. Limited 2026-07-30 spot check
covered KLZU, KAVL, and KSGJ (3 of 30
airports). NOTAMs were read from this source
and used on this card this run. Typed state:
OK. The dot colour reports whether this
source was read this run; technical
environment: preprod.

26-09-06T05:59:24.897742Z.

Effective 2026-08-31T16:24:00Z → 2026-09-30T23:59:00Z

TAXIWAY 08/148 — TWY B CL MARKINGS BTN TWY B4 AND TWY B1 NOT STD

Effective 2026-08-31T16:27:00Z → 2026-09-30T23:59:00Z

22 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics,
the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KROA this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

• Mon, Sep 7 • 12:00–18:00 ET: GFS MAV MOS • 12:00–18:00 ET ET • VFR

• Mon, Sep 7 · 18:00–00:00 ET: GFS MAV MOS · 18:00–00:00 ET ET · VFR

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

· 00:00–06:00 ET ET · MVFR

· 06:00–12:00 ET ET · MVFR

· 12:00–18:00 ET ET · VFR

· 18:00–00:00 ET ET · VFR

· 00:00–06:00 ET ET · MVFR

· 06:00–12:00 ET ET · VFR

- + MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-06=GFS, 2026-09-07=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-06 06:00	73	Sct	140/3kt	—	>10kft	8SM

GFS	2026-09-06 09:00	71	Ovc	100/2kt	—	5-10kft	3-5SM
GFS	2026-09-06 12:00	72	Ovc	60/3kt	7.0	5-10kft	3-5SM
GFS	2026-09-06 15:00	77	Ovc	50/4kt	—	5-10kft	>6SM
GFS	2026-09-06 18:00	79	Ovc	80/7kt	27.0	5-10kft	>6SM
GFS	2026-09-06 21:00	78	Ovc	80/6kt	—	5-10kft	>6SM
GFS	2026-09-07 00:00	74	Ovc	70/5kt	48.0	5-10kft	>6SM
GFS	2026-09-07 03:00	70	Ovc	90/3kt	—	5-10kft	>6SM
GFS	2026-09-07 06:00	67	Ovc	100/4kt	38.0	5-10kft	>6SM
GFS	2026-09-07 09:00	65	Ovc	70/3kt	—	3-5kft	3-5SM
GFS	2026-09-07 12:00	66	Ovc	70/4kt	25.0	5-10kft	>6SM
GFS	2026-09-07 15:00	72	Ovc	80/5kt	—	5-10kft	>6SM
GFS	2026-09-07 18:00	76	Bkn	110/6kt	8.0	5-10kft	>6SM
GFS	2026-09-07 21:00	78	Sct	110/6kt	—	>10kft	>6SM
GFS	2026-09-08 00:00	74	Clear	110/5kt	0.0	>10kft	>6SM
GFS	2026-09-08 03:00	70	Clear	90/2kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KROA 060454Z 15003KT 10SM BKN070 23/19 A2995 RMK A02 SLP126 T02330194 403330211

TAF unavailable (unavailable)

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KROA; actual-station=KROA; fetched-at=2026-09-06T05:59:15.982442+00:00; observed-or-issued-at=2026-09-06T04:54:00+00:00 — [AWC API](#)
- TAF — state=unavailable; fetch-state=ok; payload-state=valid; requested-station=KROA; actual-station=KROA; fetched-at=2026-09-06T05:59:19.070292+00:00 — [AWC API](#)

TAF proxy · KROA

- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KROA; actual-station=KROA; fetched-at=2026-09-06T05:59:19.681542+00:00
- FAA NMS NOTAM — state=OK; requested-station=KROA; actual-station=KROA; fetched-at=2026-09-06T05:59:24.897742Z — [FAA NMS overview](#)
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KROA; actual-station=KROA; fetched-at=2026-09-06T06:00:03.226114+00:00; observed-or-issued-at=2026-09-06T00:00:00+00:00; valid-from=2026-09-06T06:00:00+00:00; valid-through=2026-09-09T00:00:00+00:00; target-dates=2026-09-06,2026-09-07; dates-with-points=2026-09-06,2026-09-07 — [Iowa State API](#)
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KROA; actual-station=KROA; fetched-at=2026-09-06T06:00:04.177796+00:00; observed-or-issued-at=2026-09-06T00:00:00+00:00; valid-from=2026-09-07T00:00:00+00:00; valid-through=2026-09-14T00:00:00+00:00; target-dates=2026-09-07; partial-target-dates=2026-09-06; dates-with-points=2026-09-06,2026-09-07 — [Iowa State API](#)
- MOS effective date selection — state=partial; rows=16; requested-station=KROA; actual-station=KROA; fetched-at=2026-09-06T06:00:03.226114+00:00; observed-or-issued-at=2026-09-06T00:00:00+00:00; valid-from=2026-09-06T06:00:00+00:00; valid-through=2026-09-09T00:00:00+00:00; target-dates=2026-09-06,2026-09-07; dates-with-points=2026-09-06,2026-09-07; selected-by-date=2026-09-06=GFS, 2026-09-07=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.

• Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#10 **KSGJ** **St Augustine Arpt, FL, US** · Atlantic South · St Augustine FL

OBS - VFR

ETE
1h55

DIST
276 nm

SUN 6 SEP 00:56 ET OBSERVED VALUE

Current observation

OBS - VFR

METAR

scattered 5,500 ft

WINDSW (220°) 6 kt

TEMPERATURE25 °C

VISIBILITY10 sm

DEWPOINT24 °C



KSGJ runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 13/31, 06/24, 02/20. Seaplane water lanes (17W, 35W, 18W, 36W, 12W and 30W) are excluded from the diagram and are never marked as favoured. Wind from 220 degrees true, 227 degrees magnetic, at 6 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 24. Wind source: KSGJ METAR 060456Z.

Evidence & limitations

- METAR source state: ok; observed Sep 6 00:56 ET; retrieved Sep 6 01:59 ET; 63 min before this run.
- Measured values read from the KSGJ METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.90 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- The runway schematic is alignment-only; verify current runway use and NOTAMs.

DESTINATION OUTLOOK

SUN 6 SEP 00:00–06:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

GFS MAV MOS · 00:00–06:00 ET ET · VFR

Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 6 SEP 12:00–18:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND4–6 kt

TEMPERATURE77–87 °F

DEWPOINT76–78 °F

PRECIPITATION27%

Evidence & limitations

GFS MAV MOS · 12:00–18:00 ET ET · VFR

Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 6 SEP 06:00–12:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND4 kt

TEMPERATURE76–77 °F

DEWPOINT76 °F

Evidence & limitations

GFS MAV MOS · 06:00–12:00 ET ET · VFR

Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 6 SEP 18:00–00:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND7–8 kt

TEMPERATURE85–88 °F

DEWPOINT77–78 °F

PRECIPITATION19%

Evidence & limitations

GFS MAV MOS · 18:00–00:00 ET ET · VFR

Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

00:00–06:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

Forecast

GFS MAV
MOS

GFS MAV MOS ·
VFR

FORECAST

Flight-category guidance

WIND3–4 kt

TEMPERATURE79–82 °F

DEWPOINT76–77 °F

PRECIPITATION56%

Evidence & limitations

- GFS MAV MOS · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

Forecast

GFS MAV
MOS

GFS MAV MOS ·
VFR

FORECAST

Flight-category guidance

WIND4–8 kt

TEMPERATURE77–78 °F

DEWPOINT76 °F

PRECIPITATION47%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND5 kt



TEMPERATURE77–82 °F



DEWPOINT76–77 °F



PRECIPITATION52%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND5–7 kt



TEMPERATURE81–83 °F



DEWPOINT75–76 °F



PRECIPITATION45%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 7

00:00–06:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+048 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

23°C dep KLZU → 25°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

13/31 (130/310°M · 123/303°T) · 06/24 (060/240°M · 053/233°T) · 02/20 (020/200°M · 013/193°T) · 17W/35W (170/350°M · 163/343°T · water lane, not wind-favored) · 18W/36W (180/000°M · 173/353°T · water lane, not wind-favored) · 12W/30W (120/300°M · 113/293°T · water lane, not wind-favored) — designators and °M headings are magnetic; °T are true; variation 7°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)6 Act on3 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this

2 · What

3 · Where

ed 2026-09-06T05:59:25.837089Z.

pritative) = no published end (each row states whether it is permanent or simply not supplied) — continues past this window

FRI SEP 4

SAT SEP 5

SUN SEP 6

MON SEP 7

source was read this run; technical environment: preprod.

5/0380				
12/004				»
12 additional normalized NOTAM records omitted from this view.				

Raw NOTAM data · NOTAMs as of 05:59 Z

NOTAMs as of 05:59 Z — advisory only; verify an official briefing.

08/010 NOTAM text not available in this projection.
08/014 NOTAM text not available in this projection.
09/003 NOTAM text not available in this projection.
5/0380 NOTAM text not available in this projection.
12/004 NOTAM text not available in this projection.
6/6168 NOTAM text not available in this projection.
06/017 NOTAM text not available in this projection.
08/003 NOTAM text not available in this projection.
06/025 NOTAM text not available in this projection.
07/002 NOTAM text not available in this projection.
08/008 NOTAM text not available in this projection.
08/013 NOTAM text not available in this projection.
08/017

NOTAM text not available in this projection.

09/001

NOTAM text not available in this projection.

09/002

NOTAM text not available in this projection.

09/004

NOTAM text not available in this projection.

08/018

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2026-09-06T05:59:25.837089Z.

09/001

09/002

09/002

09/002

ST FLORIDA RGNL ST AUGUSTINE FL RNAV (GPS) RWY 13, ORIG-F, LNAV/VNAV DA 35M/HAT 355 ALL CATS, CIRCLING CAT C MDA 650/HAA 670, LNAV CAT C RWY 13 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED, STRAIGHT-IN MINIMUMS NA AT NIGHT, CIRCLING RWY 2, 6 NA AT NIGHT

NAV APPROACH (UNCOMMISSIONED)

Effective 2025-09-09T18:42:00Z → 2027-09-09T23:59:00Z

NAV_APPROACH

UNCOMMISSIONED — NAV APPROACH (UNCOMMISSIONED)

Effective 2025-12-04T15:30:00Z → Permanent — no expiry published

12 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

Forecast for Aviation and the Weather Prediction Center surface progs, issued by the National Weather Service through the day; the surface prog series reaches 144 hours. They are raster images a pilot reads for fronts, pressure systems and precipitation shields. This page displays them with their issuing office and valid time and never interprets them: no category, wind, ceiling, ranking or go/no-go here is derived from an image. A published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

- Mon, Sep 7 · 06:00–12:00 ET: GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Mon, Sep 7 · 12:00–18:00 ET: GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Mon, Sep 7 · 18:00–00:00 ET: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-06=GFS, 2026-09-07=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-06 06:00	77	Bkn	240/4kt	—	>10kft	>6SM
GFS	2026-09-06 09:00	76	Bkn	270/4kt	—	>10kft	>6SM
GFS	2026-09-06 12:00	77	Sct	270/4kt	27.0	>10kft	>6SM
GFS	2026-09-06 15:00	87	Sct	290/6kt	—	>10kft	>6SM
GFS	2026-09-06 18:00	88	Bkn	70/8kt	19.0	>10kft	>6SM
GFS	2026-09-06 21:00	85	Ovc	130/7kt	—	>10kft	>6SM
GFS	2026-09-07 00:00	82	Ovc	170/4kt	56.0	>10kft	>6SM
GFS	2026-09-07 03:00	79	Ovc	220/3kt	—	>10kft	>6SM
GFS	2026-09-07 06:00	78	Ovc	270/4kt	47.0	>10kft	>6SM
GFS	2026-09-07 09:00	77	Ovc	340/8kt	—	5-10kft	>6SM
GFS	2026-09-07 12:00	77	Ovc	20/5kt	52.0	>10kft	>6SM
GFS	2026-09-07 15:00	82	Ovc	300/5kt	—	5-10kft	6SM
GFS	2026-09-07 18:00	83	Ovc	70/7kt	45.0	5-10kft	>6SM
GFS	2026-09-07 21:00	81	Ovc	170/5kt	—	>10kft	6SM
GFS	2026-09-08 00:00	79	Ovc	20/4kt	61.0	>10kft	>6SM
GFS	2026-09-08 03:00	78	Ovc	40/5kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KSGJ 060456Z AUTO 22006KT 10SM SCT055 25/24 A2990 RMK A02 SLP125 P0001 T02500244 \$

TAF unavailable (unavailable)

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KSGJ; actual-station=KSGJ; fetched-at=2026-09-06T05:59:15.982442+00:00; observed-or-issued-at=2026-09-06T04:56:00+00:00 — [AWC API](#)
- TAF — state=unavailable; fetch-state=ok; payload-state=valid; requested-station=KSGJ; actual-station=KSGJ; fetched-at=2026-09-06T05:59:19.070292+00:00 — [AWC API](#)

TAF proxy · KSGJ

- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KSGJ; actual-station=KSGJ; fetched-at=2026-09-06T05:59:20.557448+00:00
- FAA NMS NOTAM — state=OK; requested-station=KSGJ; actual-station=KSGJ; fetched-at=2026-09-06T05:59:25.837089Z — [FAA NMS overview](#)
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KSGJ; actual-station=KSGJ; fetched-at=2026-09-06T06:00:03.525937+00:00; observed-or-issued-at=2026-09-06T00:00:00+00:00; valid-from=2026-09-06T06:00:00+00:00; valid-through=2026-09-09T00:00:00+00:00; target-dates=2026-09-06,2026-09-07; dates-with-points=2026-09-06,2026-09-07 — [Iowa State API](#)
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KSGJ; actual-station=KSGJ; fetched-at=2026-09-06T06:00:04.407048+00:00; observed-or-issued-at=2026-09-06T00:00:00+00:00; valid-from=2026-09-07T00:00:00+00:00; valid-through=2026-09-14T00:00:00+00:00; target-dates=2026-09-07; partial-target-dates=2026-09-06; dates-with-points=2026-09-06,2026-09-07 — [Iowa State API](#)
- MOS effective date selection — state=partial; rows=16; requested-station=KSGJ; actual-station=KSGJ; fetched-at=2026-09-06T06:00:03.525937+00:00; observed-or-issued-at=2026-09-06T00:00:00+00:00; valid-from=2026-09-06T06:00:00+00:00; valid-through=2026-09-09T00:00:00+00:00; target-dates=2026-09-06,2026-09-07; dates-with-points=2026-09-06,2026-09-07; selected-by-date=2026-09-06=GFS, 2026-09-07=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#11

KCRG Jacksonville/Executive at Craig Arpt, FL, US

· Atlantic North · Jacksonville Exec

OBS - VFR

ETE

1h45

DIST

252 nm

SUN 6 SEP 00:53 ET OBSERVED VALUE

Current observation

OBS - VFR

OBSERVED

METAR

clear below 12,000 ft (CLR)

WIND

SW (220°) 5 kt

TEMPERATURE

27 °C

VISIBILITY

10 sm



DEWPOINT25 °C



KCRG runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 14/32, 05/23. Wind from 220 degrees true, 227 degrees magnetic, at 5 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 23. Wind source: KCRG METAR 060453Z.

Evidence & limitations

- METAR source state: ok; observed Sep 6 00:53 ET; retrieved Sep 6 01:59 ET; 66 min before this run.
- Measured values read from the KCRG METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.88 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- The runway schematic is alignment-only; verify current runway use and NOTAMs.

DESTINATION OUTLOOK

SUN 6 SEP 00:00–06:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• GFS MAV MOS · 00:00–06:00 ET ET · VFR

• Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 6 SEP 12:00–18:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND4–6 kt

TEMPERATURE78–87 °F

DEWPOINT77 °F

PRECIPITATION22%

Evidence & limitations

• GFS MAV MOS · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 6 SEP 06:00–12:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND4–5 kt

TEMPERATURE78–79 °F

DEWPOINT77 °F

Evidence & limitations

• GFS MAV MOS · 06:00–12:00 ET ET · VFR

• Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 6 SEP 18:00–00:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND6–7 kt

TEMPERATURE87–90 °F

DEWPOINT76 °F

PRECIPITATION22%

Evidence & limitations

• GFS MAV MOS · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

00:00–06:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

Forecast

GFS MAV
MOS

GFS MAV MOS ·
VFR

FORECAST

Flight-category guidance

WIND2–3 kt

TEMPERATURE80–82 °F

DEWPOINT76–77 °F

PRECIPITATION58%

Evidence & limitations

- GFS MAV MOS · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

Forecast

GFS MAV
MOS

GFS MAV MOS ·
VFR

FORECAST

Flight-category guidance

WIND2–6 kt

TEMPERATURE77–78 °F

DEWPOINT75–76 °F

PRECIPITATION53%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND4–5 kt

TEMPERATURE77–82 °F

DEWPOINT75–76 °F

PRECIPITATION56%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND5–6 kt

TEMPERATURE82–84 °F

DEWPOINT75 °F

PRECIPITATION41%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 7

00:00–06:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+048 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

now

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

23°C dep KLZU → 27°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

rwY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

14/32 (140/320°M · 133/313°T) · 05/23 (050/230°M · 043/223°T) — designators and °M headings are magnetic; °T are true; variation 7°W (NOAA WMM2025)

info

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

3 Act on

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

ed 2026-09-06T05:59:25.968586Z.

oritative)

FRI SEP 4

SAT SEP 5

SUN SEP 6

MON SEP 7

09/004

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2026-09-06T05:59:25.968586Z.

JACKSONVILLE EXEC AT CRAIG, JACKSONVILLE, FL, ILS OR LOC RWY 32, AMDT 5C. . RNAV (GPS) RWY 14, AMDT 1B. . RNAV (GPS) RWY 32, AMDT 1B. . CIRCLING CAT C 1/4 SM. 2605111508-2605111508EST

:00Z

JACKSONVILLE EXEC AT CRAIG, JACKSONVILLE, FL, ILS OR LOC RWY 32, AMDT 5C. . RNAV (GPS) RWY 14, AMDT 1B. . RNAV (GPS) RWY 32, AMDT 1B. . CIRCLING CAT C 1/4 SM. 2605111508-2605111508EST

:00Z

JACKSONVILLE EXEC AT CRAIG, JACKSONVILLE, FL, RNAV (GPS) RWY 14, AMDT 1B. . LPV DA 295/HAT 254 ALL CATS. CHANGE NOTE TO READ: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE JACKSONVILLE INTL ALTIMETER SETTING. INCREASE LPV DA TO 327 FEET. INCREASE LNAV/VNAV DA TO 400 FEET AND ALL VISIBILITIES 1/4 SM. INCREASE ALL MDAS 40 FEET AND CIRCLING VISIBILITY CAT C 1/4 SM. 2605111508-2605111508EST

Effective 2026-05-11T15:08:00Z → 2028-05-11T15:08:00Z

NAV_APPROACH

M9358 — IAP JACKSONVILLE EXEC AT CRAIG, JACKSONVILLE, FL, RNAV (GPS) RWY 32, AMDT 1B. . LPV DA 291/HAT 250 ALL CATS. LNAV/VNAV DA 400/HAT 365 ALL CATS. VDP NA. CHANGE NOTE TO READ: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE JACKSONVILLE INTL ALTIMETER SETTING. INCREASE LPV DA TO 324 FEET. INCREASE LNAV/VNAV DA TO 400 FEET. INCREASE ALL MDAS 40 FEET AND CIRCLING VISIBILITY CAT C 1/4 SM. 2605111508-2605111508EST

Effective 2026-05-11T15:08:00Z → 2028-05-11T15:08:00Z

NAV_APPROACH

A0189126 — IAP JACKSONVILLE EXEC AT CRAIG, JACKSONVILLE, FL, RNAV (GPS) RWY 32, AMDT 1B. . LPV DA 291/HAT 250 ALL CATS. LNAV/VNAV DA 400/HAT 365 ALL CATS. VDP NA. CHANGE NOTE TO READ: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE JACKSONVILLE INTL ALTIMETER SETTING. INCREASE LPV DA TO 324 FEET. INCREASE LNAV/VNAV DA TO 400 FEET. INCREASE ALL MDAS 40 FEET AND CIRCLING VISIBILITY CAT C 1/4 SM.

Effective 2026-05-11T15:08:00Z → 2028-05-11T15:08:00Z

9 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and

and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KCRG this run.

published VFR Surface Chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

- 00:00–06:00 ET ET · VFR
- 06:00–12:00 ET ET · VFR
- 12:00–18:00 ET ET · VFR
- 18:00–00:00 ET ET · VFR
- 00:00–06:00 ET ET · VFR
- Mon, Sep 7 · 06:00–12:00 ET: GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Mon, Sep 7 · 12:00–18:00 ET: GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Mon, Sep 7 · 18:00–00:00 ET: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-06=GFS, 2026-09-07=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-06 06:00	79	Bkn	240/5kt	—	>10kft	>6SM
GFS	2026-09-06 09:00	78	Bkn	280/4kt	—	>10kft	>6SM
GFS	2026-09-06 12:00	78	Bkn	280/4kt	22.0	>10kft	>6SM
GFS	2026-09-06 15:00	87	Bkn	290/6kt	—	>10kft	>6SM
GFS	2026-09-06 18:00	90	Bkn	30/6kt	22.0	>10kft	>6SM
GFS	2026-09-06 21:00	87	Ovc	130/7kt	—	>10kft	>6SM
GFS	2026-09-07 00:00	82	Ovc	180/3kt	58.0	>10kft	>6SM
GFS	2026-09-07 03:00	80	Ovc	200/2kt	—	>10kft	>6SM
GFS	2026-09-07 06:00	78	Ovc	290/2kt	53.0	5-10kft	>6SM
GFS	2026-09-07 09:00	77	Ovc	20/6kt	—	5-10kft	>6SM
GFS	2026-09-07 12:00	77	Ovc	50/4kt	56.0	5-10kft	>6SM
GFS	2026-09-07 15:00	82	Ovc	30/5kt	—	>10kft	6SM
GFS	2026-09-07 18:00	84	Ovc	50/5kt	41.0	5-10kft	>6SM
GFS	2026-09-07 21:00	82	Ovc	100/6kt	—	>10kft	6SM
GFS	2026-09-08 00:00	77	Ovc	30/4kt	59.0	>10kft	>6SM
GFS	2026-09-08 03:00	77	Ovc	40/4kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KCRG 060453Z AUTO 22005KT 10SM CLR 27/25 A2988 RMK A02 SLP118 T02670250 403280244

TAF unavailable (unavailable)

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KCRG; actual-station=KCRG; fetched-at=2026-09-06T05:59:15.982442+00:00; observed-or-issued-at=2026-09-06T04:53:00+00:00 — [AWC API](#)
- TAF — state=unavailable; fetch-state=ok; payload-state=valid; requested-station=KCRG; actual-station=KCRG; fetched-at=2026-09-06T05:59:19.070292+00:00 — [AWC API](#)

TAF proxy · KCRG
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KCRG; actual-station=KCRG; fetched-at=2026-09-06T05:59:19.465913+00:00
- FAA NMS NOTAM — state=OK; requested-station=KCRG; actual-station=KCRG; fetched-at=2026-09-06T05:59:25.968586Z — [FAA NMS overview](#)
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KCRG; actual-station=KCRG; fetched-at=2026-09-06T06:00:03.523837+00:00; observed-or-issued-at=2026-09-06T00:00:00+00:00; valid-from=2026-09-06T06:00:00+00:00; valid-through=2026-09-09T00:00:00+00:00; target-dates=2026-09-06,2026-09-07; dates-with-points=2026-09-06,2026-09-07 — [Iowa State API](#)
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KCRG; actual-station=KCRG; fetched-at=2026-09-06T06:00:04.516160+00:00; observed-or-issued-at=2026-09-06T00:00:00+00:00; valid-from=2026-09-07T00:00:00+00:00; valid-through=2026-09-14T00:00:00+00:00; target-dates=2026-09-07; partial-target-dates=2026-09-06; dates-with-points=2026-09-06,2026-09-07 — [Iowa State API](#)
- MOS effective date selection — state=partial; rows=16; requested-station=KCRG; actual-station=KCRG; fetched-at=2026-09-06T06:00:03.523837+00:00; observed-or-issued-at=2026-09-06T00:00:00+00:00; valid-from=2026-09-06T06:00:00+00:00; valid-through=2026-09-09T00:00:00+00:00; target-dates=2026-09-06,2026-09-07; dates-with-points=2026-09-06,2026-09-07; selected-by-date=2026-09-06=GFS, 2026-09-07=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — [FAA Chart Supplement \(current cycle\)](#) — see AirNav link above

#12 **KFIN** Palm Coast/Flagler Exec, FL, US · Atlantic South · Flagler Exec FL

OBS - VFR

ETE
2h03

DIST
295 nm

SUN 6 SEP 00:15 ET OBSERVED VALUE

Current observation

OBS - VFR

OBSER

METAR

clear below 12,000 ft (CLR)

WINDcalm

TEMPERATURE24 °C

VISIBILITY10 sm



DEWPOINT24 °C

Evidence & limitations

- METAR source state: ok; observed Sep 6 00:15 ET; retrieved Sep 6 01:59 ET; 104 min before this run.
- Measured values read from the KFIN METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.92 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.

DESTINATION OUTLOOK

SUN 6 SEP 00:00–06:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

GFS MAV MOS · 00:00–06:00 ET ET · VFR

Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 6 SEP 12:00–18:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND2–5 kt

TEMPERATURE75–86 °F

DEWPOINT74–76 °F

PRECIPITATION24%

Evidence & limitations

GFS MAV MOS · 12:00–18:00 ET ET · VFR

Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 6 SEP 06:00–12:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND2 kt

TEMPERATURE74–75 °F

DEWPOINT74 °F

Evidence & limitations

GFS MAV MOS · 06:00–12:00 ET ET · VFR

Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 6 SEP 18:00–00:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND5–6 kt

TEMPERATURE86–90 °F

DEWPOINT75 °F

PRECIPITATION14%

Evidence & limitations

GFS MAV MOS · 18:00–00:00 ET ET · VFR

Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

00:00–06:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

Forecast

GFS MAV
MOS

GFS MAV MOS ·
VFR

FORECAST

Flight-category guidance

WIND1–3 kt

TEMPERATURE78–80 °F

DEWPOINT76 °F

PRECIPITATION48%

Evidence & limitations

- GFS MAV MOS · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

Forecast

GFS MAV
MOS

GFS MAV MOS ·
VFR

FORECAST

Flight-category guidance

WIND2 kt

TEMPERATURE76–77 °F

DEWPOINT75–76 °F

PRECIPITATION42%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND1–4 kt

TEMPERATURE75–82 °F

DEWPOINT74–76 °F

PRECIPITATION42%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND4–5 kt

TEMPERATURE80–84 °F

DEWPOINT74–75 °F

PRECIPITATION41%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 7

00:00–06:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+048 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — source state: not_queried

CURRENT METAR TEMP DEP / DEST

23°C dep KLZU → 24°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

11/29 (110/290°M · 103/283°T) · 06/24 (060/240°M · 053/233°T) · 18W/36W (180/000°M · 173/353°T · water lane, not wind-favored) — designators and °M headings are magnetic; °T are true; variation 7°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

2026-09-06T05:59:26.220410Z.

FRI SEP 4	SAT SEP 5	SUN SEP 6	MON SEP 7

07/008				
A0036/26				
08/002				
4 additional normalized NOTAM records omitted from this view.				

Raw NOTAM data · NOTAMs as of 05:59 Z

NOTAMs as of 05:59 Z — advisory only; verify an official briefing.

06/004	NOTAM text not available in this projection.
06/007	NOTAM text not available in this projection.
07/008	NOTAM text not available in this projection.
A0036/26	NOTAM text not available in this projection.
08/002	NOTAM text not available in this projection.
08/004	NOTAM text not available in this projection.
08/007	NOTAM text not available in this projection.
08/006	NOTAM text not available in this projection.
A0037/26	NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state:

26-09-06T05:59:26.220410Z.
LIST (ACSR-1020140) 202108 0000011001 0000 (0 0NM WNW PIN) 1240 0FT (1204 1FT AGL) UPS :00Z
LIST (ACSR-1020512) 202542 20000011022 0000 (0 0NM WNW PIN) 340 0FT (316 0FT AGL) UPS :00Z
LIST (ACSR-1210702) 202040 10000011004 0000 (0 1NM SW PIN) 260 2FT (24 10FT AGL) UPS

OK. The dot colour reports whether this source was read this run; technical environment: preprod.

OBSTRUCTION

18000Z — OBST T T T T T T T T (ASR 120000) 202607 20260712045 20W (0 0NM 0W FIN) 272 8FT (258 8FT AGL) URG

Effective 2026-08-12T21:17:00Z → 2026-10-20T12:47:00Z

4 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KFIN this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

00:00–06:00 ET ET · VFR

06:00–12:00 ET ET · VFR

12:00–18:00 ET ET · VFR

18:00–00:00 ET ET · VFR

00:00–06:00 ET ET · VFR

06:00–12:00 ET ET · VFR

• Mon, Sep 7 · 12:00–18:00 ET: GFS MAV MOS · 12:00–18:00 ET ET · VFR

• Mon, Sep 7 · 18:00–00:00 ET: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-06=GFS, 2026-09-07=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-06 06:00	75	Bkn	230/2kt	—	>10kft	>6SM
GFS	2026-09-06 09:00	74	Bkn	280/2kt	—	>10kft	>6SM
GFS	2026-09-06 12:00	75	Sct	270/2kt	24.0	>10kft	>6SM
GFS	2026-09-06 15:00	86	Sct	290/5kt	—	>10kft	>6SM

GFS	2026-09-06 18:00	90	Bkn	350/6kt	14.0	>10kft	>6SM
GFS	2026-09-06 21:00	86	Bkn	100/5kt	—	>10kft	>6SM
GFS	2026-09-07 00:00	80	Bkn	180/3kt	48.0	>10kft	>6SM
GFS	2026-09-07 03:00	78	Ovc	240/1kt	—	>10kft	>6SM
GFS	2026-09-07 06:00	77	Ovc	270/2kt	42.0	>10kft	>6SM
GFS	2026-09-07 09:00	76	Ovc	320/2kt	—	>10kft	>6SM
GFS	2026-09-07 12:00	75	Ovc	330/1kt	42.0	>10kft	>6SM
GFS	2026-09-07 15:00	82	Ovc	260/4kt	—	>10kft	>6SM
GFS	2026-09-07 18:00	84	Ovc	280/5kt	41.0	3-5kft	>6SM
GFS	2026-09-07 21:00	80	Ovc	310/4kt	—	5-10kft	>6SM
GFS	2026-09-08 00:00	76	Ovc	260/1kt	60.0	>10kft	>6SM
GFS	2026-09-08 03:00	75	Ovc	0/0kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KFIN 060415Z AUTO 00000KT 10SM CLR 24/24 A2992 RMK A02 T02430237

TAF unavailable (unavailable)

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KFIN; actual-station=KFIN; fetched-at=2026-09-06T05:59:15.982442+00:00; observed-or-issued-at=2026-09-06T04:15:00+00:00 — [AWC API](#)
- TAF — state=unavailable; fetch-state=ok; payload-state=valid; requested-station=KFIN; actual-station=KDAB; fetched-at=2026-09-06T05:59:19.070292+00:00 — [AWC API](#)

TAF proxy · KDAB
- FAA airport status — state=not_queried; fetch-state=not_attempted; payload-state=not_attempted; requested-station=KFIN
- FAA NMS NOTAM — state=OK; requested-station=KFIN; actual-station=KFIN; fetched-at=2026-09-06T05:59:26.220410Z — [FAA NMS overview](#)
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KFIN; actual-station=KFIN; fetched-at=2026-09-06T06:00:03.505763+00:00; observed-or-issued-at=2026-09-06T00:00:00+00:00; valid-from=2026-09-06T06:00:00+00:00; valid-through=2026-09-09T00:00:00+00:00; target-dates=2026-09-06,2026-09-07; dates-with-points=2026-09-06,2026-09-07 — [Iowa State API](#)
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KFIN; actual-station=KFIN; fetched-at=2026-09-06T06:00:04.490633+00:00; observed-or-issued-at=2026-09-06T00:00:00+00:00; valid-from=2026-09-07T00:00:00+00:00; valid-through=2026-09-14T00:00:00+00:00; target-dates=2026-09-07; partial-target-dates=2026-09-06; dates-with-points=2026-09-06,2026-09-07 — [Iowa State API](#)
- MOS effective date selection — state=partial; rows=16; requested-station=KFIN; actual-station=KFIN; fetched-at=2026-09-06T06:00:03.505763+00:00; observed-or-issued-at=2026-09-06T00:00:00+00:00; valid-from=2026-09-06T06:00:00+00:00; valid-through=2026-09-09T00:00:00+00:00; target-dates=2026-09-06,2026-09-07; dates-with-points=2026-09-06,2026-09-07; selected-by-date=2026-09-06=GFS, 2026-09-07=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — [FAA Chart Supplement \(current cycle\)](#) — see AirNav link above

#13

KGKT Gatlinburg-Pigeon Forge Arpt, TN, US · Mountain · Smokies/Gatlinburg

OBS - VFR

ETE

0h50

DIST

114 nm

SUN 6 SEP 00:16 ET OBSERVED VALUE

Current observation

OBS - VFR

METAR

OBSERVED

clear below 12,000 ft (CLR)

WINDcalm

TEMPERATURE22 °C

VISIBILITY10 sm

DEWPOINT22 °C

- Evidence & limitations
- METAR source state: ok; observed Sep 6 00:16 ET; retrieved Sep 6 01:59 ET; 103 min before this run.
 - Measured values read from the KGKT METAR. This is a current surface observation only; it is not a forecast.
 - Only fields decoded from this METAR are shown; every missing field remains unavailable.
 - Altimeter: 29.94 inHg.
 - The complete raw METAR remains in this airport's Raw products disclosure.

DESTINATION OUTLOOK

SUN 6 SEP 00:00–06:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV MOS

GFS MAV MOS · IFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

GFS MAV MOS · 00:00–06:00 ET ET · IFR

Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 6 SEP 12:00–18:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND0–2 kt

TEMPERATURE71–81 °F

DEWPOINT70–72 °F

PRECIPITATION38%

Evidence & limitations

GFS MAV MOS · 12:00–18:00 ET ET · VFR

Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 6 SEP 06:00–12:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV MOS

GFS MAV MOS · LIFR

FORECAST

Flight-category guidance

WIND0 kt

TEMPERATURE70–71 °F

DEWPOINT70–71 °F

Evidence & limitations

GFS MAV MOS · 06:00–12:00 ET ET · LIFR

Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 6 SEP 18:00–00:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND4–6 kt

TEMPERATURE88–90 °F

DEWPOINT68–70 °F

PRECIPITATION8%

Evidence & limitations

GFS MAV MOS · 18:00–00:00 ET ET · VFR

Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

00:00–06:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

Forecast

GFS MAV
MOS

GFS MAV MOS ·
MVFR

FORECAST

Flight-category guidance

WIND1–4 kt

TEMPERATURE75–82 °F

DEWPOINT69 °F

PRECIPITATION19%

Evidence & limitations

- GFS MAV MOS · 00:00–06:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

Forecast

GFS MAV
MOS

GFS MAV MOS ·
MVFR

FORECAST

Flight-category guidance

WIND1 kt

TEMPERATURE70–73 °F

DEWPOINT68–69 °F

PRECIPITATION13%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND1–2 kt

TEMPERATURE69–77 °F

DEWPOINT67–68 °F

PRECIPITATION11%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND4–5 kt

TEMPERATURE82–83 °F

DEWPOINT67–69 °F

PRECIPITATION14%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 7

00:00–06:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+048 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

now

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

6000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — source state: not_queried

CURRENT METAR TEMP DEP / DEST

23°C dep KLZU → 22°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

rwY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

10/28 (100/280°M · 093/273°T) — designators and °M headings are magnetic; °T are true; variation 7°W (NOAA WMM2025)

info

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

4 Act on2 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

ed 2026-09-06T05:59:27.269639Z.

oritative) » = no published end (each row states whether it is permanent or simply not supplied) — continues past this window

FRI SEP 4	SAT SEP 5	SUN SEP 6	MON SEP 7

07/683

NOTAM text not available in this projection.

07/684

NOTAM text not available in this projection.

07/806

NOTAM text not available in this projection.

08/020

NOTAM text not available in this projection.

08/415

NOTAM text not available in this projection.

08/632

NOTAM text not available in this projection.

08/777

NOTAM text not available in this projection.

09/026

NOTAM text not available in this projection.

09/032

NOTAM text not available in this projection.

09/050

NOTAM text not available in this projection.

08/532

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

026-09-06T05:59:27.269639Z.

PIGEON FORGE, SEVIERVILLE, TN, TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 4B., TAKEOFF MINIMUMS: RWY 28, 400-2 (2 FOR R-102) FT/M TO 1500. DEPARTURE PROCEDURE: RWY 28, CLIMB ON HEADING 282 TO INTERCEPT VXX VORTAC R-102 THEN TO VXX VORTAC TO 5000 BEFORE RWY 10. OBTAIN ATC APPROVAL FOR VCOA WHEN REQUESTING IFR CLEARANCE. CLIMB IN VISUAL CONDITIONS TO CROSS GATLINBURG PIGEON FORGE E 1800 ON VXX VORTAC R-102 TO VXX VORTAC TO 5000 BEFORE PROCEEDING ON COURSE. ALL OTHER DATA REMAINS AS PUBLISHED.

:00Z

:00Z

RUNWAY 04/12Z — RWY 10 PAPI U/S
Effective 2026-04-07T10:24:00Z → 2027-11-30T19:00:00Z

RUNWAY 04/123 — RWY 10/20 SFC MARKINGS NOT STD
Effective 2026-04-07T10:26:00Z → Permanent — no expiry published

NAV_APPROACH 10000 METERS MINUTO PIGEON HOLE SEVERVILLE TN RNAV (GPS) RWY 10 OMG-C VORTME RWY 10 AMDT OB - PROCEDURE NA 20004000-270040001EST
Effective 2025-09-24T20:31:00Z → 2027-09-24T20:31:00Z

19 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics,
the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KGKT this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

• Mon, Sep 7 • 12:00–18:00 ET: GFS MAV MOS • 12:00–18:00 ET ET • VFR

• Mon, Sep 7 • 18:00–00:00 ET: GFS MAV MOS • 18:00–00:00 ET ET • VFR

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

· 00:00–06:00 ET ET · IFR

· 06:00–12:00 ET ET · LIFR

· 12:00–18:00 ET ET · VFR

· 18:00–00:00 ET ET · VFR

· 00:00–06:00 ET ET · MVFR

· 06:00–12:00 ET ET · MVFR

- + MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-06=GFS, 2026-09-07=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-06 06:00	71	Sct	0/0kt	—	>10kft	3-5SM
GFS	2026-09-06 09:00	70	Sct	0/0kt	—	>10kft	1-2SM
GFS	2026-09-06 12:00	71	Bkn	0/0kt	38.0	>10kft	<¼SM
GFS	2026-09-06 15:00	81	Bkn	350/2kt	—	>10kft	>6SM

GFS	2026-09-06 18:00	88	Bkn	360/4kt	8.0	>10kft	>6SM
GFS	2026-09-06 21:00	90	Bkn	360/6kt	—	>10kft	>6SM
GFS	2026-09-07 00:00	82	Sct	20/4kt	19.0	>10kft	>6SM
GFS	2026-09-07 03:00	75	Sct	20/1kt	—	>10kft	>6SM
GFS	2026-09-07 06:00	73	Bkn	80/1kt	13.0	>10kft	>6SM
GFS	2026-09-07 09:00	70	Bkn	10/1kt	—	>10kft	3-5SM
GFS	2026-09-07 12:00	69	Bkn	20/1kt	11.0	5-10kft	3-5SM
GFS	2026-09-07 15:00	77	Bkn	50/2kt	—	3-5kft	>6SM
GFS	2026-09-07 18:00	82	Bkn	40/4kt	14.0	5-10kft	>6SM
GFS	2026-09-07 21:00	83	Ovc	90/5kt	—	5-10kft	>6SM
GFS	2026-09-08 00:00	76	Bkn	100/2kt	21.0	>10kft	>6SM
GFS	2026-09-08 03:00	71	Bkn	60/1kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KGKT 060416Z AUTO 00000KT 10SM CLR 22/22 A2994 RMK A01

TAF unavailable (unavailable)

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KGKT; actual-station=KGKT; fetched-at=2026-09-06T05:59:15.982442+00:00; observed-or-issued-at=2026-09-06T04:16:00+00:00 — [AWC API](#)
- TAF — state=unavailable; fetch-state=ok; payload-state=valid; requested-station=KGKT; actual-station=KTYS; fetched-at=2026-09-06T05:59:19.070292+00:00 — [AWC API](#)

TAF proxy · KTYS
- FAA airport status — state=not_queried; fetch-state=not_attempted; payload-state=not_attempted; requested-station=KGKT
- FAA NMS NOTAM — state=OK; requested-station=KGKT; actual-station=KGKT; fetched-at=2026-09-06T05:59:27.269639Z — [FAA NMS overview](#)
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KGKT; actual-station=KGKT; fetched-at=2026-09-06T06:00:03.506586+00:00; observed-or-issued-at=2026-09-06T00:00:00+00:00; valid-from=2026-09-06T06:00:00+00:00; valid-through=2026-09-09T00:00:00+00:00; target-dates=2026-09-06,2026-09-07; dates-with-points=2026-09-06,2026-09-07 — [Iowa State API](#)
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KGKT; actual-station=KGKT; fetched-at=2026-09-06T06:00:04.462161+00:00; observed-or-issued-at=2026-09-06T00:00:00+00:00; valid-from=2026-09-07T00:00:00+00:00; valid-through=2026-09-14T00:00:00+00:00; target-dates=2026-09-07; partial-target-dates=2026-09-06; dates-with-points=2026-09-06,2026-09-07 — [Iowa State API](#)
- MOS effective date selection — state=partial; rows=16; requested-station=KGKT; actual-station=KGKT; fetched-at=2026-09-06T06:00:03.506586+00:00; observed-or-issued-at=2026-09-06T00:00:00+00:00; valid-from=2026-09-06T06:00:00+00:00; valid-through=2026-09-09T00:00:00+00:00; target-dates=2026-09-06,2026-09-07; dates-with-points=2026-09-06,2026-09-07; selected-by-date=2026-09-06=GFS, 2026-09-07=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — [FAA Chart Supplement \(current cycle\)](#) — see AirNav link above

#14

KSHD Staunton/Shenandoah Valley Rgnl, VA, US · Mountain · Shenandoah valley

OBS - VFR

ETE

2h25

DIST

355 nm

SUN 6 SEP 00:15 ET OBSERVED VALUE

Current observation

OBS - VFR

OBSERVED

METAR

broken 5,000 ft, overcast 6,000 ft

WINDcalm

TEMPERATURE21 °C

VISIBILITY10 sm

DEWPOINT20 °C

Evidence & limitations

- METAR source state: ok; observed Sep 6 00:15 ET; retrieved Sep 6 01:59 ET; 104 min before this run.
- Measured values read from the KSHD METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.97 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.

DESTINATION OUTLOOK

SUN 6 SEP 00:00–06:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV MOS

GFS MAV MOS · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

GFS MAV MOS · 00:00–06:00 ET ET · MVFR

Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 6 SEP 12:00–18:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND2–4 kt

TEMPERATURE64–70 °F

DEWPOINT64–65 °F

PRECIPITATION24%

Evidence & limitations

GFS MAV MOS · 12:00–18:00 ET ET · VFR

Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 6 SEP 06:00–12:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV MOS

GFS MAV MOS · MVFR

FORECAST

Flight-category guidance

WIND1–2 kt

TEMPERATURE66–68 °F

DEWPOINT66–68 °F

Evidence & limitations

GFS MAV MOS · 06:00–12:00 ET ET · MVFR

Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 6 SEP 18:00–00:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND3–4 kt

TEMPERATURE75 °F

DEWPOINT63–64 °F

PRECIPITATION21%

Evidence & limitations

GFS MAV MOS · 18:00–00:00 ET ET · VFR

Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

00:00–06:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

Forecast

GFS MAV
MOS

GFS MAV MOS ·
LIFR

FORECAST

Flight-category guidance

WIND0–2 kt

TEMPERATURE63–69 °F

DEWPOINT61–63 °F

PRECIPITATION17%

Evidence & limitations

- GFS MAV MOS · 00:00–06:00 ET ET · LIFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

Forecast

GFS MAV
MOS

GFS MAV MOS ·
LIFR

FORECAST

Flight-category guidance

WIND1–2 kt

TEMPERATURE56–59 °F

DEWPOINT56–58 °F

PRECIPITATION8%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · LIFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND1–2 kt



TEMPERATURE59–73 °F



DEWPOINT57–59 °F



PRECIPITATION0%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND4–5 kt



TEMPERATURE78–79 °F



DEWPOINT57–58 °F



PRECIPITATION0%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 7

00:00–06:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+048 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

now

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — source state: not_queried

CURRENT METAR TEMP DEP / DEST

23°C dep KLZU → 21°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

rwY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

05/23 (050/230°M · 040/220°T) — designators and °M headings are magnetic; °T are true; variation 10°W (NOAA WMM2025)

info

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		
Verify the current FAA Chart Supplement and provider before flight.			

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 Act on2 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

5/3811	
A0196/25	
07/006	
2 additional normalized NOTAM records omitted from this view.	
Raw NOTAM data · NOTAMs as of 05:59 Z	
NOTAMs as of 05:59 Z — advisory only; verify an official briefing.	
03/004	NOTAM text not available in this projection.
A0068/26	NOTAM text not available in this projection.
5/3811	NOTAM text not available in this projection.
A0196/25	NOTAM text not available in this projection.
07/006	NOTAM text not available in this projection.
A0111/26	NOTAM text not available in this projection.
09/002	NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2026-09-06T05:59:27.430976Z.

TRANSIENT

2026-09-06T05:59:00Z

END TO TRANSIENT

2026-09-06T05:59:00Z

SHENANDOAH VALLEY RGNL, STAUNTONWAYNESBORO/HARRISONBURG, VA, ILS OR LOC RWY 5, AMDT 98, AUTOPILOT COUPLED APPROACH NA BELOW 1000 FEET

2026-09-06T05:59:00Z

SHENANDOAH VALLEY RGNL, STAUNTONWAYNESBORO/HARRISONBURG, VA, ILS OR LOC RWY 5, AMDT 98, AUTOPILOT COUPLED APPROACH NA BELOW 1000 FEET

Effective 2025-09-15T15:42:00Z → 2027-09-15T15:41:00Z

NAV_APPROACH 071006 — NAV ILS RWY 05 OR OM LGS

Effective 2026-07-15T17:40:00Z → 2028-02-29T21:11:00Z

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KSHD this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

• Mon, Sep 7 • 12:00–18:00 ET: GFS MAV MOS • 12:00–18:00 ET ET • VFR

• Mon, Sep 7 • 18:00–00:00 ET: GFS MAV MOS • 18:00–00:00 ET ET • VFR

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

· 00:00–06:00 ET ET · LIFR

· 06:00–12:00 ET ET · LIFR

Source state: partial; selected by target date: 2026-09-06=GFS, 2026-09-07=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-06 06:00	68	Ovc	50/1kt	—	5-10kft	3-5SM
GFS	2026-09-06 09:00	66	Ovc	20/2kt	—	3-5kft	3-5SM
GFS	2026-09-06 12:00	64	Ovc	30/2kt	24.0	1-3kft	3-5SM
GFS	2026-09-06 15:00	70	Ovc	40/4kt	—	1-3kft	>6SM
GFS	2026-09-06 18:00	75	Ovc	50/3kt	21.0	5-10kft	>6SM
GFS	2026-09-06 21:00	75	Bkn	70/4kt	—	5-10kft	>6SM
GFS	2026-09-07 00:00	69	Sct	60/2kt	17.0	>10kft	>6SM

GFS	2026-09-07 03:00	63	Sct	0/0kt	—	>10kft	>6SM
GFS	2026-09-07 06:00	59	Bkn	30/1kt	8.0	>10kft	3-5SM
GFS	2026-09-07 09:00	56	Bkn	20/2kt	—	>10kft	<¼SM
GFS	2026-09-07 12:00	59	Sct	20/1kt	0.0	>10kft	<¼SM
GFS	2026-09-07 15:00	73	Clear	70/2kt	—	>10kft	>6SM
GFS	2026-09-07 18:00	78	Sct	90/4kt	0.0	>10kft	>6SM
GFS	2026-09-07 21:00	79	Few	100/5kt	—	>10kft	>6SM
GFS	2026-09-08 00:00	71	Clear	120/2kt	0.0	>10kft	>6SM
GFS	2026-09-08 03:00	62	Clear	0/0kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KSHD 060415Z AUTO 00000KT 10SM BKN050 OVC060 21/20 A2997 RMK A02 LTG DSNT SW T02070198

TAF unavailable (unavailable)

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KSHD; actual-station=KSHD; fetched-at=2026-09-06T05:59:15.982442+00:00; observed-or-issued-at=2026-09-06T04:15:00+00:00 — [AWC API](#)
- TAF — state=unavailable; fetch-state=ok; payload-state=valid; requested-station=KSHD; actual-station=KCHO; fetched-at=2026-09-06T05:59:19.070292+00:00 — [AWC API](#)

TAF proxy · KCHO

- FAA airport status — state=not_queried; fetch-state=not_attempted; payload-state=not_attempted; requested-station=KSHD
- FAA NMS NOTAM — state=OK; requested-station=KSHD; actual-station=KSHD; fetched-at=2026-09-06T05:59:27.430976Z — [FAA NMS overview](#)
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KSHD; actual-station=KSHD; fetched-at=2026-09-06T06:00:03.508107+00:00; observed-or-issued-at=2026-09-06T00:00:00+00:00; valid-from=2026-09-06T06:00:00+00:00; valid-through=2026-09-09T00:00:00+00:00; target-dates=2026-09-06,2026-09-07; dates-with-points=2026-09-06,2026-09-07 — [Iowa State API](#)
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KSHD; actual-station=KSHD; fetched-at=2026-09-06T06:00:04.515147+00:00; observed-or-issued-at=2026-09-06T00:00:00+00:00; valid-from=2026-09-07T00:00:00+00:00; valid-through=2026-09-14T00:00:00+00:00; target-dates=2026-09-07; partial-target-dates=2026-09-06; dates-with-points=2026-09-06,2026-09-07 — [Iowa State API](#)
- MOS effective date selection — state=partial; rows=16; requested-station=KSHD; actual-station=KSHD; fetched-at=2026-09-06T06:00:03.508107+00:00; observed-or-issued-at=2026-09-06T00:00:00+00:00; valid-from=2026-09-06T06:00:00+00:00; valid-through=2026-09-09T00:00:00+00:00; target-dates=2026-09-06,2026-09-07; dates-with-points=2026-09-06,2026-09-07; selected-by-date=2026-09-06=GFS, 2026-09-07=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — [FAA Chart Supplement \(current cycle\)](#) — see AirNav link above

#15

KECP Panama City/NW Florida Beaches Intl, FL, US · Gulf East · Panama City Beach

OBS - VFR

ETE

1h38

DIST

237 nm

SUN 6 SEP 00:53 ET OBSERVED VALUE

Current observation

OBS - VFR

METAR

few 2,200 ft

WINDcalm

TEMPERATURE26 °C

VISIBILITY10 sm

DEWPOINT24 °C

OBSERVED

Evidence & limitations

- METAR source state: ok; observed Sep 6 00:53 ET; retrieved Sep 6 01:59 ET; 66 min before this run.
- Measured values read from the KECP METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.89 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.

DESTINATION OUTLOOK

SUN 6 SEP 00:00–06:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

GFS MAV MOS · 00:00–06:00 ET ET · VFR

Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 6 SEP 12:00–18:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND2–4 kt

TEMPERATURE77–87 °F

DEWPOINT76–78 °F

PRECIPITATION24%

Evidence & limitations

GFS MAV MOS · 12:00–18:00 ET ET · VFR

Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 6 SEP 06:00–12:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND1 kt

TEMPERATURE76–77 °F

DEWPOINT75–76 °F

Evidence & limitations

GFS MAV MOS · 06:00–12:00 ET ET · VFR

Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 6 SEP 18:00–00:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND6–7 kt

TEMPERATURE86–90 °F

DEWPOINT76–77 °F

PRECIPITATION25%

Evidence & limitations

GFS MAV MOS · 18:00–00:00 ET ET · VFR

Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

00:00–06:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

Forecast

GFS MAV
MOS

GFS MAV MOS ·
VFR

FORECAST

Flight-category guidance

WIND3–8 kt

TEMPERATURE79–81 °F

DEWPOINT77 °F

PRECIPITATION24%

Evidence & limitations

- GFS MAV MOS · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

Forecast

GFS MAV
MOS

GFS MAV MOS ·
VFR

FORECAST

Flight-category guidance

WIND2 kt

TEMPERATURE77 °F

DEWPOINT75–76 °F

PRECIPITATION38%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND2–4 kt

TEMPERATURE77–85 °F

DEWPOINT75–77 °F

PRECIPITATION30%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND5–7 kt

TEMPERATURE88–90 °F

DEWPOINT75 °F

PRECIPITATION18%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 7

00:00–06:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+048 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

now

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

6000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

23°C dep KLZU → 26°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

rwY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

16/34 (160/340°M · 157/337°T) — designators and °M headings are magnetic; °T are true; variation 3°W (NOAA WMM2025)

info

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		
Verify the current FAA Chart Supplement and provider before flight.			

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

3 Act on1 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

6/0313				
A0153/26				
06/015				
17 additional normalized NOTAM records omitted from this view.				

Raw NOTAM data · NOTAMs as of 05:59 Z

NOTAMs as of 05:59 Z — advisory only; verify an official briefing.

07/022	NOTAM text not available in this projection.		
A0129/26	NOTAM text not available in this projection.		
6/0313	NOTAM text not available in this projection.		
A0153/26	NOTAM text not available in this projection.		
06/015	NOTAM text not available in this projection.		
06/017	NOTAM text not available in this projection.		
06/021	NOTAM text not available in this projection.		
06/029	NOTAM text not available in this projection.		
07/001	NOTAM text not available in this projection.		
08/015	NOTAM text not available in this projection.		
08/016	NOTAM text not available in this projection.		
08/024	NOTAM text not available in this projection.		
08/025	NOTAM text not available in this projection.		

08/027

NOTAM text not available in this projection.

08/028

NOTAM text not available in this projection.

08/033

NOTAM text not available in this projection.

09/001

NOTAM text not available in this projection.

09/002

NOTAM text not available in this projection.

09/003

NOTAM text not available in this projection.

A0152/26

NOTAM text not available in this projection.

09/004

NOTAM text not available in this projection.

09/006

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2026-09-06T05:59:28.254750Z.

RAMP WIP CONST ADJ W EDGE BARRICADED

2026-09-06T05:59:28.254750Z

ALL RAMP WIP CONST ADJ W EDGE BARRICADED

2026-09-06T05:59:28.254750Z

WEST FLORIDA BEACHES INTL, PANAMA CITY, FL, ILS OR LOC RWY 16, AMDT 3B, , RNAV (GPS) RWY 16, AMDT 2A, , RNAV (GPS) RWY 34, AMDT 2A, , CIRCLING

TEMPORARY CRANE 265 MSL 1513FT SW OF ECP AIRPORT (2025-ASD-11517-NRA), 2600021700-2701151621EST

2026-09-06T05:59:28.254750Z

WEST FLORIDA BEACHES INTL, PANAMA CITY, FL, ILS OR LOC RWY 16, AMDT 3B, , RNAV (GPS) RWY 16, AMDT 2A, , RNAV (GPS) RWY 34, AMDT 2A, , CIRCLING

CAT A/B/C/D, MDA 600HAA ST1, TEMPORARY CRANE 265 MSL 1513FT SW OF ECP AIRPORT (2025-ASD-11517-NRA)

Effective 2026-09-02T17:00:00Z → 2027-01-15T16:23:00Z

OBSTRUCTION 060015 — CRST TOWER LOT (ASR 1200617) 302639 70N085207 30W (6.5NM NW ECP) 352.9FT (319.9FT AGL) US

Effective 2026-06-15T12:41:00Z → 2026-09-14T04:00:00Z

17 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics,
the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KECP this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

• Mon, Sep 7 • 12:00–18:00 ET: GFS MAV MOS • 12:00–18:00 ET ET • VFR

• Mon, Sep 7 · 18:00–00:00 ET: GFS MAV MOS · 18:00–00:00 ET ET · VFR

be and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

· 00:00–06:00 ET ET · VFR

· 06:00–12:00 ET ET · VFR

· 12:00–18:00 ET ET · VFR

· 18:00–00:00 ET ET · VFR

· 00:00–06:00 ET ET · VFR

· 06:00–12:00 ET ET · VFR

- + MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-06=GFS, 2026-09-07=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-06 06:00	77	Bkn	250/1kt	—	>10kft	>6SM
GFS	2026-09-06 09:00	76	Bkn	280/1kt	—	>10kft	>6SM
GFS	2026-09-06 12:00	77	Bkn	300/2kt	24.0	>10kft	>6SM
GFS	2026-09-06 15:00	87	Sct	280/4kt	—	>10kft	>6SM
GFS	2026-09-06 18:00	90	Bkn	220/6kt	25.0	>10kft	>6SM
GFS	2026-09-06 21:00	86	Bkn	220/7kt	—	>10kft	>6SM
GFS	2026-09-07 00:00	81	Sct	220/8kt	24.0	>10kft	>6SM
GFS	2026-09-07 03:00	79	Ovc	300/3kt	—	>10kft	>6SM
GFS	2026-09-07 06:00	77	Bkn	260/2kt	38.0	>10kft	>6SM

GFS	2026-09-07 09:00	77	Bkn	280/2kt	—	>10kft	>6SM
GFS	2026-09-07 12:00	77	Bkn	300/2kt	30.0	>10kft	>6SM
GFS	2026-09-07 15:00	85	Sct	350/4kt	—	>10kft	>6SM
GFS	2026-09-07 18:00	90	Sct	350/5kt	18.0	>10kft	>6SM
GFS	2026-09-07 21:00	88	Sct	200/7kt	—	>10kft	>6SM
GFS	2026-09-08 00:00	82	Sct	210/5kt	31.0	>10kft	>6SM
GFS	2026-09-08 03:00	79	Sct	20/1kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KECP 060453Z AUTO 00000KT 10SM FEW022 26/24 A2989 RMK A02 SLP132 T02560244

TAF unavailable (unavailable)

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KECP; actual-station=KECP; fetched-at=2026-09-06T05:59:15.982442+00:00; observed-or-issued-at=2026-09-06T04:53:00+00:00 — [AWC API](#)
- TAF — state=unavailable; fetch-state=ok; payload-state=valid; requested-station=KECP; actual-station=KECP; fetched-at=2026-09-06T05:59:19.070292+00:00 — [AWC API](#)

TAF proxy · KECP

- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KECP; actual-station=KECP; fetched-at=2026-09-06T05:59:19.907616+00:00
- FAA NMS NOTAM — state=OK; requested-station=KECP; actual-station=KECP; fetched-at=2026-09-06T05:59:28.254750Z — [FAA NMS overview](#)
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KECP; actual-station=KECP; fetched-at=2026-09-06T06:00:03.511788+00:00; observed-or-issued-at=2026-09-06T00:00:00+00:00; valid-from=2026-09-06T06:00:00+00:00; valid-through=2026-09-09T00:00:00+00:00; target-dates=2026-09-06,2026-09-07; dates-with-points=2026-09-06,2026-09-07 — [Iowa State API](#)
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KECP; actual-station=KECP; fetched-at=2026-09-06T06:00:04.401055+00:00; observed-or-issued-at=2026-09-06T00:00:00+00:00; valid-from=2026-09-07T00:00:00+00:00; valid-through=2026-09-14T00:00:00+00:00; target-dates=2026-09-07; partial-target-dates=2026-09-06; dates-with-points=2026-09-06,2026-09-07 — [Iowa State API](#)
- MOS effective date selection — state=partial; rows=16; requested-station=KECP; actual-station=KECP; fetched-at=2026-09-06T06:00:03.511788+00:00; observed-or-issued-at=2026-09-06T00:00:00+00:00; valid-from=2026-09-06T06:00:00+00:00; valid-through=2026-09-09T00:00:00+00:00; target-dates=2026-09-06,2026-09-07; dates-with-points=2026-09-06,2026-09-07; selected-by-date=2026-09-06=GFS, 2026-09-07=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — [FAA Chart Supplement \(current cycle\)](#) — see AirNav link above

#16

KPNS Pensacola Intl, FL, US

· Gulf East · Pensacola (Class C)

OBS - VFR

ETE

1h51

DIST

267 nm

SUN 6 SEP 00:53 ET OBSERVED VALUE

Current observation

OBS - VFR

OBSERVATION



clear below 12,000 ft (CLR)



WINDcalm



TEMPERATURE27 °C



VISIBILITY10 sm



DEWPOINT24 °C

Evidence & limitations

- METAR source state: ok; observed Sep 6 00:53 ET; retrieved Sep 6 01:59 ET; 66 min before this run.
- Measured values read from the KPNS METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.89 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.

DESTINATION OUTLOOK

SUN 6 SEP 00:00–06:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

GFS MAV MOS · 00:00–06:00 ET ET · VFR

Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 6 SEP 12:00–18:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND3–4 kt

TEMPERATURE79–87 °F

DEWPOINT77–78 °F

PRECIPITATION25%

Evidence & limitations

GFS MAV MOS · 12:00–18:00 ET ET · VFR

Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 6 SEP 06:00–12:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND3 kt

TEMPERATURE80–81 °F

DEWPOINT76–77 °F

Evidence & limitations

GFS MAV MOS · 06:00–12:00 ET ET · VFR

Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 6 SEP 18:00–00:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND6–8 kt

TEMPERATURE89–91 °F

DEWPOINT78–79 °F

PRECIPITATION24%

Evidence & limitations

GFS MAV MOS · 18:00–00:00 ET ET · VFR

Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

00:00–06:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

Forecast

GFS MAV
MOS

GFS MAV MOS ·
VFR

FORECAST

Flight-category guidance

WIND5–8 kt

TEMPERATURE82–84 °F

DEWPOINT78 °F

PRECIPITATION23%

Evidence & limitations

- GFS MAV MOS · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

Forecast

GFS MAV
MOS

GFS MAV MOS ·
VFR

FORECAST

Flight-category guidance

WIND3 kt

TEMPERATURE79–80 °F

DEWPOINT78 °F

PRECIPITATION33%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND4 kt

TEMPERATURE78–87 °F

DEWPOINT78 °F

PRECIPITATION21%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND5–7 kt

TEMPERATURE89–90 °F

DEWPOINT74–76 °F

PRECIPITATION18%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 7

00:00–06:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+048 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

now

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

23°C dep KLZU → 27°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

rwY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

17/35 (170/350°M · 168/348°T) · 08/26 (080/260°M · 078/258°T) — designators and °M headings are magnetic; °T are true; variation 2°W (NOAA WMM2025)

info

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

15 Act on7 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

ed 2026-09-06T05:59:28.492166Z.			
FRI SEP 4	SAT SEP 5	SUN SEP 6	MON SEP 7

04/047				
A0477/26				
A0478/26				
76 additional normalized NOTAM records omitted from this view.				

Raw NOTAM data · NOTAMs as of 05:59 Z

NOTAMs as of 05:59 Z — advisory only; verify an official briefing.

5/9591	NOTAM text not available in this projection.
04/046	NOTAM text not available in this projection.
04/047	NOTAM text not available in this projection.
A0477/26	NOTAM text not available in this projection.
A0478/26	NOTAM text not available in this projection.
04/048	NOTAM text not available in this projection.
A0479/26	NOTAM text not available in this projection.
04/049	NOTAM text not available in this projection.
A0480/26	NOTAM text not available in this projection.
06/011	NOTAM text not available in this projection.
A0665/26	NOTAM text not available in this projection.
07/040	NOTAM text not available in this projection.
07/041	NOTAM text not available in this projection.

6/7052

NOTAM text not available in this projection.

07/067

NOTAM text not available in this projection.

A0859/26

NOTAM text not available in this projection.

07/073

NOTAM text not available in this projection.

07/075

NOTAM text not available in this projection.

07/082

NOTAM text not available in this projection.

08/033

NOTAM text not available in this projection.

08/078

NOTAM text not available in this projection.

A1007/26

NOTAM text not available in this projection.

09/005

NOTAM text not available in this projection.

09/006

NOTAM text not available in this projection.

09/007

NOTAM text not available in this projection.

A1014/26

NOTAM text not available in this projection.

A1015/26

NOTAM text not available in this projection.

09/008

NOTAM text not available in this projection.

A1018/26

NOTAM text not available in this projection.

09/010

NOTAM text not available in this projection.

A1019/26

NOTAM text not available in this projection.

09/011

NOTAM text not available in this projection.

A1020/26

NOTAM text not available in this projection.

12/025

NOTAM text not available in this projection.

A1113/25

NOTAM text not available in this projection.

05/004

NOTAM text not available in this projection.

A0495/26

NOTAM text not available in this projection.

05/065

NOTAM text not available in this projection.

A0605/26

NOTAM text not available in this projection.

07/058

NOTAM text not available in this projection.

07/059

NOTAM text not available in this projection.

07/061

NOTAM text not available in this projection.

A0855/26

NOTAM text not available in this projection.

07/066

NOTAM text not available in this projection.

07/071

NOTAM text not available in this projection.

A0863/26

NOTAM text not available in this projection.

07/083

NOTAM text not available in this projection.

07/084

NOTAM text not available in this projection.

07/085

NOTAM text not available in this projection.

A0882/26

NOTAM text not available in this projection.

A0883/26

NOTAM text not available in this projection.

08/077

NOTAM text not available in this projection.

08/079

NOTAM text not available in this projection.

08/080

NOTAM text not available in this projection.

08/081

NOTAM text not available in this projection.

08/082

NOTAM text not available in this projection.

A1021/26

NOTAM text not available in this projection.

A1023/26

NOTAM text not available in this projection.

09/013

NOTAM text not available in this projection.

A1024/26

NOTAM text not available in this projection.

A0797/25

NOTAM text not available in this projection.

01/160

NOTAM text not available in this projection.

A0199/26

NOTAM text not available in this projection.

6/3336

NOTAM text not available in this projection.

A0624/26

NOTAM text not available in this projection.

A0826/26

NOTAM text not available in this projection.

6/7054

NOTAM text not available in this projection.

A0828/26

NOTAM text not available in this projection.

6/8258

NOTAM text not available in this projection.

A0849/26

NOTAM text not available in this projection.

6/8259

NOTAM text not available in this projection.

A0850/26

NOTAM text not available in this projection.

08/034

NOTAM text not available in this projection.

08/044

NOTAM text not available in this projection.

08/045

NOTAM text not available in this projection.

08/066

NOTAM text not available in this projection.

08/053

NOTAM text not available in this projection.

A0967/26

NOTAM text not available in this projection.

09/004

NOTAM text not available in this projection.

A1017/26

NOTAM text not available in this projection.

A1013/26

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production
source per owner decision 2026-08-09;
technical transport environment remains
preprod. Limited 2026-07-30 spot check
covered KLZU, KAVL, and KSGJ (3 of 30
airports). NOTAMs were read from this source
and used on this card this run. Typed state:
OK. The dot colour reports whether this
source was read this run; technical
environment: preprod.

2026-09-06T05:59:28.492166Z

Effective 2025-09-08T16:19:00Z → 2027-09-08T16:19:00Z

FAA NOTAM text was truncated in this preview; verify the complete official record.

RUNWAY 04/046 — RWY 08 RWY END ID LGT U/S

Effective 2026-04-24T22:11:00Z → 2027-01-29T20:00:00Z

RUNWAY 04/047 — RWY 26 PAPI U/S

Effective 2026-04-24T22:11:00Z → 2027-01-29T20:00:00Z

RUNWAY A0477/26 — RWY 26 PAPI U/S

Effective 2026-04-24T22:11:00Z → 2027-01-29T20:00:00Z

RUNWAY A0478/26 — RWY 08 RWY END ID LGT UIS

Effective 2026-04-24T22:11:00Z → 2027-01-29T20:00:00Z

RUNWAY 08/078 — RWY 08/26 CLSD EXC XING AND TAX

Effective 2026-08-31T22:40:00Z → 2026-09-28T23:00:00Z

RUNWAY A1007/26 — RWY 08/26 CLSD EXC XNG AND TAX

Effective 2026-08-31T22:40:00Z → 2026-09-28T23:00:00Z

74 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics,
the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KPNS this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

be and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

· 00:00–06:00 ET ET · VFR

· 06:00–12:00 ET ET · VFR

· 12:00–18:00 ET ET · VFR

· 18:00–00:00 ET ET · VFR

· 00:00–06:00 ET ET · VFR

· 06:00–12:00 ET ET · VFR

• Mon, Sep 7 • 12:00–18:00 ET: GFS MAV MOS • 12:00–18:00 ET ET • VFR

• Mon, Sep 7 · 18:00–00:00 ET: GFS MAV MOS · 18:00–00:00 ET ET · VFR

- + MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-06=GFS, 2026-09-07=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-06 06:00	81	Bkn	260/3kt	—	>10kft	>6SM
GFS	2026-09-06 09:00	80	Sct	290/3kt	—	>10kft	>6SM
GFS	2026-09-06 12:00	79	Bkn	320/3kt	25.0	>10kft	>6SM
GFS	2026-09-06 15:00	87	Bkn	300/4kt	—	>10kft	>6SM
GFS	2026-09-06 18:00	91	Bkn	200/6kt	24.0	>10kft	>6SM
GFS	2026-09-06 21:00	89	Bkn	200/8kt	—	>10kft	>6SM
GFS	2026-09-07 00:00	84	Few	240/8kt	23.0	>10kft	>6SM
GFS	2026-09-07 03:00	82	Ovc	280/5kt	—	>10kft	>6SM
GFS	2026-09-07 06:00	80	Bkn	290/3kt	33.0	>10kft	>6SM

GFS	2026-09-07 09:00	79	Sct	310/3kt	—	>10kft	6SM
GFS	2026-09-07 12:00	78	Sct	330/4kt	21.0	>10kft	>6SM
GFS	2026-09-07 15:00	87	Few	360/4kt	—	>10kft	>6SM
GFS	2026-09-07 18:00	90	Few	140/5kt	18.0	>10kft	>6SM
GFS	2026-09-07 21:00	89	Sct	180/7kt	—	>10kft	>6SM
GFS	2026-09-08 00:00	85	Few	220/6kt	44.0	>10kft	>6SM
GFS	2026-09-08 03:00	81	Clear	30/2kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KPNS 060453Z AUTO 00000KT 10SM CLR 27/24 A2989 RMK A02 SLP123 T02670239

TAF unavailable (unavailable)

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KPNS; actual-station=KPNS; fetched-at=2026-09-06T05:59:15.982442+00:00; observed-or-issued-at=2026-09-06T04:53:00+00:00 — [AWC API](#)
- TAF — state=unavailable; fetch-state=ok; payload-state=valid; requested-station=KPNS; actual-station=KPNS; fetched-at=2026-09-06T05:59:19.070292+00:00 — [AWC API](#)
- TAF proxy · KPNS
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KPNS; actual-station=KPNS; fetched-at=2026-09-06T05:59:19.924121+00:00
- FAA NMS NOTAM — state=OK; requested-station=KPNS; actual-station=KPNS; fetched-at=2026-09-06T05:59:28.492166Z — [FAA NMS overview](#)
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KPNS; actual-station=KPNS; fetched-at=2026-09-06T06:00:03.656179+00:00; observed-or-issued-at=2026-09-06T00:00:00+00:00; valid-from=2026-09-06T06:00:00+00:00; valid-through=2026-09-09T00:00:00+00:00; target-dates=2026-09-06,2026-09-07; dates-with-points=2026-09-06,2026-09-07 — [Iowa State API](#)
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KPNS; actual-station=KPNS; fetched-at=2026-09-06T06:00:04.433496+00:00; observed-or-issued-at=2026-09-06T00:00:00+00:00; valid-from=2026-09-07T00:00:00+00:00; valid-through=2026-09-14T00:00:00+00:00; target-dates=2026-09-07; partial-target-dates=2026-09-06; dates-with-points=2026-09-06,2026-09-07 — [Iowa State API](#)
- MOS effective date selection — state=partial; rows=16; requested-station=KPNS; actual-station=KPNS; fetched-at=2026-09-06T06:00:03.656179+00:00; observed-or-issued-at=2026-09-06T00:00:00+00:00; valid-from=2026-09-06T06:00:00+00:00; valid-through=2026-09-09T00:00:00+00:00; target-dates=2026-09-06,2026-09-07; dates-with-points=2026-09-06,2026-09-07; selected-by-date=2026-09-06=GFS, 2026-09-07=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — [FAA Chart Supplement \(current cycle\)](#) — see AirNav link above

#17

KDAB

Daytona Beach Intl, FL, US

· Gulf East · Daytona Beach (Class C)

OBS - VFR

ETE

2h13

DIST


324 nm

SUN 6 SEP 00:53 ET OBSERVED VALUE

Current observation

OBS - VFR

OBSER



few 13,000 ft

WINDS (200°) 4 kt




TEMPERATURE25 °C



VISIBILITY10 sm



DEWPOINT23 °C



KDAB runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 07L/25R, 16/34, 07R/25L. Wind from 200 degrees true, 207 degrees magnetic, at 4 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Equally wind-favoured runway ends, highlighted: 25R and 25L. Wind source: KDAB METAR 060453Z.

Evidence & limitations

- METAR source state: ok; observed Sep 6 00:53 ET; retrieved Sep 6 01:59 ET; 66 min before this run.
- Measured values read from the KDAB METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.91 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- The runway schematic is alignment-only; verify current runway use and NOTAMs.

DESTINATION OUTLOOK

SUN 6 SEP 00:00–06:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

GFS MAV MOS · 00:00–06:00 ET ET · VFR

Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 6 SEP 12:00–18:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND5–6 kt

TEMPERATURE76–86 °F

DEWPOINT76–78 °F

PRECIPITATION22%

Evidence & limitations

GFS MAV MOS · 12:00–18:00 ET ET · VFR

Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 6 SEP 06:00–12:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND4 kt

TEMPERATURE75–76 °F

DEWPOINT75 °F

Evidence & limitations

GFS MAV MOS · 06:00–12:00 ET ET · VFR

Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 6 SEP 18:00–00:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND6–7 kt

TEMPERATURE86–90 °F

DEWPOINT77–78 °F

PRECIPITATION13%

Evidence & limitations

GFS MAV MOS · 18:00–00:00 ET ET · VFR

Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

00:00–06:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

Forecast

GFS MAV
MOS

GFS MAV MOS ·
VFR

FORECAST

 Flight-category guidance

WIND2–3 kt

 TEMPERATURE79–82 °F

 DEWPOINT78 °F

 PRECIPITATION44%

Evidence & limitations

- GFS MAV MOS · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

Forecast

GFS MAV
MOS

GFS MAV MOS ·
VFR

FORECAST

 Flight-category guidance

WIND4 kt

 TEMPERATURE77–78 °F

 DEWPOINT76–77 °F

 PRECIPITATION40%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND3–5 kt

TEMPERATURE76–83 °F

DEWPOINT76–78 °F

PRECIPITATION38%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND6–7 kt

TEMPERATURE81–84 °F

DEWPOINT76–77 °F

PRECIPITATION38%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 7

00:00–06:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+048 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

now

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

23°C dep KLZU → 25°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

rwY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

07L/25R (070/250°M · 063/243°T) · 16/34 (160/340°M · 153/333°T) · 07R/25L (070/250°M · 063/243°T) — designators and °M headings are magnetic; °T are true; variation 7°W (NOAA WMM2025)

info

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

NOTAM rate limited

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). The query failed this run, so the NOTAM list here is unknown rather than empty. Typed state: RATE_LIMITED. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

NOTAM timeline unavailable; verify an official briefing.

last attempt 05:59 Z (state: RATE_LIMITED)

TE_LIMITED) — advisory only; verify an official briefing.

Raw NOTAM text not available — source unavailable or result withheld. Verify an official briefing.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

NOTAM status is unknown; verify an official briefing.

Source provenance — FAA NMS: Production
source per owner decision 2026-08-09;
technical transport environment remains
preprod. Limited 2026-07-30 spot check
covered KLZU, KAVL, and KSGJ (3 of 30
airports). The query failed this run, so the
NOTAM list here is unknown rather than

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. The NOTAM query failed this run (state: RATE_LIMITED), so the NOTAM list is unknown rather than empty.

period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

· 00:00–06:00 ET ET · VFR

· 06:00–12:00 ET ET · VFR

· 12:00–18:00 ET ET · VFR

· 18:00–00:00 ET ET · VFR

· 00:00–06:00 ET ET · VFR

· 06:00–12:00 ET ET · VFR

• Mon, Sep 7 • 12:00–18:00 ET: GFS MAV MOS • 12:00–18:00 ET ET • VFR

• Mon, Sep 7 · 18:00–00:00 ET: GFS MAV MOS · 18:00–00:00 ET ET · VFR

- + MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-06=GFS, 2026-09-07=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-06 06:00	76	Bkn	210/4kt	—	>10kft	>6SM
GFS	2026-09-06 09:00	75	Bkn	230/4kt	—	>10kft	>6SM
GFS	2026-09-06 12:00	76	Bkn	260/5kt	22.0	>10kft	>6SM

GFS	2026-09-06 15:00	86	Bkn	270/6kt	—	>10kft	>6SM
GFS	2026-09-06 18:00	90	Bkn	350/7kt	13.0	>10kft	>6SM
GFS	2026-09-06 21:00	86	Bkn	80/6kt	—	>10kft	>6SM
GFS	2026-09-07 00:00	82	Bkn	160/2kt	44.0	>10kft	>6SM
GFS	2026-09-07 03:00	79	Ovc	210/3kt	—	>10kft	>6SM
GFS	2026-09-07 06:00	78	Ovc	250/4kt	40.0	>10kft	>6SM
GFS	2026-09-07 09:00	77	Bkn	280/4kt	—	>10kft	>6SM
GFS	2026-09-07 12:00	76	Ovc	280/3kt	38.0	>10kft	>6SM
GFS	2026-09-07 15:00	83	Ovc	260/5kt	—	>10kft	>6SM
GFS	2026-09-07 18:00	84	Ovc	270/6kt	38.0	3-5kft	>6SM
GFS	2026-09-07 21:00	81	Ovc	330/7kt	—	5-10kft	>6SM
GFS	2026-09-08 00:00	78	Ovc	200/3kt	61.0	>10kft	>6SM
GFS	2026-09-08 03:00	76	Ovc	260/1kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KDAB 060453Z 20004KT 10SM FEW130 25/23 A2991 RMK A02 SLP129 T02500233 403390239 \$

TAF unavailable (unavailable)

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KDAB; actual-station=KDAB; fetched-at=2026-09-06T05:59:15.982442+00:00; observed-or-issued-at=2026-09-06T04:53:00+00:00 — [AWC API](#)
 - TAF — state=unavailable; fetch-state=ok; payload-state=valid; requested-station=KDAB; actual-station=KDAB; fetched-at=2026-09-06T05:59:19.070292+00:00 — [AWC API](#)
- TAF proxy · KDAB
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KDAB; actual-station=KDAB; fetched-at=2026-09-06T05:59:19.707344+00:00
 - FAA NMS NOTAM — state=RATE_LIMITED; requested-station=KDAB; fetched-at=2026-09-06T05:59:28.657947Z; reason-code=RATE_LIMITED_ERROR — [FAA NMS overview](#)
 - MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KDAB; actual-station=KDAB; fetched-at=2026-09-06T06:00:03.545639+00:00; observed-or-issued-at=2026-09-06T00:00:00+00:00; valid-from=2026-09-06T06:00:00+00:00; valid-through=2026-09-09T00:00:00+00:00; target-dates=2026-09-06,2026-09-07; dates-with-points=2026-09-06,2026-09-07 — [Iowa State API](#)
 - MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KDAB; actual-station=KDAB; fetched-at=2026-09-06T06:00:04.462645+00:00; observed-or-issued-at=2026-09-06T00:00:00+00:00; valid-from=2026-09-07T00:00:00+00:00; valid-through=2026-09-14T00:00:00+00:00; target-dates=2026-09-07; partial-target-dates=2026-09-06; dates-with-points=2026-09-06,2026-09-07 — [Iowa State API](#)
 - MOS effective date selection — state=partial; rows=16; requested-station=KDAB; actual-station=KDAB; fetched-at=2026-09-06T06:00:03.545639+00:00; observed-or-issued-at=2026-09-06T00:00:00+00:00; valid-from=2026-09-06T06:00:00+00:00; valid-through=2026-09-09T00:00:00+00:00; target-dates=2026-09-06,2026-09-07; dates-with-points=2026-09-06,2026-09-07; selected-by-date=2026-09-06=GFS, 2026-09-07=GFS
 - Extended outlook and hazard-feed states are reported in the source stamp.
 - Runway data + Chart Supplement — [FAA Chart Supplement \(current cycle\)](#) — see AirNav link above

SUN 6 SEP 00:15 ET OBSERVED VALUE

Current observation



clear below 12,000 ft (CLR)

WINDcalm

TEMPERATURE26 °C

VISIBILITY10 sm

DEWPOINT25 °C

Evidence & limitations

- METAR source state: ok; observed Sep 6 00:15 ET; retrieved Sep 6 01:59 ET; 104 min before this run.
- Measured values read from the KJKA METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.90 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.

DESTINATION OUTLOOK

SUN 6 SEP 00:00–06:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

GFS MAV MOS · 00:00–06:00 ET ET · VFR

Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 6 SEP 12:00–18:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND3 kt

TEMPERATURE77–85 °F

DEWPOINT77–78 °F

PRECIPITATION26%

Evidence & limitations

GFS MAV MOS · 12:00–18:00 ET ET · VFR

Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 6 SEP 06:00–12:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND1–2 kt

TEMPERATURE78–80 °F

DEWPOINT77–78 °F

Evidence & limitations

GFS MAV MOS · 06:00–12:00 ET ET · VFR

Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 6 SEP 18:00–00:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND5–8 kt

TEMPERATURE87–88 °F

DEWPOINT77 °F

PRECIPITATION23%

Evidence & limitations

GFS MAV MOS · 18:00–00:00 ET ET · VFR

Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

00:00–06:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

Forecast

GFS MAV
MOS

GFS MAV MOS ·
VFR

FORECAST

Flight-category guidance

WIND3–6 kt

TEMPERATURE79–83 °F

DEWPOINT77 °F

PRECIPITATION25%

Evidence & limitations

- GFS MAV MOS · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

Forecast

GFS MAV
MOS

GFS MAV MOS ·
VFR

FORECAST

Flight-category guidance

WIND2–3 kt

TEMPERATURE76–77 °F

DEWPOINT76–77 °F

PRECIPITATION29%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND4 kt



TEMPERATURE76–86 °F



DEWPOINT76–78 °F



PRECIPITATION24%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND4–6 kt



TEMPERATURE88–91 °F



DEWPOINT76–77 °F



PRECIPITATION22%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 7

00:00–06:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+048 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

now

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

23°C dep KLZU → 26°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

rwY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

09/27 (090/270°M · 088/268°T) · 17/35 (170/350°M · 168/348°T) — designators and °M headings are magnetic; °T are true; variation 2°W (NOAA WMM2025)

info

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

8 Act on2 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

ed 2026-09-06T05:59:29.329667Z.			
(oritative)			
FRI SEP 4	SAT SEP 5	SUN SEP 6	MON SEP 7

5/1161	
5/1162	
6/6821	
8 additional normalized NOTAM records omitted from this view.	

Raw NOTAM data · NOTAMs as of 05:59 Z

NOTAMs as of 05:59 Z — advisory only; verify an official briefing.

05/473	NOTAM text not available in this projection.
08/415	NOTAM text not available in this projection.
5/1161	NOTAM text not available in this projection.
5/1162	NOTAM text not available in this projection.
6/6821	NOTAM text not available in this projection.
6/6822	NOTAM text not available in this projection.
6/6824	NOTAM text not available in this projection.
6/3337	NOTAM text not available in this projection.
6/2179	NOTAM text not available in this projection.
03/876	NOTAM text not available in this projection.
03/884	NOTAM text not available in this projection.
08/884	NOTAM text not available in this projection.
09/070	NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

FAA NOTAM (NMS) — Notices to Air

Effective 2025-09-10T15:59:00Z → 2027-09-10T15:59:00Z

NAV_APPROACH 00021 — RP GULF SHORES INTL/JACK EDWARDS FLD, GULF SHORES, AL, RNAV (GPS) RWY 9, AMDT 3C, LNAV/VNAV DA 400HAT 394 ALL CATS, VIS ALL CATS 1 1/8, LNPV MDA 500 HAT 404 ALL CATS, VIS CATS C/D 1 1/8, CIRCLING MDA CATS AB 580HAA 503, VDP NA, CHANGE NOTE TO READ: INCREASE LNAV/VNAV DA TO 400 FEET AND ALL VISIBILITIES 1 1/4 SM, TEMPORARY CRANES UP TO 200' HGT, SHORT END OF RWY 9 (2024-ASD-1000210001-0E), 2004291501-2027091001EST

Effective 2026-04-29T15:01:00Z → 2026-10-16T15:01:00Z

8 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KJKA this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

• Mon, Sep 7 • 12:00–18:00 ET: GFS MAV MOS • 12:00–18:00 ET ET • VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-06=GFS, 2026-09-07=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-06 06:00	80	Bkn	250/1kt	—	>10kft	>6SM
GFS	2026-09-06 09:00	78	Sct	290/2kt	—	>10kft	>6SM
GFS	2026-09-06 12:00	77	Bkn	320/3kt	26.0	>10kft	>6SM
GFS	2026-09-06 15:00	85	Bkn	280/3kt	—	>10kft	>6SM
GFS	2026-09-06 18:00	88	Bkn	240/5kt	23.0	>10kft	>6SM
GFS	2026-09-06 21:00	87	Bkn	220/8kt	—	>10kft	>6SM
GFS	2026-09-07 00:00	83	Sct	240/6kt	25.0	>10kft	>6SM
GFS	2026-09-07 03:00	79	Bkn	270/3kt	—	>10kft	>6SM
GFS	2026-09-07 06:00	77	Bkn	290/3kt	29.0	>10kft	>6SM
GFS	2026-09-07 09:00	76	Sct	330/2kt	—	>10kft	>6SM
GFS	2026-09-07 12:00	76	Bkn	330/4kt	24.0	>10kft	>6SM
GFS	2026-09-07 15:00	86	Sct	310/4kt	—	>10kft	>6SM
GFS	2026-09-07 18:00	91	Sct	210/4kt	22.0	>10kft	>6SM
GFS	2026-09-07 21:00	88	Sct	190/6kt	—	>10kft	>6SM
GFS	2026-09-08 00:00	83	Bkn	200/4kt	49.0	>10kft	>6SM
GFS	2026-09-08 03:00	77	Sct	60/1kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KJKA 060415Z AUTO 00000KT 10SM CLR 26/25 A2990 RMK A02

TAF unavailable (unavailable)

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KJKA; actual-station=KJKA; fetched-at=2026-09-06T05:59:15.982442+00:00; observed-or-issued-at=2026-09-06T04:15:00+00:00 — AWC API
- TAF — state=unavailable; fetch-state=ok; payload-state=valid; requested-station=KJKA; actual-station=KJKA; fetched-at=2026-09-06T05:59:19.070292+00:00 — AWC API

- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KJKA; actual-station=KJKA; fetched-at=2026-09-06T05:59:19.742158+00:00
- FAA NMS NOTAM — state=OK; requested-station=KJKA; actual-station=KJKA; fetched-at=2026-09-06T05:59:29.329667Z — [FAA NMS overview](#)
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KJKA; actual-station=KJKA; fetched-at=2026-09-06T06:00:03.653598+00:00; observed-or-issued-at=2026-09-06T00:00:00+00:00; valid-from=2026-09-06T06:00:00+00:00; valid-through=2026-09-09T00:00:00+00:00; target-dates=2026-09-06,2026-09-07; dates-with-points=2026-09-06,2026-09-07 — [Iowa State API](#)
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KJKA; actual-station=KJKA; fetched-at=2026-09-06T06:00:04.525255+00:00; observed-or-issued-at=2026-09-06T00:00:00+00:00; valid-from=2026-09-07T00:00:00+00:00; valid-through=2026-09-14T00:00:00+00:00; target-dates=2026-09-07; partial-target-dates=2026-09-06; dates-with-points=2026-09-06,2026-09-07 — [Iowa State API](#)
- MOS effective date selection — state=partial; rows=16; requested-station=KJKA; actual-station=KJKA; fetched-at=2026-09-06T06:00:03.653598+00:00; observed-or-issued-at=2026-09-06T00:00:00+00:00; valid-from=2026-09-06T06:00:00+00:00; valid-through=2026-09-09T00:00:00+00:00; target-dates=2026-09-06,2026-09-07; dates-with-points=2026-09-06,2026-09-07; selected-by-date=2026-09-06=GFS, 2026-09-07=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — [FAA Chart Supplement \(current cycle\)](#) — see AirNav link above

#19

KBFM

Mobile/Downtown Arpt, AL, US

· Gulf West · Mobile Downtown

OBS - VFR

ETE

2h00

DIST

290 nm

SUN 6 SEP 00:53 ET OBSERVED VALUE

Current observation

META

R

clear below 12,000 ft (CLR)

WIND

calm

TEMPERATURE

25 °C

VISIBILITY

10 sm

DEWPOINT

24 °C

OBS - VFR

OBSERVED

Evidence & limitations

- METAR source state: ok; observed Sep 6 00:53 ET; retrieved Sep 6 01:59 ET; 66 min before this run.
- Measured values read from the KBFM METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.90 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.

DESTINATION OUTLOOK

SUN 6 SEP 00:00–06:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

GFS MAV MOS · 00:00–06:00 ET ET · VFR

Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 6 SEP 12:00–18:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND2–4 kt

TEMPERATURE78–87 °F

DEWPOINT78–79 °F

PRECIPITATION20%

Evidence & limitations

GFS MAV MOS · 12:00–18:00 ET ET · VFR

Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 6 SEP 06:00–12:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND1–2 kt

TEMPERATURE78 °F

DEWPOINT77 °F

Evidence & limitations

GFS MAV MOS · 06:00–12:00 ET ET · VFR

Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 6 SEP 18:00–00:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND5 kt

TEMPERATURE91–92 °F

DEWPOINT79 °F

PRECIPITATION20%

Evidence & limitations

GFS MAV MOS · 18:00–00:00 ET ET · VFR

Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

00:00–06:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

Forecast

GFS MAV
MOS

GFS MAV MOS ·
VFR

FORECAST

Flight-category guidance

WIND2–4 kt

TEMPERATURE82–86 °F

DEWPOINT79–80 °F

PRECIPITATION26%

Evidence & limitations

- GFS MAV MOS · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

Forecast

GFS MAV
MOS

GFS MAV MOS ·
VFR

FORECAST

Flight-category guidance

WIND2 kt

TEMPERATURE80–81 °F

DEWPOINT78–79 °F

PRECIPITATION30%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND2–4 kt



TEMPERATURE79–88 °F



DEWPOINT78–79 °F



PRECIPITATION19%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND5 kt



TEMPERATURE91–92 °F



DEWPOINT77–78 °F



PRECIPITATION15%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 7

00:00–06:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+048 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

now

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

23°C dep KLZU → 25°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

rwY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

14/32 (140/320°M · 138/318°T) · 18/36 (180/000°M · 178/358°T) — designators and °M headings are magnetic; °T are true; variation 2°W (NOAA WMM2025)

info

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

12 Act on3 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

ed 2026-09-06T05:59:29.461067Z.			
(oritative)			
FRI SEP 4	SAT SEP 5	SUN SEP 6	MON SEP 7

08/020				
A0373/26				
08/024				
35 additional normalized NOTAM records omitted from this view.				

Raw NOTAM data · NOTAMs as of 05:59 Z

NOTAMs as of 05:59 Z — advisory only; verify an official briefing.

08/004	NOTAM text not available in this projection.
A0354/26	NOTAM text not available in this projection.
08/020	NOTAM text not available in this projection.
A0373/26	NOTAM text not available in this projection.
08/024	NOTAM text not available in this projection.
A0377/26	NOTAM text not available in this projection.
A0388/26	NOTAM text not available in this projection.
A0389/26	NOTAM text not available in this projection.
A0390/26	NOTAM text not available in this projection.
6/1287	NOTAM text not available in this projection.
6/1289	NOTAM text not available in this projection.
A0106/26	NOTAM text not available in this projection.
A0108/26	NOTAM text not available in this projection.

6/3379

NOTAM text not available in this projection.

A0284/26

NOTAM text not available in this projection.

6/2188

NOTAM text not available in this projection.

A0356/26

NOTAM text not available in this projection.

6/4898

NOTAM text not available in this projection.

A0364/26

NOTAM text not available in this projection.

6/9973

NOTAM text not available in this projection.

A0382/26

NOTAM text not available in this projection.

05/009

NOTAM text not available in this projection.

A0240/26

NOTAM text not available in this projection.

06/024

NOTAM text not available in this projection.

06/026

NOTAM text not available in this projection.

06/027

NOTAM text not available in this projection.

06/028

NOTAM text not available in this projection.

06/029

NOTAM text not available in this projection.

06/030

NOTAM text not available in this projection.

06/031

NOTAM text not available in this projection.

06/032

NOTAM text not available in this projection.

06/033

NOTAM text not available in this projection.

06/049

NOTAM text not available in this projection.

07/009

NOTAM text not available in this projection.

A0326/26

NOTAM text not available in this projection.

08/001

NOTAM text not available in this projection.

08/021

NOTAM text not available in this projection.

09/002

NOTAM text not available in this projection.

09/003

NOTAM text not available in this projection.

08/027

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2026-09-06T05:59:29.461067Z.

06/031 STD

:00Z

06/032 STD

:00Z

06/033 STD

:00Z

06/049 STD

:00Z

TAXIWAY

Effective 2026-08-26T15:11:00Z → 2026-09-30T23:59:00Z

35 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KBFM this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

00:00–06:00 ET ET · VFR

06:00–12:00 ET ET · VFR

12:00–18:00 ET ET · VFR

18:00–00:00 ET ET · VFR

00:00–06:00 ET ET · VFR

06:00–12:00 ET ET · VFR

• Mon, Sep 7 · 12:00–18:00 ET: GFS MAV MOS · 12:00–18:00 ET ET · VFR

• Mon, Sep 7 · 18:00–00:00 ET: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-06=GFS, 2026-09-07=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-06 06:00	78	Bkn	240/1kt	—	>10kft	>6SM
GFS	2026-09-06 09:00	78	Bkn	300/2kt	—	>10kft	>6SM
GFS	2026-09-06 12:00	78	Bkn	310/2kt	20.0	5-10kft	>6SM
GFS	2026-09-06 15:00	87	Bkn	10/4kt	—	>10kft	>6SM
GFS	2026-09-06 18:00	92	Bkn	120/5kt	20.0	>10kft	>6SM
GFS	2026-09-06 21:00	91	Bkn	180/5kt	—	>10kft	>6SM

GFS	2026-09-07 00:00	86	Bkn	230/4kt	26.0	>10kft	>6SM
GFS	2026-09-07 03:00	82	Bkn	280/2kt	—	>10kft	>6SM
GFS	2026-09-07 06:00	81	Bkn	320/2kt	30.0	>10kft	>6SM
GFS	2026-09-07 09:00	80	Bkn	310/2kt	—	>10kft	>6SM
GFS	2026-09-07 12:00	79	Bkn	320/2kt	19.0	>10kft	>6SM
GFS	2026-09-07 15:00	88	Few	30/4kt	—	>10kft	>6SM
GFS	2026-09-07 18:00	92	Sct	120/5kt	15.0	>10kft	>6SM
GFS	2026-09-07 21:00	91	Sct	160/5kt	—	>10kft	>6SM
GFS	2026-09-08 00:00	86	Bkn	110/6kt	45.0	>10kft	>6SM
GFS	2026-09-08 03:00	81	Sct	90/3kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KBFM 060453Z AUTO 00000KT 10SM CLR 25/24 A2990 RMK A02 SLP124 T02500244

TAF unavailable (unavailable)

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KBFM; actual-station=KBFM; fetched-at=2026-09-06T05:59:15.982442+00:00; observed-or-issued-at=2026-09-06T04:53:00+00:00 — [AWC API](#)
- TAF — state=unavailable; fetch-state=ok; payload-state=valid; requested-station=KBFM; actual-station=KBFM; fetched-at=2026-09-06T05:59:19.070292+00:00 — [AWC API](#)

TAF proxy · KBFM

- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KBFM; actual-station=KBFM; fetched-at=2026-09-06T05:59:19.919550+00:00
- FAA NMS NOTAM — state=OK; requested-station=KBFM; actual-station=KBFM; fetched-at=2026-09-06T05:59:29.461067Z — [FAA NMS overview](#)
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KBFM; actual-station=KBFM; fetched-at=2026-09-06T06:00:03.568025+00:00; observed-or-issued-at=2026-09-06T00:00:00+00:00; valid-from=2026-09-06T06:00:00+00:00; valid-through=2026-09-09T00:00:00+00:00; target-dates=2026-09-06,2026-09-07; dates-with-points=2026-09-06,2026-09-07 — [Iowa State API](#)
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KBFM; actual-station=KBFM; fetched-at=2026-09-06T06:00:04.513342+00:00; observed-or-issued-at=2026-09-06T00:00:00+00:00; valid-from=2026-09-07T00:00:00+00:00; valid-through=2026-09-14T00:00:00+00:00; target-dates=2026-09-07; partial-target-dates=2026-09-06; dates-with-points=2026-09-06,2026-09-07 — [Iowa State API](#)
- MOS effective date selection — state=partial; rows=16; requested-station=KBFM; actual-station=KBFM; fetched-at=2026-09-06T06:00:03.568025+00:00; observed-or-issued-at=2026-09-06T00:00:00+00:00; valid-from=2026-09-06T06:00:00+00:00; valid-through=2026-09-09T00:00:00+00:00; target-dates=2026-09-06,2026-09-07; dates-with-points=2026-09-06,2026-09-07; selected-by-date=2026-09-06=GFS, 2026-09-07=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — [FAA Chart Supplement \(current cycle\)](#) — see AirNav link above

SUN 6 SEP 00:53 ET OBSERVED VALUE

Current observation



clear below 12,000 ft (CLR)

WINDcalm

TEMPERATURE26 °C

VISIBILITY10 sm

DEWPOINT24 °C

Evidence & limitations

- METAR source state: ok; observed Sep 6 00:53 ET; retrieved Sep 6 01:59 ET; 66 min before this run.
- Measured values read from the KGPT METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.88 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.

DESTINATION OUTLOOK

SUN 6 SEP 00:00–06:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

GFS MAV MOS · 00:00–06:00 ET ET · VFR

Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 6 SEP 12:00–18:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND2–4 kt

TEMPERATURE77–86 °F

DEWPOINT75–77 °F

PRECIPITATION18%

Evidence & limitations

GFS MAV MOS · 12:00–18:00 ET ET · VFR

Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 6 SEP 06:00–12:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND1 kt

TEMPERATURE77–78 °F

DEWPOINT75 °F

Evidence & limitations

GFS MAV MOS · 06:00–12:00 ET ET · VFR

Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 6 SEP 18:00–00:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND5 kt

TEMPERATURE89–90 °F

DEWPOINT77 °F

PRECIPITATION21%

Evidence & limitations

GFS MAV MOS · 18:00–00:00 ET ET · VFR

Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

00:00–06:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

Forecast

GFS MAV
MOS

GFS MAV MOS ·
VFR

FORECAST

Flight-category guidance

WIND1–4 kt

⚡
TEMPERATURE82–85 °F

💧
DEWPOINT77 °F

💧
PRECIPITATION27%

Evidence & limitations

- GFS MAV MOS · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

Forecast

GFS MAV
MOS

GFS MAV MOS ·
VFR

FORECAST

Flight-category guidance

WIND1 kt

⚡
TEMPERATURE78–80 °F

💧
DEWPOINT76 °F

💧
PRECIPITATION20%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND2–5 kt

TEMPERATURE78–88 °F

DEWPOINT76–77 °F

PRECIPITATION24%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND5–6 kt

TEMPERATURE91–93 °F

DEWPOINT76 °F

PRECIPITATION20%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 7

00:00–06:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+048 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

now

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

23°C dep KLZU → 26°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

rwY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

14/32 (140/320°M · 139/319°T) · 18/36 (180/000°M · 179/359°T) — designators and °M headings are magnetic; °T are true; variation 1°W (NOAA WMM2025)

info

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

8 Act on1 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

ed 2026-09-06T05:59:30.614082Z.			
(oritative)			
FRI SEP 4	SAT SEP 5	SUN SEP 6	MON SEP 7

A0672/26				
09/058				
A0789/25				
19 additional normalized NOTAM records omitted from this view.				

Raw NOTAM data · NOTAMs as of 05:59 Z

NOTAMs as of 05:59 Z — advisory only; verify an official briefing.

06/071 <i>NOTAM text not available in this projection.</i>
06/072 <i>NOTAM text not available in this projection.</i>
A0672/26 <i>NOTAM text not available in this projection.</i>
09/058 <i>NOTAM text not available in this projection.</i>
A0789/25 <i>NOTAM text not available in this projection.</i>
6/5422 <i>NOTAM text not available in this projection.</i>
A0386/26 <i>NOTAM text not available in this projection.</i>
06/065 <i>NOTAM text not available in this projection.</i>
6/9967 <i>NOTAM text not available in this projection.</i>
A0597/26 <i>NOTAM text not available in this projection.</i>
09/004 <i>NOTAM text not available in this projection.</i>
A0673/26 <i>NOTAM text not available in this projection.</i>
A0674/26 <i>NOTAM text not available in this projection.</i>

06/056

NOTAM text not available in this projection.

06/060

NOTAM text not available in this projection.

07/001

NOTAM text not available in this projection.

07/031

NOTAM text not available in this projection.

08/003

NOTAM text not available in this projection.

08/023

NOTAM text not available in this projection.

08/040

NOTAM text not available in this projection.

08/041

NOTAM text not available in this projection.

08/042

NOTAM text not available in this projection.

08/045

NOTAM text not available in this projection.

09/006

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production
source per owner decision 2026-08-09;
technical transport environment remains
preprod. Limited 2026-07-30 spot check
covered KLZU, KAVL, and KSGJ (3 of 30
airports). NOTAMs were read from this source
and used on this card this run. Typed state:
OK. The dot colour reports whether this
source was read this run; technical
environment: preprod.

26-09-06T05:59:30.614082Z.

:00Z

:00Z

:00Z

:00Z

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KGPT this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

• Mon, Sep 7 • 00:00–06:00 ET ET • VFR

• Mon, Sep 7 • 06:00–12:00 ET ET • VFR

• Mon, Sep 7 • 12:00–18:00 ET ET • VFR

• Mon, Sep 7 • 18:00–00:00 ET ET • VFR

• Mon, Sep 7 • 00:00–06:00 ET ET • VFR

• Mon, Sep 7 • 06:00–12:00 ET ET • VFR

• Mon, Sep 7 • 12:00–18:00 ET ET • GFS MAV MOS • 12:00–18:00 ET ET • VFR

• Mon, Sep 7 • 18:00–00:00 ET ET • GFS MAV MOS • 18:00–00:00 ET ET • VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-06=GFS, 2026-09-07=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-06 06:00	78	Bkn	270/1kt	—	>10kft	>6SM
GFS	2026-09-06 09:00	77	Sct	300/1kt	—	>10kft	>6SM
GFS	2026-09-06 12:00	77	Bkn	320/2kt	18.0	5-10kft	>6SM
GFS	2026-09-06 15:00	86	Bkn	320/4kt	—	>10kft	>6SM
GFS	2026-09-06 18:00	90	Bkn	190/5kt	21.0	>10kft	>6SM
GFS	2026-09-06 21:00	89	Bkn	190/5kt	—	>10kft	>6SM

GFS	2026-09-07 00:00	85	Bkn	240/4kt	27.0	>10kft	>6SM
GFS	2026-09-07 03:00	82	Sct	300/1kt	—	>10kft	>6SM
GFS	2026-09-07 06:00	80	Bkn	320/1kt	20.0	>10kft	>6SM
GFS	2026-09-07 09:00	78	Sct	310/1kt	—	>10kft	>6SM
GFS	2026-09-07 12:00	78	Bkn	320/2kt	24.0	>10kft	>6SM
GFS	2026-09-07 15:00	88	Few	320/5kt	—	>10kft	>6SM
GFS	2026-09-07 18:00	93	Sct	230/5kt	20.0	>10kft	>6SM
GFS	2026-09-07 21:00	91	Sct	180/6kt	—	>10kft	>6SM
GFS	2026-09-08 00:00	86	Bkn	150/6kt	42.0	>10kft	>6SM
GFS	2026-09-08 03:00	81	Bkn	40/2kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KGPT 060453Z 00000KT 10SM CLR 26/24 A2988 RMK A02 SLP117 T02560244

TAF unavailable (unavailable)

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KGPT; actual-station=KGPT; fetched-at=2026-09-06T05:59:15.982442+00:00; observed-or-issued-at=2026-09-06T04:53:00+00:00 — [AWC API](#)
- TAF — state=unavailable; fetch-state=ok; payload-state=valid; requested-station=KGPT; actual-station=KGPT; fetched-at=2026-09-06T05:59:19.070292+00:00 — [AWC API](#)

TAF proxy · KGPT

- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KGPT; actual-station=KGPT; fetched-at=2026-09-06T05:59:19.898122+00:00
- FAA NMS NOTAM — state=OK; requested-station=KGPT; actual-station=KGPT; fetched-at=2026-09-06T05:59:30.614082Z — [FAA NMS overview](#)
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KGPT; actual-station=KGPT; fetched-at=2026-09-06T06:00:03.758625+00:00; observed-or-issued-at=2026-09-06T00:00:00+00:00; valid-from=2026-09-06T06:00:00+00:00; valid-through=2026-09-09T00:00:00+00:00; target-dates=2026-09-06,2026-09-07; dates-with-points=2026-09-06,2026-09-07 — [Iowa State API](#)
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KGPT; actual-station=KGPT; fetched-at=2026-09-06T06:00:04.626872+00:00; observed-or-issued-at=2026-09-06T00:00:00+00:00; valid-from=2026-09-07T00:00:00+00:00; valid-through=2026-09-14T00:00:00+00:00; target-dates=2026-09-07; partial-target-dates=2026-09-06; dates-with-points=2026-09-06,2026-09-07 — [Iowa State API](#)
- MOS effective date selection — state=partial; rows=16; requested-station=KGPT; actual-station=KGPT; fetched-at=2026-09-06T06:00:03.758625+00:00; observed-or-issued-at=2026-09-06T00:00:00+00:00; valid-from=2026-09-06T06:00:00+00:00; valid-through=2026-09-09T00:00:00+00:00; target-dates=2026-09-06,2026-09-07; dates-with-points=2026-09-06,2026-09-07; selected-by-date=2026-09-06=GFS, 2026-09-07=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — [FAA Chart Supplement \(current cycle\)](#) — see AirNav link above

SUN 6 SEP 00:53 ET OBSERVED VALUE

Current observation

OBS - VFR

OBSERVATION

METAR

R

clear below 12,000 ft (CLR)

WIND

W (280°)

3 kt

TEMPERATURE

29 °C

VISIBILITY

10 sm

DEWPOINT

25 °C

From 280°M: 3 kt

Alt: Sea level: 100 ft

Runway use: 07/25

KSPG runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 07/25, 18/36. Wind from 280 degrees true, 286 degrees magnetic, at 3 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 25. Wind source: KSPG METAR 060453Z.

Evidence & limitations

- METAR source state: ok; observed Sep 6 00:53 ET; retrieved Sep 6 01:59 ET; 66 min before this run.
- Measured values read from the KSPG METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.90 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- The runway schematic is alignment-only; verify current runway use and NOTAMs.

DESTINATION OUTLOOK

SUN 6 SEP 00:00–06:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

 Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- GFS MAV MOS · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 6 SEP 12:00–18:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

 Flight-category guidance

 WIND3–6 kt

 TEMPERATURE83–86 °F

 DEWPOINT77 °F

 PRECIPITATION5%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 6 SEP 06:00–12:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

 Flight-category guidance

 WIND3 kt

 TEMPERATURE83 °F

 DEWPOINT77 °F

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 6 SEP 18:00–00:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

 Flight-category guidance

 WIND7 kt

 TEMPERATURE88–89 °F

 DEWPOINT76 °F

 PRECIPITATION8%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

00:00–06:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

Forecast

GFS MAV
MOS

GFS MAV MOS ·
VFR

FORECAST

Flight-category guidance

WIND5–7 kt

TEMPERATURE85–86 °F

DEWPOINT77 °F

PRECIPITATION7%

Evidence & limitations

- GFS MAV MOS · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

Forecast

GFS MAV
MOS

GFS MAV MOS ·
VFR

FORECAST

Flight-category guidance

WIND4–5 kt

TEMPERATURE83–84 °F

DEWPOINT78 °F

PRECIPITATION13%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND4–6 kt

TEMPERATURE84–86 °F

DEWPOINT77–78 °F

PRECIPITATION12%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND8–9 kt

TEMPERATURE87 °F

DEWPOINT76 °F

PRECIPITATION16%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 7

00:00–06:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+048 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

now

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

23°C dep KLZU → 29°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

rwY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

07/25 (070/250°M · 064/244°T) · 18/36 (180/000°M · 174/354°T) — designators and °M headings are magnetic; °T are true; variation 6°W (NOAA WMM2025)

info

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

NOTAM rate limited

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). The query failed this run, so the NOTAM list here is unknown rather than empty. Typed state: RATE_LIMITED. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

Raw NOTAM text not available — source unavailable or result withheld. Verify an official briefing.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

NOTAM status is unknown; verify an official briefing.

+ [icon] [icon] [icon]

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). The query failed this run, so the NOTAM list here is unknown rather than

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. The NOTAM query failed this run (state: RATE_LIMITED), so the NOTAM list is unknown rather than empty.

period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

• Mon, Sep 7 • 00:00–06:00 ET ET • VFR

• Mon, Sep 7 • 06:00–12:00 ET ET • VFR

• Mon, Sep 7 • 12:00–18:00 ET ET • VFR

• Mon, Sep 7 • 18:00–00:00 ET ET • VFR

• Mon, Sep 7 • 00:00–06:00 ET ET • VFR

• Mon, Sep 7 • 06:00–12:00 ET ET • VFR

• Mon, Sep 7 • 12:00–18:00 ET: GFS MAV MOS • 12:00–18:00 ET ET • VFR

• Mon, Sep 7 • 18:00–00:00 ET: GFS MAV MOS • 18:00–00:00 ET ET • VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-06=GFS, 2026-09-07=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-06 06:00	83	Sct	200/3kt	—	>10kft	>6SM
GFS	2026-09-06 09:00	83	Few	270/3kt	—	>10kft	>6SM
GFS	2026-09-06 12:00	83	Few	320/3kt	5.0	>10kft	>6SM

GFS	2026-09-06 15:00	86	Few	260/6kt	—	>10kft	>6SM
GFS	2026-09-06 18:00	88	Few	270/7kt	8.0	>10kft	>6SM
GFS	2026-09-06 21:00	89	Bkn	270/7kt	—	>10kft	>6SM
GFS	2026-09-07 00:00	86	Bkn	270/7kt	7.0	>10kft	>6SM
GFS	2026-09-07 03:00	85	Few	250/5kt	—	>10kft	>6SM
GFS	2026-09-07 06:00	84	Sct	260/5kt	13.0	>10kft	>6SM
GFS	2026-09-07 09:00	83	Sct	270/4kt	—	>10kft	>6SM
GFS	2026-09-07 12:00	84	Sct	260/4kt	12.0	>10kft	>6SM
GFS	2026-09-07 15:00	86	Few	230/6kt	—	>10kft	>6SM
GFS	2026-09-07 18:00	87	Few	250/9kt	16.0	>10kft	>6SM
GFS	2026-09-07 21:00	87	Ovc	270/8kt	—	>10kft	>6SM
GFS	2026-09-08 00:00	85	Bkn	280/7kt	33.0	>10kft	>6SM
GFS	2026-09-08 03:00	83	Bkn	180/5kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KSPG 060453Z AUTO 28003KT 10SM CLR 29/25 A2990 RMK A02 SLP125 T02940250 403220278

TAF unavailable (unavailable)

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KSPG; actual-station=KSPG; fetched-at=2026-09-06T05:59:15.982442+00:00; observed-or-issued-at=2026-09-06T04:53:00+00:00 — [AWC API](#)
- TAF — state=unavailable; fetch-state=ok; payload-state=valid; requested-station=KSPG; actual-station=KPIE; fetched-at=2026-09-06T05:59:19.070292+00:00 — [AWC API](#)

TAF proxy · KPIE
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KSPG; actual-station=KSPG; fetched-at=2026-09-06T05:59:19.964986+00:00
- FAA NMS NOTAM — state=RATE_LIMITED; requested-station=KSPG; fetched-at=2026-09-06T05:59:30.680977Z; reason-code=RATE_LIMITED_ERROR — [FAA NMS overview](#)
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KSPG; actual-station=KSPG; fetched-at=2026-09-06T06:00:03.747167+00:00; observed-or-issued-at=2026-09-06T00:00:00+00:00; valid-from=2026-09-06T06:00:00+00:00; valid-through=2026-09-09T00:00:00+00:00; target-dates=2026-09-06,2026-09-07; dates-with-points=2026-09-06,2026-09-07 — [Iowa State API](#)
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KSPG; actual-station=KSPG; fetched-at=2026-09-06T06:00:04.592529+00:00; observed-or-issued-at=2026-09-06T00:00:00+00:00; valid-from=2026-09-07T00:00:00+00:00; valid-through=2026-09-14T00:00:00+00:00; target-dates=2026-09-07; partial-target-dates=2026-09-06; dates-with-points=2026-09-06,2026-09-07 — [Iowa State API](#)
- MOS effective date selection — state=partial; rows=16; requested-station=KSPG; actual-station=KSPG; fetched-at=2026-09-06T06:00:03.747167+00:00; observed-or-issued-at=2026-09-06T00:00:00+00:00; valid-from=2026-09-06T06:00:00+00:00; valid-through=2026-09-09T00:00:00+00:00; target-dates=2026-09-06,2026-09-07; dates-with-points=2026-09-06,2026-09-07; selected-by-date=2026-09-06=GFS, 2026-09-07=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — [FAA Chart Supplement \(current cycle\)](#) — see AirNav link above

#22

KTPF Tampa/Knight Arpt, FL, US · Gulf East · Tampa Peter O Knight

OBS - VFR

ETE

2h32

DIST

372 nm

SUN 6 SEP 00:15 ET OBSERVED VALUE

Current observation

OBS - VFR

METAR

OBSERVED

clear below 12,000 ft (CLR)

WIND

calm

TEMPERATURE

29 °C

VISIBILITY

10 sm

DEWPOINT

26 °C

- Evidence & limitations
- METAR source state: ok; observed Sep 6 00:15 ET; retrieved Sep 6 01:59 ET; 104 min before this run.
 - Measured values read from the KTPF METAR. This is a current surface observation only; it is not a forecast.
 - Only fields decoded from this METAR are shown; every missing field remains unavailable.
 - Altimeter: 29.90 inHg.
 - The complete raw METAR remains in this airport's Raw products disclosure.

DESTINATION OUTLOOK

SUN 6 SEP 00:00–06:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

GFS MAV MOS · 00:00–06:00 ET ET · VFR

Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 6 SEP 12:00–18:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND2–4 kt

TEMPERATURE82–88 °F

DEWPOINT79 °F

PRECIPITATION5%

Evidence & limitations

GFS MAV MOS · 12:00–18:00 ET ET · VFR

Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 6 SEP 06:00–12:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND2 kt

TEMPERATURE81–82 °F

DEWPOINT78–79 °F

Evidence & limitations

GFS MAV MOS · 06:00–12:00 ET ET · VFR

Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 6 SEP 18:00–00:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND5–6 kt

TEMPERATURE90–91 °F

DEWPOINT78 °F

PRECIPITATION7%

Evidence & limitations

GFS MAV MOS · 18:00–00:00 ET ET · VFR

Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

00:00–06:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

Forecast

GFS MAV
MOS

GFS MAV MOS ·
VFR

FORECAST

Flight-category guidance

WIND3–4 kt

TEMPERATURE84–87 °F

DEWPOINT78–79 °F

PRECIPITATION8%

Evidence & limitations

- GFS MAV MOS · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

Forecast

GFS MAV
MOS

GFS MAV MOS ·
VFR

FORECAST

Flight-category guidance

WIND2–3 kt

TEMPERATURE82–83 °F

DEWPOINT79–80 °F

PRECIPITATION17%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND2–4 kt



TEMPERATURE83–88 °F



DEWPOINT79–80 °F



PRECIPITATION17%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND6–7 kt



TEMPERATURE88–89 °F



DEWPOINT76 °F



PRECIPITATION18%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 7

00:00–06:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+048 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

now

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

23°C dep KLZU → 29°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

rwY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

04/22 (040/220°M · 034/214°T) · 18/36 (180/000°M · 174/354°T) — designators and °M headings are magnetic; °T are true; variation 6°W (NOAA WMM2025)

info

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 Act on

3 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

ed 2026-09-06T05:59:31.760052Z.			
(oritative)			
FRI SEP 4	SAT SEP 5	SUN SEP 6	MON SEP 7

06/014	
6/0956	
6/8311	
10 additional normalized NOTAM records omitted from this view.	

Raw NOTAM data · NOTAMs as of 05:59 Z

NOTAMs as of 05:59 Z — advisory only; verify an official briefing.

04/019	NOTAM text not available in this projection.
05/005	NOTAM text not available in this projection.
06/014	NOTAM text not available in this projection.
6/0956	NOTAM text not available in this projection.
6/8311	NOTAM text not available in this projection.
4/6304	NOTAM text not available in this projection.
6/8312	NOTAM text not available in this projection.
09/025	NOTAM text not available in this projection.
12/007	NOTAM text not available in this projection.
02/001	NOTAM text not available in this projection.
06/005	NOTAM text not available in this projection.
07/008	NOTAM text not available in this projection.
07/015	NOTAM text not available in this projection.

07/016

NOTAM text not available in this projection.

06/015

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

Effective 2026-06-26T15:55:00Z → 2028-06-26T15:55:00Z

RUNWAY

00211 → CDP PETER O KNIGHT, TAMPA, FL, TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 1A, TAKEOFF MINIMUMS, RWY 18, STANDARD WITH A MINIMUM CLimb OF 305 FT PER NM TO 600. TEMPORARY CRANES 420 MSL BEGINNING 1.1NM SE OF RWY 18 (2026 ASD-400000000-00). ALL OTHER DATA REMAINS AS PUBLISHED.
202606261555-2026061555EST

Effective 2026-08-28T10:00:00Z → 2028-01-29T16:33:00Z

10 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

· 00:00–06:00 ET ET · VFR

weather, and they never change a flight category. NOTAMs were read for KTPF this run.

published VFR Surface Chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

· 06:00–12:00 ET ET · VFR

· 12:00–18:00 ET ET · VFR

· 18:00–00:00 ET ET · VFR

· 00:00–06:00 ET ET · VFR

· 06:00–12:00 ET ET · VFR

· 12:00–18:00 ET ET · VFR

• Mon, Sep 7 · 18:00–00:00 ET: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-06=GFS, 2026-09-07=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-06 06:00	82	Sct	180/2kt	—	>10kft	>6SM
GFS	2026-09-06 09:00	81	Sct	260/2kt	—	>10kft	>6SM
GFS	2026-09-06 12:00	82	Sct	290/2kt	5.0	>10kft	>6SM
GFS	2026-09-06 15:00	88	Sct	260/4kt	—	>10kft	>6SM
GFS	2026-09-06 18:00	90	Sct	250/6kt	7.0	>10kft	>6SM
GFS	2026-09-06 21:00	91	Bkn	270/5kt	—	>10kft	>6SM
GFS	2026-09-07 00:00	87	Bkn	270/4kt	8.0	>10kft	>6SM
GFS	2026-09-07 03:00	84	Sct	230/3kt	—	>10kft	>6SM
GFS	2026-09-07 06:00	83	Bkn	240/3kt	17.0	>10kft	>6SM
GFS	2026-09-07 09:00	82	Sct	250/2kt	—	>10kft	>6SM
GFS	2026-09-07 12:00	83	Sct	240/2kt	17.0	>10kft	>6SM
GFS	2026-09-07 15:00	88	Bkn	230/4kt	—	>10kft	>6SM
GFS	2026-09-07 18:00	89	Bkn	250/7kt	18.0	>10kft	>6SM
GFS	2026-09-07 21:00	88	Ovc	260/6kt	—	>10kft	>6SM
GFS	2026-09-08 00:00	82	Bkn	270/4kt	37.0	>10kft	>6SM
GFS	2026-09-08 03:00	81	Bkn	160/2kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KTPF 060415Z AUTO 00000KT 10SM CLR 29/26 A2990 RMK A02 T02860256 \$

TAF unavailable (unavailable)

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KTPF; actual-station=KTPF; fetched-at=2026-09-06T05:59:15.982442+00:00; observed-or-issued-at=2026-09-06T04:15:00+00:00 — [AWC API](#)
- TAF — state=unavailable; fetch-state=ok; payload-state=valid; requested-station=KTPF; actual-station=KTPA; fetched-at=2026-09-06T05:59:19.070292+00:00 — [AWC API](#)

TAF proxy · KTPA
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KTPF; actual-station=KTPF; fetched-at=2026-09-06T05:59:20.076580+00:00
- FAA NMS NOTAM — state=OK; requested-station=KTPF; actual-station=KTPF; fetched-at=2026-09-06T05:59:31.760052Z — [FAA NMS overview](#)
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KTPF; actual-station=KTPF; fetched-at=2026-09-06T06:00:03.774701+00:00; observed-or-issued-at=2026-09-06T00:00:00+00:00; valid-from=2026-09-06T06:00:00+00:00; valid-through=2026-09-09T00:00:00+00:00; target-dates=2026-09-06,2026-09-07; dates-with-points=2026-09-06,2026-09-07 — [Iowa State API](#)
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KTPF; actual-station=KTPF; fetched-at=2026-09-06T06:00:04.653972+00:00; observed-or-issued-at=2026-09-06T00:00:00+00:00; valid-from=2026-09-07T00:00:00+00:00; valid-through=2026-09-14T00:00:00+00:00; target-dates=2026-09-07; partial-target-dates=2026-09-06; dates-with-points=2026-09-06,2026-09-07 — [Iowa State API](#)
- MOS effective date selection — state=partial; rows=16; requested-station=KTPF; actual-station=KTPF; fetched-at=2026-09-06T06:00:03.774701+00:00; observed-or-issued-at=2026-09-06T00:00:00+00:00; valid-from=2026-09-06T06:00:00+00:00; valid-through=2026-09-09T00:00:00+00:00; target-dates=2026-09-06,2026-09-07; dates-with-points=2026-09-06,2026-09-07; selected-by-date=2026-09-06=GFS, 2026-09-07=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#23

KSRQ

Sarasota-Bradenton Intl, FL, US

· Gulf East · Sarasota-Bradenton

OBS - VFR

ETE

2h43

DIST

402 nm

SUN 6 SEP 00:53 ET OBSERVED VALUE

Current observation

OBS - VFR

OBSER

META

R

clear below 12,000 ft (CLR)

WINDSE (130°) 3 kt

TEMPERATURE28 °C

VISIBILITY10 sm



DEWPOINT24 °C



KSRQ runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 14/32, 04/22. Wind from 130 degrees true, 136 degrees magnetic, at 3 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 14. Wind source: KSRQ METAR 060453Z.

Evidence & limitations

- METAR source state: ok; observed Sep 6 00:53 ET; retrieved Sep 6 01:59 ET; 66 min before this run.
- Measured values read from the KSRQ METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.92 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- The runway schematic is alignment-only; verify current runway use and NOTAMs.

DESTINATION OUTLOOK

SUN 6 SEP 00:00–06:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

 Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- GFS MAV MOS · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 6 SEP 12:00–18:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

 Flight-category guidance

 WIND3–5 kt

 TEMPERATURE81–89 °F

 DEWPOINT77 °F

 PRECIPITATION5%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 6 SEP 06:00–12:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

 Flight-category guidance

 WIND1–2 kt

 TEMPERATURE80–81 °F

 DEWPOINT76 °F

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 6 SEP 18:00–00:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

 Flight-category guidance

 WIND9 kt

 TEMPERATURE91 °F

 DEWPOINT78 °F

 PRECIPITATION7%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

00:00–06:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

Forecast

GFS MAV
MOS

GFS MAV MOS ·
VFR

FORECAST

Flight-category guidance

WIND5–6 kt

⚡
TEMPERATURE84–86 °F

💧
DEWPOINT77 °F

💧
PRECIPITATION7%

Evidence & limitations

- GFS MAV MOS · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

Forecast

GFS MAV
MOS

GFS MAV MOS ·
VFR

FORECAST

Flight-category guidance

WIND5 kt

⚡
TEMPERATURE82–83 °F

💧
DEWPOINT77 °F

💧
PRECIPITATION9%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND4–6 kt

TEMPERATURE82–88 °F

DEWPOINT77 °F

PRECIPITATION8%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND9–10 kt

TEMPERATURE89 °F

DEWPOINT78 °F

PRECIPITATION8%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 7

00:00–06:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+048 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

now

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

23°C dep KLZU → 28°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

rwY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

14/32 (140/320°M · 134/314°T) · 04/22 (040/220°M · 034/214°T) — designators and °M headings are magnetic; °T are true; variation 6°W (NOAA WMM2025)

info

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

6 Act on

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

ed 2026-09-06T05:59:31.770095Z.

(ritative)

FRI SEP 4	SAT SEP 5	SUN SEP 6	MON SEP 7

A0953/26					
A0954/26					
A0955/26					
23 additional normalized NOTAM records omitted from this view.					

Raw NOTAM data · NOTAMs as of 05:59 Z

NOTAMs as of 05:59 Z — advisory only; verify an official briefing.

A0951/26	NOTAM text not available in this projection.
09/009	NOTAM text not available in this projection.
A0953/26	NOTAM text not available in this projection.
A0954/26	NOTAM text not available in this projection.
A0955/26	NOTAM text not available in this projection.
05/096	NOTAM text not available in this projection.
A0516/26	NOTAM text not available in this projection.
08/050	NOTAM text not available in this projection.
A0891/26	NOTAM text not available in this projection.
08/070	NOTAM text not available in this projection.
A0920/26	NOTAM text not available in this projection.
5/0499	NOTAM text not available in this projection.
A1001/25	NOTAM text not available in this projection.

6/4825

NOTAM text not available in this projection.

A0754/26

NOTAM text not available in this projection.

06/005

NOTAM text not available in this projection.

A0527/26

NOTAM text not available in this projection.

06/146

NOTAM text not available in this projection.

A0706/26

NOTAM text not available in this projection.

06/147

NOTAM text not available in this projection.

07/029

NOTAM text not available in this projection.

07/033

NOTAM text not available in this projection.

08/060

NOTAM text not available in this projection.

08/074

NOTAM text not available in this projection.

A0926/26

NOTAM text not available in this projection.

08/075

NOTAM text not available in this projection.

09/001

NOTAM text not available in this projection.

09/010

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2026-09-06T05:59:31.770095Z.

NOTAM: 2026-09-06T05:59:31.770095Z. 00Z

NOTAM: 2026-09-06T05:59:31.770095Z. 00Z

NOTAM: 2026-09-06T05:59:31.770095Z. 00Z

NOTAM: 2026-09-06T05:59:31.770095Z. 00Z

NOTAM: 2026-09-06T05:59:31.770095Z. 00Z

RUNWAY

2026-09-04T17:58:00Z → 2026-09-07T17:58:00Z

Effective 2026-09-04T17:58:00Z → 2026-09-07T17:58:00Z

23 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KSRQ this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

• Mon, Sep 7 • 00:00–06:00 ET ET • VFR

• Mon, Sep 7 • 06:00–12:00 ET ET • VFR

• Mon, Sep 7 • 12:00–18:00 ET ET • VFR

• Mon, Sep 7 • 18:00–00:00 ET ET • VFR

• Mon, Sep 7 • 00:00–06:00 ET ET • VFR

• Mon, Sep 7 • 06:00–12:00 ET ET • VFR

• Mon, Sep 7 • 12:00–18:00 ET ET • VFR

• Mon, Sep 7 • 18:00–00:00 ET ET • VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-06=GFS, 2026-09-07=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-06 06:00	81	Sct	160/1kt	—	>10kft	>6SM
GFS	2026-09-06 09:00	80	Clear	320/2kt	—	>10kft	>6SM
GFS	2026-09-06 12:00	81	Few	340/3kt	5.0	>10kft	>6SM
GFS	2026-09-06 15:00	89	Few	280/5kt	—	>10kft	>6SM
GFS	2026-09-06 18:00	91	Sct	270/9kt	7.0	>10kft	>6SM
GFS	2026-09-06 21:00	91	Sct	270/9kt	—	>10kft	>6SM
GFS	2026-09-07 00:00	86	Sct	280/6kt	7.0	>10kft	>6SM
GFS	2026-09-07 03:00	84	Few	250/5kt	—	>10kft	>6SM
GFS	2026-09-07 06:00	83	Sct	260/5kt	9.0	>10kft	>6SM
GFS	2026-09-07 09:00	82	Few	270/5kt	—	>10kft	>6SM
GFS	2026-09-07 12:00	82	Few	260/4kt	8.0	>10kft	>6SM
GFS	2026-09-07 15:00	88	Few	250/6kt	—	>10kft	>6SM
GFS	2026-09-07 18:00	89	Sct	250/10kt	8.0	>10kft	>6SM
GFS	2026-09-07 21:00	89	Bkn	270/9kt	—	>10kft	>6SM
GFS	2026-09-08 00:00	85	Bkn	280/6kt	22.0	>10kft	>6SM
GFS	2026-09-08 03:00	82	Bkn	210/4kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KSRQ 060453Z 13003KT 10SM CLR 28/24 A2992 RMK A02 SLP130 T02830239 403280267

TAF unavailable (unavailable)

+ Data sources used

• METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KSRQ; actual-station=KSRQ; fetched-at=2026-09-06T05:59:15.982442+00:00; observed-or-issued-at=2026-09-06T04:53:00+00:00 — AWC API

• TAF — state=unavailable; fetch-state=ok; payload-state=valid; requested-station=KSRQ; actual-station=KSRQ; fetched-at=2026-09-06T05:59:19.070292+00:00 — AWC API

TAF proxy · KSRQ

• FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KSRQ; actual-station=KSRQ; fetched-at=2026-09-06T05:59:20.091472+00:00

- FAA NMS NOTAM — state=OK; requested-station=KSRQ; actual-station=KSRQ; fetched-at=2026-09-06T05:59:31.770095Z — [FAA NMS overview](#)
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KSRQ; actual-station=KSRQ; fetched-at=2026-09-06T06:00:03.784555+00:00; observed-or-issued-at=2026-09-06T00:00:00+00:00; valid-from=2026-09-06T06:00:00+00:00; valid-through=2026-09-09T00:00:00+00:00; target-dates=2026-09-06,2026-09-07; dates-with-points=2026-09-06,2026-09-07 — [Iowa State API](#)
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KSRQ; actual-station=KSRQ; fetched-at=2026-09-06T06:00:04.677857+00:00; observed-or-issued-at=2026-09-06T00:00:00+00:00; valid-from=2026-09-07T00:00:00+00:00; valid-through=2026-09-14T00:00:00+00:00; target-dates=2026-09-07; partial-target-dates=2026-09-06; dates-with-points=2026-09-06,2026-09-07 — [Iowa State API](#)
- MOS effective date selection — state=partial; rows=16; requested-station=KSRQ; actual-station=KSRQ; fetched-at=2026-09-06T06:00:03.784555+00:00; observed-or-issued-at=2026-09-06T00:00:00+00:00; valid-from=2026-09-06T06:00:00+00:00; valid-through=2026-09-09T00:00:00+00:00; target-dates=2026-09-06,2026-09-07; dates-with-points=2026-09-06,2026-09-07; selected-by-date=2026-09-06=GFS, 2026-09-07=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — [FAA Chart Supplement \(current cycle\)](#) — see AirNav link above

#24

KVNC

Venice Muni, FL, US

· Gulf East · Venice FL

⏮

OBS - VFR

⏭

ETE

2h51

DIST

422 nm

SUN 6 SEP 00:15 ET OBSERVED VALUE

Current observation

⏮

OBS - VFR

⏭

METAR

OBSERVED

☁

clear below 12,000 ft (CLR)

WIND

calm

🌡

TEMPERATURE

28 °C

👁

VISIBILITY

10 sm

💧

DEWPOINT

25 °C

Evidence & limitations

- METAR source state: ok; observed Sep 6 00:15 ET; retrieved Sep 6 01:59 ET; 104 min before this run.
- Measured values read from the KVNC METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.91 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.

DESTINATION OUTLOOK

SUN 6 SEP 00:00–06:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

GFS MAV MOS · 00:00–06:00 ET ET · VFR

Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 6 SEP 12:00–18:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND3–5 kt

TEMPERATURE81–88 °F

DEWPOINT78 °F

PRECIPITATION4%

Evidence & limitations

GFS MAV MOS · 12:00–18:00 ET ET · VFR

Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 6 SEP 06:00–12:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND1–2 kt

TEMPERATURE80–81 °F

DEWPOINT77–78 °F

Evidence & limitations

GFS MAV MOS · 06:00–12:00 ET ET · VFR

Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 6 SEP 18:00–00:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND8–9 kt

TEMPERATURE90 °F

DEWPOINT78 °F

PRECIPITATION9%

Evidence & limitations

GFS MAV MOS · 18:00–00:00 ET ET · VFR

Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

00:00–06:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

Forecast

GFS MAV
MOS

GFS MAV MOS ·
VFR

FORECAST

Flight-category guidance

WIND5–6 kt

TEMPERATURE85–86 °F

DEWPOINT77–78 °F

PRECIPITATION7%

Evidence & limitations

- GFS MAV MOS · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

Forecast

GFS MAV
MOS

GFS MAV MOS ·
VFR

FORECAST

Flight-category guidance

WIND5 kt

TEMPERATURE83–84 °F

DEWPOINT78–79 °F

PRECIPITATION7%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND3–5 kt

TEMPERATURE83–88 °F

DEWPOINT78 °F

PRECIPITATION6%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND9 kt

TEMPERATURE89 °F

DEWPOINT77 °F

PRECIPITATION4%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 7

00:00–06:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+048 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

now

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — source state: not_queried

CURRENT METAR TEMP DEP / DEST

23°C dep KLZU → 28°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

13/31 (130/310°M · 124/304°T) · 05/23 (050/230°M · 044/224°T) — designators and °M headings are magnetic; °T are true; variation 6°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

1 Act on

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2026-09-06T05:59:31.825166Z.

oritative) » = no published end (each row states whether it is permanent or simply not supplied) — continues past this window

FRI SEP 4

SAT SEP 5

SUN SEP 6

MON SEP 7

6/8216					
07/031					
08/096					
1 additional normalized NOTAM record omitted from this view.					
Raw NOTAM data · NOTAMs as of 05:59 Z					
NOTAMs as of 05:59 Z — advisory only; verify an official briefing.					
6/8218	NOTAM text not available in this projection.				
10/255	NOTAM text not available in this projection.				
6/8216	NOTAM text not available in this projection.				
07/031	NOTAM text not available in this projection.				
08/096	NOTAM text not available in this projection.				
09/006	NOTAM text not available in this projection.				

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

26-09-06T05:59:31.825166Z.
VENICE, FL TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 4... ADD TAKEOFF OBSTACLE NOTE: RWY 31, TEMPORARY CRANES ENTERLINE, 150FT AGL/ 150FT MSL (2024-ASD-15155-DE, 2024-ASD-17015-DE). ALL OTHER DATA REMAINS AS PUBLISHED. 2603131855-2610011855EST
:00Z
IN SHDN FOR RWY 13/31, 0503 NOT LGTD ACFT MAY LOSE VIEW OF HORIZON CAUTION ADZ
expiry published
MUNI, VENICE, FL, RNAV (GPS) RWY 13, AMDT 2A... LPV DA-424HAT 407 ALL CATS, MIS ALL CATS 1 1/2 TEMPORARY CRANES 162 MSL 1502FT NW OF RWY 13
2603131855-2610011855EST
:00Z

OBSTRUCTION 07/031 — OBST TOWER LGT (ASR 1007566) 270759.20N08222306.W 14.5NM NE VNC) 581.2FT (575.1FT AGL) U/S
Effective 2026-07-02T02:05:00Z → 2026-09-30T02:05:00Z

OBSTRUCTION 08/096 — OBST TOWER LGT (ASR 1007570) 270759.20N08222306.W 14.5NM NNE VNC) 606.0FT (590.9FT AGL) U/S
Effective 2026-08-07T11:23:00Z → 2026-10-06T04:00:00Z

1 additional normalized FAA NOTAM record omitted from this view.

+ Forecast evidence

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics,
the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KVNC this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

• Mon, Sep 7 • 12:00–18:00 ET: GFS MAV MOS • 12:00–18:00 ET ET • VFR

• Mon, Sep 7 · 18:00–00:00 ET: GFS MAV MOS · 18:00–00:00 ET ET · VFR

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

· 00:00–06:00 ET ET · VFR

· 06:00–12:00 ET ET · VFR

· 12:00–18:00 ET ET · VFR

· 18:00–00:00 ET ET · VFR

· 00:00–06:00 ET ET · VFR

· 06:00–12:00 ET ET · VFR

- + MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-06=GFS, 2026-09-07=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-06 06:00	81	Sct	120/1kt	—	>10kft	>6SM
GFS	2026-09-06 09:00	80	Clear	340/2kt	—	>10kft	>6SM
GFS	2026-09-06 12:00	81	Few	360/3kt	4.0	>10kft	>6SM
GFS	2026-09-06 15:00	88	Few	270/5kt	—	>10kft	>6SM
GFS	2026-09-06 18:00	90	Sct	260/8kt	9.0	>10kft	>6SM
GFS	2026-09-06 21:00	90	Sct	270/9kt	—	>10kft	>6SM
GFS	2026-09-07 00:00	86	Sct	290/6kt	7.0	>10kft	>6SM
GFS	2026-09-07 03:00	85	Clear	260/5kt	—	>10kft	>6SM
GFS	2026-09-07 06:00	84	Sct	260/5kt	7.0	>10kft	>6SM

GFS	2026-09-07 09:00	83	Few	280/5kt	—	>10kft	>6SM
GFS	2026-09-07 12:00	83	Few	290/3kt	6.0	>10kft	>6SM
GFS	2026-09-07 15:00	88	Few	230/5kt	—	>10kft	>6SM
GFS	2026-09-07 18:00	89	Sct	240/9kt	4.0	>10kft	>6SM
GFS	2026-09-07 21:00	89	Sct	260/9kt	—	>10kft	>6SM
GFS	2026-09-08 00:00	85	Bkn	280/6kt	15.0	>10kft	>6SM
GFS	2026-09-08 03:00	83	Bkn	280/4kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KVNC 060415Z AUTO 00000KT 10SM CLR 28/25 A2991 RMK A02 LTG DSNT E AND S T02810250 \$

TAF unavailable (unavailable)

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KVNC; actual-station=KVNC; fetched-at=2026-09-06T05:59:15.982442+00:00; observed-or-issued-at=2026-09-06T04:15:00+00:00 — AWC API
- TAF — state=unavailable; fetch-state=ok; payload-state=valid; requested-station=KVNC; actual-station=KSRQ; fetched-at=2026-09-06T05:59:19.070292+00:00 — AWC API

TAF proxy · KSRQ

- FAA airport status — state=not_queried; fetch-state=not_attempted; payload-state=not_attempted; requested-station=KVNC
- FAA NMS NOTAM — state=OK; requested-station=KVNC; actual-station=KVNC; fetched-at=2026-09-06T05:59:31.825166Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KVNC; actual-station=KVNC; fetched-at=2026-09-06T06:00:03.749258+00:00; observed-or-issued-at=2026-09-06T00:00:00+00:00; valid-from=2026-09-06T06:00:00+00:00; valid-through=2026-09-09T00:00:00+00:00; target-dates=2026-09-06,2026-09-07; dates-with-points=2026-09-06,2026-09-07 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KVNC; actual-station=KVNC; fetched-at=2026-09-06T06:00:04.724817+00:00; observed-or-issued-at=2026-09-06T00:00:00+00:00; valid-from=2026-09-07T00:00:00+00:00; valid-through=2026-09-14T00:00:00+00:00; target-dates=2026-09-07; partial-target-dates=2026-09-06; dates-with-points=2026-09-06,2026-09-07 — Iowa State API
- MOS effective date selection — state=partial; rows=16; requested-station=KVNC; actual-station=KVNC; fetched-at=2026-09-06T06:00:03.749258+00:00; observed-or-issued-at=2026-09-06T00:00:00+00:00; valid-from=2026-09-06T06:00:00+00:00; valid-through=2026-09-09T00:00:00+00:00; target-dates=2026-09-06,2026-09-07; dates-with-points=2026-09-06,2026-09-07; selected-by-date=2026-09-06=GFS, 2026-09-07=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#25

KHSA — · Gulf West · Stennis MS

● OBS - UNKNOWN

ETE

2h25

DIST

353 nm

SUN 6 SEP Time unavailable SOURCE UNAVAILABLE

Current observation

● OBS - UNKNOWN

UNAVA



 Current observation unavailable

WINDUnavailable

 TEMPERATUREUnavailable

 VISIBILITYUnavailable

 DEWPOINTUnavailable

Evidence & limitations

- Source state: unavailable.
- No usable current KHSa observation was available this run.
- This is a current surface observation only. It is not a forecast. No forecast value is substituted for a missing observation.

DESTINATION OUTLOOK

SUN 6 SEP 00:00–06:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• GFS MAV MOS · 00:00–06:00 ET ET · VFR

• Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 6 SEP 12:00–18:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND0–2 kt

TEMPERATURE75–85 °F

DEWPOINT75–78 °F

PRECIPITATION16%

Evidence & limitations

• GFS MAV MOS · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 6 SEP 06:00–12:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND99 kt

TEMPERATURE999 °F

DEWPOINT999 °F

Evidence & limitations

• GFS MAV MOS · 06:00–12:00 ET ET · VFR

• Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 6 SEP 18:00–00:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND3–6 kt

TEMPERATURE90 °F

DEWPOINT77 °F

PRECIPITATION23%

Evidence & limitations

• GFS MAV MOS · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

00:00–06:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

Forecast

GFS MAV
MOS

GFS MAV MOS ·
VFR

FORECAST

Flight-category guidance

WIND3–99 kt

TEMPERATURE85–999 °F

DEWPOINT78–999 °F

PRECIPITATION30%

Evidence & limitations

- GFS MAV MOS · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

Forecast

GFS MAV
MOS

GFS MAV MOS ·
VFR

FORECAST

Flight-category guidance

WIND99 kt

TEMPERATURE999 °F

DEWPOINT999 °F

PRECIPITATION17%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND1–3 kt

TEMPERATURE76–86 °F

DEWPOINT75–78 °F

PRECIPITATION21%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND3–5 kt

TEMPERATURE90–93 °F

DEWPOINT76 °F

PRECIPITATION19%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 7

00:00–06:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+048 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

now

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — source state: not_queried

CURRENT METAR TEMP DEP / DEST

23°C dep KLZU → Unavailable at destination

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

rwY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

18/36 (180/000°M · 179/359°T) — designators and °M headings are magnetic; °T are true; variation 1°W (NOAA WMM2025)

info

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 Act on1 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

ed 2026-09-06T05:59:33.002872Z.			
FRI SEP 4	SAT SEP 5	SUN SEP 6	MON SEP 7

09/003				
07/008				
07/018				
8 additional normalized NOTAM records omitted from this view.				

Raw NOTAM data · NOTAMs as of 05:59 Z

NOTAMs as of 05:59 Z — advisory only; verify an official briefing.

08/010	NOTAM text not available in this projection.
08/016	NOTAM text not available in this projection.
09/003	NOTAM text not available in this projection.
07/008	NOTAM text not available in this projection.
07/018	NOTAM text not available in this projection.
07/033	NOTAM text not available in this projection.
12/015	NOTAM text not available in this projection.
6/5656	NOTAM text not available in this projection.
07/002	NOTAM text not available in this projection.
08/013	NOTAM text not available in this projection.
08/017	NOTAM text not available in this projection.
09/004	NOTAM text not available in this projection.
02/005	NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production
source per owner decision 2026-08-09;
technical transport environment remains
preprod. Limited 2026-07-30 spot check
covered KLZU, KAVL, and KSGJ (3 of 30
airports). NOTAMs were read from this source
and used on this card this run. Typed state:
OK. The dot colour reports whether this
source was read this run; technical
environment: preprod.

026-09-06T05:59:33.002872Z.

:00Z

:00Z

:00Z

:00Z

Effective 2026-07-23T13:13:00Z → 2026-09-30T16:00:00Z

8 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics,
the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KHSA this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

• Mon, Sep 7 • 12:00–18:00 ET • GFS MAV MOS • 12:00–18:00 ET ET • VFR

• Mon, Sep 7 · 18:00–00:00 ET: GFS MAV MOS · 18:00–00:00 ET ET · VFR

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-06=GFS, 2026-09-07=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-06 06:00	999	Bkn	990/99kt	—	>10kft	>6SM
GFS	2026-09-06 09:00	999	Bkn	990/99kt	—	>10kft	>6SM
GFS	2026-09-06 12:00	75	Bkn	0/0kt	16.0	5-10kft	>6SM
GFS	2026-09-06 15:00	85	Bkn	320/2kt	—	>10kft	>6SM
GFS	2026-09-06 18:00	90	Bkn	180/3kt	23.0	>10kft	>6SM
GFS	2026-09-06 21:00	90	Bkn	190/6kt	—	>10kft	>6SM
GFS	2026-09-07 00:00	85	Sct	210/3kt	30.0	>10kft	>6SM
GFS	2026-09-07 03:00	999	Sct	990/99kt	—	>10kft	>6SM
GFS	2026-09-07 06:00	999	Bkn	990/99kt	17.0	>10kft	>6SM
GFS	2026-09-07 09:00	999	Bkn	990/99kt	—	>10kft	>6SM
GFS	2026-09-07 12:00	76	Sct	340/1kt	21.0	>10kft	>6SM
GFS	2026-09-07 15:00	86	Few	320/3kt	—	>10kft	>6SM
GFS	2026-09-07 18:00	93	Sct	280/3kt	19.0	>10kft	>6SM
GFS	2026-09-07 21:00	90	Sct	180/5kt	—	>10kft	>6SM
GFS	2026-09-08 00:00	83	Bkn	180/5kt	43.0	>10kft	>6SM
GFS	2026-09-08 03:00	999	Ovc	990/99kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR unavailable

TAF unavailable (unavailable)

+ Data sources used

• METAR — state=unavailable; fetch-state=ok; payload-state=valid; requested-station=KHSA; actual-station=KHSA; fetched-at=2026-09-06T05:59:15.982442+00:00 — AWC API

• TAF — state=unavailable; fetch-state=ok; payload-state=valid; requested-station=KHSA; actual-station=KGPT; fetched-at=2026-09-06T05:59:19.070292+00:00 — AWC API

TAF proxy · KGPT

• FAA airport status — state=not_queried; fetch-state=not_attempted; payload-state=not_attempted; requested-station=KHSA

- FAA NMS NOTAM — state=OK; requested-station=KHSA; actual-station=KHSA; fetched-at=2026-09-06T05:59:33.002872Z — [FAA NMS overview](#)
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KHSA; actual-station=KHSA; fetched-at=2026-09-06T06:00:03.767822+00:00; observed-or-issued-at=2026-09-06T00:00:00+00:00; valid-from=2026-09-06T06:00:00+00:00; valid-through=2026-09-09T00:00:00+00:00; target-dates=2026-09-06,2026-09-07; dates-with-points=2026-09-06,2026-09-07 — [Iowa State API](#)
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KHSA; actual-station=KHSA; fetched-at=2026-09-06T06:00:04.821848+00:00; observed-or-issued-at=2026-09-06T00:00:00+00:00; valid-from=2026-09-07T00:00:00+00:00; valid-through=2026-09-14T00:00:00+00:00; target-dates=2026-09-07; partial-target-dates=2026-09-06; dates-with-points=2026-09-06,2026-09-07 — [Iowa State API](#)
- MOS effective date selection — state=partial; rows=16; requested-station=KHSA; actual-station=KHSA; fetched-at=2026-09-06T06:00:03.767822+00:00; observed-or-issued-at=2026-09-06T00:00:00+00:00; valid-from=2026-09-06T06:00:00+00:00; valid-through=2026-09-09T00:00:00+00:00; target-dates=2026-09-06,2026-09-07; dates-with-points=2026-09-06,2026-09-07; selected-by-date=2026-09-06=GFS, 2026-09-07=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#26

KNEW

New Orleans/Lakefront Arpt, LA, US

· Gulf West · New Orleans Lakefront

⏮

OBS - VFR

⏭

ETE

2h38

DIST

389 nm

SUN 6 SEP 00:53 ET OBSERVED VALUE

Current observation

OBS - VFR

METAR

OBSERVED

☁

clear below 12,000 ft (CLR)

🌀

WINDSW (230°) 5 kt

🌡

TEMPERATURE26 °C


👁

VISIBILITY10 sm

💧

DEWPOINT25 °C

From 231°M, 5 kt
alt. blowing from 230° true
direction variable otherwise



KNEW runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 18R/36L, 18L/36R, 09/27. Wind from 230 degrees true, 231 degrees magnetic, at 5 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 27. Wind source: KNEW METAR 060453Z.

Evidence & limitations

- METAR source state: ok; observed Sep 6 00:53 ET; retrieved Sep 6 01:59 ET; 66 min before this run.
- Measured values read from the KNEW METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.89 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.

• The runway schematic is alignment-only; verify current runway use and NOTAMs.

DESTINATION OUTLOOK

SUN 6 SEP 00:00–06:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

GFS MAV MOS · 00:00–06:00 ET ET · VFR

Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 6 SEP 12:00–18:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND5–6 kt

TEMPERATURE82–85 °F

DEWPOINT78 °F

PRECIPITATION18%

Evidence & limitations

GFS MAV MOS · 12:00–18:00 ET ET · VFR

Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 6 SEP 06:00–12:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND6 kt

TEMPERATURE82 °F

DEWPOINT77 °F

Evidence & limitations

GFS MAV MOS · 06:00–12:00 ET ET · VFR

Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 6 SEP 18:00–00:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND5–6 kt

TEMPERATURE88–89 °F

DEWPOINT76–77 °F

PRECIPITATION28%

Evidence & limitations

GFS MAV MOS · 18:00–00:00 ET ET · VFR

Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

00:00–06:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

Forecast

GFS MAV
MOS

GFS MAV MOS ·
VFR

FORECAST

Flight-category guidance

WIND6–8 kt

TEMPERATURE84–87 °F

DEWPOINT76 °F

PRECIPITATION42%

Evidence & limitations

- GFS MAV MOS · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

Forecast

GFS MAV
MOS

GFS MAV MOS ·
VFR

FORECAST

Flight-category guidance

WIND6–7 kt

TEMPERATURE83 °F

DEWPOINT77–78 °F

PRECIPITATION12%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND7 kt

TEMPERATURE83–87 °F

DEWPOINT78–79 °F

PRECIPITATION16%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND5–6 kt

TEMPERATURE91–92 °F

DEWPOINT76–78 °F

PRECIPITATION24%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 7

00:00–06:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+048 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

23°C dep KLZU → 26°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

18R/36L (180/000°M · 179/359°T) · 18L/36R (180/000°M · 179/359°T) · 09/27 (090/270°M · 089/269°T) — designators and °M headings are magnetic; °T are true; variation 1°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

5 Act on2 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

ed 2026-09-06T05:59:33.010949Z.

oritative)

FRI SEP 4

SAT SEP 5

SUN SEP 6

MON SEP 7

6/7961	
6/6847	
09/001	
12 additional normalized NOTAM records omitted from this view.	

Raw NOTAM data · NOTAMs as of 05:59 Z

NOTAMs as of 05:59 Z — advisory only; verify an official briefing.

6/1269	NOTAM text not available in this projection.
6/1270	NOTAM text not available in this projection.
6/7961	NOTAM text not available in this projection.
6/6847	NOTAM text not available in this projection.
09/001	NOTAM text not available in this projection.
07/007	NOTAM text not available in this projection.
07/014	NOTAM text not available in this projection.
08/002	NOTAM text not available in this projection.
08/005	NOTAM text not available in this projection.
08/008	NOTAM text not available in this projection.
08/015	NOTAM text not available in this projection.
08/016	NOTAM text not available in this projection.
08/020	NOTAM text not available in this projection.

09/002 NOTAM text not available in this projection.
09/006 NOTAM text not available in this projection.
09/003 NOTAM text not available in this projection.
09/004 NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

Effective 2026-06-12T16:47:00Z → 2026-09-16T16:47:00Z

NAV_APPROACH

 000047 — IAP LAKEFRONT, NEW ORLEANS, LA, ILS OR LOC RWY 18R, AMDT 1A, ... VOR/DME RWY 36L, AMDT 5A, ... CIRCULING CATS AND MDA 500HAA 500. TEMPORARY CRANE, 201 MSL, 1801FT EAST OF KNEW AIRPORT (2025-ASW-0013-NRA). 2605191300-2605191300EST

Effective 2026-08-20T17:08:00Z → 2026-10-29T17:08:00Z

NAV_APPROACH

 000001 — NAV ILS RWY 18R LOC ILS

Effective 2026-09-01T20:30:00Z → 2026-09-09T20:00:00Z

12 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

Forecast for Aviation and the Weather Prediction Center surface progs, issued by the National Weather Service through the day; the surface prog series reaches 144 hours. They are raster images a pilot reads for fronts, pressure systems and precipitation shields. This page displays them with their issuing office and valid time and never interprets them: no category, wind, ceiling, ranking or go/no-go here is derived from an image. A published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

- Mon, Sep 7 · 06:00–12:00 ET: GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Mon, Sep 7 · 12:00–18:00 ET: GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Mon, Sep 7 · 18:00–00:00 ET: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-06=GFS, 2026-09-07=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-06 06:00	82	Bkn	240/6kt	—	>10kft	>6SM
GFS	2026-09-06 09:00	82	Sct	270/6kt	—	>10kft	>6SM
GFS	2026-09-06 12:00	82	Bkn	290/6kt	18.0	5-10kft	>6SM
GFS	2026-09-06 15:00	85	Sct	350/5kt	—	>10kft	>6SM
GFS	2026-09-06 18:00	88	Bkn	360/5kt	28.0	>10kft	>6SM
GFS	2026-09-06 21:00	89	Ovc	260/6kt	—	>10kft	>6SM
GFS	2026-09-07 00:00	87	Bkn	230/6kt	42.0	>10kft	>6SM
GFS	2026-09-07 03:00	84	Sct	240/8kt	—	>10kft	>6SM
GFS	2026-09-07 06:00	83	Sct	260/6kt	12.0	>10kft	>6SM
GFS	2026-09-07 09:00	83	Sct	280/7kt	—	>10kft	>6SM
GFS	2026-09-07 12:00	83	Sct	300/7kt	16.0	>10kft	>6SM
GFS	2026-09-07 15:00	87	Few	320/7kt	—	>10kft	>6SM
GFS	2026-09-07 18:00	91	Sct	330/6kt	24.0	>10kft	>6SM
GFS	2026-09-07 21:00	92	Sct	320/5kt	—	>10kft	>6SM
GFS	2026-09-08 00:00	88	Bkn	280/7kt	54.0	>10kft	>6SM
GFS	2026-09-08 03:00	85	Ovc	40/7kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KNEW 060453Z 23005KT 10SM CLR 26/25 A2989 RMK A01 SLP116 T02610250

TAF unavailable (unavailable)

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KNEW; actual-station=KNEW; fetched-at=2026-09-06T05:59:15.982442+00:00; observed-or-issued-at=2026-09-06T04:53:00+00:00 — [AWC API](#)
- TAF — state=unavailable; fetch-state=ok; payload-state=valid; requested-station=KNEW; actual-station=KNEW; fetched-at=2026-09-06T05:59:19.070292+00:00 — [AWC API](#)

TAF proxy · KNEW
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KNEW; actual-station=KNEW; fetched-at=2026-09-06T05:59:20.014890+00:00
- FAA NMS NOTAM — state=OK; requested-station=KNEW; actual-station=KNEW; fetched-at=2026-09-06T05:59:33.010949Z — [FAA NMS overview](#)
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KNEW; actual-station=KNEW; fetched-at=2026-09-06T06:00:03.807531+00:00; observed-or-issued-at=2026-09-06T00:00:00+00:00; valid-from=2026-09-06T06:00:00+00:00; valid-through=2026-09-09T00:00:00+00:00; target-dates=2026-09-06,2026-09-07; dates-with-points=2026-09-06,2026-09-07 — [Iowa State API](#)
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KNEW; actual-station=KNEW; fetched-at=2026-09-06T06:00:04.734362+00:00; observed-or-issued-at=2026-09-06T00:00:00+00:00; valid-from=2026-09-07T00:00:00+00:00; valid-through=2026-09-14T00:00:00+00:00; target-dates=2026-09-07; partial-target-dates=2026-09-06; dates-with-points=2026-09-06,2026-09-07 — [Iowa State API](#)
- MOS effective date selection — state=partial; rows=16; requested-station=KNEW; actual-station=KNEW; fetched-at=2026-09-06T06:00:03.807531+00:00; observed-or-issued-at=2026-09-06T00:00:00+00:00; valid-from=2026-09-06T06:00:00+00:00; valid-through=2026-09-09T00:00:00+00:00; target-dates=2026-09-06,2026-09-07; dates-with-points=2026-09-06,2026-09-07; selected-by-date=2026-09-06=GFS, 2026-09-07=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — [FAA Chart Supplement \(current cycle\)](#) — see AirNav link above

#27 **KOPF** Miami/Opa Locka Arpt, FL, US · Long-range · Miami-Opa Locka

OBS - VFR

ETE
3h30

DIST
521 nm

SUN 6 SEP 00:53 ET OBSERVED VALUE

Current observation

OBS - VFR

OBSER

METAR

few 12,000 ft

WINDS (170°) 5 kt

TEMPERATURE26 °C

VISIBILITY10 sm



DEWPOINT**25 °C**



KOPF runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 09L/27R, 12/30, 09R/27L. Wind from 170 degrees true, 177 degrees magnetic, at 5 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 12. Wind source: KOPF METAR 060453Z.

Evidence & limitations

- METAR source state: ok; observed Sep 6 00:53 ET; retrieved Sep 6 01:59 ET; 66 min before this run.
- Measured values read from the KOPF METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.90 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- The runway schematic is alignment-only; verify current runway use and NOTAMs.

DESTINATION OUTLOOK

SUN 6 SEP 00:00–06:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• GFS MAV MOS · 00:00–06:00 ET ET · VFR

• Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 6 SEP 12:00–18:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND1–3 kt

TEMPERATURE79–87 °F

DEWPOINT76–77 °F

PRECIPITATION13%

Evidence & limitations

• GFS MAV MOS · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 6 SEP 06:00–12:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND1–3 kt

TEMPERATURE77–78 °F

DEWPOINT76 °F

Evidence & limitations

• GFS MAV MOS · 06:00–12:00 ET ET · VFR

• Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 6 SEP 18:00–00:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND5–6 kt

TEMPERATURE87–89 °F

DEWPOINT75 °F

PRECIPITATION33%

Evidence & limitations

• GFS MAV MOS · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

00:00–06:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

Forecast

GFS MAV
MOS

GFS MAV MOS ·
VFR

FORECAST

Flight-category guidance

WIND4 kt

TEMPERATURE82–83 °F

DEWPOINT75–76 °F

PRECIPITATION40%

Evidence & limitations

- GFS MAV MOS · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

Forecast

GFS MAV
MOS

GFS MAV MOS ·
VFR

FORECAST

Flight-category guidance

WIND1–3 kt

TEMPERATURE79–80 °F

DEWPOINT77 °F

PRECIPITATION24%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND2–4 kt



TEMPERATURE80–87 °F



DEWPOINT77–78 °F



PRECIPITATION38%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND8 kt



TEMPERATURE86–88 °F



DEWPOINT75–76 °F



PRECIPITATION29%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 7

00:00–06:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+048 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

now

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

23°C dep KLZU → 26°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

rwY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

09L/27R (090/270°M · 083/263°T) · 12/30 (120/300°M · 113/293°T) · 09R/27L (090/270°M · 083/263°T) — designators and °M headings are magnetic; °T are true; variation 7°W (NOAA WMM2025)

info

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

17 Act on

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

08/051				
09/020				
09/021				
91 additional normalized NOTAM records omitted from this view.				

Raw NOTAM data · NOTAMs as of 05:59 Z

NOTAMs as of 05:59 Z — advisory only; verify an official briefing.

6/2604	NOTAM text not available in this projection.
08/050	NOTAM text not available in this projection.
08/051	NOTAM text not available in this projection.
09/020	NOTAM text not available in this projection.
09/021	NOTAM text not available in this projection.
09/022	NOTAM text not available in this projection.
08/028	NOTAM text not available in this projection.
5/7064	NOTAM text not available in this projection.
5/0554	NOTAM text not available in this projection.
6/2599	NOTAM text not available in this projection.
6/2236	NOTAM text not available in this projection.
6/1259	NOTAM text not available in this projection.
6/8187	NOTAM text not available in this projection.

6/8903

NOTAM text not available in this projection.

6/8910

NOTAM text not available in this projection.

6/8914

NOTAM text not available in this projection.

6/8915

NOTAM text not available in this projection.

6/8918

NOTAM text not available in this projection.

6/8919

NOTAM text not available in this projection.

6/8921

NOTAM text not available in this projection.

6/1226

NOTAM text not available in this projection.

05/045

NOTAM text not available in this projection.

07/090

NOTAM text not available in this projection.

07/091

NOTAM text not available in this projection.

07/092

NOTAM text not available in this projection.

07/093

NOTAM text not available in this projection.

07/094

NOTAM text not available in this projection.

07/095

NOTAM text not available in this projection.

07/096

NOTAM text not available in this projection.

07/097

NOTAM text not available in this projection.

07/098

NOTAM text not available in this projection.

07/102

NOTAM text not available in this projection.

07/103

NOTAM text not available in this projection.

07/104

NOTAM text not available in this projection.

07/109

NOTAM text not available in this projection.

07/110

NOTAM text not available in this projection.

07/111

NOTAM text not available in this projection.

07/112

NOTAM text not available in this projection.

07/113

NOTAM text not available in this projection.

07/114

NOTAM text not available in this projection.

07/115

NOTAM text not available in this projection.

07/116

NOTAM text not available in this projection.

07/117

NOTAM text not available in this projection.

07/118

NOTAM text not available in this projection.

07/119

NOTAM text not available in this projection.

07/120

NOTAM text not available in this projection.

07/121

NOTAM text not available in this projection.

07/124

NOTAM text not available in this projection.

07/125

NOTAM text not available in this projection.

07/126

NOTAM text not available in this projection.

07/130

NOTAM text not available in this projection.

07/131

NOTAM text not available in this projection.

07/132

NOTAM text not available in this projection.

07/133

NOTAM text not available in this projection.

07/134

NOTAM text not available in this projection.

10/001

NOTAM text not available in this projection.

10/002

NOTAM text not available in this projection.

10/044

NOTAM text not available in this projection.

10/045

NOTAM text not available in this projection.

10/050

NOTAM text not available in this projection.

10/051

NOTAM text not available in this projection.

10/046

NOTAM text not available in this projection.

10/047

NOTAM text not available in this projection.

10/048

NOTAM text not available in this projection.

10/049

NOTAM text not available in this projection.

11/013

NOTAM text not available in this projection.

11/014

NOTAM text not available in this projection.

11/015

NOTAM text not available in this projection.

11/016

NOTAM text not available in this projection.

11/025

NOTAM text not available in this projection.

11/026

NOTAM text not available in this projection.

11/027

NOTAM text not available in this projection.

11/028

NOTAM text not available in this projection.

02/017

NOTAM text not available in this projection.

02/018

NOTAM text not available in this projection.

03/037

NOTAM text not available in this projection.

03/038

NOTAM text not available in this projection.

03/044

NOTAM text not available in this projection.

05/068

NOTAM text not available in this projection.

05/069

NOTAM text not available in this projection.

05/070

NOTAM text not available in this projection.

05/071

NOTAM text not available in this projection.

05/073

NOTAM text not available in this projection.

05/074

NOTAM text not available in this projection.

06/061

NOTAM text not available in this projection.

06/062

NOTAM text not available in this projection.

06/063

NOTAM text not available in this projection.

08/030

NOTAM text not available in this projection.

08/033

NOTAM text not available in this projection.

08/034

NOTAM text not available in this projection.

08/035

NOTAM text not available in this projection.

08/036

NOTAM text not available in this projection.

08/039

NOTAM text not available in this projection.

08/040

NOTAM text not available in this projection.

08/041

NOTAM text not available in this projection.

08/042

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2026-09-06T05:59:33.150052Z.
LOCKA EXEC. MIAMI, FL. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 9A. ... TAKEOFF MINIMUMS: RWY 27L 300-1. TAKEOFF BART CRANES BEGINNING 1200FT FROM DER, 454FT RIGHT OF CENTERLINE, UP TO 34FT AGL/42FT MSL (2017-ASO-7417S-NRA). TEMPORARY CRANES 115FT LEFT OF CENTERLINE, UP TO 34FT AGL/42FT MSL (2017-ASO-7408S-NRA). TEMPORARY CRANE 2021FT FROM DER, 85FT RIGHT OF CENTERLINE, 79FT AGL/117FT MSL (2017-ASO-7409S-NRA). TEMPORARY CRANES BEGINNING 800FT FROM DER, 540FT LEFT OF CENTERLINE, UP TO 34FT AGL/42FT MSL (2017-ASO-7408S-NRA). TEMPORARY CRANE 1150FT FROM DER, 1150FT RIGHT OF CENTERLINE, UP TO 34FT AGL/42FT MSL (2017-ASO-7407S-NRA). TEMPORARY CRANE 1670FT FROM DER, 400FT LEFT OF CENTERLINE, 1100FT MSL (2023-ASO-2024-0E). TEMPORARY CRANE 3460FT FROM DER, 1400FT RIGHT OF CENTERLINE, 1200FT AGL/1200FT MSL (2023-ASO-2024-0E). RWY 27L, TEMPORARY CRANES BEGINNING 467 FT RIGHT OF CENTERLINE, 167 AGL/177 MSL (2020-ASO-1933/1934-NRA). TEMPORARY CRANES BEGINNING 3250FT FROM DER, BEGINNING 400FT FROM DER, 1070FT MSL (2023-ASO-2704/2706/2708/2709/2710/2711-0E). RWY 30, TEMPORARY CONSTRUCTION EQUIPMENT 33FT FROM DER, 27FT RIGHT OF CENTERLINE, 1070FT MSL (2023-ASO-2704/2706/2708/2709/2710/2711-0E).
FLIGHT DATA - END PART 1 OF 2 OF MIAMI-OPA LOCKA EXEC. MIAMI, FL. 23FT AGL/27FT MSL (2023-ASO-7404-NRA). ALL OTHER DATA REMAINS AS PUBLISHED. END PART 2 OF 2

Effective 2026-03-03T15:34:00Z → 2026-11-16T15:34:00Z

RUNWAY

080050 → RWY 27R 1000FT DIST REMAINING SIGN MISSING

Effective 2026-08-20T11:42:00Z → 2027-08-01T04:00:00Z

RUNWAY

080051 → RWY 28L 7000FT DIST REMAINING SIGN MISSING

Effective 2026-08-20T11:43:00Z → 2027-08-01T04:00:00Z

RUNWAY

080020 → RWY 28L 10700FT DIST 100 PCT WET OBS AT 2026051718

Effective 2026-09-05T17:18:00Z → 2026-09-06T17:18:00Z

RUNWAY

080021 → RWY 17 10700FT DIST 100 PCT WET OBS AT 2026051719

Effective 2026-09-05T17:19:00Z → 2026-09-06T17:19:00Z

91 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.


GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-

range MOS product, issued twice a day in twelve-hourly steps out to about 192 hours. Coarse, but the only station-calibrated numeric guidance that reaches the far end of a long weekend. This card shows it only as a labelled rough outlook and never as a resolved forecast. A station-calibrated MEX MOS product was read for this airport this run (state: partial).

valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KOPF this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.



ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

- Mon, Sep 7 · 00:00–06:00 ET ET · VFR
- Mon, Sep 7 · 06:00–12:00 ET ET · VFR
- Mon, Sep 7 · 12:00–18:00 ET ET · VFR
- Mon, Sep 7 · 18:00–00:00 ET ET · VFR
- Mon, Sep 7 · 00:00–06:00 ET ET · VFR
- Mon, Sep 7 · 06:00–12:00 ET ET · VFR
- Mon, Sep 7 · 12:00–18:00 ET: GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Mon, Sep 7 · 18:00–00:00 ET: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-06=GFS, 2026-09-07=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-06 06:00	78	Bkn	230/3kt	—	>10kft	>6SM
GFS	2026-09-06 09:00	77	Sct	280/1kt	—	>10kft	>6SM
GFS	2026-09-06 12:00	79	Bkn	310/1kt	13.0	>10kft	>6SM
GFS	2026-09-06 15:00	87	Bkn	270/3kt	—	>10kft	>6SM
GFS	2026-09-06 18:00	89	Bkn	240/6kt	33.0	>10kft	>6SM
GFS	2026-09-06 21:00	87	Bkn	140/5kt	—	>10kft	>6SM
GFS	2026-09-07 00:00	83	Bkn	150/4kt	40.0	>10kft	>6SM
GFS	2026-09-07 03:00	82	Sct	190/4kt	—	>10kft	>6SM
GFS	2026-09-07 06:00	80	Bkn	240/3kt	24.0	>10kft	>6SM
GFS	2026-09-07 09:00	79	Clear	290/1kt	—	>10kft	>6SM
GFS	2026-09-07 12:00	80	Bkn	280/2kt	38.0	>10kft	>6SM
GFS	2026-09-07 15:00	87	Sct	270/4kt	—	>10kft	>6SM
GFS	2026-09-07 18:00	88	Bkn	200/8kt	29.0	>10kft	>6SM
GFS	2026-09-07 21:00	86	Bkn	190/8kt	—	>10kft	>6SM
GFS	2026-09-08 00:00	82	Ovc	280/6kt	51.0	>10kft	>6SM

GFS2026-09-08 03:0081Ovc290/2kt—>10kft>6SM

+ Raw products

+ Raw METAR / TAF

METAR KOPF 060453Z AUTO 17005KT 10SM FEW120 26/25 A2990 RMK A02 RAB10E26 SLP127 T02560250 403220250 PNO \$

TAF unavailable (unavailable)

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KOPF; actual-station=KOPF; fetched-at=2026-09-06T05:59:15.982442+00:00; observed-or-issued-at=2026-09-06T04:53:00+00:00 — [AWC API](#)
- TAF — state=unavailable; fetch-state=ok; payload-state=valid; requested-station=KOPF; actual-station=KOPF; fetched-at=2026-09-06T05:59:19.070292+00:00 — [AWC API](#)
- TAF proxy · KOPF
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KOPF; actual-station=KOPF; fetched-at=2026-09-06T05:59:20.193608+00:00
- FAA NMS NOTAM — state=OK; requested-station=KOPF; actual-station=KOPF; fetched-at=2026-09-06T05:59:33.150052Z — [FAA NMS overview](#)
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KOPF; actual-station=KOPF; fetched-at=2026-09-06T06:00:03.794110+00:00; observed-or-issued-at=2026-09-06T00:00:00+00:00; valid-from=2026-09-06T06:00:00+00:00; valid-through=2026-09-09T00:00:00+00:00; target-dates=2026-09-06,2026-09-07; dates-with-points=2026-09-06,2026-09-07 — [Iowa State API](#)
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KOPF; actual-station=KOPF; fetched-at=2026-09-06T06:00:04.737664+00:00; observed-or-issued-at=2026-09-06T00:00:00+00:00; valid-from=2026-09-07T00:00:00+00:00; valid-through=2026-09-14T00:00:00+00:00; target-dates=2026-09-07; partial-target-dates=2026-09-06; dates-with-points=2026-09-06,2026-09-07 — [Iowa State API](#)
- MOS effective date selection — state=partial; rows=16; requested-station=KOPF; actual-station=KOPF; fetched-at=2026-09-06T06:00:03.794110+00:00; observed-or-issued-at=2026-09-06T00:00:00+00:00; valid-from=2026-09-06T06:00:00+00:00; valid-through=2026-09-09T00:00:00+00:00; target-dates=2026-09-06,2026-09-07; dates-with-points=2026-09-06,2026-09-07; selected-by-date=2026-09-06=GFS, 2026-09-07=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — [FAA Chart Supplement \(current cycle\)](#) — see AirNav link above

#28

KHPN White Plains/Westchester Cnty, NY, US

· Long-range · White Plains NY

OBS - MVFR

ETE
4h18

DIST
647 nm

SUN 6 SEP 00:53 ET OBSERVED VALUE

Current observation

METAR

OBS - MVFR

few 1,600 ft, broken 2,100 ft, broken 2,700 ft


WINDNE (60°) 3 kt

TEMPERATURE18 °C

VISIBILITY**10 sm**



DEWPOINT**17 °C**



KHPN runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 16/34, 11/29. Wind from 060 degrees true, 073 degrees magnetic, at 3 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 11. NOTAM-affected runway ends, hatched separately from the wind highlight: 16 and 34. The hatch marks only that a NOTAM names the runway; it does not decode the NOTAM's effective times, so confirm the closure window in the NOTAM text below. Wind source: KHPN METAR 060453Z.

Evidence & limitations

- METAR source state: ok; observed Sep 6 00:53 ET; retrieved Sep 6 01:59 ET; 66 min before this run.
- Measured values read from the KHPN METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.91 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- The runway schematic is alignment-only; verify current runway use and NOTAMs.

DESTINATION OUTLOOK

SUN 6 SEP 00:00–06:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

GFS MAV MOS · 00:00–06:00 ET ET · VFR

Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 6 SEP 12:00–18:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND6 kt

TEMPERATURE64–67 °F

DEWPOINT59 °F

PRECIPITATION25%

Evidence & limitations

GFS MAV MOS · 12:00–18:00 ET ET · VFR

Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 6 SEP 06:00–12:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND3 kt

TEMPERATURE63–65 °F

DEWPOINT59–60 °F

Evidence & limitations

GFS MAV MOS · 06:00–12:00 ET ET · VFR

Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 6 SEP 18:00–00:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND5 kt

TEMPERATURE70 °F

DEWPOINT56–57 °F

PRECIPITATION19%

Evidence & limitations

GFS MAV MOS · 18:00–00:00 ET ET · VFR

Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

00:00–06:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

Forecast

GFS MAV
MOS

GFS MAV MOS ·
VFR

FORECAST

Flight-category guidance

WIND3 kt

TEMPERATURE61–64 °F

DEWPOINT54–56 °F

PRECIPITATION16%

Evidence & limitations

- GFS MAV MOS · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

Forecast

GFS MAV
MOS

GFS MAV MOS ·
VFR

FORECAST

Flight-category guidance

WIND3–5 kt

TEMPERATURE57–59 °F

DEWPOINT49–51 °F

PRECIPITATION7%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND5–10 kt

TEMPERATURE62–72 °F

DEWPOINT48–49 °F

PRECIPITATION1%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND7–10 kt

TEMPERATURE76–77 °F

DEWPOINT47 °F

PRECIPITATION1%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 7

00:00–06:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+048 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

now

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

23°C dep KLZU → 18°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

rwY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

16/34 (160/340°M · 147/327°T) · 11/29 (110/290°M · 097/277°T) — designators and °M headings are magnetic; °T are true; variation 13°W (NOAA WMM2025)

info

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

8 Act on1 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

ed 2026-09-06T05:59:33.809026Z.			
FRI SEP 4	SAT SEP 5	SUN SEP 6	MON SEP 7

A3675/26				
A3767/26				
A3768/26				
48 additional normalized NOTAM records omitted from this view.				

Raw NOTAM data · NOTAMs as of 05:59 Z

NOTAMs as of 05:59 Z — advisory only; verify an official briefing.

08/243 <i>NOTAM text not available in this projection.</i>
08/245 <i>NOTAM text not available in this projection.</i>
A3675/26 <i>NOTAM text not available in this projection.</i>
A3767/26 <i>NOTAM text not available in this projection.</i>
A3768/26 <i>NOTAM text not available in this projection.</i>
09/030 <i>NOTAM text not available in this projection.</i>
A3746/26 <i>NOTAM text not available in this projection.</i>
03/058 <i>NOTAM text not available in this projection.</i>
A1006/26 <i>NOTAM text not available in this projection.</i>
03/062 <i>NOTAM text not available in this projection.</i>
A1019/26 <i>NOTAM text not available in this projection.</i>
04/112 <i>NOTAM text not available in this projection.</i>
A1392/26 <i>NOTAM text not available in this projection.</i>

07/120

NOTAM text not available in this projection.

A2868/26

NOTAM text not available in this projection.

08/016

NOTAM text not available in this projection.

A3278/26

NOTAM text not available in this projection.

08/204

NOTAM text not available in this projection.

A3585/26

NOTAM text not available in this projection.

A3757/26

NOTAM text not available in this projection.

A3758/26

NOTAM text not available in this projection.

A3759/26

NOTAM text not available in this projection.

A3760/26

NOTAM text not available in this projection.

A3761/26

NOTAM text not available in this projection.

A3762/26

NOTAM text not available in this projection.

A3763/26

NOTAM text not available in this projection.

A3764/26

NOTAM text not available in this projection.

A3765/26

NOTAM text not available in this projection.

A3766/26

NOTAM text not available in this projection.

A3779/26

NOTAM text not available in this projection.

A3780/26

NOTAM text not available in this projection.

A3781/26

NOTAM text not available in this projection.

A3782/26

NOTAM text not available in this projection.

A3783/26

NOTAM text not available in this projection.

A3784/26

NOTAM text not available in this projection.

A3785/26

NOTAM text not available in this projection.

A3786/26

NOTAM text not available in this projection.

A3787/26

NOTAM text not available in this projection.

A3788/26

NOTAM text not available in this projection.

A3790/26

NOTAM text not available in this projection.

09/053

NOTAM text not available in this projection.

A3791/26

NOTAM text not available in this projection.

6/4747

NOTAM text not available in this projection.

6/4758

NOTAM text not available in this projection.

A0678/26

NOTAM text not available in this projection.

A0679/26

NOTAM text not available in this projection.

03/043

NOTAM text not available in this projection.

03/045

NOTAM text not available in this projection.

A0978/26

NOTAM text not available in this projection.

6/5381

NOTAM text not available in this projection.

A1014/26

NOTAM text not available in this projection.

6/9015

NOTAM text not available in this projection.

A1738/26

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production
source per owner decision 2026-08-09;
technical transport environment remains
preprod. Limited 2026-07-30 spot check
covered KLZU, KAVL, and KSGJ (3 of 30
airports). NOTAMs were read from this source
and used on this card this run. Typed state:
OK. The dot colour reports whether this
source was read this run; technical
environment: preprod.

026-09-06T05:59:33.809026Z.

:00Z

:00Z

:00Z

:00Z

Effective 2026-09-03T18:45:00Z → 2026-09-06T18:45:00Z

• **RUNWAY** 09/030 — RWY 16/34 CLSD WED-FRI 0400-0930

Effective 2026-09-09T04:00:00Z → 2026-09-11T09:30:00Z

- **RUNWAY** A3746/26 — RWY 16/34 CLSD

Effective 2026-09-09T04:00:00Z → 2026-09-11T09:30:00Z

46 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics,
the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KHPN this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

• Mon, Sep 7 · 12:00–18:00 ET: GFS MAV MOS · 12:00–18:00 ET ET · VFR

• Mon, Sep 7 · 18:00–00:00 ET: GFS MAV MOS · 18:00–00:00 ET ET · VFR

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

· 00:00–06:00 ET ET · VFR

· 06:00–12:00 ET ET · VFR

· 12:00–18:00 ET ET · VFR

· 18:00–00:00 ET ET · VFR

· 00:00–06:00 ET ET · VFR

· 06:00–12:00 ET ET · VFR

- + MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-06=GFS, 2026-09-07=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-06 06:00	65	Bkn	40/3kt	—	>10kft	>6SM
GFS	2026-09-06 09:00	63	Ovc	30/3kt	—	5-10kft	>6SM
GFS	2026-09-06 12:00	64	Ovc	10/6kt	25.0	5-10kft	>6SM
GFS	2026-09-06 15:00	67	Ovc	30/6kt	—	3-5kft	>6SM
GFS	2026-09-06 18:00	70	Bkn	10/5kt	19.0	5-10kft	>6SM
GFS	2026-09-06 21:00	70	Bkn	20/5kt	—	>10kft	>6SM
GFS	2026-09-07 00:00	64	Bkn	90/3kt	16.0	>10kft	>6SM
GFS	2026-09-07 03:00	61	Clear	350/3kt	—	>10kft	>6SM
GFS	2026-09-07 06:00	59	Clear	330/3kt	7.0	>10kft	>6SM

GFS	2026-09-07 09:00	57	Clear	320/5kt	—	>10kft	>6SM
GFS	2026-09-07 12:00	62	Clear	330/5kt	1.0	>10kft	>6SM
GFS	2026-09-07 15:00	72	Clear	320/10kt	—	>10kft	>6SM
GFS	2026-09-07 18:00	76	Few	320/10kt	1.0	>10kft	>6SM
GFS	2026-09-07 21:00	77	Clear	320/7kt	—	>10kft	>6SM
GFS	2026-09-08 00:00	69	Clear	290/3kt	0.0	>10kft	>6SM
GFS	2026-09-08 03:00	63	Clear	310/2kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

SPECI KHPN 060453Z 06003KT 10SM FEW016 BKN021 BKN027 18/17 A2991 RMK A02

TAF unavailable (unavailable)

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KHPN; actual-station=KHPN; fetched-at=2026-09-06T05:59:15.982442+00:00; observed-or-issued-at=2026-09-06T04:53:00+00:00 — [AWC API](#)
- TAF — state=unavailable; fetch-state=ok; payload-state=valid; requested-station=KHPN; actual-station=KHPN; fetched-at=2026-09-06T05:59:19.070292+00:00 — [AWC API](#)
- TAF proxy · KHPN
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KHPN; actual-station=KHPN; fetched-at=2026-09-06T05:59:20.096998+00:00
- FAA NMS NOTAM — state=OK; requested-station=KHPN; actual-station=KHPN; fetched-at=2026-09-06T05:59:33.809026Z — [FAA NMS overview](#)
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KHPN; actual-station=KHPN; fetched-at=2026-09-06T06:00:03.881720+00:00; observed-or-issued-at=2026-09-06T00:00:00+00:00; valid-from=2026-09-06T06:00:00+00:00; valid-through=2026-09-09T00:00:00+00:00; target-dates=2026-09-06,2026-09-07; dates-with-points=2026-09-06,2026-09-07 — [Iowa State API](#)
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KHPN; actual-station=KHPN; fetched-at=2026-09-06T06:00:04.738604+00:00; observed-or-issued-at=2026-09-06T00:00:00+00:00; valid-from=2026-09-07T00:00:00+00:00; valid-through=2026-09-14T00:00:00+00:00; target-dates=2026-09-07; partial-target-dates=2026-09-06; dates-with-points=2026-09-06,2026-09-07 — [Iowa State API](#)
- MOS effective date selection — state=partial; rows=16; requested-station=KHPN; actual-station=KHPN; fetched-at=2026-09-06T06:00:03.881720+00:00; observed-or-issued-at=2026-09-06T00:00:00+00:00; valid-from=2026-09-06T06:00:00+00:00; valid-through=2026-09-09T00:00:00+00:00; target-dates=2026-09-06,2026-09-07; dates-with-points=2026-09-06,2026-09-07; selected-by-date=2026-09-06=GFS, 2026-09-07=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — [FAA Chart Supplement \(current cycle\)](#) — see AirNav link above

#29

KBED

Bedford/Hanscom Fld, MA, US

· Long-range · Boston-Bedford MA

⌵

OBS - VFR

ETE

5h11

DIST

784 nm

SUN 6 SEP 00:51 ET OBSERVED VALUE

Current observation

OBS - VFR

OBSER



broken 9,000 ft, overcast 10,000 ft



WINDNW (330°) 3 kt




TEMPERATURE16 °C



VISIBILITY10 sm



DEWPOINT16 °C



KBED runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 11/29, 05/23. Wind from 330 degrees true, 344 degrees magnetic, at 3 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 29. Wind source: KBED METAR 060451Z.

Evidence & limitations

- METAR source state: ok; observed Sep 6 00:51 ET; retrieved Sep 6 01:59 ET; 68 min before this run.
- Measured values read from the KBED METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.92 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- The runway schematic is alignment-only; verify current runway use and NOTAMs.

DESTINATION OUTLOOK

SUN 6 SEP 00:00–06:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- GFS MAV MOS · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 6 SEP 12:00–18:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND5–7 kt

TEMPERATURE60–66 °F

DEWPOINT54 °F

PRECIPITATION42%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 6 SEP 06:00–12:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND3 kt

TEMPERATURE59–61 °F

DEWPOINT55–57 °F

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 6 SEP 18:00–00:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND6 kt

TEMPERATURE70 °F

DEWPOINT50–52 °F

PRECIPITATION20%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

00:00–06:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

Forecast

GFS MAV
MOS

GFS MAV MOS ·
VFR

FORECAST

Flight-category guidance

WIND2–3 kt

TEMPERATURE57–63 °F

DEWPOINT49 °F

PRECIPITATION4%

Evidence & limitations

- GFS MAV MOS · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

Forecast

GFS MAV
MOS

GFS MAV MOS ·
VFR

FORECAST

Flight-category guidance

WIND2–3 kt

TEMPERATURE50–53 °F

DEWPOINT46–48 °F

PRECIPITATION3%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND4–9 kt

TEMPERATURE59–74 °F

DEWPOINT49 °F

PRECIPITATION3%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND8–10 kt

TEMPERATURE79 °F

DEWPOINT48–49 °F

PRECIPITATION0%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 7

00:00–06:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+048 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

now

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

23°C dep KLZU → 16°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

rwY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

11/29 (110/290°M · 096/276°T) · 05/23 (050/230°M · 036/216°T) — designators and °M headings are magnetic; °T are true; variation 14°W (NOAA WMM2025)

info

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		
Verify the current FAA Chart Supplement and provider before flight.			

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

5 Act on

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

A2225/26				
09/005				
09/006				
21 additional normalized NOTAM records omitted from this view.				

Raw NOTAM data · NOTAMs as of 05:59 Z

NOTAMs as of 05:59 Z — advisory only; verify an official briefing.

5/0511	NOTAM text not available in this projection.
06/013	NOTAM text not available in this projection.
A2225/26	NOTAM text not available in this projection.
09/005	NOTAM text not available in this projection.
09/006	NOTAM text not available in this projection.
08/020	NOTAM text not available in this projection.
A2431/26	NOTAM text not available in this projection.
08/088	NOTAM text not available in this projection.
08/124	NOTAM text not available in this projection.
A2549/26	NOTAM text not available in this projection.
08/125	NOTAM text not available in this projection.
09/001	NOTAM text not available in this projection.
A2568/26	NOTAM text not available in this projection.

A1392/25

NOTAM text not available in this projection.

5/0197

NOTAM text not available in this projection.

A2784/25

NOTAM text not available in this projection.

6/8189

NOTAM text not available in this projection.

A2533/26

NOTAM text not available in this projection.

A2579/26

NOTAM text not available in this projection.

06/012

NOTAM text not available in this projection.

06/054

NOTAM text not available in this projection.

07/034

NOTAM text not available in this projection.

A2378/26

NOTAM text not available in this projection.

08/093

NOTAM text not available in this projection.

08/110

NOTAM text not available in this projection.

09/008

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains

preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

Effective 2026-06-04T08:41:00Z → 2026-09-30T18:00:00Z

RUNWAY

A2226126 → AD AP WINDCONE FOR RWY 29 LST LWS

Effective 2026-06-04T08:41:00Z → 2026-09-30T18:00:00Z

RUNWAY

090005 → RWY 29 HLLD FROM MARKINGS AT RWY 0503 CRSC

Effective 2026-09-02T16:47:00Z → 2026-11-13T22:00:00Z

RUNWAY

090006 → RWY 11 HLLD FROM MARKINGS AT RWY 0503 CRSC

Effective 2026-09-02T16:47:00Z → 2026-11-12T22:00:00Z

21 additional normalized FAA NOTAM records omitted from this view.

2026-09-06T05:59:33.977067Z.

HANSCOM FLD, BEDFORD, MA, TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 5A, IN ADDITION TO EXISTING TAKEOFF OBSTACLE DATA, DEPARTURE PROCEDURE: 1. RWY 29, 1000 FT FROM DER, 1000 FT LEFT OF CENTERLINE, 155 FT AGL/282 FT MSL, ANTENNA 5027 FT FROM DER, 1002 FT LEFT OF CENTERLINE, 285 FT MSL. ALL OTHER

DT1049-2700051049EST

000Z

FOR RWY 29 LST LWS

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KBED this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

• Mon, Sep 7 • 00:00–06:00 ET ET · VFR

• Mon, Sep 7 • 06:00–12:00 ET ET · VFR

• Mon, Sep 7 • 12:00–18:00 ET ET · VFR

• Mon, Sep 7 • 18:00–00:00 ET ET · VFR

• Mon, Sep 7 • 00:00–06:00 ET ET · VFR

• Mon, Sep 7 • 06:00–12:00 ET ET · VFR

• Mon, Sep 7 • 12:00–18:00 ET: GFS MAV MOS · 12:00–18:00 ET ET · VFR

• Mon, Sep 7 • 18:00–00:00 ET: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-06=GFS, 2026-09-07=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-06 06:00	61	Ovc	10/3kt	—	5-10kft	>6SM
GFS	2026-09-06 09:00	59	Ovc	10/3kt	—	5-10kft	>6SM
GFS	2026-09-06 12:00	60	Ovc	10/5kt	42.0	5-10kft	>6SM
GFS	2026-09-06 15:00	66	Ovc	10/7kt	—	5-10kft	>6SM
GFS	2026-09-06 18:00	70	Bkn	360/6kt	20.0	5-10kft	>6SM
GFS	2026-09-06 21:00	70	Bkn	340/6kt	—	>10kft	>6SM
GFS	2026-09-07 00:00	63	Sct	190/2kt	4.0	>10kft	>6SM
GFS	2026-09-07 03:00	57	Clear	250/3kt	—	>10kft	>6SM
GFS	2026-09-07 06:00	53	Clear	270/3kt	3.0	>10kft	>6SM
GFS	2026-09-07 09:00	50	Clear	280/2kt	—	>10kft	>6SM
GFS	2026-09-07 12:00	59	Clear	300/4kt	3.0	>10kft	>6SM
GFS	2026-09-07 15:00	74	Clear	330/9kt	—	>10kft	>6SM
GFS	2026-09-07 18:00	79	Clear	320/10kt	0.0	>10kft	>6SM
GFS	2026-09-07 21:00	79	Clear	310/8kt	—	>10kft	>6SM
GFS	2026-09-08 00:00	69	Clear	280/4kt	0.0	>10kft	>6SM
GFS	2026-09-08 03:00	62	Clear	290/2kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KBED 060451Z AUTO 33003KT 10SM -RA BKN090 OVC100 16/16 A2992 RMK A02 RAB07 SLP143 P0001 T01610156 402280133 \$

TAF unavailable (unavailable)

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KBED; actual-station=KBED; fetched-at=2026-09-06T05:59:15.982442+00:00; observed-or-issued-at=2026-09-06T04:51:00+00:00 — [AWC API](#)
- TAF — state=unavailable; fetch-state=ok; payload-state=valid; requested-station=KBED; actual-station=KBED; fetched-at=2026-09-06T05:59:19.070292+00:00 — [AWC API](#)

TAF proxy · KBED

- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KBED; actual-station=KBED; fetched-at=2026-09-06T05:59:20.190008+00:00
- FAA NMS NOTAM — state=OK; requested-station=KBED; actual-station=KBED; fetched-at=2026-09-06T05:59:33.977067Z — [FAA NMS overview](#)
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KBED; actual-station=KBED; fetched-at=2026-09-06T06:00:03.890761+00:00; observed-or-issued-at=2026-09-06T00:00:00+00:00; valid-from=2026-09-06T06:00:00+00:00; valid-through=2026-09-09T00:00:00+00:00; target-dates=2026-09-06,2026-09-07 — [Iowa State API](#)

- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KBED; actual-station=KBED; fetched-at=2026-09-06T06:00:04.762357+00:00; observed-or-issued-at=2026-09-06T00:00:00+00:00; valid-from=2026-09-07T00:00:00+00:00; valid-through=2026-09-14T00:00:00+00:00; target-dates=2026-09-07; partial-target-dates=2026-09-06; dates-with-points=2026-09-06,2026-09-07 — [Iowa State API](#)
- MOS effective date selection — state=partial; rows=16; requested-station=KBED; actual-station=KBED; fetched-at=2026-09-06T06:00:03.890761+00:00; observed-or-issued-at=2026-09-06T00:00:00+00:00; valid-from=2026-09-06T06:00:00+00:00; valid-through=2026-09-09T00:00:00+00:00; target-dates=2026-09-06,2026-09-07; dates-with-points=2026-09-06,2026-09-07; selected-by-date=2026-09-06=GFS, 2026-09-07=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

3 · Hazard feeds & regional observations

Unfiltered hazard feeds (not route-geometry screened): 9 SIGMET records, 27 G-AIRMET records. Regional current observations (not corridor forecasts): Gulf West: category unavailable at KHSA; Long-range: MVFR at KHPN.

Scope: Hazard counts are raw feed totals and have not been filtered against a proposed route, altitude, or time. Airport flight categories are current point observations, not corridor forecasts.

4 · Planning gates

- **Evidence gate:** an unavailable, stale, or out-of-horizon source is unknown — never treat it as favorable.
- **Weather gate:** compare current observations and valid-period forecasts with personal ceiling, visibility, convection, wind, and crosswind minimums.
- **Route gate:** screen the actual route, altitude, and time against official hazard products; feed totals on this page are not route-filtered.
- **Operations gate:** verify NOTAMs, TFRs, runway conditions, fuel, aircraft performance, daylight, and alternates.

5 · ForeFlight manual cross-check (before flight)

- Official briefing matches these go/no-go windows
- Prog charts / radar / satellite trend agrees with convection timing
- Winds & temps aloft along actual route (may shift ETE)
- **NOTAMs & TFRs** — airport-scoped NMS records may be shown, but route-wide/TFR coverage is not included; pull a fresh official briefing for departure, destination, and alternates
- Runway condition / length / closures at destination & alternate
- Weight & balance + performance at forecast density altitude (heat!)
- File & brief in ForeFlight; confirm fuel stops if long-range

6 · Source stamp

Show source stamp and evidence inventory

KLZU METAR excerpt: METAR KLZU 060456Z AUTO . AWC METAR state OK for 29/30 airports; TAF target coverage for 0/30; MOS fetch health GFS 30/30, MEX 30/30; target coverage 60/60 airport-days; planned-window board coverage 2/2; combined target forecast coverage for 30/30; FAA status known for 0/30. Hazard feeds: state=ok; SIGMET=9, G-AIRMET=27, CWA=0; counts are unfiltered and are not a route assessment.
NWS AFD state: ok · FAA NMS NOTAM states: OK=27, RATE_LIMITED=3; normalized records=764; unnormalized records=0; environment=preprod; sandbox-public-preview=true · Fuel: best-effort (verify) · FAA chart cycle: VFR Sectional Ed. 98 (eff. 09/03/2026); Chart Supplement Ed. 5 (eff. 09/03/2026).

Executive summary

FACTS BY CODE · GROUPING BY MODEL · NO MODEL-WRITTEN FACT

A plain restatement of evidence shown in full below. Every fact here was computed by code and is quoted exactly as code wrote it; a model was allowed only to group those facts and join them with connecting words. It reports what the sources say; it does not rank the days, rate them, or make a go/no-go call. The full five-part evidence follows underneath.

- Data quality is OK, as the page header badge reports; it gates publication and is not a weather statement. This restates evidence shown in full below; it is not a recommendation, not an all-clear, and not a data outage. The decision surfaces are the planning gates and the ForeFlight cross-check.
- Trip-window feasibility evidence (Derived): 2 of 2 active trip days carry a forecast flight category and 0 carry none. This is a derivation about how much evidence exists, not a go/no-go call and not a flight category. Trip window: Fri Sep 4 – Mon Sep 7, 2026. “This weekend” is taken to mean exactly this window; no other date range is assessed.
- A forecast flight category is available for 2 of 2 active trip days; 0 reach no category-capable product at this lead time. 29 of 29 covered destinations resolve a forecast flight category this run. This is coverage, not a ranking.
- 36 hazard areas retained a coordinate ring this run, 36 of them valid inside the trip window, by the geometric test named below. KLZU current observation: VFR — conditions now, not a trip day. KLZU: 8 of 25 current NOTAMs are new by the stated 72-hour publication window.

Full evidence, unchanged: the five parts in the owner's order

1 · Feasibility evidence for the trip window

This part is a derivation, not an observation: it states how much of the trip window carries a forecast flight category, and nothing more. It is not a go/no-go call, not a recommendation, and not a flight category. Its inputs and its gaps are listed in the tooltip on the line below.

- Trip window: Fri Sep 4 – Mon Sep 7, 2026. “This weekend” is taken to mean exactly this window; no other date range is assessed.
- Trip-window feasibility evidence (Derived): assessable for every active trip day — 2 of 2 active trip days in Fri Sep 4 – Mon Sep 7, 2026 carry a forecast flight category and 0 carry none. This is a derived statement about how much evidence exists, it is not a flight category, and it says nothing about whether a flight is advisable. Every input and every gap is named in this line's tooltip.

2 · KLZU home-base status

The KLZU observation and the per-day board categories, taken from the same helpers the board itself renders from, so the two cannot disagree.

- KLZU current observation: VFR — from the surface observation read this run; it describes conditions now, not a trip day.
- Sun Sep 6, 06:00–22:00 ET: VFR — most restrictive forecast flight category; medium confidence; from MOS.
- Mon Sep 7, 06:00–22:00 ET: IFR — most restrictive forecast flight category; medium confidence; from MOS.
- A forecast flight category is available for 2 of 2 active trip days; 0 reach no category-capable product at this lead time.
- Data quality: OK — as reported by the badge in the page header; it gates publication, it is not a weather statement.

3 · Destination coverage

Coverage, not a pick: this counts which destinations a product permitted to state a flight category actually reaches. It is not a ranking, not a recommendation, and the editorial order of the destination list is not a flyability score.

- Destinations: 29 of 29 covered airports resolve a forecast flight category on at least one active trip day; 0 resolve none at this lead time. Counted from the same per-day outlook the destination cards render, with outlook-grade blocks excluded.
- Most restrictive resolved category per covered airport, across the active trip days: KAVL LIFR (2/2 d), KBED VFR (2/2 d), KBFM VFR (2/2 d), KCRE MVFR (2/2 d), KCRG VFR (2/2 d), KDAB VFR (2/2 d), KECP VFR (2/2 d), KFIN VFR (2/2 d), KGKT LIFR (2/2 d), KGPT VFR (2/2 d), KHPN VFR (2/2 d), KHSA VFR (2/2 d); 17 further airports in section 2.
- NOTAMs: 26 of 29 destinations report an active NOTAM; 3 destination NOTAM queries did not complete. KLZU departure NOTAM state: OK.

4 · Weather events by area or region

Weather events by area or region, from products that carry an area. Per-airport categories are never clustered into a region here: an area inferred that way would be a spatial claim no source made.

- 36 hazard areas retained with their own coordinate rings. Each is related to an airport only by point-in-polygon (ray casting) against the product's own coordinate ring, or by great-circle distance from the airport to the nearest point on the product's boundary within 100 NM — tested against 29 airports that reported a position this run. No area name is inferred: the only names stated are the ones a product supplies itself. Per-airport categories are never clustered into a region.
- 36 of 36 retained hazard areas are valid at some point inside the planned trip window; the rest describe conditions before it.
- G-AIRMET SIERRA — IFR: contains KSHD (point-in-polygon (ray casting) against the product's own coordinate ring); boundary within 100 NM of KROA 28 NM, KTRI 47 NM, KGKT 76 NM, KAVL 92 NM. valid 2026-09-06 05:48Z to 2026-09-06 09:00Z.
- G-AIRMET SIERRA — IFR: contains KAVL (point-in-polygon (ray casting) against the product's own coordinate ring); boundary within 100 NM of KGKT 12 NM, KTRI 37 NM, KLZU 52 NM, KROA 67 NM, KCRE 85 NM, KMYR 98 NM. valid 2026-09-06 05:48Z to 2026-09-06 09:00Z.
- G-AIRMET SIERRA — MT_OBSC: contains KSHD, KROA (point-in-polygon (ray casting) against the product's own coordinate ring); boundary within 100 NM of KTRI 63 NM. valid 2026-09-06 05:48Z to 2026-09-06 09:00Z.
- G-AIRMET ZULU — FZLVL: boundary within 100 NM of KOPF 17 NM, KSSI 26 NM, KSAV 33 NM, KHXD 45 NM, KCRG 75 NM, KJZI 81 NM, KECP 95 NM, KSGJ 95 NM; published as a line, not an enclosed area, so no containment test is made against it. valid 2026-09-06 02:45Z to 2026-09-06 09:00Z.
- G-AIRMET ZULU — FZLVL: boundary within 100 NM of KHPN 25 NM; published as a line, not an enclosed area, so no containment test is made against it. valid 2026-09-06 02:45Z to 2026-09-06 09:00Z.
- G-AIRMET ZULU — ICE: boundary within 100 NM of KBED 13 NM. valid 2026-09-06 02:45Z to 2026-09-06 09:00Z.

- G-AIRMET SIERRA — IFR: boundary within 100 NM of KBED 24 NM. valid 2026-09-06 05:48Z to 2026-09-06 09:00Z.
- G-AIRMET SIERRA — MT_OBSC: boundary within 100 NM of KBED 46 NM, KHPN 50 NM. valid 2026-09-06 05:48Z to 2026-09-06 09:00Z.
- SIGMET 33E — CONVECTIVE: boundary within 100 NM of KJZI 3 NM, KMYR 21 NM, KCRE 25 NM, KHXD 48 NM, KSAV 72 NM. valid 2026-09-06 05:55Z to 2026-09-06 07:55Z.
- SIGMET 34E — CONVECTIVE: boundary within 100 NM of KTRI 18 NM, KGKT 45 NM, KAVL 64 NM, KROA 71 NM. valid 2026-09-06 05:55Z to 2026-09-06 07:55Z.
- SIGMET 35E — CONVECTIVE: boundary within 100 NM of KOPF 49 NM. valid 2026-09-06 05:55Z to 2026-09-06 07:55Z.
- SIGMET 52C — CONVECTIVE: boundary within 100 NM of KLZU 49 NM, KGKT 59 NM. valid 2026-09-06 05:55Z to 2026-09-06 07:55Z.
- 24 of 36 retained hazard areas could not be related to any airport this page covers, by either test. They remain national-unfiltered: their geography is real but lies outside 100 NM of every airport tested, and nothing is claimed about where they are.
- Hazard feed record counts this run, unfiltered and national: SIGMET 9, G-AIRMET 27, CWA 0; overall feed state ok; feed states — CWA: ok, G-AIRMET: ok, SIGMET: ok. These are totals over the whole feed, not a count near KLZU, not a count along any route, and not a route assessment.

5 • New KLZU NOTAMS

This run keeps no snapshot of the previous run, so “new” cannot mean “changed since last time”. It is defined below as an FAA-published timestamp window, and the service-status scan reads the published text of every KLZU record so a status embedded inside a record of another category is not missed.

- Baseline for “new”: a KLZU NOTAM whose own FAA-published timestamp (last update, else issue, else effective start) falls within the 72 hours before this run's generation time (2026-09-06T05:59:15.881518+00:00). This run holds no copy of the previous run's NOTAM set, so this is a source-timestamp window and not a difference against an earlier run.
- KLZU: 8 of 25 current NOTAMs are new by that baseline — A0333/26 (OTHER, last_updated_at 2026-09-03T09:34:00+00:00); 09/006 (NAV_APPROACH, last_updated_at 2026-09-03T15:37:00+00:00); A0335/26 (NAV_APPROACH, last_updated_at 2026-09-03T15:37:00+00:00); A0336/26 (OTHER, last_updated_at 2026-09-03T15:59:00+00:00); 09/008 (OBSTRUCTION, last_updated_at 2026-09-04T03:35:00+00:00); 09/009 (OBSTRUCTION, last_updated_at 2026-09-05T19:15:00+00:00); 09/010 (OBSTRUCTION, last_updated_at 2026-09-05T21:55:00+00:00); 09/011 (OBSTRUCTION, last_updated_at 2026-09-06T02:12:00+00:00).
- Service-status wording found in the published text of KLZU records, whatever their category — 6/6851 (NAV_APPROACH) states: “LZU AWOS OUT OF SERVICE.”; 6/6854 (NAV_APPROACH) states: “LZU AWOS OUT OF SERVICE.”; 6/6855 (NAV_APPROACH) states: “LZU AWOS OUT OF SERVICE.”; A0318/26 (NAV_APPROACH) states: “LZU AWOS OUT OF SERVICE.”; A0319/26 (NAV_APPROACH) states: “LZU AWOS OUT OF SERVICE.”; A0320/26 (NAV_APPROACH) states: “LZU AWOS OUT OF SERVICE.”. These are verbatim quotations from the record named beside each one; they are text matches inside those records, not NOTAMs of their own, and they are reported whether or not the carrying record is new.

This restates evidence; it is not a recommendation, not an all-clear, and not a data outage. The decision surfaces are the planning gates and the ForeFlight cross-check below, read against the KLZU board and destination cards. Every line above restates a value shown elsewhere on this page.

⚠ **Pre-planning only — not an official weather briefing.** Verify an official briefing, METAR/TAF/GFA/SIGMET/CWA, NOTAMs, TFRs, runway conditions, fuel, W&B, performance, and personal minimums before flight.