

Flight Planning Desk

Performance profile: Mooney M20J · Lawrenceville, GA · **Fri Sep 4** – **Mon Sep 7, 2026**

✔ **Data quality · DEGRADED**

✔ **Live verification · Checking**

● **Published snapshot · Generated · Sunday Sep 6, 2026 · 5:21 PM ET · Next run · not before Sunday Sep 6 · 11:17 PM ET**

1 · KLZU departure / return board

KLZU

Lawrenceville/Gwinnett Cnty, GA, US

Home base · timed forecast changes · source detail retained

⌵ **OBS - VFR**

PLANNING HORIZON

Sun 6 → Mon 7 · 2 days

RIGHT NOW · METAR

SUN 6 SEP 15:56 ET OBSERVED VALUE

Current observation

⌵ **OBS - VFR**

OBSER

⌵ **METAR**

 scattered 4,500 ft



WINDvariable 3 kt



TEMPERATURE**34 °C**



VISIBILITY**10 sm**



DEWPOINT**17 °C**

Evidence & limitations

- METAR source state: ok; observed Sep 6 15:56 ET; retrieved Sep 6 17:21 ET; 85 min before this run.
- Measured values read from the KLZU METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.86 inHg.
- Raw METAR: METAR KLZU 061956Z VRB03KT 10SM SCT045 34/17 A2986 RMK A02 TSE02 SLP107 T03390172 \$

Important planning / evidence detail (1 warning)

LEGEND **VFR** **MVFR** **IFR** **LIFR** **Unknown**  Solid = source-interval category guidance  Dashed = lower-confidence outlook  Weather icon = surface forecastAll times Eastern (ET), 24-hour clock · “around/after” preserves source precision.  **KLZU has no TAF station. Every KLZU TAF-derived value on this page is taken from the nearby **KPDK** proxy station, not from KLZU itself — treat it as regional, and confirm KLZU conditions in an official briefing.**

A raster chart may be displayed with its issuing office and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

HIGH CONFIDENCE
SEP 6 · 15:00–22:00 ET

- METAR
- TAF
- NWS-hr
- NWS-day
- MAV
- MEX
- GFA
- NOTAM

METAR – issued hourly. The highest visibility, wind, and temperature are reported. Issued by the National Weather Service (NWS) and the FAA. Not a forecast. KLZU observations are described.

TAF – The National Weather Service (NWS) issues TAFs for the next 24 hours. It includes the sky condition, visibility, and wind. TAFs are issued by the NWS and the FAA. TAFs are not a forecast. KLZU observations are described.

NWS hour – Weather Service (NWS) hourly forecast. It includes the sky condition, visibility, and wind. NWS hourly forecasts are issued by the NWS and the FAA. NWS hourly forecasts are not a forecast. KLZU observations are described.

NWS day/night – Weather Service (NWS) day/night forecast. It includes the sky condition, visibility, and wind. NWS day/night forecasts are issued by the NWS and the FAA. NWS day/night forecasts are not a forecast. KLZU observations are described.

GFS M – Global Forecast System (GFS) model. It includes the sky condition, visibility, and wind. GFS M forecasts are issued by the NWS and the FAA. GFS M forecasts are not a forecast. KLZU observations are described.

GFS E – Global Forecast System (GFS) model. It includes the sky condition, visibility, and wind. GFS E forecasts are issued by the NWS and the FAA. GFS E forecasts are not a forecast. KLZU observations are described.

GFA – Global Forecast System (GFS) model. It includes the sky condition, visibility, and wind. GFA forecasts are issued by the NWS and the FAA. GFA forecasts are not a forecast. KLZU observations are described.

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KLZU this run.

office and valid time and never interprets them: no category, wind, ceiling, ranking or go/no-go here is derived from an image. A published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

KPDK TAF TEMPO - MVFR

KPDK TAF - VFR

TS 38%

FORECAST

WINDNW (~315° true) · 4 kt

PRECIPITATION38%

THUNDER38%

SKY COVER34%

Wind favors RWY 25

NW (~315° true) · 4 kt · full datum in the day evidence

Evidence & limitations

- The visible badge names the contributing product. Exact issuance, retrieval, and member-period provenance remains in Day evidence & planning note below.
- The hour-by-hour source evidence below retains every original period and its detailed wind line.

Surface prog · 15:00–18:00 ET · available

SUN 6 SEP 18:00–22:00 ET HIGH CONFIDENCE

Forecast

KPDK TAF proxy

Chance Showers And Thunderstorms

KPDK TAF TEMPO - MVFR

KPDK TAF - VFR

GFS OUTLOOK - VFR

GFS MOS - VFR

TS 40%

FORECAST

WIND

W-NE · 4 kt

PRECIPITATION

36-40%

THUNDER

34-40%

SKY COVER

38-45%

Evidence & limitations

- The visible badge names the contributing product. Exact issuance, retrieval, and member-period provenance remains in Day evidence & planning note below.
- Flight category changes within this box: MVFR → VFR. The most restrictive displayed value is MVFR.
- The hour-by-hour source evidence below retains every original period and its detailed wind line.

Surface prog · 18:00-22:00 ET · available

Day evidence & planning note

NWS surface forecast mentions convection/showers (38% precipitation probability); compare timed periods with TAF and current radar; Surface temperature 94°F; calculate aircraft performance

SOURCES & LIMITATIONS — HOUR-BY-HOUR SOURCE EVIDENCE (5 FORECAST PERIODS)

17:00-18:00 ET

Chance Showers And Thunderstorms

Precipitation probability (PoP) 38%

Conditions only — not a flight category; states nothing about ceiling or visibility.

NWS + TAF + MOS · NWS ISSUED SEP 6 14:26 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 6 17:22 ET

KPDK TAF TEMPO - MVFR

KPDK TAF - VFR

GFS MOS - VFR

TS 38%

18:00–19:00 ET

KPDK TAF TEMPO - MVFR

KPDK TAF - VFR

TS 36%

GFS OUTLOOK - VFR

Chance Showers And Thunderstorms

Precipitation probability (PoP) 36%

Conditions only — not a flight category; states nothing about ceiling or visibility.

NWS + TAF + MOS · NWS ISSUED SEP 6 14:26 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 6 17:22 ET

19:00–20:00 ET

KPDK TAF TEMPO - MVFR

KPDK TAF - VFR

TS 40%

GFS OUTLOOK - VFR

Chance Showers And Thunderstorms

Precipitation probability (PoP) 40%

Conditions only — not a flight category; states nothing about ceiling or visibility.

NWS + TAF + MOS · NWS ISSUED SEP 6 14:26 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 6 17:22 ET

20:00–21:00 ET

KPDK TAF - VFR

GFS MOS - VFR

TS 34%

Chance Showers And Thunderstorms

Precipitation probability (PoP) 40%

Conditions only — not a flight category; states nothing about ceiling or visibility.

NWS + TAF + MOS · NWS ISSUED SEP 6 14:26 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 6 17:22 ET

21:00–22:00 ET

KPDK TAF - VFR

GFS OUTLOOK - VFR

TS 34%

Chance Showers And Thunderstorms

Precipitation probability (PoP) 39%

Conditions only — not a flight category; states nothing about ceiling or visibility.

NWS + TAF + MOS · NWS ISSUED SEP 6 14:26 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 6 17:22 ET

WIND / WIND-FAVORED RUNWAY · ONE ENTRY PER DISPLAY BLOCK

17:00–18:00 ET NW (~315° true) 4 kt Approx. wind-favored RWY 25 NWS hourly surface forecast	18:00–19:00 ET W (~270° true) 4 kt Approx. wind-favored RWY 25 NWS hourly surface forecast
19:00–20:00 ET NW (~315° true) 4 kt Approx. wind-favored RWY 25 NWS hourly surface forecast	20:00–21:00 ET NE (~45° true) 4 kt Approx. wind-favored RWY 07 NWS hourly surface forecast

21:00–22:00 ET
NE (~45° true) 4 kt
Approx. wind-favored RWY 07
NWS hourly surface forecast

Surface prog evidence · Sun Sep 6

15:00–18:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–22:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

Runway guidance is approximate wind alignment only; verify ATIS, NOTAMs and actual runway use.

NWS surface forecast mentions convection/showers (38% precipitation probability); compare timed periods with TAF and current radar; Surface temperature 94°F; calculate aircraft performance

Runway guidance is approximate wind alignment only; verify ATIS, NOTAMs and actual runway use.

RWY numbers magnetic; wind converted from true using 6°W variation (NOAA WMM2025)

Sep 7

MEDIUM CONFIDENCE

SEP 7 · 06:00–22:00 ET

NWS-day

MEX

NOTAM

Mostly Cloudy

WIND E (~90° true) · 9 kt

PRECIPITATION **5-13%**

THUNDER**5%**

SKY COVER **79-84%**

Wind favors RWY 07

E (~90° true) · 9 kt · full datum in the day evidence

Evidence & limitations

- The visible badge names the contributing product. Exact issuance, retrieval, and member-period provenance remains in Day evidence & planning note below.
- The hour-by-hour source evidence below retains every original period and its detailed wind line.

Surface prog · 06:00–10:00 ET · available

MON 7 SEP 10:00–15:00 ET HIGH CONFIDENCE

Forecast

KPDK TAF
proxy

| KPDK TAF - MVFR → VFR

| GFS OUTLOOK - MVFR → VFR

| GFS MOS - MVFR → VFR

TS 23%

Slight Chance Rain Showers → Cloudy → Chance Showers And
Thunderstorms

FORECAST

☞

WIND (~90° true) · 9 kt

💧

PRECIPITATION14–29%

⚡

THUNDER5–23%

☁

SKY COVER68–90%

☞

Wind favors RWY 07

E (~90° true) · 9 kt · full datum in the day evidence

Evidence & limitations

- The visible badge names the contributing product. Exact issuance, retrieval, and member-period provenance remains in Day evidence & planning note below.
- Flight category changes within this box: MVFR → VFR. The most restrictive displayed value is MVFR.
- The hour-by-hour source evidence below retains every original period and its detailed wind line.

Surface prog · 10:00–15:00 ET · available

MON 7 SEP 15:00–18:00 ET MEDIUM CONFIDENCE

Forecast

GFS
MAV

| GFS OUTLOOK - VFR

| GFS MOS - VFR

TS 25%

Chance Showers And
Thunderstorms

FORECAST

☞

WIND (~90° true) · 9 kt

💧

PRECIPITATION30–31%

⚡

THUNDER23–25%

☁

SKY COVER57–66%

Wind favors RWY 07

E (~90° true) · 9 kt · full datum in the day evidence

Evidence & limitations

- The visible badge names the contributing product. Exact issuance, retrieval, and member-period provenance remains in Day evidence & planning note below.
- The hour-by-hour source evidence below retains every original period and its detailed wind line.

Surface prog · 15:00–18:00 ET · available

MON 7 SEP 18:00–22:00 ET MEDIUM CONFIDENCE

Forecast

GFS
MAV

Chance Showers And Thunderstorms → Mostly Cloudy

GFS OUTLOOK - VFR

GFS MOS - VFR

TS 25%

FORECAST

WINDE (~90° true) · 9–13 kt

PRECIPITATION13–31%

THUNDER10–25%

SKY COVER48–61%

Wind favors RWY 07

E (~90° true) · 9–13 kt · full datum in the day evidence

Evidence & limitations

- The visible badge names the contributing product. Exact issuance, retrieval, and member-period provenance remains in Day evidence & planning note below.
- The hour-by-hour source evidence below retains every original period and its detailed wind line.

Surface prog · 18:00–22:00 ET · available

Day evidence & planning note

NWS surface forecast mentions convection/showers (31% precipitation probability); compare timed periods with TAF and current radar

06:00–08:00 ET



KPDK TAF - IFR



CLOUD 81%

GFS OUTLOOK - VFR

Mostly Cloudy

Precipitation probability (PoP) 5%

Conditions only — not a flight category; states nothing about ceiling or visibility.

NWS + TAF + MOS · NWS ISSUED SEP 6 14:26 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 6 17:22 ET

08:00–09:00 ET



KPDK TAF - IFR



CLOUD 82%

GFS MOS - VFR

Mostly Cloudy

Precipitation probability (PoP) 12%

Conditions only — not a flight category; states nothing about ceiling or visibility.

NWS + TAF + MOS · NWS ISSUED SEP 6 14:26 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 6 17:22 ET

09:00–10:00 ET



KPDK TAF - IFR



CLOUD 84%

GFS OUTLOOK - VFR → MVFR

Mostly Cloudy

Precipitation probability (PoP) 13%

Conditions only — not a flight category; states nothing about ceiling or visibility.

NWS + TAF + MOS · NWS ISSUED SEP 6 14:26 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 6 17:22 ET

10:00–11:00 ET



KPDK TAF - MVFR



CLOUD 90%

GFS OUTLOOK - MVFR

Slight Chance Rain Showers

Precipitation probability (PoP) 15%

Conditions only — not a flight category; states nothing about ceiling or visibility.

NWS + TAF + MOS · NWS ISSUED SEP 6 14:26 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 6 17:22 ET

11:00–12:00 ET



● KPDK TAF - MVFR

● GFS MOS - MVFR



Cloudy

Precipitation probability (PoP) 14%

Conditions only — not a flight category; states nothing about ceiling or visibility.

NWS + TAF + MOS · NWS ISSUED SEP 6 14:26 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 6 17:22 ET

12:00–13:00 ET



● KPDK TAF - MVFR

● GFS OUTLOOK - MVFR → VFR



Slight Chance Rain Showers

Precipitation probability (PoP) 17%

Conditions only — not a flight category; states nothing about ceiling or visibility.

NWS + TAF + MOS · NWS ISSUED SEP 6 14:26 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 6 17:22 ET

13:00–14:00 ET



● KPDK TAF - VFR

● GFS OUTLOOK - VFR



Slight Chance Rain Showers

Precipitation probability (PoP) 20%

Conditions only — not a flight category; states nothing about ceiling or visibility.

NWS + TAF + MOS · NWS ISSUED SEP 6 14:26 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 6 17:22 ET

14:00–15:00 ET



● GFS MOS - VFR



Chance Showers And Thunderstorms

Precipitation probability (PoP) 29%

Conditions only — not a flight category; states nothing about ceiling or visibility.

NWS + MOS · NWS ISSUED SEP 6 14:26 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 6 17:22 ET

15:00–16:00 ET



● TS 23%

● GFS OUTLOOK - VFR

Chance Showers And Thunderstorms

Precipitation probability (PoP) 31%

Conditions only — not a flight category; states nothing about ceiling or visibility. Beyond the 72 h short-range GFS MOS horizon at this lead time. The product published normally; this day is simply past its reach, which is expected and is not a fault. Expected to be covered from about Fri Sep 4 · 12:00 AM ET.

NWS + MOS · NWS ISSUED SEP 6 14:26 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 6 17:22 ET

16:00–17:00 ET



TS 23%

GFS OUTLOOK - VFR

Chance Showers And Thunderstorms

Precipitation probability (PoP) 30%

Conditions only — not a flight category; states nothing about ceiling or visibility. Beyond the 72 h short-range GFS MOS horizon at this lead time. The product published normally; this day is simply past its reach, which is expected and is not a fault. Expected to be covered from about Fri Sep 4 · 12:00 AM ET.

NWS + MOS · NWS ISSUED SEP 6 14:26 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 6 17:22 ET

17:00–18:00 ET



GFS MOS - VFR

TS 25%

Chance Showers And Thunderstorms

Precipitation probability (PoP) 30%

Conditions only — not a flight category; states nothing about ceiling or visibility.

NWS + MOS · NWS ISSUED SEP 6 14:26 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 6 17:22 ET

18:00–19:00 ET



TS 25%

GFS OUTLOOK - VFR

Chance Showers And Thunderstorms

Precipitation probability (PoP) 31%

Conditions only — not a flight category; states nothing about ceiling or visibility. Beyond the 72 h short-range GFS MOS horizon at this lead time. The product published normally; this day is simply past its reach, which is expected and is not a fault. Expected to be covered from about Fri Sep 4 · 12:00 AM ET.

NWS + MOS · NWS ISSUED SEP 6 14:26 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 6 17:22 ET

19:00–20:00 ET



TS 25%

GFS OUTLOOK - VFR

Chance Showers And Thunderstorms

Precipitation probability (PoP) 30%

Conditions only — not a flight category; states nothing about ceiling or visibility. Beyond the 72 h short-range GFS MOS horizon at this lead time. The product published normally; this day is simply past its reach, which is expected and is not a fault. Expected to be covered from about Fri Sep 4 · 12:00 AM ET.

NWS + MOS · NWS ISSUED SEP 6 14:26 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 6 17:22 ET

20:00–21:00 ET



GFS MOS - VFR

Mostly Cloudy

Precipitation probability (PoP) 13%

NWS + MOS · NWS ISSUED SEP 6 14:26 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 6 17:22 ET

21:00–22:00 ET



CLOUD 61%

GFS OUTLOOK - VFR

Mostly Cloudy

Precipitation probability (PoP) 14%

Conditions only — not a flight category; states nothing about ceiling or visibility. Beyond the 72 h short-range GFS MOS horizon at this lead time. The product published normally; this day is simply past its reach, which is expected and is not a fault. Expected to be covered from about Fri Sep 4 · 12:00 AM ET.

NWS + MOS · NWS ISSUED SEP 6 14:26 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 6 17:22 ET

WIND / WIND-FAVORED RUNWAY · ONE ENTRY PER DISPLAY BLOCK

06:00–08:00 ET E (~90° true) 9 kt Approx. wind-favored RWY 07 NWS hourly surface forecast	08:00–09:00 ET E (~90° true) 9 kt Approx. wind-favored RWY 07 NWS hourly surface forecast
09:00–10:00 ET E (~90° true) 9 kt Approx. wind-favored RWY 07 NWS hourly surface forecast	10:00–11:00 ET E (~90° true) 9 kt Approx. wind-favored RWY 07 NWS hourly surface forecast
11:00–12:00 ET E (~90° true) 9 kt Approx. wind-favored RWY 07 NWS hourly surface forecast	12:00–13:00 ET E (~90° true) 9 kt Approx. wind-favored RWY 07 NWS hourly surface forecast
13:00–14:00 ET E (~90° true) 9 kt Approx. wind-favored RWY 07 NWS hourly surface forecast	14:00–15:00 ET E (~90° true) 9 kt Approx. wind-favored RWY 07 NWS hourly surface forecast
15:00–16:00 ET E (~90° true) 9 kt Approx. wind-favored RWY 07 NWS hourly surface forecast	16:00–17:00 ET E (~90° true) 9 kt Approx. wind-favored RWY 07 NWS hourly surface forecast
17:00–18:00 ET E (~90° true) 9 kt Approx. wind-favored RWY 07 NWS hourly surface forecast	18:00–19:00 ET E (~90° true) 13 kt Approx. wind-favored RWY 07 NWS hourly surface forecast
19:00–20:00 ET E (~90° true) 9 kt Approx. wind-favored RWY 07 NWS hourly surface forecast	20:00–21:00 ET E (~90° true) 9 kt Approx. wind-favored RWY 07 NWS hourly surface forecast
21:00–22:00 ET E (~90° true) 9 kt Approx. wind-favored RWY 07 NWS hourly surface forecast	

Surface prog evidence · Mon Sep 7

06:00–10:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

10:00–15:00 ET ET · 15:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–22:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

Runway guidance is approximate wind alignment only; verify ATIS, NOTAMs and actual runway use.

NWS surface forecast mentions convection/showers (31% precipitation probability); compare timed periods with TAF and current radar

Runway guidance is approximate wind alignment only; verify ATIS, NOTAMs and actual runway use.

RWY numbers magnetic; wind converted from true using 6°W variation (NOAA WMM2025)



Pattern summary: .. (This afternoon through Monday) Issued at 239 PM EDT Sun Sep 6 2026 Warm Temps and Severe Thunderstorm Still A Concern Today: Current satellite loop shows some scattered clouds beginning to develop across the area with a couple isolated thunderstorms. — .. (Tuesday morning through next Saturday) Issued at 239 PM EDT Sun Sep 6 2026 Tuesday through midweek, the core of ...

NWS FFC Area Forecast Discussion · regional context, not a KLZU category or exact timing forecast

EXTENDED OUTLOOK SUMMARY

.. (This afternoon through Monday)
Issued at 239 PM EDT Sun Sep 6 2026

Warm Temps and Severe Thunderstorm Still A Concern Today:

Current satellite loop shows some scattered clouds beginning to develop across the area with a couple isolated thunderstorms. — .. (Tuesday morning through next Saturday)
Issued at 239 PM EDT Sun Sep 6 2026

Tuesday through midweek, the core of ...

SHORT TERM

..
(This afternoon through Monday)
Issued at 239 PM EDT Sun Sep 6 2026

Warm Temps and Severe Thunderstorm Still A Concern Today:

Current satellite loop shows some scattered clouds beginning to develop across the area with a couple isolated thunderstorms. As these storms are forming they appear to grow very fast and fall just as quickly. A mid-level shortwave and associated surface front is pushing south over the southern Appalachians and into NE GA. The strong forcing from these features combined with the humid and unstable airmass in place will support numerous showers and storms this afternoon and evening. Given that MUCAPE values are expected to be around 1500-2500 J/kg with steep low-level lapse rates and increasing effective shear of 20-25kts, several storms will likely be severe. Any severe storms would be capable of producing damaging wind gusts, quarter-size hail, frequent lightning, and locally heavy rainfall. SPC has noted this severe weather threat with a Slight Risk (Level 2 of 5) covering most of our area. Another threat we will have to watch out for is localized flash flooding in urban and poor-drainage areas due to the potential for repeated rounds of storms with efficient rainfall rates. This boundary is expected to move south through the area through tonight with a cooler and slightly drier airmass move in behind it.

Cooler Temperatures and Rain Showers on Monday:

Following the frontal boundary this evening, a cooler airmass will spread across the area overnight into Monday within east-northeast flow. This wedge-like pattern of breezy easterly winds and cloudy skies will make things feel much cooler than recent days, and high temperatures will struggle to get out of the low to mid 80s across most of the area. While the airmass will be cooler, the drier air will not move in until Monday night. So, we will likely still have enough forcing, moisture, and instability to support isolated to scattered rain showers or weak thunderstorms across the area.

LONG TERM

..
(Tuesday morning through next Saturday)

Tuesday through midweek, the core of mid-level ridging will move overhead (flattening as it does), accompanied by high pressure at the surface -- oriented such that we're likely to have an extended period of "cold" air damming. Heat will begin to build once again, with highs returning to several degrees above average by mid-to-late week. Breezy easterly winds should support ample mixing during the afternoon, which will initially serve to keep heat index values within a few degrees of air temperatures. Convective development will be hampered by subsidence across the northern half of the forecast area, with scattered to numerous showers and thunderstorms possible across south central Georgia through Wednesday.

The presiding mid-level ridge will retrograde westward across the Four Corners region on Thursday, allowing for more substantial moisture intrusion across the Southeast (driven by southwesterly surface winds), and a return to more uniform afternoon thunderstorm chances areawide. A cold front riding along the leading edge of shortwave troughing will sweep across the area over the course of the day Friday, bolstering convective coverage and providing some support for at least quasi-organization into clusters.

Tuesday will be the "coolest" day in the long term (relatively speaking), with highs in the 80s to near 90. Gradual warming will occur throughout the remainder of the period, with highs returning to the low-to-mid 90s for all but far northeast Georgia.

+ Raw NWS AFD text

000
FXUS62 KFFC 061847
AFDFFC

Area Forecast Discussion
National Weather Service Peachtree City GA
247 PM EDT Sun Sep 6 2026

...Afternoon Area Forecast Discussion...

.KEY MESSAGES...

- A Heat Advisory remains in effect across most of north and central Georgia through this evening due to well above normal temperatures and heat index values in the triple digits.

- Numerous thunderstorms will develop across the area this afternoon and evening. Several storms may become severe with damaging wind gusts, frequent lightning, and heavy rainfall.

- Cooler temperatures and scattered rain showers move in on Monday, with low rain chances and gradually warming temperatures to follow through late week.

&&

.SHORT TERM...

(This afternoon through Monday)

Issued at 239 PM EDT Sun Sep 6 2026

Warm Temps and Severe Thunderstorm Still A Concern Today:

Current satellite loop shows some scattered clouds beginning to develop across the area with a couple isolated thunderstorms. As these storms are forming they appear to grow very fast and fall just as quickly. A mid-level shortwave and associated surface front is pushing south over the southern Appalachians and into NE GA. The strong forcing from these features combined with the humid and unstable airmass in place will support numerous showers and storms this afternoon and evening. Given that MUCAPE values are expected to be around 1500-2500 J/kg with steep low-level lapse rates and increasing effective shear of 20-25kts, several storms will likely be severe. Any severe storms would be capable of producing damaging wind gusts, quarter-size hail, frequent lightning, and locally heavy rainfall. SPC has noted this severe weather threat with a Slight Risk (Level 2 of 5) covering most of our area. Another threat we will have to watch out for is localized flash flooding in urban and poor-drainage areas due to the potential for repeated rounds of storms with efficient rainfall rates. This boundary is expected to move south through the area through tonight with a cooler and slightly drier airmass move in behind it.

Cooler Temperatures and Rain Showers on Monday:

Following the frontal boundary this evening, a cooler airmass will spread across the area overnight into Monday within east-northeast flow. This wedge-like pattern of breezy easterly winds and cloudy skies will make things feel much cooler than recent days, and high temperatures will struggle to get out of the low to mid 80s across most of the area. While the airmass will be cooler, the drier air will not move in until Monday night. So, we will likely still have enough forcing, moisture, and instability to support isolated to scattered rain showers or weak thunderstorms across the area.

&&

.LONG TERM...

(Tuesday morning through next Saturday)

Issued at 239 PM EDT Sun Sep 6 2026

Tuesday through midweek, the core of mid-level ridging will move overhead (flattening as it does), accompanied by high pressure at the surface -- oriented such that we're likely to have an extended period of "cold" air damming. Heat will begin to build once again, with highs returning to several degrees above average by mid-to-late week. Breezy easterly winds should support ample mixing during the afternoon, which will initially serve to keep heat index values within a few degrees of air temperatures. Convective development will be hampered by subsidence across the northern half of the forecast area, with scattered to numerous showers and thunderstorms possible across south central Georgia through Wednesday.

The presiding mid-level ridge will retrograde westward across the Four Corners region on Thursday, allowing for more substantial moisture intrusion across the Southeast (driven by southwesterly surface winds), and a return to more uniform afternoon thunderstorm chances areawide. A cold front riding along the leading edge of shortwave troughing will sweep across the area over the course of th

1.1 · KLZU departure-airport NOTAM state

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

8 Act on

1 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

ed 2026-09-06T21:22:02.804154Z.

oritative)

FRI SEP 4

SAT SEP 5

SUN SEP 6

MON SEP 7

6/5419

A0178/26

6/6851

18 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 21:22 Z

NOTAMs as of 21:22 Z — advisory only; verify an official briefing.

04/013

NOTAM text not available in this projection.

A0166/26

NOTAM text not available in this projection.

6/5419

NOTAM text not available in this projection.

A0178/26

NOTAM text not available in this projection.

6/6851

NOTAM text not available in this projection.
6/6854 NOTAM text not available in this projection.
6/6855 NOTAM text not available in this projection.
A0318/26 NOTAM text not available in this projection.
A0319/26 NOTAM text not available in this projection.
A0320/26 NOTAM text not available in this projection.
09/006 NOTAM text not available in this projection.
A0335/26 NOTAM text not available in this projection.
06/009 NOTAM text not available in this projection.
07/011 NOTAM text not available in this projection.
07/030 NOTAM text not available in this projection.
07/034 NOTAM text not available in this projection.
08/001 NOTAM text not available in this projection.
08/007 NOTAM text not available in this projection.
08/024 NOTAM text not available in this projection.
09/008 NOTAM text not available in this projection.
09/009

NOTAM text not available in this projection.

09/010

NOTAM text not available in this projection.

09/011

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production
source per owner decision 2026-08-09;
technical transport environment remains
preprod. Limited 2026-07-30 spot check
covered KLZU, KAVL, and KSGJ (3 of 30
airports). NOTAMs were read from this source
and used on this card this run. Typed state:
OK. The dot colour reports whether this
source was read this run; technical
environment: preprod.

026-09-06T21:22:02.804154Z.

:00Z

:00Z

:00Z

Effective 2026-04-23T14:33:00Z → 2028-04-23T14:33:00Z

Effective 2026-08-20T17:11:00Z → 2026-10-21T17:11:00Z

18 additional normalized FAA NOTAM records omitted from this view.

2 · All 29 destinations — existing editorial RANK order

#1

KAVL Asheville Muni, NC, US · Mountain · cool mountain escape

OBS - VFR

EFE
0h49

DIST
112 nm

SUN 6 SEP 15:33 ET OBSERVED VALUE

Current observation

META
R

scattered 3,700 ft, scattered 4,500 ft, broken 5,500 ft

WINDvariable 4 kt

OBS - VFR

OBSERV

⚡
TEMPERATURE**27 °C**

☁
VISIBILITY**8 sm**

💧
DEWPOINT**18 °C**

Evidence & limitations

- METAR source state: ok; observed Sep 6 15:33 ET; retrieved Sep 6 17:21 ET; 108 min before this run.
- Measured values read from the KAVL METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.97 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.

DESTINATION OUTLOOK

SUN, SEP 6

SUN 6 SEP 12:00–18:00 ET HIGH CONFIDENCE

Forecast

TA
F

TAF ·
IFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · IFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 6 SEP 18:00–00:00 ET HIGH CONFIDENCE

Forecast

TA
F

TAF ·
IFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · IFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 6

12:00–18:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON 7 SEP 00:00–06:00 ET HIGH CONFIDENCE

Forecast

TA
F

TAF · LIFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · LIFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 7 SEP 12:00–18:00 ET HIGH CONFIDENCE

Forecast

TA
F

TAF · IFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · IFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Surface prog evidence · Mon Sep 7

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

MON 7 SEP 06:00–12:00 ET HIGH CONFIDENCE

Forecast

TA
F

TAF · LIFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · LIFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 7 SEP 18:00–00:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND5–7 kt

TEMPERATURE72–73 °F

DEWPOINT63–65 °F

PRECIPITATION37%

Evidence & limitations

• GFS MAV MOS · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

6000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

34°C dep KLZU → 27°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

17/35 (170/350°M · 163/343°T) — designators and °M headings are magnetic; °T are true; variation 7°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMS

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

	2 · What	3 · Where	
	ed 2026-09-06T21:22:02.804578Z.		
	FRI SEP 4	SAT SEP 5	SUN SEP 6
08/089			
A1021/26			
A1026/26			
45 additional normalized NOTAM records omitted from this view.			

Raw NOTAM data · NOTAMs as of 21:22 Z

NOTAMs as of 21:22 Z — advisory only; verify an official briefing.

08/087	NOTAM text not available in this projection.
08/088	NOTAM text not available in this projection.
08/089	NOTAM text not available in this projection.
A1021/26	NOTAM text not available in this projection.
A1026/26	NOTAM text not available in this projection.
A1031/26	NOTAM text not available in this projection.
A1033/26	NOTAM text not available in this projection.
09/020	NOTAM text not available in this projection.
A1028/26	

NOTAM text not available in this projection.

09/013

NOTAM text not available in this projection.

A1017/26

NOTAM text not available in this projection.

09/015

NOTAM text not available in this projection.

A1020/26

NOTAM text not available in this projection.

01/023

NOTAM text not available in this projection.

A0040/26

NOTAM text not available in this projection.

A1023/26

NOTAM text not available in this projection.

A1027/26

NOTAM text not available in this projection.

09/019

NOTAM text not available in this projection.

A1025/26

NOTAM text not available in this projection.

09/021

NOTAM text not available in this projection.

A1029/26

NOTAM text not available in this projection.

09/014

NOTAM text not available in this projection.

A1018/26

NOTAM text not available in this projection.

09/016

NOTAM text not available in this projection.

A1019/26

NOTAM text not available in this projection.

4/1431

NOTAM text not available in this projection.

A0991/24

NOTAM text not available in this projection.

5/9960

NOTAM text not available in this projection.

A0285/25

NOTAM text not available in this projection.

06/067

NOTAM text not available in this projection.

A0730/26

NOTAM text not available in this projection.

08/078

NOTAM text not available in this projection.

08/079

NOTAM text not available in this projection.

08/080

NOTAM text not available in this projection.

08/081

NOTAM text not available in this projection.

A0978/26

NOTAM text not available in this projection.

A0979/26

NOTAM text not available in this projection.

08/082

NOTAM text not available in this projection.

A0980/26

NOTAM text not available in this projection.

12/023

NOTAM text not available in this projection.

A1148/25

NOTAM text not available in this projection.

06/036

NOTAM text not available in this projection.

06/045

NOTAM text not available in this projection.

07/051

NOTAM text not available in this projection.

08/013

NOTAM text not available in this projection.

08/058

NOTAM text not available in this projection.

08/069

NOTAM text not available in this projection.

08/090

NOTAM text not available in this projection.

08/072

NOTAM text not available in this projection.

A0967/26

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2026-09-06T21:22:02.804578Z.

MARKINGS NOT STD

:00Z

TL MARKINGS AT TWY A6 OBSC

:00Z

TL MARKINGS AT TWY A2 OBSC

:00Z

NO A1015/26 C) KZTLQMRX30000000003526ND0232W005 A) KAVL B) 2609040234 E) RWY 17/35 CLSD CANCELED

:00Z

RUNWAY

A1026/26 — A1026/26 NOTAMC A1023/26 C) KZTLQMRX30000000003526ND0232W005 A) KAVL B) 2609040234 E) RWY 17/35 CLSD CANCELED

Effective 2026-09-04T22:34:00Z → 2026-09-07T22:34:00Z

RUNWAY

0905/26 — RWY 17/35 CLSD

Effective 2026-09-09T03:30:00Z → 2026-09-09T09:30:00Z

RUNWAY A3028/26 — RWY 1705 CLSD
Effective 2026-09-09T03:30:00Z → 2026-09-09T09:30:00Z

RUNWAY 09/013 — RWY 17/05 CLSD
Effective 2026-09-10T04:00:00Z → 2026-09-10T09:30:00Z

RUNWAY A3017/26 — RWY 17/35 CLSD
Effective 2026-09-10T04:00:00Z → 2026-09-10T09:30:00Z

RUNWAY 09/015 — RWY 17/35 CLSD
Effective 2026-09-11T04:00:00Z → 2026-09-11T09:30:00Z

RUNWAY A1020/26 — RWY 1705 CLSD
Effective 2026-09-11T04:00:00Z → 2026-09-11T09:30:00Z

39 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics,
the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KAVL this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

00 ET ET · IFR

00 ET ET · IFR

00 ET ET · LIFR

00 ET ET · LIFR

00 ET ET · IFR

· 18:00–00:00 ET ET · VFR

- + MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-06=GFS, 2026-09-07=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-06 18:00	85	Sct	340/7kt	—	>10kft	>6SM
GFS	2026-09-06 21:00	82	Bkn	350/8kt	—	>10kft	>6SM
GFS	2026-09-07 00:00	77	Bkn	350/2kt	28.0	>10kft	>6SM

GFS	2026-09-07 03:00	70	Bkn	140/1kt	—	>10kft	3-5SM
GFS	2026-09-07 06:00	67	Bkn	10/2kt	34.0	5-10kft	1-2SM
GFS	2026-09-07 09:00	67	Ovc	350/3kt	—	500-1kft	<¼SM
GFS	2026-09-07 12:00	67	Ovc	10/3kt	26.0	200-500ft	½-1SM
GFS	2026-09-07 15:00	69	Ovc	150/4kt	—	1-3kft	>6SM
GFS	2026-09-07 18:00	72	Ovc	170/5kt	37.0	3-5kft	>6SM
GFS	2026-09-07 21:00	73	Ovc	150/7kt	—	5-10kft	>6SM
GFS	2026-09-08 00:00	67	Bkn	160/4kt	18.0	>10kft	>6SM
GFS	2026-09-08 03:00	64	Few	150/1kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

SPECI KAVL 061933Z VRB04KT 8SM R35/5000VP6000FT TSRA SCT037 SCT045 BKN055 27/18 A2997 RMK A02 LTG DSNT ALQDS RAB29 TSB27 P0000 T02670183 \$

TAF KAVL 061742Z 0618/0718 VRB05KT P6SM SCT035 BKN090 TEMPO 0618/0622 VRB12G25KT 2SM TSRA BKN030CB FM062200 VRB03KT P6SM VCSH SCT027 BKN090 PROB30 0700/0706 2SM SHRA BKN019 FM070600 14004KT 6SM -DZ VCSH BKN007 FM070900 15003KT 2SM -DZ BR BKN003 OVC007 FM071400 11006KT P6SM BKN007 OVC012 FM071700 11007KT P6SM BKN014

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KAVL; actual-station=KAVL; fetched-at=2026-09-06T21:21:59.343702+00:00; observed-or-issued-at=2026-09-06T19:33:00+00:00 — [AWC API](#)
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KAVL; actual-station=KAVL; fetched-at=2026-09-06T21:21:59.427383+00:00; observed-or-issued-at=2026-09-06T17:42:00+00:00; valid-from=2026-09-06T18:00:00+00:00; valid-through=2026-09-07T18:00:00+00:00; partial-target-dates=2026-09-06,2026-09-07 — [AWC API](#)
- TAF proxy · KAVL
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KAVL; actual-station=KAVL; fetched-at=2026-09-06T21:21:59.729855+00:00
- FAA NMS NOTAM — state=OK; requested-station=KAVL; actual-station=KAVL; fetched-at=2026-09-06T21:22:02.804578Z — [FAA NMS overview](#)
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KAVL; actual-station=KAVL; fetched-at=2026-09-06T21:22:43.741303+00:00; observed-or-issued-at=2026-09-06T12:00:00+00:00; valid-from=2026-09-06T18:00:00+00:00; valid-through=2026-09-09T12:00:00+00:00; target-dates=2026-09-07; partial-target-dates=2026-09-06; dates-with-points=2026-09-06,2026-09-07 — [Iowa State API](#)
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KAVL; actual-station=KAVL; fetched-at=2026-09-06T21:22:44.582574+00:00; observed-or-issued-at=2026-09-06T12:00:00+00:00; valid-from=2026-09-07T12:00:00+00:00; valid-through=2026-09-14T12:00:00+00:00; target-dates=2026-09-07; dates-with-points=2026-09-07 — [Iowa State API](#)
- MOS effective date selection — state=partial; rows=12; requested-station=KAVL; actual-station=KAVL; fetched-at=2026-09-06T21:22:43.741303+00:00; observed-or-issued-at=2026-09-06T12:00:00+00:00; valid-from=2026-09-06T18:00:00+00:00; valid-through=2026-09-09T12:00:00+00:00; target-dates=2026-09-07; partial-target-dates=2026-09-06; dates-with-points=2026-09-06,2026-09-07; selected-by-date=2026-09-06=GFS, 2026-09-07=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — [FAA Chart Supplement \(current cycle\)](#) — see AirNav link above

Current observation

● OBS - MVFR

OBSE

TEMPERATURE 27 °C

VISIBILITY 4 sm

DEWPOINT **25 °C**

- METAR source state: ok, observed Sep 6 15:45 ET; retrieved Sep 6 17:21 ET; 96 min before this run.
- Measured values read from the KSAV METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.82 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- The runway schematic is alignment-only; verify current runway use and NOTAMS.

DESTINATION OUTLOOK

SUN 6 SEP 12:00–18:00 ET HIGH CONFIDENCE

Forecast



FORECAST



Flight-category
guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 6 SEP 18:00–00:00 ET HIGH CONFIDENCE

Forecast



FORECAST



Flight-category
guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 6

12:00–18:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON 7 SEP 00:00–06:00 ET HIGH CONFIDENCE

Forecast

TA

F

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · MVFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 7 SEP 12:00–18:00 ET HIGH CONFIDENCE

Forecast

TA

F

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · MVFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Surface prog evidence · Mon Sep 7

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

MON 7 SEP 06:00–12:00 ET HIGH CONFIDENCE

Forecast

TA

F

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · MVFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 7 SEP 18:00–00:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND9–12 kt

TEMPERATURE84–86 °F

DEWPOINT73 °F

PRECIPITATION37%

Evidence & limitations

• GFS MAV MOS · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot
Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

6000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

34°C dep KLZU → 27°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference
Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

10/28 (100/280°M · 093/273°T) · 01/19 (010/190°M · 003/183°T) — designators and °M headings are magnetic; °T are true; variation 7°W (NOAA WMM2025)

INFO

Facility and verification
Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMS

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

15 Act on

5 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

ed 2026-09-06T21:22:02.804972Z.

poritative)

FRI SEP 4

SAT SEP 5

SUN SEP 6

MON SEP 7

A0925/26

A0923/26

A0930/26

63 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 21:22 Z

NOTAMs as of 21:22 Z — advisory only; verify an official briefing.

08/102

NOTAM text not available in this projection.

09/007

NOTAM text not available in this projection.

A0925/26

NOTAM text not available in this projection.

A0923/26

NOTAM text not available in this projection.

A0930/26

NOTAM text not available in this projection.

09/025

NOTAM text not available in this projection.

A0416/24

NOTAM text not available in this projection.

10/066

NOTAM text not available in this projection.

A0512/24

NOTAM text not available in this projection.

M0014/26

NOTAM text not available in this projection.

06/059

NOTAM text not available in this projection.

A0639/26

NOTAM text not available in this projection.

06/076

NOTAM text not available in this projection.

A0665/26

NOTAM text not available in this projection.

M0018/26

NOTAM text not available in this projection.

08/103

NOTAM text not available in this projection.

08/093

NOTAM text not available in this projection.

A0897/26

NOTAM text not available in this projection.

5/5965

NOTAM text not available in this projection.

A0799/25

NOTAM text not available in this projection.

5/5767

NOTAM text not available in this projection.

5/5768

NOTAM text not available in this projection.

A0796/25

NOTAM text not available in this projection.

A0797/25

NOTAM text not available in this projection.

05/093

NOTAM text not available in this projection.

A0523/26

NOTAM text not available in this projection.

M0015/26

NOTAM text not available in this projection.

6/8574

NOTAM text not available in this projection.

A0899/26

NOTAM text not available in this projection.

A0926/26

NOTAM text not available in this projection.

04/008

NOTAM text not available in this projection.

A0273/25

NOTAM text not available in this projection.

04/009

NOTAM text not available in this projection.

A0275/25

NOTAM text not available in this projection.

04/010

NOTAM text not available in this projection.

A0276/25

NOTAM text not available in this projection.

04/007

NOTAM text not available in this projection.

A0272/25

NOTAM text not available in this projection.

12/023

NOTAM text not available in this projection.

A0801/25

NOTAM text not available in this projection.

06/027

NOTAM text not available in this projection.

06/039

NOTAM text not available in this projection.

06/053

NOTAM text not available in this projection.

06/072

NOTAM text not available in this projection.

07/025

NOTAM text not available in this projection.

07/027

NOTAM text not available in this projection.

07/081

NOTAM text not available in this projection.

08/003

NOTAM text not available in this projection.

08/017

NOTAM text not available in this projection.

08/025

NOTAM text not available in this projection.

08/041

NOTAM text not available in this projection.

08/058

NOTAM text not available in this projection.

08/080

NOTAM text not available in this projection.

08/083

NOTAM text not available in this projection.

08/094

NOTAM text not available in this projection.

08/095

NOTAM text not available in this projection.

08/107

NOTAM text not available in this projection.

09/002

NOTAM text not available in this projection.

09/004

NOTAM text not available in this projection.

09/005

NOTAM text not available in this projection.

09/014

NOTAM text not available in this projection.

A0931/26

NOTAM text not available in this projection.

09/015

NOTAM text not available in this projection.

09/016

NOTAM text not available in this projection.

08/063

NOTAM text not available in this projection.

A0869/26

NOTAM text not available in this projection.

09/008

NOTAM text not available in this projection.

A0924/26

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this

2026-09-06T21:22:02.804972Z.
NOTAMs OK
:00Z
:00Z
:00Z

source was read this run; technical
environment: preprod.

RUNWAY

Effective 2026-09-04T17:04:00Z → 2026-09-07T17:04:00Z

63 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics,
the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KSAV this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

00 ET ET · VFR

00 ET ET · VFR

00 ET ET · MVFR

00 ET ET · MVFR

00 ET ET · MVFR

· 18:00–00:00 ET ET · VFR

- + MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-06=GFS, 2026-09-07=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-06 18:00	92	Bkn	10/5kt	—	>10kft	>6SM
GFS	2026-09-06 21:00	88	Ovc	140/7kt	—	>10kft	>6SM
GFS	2026-09-07 00:00	80	Ovc	200/6kt	60.0	>10kft	>6SM
GFS	2026-09-07 03:00	76	Ovc	310/6kt	—	>10kft	>6SM
GFS	2026-09-07 06:00	74	Ovc	10/5kt	44.0	>10kft	>6SM
GFS	2026-09-07 09:00	73	Ovc	30/3kt	—	>10kft	>6SM

GFS	2026-09-07 12:00	73	Ovc	340/4kt	32.0	3-5kft	3-5SM
GFS	2026-09-07 15:00	83	Bkn	30/7kt	—	3-5kft	>6SM
GFS	2026-09-07 18:00	86	Ovc	70/9kt	37.0	3-5kft	>6SM
GFS	2026-09-07 21:00	84	Ovc	80/12kt	—	3-5kft	>6SM
GFS	2026-09-08 00:00	79	Ovc	70/8kt	46.0	3-5kft	>6SM
GFS	2026-09-08 03:00	76	Ovc	50/6kt	—	3-5kft	>6SM

+ Raw products

+ Raw METAR / TAF

SPECI KSAV 061945Z 23015KT 4SM R10/6000VP6000FT TSRA BR SCT027CB SCT050 BKN070 BKN250 27/25 A2982 RMK A02 WSHFT 1927 RAB03 TSB03 VIS SW 1 OCNL LTGICCG SW-NW TS SW-NW MOV NW CB DSNT SE P0005 T02670250

TAF KSAV 062055Z 0621/0718 33009KT P6SM -RA VCTS SCT016 BKN040CB OVC110 FM062200 15009KT P6SM VCSH SCT040 BKN150 FM070400 04005KT P6SM VCTS SCT030CB BKN060 PROB30 0704/0706 35015G30KT 3SM TSRA BKN030CB FM070700 04005KT P6SM BKN015 BKN040

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KSAV; actual-station=KSAV; fetched-at=2026-09-06T21:21:59.343702+00:00; observed-or-issued-at=2026-09-06T19:45:00+00:00 — [AWC API](#)
 - TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KSAV; actual-station=KSAV; fetched-at=2026-09-06T21:21:59.427383+00:00; observed-or-issued-at=2026-09-06T20:55:00+00:00; valid-from=2026-09-06T21:00:00+00:00; valid-through=2026-09-07T18:00:00+00:00; partial-target-dates=2026-09-06,2026-09-07 — [AWC API](#)
- TAF proxy · KSAV
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KSAV; actual-station=KSAV; fetched-at=2026-09-06T21:21:59.748823+00:00
 - FAA NMS NOTAM — state=OK; requested-station=KSAV; actual-station=KSAV; fetched-at=2026-09-06T21:22:02.804972Z — [FAA NMS overview](#)
 - MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KSAV; actual-station=KSAV; fetched-at=2026-09-06T21:22:43.745963+00:00; observed-or-issued-at=2026-09-06T12:00:00+00:00; valid-from=2026-09-06T18:00:00+00:00; valid-through=2026-09-09T12:00:00+00:00; target-dates=2026-09-07; partial-target-dates=2026-09-06; dates-with-points=2026-09-06,2026-09-07 — [Iowa State API](#)
 - MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KSAV; actual-station=KSAV; fetched-at=2026-09-06T21:22:44.504808+00:00; observed-or-issued-at=2026-09-06T12:00:00+00:00; valid-from=2026-09-07T12:00:00+00:00; valid-through=2026-09-14T12:00:00+00:00; target-dates=2026-09-07; dates-with-points=2026-09-07 — [Iowa State API](#)
 - MOS effective date selection — state=partial; rows=12; requested-station=KSAV; actual-station=KSAV; fetched-at=2026-09-06T21:22:43.745963+00:00; observed-or-issued-at=2026-09-06T12:00:00+00:00; valid-from=2026-09-06T18:00:00+00:00; valid-through=2026-09-09T12:00:00+00:00; target-dates=2026-09-07; partial-target-dates=2026-09-06; dates-with-points=2026-09-06,2026-09-07; selected-by-date=2026-09-06=GFS, 2026-09-07=GFS
 - Extended outlook and hazard-feed states are reported in the source stamp.
 - Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#3

KSSI Brunswick/McKinnon St Simons Arpt, GA, US

· Atlantic South · St Simons beach

⌵

OBS - VFR

ETE

1h29

DIST


214 nm

SUN 6 SEP 15:35 ET OBSERVED VALUE

Current observation

OBS - VFR

OBSERVATION



WINDSE (120°) 10 kt

TEMPERATURE33 °C

VISIBILITY10 sm

DEWPOINT26 °C



KSSI runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 04/22, 16/34. Wind from 120 degrees true, 127 degrees magnetic, at 10 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 16. Wind source: KSSI METAR 061935Z.

Evidence & limitations

- METAR source state: ok; observed Sep 6 15:35 ET; retrieved Sep 6 17:21 ET; 106 min before this run.
- Measured values read from the KSSI METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.81 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- The runway schematic is alignment-only; verify current runway use and NOTAMs.

DESTINATION OUTLOOK

SUN 6 SEP 12:00–18:00 ET HIGH CONFIDENCE

Forecast

TA

F

TAF · IFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · IFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Surface prog evidence · Sun Sep 6

12:00–18:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

SUN 6 SEP 18:00–00:00 ET HIGH CONFIDENCE

Forecast

TA

F

TAF · IFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 18:00–00:00 ET ET · IFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

MON 7 SEP 00:00–06:00 ET HIGH CONFIDENCE

Forecast

TA
F

TAF · IFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

TAF · 00:00–06:00 ET ET · IFR

Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 7 SEP 12:00–18:00 ET HIGH CONFIDENCE

Forecast

TA
F

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

TAF · 12:00–18:00 ET ET · MVFR

Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 7 SEP 06:00–12:00 ET HIGH CONFIDENCE

Forecast

TA
F

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

TAF · 06:00–12:00 ET ET · MVFR

Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 7 SEP 18:00–00:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND9–10 kt

TEMPERATURE87 °F

DEWPOINT73–74 °F

PRECIPITATION35%

Evidence & limitations

GFS MAV MOS · 18:00–00:00 ET ET · VFR

Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 7

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

6000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — source state: not_queried

CURRENT METAR TEMP DEP / DEST

34°C dep KLZU → 33°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

04/22 (040/220°M · 033/213°T) · 16/34 (160/340°M · 153/333°T) — designators and °M headings are magnetic; °T are true; variation 7°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

2026-09-06T21:22:02.805631Z.

FRI SEP 4

SAT SEP 5

SUN SEP 6

MON SEP 7

Raw NOTAM data · NOTAMs as of 21:22 Z

NOTAMs as of 21:22 Z — advisory only; verify an official briefing.

A0047/26

NOTAM text not available in this projection.

07/001

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2026-09-06T21:22:02.805631Z.

NOTAM

00Z

00Z

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.


GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-

range MOS product, issued twice a day in twelve-hourly steps out to about 192 hours. Coarse, but the only station-calibrated numeric guidance that reaches the far end of a long weekend. This card shows it only as a labelled rough outlook and never as a resolved forecast. A station-calibrated MEX MOS product was read for this airport this run (state: partial).

valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KSSI this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.



ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

00 ET ET · IFR
00 ET ET · IFR
00 ET ET · IFR
00 ET ET · MVFR
00 ET ET · MVFR
· 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-06=GFS, 2026-09-07=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-06 18:00	91	Bkn	110/7kt	—	>10kft	>6SM
GFS	2026-09-06 21:00	88	Ovc	130/7kt	—	>10kft	>6SM
GFS	2026-09-07 00:00	83	Ovc	230/5kt	60.0	>10kft	>6SM
GFS	2026-09-07 03:00	80	Ovc	320/5kt	—	>10kft	>6SM
GFS	2026-09-07 06:00	77	Ovc	10/3kt	57.0	>10kft	>6SM
GFS	2026-09-07 09:00	76	Ovc	10/3kt	—	3-5kft	>6SM
GFS	2026-09-07 12:00	76	Ovc	340/3kt	36.0	>10kft	>6SM
GFS	2026-09-07 15:00	84	Bkn	350/5kt	—	5-10kft	>6SM
GFS	2026-09-07 18:00	87	Bkn	70/9kt	35.0	>10kft	>6SM
GFS	2026-09-07 21:00	87	Bkn	60/10kt	—	5-10kft	>6SM
GFS	2026-09-08 00:00	83	Ovc	60/11kt	39.0	5-10kft	>6SM
GFS	2026-09-08 03:00	81	Ovc	60/11kt	—	3-5kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KSSI 061935Z AUTO 12010KT 10SM VCTS FEW045 33/26 A2981 RMK A02 LTG DSNT NE AND SW AND W

TAF KSSI 062106Z 0621/0718 16008KT P6SM VCTS BKN030CB OVC090 TEMPO 0622/0701 VRB15G30KT 1SM +TSRA OVC020CB FM070500 32005KT 6SM -RA SCT020 BKN040 FM070900 VRB03KT P6SM BKN015

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KSSI; actual-station=KSSI; fetched-at=2026-09-06T21:21:59.343702+00:00; observed-or-issued-at=2026-09-06T19:35:00+00:00 — [AWC API](#)
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KSSI; actual-station=KSSI; fetched-at=2026-09-06T21:21:59.427383+00:00; observed-or-issued-at=2026-09-06T21:06:00+00:00; valid-from=2026-09-06T21:00:00+00:00; valid-through=2026-09-07T18:00:00+00:00; partial-target-dates=2026-09-06,2026-09-07 — [AWC API](#)
- TAF proxy · KSSI
- FAA airport status — state=not_queried; fetch-state=not_attempted; payload-state=not_attempted; requested-station=KSSI
- FAA NMS NOTAM — state=OK; requested-station=KSSI; actual-station=KSSI; fetched-at=2026-09-06T21:22:02.805631Z — [FAA NMS overview](#)
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KSSI; actual-station=KSSI; fetched-at=2026-09-06T21:22:43.725789+00:00; observed-or-issued-at=2026-09-06T12:00:00+00:00; valid-from=2026-09-06T18:00:00+00:00; valid-through=2026-09-09T12:00:00+00:00; target-dates=2026-09-07; partial-target-dates=2026-09-06; dates-with-points=2026-09-06,2026-09-07 — [Iowa State API](#)
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KSSI; actual-station=KSSI; fetched-at=2026-09-06T21:22:44.548368+00:00; observed-or-issued-at=2026-09-06T12:00:00+00:00; valid-from=2026-09-07T12:00:00+00:00; valid-through=2026-09-14T12:00:00+00:00; target-dates=2026-09-07; dates-with-points=2026-09-07 — [Iowa State API](#)
- MOS effective date selection — state=partial; rows=12; requested-station=KSSI; actual-station=KSSI; fetched-at=2026-09-06T21:22:43.725789+00:00; observed-or-issued-at=2026-09-06T12:00:00+00:00; valid-from=2026-09-06T18:00:00+00:00; valid-through=2026-09-09T12:00:00+00:00; target-dates=2026-09-07; partial-target-dates=2026-09-06; dates-with-points=2026-09-06,2026-09-07; selected-by-date=2026-09-06=GFS, 2026-09-07=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#4

KJZI

Charleston Exec, SC, US

· Atlantic South · Charleston Exec

OBS - VFR

EFE

1h28

DIST

213 nm

SUN 6 SEP 15:35 ET OBSERVED VALUE

Current observation

OBS - VFR

METAR

OBSERVED

clear below 12,000 ft (CLR)

WINDE (110°) 8 kt

TEMPERATURE32 °C

VISIBILITY10 sm

DEWPOINT24 °C



KJZI runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 09/27, 04/22. Wind from 110 degrees true, 118 degrees magnetic, at 8 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 09. Wind source: KJZI METAR 061935Z.

Evidence & limitations

- METAR source state: ok; observed Sep 6 15:35 ET; retrieved Sep 6 17:21 ET; 106 min before this run.
- Measured values read from the KJZI METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.84 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- The runway schematic is alignment-only; verify current runway use and NOTAMs.

DESTINATION OUTLOOK

SUN, SEP 6

SUN 6 SEP 12:00–18:00 ET HIGH CONFIDENCE

Forecast



Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

TAF · VFR

FORECAST

SUN 6 SEP 18:00–00:00 ET HIGH CONFIDENCE

Forecast



Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

TAF · VFR

FORECAST

Surface prog evidence · Sun Sep 6

12:00–18:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON 7 SEP 00:00–06:00 ET HIGH CONFIDENCE

Forecast

TA

F

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · MVFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 7 SEP 12:00–18:00 ET HIGH CONFIDENCE

Forecast

TA

F

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · MVFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Surface prog evidence · Mon Sep 7

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

MON 7 SEP 06:00–12:00 ET HIGH CONFIDENCE

Forecast

TA

F

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · MVFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 7 SEP 18:00–00:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND12 kt

TEMPERATURE81–83 °F

DEWPOINT74–76 °F

PRECIPITATION58%

Evidence & limitations

• GFS MAV MOS · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot
Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
6000 ft

CURRENT WIND (FAA)
Unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed (proxy KCHS)

CURRENT METAR TEMP DEP / DEST
34°C dep KLZU → 32°C

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference
Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
09/27 (090/270°M · 082/262°T) · 04/22 (040/220°M · 032/212°T) — designators and °M headings are magnetic; °T are true; variation 8°W (NOAA WMM2025)

INFO

Facility and verification
Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

+ NOTAMS

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 Act on

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production
source per owner decision 2026-08-09;
technical transport environment remains
preprod. Limited 2026-07-30 spot check
covered KLZU, KAVL, and KSGJ (3 of 30
airports). NOTAMs were read from this source
and used on this card this run. Typed state:
OK. The dot colour reports whether this
source was read this run; technical
environment: preprod.

2 · What

3 · Where

d 2026-09-06T21:22:03.018870Z.

oritative)

FRI SEP 4

SAT SEP 5

SUN SEP 6

MON SEP 7

07/354

08/049

08/247

3 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 21:22 Z

5/3307

NOTAM text not available in this projection.

07/235

NOTAM text not available in this projection.

07/354

NOTAM text not available in this projection.

08/049

NOTAM text not available in this projection.

08/247

NOTAM text not available in this projection.

08/354

NOTAM text not available in this projection.

08/501

NOTAM text not available in this projection.

08/546

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

26-09-06T21:22:03.018870Z.

FROM EXEC, CHARLESTON, SC. RNAV (GPS) RWY 27, AMDT 2C... LNAV MDA 420HAT 405. CHANGE NOTE TO READ: WHEN LOCAL ALTIMETER SETTING NOT
TTTTS AND INCREASE LPM DA TO 287 FEET AND VISIBILITY ALL CATS 1/8 SM. INCREASE LNAV/VNAV DA TO 335 FEET AND VISIBILITY ALL CATS 1/8 SM.
VISIBILITY CAT C/D 1/4 SM. 2507231623-2707231633EST

:00Z

LIST (ASR 1245470) 223828-40N079553-W0W (4.3NM ESE J2) 258.0FT (245.1FT AGL) U/S

:00Z

LIST (ASR 1060020) 224226-70N079620-W0W (3.4NM ENE J2) 274.0FT (265.1FT AGL) U/S

:00Z

OBSTRUCTION

OBST — FIRST TOWER LIST (ASR 1044002) 224215-50N0801722-W0W (4.1NM WNW J2) 275.0FT (251.0FT AGL) U/S

Effective 2026-08-04T11:22:00Z → 2026-10-03T04:00:00Z

OBSTRUCTION

OBST — FIRST TOWER LIST (ASR 1047347) 224227-50N0801722-W0W (4.5NM W J2) 423.0FT (416.0FT AGL) U/S

Effective 2026-08-15T15:48:00Z → 2026-11-13T16:48:00Z

3 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KJZI this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

00 ET ET · VFR

00 ET ET · VFR

00 ET ET · MVFR

00 ET ET · MVFR

00 ET ET · MVFR

· 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-06=GFS, 2026-09-07=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-06 18:00	90	Few	70/7kt	—	>10kft	>6SM
GFS	2026-09-06 21:00	88	Bkn	90/7kt	—	>10kft	>6SM
GFS	2026-09-07 00:00	82	Ovc	110/4kt	37.0	>10kft	>6SM
GFS	2026-09-07 03:00	79	Ovc	330/3kt	—	5-10kft	>6SM
GFS	2026-09-07 06:00	77	Ovc	10/4kt	59.0	>10kft	>6SM
GFS	2026-09-07 09:00	76	Ovc	30/3kt	—	>10kft	>6SM
GFS	2026-09-07 12:00	76	Ovc	30/5kt	52.0	3-5kft	3-5SM
GFS	2026-09-07 15:00	81	Ovc	60/11kt	—	1-3kft	3-5SM
GFS	2026-09-07 18:00	83	Ovc	70/12kt	58.0	1-3kft	3-5SM
GFS	2026-09-07 21:00	81	Ovc	60/12kt	—	1-3kft	3-5SM
GFS	2026-09-08 00:00	77	Ovc	60/8kt	49.0	3-5kft	>6SM
GFS	2026-09-08 03:00	77	Ovc	40/6kt	—	5-10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KJZI 061935Z AUTO 11008KT 10SM CLR 32/24 A2984 RMK A02

TAF KJZI 061720Z 0618/0718 00000KT P6SM SKC FM062200 13010KT P6SM SCT040 BKN150 FM070400 04005KT P6SM VCTS SCT030CB BKN060 PROB30 0704/0706 35015G30KT 3SM TSRA BKN030CB FM070700 04005KT P6SM BKN015 BKN040

+ Data sources used

• METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KJZI; actual-station=KJZI; fetched-at=2026-09-06T21:21:59.343702+00:00; observed-or-issued-at=2026-09-06T19:35:00+00:00 — AWC API

• TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KJZI; actual-station=KJZI; fetched-at=2026-09-06T21:21:59.427383+00:00; observed-or-issued-at=2026-09-06T17:20:00+00:00; valid-from=2026-09-06T18:00:00+00:00; valid-through=2026-09-07T18:00:00+00:00; partial-target-dates=2026-09-06,2026-09-07 — AWC API

TAF proxy · KJZI

• FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KJZI; actual-station=KCHS; fetched-at=2026-09-06T21:21:59.683493+00:00

• FAA NMS NOTAM — state=OK; requested-station=KJZI; actual-station=KJZI; fetched-at=2026-09-06T21:22:03.018870Z — FAA NMS overview

• MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KJZI; actual-station=KJZI; fetched-at=2026-09-06T21:22:43.771307+00:00; observed-or-issued-at=2026-09-06T12:00:00+00:00; valid-from=2026-09-06T18:00:00+00:00; valid-through=2026-09-09T12:00:00+00:00; target-dates=2026-09-07; partial-target-dates=2026-09-06; dates-with-points=2026-09-06,2026-09-07 — Iowa State API

• MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KJZI; actual-station=KJZI; fetched-at=2026-09-06T21:22:44.545193+00:00; observed-or-issued-at=2026-09-06T12:00:00+00:00; valid-from=2026-09-07T12:00:00+00:00; valid-through=2026-09-14T12:00:00+00:00; target-dates=2026-09-07; dates-with-points=2026-09-07 — Iowa State API

• MOS effective date selection — state=partial; rows=12; requested-station=KJZI; actual-station=KJZI; fetched-at=2026-09-06T21:22:43.771307+00:00; observed-or-issued-at=2026-09-06T12:00:00+00:00; valid-from=2026-09-06T18:00:00+00:00; valid-through=2026-09-09T12:00:00+00:00; target-dates=2026-09-07; partial-target-dates=2026-09-06; dates-with-points=2026-09-06,2026-09-07; selected-by-date=2026-09-06=GFS, 2026-09-07=GFS

• Extended outlook and hazard-feed states are reported in the source stamp.

• Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

⏮

OBS - VFR

⏭

ETE

1h45

DIST

251 nm

SUN 6 SEP 15:53 ET OBSERVED VALUE

Current observation

⏮

OBS - VFR

⏭

OBSERVED

METAR

☁

clear below 12,000 ft (CLR)



WINDSE (120°) 10 kt




TEMPERATURE29 °C



VISIBILITY10 sm



DEWPOINT24 °C



KMYR runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 18/36. Wind from 120 degrees true, 129 degrees magnetic, at 10 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 18. Wind source: KMYR METAR 061953Z.

Evidence & limitations

- METAR source state: ok; observed Sep 6 15:53 ET; retrieved Sep 6 17:21 ET; 88 min before this run.
- Measured values read from the KMYR METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.87 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- The runway schematic is alignment-only; verify current runway use and NOTAMs.

DESTINATION OUTLOOK

SUN 6 SEP 12:00–18:00 ET HIGH CONFIDENCE

Forecast

TA

F

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · MVFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Surface prog evidence · Sun Sep 6

12:00–18:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

SUN 6 SEP 18:00–00:00 ET HIGH CONFIDENCE

Forecast

TA

F

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 18:00–00:00 ET ET · MVFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

MON 7 SEP 00:00–06:00 ET HIGH CONFIDENCE

Forecast

TA
F

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · MVFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 7 SEP 12:00–18:00 ET HIGH CONFIDENCE

Forecast

TA
F

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · MVFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 7 SEP 06:00–12:00 ET HIGH CONFIDENCE

Forecast

TA
F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 7 SEP 18:00–00:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV
MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND10–11 kt

TEMPERATURE82–83 °F

DEWPOINT70–71 °F

PRECIPITATION35%

Evidence & limitations

• GFS MAV MOS · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 7

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

34°C dep KLZU → 29°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

18/36 (180/000°M · 171/351°T) — designators and °M headings are magnetic; °T are true; variation 9°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMS

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

NOTAM rate limited

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production
source per owner decision 2026-08-09;
technical transport environment remains
preprod. Limited 2026-07-30 spot check
covered KLZU, KAVL, and KSGJ (3 of 30
airports). The query failed this run, so the
NOTAM list here is unknown rather than
empty. Typed state: RATE_LIMITED. The dot
colour reports whether this source was read
this run; technical environment: preprod.

2 · What

3 · Where

TAM timeline unavailable; verify an official briefing.

```
last attempt 21:22 Z (state: RATE_LIMITED)
```

result withheld. Verify an official briefing.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production
source per owner decision 2026-08-09;
technical transport environment remains
preprod. Limited 2026-07-30 spot check
covered KLZU, KAVL, and KSGJ (3 of 30
airports). The query failed this run, so the
NOTAM list here is unknown rather than

NOTAM status is unknown; verify an official briefing.

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics,
the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. The NOTAM query failed this run (state: RATE_LIMITED), so the NOTAM list is unknown rather than empty.

period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

00 ET ET · MVFR

00 ET ET · MVFR

00 ET ET · MVFR

00 ET ET · VFR

00 ET ET · MVFR

· 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-06=GFS, 2026-09-07=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-06 18:00	85	Sct	110/10kt	—	>10kft	>6SM
GFS	2026-09-06 21:00	84	Sct	120/10kt	—	>10kft	>6SM
GFS	2026-09-07 00:00	81	Bkn	100/9kt	49.0	>10kft	>6SM
GFS	2026-09-07 03:00	79	Ovc	90/9kt	—	5-10kft	>6SM
GFS	2026-09-07 06:00	77	Ovc	70/7kt	60.0	5-10kft	>6SM
GFS	2026-09-07 09:00	75	Ovc	60/8kt	—	5-10kft	>6SM
GFS	2026-09-07 12:00	74	Ovc	60/10kt	53.0	1-3kft	>6SM
GFS	2026-09-07 15:00	80	Ovc	80/12kt	—	1-3kft	3-5SM
GFS	2026-09-07 18:00	83	Ovc	80/11kt	35.0	5-10kft	>6SM
GFS	2026-09-07 21:00	82	Bkn	80/10kt	—	5-10kft	>6SM
GFS	2026-09-08 00:00	79	Few	70/8kt	19.0	>10kft	>6SM
GFS	2026-09-08 03:00	77	Sct	60/9kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KMYR 061953Z 12010KT 10SM CLR 29/24 A2987 RMK A02 SLP113 T02940239 \$

TAF KMYR 062023Z 0620/0718 08008KT P6SM BKN150 PROB30 0622/0624 VRB15G25KT 3SM TSRA BKN025CB OVC050 FM070600 05004KT P6SM BKN080 FM071600 07014KT P6SM BKN025 PROB30 0716/0718 4SM -TSRA OVC015CB

+ Data sources used

TAF proxy · KMYR

• METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KMYR; actual-station=KMYR; fetched-at=2026-09-06T21:21:59.343702+00:00; observed-or-issued-at=2026-09-06T19:53:00+00:00 — AWC API

• TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KMYR; actual-station=KMYR; fetched-at=2026-09-06T21:21:59.427383+00:00; observed-or-issued-at=2026-09-06T20:23:00+00:00; valid-from=2026-09-06T20:00:00+00:00; valid-through=2026-09-07T18:00:00+00:00; partial-target-dates=2026-09-06,2026-09-07 — AWC API

• FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KMYR; actual-station=KMYR; fetched-at=2026-09-06T21:21:59.742776+00:00

• FAA NMS NOTAM — state=RATE_LIMITED; requested-station=KMYR; fetched-at=2026-09-06T21:22:03.030262Z; reason-code=RATE_LIMITED_ERROR — FAA NMS overview

• MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KMYR; actual-station=KMYR; fetched-at=2026-09-06T21:22:43.726377+00:00; observed-or-issued-at=2026-09-06T12:00:00+00:00; valid-from=2026-09-06T18:00:00+00:00; valid-through=2026-09-09T12:00:00+00:00; target-dates=2026-09-07; partial-target-dates=2026-09-06; dates-with-points=2026-09-06,2026-09-07 — Iowa State API

• MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KMYR; actual-station=KMYR; fetched-at=2026-09-06T21:22:44.586334+00:00; observed-or-issued-at=2026-09-06T12:00:00+00:00; valid-from=2026-09-07T12:00:00+00:00; valid-through=2026-09-14T12:00:00+00:00; target-dates=2026-09-07; dates-with-points=2026-09-07 — Iowa State API

• MOS effective date selection — state=partial; rows=12; requested-station=KMYR; actual-station=KMYR; fetched-at=2026-09-06T21:22:43.726377+00:00; observed-or-issued-at=2026-09-06T12:00:00+00:00; valid-from=2026-09-06T18:00:00+00:00; valid-through=2026-09-09T12:00:00+00:00; target-dates=2026-09-07; partial-target-dates=2026-09-06; dates-with-points=2026-09-06,2026-09-07; selected-by-date=2026-09-06=GFS, 2026-09-07=GFS

- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#6

KCRE

North Myrtle Beach/Grand Strand Arpt, SC, US

· Atlantic North · N Myrtle Beach

⏏

OBS - VFR

ETE

1h49

DIST

261 nm

SUN 6 SEP

15:53 ET

OBSERVED VALUE

Current observation

⏏

OBS - VFR

META

R

☁

clear below 12,000 ft (CLR)

🌀

WINDE (110°) 10 kt

🌡


TEMPERATURE29 °C

👁

VISIBILITY10 sm

💧

DEWPOINT24 °C



KCRE runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 05/23. Wind from 110 degrees true, 119 degrees magnetic, at 10 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 05. Wind source: KCRE METAR 061953Z.

Evidence & limitations

- METAR source state: ok; observed Sep 6 15:53 ET; retrieved Sep 6 17:21 ET; 88 min before this run.
- Measured values read from the KCRE METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.85 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- The runway schematic is alignment-only; verify current runway use and NOTAMs.

DESTINATION OUTLOOK

SUN 6 SEP 12:00–18:00 ET HIGH CONFIDENCE

Forecast



TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 6 SEP 18:00–00:00 ET HIGH CONFIDENCE

Forecast



TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 6

12:00–18:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON 7 SEP 00:00–06:00 ET HIGH CONFIDENCE

Forecast

TA

F

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · MVFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 7 SEP 12:00–18:00 ET HIGH CONFIDENCE

Forecast

TA

F

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · MVFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Surface prog evidence · Mon Sep 7

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

MON 7 SEP 06:00–12:00 ET HIGH CONFIDENCE

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 7 SEP 18:00–00:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND10–11 kt

TEMPERATURE83 °F

DEWPOINT70 °F

PRECIPITATION29%

Evidence & limitations

• GFS MAV MOS · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — source state: not_queried

CURRENT METAR TEMP DEP / DEST

34°C dep KLZU → 29°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

05/23 (050/230°M · 041/221°T) — designators and °M headings are magnetic; °T are true; variation 9°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

...d 2026-09-06T21:22:04.239279Z.
...pritative)

FRI SEP 4

SAT SEP 5

SUN SEP 6

MON SEP 7

07/004

07/005

08/003

3 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 21:22 Z

NOTAMs as of 21:22 Z — advisory only; verify an official briefing.

5/9932

NOTAM text not available in this projection.

5/9933

NOTAM text not available in this projection.

07/004

NOTAM text not available in this projection.

07/005

NOTAM text not available in this projection.

08/003

NOTAM text not available in this projection.

09/002

NOTAM text not available in this projection.

09/003

NOTAM text not available in this projection.

08/002

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.	26-09-06T21:22:04.239279Z. STRAND, NORTH MYRTLE BEACH, SC. VOR RWY 23, AMDT 10B... DISREGARD WACRA FIX MINIMUMS. 5-23 MDA 620HAT 590 ALL CATS. VISIBILITY CAT C/D 1-14. TEMPORARY CRANE 252FT MSL 580FT SOUTHEAST OF RWY 23 (2025-ASD-19095-0E). 251216Z107-251221Z10TEST :00Z STRAND, NORTH MYRTLE BEACH, SC. ILS OR LOC RWY 23, AMDT 12B... RNAV (GPS) RWY 23, AMDT 1C... RNAV (GPS) RWY 5, ORIG-A... VOR RWY 5, AMDT 22B. TEMPORARY CRANE 252FT MSL 1.18 NM SOUTHEAST OF CRE AIRPORT (2025-ASD-19095-0E). 251216Z107-251221Z10TEST :00Z TST (ASR 120000) 334959 20ND0705150 DOW (7 DNM W CRE) 402.2FT (365.2FT AGL) UPS :00Z TST (ASR 120000) 334959 20ND0705150 DOW (7 DNM W CRE) 272.2FT (235.2FT AGL) UPS Effective 2026-07-09T22:41:00Z → 2026-10-10T23:59:00Z OBSTRUCTION 19095 — FIRST TOWER LST (ASR 104010T) 334920 00ND070517 DOW (2.4NM WNW CRE) 361.9FT (235.0FT AGL) UPS Effective 2026-08-12T02:56:00Z → 2026-09-26T02:56:00Z 3 additional normalized FAA NOTAM records omitted from this view.
--	--

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with	
TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.	
GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against	
GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in	
GFA and prog charts — the Graphical Forecast for Aviation and the Weather	
FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KCRE this run.	ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.
published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.	00 ET ET · MVFR 00 ET ET · MVFR 00 ET ET · MVFR 00 ET ET · VFR 00 ET ET · MVFR · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-06=GFS, 2026-09-07=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-06 18:00	84	Sct	100/8kt	—	>10kft	>6SM
GFS	2026-09-06 21:00	83	Bkn	110/10kt	—	>10kft	>6SM
GFS	2026-09-07 00:00	80	Ovc	90/7kt	52.0	>10kft	>6SM
GFS	2026-09-07 03:00	79	Ovc	80/8kt	—	5-10kft	>6SM
GFS	2026-09-07 06:00	77	Ovc	70/6kt	54.0	5-10kft	>6SM
GFS	2026-09-07 09:00	75	Ovc	60/9kt	—	5-10kft	>6SM
GFS	2026-09-07 12:00	74	Ovc	60/11kt	47.0	3-5kft	>6SM
GFS	2026-09-07 15:00	80	Ovc	70/13kt	—	3-5kft	>6SM
GFS	2026-09-07 18:00	83	Bkn	80/11kt	29.0	5-10kft	>6SM
GFS	2026-09-07 21:00	83	Bkn	80/10kt	—	>10kft	>6SM
GFS	2026-09-08 00:00	79	Sct	70/6kt	13.0	>10kft	>6SM
GFS	2026-09-08 03:00	76	Sct	50/7kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KCRE 061953Z 11010KT 10SM CLR 29/24 A2985 RMK A02 SLP109 T02890239

TAF KMYR 062023Z 0620/0718 08008KT P6SM BKN150 PROB30 0622/0624 VRB15G25KT 3SM TSRA BKN025CB OVC050 FM070600 05004KT P6SM BKN080 FM071600 07014KT P6SM BKN025 PROB30 0716/0718 4SM -TSRA OVC015CB

+ Data sources used

• METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KCRE; actual-station=KCRE; fetched-at=2026-09-06T21:21:59.343702+00:00; observed-or-issued-at=2026-09-06T19:53:00+00:00 — AWC API

• TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KCRE; actual-station=KMYR; fetched-at=2026-09-06T21:21:59.427383+00:00; observed-or-issued-at=2026-09-06T20:23:00+00:00; valid-from=2026-09-06T20:00:00+00:00; valid-through=2026-09-07T18:00:00+00:00; partial-target-dates=2026-09-06,2026-09-07 — AWC API

TAF proxy · KMYR

• FAA airport status — state=not_queried; fetch-state=not_attempted; payload-state=not_attempted; requested-station=KCRE

• FAA NMS NOTAM — state=OK; requested-station=KCRE; actual-station=KCRE; fetched-at=2026-09-06T21:22:04.239279Z — FAA NMS overview

• MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KCRE; actual-station=KCRE; fetched-at=2026-09-06T21:22:43.770065+00:00; observed-or-issued-at=2026-09-06T12:00:00+00:00; valid-from=2026-09-06T18:00:00+00:00; valid-through=2026-09-09T12:00:00+00:00; target-dates=2026-09-07; partial-target-dates=2026-09-06; dates-with-points=2026-09-06,2026-09-07 — Iowa State API

• MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KCRE; actual-station=KCRE; fetched-at=2026-09-06T21:22:44.549496+00:00; observed-or-issued-at=2026-09-06T12:00:00+00:00; valid-from=2026-09-07T12:00:00+00:00; valid-through=2026-09-14T12:00:00+00:00; target-dates=2026-09-07; dates-with-points=2026-09-07 — Iowa State API

• MOS effective date selection — state=partial; rows=12; requested-station=KCRE; actual-station=KCRE; fetched-at=2026-09-06T21:22:43.770065+00:00; observed-or-issued-at=2026-09-06T12:00:00+00:00; valid-from=2026-09-06T18:00:00+00:00; valid-through=2026-09-09T12:00:00+00:00; target-dates=2026-09-07; partial-target-dates=2026-09-06; dates-with-points=2026-09-06,2026-09-07; selected-by-date=2026-09-06=GFS, 2026-09-07=GFS

- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#7

KHxD

Hilton Head Arpt, SC, US

· Atlantic South · Hilton Head

⏏

OBS - VFR

ETE

1h21

DIST

195 nm

SUN 6 SEP 15:53 ET OBSERVED VALUE

Current observation

⏏

OBS - VFR




scattered 8,000 ft

WINDSE (140°) 6 kt

TEMPERATURE31 °C

VISIBILITY10 sm

DEWPOINT22 °C



KHxD runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 03/21. Wind from 140 degrees true, 148 degrees magnetic, at 6 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 21. Wind source: KHxD METAR 061953Z.

Evidence & limitations

- METAR source state: ok; observed Sep 6 15:53 ET; retrieved Sep 6 17:21 ET; 88 min before this run.
- Measured values read from the KHxD METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.83 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- The runway schematic is alignment-only; verify current runway use and NOTAMs.

DESTINATION OUTLOOK

SUN 6 SEP 12:00–18:00 ET HIGH CONFIDENCE

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Surface prog evidence · Sun Sep 6

12:00–18:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

SUN 6 SEP 18:00–00:00 ET HIGH CONFIDENCE

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

MON 7 SEP 00:00–06:00 ET HIGH CONFIDENCE

Forecast

TA

F

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · MVFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 7 SEP 12:00–18:00 ET HIGH CONFIDENCE

Forecast

TA

F

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · MVFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Surface prog evidence · Mon Sep 7

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

MON 7 SEP 06:00–12:00 ET HIGH CONFIDENCE

Forecast

TA

F

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · MVFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 7 SEP 18:00–00:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV MOS

GFS MAV MOS · MVFR

FORECAST

Flight-category guidance

WIND9–11 kt

TEMPERATURE83–84 °F

DEWPOINT74–75 °F

PRECIPITATION51%

Evidence & limitations

• GFS MAV MOS · 18:00–00:00 ET ET · MVFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

6000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

34°C dep KLZU → 31°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

03/21 (030/210°M · 022/202°T) — designators and °M headings are magnetic; °T are true; variation 8°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMS

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 Act on

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

and 2026-09-06T21:22:04.265863Z.

poritative)

FRI SEP 4

SAT SEP 5

SUN SEP 6

MON SEP 7

A0320/26

5/3292

A0137/25

3 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 21:22 Z

NOTAMs as of 21:22 Z — advisory only; verify an official briefing.

07/013

NOTAM text not available in this projection.

A0238/26

NOTAM text not available in this projection.

A0320/26

NOTAM text not available in this projection.

5/3292

NOTAM text not available in this projection.

A0137/25

NOTAM text not available in this projection.

06/020

NOTAM text not available in this projection.

08/032

NOTAM text not available in this projection.

08/034

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production
source per owner decision 2026-08-09;
technical transport environment remains
preprod. Limited 2026-07-30 spot check
covered KLZU, KAVL, and KSGJ (3 of 30
airports). NOTAMs were read from this source
and used on this card this run. Typed state:
OK. The dot colour reports whether this
source was read this run; technical
environment: preprod.

Effective 2025-04-29T20:01:00Z → 2027-04-29T20:01:00Z

NAV APPROACH

Effective 2025-04-29T20:01:00Z → 2027-04-29T20:01:00Z

3 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics,
the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KHXD this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

26-09-06T21:22:04.265863Z.

:00Z

:00Z

:00Z

Time and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

00 ET ET · VFR

00 ET ET · VFR

00 ET ET · MVFR

00 ET ET · MVFR

00 ET ET · MVFR

· 18:00–00:00 ET ET · MVFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-06=GFS, 2026-09-07=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-06 18:00	89	Sct	70/6kt	—	>10kft	>6SM
GFS	2026-09-06 21:00	86	Ovc	130/6kt	—	>10kft	>6SM
GFS	2026-09-07 00:00	82	Ovc	170/5kt	49.0	>10kft	>6SM
GFS	2026-09-07 03:00	79	Ovc	350/5kt	—	>10kft	>6SM
GFS	2026-09-07 06:00	76	Ovc	20/7kt	47.0	>10kft	>6SM
GFS	2026-09-07 09:00	75	Ovc	40/3kt	—	>10kft	>6SM
GFS	2026-09-07 12:00	76	Ovc	20/4kt	44.0	>10kft	3-5SM
GFS	2026-09-07 15:00	82	Ovc	40/8kt	—	3-5kft	>6SM
GFS	2026-09-07 18:00	84	Ovc	60/9kt	51.0	1-3kft	3-5SM
GFS	2026-09-07 21:00	83	Ovc	60/11kt	—	1-3kft	3-5SM
GFS	2026-09-08 00:00	80	Ovc	60/9kt	48.0	1-3kft	>6SM
GFS	2026-09-08 03:00	78	Ovc	40/8kt	—	3-5kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KHXD 061953Z COR 14006KT 10SM VCTS SCT080 31/22 A2983 RMK LTG DSNT SW AND W

TAF KSAV 062055Z 0621/0718 33009KT P6SM -RA VCTS SCT016 BKN040CB OVC110 FM062200 15009KT P6SM VCSH SCT040 BKN150 FM070400 04005KT P6SM VCTS SCT030CB BKN060 PROB30 0704/0706 35015G30KT 3SM TSRA BKN030CB FM070700 04005KT P6SM BKN015 BKN040

+ Data sources used

• METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KHXD; actual-station=KHXD; fetched-at=2026-09-06T21:21:59.343702+00:00; observed-or-issued-at=2026-09-06T19:53:00+00:00 — AWC API

• TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KHXD; actual-station=KSAV; fetched-at=2026-09-06T21:21:59.427383+00:00; observed-or-issued-at=2026-09-06T20:55:00+00:00; valid-from=2026-09-06T21:00:00+00:00; valid-through=2026-09-07T18:00:00+00:00; partial-target-dates=2026-09-06,2026-09-07 — AWC API

TAF proxy · KSAV

• FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KHXD; actual-station=KHXD; fetched-at=2026-09-06T21:22:00.136131+00:00

• FAA NMS NOTAM — state=OK; requested-station=KHXD; actual-station=KHXD; fetched-at=2026-09-06T21:22:04.265863Z — FAA NMS overview

• MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KHXD; actual-station=KHXD; fetched-at=2026-09-06T21:22:43.738082+00:00; observed-or-issued-at=2026-09-06T12:00:00+00:00; valid-from=2026-09-06T18:00:00+00:00; valid-through=2026-09-09T12:00:00+00:00; target-dates=2026-09-07; partial-target-dates=2026-09-06; dates-with-points=2026-09-06,2026-09-07 — Iowa State API

• MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KHXD; actual-station=KHXD; fetched-at=2026-09-06T21:22:44.550392+00:00; observed-or-issued-at=2026-09-06T12:00:00+00:00; valid-from=2026-09-07T12:00:00+00:00; valid-through=2026-09-14T12:00:00+00:00; target-dates=2026-09-07; dates-with-points=2026-09-07 — Iowa State API

- MOS effective date selection — state=partial; rows=12; requested-station=KHXD; actual-station=KHXD; fetched-at=2026-09-06T21:22:43.738082+00:00; observed-or-issued-at=2026-09-06T12:00:00+00:00; valid-from=2026-09-06T18:00:00+00:00; valid-through=2026-09-09T12:00:00+00:00; target-dates=2026-09-07; partial-target-dates=2026-09-06; dates-with-points=2026-09-06,2026-09-07; selected-by-date=2026-09-06=GFS, 2026-09-07=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#8

KTRI

Bristol/Tri-Cities Arpt, TN, US

· Mountain · Tri-Cities TN/VA

⏮

OBS - VFR

⏭

ETE

1h11

DIST

168 nm

SUN 6 SEP 15:53 ET OBSERVED VALUE

Current observation

⏮

OBS - VFR

⏭

METAR

R

OBSERVED

☁

broken 7,000 ft, broken 25,000 ft

🌀

WINDS (190°) 4 kt

🌡

TEMPERATURE26 °C

👁

VISIBILITY10 sm

💧

DEWPOINT19 °C

From 190°M - 4 kt

05 23 27

KTRI runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 05/23, 09/27. Wind from 190 degrees true, 198 degrees magnetic, at 4 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 23. Wind source: KTRI METAR 061953Z.

Evidence & limitations

- METAR source state: ok; observed Sep 6 15:53 ET; retrieved Sep 6 17:21 ET; 88 min before this run.
- Measured values read from the KTRI METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.95 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- The runway schematic is alignment-only; verify current runway use and NOTAMs.

DESTINATION OUTLOOK

SUN 6 SEP 12:00–18:00 ET HIGH CONFIDENCE

Forecast



Flight-category guidance

FORECAST

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 6 SEP 18:00–00:00 ET HIGH CONFIDENCE

Forecast



Flight-category guidance

FORECAST

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 6

12:00–18:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON 7 SEP 00:00–06:00 ET HIGH CONFIDENCE

Forecast



TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 7 SEP 12:00–18:00 ET HIGH CONFIDENCE

Forecast



TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 7 SEP 06:00–12:00 ET HIGH CONFIDENCE

Forecast



TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 7 SEP 18:00–00:00 ET MEDIUM CONFIDENCE

Forecast



GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND4–6 kt

TEMPERATURE79–80 °F

DEWPOINT63–65 °F

PRECIPITATION14%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 7

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

6000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

34°C dep KLZU → 26°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

05/23 (050/230°M · 042/222°T) · 09/27 (090/270°M · 082/262°T) — designators and °M headings are magnetic; °T are true; variation 8°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMS

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

NOTAM rate limited

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production
source per owner decision 2026-08-09;
technical transport environment remains
preprod. Limited 2026-07-30 spot check
covered KLZU, KAVL, and KSGJ (3 of 30
airports). The query failed this run, so the
NOTAM list here is unknown rather than
empty. Typed state: RATE_LIMITED. The dot
colour reports whether this source was read
this run; technical environment: preprod.

2 · What

3 · Where

TAM timeline unavailable; verify an official briefing.

```
last attempt 21:22 Z (state: RATE_LIMITED)
```

result withheld. Verify an official briefing.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

NOTAM status is unknown; verify an official briefing.

Source provenance — FAA NMS: Production
source per owner decision 2026-08-09;
technical transport environment remains
preprod. Limited 2026-07-30 spot check
covered KLZU, KAVL, and KSGJ (3 of 30
airports). The query failed this run, so the
NOTAM list here is unknown rather than

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. The NOTAM query failed this run (state: RATE_LIMITED), so the NOTAM list is unknown rather than empty.

period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

00 ET ET · MVFR

00 ET ET · VFR

00 ET ET · VFR

00 ET ET · VFR

00 ET ET · VFR

· 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-06=GFS, 2026-09-07=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-06 18:00	85	Bkn	300/4kt	—	5-10kft	>6SM
GFS	2026-09-06 21:00	85	Bkn	350/5kt	—	>10kft	>6SM
GFS	2026-09-07 00:00	78	Sct	40/4kt	28.0	>10kft	>6SM
GFS	2026-09-07 03:00	71	Bkn	90/2kt	—	>10kft	>6SM
GFS	2026-09-07 06:00	69	Bkn	10/2kt	17.0	3-5kft	>6SM
GFS	2026-09-07 09:00	68	Ovc	20/2kt	—	5-10kft	1-2SM
GFS	2026-09-07 12:00	67	Ovc	270/2kt	16.0	1-3kft	½-1SM
GFS	2026-09-07 15:00	74	Ovc	100/5kt	—	3-5kft	>6SM
GFS	2026-09-07 18:00	79	Ovc	90/4kt	14.0	5-10kft	>6SM
GFS	2026-09-07 21:00	80	Bkn	120/6kt	—	5-10kft	>6SM
GFS	2026-09-08 00:00	74	Sct	120/3kt	3.0	>10kft	>6SM
GFS	2026-09-08 03:00	66	Few	150/2kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KTRI 061953Z 19004KT 10SM BKN070 BKN250 26/19 A2995 RMK A02 SLP117 T02560194 \$

TAF KTRI 061720Z 0618/0718 00000KT P6SM SCT100 PROB30 0618/0620 4SM TSRA OVC050CB FM062200 02007KT P6SM FEW110

+ Data sources used

TAF proxy · KTRI

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KTRI; actual-station=KTRI; fetched-at=2026-09-06T21:21:59.343702+00:00; observed-or-issued-at=2026-09-06T19:53:00+00:00 — [AWC API](#)
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KTRI; actual-station=KTRI; fetched-at=2026-09-06T21:21:59.427383+00:00; observed-or-issued-at=2026-09-06T17:20:00+00:00; valid-from=2026-09-06T18:00:00+00:00; valid-through=2026-09-07T18:00:00+00:00; partial-target-dates=2026-09-06,2026-09-07 — [AWC API](#)
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KTRI; actual-station=KTRI; fetched-at=2026-09-06T21:21:59.646044+00:00
- FAA NMS NOTAM — state=RATE_LIMITED; requested-station=KTRI; fetched-at=2026-09-06T21:22:05.583315Z; reason-code=RATE_LIMITED_ERROR — [FAA NMS overview](#)
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KTRI; actual-station=KTRI; fetched-at=2026-09-06T21:22:43.726975+00:00; observed-or-issued-at=2026-09-06T12:00:00+00:00; valid-from=2026-09-06T18:00:00+00:00; valid-through=2026-09-09T12:00:00+00:00; target-dates=2026-09-07; partial-target-dates=2026-09-06; dates-with-points=2026-09-06,2026-09-07 — [Iowa State API](#)
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KTRI; actual-station=KTRI; fetched-at=2026-09-06T21:22:44.505784+00:00; observed-or-issued-at=2026-09-06T12:00:00+00:00; valid-from=2026-09-07T12:00:00+00:00; valid-through=2026-09-14T12:00:00+00:00; target-dates=2026-09-07; dates-with-points=2026-09-07 — [Iowa State API](#)
- MOS effective date selection — state=partial; rows=12; requested-station=KTRI; actual-station=KTRI; fetched-at=2026-09-06T21:22:43.726975+00:00; observed-or-issued-at=2026-09-06T12:00:00+00:00; valid-from=2026-09-06T18:00:00+00:00; valid-through=2026-09-09T12:00:00+00:00; target-dates=2026-09-07; partial-target-dates=2026-09-06; dates-with-points=2026-09-06,2026-09-07; selected-by-date=2026-09-06=GFS, 2026-09-07=GFS

- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#9

KROA

Roanoke Rgnl, VA, US

· Mountain · Roanoke valley

⏏

OBS - VFR

ETE

1h56

DIST

279 nm

SUN 6 SEP

15:54 ET

OBSERVED VALUE

Current observation

⏏

OBS - VFR

META

R

☁

scattered 7,000 ft

🌀

WINDSE (120°) 7 kt

🌡

TEMPERATURE26 °C

👁

VISIBILITY10 sm

💧

DEWPOINT17 °C

From 129°M: 7 kt

129°M: 7 kt

129°M: 7 kt



KROA runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 06/24, 16/34. Wind from 120 degrees true, 129 degrees magnetic, at 7 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 16. Wind source: KROA METAR 061954Z.

Evidence & limitations

- METAR source state: ok; observed Sep 6 15:54 ET; retrieved Sep 6 17:21 ET; 87 min before this run.
- Measured values read from the KROA METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.99 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- The runway schematic is alignment-only; verify current runway use and NOTAMs.

DESTINATION OUTLOOK

SUN 6 SEP 12:00–18:00 ET HIGH CONFIDENCE

Forecast



Flight-category guidance

FORECAST

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 6 SEP 18:00–00:00 ET HIGH CONFIDENCE

Forecast



Flight-category guidance

FORECAST

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 6

12:00–18:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON 7 SEP 00:00–06:00 ET HIGH CONFIDENCE

Forecast

TA
F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 7 SEP 12:00–18:00 ET HIGH CONFIDENCE

Forecast

TA
F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Surface prog evidence · Mon Sep 7

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

MON 7 SEP 06:00–12:00 ET HIGH CONFIDENCE

Forecast

TA
F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 7 SEP 18:00–00:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV
MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND6 kt

TEMPERATURE78–79 °F

DEWPOINT59–61 °F

PRECIPITATION3%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

34°C dep KLZU → 26°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

06/24 (060/240°M · 051/231°T) · 16/34 (160/340°M · 151/331°T) — designators and °M headings are magnetic; °T are true; variation 9°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMS

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

NOTAM rate limited

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production
source per owner decision 2026-08-09;
technical transport environment remains
preprod. Limited 2026-07-30 spot check
covered KLZU, KAVL, and KSGJ (3 of 30
airports). The query failed this run, so the
NOTAM list here is unknown rather than
empty. Typed state: RATE_LIMITED. The dot
colour reports whether this source was read
this run; technical environment: preprod.

2 · What

3 · Where

TAM timeline unavailable; verify an official briefing.

```
last attempt 21:22 Z (state: RATE_LIMITED)
```

result withheld. Verify an official briefing.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production
source per owner decision 2026-08-09;
technical transport environment remains
preprod. Limited 2026-07-30 spot check
covered KLZU, KAVL, and KSGJ (3 of 30
airports). The query failed this run, so the
NOTAM list here is unknown rather than

NOTAM status is unknown; verify an official briefing.

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics,
the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. The NOTAM query failed this run (state: RATE_LIMITED), so the NOTAM list is unknown rather than empty.

period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

00 ET ET · MVFR

00 ET ET · VFR

00 ET ET · VFR

00 ET ET · VFR

00 ET ET · VFR

· 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-06=GFS, 2026-09-07=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-06 18:00	79	Ovc	90/6kt	—	5-10kft	>6SM
GFS	2026-09-06 21:00	79	Ovc	80/5kt	—	5-10kft	>6SM
GFS	2026-09-07 00:00	74	Ovc	60/6kt	60.0	>10kft	>6SM
GFS	2026-09-07 03:00	71	Ovc	80/3kt	—	5-10kft	>6SM
GFS	2026-09-07 06:00	68	Ovc	90/4kt	25.0	5-10kft	>6SM
GFS	2026-09-07 09:00	66	Ovc	80/4kt	—	5-10kft	>6SM
GFS	2026-09-07 12:00	67	Bkn	70/4kt	9.0	5-10kft	>6SM
GFS	2026-09-07 15:00	74	Bkn	90/5kt	—	>10kft	>6SM
GFS	2026-09-07 18:00	78	Bkn	110/6kt	3.0	5-10kft	>6SM
GFS	2026-09-07 21:00	79	Bkn	120/6kt	—	>10kft	>6SM
GFS	2026-09-08 00:00	75	Few	110/5kt	0.0	>10kft	>6SM
GFS	2026-09-08 03:00	70	Clear	80/2kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KROA 061954Z 12007KT 10SM SCT070 26/17 A2999 RMK A02 SLP141 T02560167

TAF KROA 061902Z 0619/0718 10010KT P6SM VCSH SCT025 BKN035 TEMPO 0619/0620 4SM BR BKN025 FM062000 08007KT P6SM BKN045 FM070800 00000KT P6SM SCT030 FM071600 10005KT P6SM SCT040

+ Data sources used

TAF proxy · KROA

• METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KROA; actual-station=KROA; fetched-at=2026-09-06T21:21:59.343702+00:00; observed-or-issued-at=2026-09-06T19:54:00+00:00 — AWC API

• TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KROA; actual-station=KROA; fetched-at=2026-09-06T21:21:59.427383+00:00; observed-or-issued-at=2026-09-06T19:02:00+00:00; valid-from=2026-09-06T19:00:00+00:00; valid-through=2026-09-07T18:00:00+00:00; partial-target-dates=2026-09-06,2026-09-07 — AWC API

• FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KROA; actual-station=KROA; fetched-at=2026-09-06T21:21:59.684664+00:00

• FAA NMS NOTAM — state=RATE_LIMITED; requested-station=KROA; fetched-at=2026-09-06T21:22:05.639694Z; reason-code=RATE_LIMITED_ERROR — FAA NMS overview

• MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KROA; actual-station=KROA; fetched-at=2026-09-06T21:22:43.743128+00:00; observed-or-issued-at=2026-09-06T12:00:00+00:00; valid-from=2026-09-06T18:00:00+00:00; valid-through=2026-09-09T12:00:00+00:00; target-dates=2026-09-07; partial-target-dates=2026-09-06; dates-with-points=2026-09-06,2026-09-07 — Iowa State API

• MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KROA; actual-station=KROA; fetched-at=2026-09-06T21:22:44.584425+00:00; observed-or-issued-at=2026-09-06T12:00:00+00:00; valid-from=2026-09-07T12:00:00+00:00; valid-through=2026-09-14T12:00:00+00:00; target-dates=2026-09-07; dates-with-points=2026-09-07 — Iowa State API

• MOS effective date selection — state=partial; rows=12; requested-station=KROA; actual-station=KROA; fetched-at=2026-09-06T21:22:43.743128+00:00; observed-or-issued-at=2026-09-06T12:00:00+00:00; valid-from=2026-09-06T18:00:00+00:00; valid-through=2026-09-09T12:00:00+00:00; target-dates=2026-09-07; partial-target-dates=2026-09-06; dates-with-points=2026-09-06,2026-09-07; selected-by-date=2026-09-06=GFS, 2026-09-07=GFS

- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#10

KSGJ

St Augustine Arpt, FL, US

· Atlantic South · St Augustine FL

OBS - MVFR

ETE

1h55

DIST

276 nm

SUN 6 SEP

15:56 ET

OBSERVED VALUE

Current observation

OBS - MVFR



broken 3,000 ft cumulonimbus

WINDE (100°)

12 kt

TEMPERATURE


31 °C

VISIBILITY

7 sm

DEWPOINT

26 °C



KSGJ runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 13/31, 06/24, 02/20. Seaplane water lanes (17W, 35W, 18W, 36W, 12W and 30W) are excluded from the diagram and are never marked as favoured. Wind from 100 degrees true, 107 degrees magnetic, at 12 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 13. Wind source: KSGJ METAR 061956Z.

Evidence & limitations

- METAR source state: ok; observed Sep 6 15:56 ET; retrieved Sep 6 17:21 ET; 85 min before this run.
- Measured values read from the KSGJ METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.85 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- The runway schematic is alignment-only; verify current runway use and NOTAMs.

DESTINATION OUTLOOK

SUN 6 SEP 12:00–18:00 ET HIGH CONFIDENCE

Forecast



FORECAST

 Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · IFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 6 SEP 18:00–00:00 ET HIGH CONFIDENCE

Forecast



FORECAST

 Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · IFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 6

12:00–18:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON 7 SEP 00:00–06:00 ET HIGH CONFIDENCE

Forecast

TA
F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 7 SEP 12:00–18:00 ET HIGH CONFIDENCE

Forecast

TA
F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Surface prog evidence · Mon Sep 7

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

MON 7 SEP 06:00–12:00 ET HIGH CONFIDENCE

Forecast

TA
F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 7 SEP 18:00–00:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV
MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND7 kt

TEMPERATURE82–84 °F

DEWPOINT75–76 °F

PRECIPITATION36%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

34°C dep KLZU → 31°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

13/31 (130/310°M · 123/303°T) · 06/24 (060/240°M · 053/233°T) · 02/20 (020/200°M · 013/193°T) · 17W/35W (170/350°M · 163/343°T · water lane, not wind-favored) · 18W/36W (180/000°M · 173/353°T · water lane, not wind-favored) · 12W/30W (120/300°M · 113/293°T · water lane, not wind-favored) — designators and °M headings are magnetic; °T are true; variation 7°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

6 Act on

3 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

ed 2026-09-06T21:22:06.182719Z.

oritative) » = no published end (each row states whether it is permanent or simply not supplied) — continues past this window

FRI SEP 4

SAT SEP 5

SUN SEP 6

MON SEP 7

09/003

5/0380

12/004

13 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 21:22 Z

NOTAMs as of 21:22 Z — advisory only; verify an official briefing.

08/010

NOTAM text not available in this projection.

08/014

NOTAM text not available in this projection.

09/003

NOTAM text not available in this projection.

5/0380

NOTAM text not available in this projection.

12/004

NOTAM text not available in this projection.

6/6168

NOTAM text not available in this projection.

06/017

NOTAM text not available in this projection.

08/003

NOTAM text not available in this projection.

06/025

NOTAM text not available in this projection.

07/002

NOTAM text not available in this projection.

08/008

NOTAM text not available in this projection.

08/013

NOTAM text not available in this projection.

08/017

NOTAM text not available in this projection.

09/001

NOTAM text not available in this projection.

09/002

NOTAM text not available in this projection.

09/004

NOTAM text not available in this projection.

09/005

NOTAM text not available in this projection.

08/018

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2026-09-06T21:22:06.182719Z.

:00Z

:00Z

:00Z

NAV_APPROACH

Effective 2025-09-09T18:42:00Z → 2027-09-09T23:59:00Z

NAV_APPROACH

NAV_APPROACH 12/004 — NAV VOR/DME DECOMMISSIONED

Effective 2025-12-04T15:30:00Z → Permanent — no expiry published

13 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics,
the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KSGJ this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

00 ET ET · IFR

00 ET ET · IFR

00 ET ET · VFR

00 ET ET · VFR

00 ET ET · VFR

· 18:00–00:00 ET ET · VFR

- + MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-06=GFS, 2026-09-07=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-06 18:00	87	Sct	30/8kt	—	>10kft	>6SM
GFS	2026-09-06 21:00	84	Ovc	110/6kt	—	>10kft	>6SM
GFS	2026-09-07 00:00	81	Ovc	170/3kt	51.0	>10kft	>6SM
GFS	2026-09-07 03:00	79	Ovc	260/2kt	—	>10kft	>6SM
GFS	2026-09-07 06:00	78	Ovc	320/4kt	55.0	>10kft	>6SM

GFS	2026-09-07 09:00	76	Ovc	310/3kt	—	>10kft	>6SM
GFS	2026-09-07 12:00	77	Ovc	320/3kt	42.0	>10kft	>6SM
GFS	2026-09-07 15:00	83	Ovc	20/4kt	—	5-10kft	>6SM
GFS	2026-09-07 18:00	84	Ovc	40/7kt	36.0	5-10kft	>6SM
GFS	2026-09-07 21:00	82	Ovc	10/7kt	—	>10kft	>6SM
GFS	2026-09-08 00:00	80	Ovc	40/8kt	58.0	>10kft	>6SM
GFS	2026-09-08 03:00	78	Bkn	40/6kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KSGJ 061956Z 10012KT 7SM BKN030CB 31/26 A2985 RMK A02 LTG DSNT N AND S AND NW SLP107 P0003 T03110261 \$

TAF KSGJ 061720Z 0618/0718 12007KT P6SM VCSH SCT030 FM061900 16008KT P6SM VCTS BKN030CB OVC090 TEMPO 0620/0624 VRB15G30KT 2SM TSRA OVC025CB FM070200 VRB03KT P6SM VCSH BKN035 OVC100

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KSGJ; actual-station=KSGJ; fetched-at=2026-09-06T21:21:59.343702+00:00; observed-or-issued-at=2026-09-06T19:56:00+00:00 — [AWC API](#)
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KSGJ; actual-station=KSGJ; fetched-at=2026-09-06T21:21:59.427383+00:00; observed-or-issued-at=2026-09-06T17:20:00+00:00; valid-from=2026-09-06T18:00:00+00:00; valid-through=2026-09-07T18:00:00+00:00; partial-target-dates=2026-09-06,2026-09-07 — [AWC API](#)

TAF proxy · KSGJ

- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KSGJ; actual-station=KSGJ; fetched-at=2026-09-06T21:22:00.084425+00:00
- FAA NMS NOTAM — state=OK; requested-station=KSGJ; actual-station=KSGJ; fetched-at=2026-09-06T21:22:06.182719Z — [FAA NMS overview](#)
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KSGJ; actual-station=KSGJ; fetched-at=2026-09-06T21:22:43.973857+00:00; observed-or-issued-at=2026-09-06T12:00:00+00:00; valid-from=2026-09-06T18:00:00+00:00; valid-through=2026-09-09T12:00:00+00:00; target-dates=2026-09-07; partial-target-dates=2026-09-06; dates-with-points=2026-09-06,2026-09-07 — [Iowa State API](#)
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KSGJ; actual-station=KSGJ; fetched-at=2026-09-06T21:22:44.708932+00:00; observed-or-issued-at=2026-09-06T12:00:00+00:00; valid-from=2026-09-07T12:00:00+00:00; valid-through=2026-09-14T12:00:00+00:00; target-dates=2026-09-07; dates-with-points=2026-09-07 — [Iowa State API](#)
- MOS effective date selection — state=partial; rows=12; requested-station=KSGJ; actual-station=KSGJ; fetched-at=2026-09-06T21:22:43.973857+00:00; observed-or-issued-at=2026-09-06T12:00:00+00:00; valid-from=2026-09-06T18:00:00+00:00; valid-through=2026-09-09T12:00:00+00:00; target-dates=2026-09-07; partial-target-dates=2026-09-06; dates-with-points=2026-09-06,2026-09-07; selected-by-date=2026-09-06=GFS, 2026-09-07=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — [FAA Chart Supplement \(current cycle\)](#) — see AirNav link above

#11

KCRG Jacksonville/Executive at Craig Arpt, FL, US

· Atlantic North · Jacksonville Exec

▮ OBS - VFR

ETE

1h45

DIST

252 nm

SUN 6 SEP 15:53 ET OBSERVED VALUE

Current observation



OBS - VFR

OBSERVATION

 few 2,300 ft, broken 4,300 ft, broken 10,000 ft



WINDS (200°) 9 kt




TEMPERATURE26 °C



VISIBILITY10 sm



DEWPOINT24 °C



KCRG runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 14/32, 05/23. Wind from 200 degrees true, 207 degrees magnetic, at 9 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 23. Wind source: KCRG METAR 061953Z.

Evidence & limitations

- METAR source state: ok; observed Sep 6 15:53 ET; retrieved Sep 6 17:21 ET; 88 min before this run.
- Measured values read from the KCRG METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.85 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- The runway schematic is alignment-only; verify current runway use and NOTAMs.

DESTINATION OUTLOOK

SUN 6 SEP 12:00–18:00 ET HIGH CONFIDENCE

Forecast



FORECAST



Flight-category
guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · IFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 6 SEP 18:00–00:00 ET HIGH CONFIDENCE

Forecast



FORECAST



Flight-category
guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · IFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 6

12:00–18:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON 7 SEP 00:00–06:00 ET HIGH CONFIDENCE

Forecast

TA
F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 7 SEP 12:00–18:00 ET HIGH CONFIDENCE

Forecast

TA
F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Surface prog evidence · Mon Sep 7

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

MON 7 SEP 06:00–12:00 ET HIGH CONFIDENCE

Forecast

TA
F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 7 SEP 18:00–00:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV
MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND5–7 kt

TEMPERATURE83–86 °F

DEWPOINT75–76 °F

PRECIPITATION35%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

34°C dep KLZU → 26°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

14/32 (140/320°M · 133/313°T) · 05/23 (050/230°M · 043/223°T) — designators and °M headings are magnetic; °T are true; variation 7°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMS

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

ed 2026-09-06T21:22:06.209982Z.
poritative)

FRI SEP 4

SAT SEP 5

SUN SEP 6

MON SEP 7

6/9357

6/9358

A0189/26

9 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 21:22 Z

NOTAMs as of 21:22 Z — advisory only; verify an official briefing.

6/8452

NOTAM text not available in this projection.

A0170/26

NOTAM text not available in this projection.

6/9357

NOTAM text not available in this projection.

6/9358

NOTAM text not available in this projection.

A0189/26

NOTAM text not available in this projection.

A0190/26

NOTAM text not available in this projection.

12/015

NOTAM text not available in this projection.

A0332/25

NOTAM text not available in this projection.

02/057

NOTAM text not available in this projection.

07/005

NOTAM text not available in this projection.

07/012

NOTAM text not available in this projection.

08/014

NOTAM text not available in this projection.

08/030

NOTAM text not available in this projection.

09/004

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

026-09-06T21:22:06.209982Z.

JACKSONVILLE EXEC AT CRAIG, JACKSONVILLE, FL, ILS OR LOC RWY 32, AMDT 5C... RNAV (GPS) RWY 14, AMDT 1B... RNAV (GPS) RWY 32, AMDT 1B... CIRCLING CAT C 1/4 SM. 2605111508-2605111508EST

:00Z

JACKSONVILLE EXEC AT CRAIG, JACKSONVILLE, FL, ILS OR LOC RWY 32, AMDT 5C... RNAV (GPS) RWY 14, AMDT 1B... RNAV (GPS) RWY 32, AMDT 1B... CIRCLING CAT C 1/4 SM. 2605111508-2605111508EST

:00Z

JACKSONVILLE EXEC AT CRAIG, JACKSONVILLE, FL, RNAV (GPS) RWY 14, AMDT 1B... LPV DA 295/HAT 254 ALL CATS. CHANGE NOTE TO READ: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE JACKSONVILLE INTL ALTIMETER SETTING. INCREASE LPV DA TO 327 FEET. INCREASE LNAV/VNAV DA TO 490 FEET AND ALL VISIBILITIES 1/8 SM. INCREASE ALL

MDAS 40 FEET AND CIRCLING VISIBILITY CAT C 1/4 SM. 2605111508-2605111508EST

Effective 2026-05-11T15:08:00Z → 2028-05-11T15:08:00Z

NAV_APPROACH

NO358 — IAP JACKSONVILLE EXEC AT CRAIG, JACKSONVILLE, FL, RNAV (GPS) RWY 32, AMDT 1B... LPV DA 291/HAT 250 ALL CATS. LNAV/VNAV DA 406/HAT 365 ALL CATS. VDP NA. CHANGE NOTE TO READ: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE JACKSONVILLE INTL ALTIMETER SETTING. INCREASE LPV DA TO 324 FEET. INCREASE LNAV/VNAV DA TO 439 FEET. INCREASE ALL MDAS 40 FEET AND CIRCLING VISIBILITY CAT C 1/4 SM. 2605111508-2605111508EST

Effective 2026-05-11T15:08:00Z → 2028-05-11T15:08:00Z

NAV_APPROACH

NO189026 — IAP JACKSONVILLE EXEC AT CRAIG, JACKSONVILLE, FL, RNAV (GPS) RWY 32, AMDT 1B... LPV DA 291/HAT 250 ALL CATS. LNAV/VNAV DA 406/HAT 365 ALL CATS. VDP NA. CHANGE NOTE TO READ: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE JACKSONVILLE INTL ALTIMETER SETTING. INCREASE LPV DA TO 324 FEET. INCREASE LNAV/VNAV DA TO 439 FEET. INCREASE ALL MDAS 40 FEET AND CIRCLING VISIBILITY CAT C 1/4 SM.

Effective 2026-05-11T15:08:00Z → 2028-05-11T15:08:00Z

9 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR


issued hourly by the reporting station, with SPECI reports off-cycle, carrying ceiling, visibility, wind, temperature and altimeter. Issued by the observing station and distributed by aviationweather.gov. This is measured fact, not a forecast, and on this page it describes conditions right now, not this day. A current KCRG observation was read this run. It describes conditions now, not this trip day.

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KCRG this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.



ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

00 ET ET · IFR
00 ET ET · IFR
00 ET ET · VFR
00 ET ET · VFR
00 ET ET · VFR
· 18:00–00:00 ET ET · VFR

[+ MOS target-window outlook \(GFS\)](#)

Source state: partial; selected by target date: 2026-09-06=GFS, 2026-09-07=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-06 18:00	92	Bkn	10/7kt	—	>10kft	>6SM
GFS	2026-09-06 21:00	86	Ovc	140/6kt	—	>10kft	>6SM
GFS	2026-09-07 00:00	81	Ovc	180/3kt	53.0	>10kft	>6SM
GFS	2026-09-07 03:00	79	Ovc	330/3kt	—	>10kft	>6SM
GFS	2026-09-07 06:00	77	Ovc	360/2kt	62.0	>10kft	>6SM
GFS	2026-09-07 09:00	76	Ovc	360/2kt	—	>10kft	>6SM
GFS	2026-09-07 12:00	76	Ovc	20/2kt	46.0	>10kft	>6SM
GFS	2026-09-07 15:00	84	Ovc	20/4kt	—	5-10kft	>6SM
GFS	2026-09-07 18:00	86	Ovc	30/5kt	35.0	5-10kft	>6SM
GFS	2026-09-07 21:00	83	Ovc	40/7kt	—	>10kft	>6SM
GFS	2026-09-08 00:00	80	Ovc	40/6kt	53.0	>10kft	>6SM
GFS	2026-09-08 03:00	79	Bkn	50/4kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KCRG 061953Z 20009KT 10SM -TSRA FEW023 BKN043 BKN100 26/24 A2985 RMK A02 LTG DSNT ALQDS SLP109 P0002 T02610239

TAF KCRG 061905Z 0619/0718 02008KT 6SM -RA VCTS BKN035CB OVC090 TEMPO 0619/0623 VRB15G30KT 2SM TSRA OVC025CB FM070400 VRB03KT P6SM VCSH BKN035 OVC100 FM070800 VRB04KT 6SM -RA BKN060

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KCRG; actual-station=KCRG; fetched-at=2026-09-06T21:21:59.343702+00:00; observed-or-issued-at=2026-09-06T19:53:00+00:00 — [AWC API](#)
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KCRG; actual-station=KCRG; fetched-at=2026-09-06T21:21:59.427383+00:00; observed-or-issued-at=2026-09-06T19:05:00+00:00; valid-from=2026-09-06T19:00:00+00:00; valid-through=2026-09-07T18:00:00+00:00; partial-target-dates=2026-09-06,2026-09-07 — [AWC API](#)
- TAF proxy · KCRG
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KCRG; actual-station=KCRG; fetched-at=2026-09-06T21:21:59.995149+00:00
- FAA NMS NOTAM — state=OK; requested-station=KCRG; actual-station=KCRG; fetched-at=2026-09-06T21:22:06.209982Z — [FAA NMS overview](#)
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KCRG; actual-station=KCRG; fetched-at=2026-09-06T21:22:43.976545+00:00; observed-or-issued-at=2026-09-06T12:00:00+00:00; valid-from=2026-09-06T18:00:00+00:00; valid-through=2026-09-09T12:00:00+00:00; target-dates=2026-09-07; partial-target-dates=2026-09-06; dates-with-points=2026-09-06,2026-09-07 — [Iowa State API](#)
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KCRG; actual-station=KCRG; fetched-at=2026-09-06T21:22:44.680843+00:00; observed-or-issued-at=2026-09-06T12:00:00+00:00; valid-from=2026-09-07T12:00:00+00:00; valid-through=2026-09-14T12:00:00+00:00; target-dates=2026-09-07; dates-with-points=2026-09-07 — [Iowa State API](#)
- MOS effective date selection — state=partial; rows=12; requested-station=KCRG; actual-station=KCRG; fetched-at=2026-09-06T21:22:43.976545+00:00; observed-or-issued-at=2026-09-06T12:00:00+00:00; valid-from=2026-09-06T18:00:00+00:00; valid-through=2026-09-09T12:00:00+00:00; target-dates=2026-09-07; partial-target-dates=2026-09-06; dates-with-points=2026-09-06,2026-09-07; selected-by-date=2026-09-06=GFS, 2026-09-07=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — [FAA Chart Supplement \(current cycle\)](#) — see AirNav link above

#12

KFIN

Palm Coast/Flagler Exec, FL, US

· Atlantic South · Flagler Exec FL

OBS - MVFR

ETE
2h03

DIST
295 nm

SUN 6 SEP 15:50 ET OBSERVED VALUE

Current observation

OBS - MVFR

METAR

OBSE

broken 1,800 ft



WINDcalm



TEMPERATURE26 °C



VISIBILITY10 sm

DEWPOINT25 °C

Evidence & limitations

- METAR source state: ok; observed Sep 6 15:50 ET; retrieved Sep 6 17:21 ET; 91 min before this run.
- Measured values read from the KFIN METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.88 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.

DESTINATION OUTLOOK

SUN, SEP 6

SUN 6 SEP 12:00–18:00 ET HIGH CONFIDENCE

Forecast

TA
F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 6 SEP 18:00–00:00 ET HIGH CONFIDENCE

Forecast

TA
F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 6

12:00–18:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON 7 SEP 00:00–06:00 ET HIGH CONFIDENCE

Forecast

TA
F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 7 SEP 12:00–18:00 ET HIGH CONFIDENCE

Forecast

TA
F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Surface prog evidence · Mon Sep 7

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

MON 7 SEP 06:00–12:00 ET HIGH CONFIDENCE

Forecast

TA
F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 7 SEP 18:00–00:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV
MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND5–6 kt

TEMPERATURE82–85 °F

DEWPOINT75 °F

PRECIPITATION33%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — source state: not_queried

CURRENT METAR TEMP DEP / DEST

34°C dep KLZU → 26°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

11/29 (110/290°M · 103/283°T) · 06/24 (060/240°M · 053/233°T) · 18W/36W (180/000°M · 173/353°T · water lane, not wind-favored) — designators and °M headings are magnetic; °T are true; variation 7°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

...d 2026-09-06T21:22:06.398705Z.

FRI SEP 4

SAT SEP 5

SUN SEP 6

MON SEP 7

07/008

A0036/26

08/002

4 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 21:22 Z

NOTAMs as of 21:22 Z — advisory only; verify an official briefing.

06/004

NOTAM text not available in this projection.

06/007

NOTAM text not available in this projection.

07/008

NOTAM text not available in this projection.

A0036/26

NOTAM text not available in this projection.

08/002

NOTAM text not available in this projection.

08/004

NOTAM text not available in this projection.

08/007

NOTAM text not available in this projection.

08/006

NOTAM text not available in this projection.

A0037/26

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

OBSTRUCTION

UNRECORDED

Effective 2026-08-12T21:17:00Z → 2026-10-20T12:47:00Z

4 additional normalized FAA NOTAM records omitted from this view.

26-09-06T21:22:06.398705Z.

LIST (ASR 1209140) 261006 10ND011001 30W (0.0NM WNW FIN) 1248.0FT (1204.1FT AGL) U/S
:00Z

LIST (ASR 1209112) 261042 10ND011022 30W (3.0NM WNW FIN) 943.0FT (910.0FT AGL) U/S
:00Z

LIST (ASR 1210702) 261040 10ND011004 30W (0.1NM SW FIN) 280.0FT (264.1FT AGL) U/S
:00Z

UNLIST (ASR 1210702) 261040 10ND011004 30W (0.1NM SW FIN) 280.0FT (264.1FT AGL) U/S
:00Z

UNLIST (ASR 1202000) 261007 10ND012040 30W (0.0NM WSW FIN) 272.0FT (259.0FT AGL) U/S

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KFIN this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

00 ET ET · VFR

00 ET ET · VFR

00 ET ET · VFR

00 ET ET · VFR

00 ET ET · VFR

· 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-06=GFS, 2026-09-07=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-06 18:00	90	Bkn	310/6kt	—	>10kft	>6SM
GFS	2026-09-06 21:00	87	Bkn	70/6kt	—	>10kft	>6SM
GFS	2026-09-07 00:00	81	Bkn	170/2kt	38.0	>10kft	>6SM
GFS	2026-09-07 03:00	77	Ovc	270/1kt	—	>10kft	>6SM
GFS	2026-09-07 06:00	76	Ovc	320/2kt	43.0	>10kft	>6SM
GFS	2026-09-07 09:00	75	Ovc	340/1kt	—	>10kft	>6SM
GFS	2026-09-07 12:00	74	Bkn	0/0kt	35.0	>10kft	>6SM
GFS	2026-09-07 15:00	83	Ovc	280/1kt	—	>10kft	>6SM
GFS	2026-09-07 18:00	85	Ovc	300/6kt	33.0	5-10kft	>6SM
GFS	2026-09-07 21:00	82	Ovc	360/5kt	—	3-5kft	>6SM
GFS	2026-09-08 00:00	77	Ovc	20/4kt	64.0	>10kft	>6SM
GFS	2026-09-08 03:00	77	Ovc	10/1kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KFIN 061950Z 00000KT 10SM BKN018 26/25 A2988

TAF KDAB 062045Z 0621/0718 07012KT P6SM VCTS SCT030CB BKN080 FM070200 VRB03KT P6SM SCT050 SCT250 FM071400 25005KT P6SM FEW035 SCT120 SCT250

+ Data sources used

TAF proxy · KDAB

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KFIN; actual-station=KFIN; fetched-at=2026-09-06T21:21:59.343702+00:00; observed-or-issued-at=2026-09-06T19:50:00+00:00 — [AWC API](#)
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KFIN; actual-station=KDAB; fetched-at=2026-09-06T21:21:59.427383+00:00; observed-or-issued-at=2026-09-06T20:45:00+00:00; valid-from=2026-09-06T21:00:00+00:00; valid-through=2026-09-07T18:00:00+00:00; partial-target-dates=2026-09-06,2026-09-07 — [AWC API](#)
- FAA airport status — state=not_queried; fetch-state=not_attempted; payload-state=not_attempted; requested-station=KFIN
- FAA NMS NOTAM — state=OK; requested-station=KFIN; actual-station=KFIN; fetched-at=2026-09-06T21:22:06.398705Z — [FAA NMS overview](#)
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KFIN; actual-station=KFIN; fetched-at=2026-09-06T21:22:43.954181+00:00; observed-or-issued-at=2026-09-06T12:00:00+00:00; valid-from=2026-09-06T18:00:00+00:00; valid-through=2026-09-09T12:00:00+00:00; target-dates=2026-09-07; partial-target-dates=2026-09-06; dates-with-points=2026-09-06,2026-09-07 — [Iowa State API](#)
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KFIN; actual-station=KFIN; fetched-at=2026-09-06T21:22:44.726694+00:00; observed-or-issued-at=2026-09-06T12:00:00+00:00; valid-from=2026-09-07T12:00:00+00:00; valid-through=2026-09-14T12:00:00+00:00; target-dates=2026-09-07; dates-with-points=2026-09-07 — [Iowa State API](#)
- MOS effective date selection — state=partial; rows=12; requested-station=KFIN; actual-station=KFIN; fetched-at=2026-09-06T21:22:43.954181+00:00; observed-or-issued-at=2026-09-06T12:00:00+00:00; valid-from=2026-09-06T18:00:00+00:00; valid-through=2026-09-09T12:00:00+00:00; target-dates=2026-09-07; partial-target-dates=2026-09-06; dates-with-points=2026-09-06,2026-09-07; selected-by-date=2026-09-06=GFS, 2026-09-07=GFS

- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#13

KGKT

Gatlinburg-Pigeon Forge Arpt, TN, US

· Mountain · Smokies/Gatlinburg

⏏

OBS - VFR

ETE

0h50

DIST

114 nm

SUN 6 SEP

15:36 ET

OBSERVED VALUE

Current observation

⏏

OBS - VFR

META

R

scattered 9,500 ft

WINDN (350°) 5 kt gust 11 kt

TEMPERATURE29 °C

VISIBILITY6 sm

DEWPOINT25 °C

From 357°M - 0511 kt

KGKT runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 10/28. Wind from 350 degrees true, 357 degrees magnetic, at 5 knots gusting 11 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 28. Wind source: KGKT METAR 061936Z.

Evidence & limitations

- METAR source state: ok; observed Sep 6 15:36 ET; retrieved Sep 6 17:21 ET; 105 min before this run.
- Measured values read from the KGKT METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.88 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- The runway schematic is alignment-only; verify current runway use and NOTAMs.

DESTINATION OUTLOOK

SUN 6 SEP 12:00–18:00 ET HIGH CONFIDENCE

Forecast



FORECAST



Flight-category
guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 6 SEP 18:00–00:00 ET HIGH CONFIDENCE

Forecast



FORECAST



Flight-category
guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 6

12:00–18:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON 7 SEP 00:00–06:00 ET HIGH CONFIDENCE

Forecast

TA
F

TAF · VFR

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 7 SEP 12:00–18:00 ET HIGH CONFIDENCE

Forecast

TA
F

TAF · VFR

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Surface prog evidence · Mon Sep 7

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

MON 7 SEP 06:00–12:00 ET HIGH CONFIDENCE

Forecast

TA
F

TAF · VFR

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 7 SEP 18:00–00:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

Flight-category guidance

WIND4–6 kt

TEMPERATURE82 °F

DEWPOINT66–68 °F

PRECIPITATION10%

Evidence & limitations

• GFS MAV MOS · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

6000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — source state: not_queried

CURRENT METAR TEMP DEP / DEST

34°C dep KLZU → 29°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

10/28 (100/280°M · 093/273°T) — designators and °M headings are magnetic; °T are true; variation 7°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

4 Act on

2 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

ed 2026-09-06T21:22:07.530669Z.

pritative) = no published end (each row states whether it is permanent or simply not supplied) — continues past this window

	FRI SEP 4	SAT SEP 5	SUN SEP 6	MON SEP 7
04/122				
04/123				
5/0055				

19 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 21:22 Z

NOTAMs as of 21:22 Z — advisory only; verify an official briefing.

5/5737

NOTAM text not available in this projection.

04/104

NOTAM text not available in this projection.

04/122

NOTAM text not available in this projection.

04/123

NOTAM text not available in this projection.

5/0055

NOTAM text not available in this projection.

5/0067

NOTAM text not available in this projection.

6/4578

NOTAM text not available in this projection.

06/371

NOTAM text not available in this projection.

06/372

NOTAM text not available in this projection.

06/373

NOTAM text not available in this projection.

06/374

NOTAM text not available in this projection.

07/681

NOTAM text not available in this projection.

07/682

NOTAM text not available in this projection.

07/683

NOTAM text not available in this projection.

07/684

NOTAM text not available in this projection.

07/806

NOTAM text not available in this projection.

08/020

NOTAM text not available in this projection.

08/415

NOTAM text not available in this projection.

08/632

NOTAM text not available in this projection.

08/777

NOTAM text not available in this projection.

09/026

NOTAM text not available in this projection.

09/032

NOTAM text not available in this projection.

09/050

NOTAM text not available in this projection.

08/532

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production
source per owner decision 2026-08-09;
technical transport environment remains
preprod. Limited 2026-07-30 spot check
covered KLZU, KAVL, and KSGJ (3 of 30
airports). NOTAMs were read from this source
and used on this card this run. Typed state:
OK. The dot colour reports whether this
source was read this run; technical
environment: preprod.

026-09-06T21:22:07.530669Z.

:00Z

:00Z

RUNWAY 04/122 — RWY 10 PAPI U/S

Effective 2026-04-07T10:24:00Z → 2027-11-30T19:00:00Z

Effective 2026-04-07T10:26:00Z → Permanent — no expiry published

NAV APPROACH

Effective 2025-09-24T20:31:00Z → 2027-09-24T20:31:00Z

19 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics,
the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KGKT this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

00 ET ET · VFR

00 ET ET · VFR

00 ET ET · VFR

00 FT FT . VER

00 ET ET . VER

18:00 00:00 ET ET VER

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-06=GFS, 2026-09-07=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-06 18:00	89	Bkn	330/4kt	—	>10kft	>6SM
GFS	2026-09-06 21:00	91	Bkn	360/6kt	—	>10kft	>6SM
GFS	2026-09-07 00:00	82	Sct	20/2kt	17.0	>10kft	>6SM
GFS	2026-09-07 03:00	76	Sct	80/1kt	—	>10kft	>6SM
GFS	2026-09-07 06:00	73	Few	230/1kt	11.0	>10kft	>6SM
GFS	2026-09-07 09:00	70	Sct	70/1kt	—	>10kft	3-5SM
GFS	2026-09-07 12:00	70	Bkn	0/0kt	8.0	5-10kft	3-5SM
GFS	2026-09-07 15:00	78	Bkn	60/2kt	—	5-10kft	>6SM
GFS	2026-09-07 18:00	82	Bkn	40/4kt	10.0	5-10kft	>6SM
GFS	2026-09-07 21:00	82	Bkn	90/6kt	—	5-10kft	>6SM
GFS	2026-09-08 00:00	75	Bkn	70/2kt	16.0	>10kft	>6SM
GFS	2026-09-08 03:00	69	Sct	20/1kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KGKT 061936Z AUTO 35005G11KT 6SM HZ SCT095 29/25 A2988 RMK A01

TAF KTYS 061720Z 0618/0718 03004KT P6SM FEW250 FM070200 05008KT P6SM FEW250

+ Data sources used

TAF proxy · KTYS

• METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KGKT; actual-station=KGKT; fetched-at=2026-09-06T21:21:59.343702+00:00; observed-or-issued-at=2026-09-06T19:36:00+00:00 — AWC API

• TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KGKT; actual-station=KTYS; fetched-at=2026-09-06T21:21:59.427383+00:00; observed-or-issued-at=2026-09-06T17:20:00+00:00; valid-from=2026-09-06T18:00:00+00:00; valid-through=2026-09-07T18:00:00+00:00; partial-target-dates=2026-09-06,2026-09-07 — AWC API

• FAA airport status — state=not_queried; fetch-state=not_attempted; payload-state=not_attempted; requested-station=KGKT

• FAA NMS NOTAM — state=OK; requested-station=KGKT; actual-station=KGKT; fetched-at=2026-09-06T21:22:07.530669Z — FAA NMS overview

• MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KGKT; actual-station=KGKT; fetched-at=2026-09-06T21:22:43.956194+00:00; observed-or-issued-at=2026-09-06T12:00:00+00:00; valid-from=2026-09-06T18:00:00+00:00; valid-through=2026-09-09T12:00:00+00:00; target-dates=2026-09-07; partial-target-dates=2026-09-06; dates-with-points=2026-09-06,2026-09-07 — Iowa State API

• MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KGKT; actual-station=KGKT; fetched-at=2026-09-06T21:22:44.736707+00:00; observed-or-issued-at=2026-09-06T12:00:00+00:00; valid-from=2026-09-07T12:00:00+00:00; valid-through=2026-09-14T12:00:00+00:00; target-dates=2026-09-07; dates-with-points=2026-09-07 — Iowa State API

• MOS effective date selection — state=partial; rows=12; requested-station=KGKT; actual-station=KGKT; fetched-at=2026-09-06T21:22:43.956194+00:00; observed-or-issued-at=2026-09-06T12:00:00+00:00; valid-from=2026-09-06T18:00:00+00:00; valid-through=2026-09-09T12:00:00+00:00; target-dates=2026-09-07; partial-target-dates=2026-09-06; dates-with-points=2026-09-06,2026-09-07; selected-by-date=2026-09-06=GFS, 2026-09-07=GFS

- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#14

KSHD

Staunton/Shenandoah Valley Rgnl, VA, US

· Mountain · Shenandoah valley

📍

OBS - VFR

ETE

2h25

DIST

355 nm

SUN 6 SEP

15:35 ET

OBSERVED VALUE

Current observation

META

R

📍

OBS - VFR

 scattered 3,900 ft, broken 4,800 ft, overcast 5,000 ft



WINDE (90°) 4 kt



TEMPERATURE24 °C



VISIBILITY10 sm



DEWPOINT16 °C



KSHD runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 05/23. Wind from 090 degrees true, 100 degrees magnetic, at 4 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 05. Wind source: KSHD METAR 061935Z.

Evidence & limitations

- METAR source state: ok; observed Sep 6 15:35 ET; retrieved Sep 6 17:21 ET; 106 min before this run.
- Measured values read from the KSHD METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.03 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- The runway schematic is alignment-only; verify current runway use and NOTAMs.

DESTINATION OUTLOOK

SUN 6 SEP 12:00–18:00 ET HIGH CONFIDENCE

Forecast



FORECAST



Flight-category
guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 6 SEP 18:00–00:00 ET HIGH CONFIDENCE

Forecast



FORECAST



Flight-category
guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 6

12:00–18:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON 7 SEP 00:00–06:00 ET HIGH CONFIDENCE

Forecast

TA
F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 7 SEP 12:00–18:00 ET HIGH CONFIDENCE

Forecast

TA
F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Surface prog evidence · Mon Sep 7

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

MON 7 SEP 06:00–12:00 ET HIGH CONFIDENCE

Forecast

TA
F

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 7 SEP 18:00–00:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV
MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND4–5 kt

TEMPERATURE79–80 °F

DEWPOINT56–58 °F

PRECIPITATION0%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — source state: not_queried

CURRENT METAR TEMP DEP / DEST

34°C dep KLZU → 24°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

05/23 (050/230°M · 040/220°T) — designators and °M headings are magnetic; °T are true; variation 10°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 Act on

2 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production
source per owner decision 2026-08-09;
technical transport environment remains
preprod. Limited 2026-07-30 spot check
covered KLZU, KAVL, and KSGJ (3 of 30
airports). NOTAMs were read from this source
and used on this card this run. Typed state:
OK. The dot colour reports whether this
source was read this run; technical
environment: preprod.

2 · What

3 · Where

d 2026-09-06T21:22:07.617398Z.

oritative)

FRI SEP 4

SAT SEP 5

SUN SEP 6

MON SEP 7

5/3811

A0196/25

07/006

2 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 21:22 Z

03/004

NOTAM text not available in this projection.

A0068/26

NOTAM text not available in this projection.

5/3811

NOTAM text not available in this projection.

A0196/25

NOTAM text not available in this projection.

07/006

NOTAM text not available in this projection.

A0111/26

NOTAM text not available in this projection.

09/002

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.	26-09-06T21:22:07.617398Z. TRANSIENT :00Z TO TRANSIENT :00Z NDAAH VALLEY RGNL, STAUNTONWAYNESBORO/HARRISONBURG, VA, ILS OR LOC RWY 5, AMDT 9B, AUTOPILOT COUPLED APPROACH NA BELOW 1600 FEET :00Z HENANDDAH VALLEY RGNL, STAUNTONWAYNESBORO/HARRISONBURG, VA, ILS OR LOC RWY 5, AMDT 9B, AUTOPILOT COUPLED APPROACH NA BELOW 1600 FEET :00Z Effective 2025-09-15T15:42:00Z → 2027-09-15T15:41:00Z NAV_APPROACH 170000 → RWY ILS RWY 05 OM LGS Effective 2026-07-15T17:40:00Z → 2028-02-29T21:11:00Z 2 additional normalized FAA NOTAM records omitted from this view.
--	---

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with	
TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.	
GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against	
GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in	
GFA and prog charts — the Graphical Forecast for Aviation and the Weather	
FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KSHD this run.	ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.
published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.	00 ET ET · VFR 00 ET ET · VFR 00 ET ET · VFR 00 ET ET · MVFR 00 ET ET · VFR · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-06=GFS, 2026-09-07=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-06 18:00	77	Ovc	40/4kt	—	5-10kft	>6SM
GFS	2026-09-06 21:00	77	Bkn	60/5kt	—	>10kft	>6SM
GFS	2026-09-07 00:00	70	Bkn	50/3kt	22.0	>10kft	>6SM
GFS	2026-09-07 03:00	63	Sct	10/1kt	—	>10kft	>6SM
GFS	2026-09-07 06:00	59	Bkn	0/0kt	3.0	>10kft	>6SM
GFS	2026-09-07 09:00	56	Bkn	20/1kt	—	>10kft	<¼SM
GFS	2026-09-07 12:00	60	Clear	20/1kt	0.0	>10kft	3-5SM
GFS	2026-09-07 15:00	73	Clear	50/2kt	—	>10kft	>6SM
GFS	2026-09-07 18:00	79	Sct	70/4kt	0.0	>10kft	>6SM
GFS	2026-09-07 21:00	80	Clear	100/5kt	—	>10kft	>6SM
GFS	2026-09-08 00:00	71	Clear	90/2kt	0.0	>10kft	>6SM
GFS	2026-09-08 03:00	61	Clear	0/0kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KSHD 061935Z AUTO 09004KT 10SM SCT039 BKN048 OVC050 24/16 A3003 RMK A02 T02410161

TAF KCHO 061741Z 0618/0718 05004KT P6SM SCT050 OVC060 FM070000 00000KT P6SM FEW250 FM071000 00000KT 4SM BR SCT250 FM071300 03005KT P6SM SCT250 FM071600 07005KT P6SM SCT190

+ Data sources used

• METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KSHD; actual-station=KSHD; fetched-at=2026-09-06T21:21:59.343702+00:00; observed-or-issued-at=2026-09-06T19:35:00+00:00 — AWC API

• TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KSHD; actual-station=KCHO; fetched-at=2026-09-06T21:21:59.427383+00:00; observed-or-issued-at=2026-09-06T17:41:00+00:00; valid-from=2026-09-06T18:00:00+00:00; valid-through=2026-09-07T18:00:00+00:00; partial-target-dates=2026-09-06,2026-09-07 — AWC API

TAF proxy · KCHO

• FAA airport status — state=not_queried; fetch-state=not_attempted; payload-state=not_attempted; requested-station=KSHD

• FAA NMS NOTAM — state=OK; requested-station=KSHD; actual-station=KSHD; fetched-at=2026-09-06T21:22:07.617398Z — FAA NMS overview

• MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KSHD; actual-station=KSHD; fetched-at=2026-09-06T21:22:43.962087+00:00; observed-or-issued-at=2026-09-06T12:00:00+00:00; valid-from=2026-09-06T18:00:00+00:00; valid-through=2026-09-09T12:00:00+00:00; target-dates=2026-09-07; partial-target-dates=2026-09-06; dates-with-points=2026-09-06,2026-09-07 — Iowa State API

• MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KSHD; actual-station=KSHD; fetched-at=2026-09-06T21:22:44.729083+00:00; observed-or-issued-at=2026-09-06T12:00:00+00:00; valid-from=2026-09-07T12:00:00+00:00; valid-through=2026-09-14T12:00:00+00:00; target-dates=2026-09-07; dates-with-points=2026-09-07 — Iowa State API

• MOS effective date selection — state=partial; rows=12; requested-station=KSHD; actual-station=KSHD; fetched-at=2026-09-06T21:22:43.962087+00:00; observed-or-issued-at=2026-09-06T12:00:00+00:00; valid-from=2026-09-06T18:00:00+00:00; valid-through=2026-09-09T12:00:00+00:00; target-dates=2026-09-07; partial-target-dates=2026-09-06; dates-with-points=2026-09-06,2026-09-07; selected-by-date=2026-09-06=GFS, 2026-09-07=GFS

- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#15

KECP

Panama City/NW Florida Beaches Intl, FL, US

· Gulf East · Panama City Beach

⏏

OBS - VFR

ETE

1h38

DIST

237 nm

SUN 6 SEP

15:53 ET

OBSERVED VALUE

Current observation

⏏

OBS - VFR

META

R

☁

scattered 3,500 ft

WIND

SW (230°)

10 kt

🌡

TEMPERATURE

33 °C

👁

VISIBILITY

10 sm

💧

DEWPOINT

24 °C



KECP runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 16/34. Wind from 230 degrees true, 233 degrees magnetic, at 10 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 16. Wind source: KECP METAR 061953Z.

Evidence & limitations

- METAR source state: ok; observed Sep 6 15:53 ET; retrieved Sep 6 17:21 ET; 88 min before this run.
- Measured values read from the KECP METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.84 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- The runway schematic is alignment-only; verify current runway use and NOTAMs.

DESTINATION OUTLOOK

SUN 6 SEP 12:00–18:00 ET HIGH CONFIDENCE

Forecast



TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 6 SEP 18:00–00:00 ET HIGH CONFIDENCE

Forecast



TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 6

12:00–18:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON 7 SEP 00:00–06:00 ET HIGH CONFIDENCE

Forecast

TA

F

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · MVFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 7 SEP 12:00–18:00 ET HIGH CONFIDENCE

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Surface prog evidence · Mon Sep 7

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

MON 7 SEP 06:00–12:00 ET HIGH CONFIDENCE

Forecast

TA

F

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · MVFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 7 SEP 18:00–00:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND4–7 kt

TEMPERATURE87–90 °F

DEWPOINT77 °F

PRECIPITATION24%

Evidence & limitations

• GFS MAV MOS · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

6000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

34°C dep KLZU → 33°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

16/34 (160/340°M · 157/337°T) — designators and °M headings are magnetic; °T are true; variation 3°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

3 Act on

1 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production
source per owner decision 2026-08-09;
technical transport environment remains
preprod. Limited 2026-07-30 spot check
covered KLZU, KAVL, and KSGJ (3 of 30
airports). NOTAMS were read from this source
and used on this card this run. Typed state:
OK. The dot colour reports whether this
source was read this run; technical
environment: preprod.

2 · What

3 · Where

ed 2026-09-06T21:22:08.871384Z.

oritative)

FRI SEP 4

SAT SEP 5

SUN SEP 6

MON SEP 7

6/0313

A0153/26

06/015

17 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 21:22 Z

07/022

NOTAM text not available in this projection.

A0129/26

NOTAM text not available in this projection.

6/0313

NOTAM text not available in this projection.

A0153/26

NOTAM text not available in this projection.

06/015

NOTAM text not available in this projection.

06/017

NOTAM text not available in this projection.

06/021

NOTAM text not available in this projection.

06/029

NOTAM text not available in this projection.

07/001

NOTAM text not available in this projection.

08/015

NOTAM text not available in this projection.

08/016

NOTAM text not available in this projection.

08/024

NOTAM text not available in this projection.

08/025

NOTAM text not available in this projection.

08/027

NOTAM text not available in this projection.

08/028

NOTAM text not available in this projection.

08/033

NOTAM text not available in this projection.

09/001

NOTAM text not available in this projection.

09/002

NOTAM text not available in this projection.

09/003

NOTAM text not available in this projection.

A0152/26

NOTAM text not available in this projection.

09/004

NOTAM text not available in this projection.

09/006

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production

source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

NAV_APPROACH

AD153026 — LAP NORTHWEST FLORIDA BEACHES INTL, PANAMA CITY, FL, ILS OR LOC RWY 18, AMDT 3B... RNAV (GPS) RWY 18, AMDT 2A... RNAV (GPS) RWY 34, AMDT 2B... CIRCLING CAT A/B/C/D, MDA 3000A, CTI... TEMPORARY CRANE 189 MSL 1513FT SW OF ECP AIRPORT (2025-ASO-11517-NPA).

Effective 2026-09-02T17:00:00Z → 2027-01-15T16:23:00Z

OBSTRUCTION

060015 — OBST TOWER LIGHT (AGL 1200017) 302638 70N085237 30W (6.3NM NW ECP) 302.9FT (319.9FT AGL) UNL

Effective 2026-06-15T12:41:00Z → 2026-09-14T04:00:00Z

17 additional normalized FAA NOTAM records omitted from this view.

2026-09-06T21:22:08.871384Z.
RAMP WIP CONST ADJ W EDGE BARRICADED
:00Z
AL RAMP WIP CONST ADJ W EDGE BARRICADED
:00Z
WEST FLORIDA BEACHES INTL, PANAMA CITY, FL, ILS OR LOC RWY 18, AMDT 3B... RNAV (GPS) RWY 18, AMDT 2A... RNAV (GPS) RWY 34, AMDT 2B... CIRCLING
TEMPORARY CRANE 189 MSL 1513FT SW OF ECP AIRPORT (2025-ASO-11517-NPA). 2000021700-2701151623EST
:00Z

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KECP this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

...ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

00 ET ET · MVFR
00 ET ET · MVFR
00 ET ET · MVFR
00 ET ET · MVFR
00 ET ET · VFR
· 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-06=GFS, 2026-09-07=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-06 18:00	90	Bkn	210/6kt	—	>10kft	>6SM

GFS	2026-09-06 21:00	88	Bkn	210/7kt	—	>10kft	>6SM
GFS	2026-09-07 00:00	83	Bkn	230/7kt	12.0	>10kft	>6SM
GFS	2026-09-07 03:00	80	Bkn	240/2kt	—	>10kft	>6SM
GFS	2026-09-07 06:00	78	Sct	260/2kt	31.0	>10kft	>6SM
GFS	2026-09-07 09:00	77	Bkn	320/2kt	—	>10kft	>6SM
GFS	2026-09-07 12:00	77	Bkn	290/2kt	41.0	>10kft	>6SM
GFS	2026-09-07 15:00	86	Bkn	340/4kt	—	>10kft	>6SM
GFS	2026-09-07 18:00	90	Bkn	310/4kt	24.0	>10kft	>6SM
GFS	2026-09-07 21:00	87	Sct	230/7kt	—	>10kft	>6SM
GFS	2026-09-08 00:00	81	Bkn	210/4kt	42.0	>10kft	>6SM
GFS	2026-09-08 03:00	78	Sct	60/2kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KECP 061953Z 23010KT 10SM SCT035 33/24 A2984 RMK A02 SLP114 T03280239

TAF KECP 061729Z 0618/0718 24005KT P6SM SCT035 PROB30 0619/0624 4SM TSRA BKN035CB FM071400 07005KT P6SM FEW020

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KECP; actual-station=KECP; fetched-at=2026-09-06T21:21:59.343702+00:00; observed-or-issued-at=2026-09-06T19:53:00+00:00 — [AWC API](#)
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KECP; actual-station=KECP; fetched-at=2026-09-06T21:21:59.427383+00:00; observed-or-issued-at=2026-09-06T17:29:00+00:00; valid-from=2026-09-06T18:00:00+00:00; valid-through=2026-09-07T18:00:00+00:00; partial-target-dates=2026-09-06,2026-09-07 — [AWC API](#)

TAF proxy · KECP

- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KECP; actual-station=KECP; fetched-at=2026-09-06T21:21:59.755295+00:00
- FAA NMS NOTAM — state=OK; requested-station=KECP; actual-station=KECP; fetched-at=2026-09-06T21:22:08.871384Z — [FAA NMS overview](#)
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KECP; actual-station=KECP; fetched-at=2026-09-06T21:22:43.967142+00:00; observed-or-issued-at=2026-09-06T12:00:00+00:00; valid-from=2026-09-06T18:00:00+00:00; valid-through=2026-09-09T12:00:00+00:00; target-dates=2026-09-07; partial-target-dates=2026-09-06; dates-with-points=2026-09-06,2026-09-07 — [Iowa State API](#)
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KECP; actual-station=KECP; fetched-at=2026-09-06T21:22:44.740315+00:00; observed-or-issued-at=2026-09-06T12:00:00+00:00; valid-from=2026-09-07T12:00:00+00:00; valid-through=2026-09-14T12:00:00+00:00; target-dates=2026-09-07; dates-with-points=2026-09-07 — [Iowa State API](#)
- MOS effective date selection — state=partial; rows=12; requested-station=KECP; actual-station=KECP; fetched-at=2026-09-06T21:22:43.967142+00:00; observed-or-issued-at=2026-09-06T12:00:00+00:00; valid-from=2026-09-06T18:00:00+00:00; valid-through=2026-09-09T12:00:00+00:00; target-dates=2026-09-07; partial-target-dates=2026-09-06; dates-with-points=2026-09-06,2026-09-07; selected-by-date=2026-09-06=GFS, 2026-09-07=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

SUN 6 SEP 15:53 ET OBSERVED VALUE

Current observation

OBS - VFR

OBSERVATION

METAR

clear below 12,000 ft (CLR)

WINDS (190°) 11 kt gust 15 kt

TEMPERATURE32 °C


VISIBILITY10 sm

DEWPOINT26 °C

From 130°M - 13015 M

Alt. Reading 1000 - 1007 ftMsl

KTGWS 061953Z



KPNS runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 17/35, 08/26. Wind from 190 degrees true, 192 degrees magnetic, at 11 knots gusting 15 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 17. NOTAM-affected runway ends, hatched separately from the wind highlight: 08 and 26. The hatch marks only that a NOTAM names the runway; it does not decode the NOTAM's effective times, so confirm the closure window in the NOTAM text below. Wind source: KPNS METAR 061953Z.

Evidence & limitations

• METAR source state: ok; observed Sep 6 15:53 ET; retrieved Sep 6 17:21 ET; 88 min before this run.

• Measured values read from the KPNS METAR. This is a current surface observation only; it is not a forecast.

• Only fields decoded from this METAR are shown; every missing field remains unavailable.

• Altimeter: 29.85 inHg.

• The complete raw METAR remains in this airport's Raw products disclosure.

• The runway schematic is alignment-only; verify current runway use and NOTAMs.

DESTINATION OUTLOOK

SUN 6 SEP 12:00–18:00 ET HIGH CONFIDENCE

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Surface prog evidence · Sun Sep 6

12:00–18:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

SUN 6 SEP 18:00–00:00 ET HIGH CONFIDENCE

Forecast

TA

F

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 18:00–00:00 ET ET · MVFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

MON 7 SEP 00:00–06:00 ET HIGH CONFIDENCE

Forecast

TA

F

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · MVFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 7 SEP 12:00–18:00 ET HIGH CONFIDENCE

Forecast

TA

F

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · MVFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Surface prog evidence · Mon Sep 7

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

MON 7 SEP 06:00–12:00 ET HIGH CONFIDENCE

Forecast

TA

F

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · MVFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 7 SEP 18:00–00:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND5–6 kt

TEMPERATURE89–91 °F

DEWPOINT76 °F

PRECIPITATION13%

Evidence & limitations

• GFS MAV MOS · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

34°C dep KLZU → 32°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

17/35 (170/350°M · 168/348°T) · 08/26 (080/260°M · 078/258°T) — designators and °M headings are magnetic; °T are true; variation 2°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMS

NOTAMS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

	2 · What	3 · Where	
	ed 2026-09-06T21:22:08.873272Z.		
	FRI SEP 4	SAT SEP 5	SUN SEP 6
04/047			
A0477/26			
A0478/26			
79 additional normalized NOTAM records omitted from this view.			

Raw NOTAM data · NOTAMs as of 21:22 Z

NOTAMs as of 21:22 Z — advisory only; verify an official briefing.

5/9591
NOTAM text not available in this projection.

04/046
NOTAM text not available in this projection.

04/047
NOTAM text not available in this projection.

A0477/26
NOTAM text not available in this projection.

A0478/26
NOTAM text not available in this projection.

04/048
NOTAM text not available in this projection.

A0479/26
NOTAM text not available in this projection.

04/049
NOTAM text not available in this projection.

A0480/26

NOTAM text not available in this projection.

06/011

NOTAM text not available in this projection.

A0665/26

NOTAM text not available in this projection.

07/040

NOTAM text not available in this projection.

07/041

NOTAM text not available in this projection.

6/7052

NOTAM text not available in this projection.

07/067

NOTAM text not available in this projection.

A0859/26

NOTAM text not available in this projection.

07/073

NOTAM text not available in this projection.

07/075

NOTAM text not available in this projection.

07/082

NOTAM text not available in this projection.

08/033

NOTAM text not available in this projection.

08/078

NOTAM text not available in this projection.

A1007/26

NOTAM text not available in this projection.

09/005

NOTAM text not available in this projection.

09/006

NOTAM text not available in this projection.

09/007

NOTAM text not available in this projection.

A1014/26

NOTAM text not available in this projection.

A1015/26

NOTAM text not available in this projection.

09/008

NOTAM text not available in this projection.

09/010

NOTAM text not available in this projection.

A1019/26

NOTAM text not available in this projection.

09/011

NOTAM text not available in this projection.

A1020/26

NOTAM text not available in this projection.

12/025

NOTAM text not available in this projection.

A1113/25

NOTAM text not available in this projection.

05/004

NOTAM text not available in this projection.

A0495/26

NOTAM text not available in this projection.

05/065

NOTAM text not available in this projection.

A0605/26

NOTAM text not available in this projection.

07/058

NOTAM text not available in this projection.

07/059

NOTAM text not available in this projection.

07/061

NOTAM text not available in this projection.

A0855/26

NOTAM text not available in this projection.

07/066

NOTAM text not available in this projection.

07/071

NOTAM text not available in this projection.

A0863/26

NOTAM text not available in this projection.

07/083

NOTAM text not available in this projection.

07/084

NOTAM text not available in this projection.

07/085

NOTAM text not available in this projection.

A0882/26

NOTAM text not available in this projection.

A0883/26

NOTAM text not available in this projection.

08/077

NOTAM text not available in this projection.

08/079

NOTAM text not available in this projection.

08/080

NOTAM text not available in this projection.

08/081

NOTAM text not available in this projection.

08/082

NOTAM text not available in this projection.

A1021/26

NOTAM text not available in this projection.

A1023/26

NOTAM text not available in this projection.

09/013

NOTAM text not available in this projection.

A1024/26

NOTAM text not available in this projection.

A0797/25

NOTAM text not available in this projection.

01/160

NOTAM text not available in this projection.

A0199/26

NOTAM text not available in this projection.

6/3336

NOTAM text not available in this projection.

A0624/26

NOTAM text not available in this projection.

A0826/26

NOTAM text not available in this projection.

6/7054

NOTAM text not available in this projection.

A0828/26

NOTAM text not available in this projection.

6/8258

NOTAM text not available in this projection.

A0849/26

NOTAM text not available in this projection.

6/8259

NOTAM text not available in this projection.

A0850/26

NOTAM text not available in this projection.

08/034

NOTAM text not available in this projection.

08/044

NOTAM text not available in this projection.

08/045

NOTAM text not available in this projection.

08/066

NOTAM text not available in this projection.

08/053

NOTAM text not available in this projection.

A0967/26

NOTAM text not available in this projection.

09/004

NOTAM text not available in this projection.

A1027/26

NOTAM text not available in this projection.

A1028/26

NOTAM text not available in this projection.

09/016

NOTAM text not available in this projection.

A1029/26

NOTAM text not available in this projection.

09/017

NOTAM text not available in this projection.

A1030/26

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this

2026-09-06T21:22:08.873272Z.
INTL, PENSACOLA, FL, TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 1L, TAKEOFF OBSTACLE NOTES: RWY 8, TREES BEGINNING 134 FT FROM DER, 50 FT LEFT OF CENTERLINE, UP TO 54 FT AGL/148 FT MSL. TREES BEGINNING 134 FT FROM DER, 50 FT LEFT OF CENTERLINE, UP TO 53 FT AGL/163 FT MSL. TREE 443 FT FROM DER, 60 FT AGL/153 FT MSL. TREES BEGINNING 645 FT FROM DER, 466 FT RIGHT OF CENTERLINE, UP TO 155 FT MSL. TREES BEGINNING 1307 FT FROM DER, 71 FT AGL/163 FT MSL. TREES BEGINNING 1457 FT FROM DER, 136 FT RIGHT OF CENTERLINE, UP TO 71 FT AGL/164 FT MSL. TREES BEGINNING 1685 FT FROM DER, 171 FT MSL. TREES BEGINNING 1686 FT FROM DER, 166 FT RIGHT OF CENTERLINE, UP TO 167 FT MSL. TREES BEGINNING 1721 FT FROM DER, 76 FT AGL/172 FT MSL. TREES BEGINNING 1817 FT FROM DER, 91 FT LEFT OF CENTERLINE, UP TO 76 FT AGL/190 FT MSL. END PART 1 OF 3 ODP

source was read this run; technical environment: preprod.

172 FT MSL. TREES BEGINNING 1974 FT FROM DER, 779 FT LEFT OF CENTERLINE, UP TO 179 FT MSL. RWY 17, TREE 943 FT FROM DER, 731 FT LEFT OF CENTERLINE, UP TO 156 FT MSL. RWY 26, TREES, ELECTRICAL SYSTEM, POLES BEGINNING 5 FT FROM DER, 280 FT LEFT OF CENTERLINE, UP TO 63 FT AGL156 FT MSL. TREES BEGINNING 1121 FT FROM DER, 752 FT LEFT OF CENTERLINE, UP TO 156 FT MSL. RWY 26, TREES, ELECTRICAL SYSTEM, POLES BEGINNING 5 FT FROM DER, 280 FT LEFT OF CENTERLINE, UP TO 63 FT AGL156 FT MSL. TREE 943 FT FROM DER, 614 FT RIGHT OF CENTERLINE, 48 FT AGL135 FT MSL. TREE 946 FT FROM DER, 541 FT RIGHT OF CENTERLINE, 50 FT AGL137 FT MSL. TREES BEGINNING 987 FT FROM DER, 308 FT RIGHT OF CENTERLINE, UP TO 143 FT MSL. TREES BEGINNING 1132 FT FROM DER, 469 FT RIGHT OF CENTERLINE, UP TO 60 FT AGL147 FT MSL. RWY 35, LIGHT POLES BEGINNING 9 FT FROM DER, 14 FT RIGHT OF 76 FT AGL190 FT MSL. END PART 2 OF 3 DDP PENSACOLA INTL, PENSACOLA, FL, CENTERLINE, UP TO 1 FT AGL122 FT MSL. LIGHT POLES BEGINNING 10 FT FROM DER, 15 F

Effective 2025-09-08T16:19:00Z → 2027-09-08T16:19:00Z

FAA NOTAM text was truncated in this preview; verify the complete official record.

RUNWAY

040746 — RWY 04 RWY END ID LIST OPS

Effective 2026-04-24T22:11:00Z → 2027-01-29T20:00:00Z

RUNWAY

040747 — RWY 26 RWY OPS

Effective 2026-04-24T22:11:00Z → 2027-01-29T20:00:00Z

RUNWAY

04077126 — RWY 26 RWY OPS

Effective 2026-04-24T22:11:00Z → 2027-01-29T20:00:00Z

RUNWAY

04078126 — RWY 04 RWY END ID LIST OPS

Effective 2026-04-24T22:11:00Z → 2027-01-29T20:00:00Z

RUNWAY

080578 — RWY 08/26 CLOSED EXC XNG AND TAX

Effective 2026-08-31T22:40:00Z → 2026-09-28T23:00:00Z

RUNWAY

01087126 — RWY 08/26 CLOSED EXC XNG AND TAX

Effective 2026-08-31T22:40:00Z → 2026-09-28T23:00:00Z

77 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KPNS this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

00 ET ET · VFR

00 ET ET · MVFR

00 ET ET · MVFR

00 ET ET · MVFR

00 ET ET · MVFR

· 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-06=GFS, 2026-09-07=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-06 18:00	90	Sct	180/5kt	—	>10kft	>6SM
GFS	2026-09-06 21:00	89	Bkn	200/7kt	—	>10kft	>6SM
GFS	2026-09-07 00:00	84	Bkn	250/7kt	20.0	>10kft	>6SM
GFS	2026-09-07 03:00	82	Bkn	300/5kt	—	>10kft	>6SM
GFS	2026-09-07 06:00	80	Sct	310/3kt	31.0	>10kft	>6SM
GFS	2026-09-07 09:00	79	Bkn	340/2kt	—	>10kft	>6SM
GFS	2026-09-07 12:00	78	Sct	360/3kt	27.0	>10kft	>6SM
GFS	2026-09-07 15:00	86	Clear	10/4kt	—	>10kft	>6SM
GFS	2026-09-07 18:00	91	Few	140/5kt	13.0	>10kft	>6SM
GFS	2026-09-07 21:00	89	Sct	190/6kt	—	>10kft	>6SM
GFS	2026-09-08 00:00	84	Few	230/6kt	18.0	>10kft	>6SM
GFS	2026-09-08 03:00	82	Bkn	150/3kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KPNS 061953Z 19011G15KT 10SM CLR 32/26 A2985 RMK A02 SLP108 T03220256

TAF KPNS 061734Z 0618/0718 17008KT P6SM VCSH SCT030 FM062000 21009KT P6SM SCT035 FM062300 25007KT P6SM FEW040 FM070200 VRB04KT P6SM FEW040 PROB30 0703/0707 36015G25KT 4SM -TSRA BKN035CB

+ Data sources used

TAF proxy · KPNS

• METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KPNS; actual-station=KPNS; fetched-at=2026-09-06T21:21:59.343702+00:00; observed-or-issued-at=2026-09-06T19:53:00+00:00 — AWC API

• TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KPNS; actual-station=KPNS; fetched-at=2026-09-06T21:21:59.427383+00:00; observed-or-issued-at=2026-09-06T17:34:00+00:00; valid-from=2026-09-06T18:00:00+00:00; valid-through=2026-09-07T18:00:00+00:00; partial-target-dates=2026-09-06,2026-09-07 — AWC API

• FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KPNS; actual-station=KPNS; fetched-at=2026-09-06T21:22:00.038214+00:00

• FAA NMS NOTAM — state=OK; requested-station=KPNS; actual-station=KPNS; fetched-at=2026-09-06T21:22:08.873272Z — FAA NMS overview

• MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KPNS; actual-station=KPNS; fetched-at=2026-09-06T21:22:43.993846+00:00; observed-or-issued-at=2026-09-06T12:00:00+00:00; valid-from=2026-09-06T18:00:00+00:00; valid-through=2026-09-09T12:00:00+00:00; target-dates=2026-09-07; partial-target-dates=2026-09-06; dates-with-points=2026-09-06,2026-09-07 — Iowa State API

• MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KPNS; actual-station=KPNS; fetched-at=2026-09-06T21:22:44.732790+00:00; observed-or-issued-at=2026-09-06T12:00:00+00:00; valid-from=2026-09-07T12:00:00+00:00; valid-through=2026-09-14T12:00:00+00:00; target-dates=2026-09-07; dates-with-points=2026-09-07 — Iowa State API

• MOS effective date selection — state=partial; rows=12; requested-station=KPNS; actual-station=KPNS; fetched-at=2026-09-06T21:22:43.993846+00:00; observed-or-issued-at=2026-09-06T12:00:00+00:00; valid-from=2026-09-06T18:00:00+00:00; valid-through=2026-09-09T12:00:00+00:00; target-dates=2026-09-07; partial-target-dates=2026-09-06; dates-with-points=2026-09-06,2026-09-07; selected-by-date=2026-09-06=GFS, 2026-09-07=GFS

- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#17

KDAB

Daytona Beach Intl, FL, US

· Gulf East · Daytona Beach (Class C)

⌵

OBS - MVFR

ETE

2h13

DIST

324 nm

SUN 6 SEP

15:53 ET

OBSERVED VALUE

Current observation

META

R

⌵

OBS - MVFR

OBSE

 broken 3,000 ft cumulonimbus, broken 5,000 ft



WINDE (70°) 12 kt




TEMPERATURE31 °C



VISIBILITY9 sm



DEWPOINT26 °C



KDAB runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 07L/25R, 16/34, 07R/25L. Wind from 070 degrees true, 077 degrees magnetic, at 12 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Equally wind-favoured runway ends, highlighted: 07L and 07R. Wind source: KDAB METAR 061953Z.

Evidence & limitations

- METAR source state: ok; observed Sep 6 15:53 ET; retrieved Sep 6 17:21 ET; 88 min before this run.
- Measured values read from the KDAB METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.85 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- The runway schematic is alignment-only; verify current runway use and NOTAMs.

DESTINATION OUTLOOK

SUN 6 SEP 12:00–18:00 ET HIGH CONFIDENCE

Forecast



FORECAST



Flight-category
guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 6 SEP 18:00–00:00 ET HIGH CONFIDENCE

Forecast



FORECAST



Flight-category
guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 6

12:00–18:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON 7 SEP 00:00–06:00 ET HIGH CONFIDENCE

Forecast

TA
F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 7 SEP 12:00–18:00 ET HIGH CONFIDENCE

Forecast

TA
F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Surface prog evidence · Mon Sep 7

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

MON 7 SEP 06:00–12:00 ET HIGH CONFIDENCE

Forecast

TA
F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 7 SEP 18:00–00:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND7–8 kt

TEMPERATURE82–87 °F

DEWPOINT77–78 °F

PRECIPITATION30%

Evidence & limitations

• GFS MAV MOS · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

34°C dep KLZU → 31°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

07L/25R (070/250°M · 063/243°T) · 16/34 (160/340°M · 153/333°T) · 07R/25L (070/250°M · 063/243°T) — designators and °M headings are magnetic; °T are true; variation 7°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMS

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

NOTAM rate limited

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production
source per owner decision 2026-08-09;
technical transport environment remains
preprod. Limited 2026-07-30 spot check
covered KLZU, KAVL, and KSGJ (3 of 30
airports). The query failed this run, so the
NOTAM list here is unknown rather than
empty. Typed state: RATE_LIMITED. The dot
colour reports whether this source was read
this run; technical environment: preprod.

2 · What

3 · Where

TAM timeline unavailable; verify an official briefing.

```
last attempt 21:22 Z (state: RATE_LIMITED)
```

result withheld. Verify an official briefing.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production
source per owner decision 2026-08-09;
technical transport environment remains
preprod. Limited 2026-07-30 spot check
covered KLZU, KAVL, and KSGJ (3 of 30
airports). The query failed this run, so the
NOTAM list here is unknown rather than

NOTAM status is unknown; verify an official briefing.

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. The NOTAM query failed this run (state: RATE_LIMITED), so the NOTAM list is unknown rather than empty.

period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

00 ET ET · VFR

00 ET ET · VFR

00 ET ET · VFR

00 ET ET · VFR

00 ET ET · VFR

· 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-06=GFS, 2026-09-07=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-06 18:00	90	Bkn	340/7kt	—	>10kft	>6SM
GFS	2026-09-06 21:00	87	Bkn	40/6kt	—	>10kft	>6SM
GFS	2026-09-07 00:00	83	Bkn	210/2kt	29.0	>10kft	>6SM
GFS	2026-09-07 03:00	80	Ovc	240/2kt	—	>10kft	>6SM
GFS	2026-09-07 06:00	78	Bkn	270/3kt	35.0	>10kft	>6SM
GFS	2026-09-07 09:00	76	Bkn	320/3kt	—	>10kft	>6SM
GFS	2026-09-07 12:00	77	Bkn	290/2kt	30.0	>10kft	>6SM
GFS	2026-09-07 15:00	86	Ovc	260/3kt	—	>10kft	>6SM
GFS	2026-09-07 18:00	87	Ovc	270/7kt	30.0	5-10kft	>6SM
GFS	2026-09-07 21:00	82	Ovc	350/8kt	—	3-5kft	>6SM
GFS	2026-09-08 00:00	79	Ovc	30/5kt	66.0	5-10kft	>6SM
GFS	2026-09-08 03:00	78	Ovc	50/3kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KDAB 061953Z 07012KT 9SM TS BKN030CB BKN050 31/26 A2985 RMK A02 TSB06 SLP108 CONS LTGCG OHD-W-N TS OHD-W-N MOV SE SHRA VC W-N T03060256 \$

TAF KDAB 062045Z 0621/0718 07012KT P6SM VCTS SCT030CB BKN080 FM070200 VRB03KT P6SM SCT050 SCT250 FM071400 25005KT P6SM FEW035 SCT120 SCT250

+ Data sources used

• METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KDAB; actual-station=KDAB; fetched-at=2026-09-06T21:21:59.343702+00:00; observed-or-issued-at=2026-09-06T19:53:00+00:00 — AWC API

• TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KDAB; actual-station=KDAB; fetched-at=2026-09-06T21:21:59.427383+00:00; observed-or-issued-at=2026-09-06T20:45:00+00:00; valid-from=2026-09-06T21:00:00+00:00; valid-through=2026-09-07T18:00:00+00:00; partial-target-dates=2026-09-06,2026-09-07 — AWC API

TAF proxy · KDAB

• FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KDAB; actual-station=KDAB; fetched-at=2026-09-06T21:21:59.830070+00:00

• FAA NMS NOTAM — state=RATE_LIMITED; requested-station=KDAB; fetched-at=2026-09-06T21:22:08.888858Z; reason-code=RATE_LIMITED_ERROR — FAA NMS overview

• MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KDAB; actual-station=KDAB; fetched-at=2026-09-06T21:22:43.995775+00:00; observed-or-issued-at=2026-09-06T12:00:00+00:00; valid-from=2026-09-06T18:00:00+00:00; valid-through=2026-09-09T12:00:00+00:00; target-dates=2026-09-07; partial-target-dates=2026-09-06; dates-with-points=2026-09-06,2026-09-07 — Iowa State API

• MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KDAB; actual-station=KDAB; fetched-at=2026-09-06T21:22:44.767143+00:00; observed-or-issued-at=2026-09-06T12:00:00+00:00; valid-from=2026-09-07T12:00:00+00:00; valid-through=2026-09-14T12:00:00+00:00; target-dates=2026-09-07; dates-with-points=2026-09-07 — Iowa State API

• MOS effective date selection — state=partial; rows=12; requested-station=KDAB; actual-station=KDAB; fetched-at=2026-09-06T21:22:43.995775+00:00; observed-or-issued-at=2026-09-06T12:00:00+00:00; valid-from=2026-09-06T18:00:00+00:00; valid-through=2026-09-09T12:00:00+00:00; target-dates=2026-09-07; partial-target-dates=2026-09-06; dates-with-points=2026-09-06,2026-09-07; selected-by-date=2026-09-06=GFS, 2026-09-07=GFS

- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#18

KJKA

Gulf Shores/Edwards Arpt, AL, US

· Gulf West · Gulf Shores AL

⏏

OBS - VFR

ETE

2h01

DIST

291 nm

SUN 6 SEP

15:55 ET

OBSERVED VALUE

Current observation

⏏

OBS - VFR

META

R

☁

few 3,100 ft

WIND

W (250°) 8 kt

TEMPERATURE


33 °C

VISIBILITY

10 sm

DEWPOINT

25 °C



KJKA runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 09/27, 17/35. Wind from 250 degrees true, 252 degrees magnetic, at 8 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 27. Wind source: KJKA METAR 061955Z.

Evidence & limitations

- METAR source state: ok; observed Sep 6 15:55 ET; retrieved Sep 6 17:21 ET; 86 min before this run.
- Measured values read from the KJKA METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.85 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- The runway schematic is alignment-only; verify current runway use and NOTAMs.

DESTINATION OUTLOOK

SUN 6 SEP 12:00–18:00 ET HIGH CONFIDENCE

Forecast



FORECAST



Flight-category
guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 6 SEP 18:00–00:00 ET HIGH CONFIDENCE

Forecast



FORECAST



Flight-category
guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 6

12:00–18:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON 7 SEP 00:00–06:00 ET HIGH CONFIDENCE

Forecast

TA

F

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · MVFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 7 SEP 12:00–18:00 ET HIGH CONFIDENCE

Forecast

TA

F

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · MVFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Surface prog evidence · Mon Sep 7

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

MON 7 SEP 06:00–12:00 ET HIGH CONFIDENCE

Forecast

TA

F

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · MVFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 7 SEP 18:00–00:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND4–5 kt

TEMPERATURE89 °F

DEWPOINT76 °F

PRECIPITATION19%

Evidence & limitations

• GFS MAV MOS · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

34°C dep KLZU → 33°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

09/27 (090/270°M · 088/268°T) · 17/35 (170/350°M · 168/348°T) — designators and °M headings are magnetic; °T are true; variation 2°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMS

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

NOTAM rate limited

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production
source per owner decision 2026-08-09;
technical transport environment remains
preprod. Limited 2026-07-30 spot check
covered KLZU, KAVL, and KSGJ (3 of 30
airports). The query failed this run, so the
NOTAM list here is unknown rather than
empty. Typed state: RATE_LIMITED. The dot
colour reports whether this source was read
this run; technical environment: preprod.

2 · What

3 · Where

TAM timeline unavailable; verify an official briefing.

```
last attempt 21:22 Z (state: RATE_LIMITED)
```

result withheld. Verify an official briefing.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

NOTAM status is unknown; verify an official briefing.

Source provenance — FAA NMS: Production
source per owner decision 2026-08-09;
technical transport environment remains
preprod. Limited 2026-07-30 spot check
covered KLZU, KAVL, and KSGJ (3 of 30
airports). The query failed this run, so the
NOTAM list here is unknown rather than

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. The NOTAM query failed this run (state: RATE_LIMITED), so the NOTAM list is unknown rather than empty.

period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

00 ET ET · VFR

00 ET ET · MVFR

00 ET ET · MVFR

00 ET ET · MVFR

00 ET ET · MVFR

· 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-06=GFS, 2026-09-07=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-06 18:00	90	Bkn	220/4kt	—	>10kft	>6SM
GFS	2026-09-06 21:00	88	Bkn	210/7kt	—	>10kft	>6SM
GFS	2026-09-07 00:00	83	Bkn	250/5kt	21.0	>10kft	>6SM
GFS	2026-09-07 03:00	79	Bkn	290/3kt	—	>10kft	>6SM
GFS	2026-09-07 06:00	77	Sct	310/2kt	31.0	>10kft	>6SM
GFS	2026-09-07 09:00	76	Sct	360/2kt	—	>10kft	>6SM
GFS	2026-09-07 12:00	76	Sct	360/3kt	29.0	>10kft	>6SM
GFS	2026-09-07 15:00	85	Few	350/3kt	—	>10kft	>6SM
GFS	2026-09-07 18:00	89	Sct	210/4kt	19.0	>10kft	>6SM
GFS	2026-09-07 21:00	89	Sct	210/5kt	—	>10kft	>6SM
GFS	2026-09-08 00:00	84	Sct	250/3kt	19.0	>10kft	>6SM
GFS	2026-09-08 03:00	79	Bkn	80/2kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KJKA 061955Z 25008KT 10SM FEW031 33/25 A2985

TAF KJKA 061734Z 0618/0718 22008KT P6SM SCT035 FM070000 VRB03KT P6SM FEW040 PROB30 0703/0707 36015G25KT 4SM -TSRA BKN035CB

+ Data sources used

TAF proxy · KJKA

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KJKA; actual-station=KJKA; fetched-at=2026-09-06T21:21:59.343702+00:00; observed-or-issued-at=2026-09-06T19:55:00+00:00 — [AWC API](#)
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KJKA; actual-station=KJKA; fetched-at=2026-09-06T21:21:59.427383+00:00; observed-or-issued-at=2026-09-06T17:34:00+00:00; valid-from=2026-09-06T18:00:00+00:00; valid-through=2026-09-07T18:00:00+00:00; partial-target-dates=2026-09-06,2026-09-07 — [AWC API](#)
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KJKA; actual-station=KJKA; fetched-at=2026-09-06T21:21:59.875017+00:00
- FAA NMS NOTAM — state=RATE_LIMITED; requested-station=KJKA; fetched-at=2026-09-06T21:22:09.089972Z; reason-code=RATE_LIMITED_ERROR — [FAA NMS overview](#)
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KJKA; actual-station=KJKA; fetched-at=2026-09-06T21:22:44.016463+00:00; observed-or-issued-at=2026-09-06T12:00:00+00:00; valid-from=2026-09-06T18:00:00+00:00; valid-through=2026-09-09T12:00:00+00:00; target-dates=2026-09-07; partial-target-dates=2026-09-06; dates-with-points=2026-09-06,2026-09-07 — [Iowa State API](#)
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KJKA; actual-station=KJKA; fetched-at=2026-09-06T21:22:44.760912+00:00; observed-or-issued-at=2026-09-06T12:00:00+00:00; valid-from=2026-09-07T12:00:00+00:00; valid-through=2026-09-14T12:00:00+00:00; target-dates=2026-09-07; dates-with-points=2026-09-07 — [Iowa State API](#)
- MOS effective date selection — state=partial; rows=12; requested-station=KJKA; actual-station=KJKA; fetched-at=2026-09-06T21:22:44.016463+00:00; observed-or-issued-at=2026-09-06T12:00:00+00:00; valid-from=2026-09-06T18:00:00+00:00; valid-through=2026-09-09T12:00:00+00:00; target-dates=2026-09-07; partial-target-dates=2026-09-06; dates-with-points=2026-09-06,2026-09-07; selected-by-date=2026-09-06=GFS, 2026-09-07=GFS

- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#19

KBFM

Mobile/Downtown Arpt, AL, US

· Gulf West · Mobile Downtown

▮

OBS - VFR

ETE

2h00

DIST

290 nm

SUN 6 SEP 15:53 ET OBSERVED VALUE

Current observation

▮

OBS - VFR

METAR

R

scattered 3,000 ft

WIND

variable 6 kt

TEMPERATURE

32 °C

VISIBILITY

10 sm

DEWPOINT

26 °C

OBSERVED

Evidence & limitations

- METAR source state: ok; observed Sep 6 15:53 ET; retrieved Sep 6 17:21 ET; 88 min before this run.
- Measured values read from the KBFM METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.87 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.

DESTINATION OUTLOOK

SUN 6 SEP 12:00–18:00 ET HIGH CONFIDENCE

Forecast



FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 6 SEP 18:00–00:00 ET HIGH CONFIDENCE

Forecast



FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 6

12:00–18:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON 7 SEP 00:00–06:00 ET HIGH CONFIDENCE

Forecast



TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 7 SEP 12:00–18:00 ET HIGH CONFIDENCE

Forecast



TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 7 SEP 06:00–12:00 ET HIGH CONFIDENCE

Forecast



TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 7 SEP 18:00–00:00 ET MEDIUM CONFIDENCE

Forecast



GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND4–5 kt

TEMPERATURE92 °F

DEWPOINT78 °F

PRECIPITATION13%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 7

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

34°C dep KLZU → 32°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

14/32 (140/320°M · 138/318°T) · 18/36 (180/000°M · 178/358°T) — designators and °M headings are magnetic; °T are true; variation 2°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMS

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

12 Act on

3 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production
source per owner decision 2026-08-09;
technical transport environment remains
preprod. Limited 2026-07-30 spot check
covered KLZU, KAVL, and KSGJ (3 of 30
airports). NOTAMs were read from this source
and used on this card this run. Typed state:
OK. The dot colour reports whether this
source was read this run; technical
environment: preprod.

2 · What

3 · Where

ed 2026-09-06T21:22:10.172011Z

pritative

FRI SEP 4

SAT SEP 5

SUN SEP 6

MON SEP 7

08/020

A0373/26

08/024

36 additional normalized NOTAM records omitted from this view

Raw NOTAM data · NOTAMs as of 21:22 Z

08/004

NOTAM text not available in this projection.

A0354/26

NOTAM text not available in this projection

08/020

NOTAM text not available in this projection

A0373/26

NOTAM text not available in this projection

08/034

NOTAM text not available in this projection

A0377126

NOTAM text not available in this projection

A0388/26

NOTAM text not available in this projection

A0389/36

NOTAM text not available in this projection

A0300/36

NOTAM text not available in this projection.

6/1287

NOTAM text not available in this projection.

6/1289

NOTAM text not available in this projection.

A0106/26

NOTAM text not available in this projection.

A0108/26

NOTAM text not available in this projection.

6/3379

NOTAM text not available in this projection.

A0284/26

NOTAM text not available in this projection.

6/2188

NOTAM text not available in this projection.

A0356/26

NOTAM text not available in this projection.

6/4898

NOTAM text not available in this projection.

A0364/26

NOTAM text not available in this projection.

6/9973

NOTAM text not available in this projection.

A0382/26

NOTAM text not available in this projection.

05/009

NOTAM text not available in this projection.

A0240/26

NOTAM text not available in this projection.

06/024

NOTAM text not available in this projection.

06/026

NOTAM text not available in this projection.

06/027

NOTAM text not available in this projection.

06/028

NOTAM text not available in this projection.

06/029

NOTAM text not available in this projection.

06/030

NOTAM text not available in this projection.

06/031

NOTAM text not available in this projection.

06/032

NOTAM text not available in this projection.

06/033

NOTAM text not available in this projection.

06/049

NOTAM text not available in this projection.

07/009

NOTAM text not available in this projection.

A0326/26

NOTAM text not available in this projection.

08/021

NOTAM text not available in this projection.

09/002

NOTAM text not available in this projection.

09/003

NOTAM text not available in this projection.

08/027

NOTAM text not available in this projection.

09/008

NOTAM text not available in this projection.

A0391/26

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2026-09-06T21:22:10.172011Z.

ET ET

:00Z

NOT ET

:00Z

ET

:00Z

ET ET

:00Z

TAXIWAY

2026-08-26T15:11:00Z → 2026-09-30T23:59:00Z

Effective 2026-08-26T15:11:00Z → 2026-09-30T23:59:00Z

36 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KBFM this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

00 ET ET · VFR

00 ET ET · VFR

00 ET ET · VFR

00 ET ET · VFR

00 ET ET · VFR

· 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-06=GFS, 2026-09-07=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-06 18:00	91	Sct	140/5kt	—	>10kft	>6SM
GFS	2026-09-06 21:00	91	Bkn	180/5kt	—	>10kft	>6SM
GFS	2026-09-07 00:00	86	Bkn	240/3kt	27.0	>10kft	>6SM
GFS	2026-09-07 03:00	82	Bkn	330/3kt	—	>10kft	>6SM
GFS	2026-09-07 06:00	80	Sct	340/2kt	32.0	>10kft	>6SM
GFS	2026-09-07 09:00	79	Sct	330/2kt	—	>10kft	>6SM
GFS	2026-09-07 12:00	78	Bkn	360/3kt	24.0	>10kft	>6SM
GFS	2026-09-07 15:00	87	Few	40/4kt	—	>10kft	>6SM
GFS	2026-09-07 18:00	92	Sct	120/4kt	13.0	>10kft	>6SM
GFS	2026-09-07 21:00	92	Sct	150/5kt	—	>10kft	>6SM
GFS	2026-09-08 00:00	85	Sct	170/3kt	14.0	>10kft	>6SM
GFS	2026-09-08 03:00	82	Bkn	80/3kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KBFM 061953Z VRB06KT 10SM SCT030 32/26 A2987 RMK A02 LTG DSNT NW SLP113 T03220261

TAF KBFM 061822Z 0618/0718 15007KT P6SM VCTS SCT030CB SCT050 FM062100 18007KT P6SM SCT035 FM070000 VRB03KT P6SM FEW040 FEW250

+ Data sources used

TAF proxy · KBFM

• METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KBFM; actual-station=KBFM; fetched-at=2026-09-06T21:21:59.343702+00:00; observed-or-issued-at=2026-09-06T19:53:00+00:00 — AWC API

• TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KBFM; actual-station=KBFM; fetched-at=2026-09-06T21:21:59.427383+00:00; observed-or-issued-at=2026-09-06T18:22:00+00:00; valid-from=2026-09-06T18:00:00+00:00; valid-through=2026-09-07T18:00:00+00:00; partial-target-dates=2026-09-06,2026-09-07 — AWC API

• FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KBFM; actual-station=KBFM; fetched-at=2026-09-06T21:22:00.128374+00:00

• FAA NMS NOTAM — state=OK; requested-station=KBFM; actual-station=KBFM; fetched-at=2026-09-06T21:22:10.172011Z — FAA NMS overview

• MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KBFM; actual-station=KBFM; fetched-at=2026-09-06T21:22:44.001619+00:00; observed-or-issued-at=2026-09-06T12:00:00+00:00; valid-from=2026-09-06T18:00:00+00:00; valid-through=2026-09-09T12:00:00+00:00; target-dates=2026-09-07; partial-target-dates=2026-09-06; dates-with-points=2026-09-06,2026-09-07 — Iowa State API

• MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KBFM; actual-station=KBFM; fetched-at=2026-09-06T21:22:44.765103+00:00; observed-or-issued-at=2026-09-06T12:00:00+00:00; valid-from=2026-09-07T12:00:00+00:00; valid-through=2026-09-14T12:00:00+00:00; target-dates=2026-09-07; dates-with-points=2026-09-07 — Iowa State API

• MOS effective date selection — state=partial; rows=12; requested-station=KBFM; actual-station=KBFM; fetched-at=2026-09-06T21:22:44.001619+00:00; observed-or-issued-at=2026-09-06T12:00:00+00:00; valid-from=2026-09-06T18:00:00+00:00; valid-through=2026-09-09T12:00:00+00:00; target-dates=2026-09-07; partial-target-dates=2026-09-06; dates-with-points=2026-09-06,2026-09-07; selected-by-date=2026-09-06=GFS, 2026-09-07=GFS

- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#20

KGPT

Gulfport-Biloxi Intl, MS, US

· Gulf West · Gulfport-Biloxi

⏏

OBS - VFR

ETE

2h18

DIST

337 nm

SUN 6 SEP

15:53 ET

OBSERVED VALUE

Current observation

⏏

OBS - VFR

METAR

R

☁

clear below 12,000 ft (CLR)

🌀

WINDS (180°) 7 kt

🌡️

TEMPERATURE33 °C

🌫️

VISIBILITY10 sm


💧

DEWPOINT25 °C

From 181°M: 7 kt

181°M: 7 kt

KGPT METAR 061953Z



KGPT runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 14/32, 18/36. Wind from 180 degrees true, 181 degrees magnetic, at 7 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 18. Wind source: KGPT METAR 061953Z.

Evidence & limitations

- METAR source state: ok; observed Sep 6 15:53 ET; retrieved Sep 6 17:21 ET; 88 min before this run.
- Measured values read from the KGPT METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.86 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- The runway schematic is alignment-only; verify current runway use and NOTAMs.

DESTINATION OUTLOOK

SUN 6 SEP 12:00–18:00 ET HIGH CONFIDENCE

Forecast



TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 6 SEP 18:00–00:00 ET HIGH CONFIDENCE

Forecast



TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 6

12:00–18:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON 7 SEP 00:00–06:00 ET HIGH CONFIDENCE

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 7 SEP 12:00–18:00 ET HIGH CONFIDENCE

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Surface prog evidence · Mon Sep 7

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

MON 7 SEP 06:00–12:00 ET HIGH CONFIDENCE

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 7 SEP 18:00–00:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND5–6 kt

TEMPERATURE89–90 °F

DEWPOINT76–77 °F

PRECIPITATION21%

Evidence & limitations

• GFS MAV MOS · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

34°C dep KLZU → 33°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

14/32 (140/320°M · 139/319°T) · 18/36 (180/000°M · 179/359°T) — designators and °M headings are magnetic; °T are true; variation 1°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMS

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

8 Act on

1 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production
source per owner decision 2026-08-09;
technical transport environment remains
preprod. Limited 2026-07-30 spot check
covered KLZU, KAVL, and KSGJ (3 of 30
airports). NOTAMs were read from this source
and used on this card this run. Typed state:
OK. The dot colour reports whether this
source was read this run; technical
environment: preprod.

2 · What

3 · Where

ed 2026-09-06T21:22:10.896027Z.
oritative)

FRI SEP 4

SAT SEP 5

SUN SEP 6

MON SEP 7

09/058

A0789/25

6/5422

19 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 21:22 Z

06/071

NOTAM text not available in this projection.

06/072

NOTAM text not available in this projection.

09/058

NOTAM text not available in this projection.

A0789/25

NOTAM text not available in this projection.

6/5422

NOTAM text not available in this projection.

A0386/26

NOTAM text not available in this projection.

06/065

NOTAM text not available in this projection.

6/9967

NOTAM text not available in this projection.

A0597/26

NOTAM text not available in this projection.

09/004

NOTAM text not available in this projection.

A0673/26

NOTAM text not available in this projection.

A0674/26

NOTAM text not available in this projection.

06/056

NOTAM text not available in this projection.

06/060

NOTAM text not available in this projection.

07/001

NOTAM text not available in this projection.

07/031

NOTAM text not available in this projection.

08/003

NOTAM text not available in this projection.

08/023

NOTAM text not available in this projection.

08/040

NOTAM text not available in this projection.

08/041

NOTAM text not available in this projection.

08/042

NOTAM text not available in this projection.

08/045

NOTAM text not available in this projection.

09/006

NOTAM text not available in this projection.

09/007

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2026-09-06T21:22:10.896027Z.
UNAVAIL
:00Z
REF MARKING AT TWY E, TWY D, AND TWY A OBSC
:00Z
TWY 14 COM UPS
:00Z
REF TWY 14 COM UPS
:00Z

NAV_APPROACH

05422 — GP GULFPORT BLDG INTL, GULFPORT, MS, ILS 2 OR LOC 2 RWY 32, AMDT 5A, .. RNAV (GPS) RWY 18, AMDT 3, .. RNAV (GPS) RWY 32, AMDT 2A, .. RNAV (GPS) RWY 30, AMDT 1B, .. RNAV (GPS) RWY 32, AMDT 21D, .. VOR 2 OR TACAN 2 RWY 14, AMDT 4A, .. VOR 2 RWY 32, AMDT 5A, .. CIRCLING CAT A MDA 540HAA 512 (0004-ASD) 12154-DE PERM, 2604231520 2604231520EST
Effective 2026-04-23T15:28:00Z → 2028-04-23T15:28:00Z

19 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KGPT this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

... and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

00 ET ET · MVFR
00 ET ET · MVFR
00 ET ET · VFR
00 ET ET · VFR
00 ET ET · VFR
· 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-06=GFS, 2026-09-07=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-06 18:00	91	Sct	210/5kt	—	>10kft	>6SM
GFS	2026-09-06 21:00	89	Bkn	200/5kt	—	>10kft	>6SM
GFS	2026-09-07 00:00	85	Bkn	260/4kt	28.0	>10kft	>6SM
GFS	2026-09-07 03:00	82	Bkn	310/1kt	—	>10kft	>6SM
GFS	2026-09-07 06:00	80	Bkn	310/1kt	22.0	>10kft	>6SM
GFS	2026-09-07 09:00	78	Sct	310/1kt	—	>10kft	>6SM
GFS	2026-09-07 12:00	78	Bkn	330/2kt	26.0	>10kft	>6SM
GFS	2026-09-07 15:00	86	Sct	350/5kt	—	>10kft	>6SM
GFS	2026-09-07 18:00	90	Sct	190/5kt	21.0	>10kft	>6SM
GFS	2026-09-07 21:00	89	Sct	170/6kt	—	>10kft	>6SM
GFS	2026-09-08 00:00	85	Sct	180/4kt	26.0	>10kft	>6SM
GFS	2026-09-08 03:00	82	Sct	30/1kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KGPT 061953Z 18007KT 10SM CLR 33/25 A2986 RMK A02 SLP109 T03280250

TAF KGPT 061720Z 0618/0718 21005KT P6SM FEW028 FEW250 PROB30 0618/0624 4SM -TSRA BKN025CB FM070000 21007KT P6SM FEW035 FEW110

+ Data sources used

TAF proxy · KGPT

• METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KGPT; actual-station=KGPT; fetched-at=2026-09-06T21:21:59.343702+00:00; observed-or-issued-at=2026-09-06T19:53:00+00:00 — AWC API

• TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KGPT; actual-station=KGPT; fetched-at=2026-09-06T21:21:59.427383+00:00; observed-or-issued-at=2026-09-06T17:20:00+00:00; valid-from=2026-09-06T18:00:00+00:00; valid-through=2026-09-07T18:00:00+00:00; partial-target-dates=2026-09-06,2026-09-07 — AWC API

• FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KGPT; actual-station=KGPT; fetched-at=2026-09-06T21:21:59.981788+00:00

• FAA NMS NOTAM — state=OK; requested-station=KGPT; actual-station=KGPT; fetched-at=2026-09-06T21:22:10.896027Z — FAA NMS overview

• MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KGPT; actual-station=KGPT; fetched-at=2026-09-06T21:22:44.194972+00:00; observed-or-issued-at=2026-09-06T12:00:00+00:00; valid-from=2026-09-06T18:00:00+00:00; valid-through=2026-09-09T12:00:00+00:00; target-dates=2026-09-07; partial-target-dates=2026-09-06; dates-with-points=2026-09-06,2026-09-07 — Iowa State API

• MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KGPT; actual-station=KGPT; fetched-at=2026-09-06T21:22:44.856882+00:00; observed-or-issued-at=2026-09-06T12:00:00+00:00; valid-from=2026-09-07T12:00:00+00:00; valid-through=2026-09-14T12:00:00+00:00; target-dates=2026-09-07; dates-with-points=2026-09-07 — Iowa State API

• MOS effective date selection — state=partial; rows=12; requested-station=KGPT; actual-station=KGPT; fetched-at=2026-09-06T21:22:44.194972+00:00; observed-or-issued-at=2026-09-06T12:00:00+00:00; valid-from=2026-09-06T18:00:00+00:00; valid-through=2026-09-09T12:00:00+00:00; target-dates=2026-09-07; partial-target-dates=2026-09-06; dates-with-points=2026-09-06,2026-09-07; selected-by-date=2026-09-06=GFS, 2026-09-07=GFS

- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#21

KSPG

St Petersburg/Whitted Arpt, FL, US

· Gulf East · St Petersburg

⏏

OBS - VFR

ETE

2h35

DIST

379 nm

SUN 6 SEP

15:31 ET

OBSERVED VALUE

Current observation

⏏

OBS - VFR

METAR

R

clear below 12,000 ft (CLR)

WIND

NW (310°)

7 kt

gust 15 kt

TEMPERATURE

32 °C

VISIBILITY

10 sm

DEWPOINT

24 °C

From 310°M - 7020 kt

1000 ft

061931Z

KSPG runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 07/25, 18/36. Wind from 310 degrees true, 316 degrees magnetic, at 7 knots gusting 15 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 36. Wind source: KSPG METAR 061931Z.

Evidence & limitations

- METAR source state: ok; observed Sep 6 15:31 ET; retrieved Sep 6 17:21 ET; 110 min before this run.
- Measured values read from the KSPG METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.87 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- The runway schematic is alignment-only; verify current runway use and NOTAMs.

DESTINATION OUTLOOK

SUN 6 SEP 12:00–18:00 ET HIGH CONFIDENCE

Forecast



FORECAST



Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 6 SEP 18:00–00:00 ET HIGH CONFIDENCE

Forecast



FORECAST



Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 6

12:00–18:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON 7 SEP 00:00–06:00 ET HIGH CONFIDENCE

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 7 SEP 12:00–18:00 ET HIGH CONFIDENCE

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Surface prog evidence · Mon Sep 7

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

MON 7 SEP 06:00–12:00 ET HIGH CONFIDENCE

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 7 SEP 18:00–00:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND8 kt

TEMPERATURE87 °F

DEWPOINT75–76 °F

PRECIPITATION16%

Evidence & limitations

• GFS MAV MOS · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

34°C dep KLZU → 32°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

07/25 (070/250°M · 064/244°T) · 18/36 (180/000°M · 174/354°T) — designators and °M headings are magnetic; °T are true; variation 6°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMS

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

ed 2026-09-06T21:22:11.033573Z.
poritative)

FRI SEP 4

SAT SEP 5

SUN SEP 6

MON SEP 7

07/003

07/004

07/005

5 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 21:22 Z

NOTAMs as of 21:22 Z — advisory only; verify an official briefing.

6/3728

NOTAM text not available in this projection.

07/002

NOTAM text not available in this projection.

07/003

NOTAM text not available in this projection.

07/004

NOTAM text not available in this projection.

07/005

NOTAM text not available in this projection.

07/006

NOTAM text not available in this projection.

07/007

NOTAM text not available in this projection.

07/010

NOTAM text not available in this projection.

08/001

NOTAM text not available in this projection.

08/002

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

Effective 2026-07-21T18:50:00Z → 2026-10-01T15:00:00Z

RUNWAY

070000 — 070000 ST PETERSBURG INTL LOST LWS

Effective 2026-07-21T18:51:00Z → 2026-10-01T15:00:00Z

5 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KSPG this run.

published WPC surface chart matches this

category and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

00 ET ET · VFR

00 ET ET · VFR

00 ET ET · VFR

00 ET ET · VFR

period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

00 ET ET · VFR

· 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-06=GFS, 2026-09-07=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-06 18:00	87	Bkn	230/7kt	—	>10kft	6SM
GFS	2026-09-06 21:00	89	Bkn	270/8kt	—	>10kft	6SM
GFS	2026-09-07 00:00	87	Sct	270/7kt	0.0	>10kft	6SM
GFS	2026-09-07 03:00	85	Few	250/5kt	—	>10kft	6SM
GFS	2026-09-07 06:00	83	Sct	260/5kt	7.0	>10kft	6SM
GFS	2026-09-07 09:00	82	Bkn	280/4kt	—	>10kft	6SM
GFS	2026-09-07 12:00	83	Bkn	260/3kt	12.0	>10kft	6SM
GFS	2026-09-07 15:00	85	Few	230/6kt	—	>10kft	>6SM
GFS	2026-09-07 18:00	87	Bkn	250/8kt	16.0	>10kft	>6SM
GFS	2026-09-07 21:00	87	Ovc	270/8kt	—	>10kft	>6SM
GFS	2026-09-08 00:00	84	Bkn	280/7kt	23.0	>10kft	>6SM
GFS	2026-09-08 03:00	83	Ovc	310/5kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

SPECI KSPG 061931Z 31007G15KT 250V330 10SM CLR 32/24 A2987 RMK A02 T03170239

TAF KPIE 061720Z 0618/0718 30007KT P6SM VCTS SCT030CB SCT250 FM061900 29008KT P6SM FEW040 SCT250 FM070200 25004KT P6SM FEW030 SCT250 FM071100 24006KT P6SM VCTS SCT025CB BKN250

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KSPG; actual-station=KSPG; fetched-at=2026-09-06T21:21:59.343702+00:00; observed-or-issued-at=2026-09-06T19:31:00+00:00 — AWC API

• TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KSPG; actual-station=KPIE; fetched-at=2026-09-06T21:21:59.427383+00:00; observed-or-issued-at=2026-09-06T17:20:00+00:00; valid-from=2026-09-06T18:00:00+00:00; valid-through=2026-09-07T18:00:00+00:00; partial-target-dates=2026-09-06,2026-09-07 — AWC API
- TAF proxy · KPIE
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KSPG; actual-station=KSPG; fetched-at=2026-09-06T21:22:00.566636+00:00

• FAA NMS NOTAM — state=OK; requested-station=KSPG; actual-station=KSPG; fetched-at=2026-09-06T21:22:11.033573Z — FAA NMS overview

• MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KSPG; actual-station=KSPG; fetched-at=2026-09-06T21:22:44.185417+00:00; observed-or-issued-at=2026-09-06T12:00:00+00:00; valid-from=2026-09-06T18:00:00+00:00; valid-through=2026-09-09T12:00:00+00:00; target-dates=2026-09-07; partial-target-dates=2026-09-06; dates-with-points=2026-09-06,2026-09-07 — Iowa State API

• MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KSPG; actual-station=KSPG; fetched-at=2026-09-06T21:22:44.888503+00:00; observed-or-issued-at=2026-09-06T12:00:00+00:00; valid-from=2026-09-07T12:00:00+00:00; valid-through=2026-09-14T12:00:00+00:00; target-dates=2026-09-07; dates-with-points=2026-09-07 — [Iowa State API](#)

• MOS effective date selection — state=partial; rows=12; requested-station=KSPG; actual-station=KSPG; fetched-at=2026-09-06T21:22:44.185417+00:00; observed-or-issued-at=2026-09-06T12:00:00+00:00; valid-from=2026-09-06T18:00:00+00:00; valid-through=2026-09-09T12:00:00+00:00; target-dates=2026-09-07; partial-target-dates=2026-09-06; dates-with-points=2026-09-06,2026-09-07; selected-by-date=2026-09-06=GFS, 2026-09-07=GFS

• Extended outlook and hazard-feed states are reported in the source stamp.

• Runway data + Chart Supplement — [FAA Chart Supplement \(current cycle\)](#) — see [AirNav](#) link above

#22

KTPF Tampa/Knight Arpt, FL, US

· Gulf East · Tampa Peter O Knight

⏏

OBS - VFR

⏏

ETE

2h32

⏏

⏏

DIST

372 nm

⏏

SUN 6 SEP 15:35 ET OBSERVED VALUE

Current observation

META

R

⏏

OBS - VFR

⏏

OBSERVED

⏏

clear below 12,000 ft (CLR)

⏏

WINDSW (220°) 9 kt

⏏

TEMPERATURE30 °C

⏏

VISIBILITY9 sm

⏏

DEWPOINT26 °C

From 120°W - 90°E

WIND FROM 220° 9 kt

WIND FAVORED END

KTPF runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 04/22, 18/36. Wind from 220 degrees true, 226 degrees magnetic, at 9 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 22. Wind source: KTPF METAR 061935Z.

Evidence & limitations

- METAR source state: ok; observed Sep 6 15:35 ET; retrieved Sep 6 17:21 ET; 106 min before this run.
- Measured values read from the KTPF METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.86 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- The runway schematic is alignment-only; verify current runway use and NOTAMs.

DESTINATION OUTLOOK

SUN 6 SEP 12:00–18:00 ET HIGH CONFIDENCE

Forecast



FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 6 SEP 18:00–00:00 ET HIGH CONFIDENCE

Forecast



FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 6

12:00–18:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON 7 SEP 00:00–06:00 ET HIGH CONFIDENCE

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 7 SEP 12:00–18:00 ET HIGH CONFIDENCE

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Surface prog evidence · Mon Sep 7

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON 7 SEP 06:00–12:00 ET HIGH CONFIDENCE

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 7 SEP 18:00–00:00 ET HIGH CONFIDENCE

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

34°C dep KLZU → 30°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

04/22 (040/220°M · 034/214°T) · 18/36 (180/000°M · 174/354°T) — designators and °M headings are magnetic; °T are true; variation 6°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

NOTAM rate limited

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). The query failed this run, so the NOTAM list here is unknown rather than

2 · What

3 · Where

NOTAM timeline unavailable; verify an official briefing.

empty. Typed state: RATE_LIMITED. The dot colour reports whether this source was read this run; technical environment: preprod.

last attempt 21:22 Z (state: RATE_LIMITED)

NOTAMs — no data retrieved; last attempt 21:22 Z (state: RATE_LIMITED) — advisory only; verify an official briefing.

Raw NOTAM text not available — source unavailable or result withheld. Verify an official briefing.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

NOTAM status is unknown; verify an official briefing.

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). The query failed this run, so the NOTAM list here is unknown rather than

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. The NOTAM query failed this run (state: RATE_LIMITED), so the NOTAM list is unknown rather than empty.

period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

00 ET ET · VFR

00 ET ET · VFR

00 ET ET · VFR

00 ET ET · VFR

00 ET ET · VFR

00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-06=GFS, 2026-09-07=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-06 18:00	90	Sct	240/6kt	—	>10kft	>6SM
GFS	2026-09-06 21:00	90	Bkn	260/6kt	—	>10kft	>6SM

GFS	2026-09-07 00:00	85	Bkn	260/5kt	0.0	>10kft	>6SM
GFS	2026-09-07 03:00	83	Sct	230/3kt	—	>10kft	>6SM
GFS	2026-09-07 06:00	82	Sct	250/2kt	9.0	>10kft	>6SM
GFS	2026-09-07 09:00	81	Bkn	250/2kt	—	>10kft	>6SM
GFS	2026-09-07 12:00	82	Sct	230/2kt	15.0	>10kft	>6SM
GFS	2026-09-07 15:00	88	Bkn	240/4kt	—	>10kft	>6SM
GFS	2026-09-07 18:00	89	Bkn	250/6kt	18.0	>10kft	>6SM
GFS	2026-09-07 21:00	88	Ovc	280/6kt	—	>10kft	>6SM
GFS	2026-09-08 00:00	83	Bkn	280/4kt	29.0	>10kft	>6SM
GFS	2026-09-08 03:00	81	Ovc	30/2kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KTPF 061935Z AUTO 22009KT 9SM CLR 30/26 A2986 RMK A02 T03030260 \$

TAF KTPA 062059Z 0621/0724 26008KT P6SM SCT035 SCT250 FM070200 25004KT P6SM FEW030 SCT250 FM071100 24006KT P6SM VCTS SCT025CB SCT250 FM071800 26008KT P6SM SCT035 SCT250

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KTPF; actual-station=KTPF; fetched-at=2026-09-06T21:21:59.343702+00:00; observed-or-issued-at=2026-09-06T19:35:00+00:00 — [AWC API](#)
 - TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KTPF; actual-station=KTPA; fetched-at=2026-09-06T21:21:59.427383+00:00; observed-or-issued-at=2026-09-06T20:59:00+00:00; valid-from=2026-09-06T21:00:00+00:00; valid-through=2026-09-08T00:00:00+00:00; partial-target-dates=2026-09-06,2026-09-07 — [AWC API](#)
- TAF proxy · KTPA
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KTPF; actual-station=KTPF; fetched-at=2026-09-06T21:22:00.248691+00:00
 - FAA NMS NOTAM — state=RATE_LIMITED; requested-station=KTPF; fetched-at=2026-09-06T21:22:11.391672Z; reason-code=RATE_LIMITED_ERROR — [FAA NMS overview](#)
 - MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KTPF; actual-station=KTPF; fetched-at=2026-09-06T21:22:44.250821+00:00; observed-or-issued-at=2026-09-06T12:00:00+00:00; valid-from=2026-09-06T18:00:00+00:00; valid-through=2026-09-09T12:00:00+00:00; target-dates=2026-09-07; partial-target-dates=2026-09-06; dates-with-points=2026-09-06,2026-09-07 — [Iowa State API](#)
 - MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KTPF; actual-station=KTPF; fetched-at=2026-09-06T21:22:44.945600+00:00; observed-or-issued-at=2026-09-06T12:00:00+00:00; valid-from=2026-09-07T12:00:00+00:00; valid-through=2026-09-14T12:00:00+00:00; target-dates=2026-09-07; dates-with-points=2026-09-07 — [Iowa State API](#)
 - MOS effective date selection — state=partial; rows=12; requested-station=KTPF; actual-station=KTPF; fetched-at=2026-09-06T21:22:44.250821+00:00; observed-or-issued-at=2026-09-06T12:00:00+00:00; valid-from=2026-09-06T18:00:00+00:00; valid-through=2026-09-09T12:00:00+00:00; target-dates=2026-09-07; partial-target-dates=2026-09-06; dates-with-points=2026-09-06,2026-09-07; selected-by-date=2026-09-06=GFS, 2026-09-07=GFS
 - Extended outlook and hazard-feed states are reported in the source stamp.
 - Runway data + Chart Supplement — [FAA Chart Supplement \(current cycle\)](#) — see AirNav link above

#23

KSRQ Sarasota-Bradenton Intl, FL, US · Gulf East · Sarasota-Bradenton

OBS - VFR

EFE
2h43

DIST
02 nr

SUN 6 SEP 15:53 ET OBSERVED VALUE

Current observation

OBS - VFR

OBSERV




WINDW (270°) 10 kt

!

TEMPERATURE **32 °C**

VISIBILITY **10 sm**

DEWPOINT **25 °C**

Evidence & limitations

- METAR source state: ok; observed Sep 6 15:53 ET; retrieved Sep 6 17:21 ET; 88 min before this run.
- Measured values read from the KSRQ METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.89 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- The runway schematic is alignment-only; verify current runway use and NOTAMs.

DESTINATION OUTLOOK

SUN 6 SEP 12:00–18:00 ET HIGH CONFIDENCE

Forecast



FORECAST



Flight-category
guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 6 SEP 18:00–00:00 ET HIGH CONFIDENCE

Forecast



FORECAST



Flight-category
guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 6

12:00–18:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON 7 SEP 00:00–06:00 ET HIGH CONFIDENCE

Forecast

TA
F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 7 SEP 12:00–18:00 ET HIGH CONFIDENCE

Forecast

TA
F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Surface prog evidence · Mon Sep 7

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

MON 7 SEP 06:00–12:00 ET HIGH CONFIDENCE

Forecast

TA
F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 7 SEP 18:00–00:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV
MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND9 kt

TEMPERATURE89 °F

DEWPOINT78 °F

PRECIPITATION8%

Evidence & limitations

• GFS MAV MOS · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

34°C dep KLZU → 32°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

14/32 (140/320°M · 134/314°T) · 04/22 (040/220°M · 034/214°T) — designators and °M headings are magnetic; °T are true; variation 6°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMS

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

Technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

ed 2026-09-06T21:22:12.123189Z.
(pritative)

FRI SEP 4	SAT SEP 5	SUN SEP 6	MON SEP 7
A0954/26			
A0955/26			
05/096			

22 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 21:22 Z

NOTAMs as of 21:22 Z — advisory only; verify an official briefing.

09/009
NOTAM text not available in this projection.
A0953/26
NOTAM text not available in this projection.
A0954/26
NOTAM text not available in this projection.
A0955/26
NOTAM text not available in this projection.
05/096
NOTAM text not available in this projection.
A0516/26
NOTAM text not available in this projection.
08/050
NOTAM text not available in this projection.
A0891/26
NOTAM text not available in this projection.
08/070

NOTAM text not available in this projection.

A0920/26

NOTAM text not available in this projection.

5/0499

NOTAM text not available in this projection.

A1001/25

NOTAM text not available in this projection.

6/4825

NOTAM text not available in this projection.

A0754/26

NOTAM text not available in this projection.

06/005

NOTAM text not available in this projection.

A0527/26

NOTAM text not available in this projection.

06/146

NOTAM text not available in this projection.

A0706/26

NOTAM text not available in this projection.

06/147

NOTAM text not available in this projection.

07/029

NOTAM text not available in this projection.

07/033

NOTAM text not available in this projection.

08/060

NOTAM text not available in this projection.

08/074

NOTAM text not available in this projection.

A0926/26

NOTAM text not available in this projection.

08/075

NOTAM text not available in this projection.

09/001

NOTAM text not available in this projection.

09/010

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production
source per owner decision 2026-08-09;
technical transport environment remains
preprod. Limited 2026-07-30 spot check
covered KLZU, KAVL, and KSGJ (3 of 30
airports). NOTAMs were read from this source
and used on this card this run. Typed state:
OK. The dot colour reports whether this
source was read this run; technical
environment: preprod.

026-09-06T21:22:12.123189Z.

:00Z

:00Z

:00Z

:00Z

TAXIWAY 05/096 — TWY K CLSD

Effective 2026-05-30T00:06:00Z → 2026-12-31T23:00:00Z

22 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics,
the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight

Time and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

00 ET ET · VFR

00 ET ET · VFR

category. NOTAMs were read for KSRQ this run.

period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

00 ET ET · VFR

00 ET ET · VFR

00 ET ET · VFR

· 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-06=GFS, 2026-09-07=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-06 18:00	91	Bkn	270/8kt	—	>10kft	>6SM
GFS	2026-09-06 21:00	91	Sct	270/9kt	—	>10kft	>6SM
GFS	2026-09-07 00:00	87	Sct	280/6kt	0.0	>10kft	>6SM
GFS	2026-09-07 03:00	84	Few	270/5kt	—	>10kft	>6SM
GFS	2026-09-07 06:00	83	Sct	260/4kt	4.0	>10kft	>6SM
GFS	2026-09-07 09:00	81	Sct	280/5kt	—	>10kft	>6SM
GFS	2026-09-07 12:00	82	Sct	260/4kt	7.0	>10kft	>6SM
GFS	2026-09-07 15:00	88	Sct	250/5kt	—	>10kft	>6SM
GFS	2026-09-07 18:00	89	Bkn	260/9kt	8.0	>10kft	>6SM
GFS	2026-09-07 21:00	89	Bkn	270/9kt	—	>10kft	>6SM
GFS	2026-09-08 00:00	85	Sct	270/6kt	13.0	>10kft	>6SM
GFS	2026-09-08 03:00	82	Ovc	290/4kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KSRQ 061953Z 27010KT 10SM CLR 32/25 A2989 RMK A02 LTG DSNT E SLP120 T03220250

TAF KSRQ 061720Z 0618/0718 27009KT P6SM FEW035 SCT250 FM070200 25005KT P6SM FEW030 SCT250 FM071100 25006KT P6SM VCTS SCT025CB BKN250

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KSRQ; actual-station=KSRQ; fetched-at=2026-09-06T21:21:59.343702+00:00; observed-or-issued-at=2026-09-06T19:53:00+00:00 — [AWC API](#)
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KSRQ; actual-station=KSRQ; fetched-at=2026-09-06T21:21:59.427383+00:00; observed-or-issued-at=2026-09-06T17:20:00+00:00; valid-from=2026-09-06T18:00:00+00:00; valid-through=2026-09-07T18:00:00+00:00; partial-target-dates=2026-09-06,2026-09-07 — [AWC API](#)

- TAF proxy · KSRQ
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KSRQ; actual-station=KSRQ; fetched-at=2026-09-06T21:22:00.034146+00:00
 - FAA NMS NOTAM — state=OK; requested-station=KSRQ; actual-station=KSRQ; fetched-at=2026-09-06T21:22:12.123189Z — [FAA NMS overview](#)

- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KSRQ; actual-station=KSRQ; fetched-at=2026-09-06T21:22:44.291960+00:00; observed-or-issued-at=2026-09-06T12:00:00+00:00; valid-from=2026-09-06T18:00:00+00:00; valid-through=2026-09-09T12:00:00+00:00; target-dates=2026-09-07; partial-target-dates=2026-09-06; dates-with-points=2026-09-06,2026-09-07 — [Iowa State API](#)
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KSRQ; actual-station=KSRQ; fetched-at=2026-09-06T21:22:44.904965+00:00; observed-or-issued-at=2026-09-06T12:00:00+00:00; valid-from=2026-09-07T12:00:00+00:00; valid-through=2026-09-14T12:00:00+00:00; target-dates=2026-09-07; dates-with-points=2026-09-07 — [Iowa State API](#)
- MOS effective date selection — state=partial; rows=12; requested-station=KSRQ; actual-station=KSRQ; fetched-at=2026-09-06T21:22:44.291960+00:00; observed-or-issued-at=2026-09-06T12:00:00+00:00; valid-from=2026-09-06T18:00:00+00:00; valid-through=2026-09-09T12:00:00+00:00; target-dates=2026-09-07; partial-target-dates=2026-09-06; dates-with-points=2026-09-06,2026-09-07; selected-by-date=2026-09-06=GFS, 2026-09-07=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#24 **KVNC** Venice Muni, FL, US · Gulf East · Venice FL

OBS - VFR

FTE
2h51

DIST
422 nm

SUN 6 SEP 15:35 ET OBSERVED VALUE

Current observation

OBS - VFR

OBSERV



 clear below 12,000 ft (CLR)

WINDW (270°) 9 kt

TEMPERATURE **32 °C**

● VISIBILITY 9 sm

DEWPOINT **26 °C**



Evidence & limitations

- METAR source state: ok; observed Sep 6 15:35 ET; retrieved Sep 6 17:21 ET; 106 min before this run.
- Measured values read from the KVNC METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.89 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- The runway schematic is alignment-only; verify current runway use and NOTAMs.

SUN, SEP 6

SUN 6 SEP 12:00–18:00 ET HIGH CONFIDENCE

Forecast

TA
F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 6 SEP 18:00–00:00 ET HIGH CONFIDENCE

Forecast

TA
F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 6

12:00–18:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON 7 SEP 00:00–06:00 ET HIGH CONFIDENCE

Forecast

TA
F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 7 SEP 12:00–18:00 ET HIGH CONFIDENCE

Forecast

TA
F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Surface prog evidence · Mon Sep 7

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

MON 7 SEP 06:00–12:00 ET HIGH CONFIDENCE

Forecast

TA
F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 7 SEP 18:00–00:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND9 kt

TEMPERATURE88–89 °F

DEWPOINT77–78 °F

PRECIPITATION4%

Evidence & limitations

• GFS MAV MOS · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — source state: not_queried

CURRENT METAR TEMP DEP / DEST

34°C dep KLZU → 32°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

13/31 (130/310°M · 124/304°T) · 05/23 (050/230°M · 044/224°T) — designators and °M headings are magnetic; °T are true; variation 6°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMS

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

...d 2026-09-06T21:22:12.213542Z.

...pritative) » = no published end (each row states whether it is permanent or simply not supplied) — continues past this window

FRI SEP 4

SAT SEP 5

SUN SEP 6

MON SEP 7

6/8216

07/031

08/096

1 additional normalized NOTAM record omitted from this view.

Raw NOTAM data · NOTAMs as of 21:22 Z

NOTAMs as of 21:22 Z — advisory only; verify an official briefing.

6/8218

NOTAM text not available in this projection.

10/255

NOTAM text not available in this projection.

6/8216

NOTAM text not available in this projection.

07/031

NOTAM text not available in this projection.

08/096

NOTAM text not available in this projection.

09/006

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production

source per owner decision 2026-08-09;
technical transport environment remains
preprod. Limited 2026-07-30 spot check
covered KLZU, KAVL, and KSGJ (3 of 30
airports). NOTAMs were read from this source
and used on this card this run. Typed state:
OK. The dot colour reports whether this
source was read this run; technical
environment: preprod.

26-09-06T21:22:12.213542Z.

:00Z

expiry published

Effective 2026-03-13T18:55:00Z → 2026-10-01T18:55:00Z

OBSTRUCTION

Effective 2026-07-02T02:05:00Z → 2026-09-30T02:05:00Z

OBSTRUCTION

Effective 2026-08-07T11:23:00Z → 2026-10-06T04:00:00Z

1 additional normalized FAA NOTAM record omitted from this view.

+ Forecast evidence

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KVNC this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

00 ET ET · VFR

00 ET ET · VFR

00 ET ET · VFR

00 ET ET · VFR

00 ET ET · VFR

· 18:00–00:00 ET ET · VFR

- + MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-06=GFS, 2026-09-07=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-06 18:00	90	Sct	270/7kt	—	>10kft	>6SM

GFS	2026-09-06 21:00	90	Sct	280/9kt	—	>10kft	>6SM
GFS	2026-09-07 00:00	87	Sct	290/7kt	0.0	>10kft	>6SM
GFS	2026-09-07 03:00	85	Clear	280/5kt	—	>10kft	>6SM
GFS	2026-09-07 06:00	83	Sct	270/4kt	2.0	>10kft	>6SM
GFS	2026-09-07 09:00	82	Few	270/5kt	—	>10kft	>6SM
GFS	2026-09-07 12:00	83	Few	280/3kt	5.0	>10kft	>6SM
GFS	2026-09-07 15:00	88	Sct	240/5kt	—	>10kft	>6SM
GFS	2026-09-07 18:00	89	Sct	250/9kt	4.0	>10kft	>6SM
GFS	2026-09-07 21:00	88	Sct	270/9kt	—	>10kft	>6SM
GFS	2026-09-08 00:00	85	Few	270/6kt	9.0	>10kft	>6SM
GFS	2026-09-08 03:00	83	Bkn	300/5kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KVNC 061935Z AUTO 27009KT 9SM CLR 32/26 A2989 RMK A02 LTG DSNT NE T03180257 \$

TAF KSRQ 061720Z 0618/0718 27009KT P6SM FEW035 SCT250 FM070200 25005KT P6SM FEW030 SCT250 FM071100 25006KT P6SM VCTS SCT025CB BKN250

+ Data sources used

• METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KVNC; actual-station=KVNC; fetched-at=2026-09-06T21:21:59.343702+00:00; observed-or-issued-at=2026-09-06T19:35:00+00:00 — [AWC API](#)

• TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KVNC; actual-station=KSRQ; fetched-at=2026-09-06T21:21:59.427383+00:00; observed-or-issued-at=2026-09-06T17:20:00+00:00; valid-from=2026-09-06T18:00:00+00:00; valid-through=2026-09-07T18:00:00+00:00; partial-target-dates=2026-09-06,2026-09-07 — [AWC API](#)

TAF proxy · KSRQ

• FAA airport status — state=not_queried; fetch-state=not_attempted; payload-state=not_attempted; requested-station=KVNC

• FAA NMS NOTAM — state=OK; requested-station=KVNC; actual-station=KVNC; fetched-at=2026-09-06T21:22:12.213542Z — [FAA NMS overview](#)

• MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KVNC; actual-station=KVNC; fetched-at=2026-09-06T21:22:44.229779+00:00; observed-or-issued-at=2026-09-06T12:00:00+00:00; valid-from=2026-09-06T18:00:00+00:00; valid-through=2026-09-09T12:00:00+00:00; target-dates=2026-09-07; partial-target-dates=2026-09-06; dates-with-points=2026-09-06,2026-09-07 — [Iowa State API](#)

• MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KVNC; actual-station=KVNC; fetched-at=2026-09-06T21:22:44.923858+00:00; observed-or-issued-at=2026-09-06T12:00:00+00:00; valid-from=2026-09-07T12:00:00+00:00; valid-through=2026-09-14T12:00:00+00:00; target-dates=2026-09-07; dates-with-points=2026-09-07 — [Iowa State API](#)

• MOS effective date selection — state=partial; rows=12; requested-station=KVNC; actual-station=KVNC; fetched-at=2026-09-06T21:22:44.229779+00:00; observed-or-issued-at=2026-09-06T12:00:00+00:00; valid-from=2026-09-06T18:00:00+00:00; valid-through=2026-09-09T12:00:00+00:00; target-dates=2026-09-07; partial-target-dates=2026-09-06; dates-with-points=2026-09-06,2026-09-07; selected-by-date=2026-09-06=GFS, 2026-09-07=GFS

• Extended outlook and hazard-feed states are reported in the source stamp.

• Runway data + Chart Supplement — [FAA Chart Supplement \(current cycle\)](#) — see AirNav link above

SUN 6 SEP 15:50 ET OBSERVED VALUE

Current observation

OBS - VFR

OBSERVED

METAR

scattered 4,000 ft

WINDSW (230°) 6 kt

TEMPERATURE34 °C

VISIBILITY10 sm

DEWPOINT24 °C

From 231°M, 6 kt

Wind blowing from 231° true

Wind speed 6 knots

KHSA runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 18/36. Wind from 230 degrees true, 231 degrees magnetic, at 6 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 18. Wind source: KHSA METAR 061950Z.

Evidence & limitations

- METAR source state: ok; observed Sep 6 15:50 ET; retrieved Sep 6 17:21 ET; 91 min before this run.
- Measured values read from the KHSA METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.86 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- The runway schematic is alignment-only; verify current runway use and NOTAMs.

DESTINATION OUTLOOK

SUN 6 SEP 12:00–18:00 ET HIGH CONFIDENCE

Forecast

TA

F

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · MVFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Surface prog evidence · Sun Sep 6

12:00–18:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

SUN 6 SEP 18:00–00:00 ET HIGH CONFIDENCE

Forecast

TA

F

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 18:00–00:00 ET ET · MVFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

MON 7 SEP 00:00–06:00 ET HIGH CONFIDENCE

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 7 SEP 12:00–18:00 ET HIGH CONFIDENCE

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Surface prog evidence · Mon Sep 7

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

MON 7 SEP 06:00–12:00 ET HIGH CONFIDENCE

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 7 SEP 18:00–00:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND3–5 kt

TEMPERATURE89–92 °F

DEWPOINT77 °F

PRECIPITATION22%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — source state: not_queried

CURRENT METAR TEMP DEP / DEST

34°C dep KLZU → 34°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

18/36 (180/000°M · 179/359°T) — designators and °M headings are magnetic; °T are true; variation 1°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 Act on

1 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production
source per owner decision 2026-08-09;
technical transport environment remains
preprod. Limited 2026-07-30 spot check
covered KLZU, KAVL, and KSGJ (3 of 30
airports). NOTAMs were read from this source
and used on this card this run. Typed state:
OK. The dot colour reports whether this
source was read this run; technical
environment: preprod.

2 · What

3 · Where

ed 2026-09-06T21:22:12.219937Z.

FRI SEP 4

SAT SEP 5

SUN SEP 6

MON SEP 7

09/003

07/008

07/018

8 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 21:22 Z

08/010

NOTAM text not available in this projection.

08/016

NOTAM text not available in this projection.

09/003

NOTAM text not available in this projection.

07/008

NOTAM text not available in this projection.

07/018

NOTAM text not available in this projection.

07/033

NOTAM text not available in this projection.

12/015

NOTAM text not available in this projection.

6/5656

NOTAM text not available in this projection.

07/002

NOTAM text not available in this projection.

08/013

NOTAM text not available in this projection.

08/017

NOTAM text not available in this projection.

09/004

NOTAM text not available in this projection.

02/005

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2026-09-06T21:22:12.219937Z.

WINDS N SIDE OBSC

:00Z

AREA NOT STD

:00Z

RD LST NOT STD

:00Z

AND NORTH APR CLSD EXC ACFT WINGSPAN LESS THAN 50FT

:00Z

TAXIWAY

BT0018 — TWTY C LOCATION SIGN BTH TWTY A AND NORTH APR MISSING

Effective 2026-07-23T13:13:00Z → 2026-09-30T16:00:00Z

8 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KHSA this run.

them. No category, wind, ceiling, ranking or go/no-go here is derived from an image. A published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

00 ET ET · MVFR
00 ET ET · MVFR
00 ET ET · VFR
00 ET ET · VFR
00 ET ET · VFR
· 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-06=GFS, 2026-09-07=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-06 18:00	90	Sct	240/4kt	—	>10kft	>6SM
GFS	2026-09-06 21:00	88	Bkn	200/5kt	—	>10kft	>6SM
GFS	2026-09-07 00:00	84	Bkn	220/3kt	33.0	>10kft	>6SM
GFS	2026-09-07 03:00	999	Bkn	990/99kt	—	>10kft	>6SM
GFS	2026-09-07 06:00	999	Bkn	990/99kt	17.0	>10kft	>6SM
GFS	2026-09-07 09:00	999	Sct	990/99kt	—	>10kft	>6SM
GFS	2026-09-07 12:00	75	Bkn	340/1kt	23.0	>10kft	>6SM
GFS	2026-09-07 15:00	84	Sct	340/3kt	—	>10kft	>6SM
GFS	2026-09-07 18:00	92	Sct	190/3kt	22.0	>10kft	>6SM
GFS	2026-09-07 21:00	89	Sct	170/5kt	—	>10kft	>6SM
GFS	2026-09-08 00:00	83	Sct	150/4kt	30.0	>10kft	>6SM
GFS	2026-09-08 03:00	999	Sct	990/99kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KHSA 061950Z 23006KT 10SM SCT040 34/24 A2986

TAF KGPT 061720Z 0618/0718 21005KT P6SM FEW028 FEW250 PROB30 0618/0624 4SM -TSRA BKN025CB FM070000 21007KT P6SM FEW035 FEW110

+ [Data sources used](#)

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KHSA; actual-station=KHSA; fetched-at=2026-09-06T21:21:59.343702+00:00; observed-or-issued-at=2026-09-06T19:50:00+00:00 — [AWC API](#)
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KHSA; actual-station=KGPT; fetched-at=2026-09-06T21:21:59.427383+00:00; observed-or-issued-at=2026-09-06T17:20:00+00:00; valid-from=2026-09-06T18:00:00+00:00; valid-through=2026-09-07T18:00:00+00:00; partial-target-dates=2026-09-06,2026-09-07 — [AWC API](#)
- TAF proxy · KGPT
- FAA airport status — state=not_queried; fetch-state=not_attempted; payload-state=not_attempted; requested-station=KHSA
- FAA NMS NOTAM — state=OK; requested-station=KHSA; actual-station=KHSA; fetched-at=2026-09-06T21:22:12.219937Z — [FAA NMS overview](#)
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KHSA; actual-station=KHSA; fetched-at=2026-09-06T21:22:44.233798+00:00; observed-or-issued-at=2026-09-06T12:00:00+00:00; valid-from=2026-09-06T18:00:00+00:00; valid-through=2026-09-09T12:00:00+00:00; target-dates=2026-09-07; partial-target-dates=2026-09-06; dates-with-points=2026-09-06,2026-09-07 — [Iowa State API](#)
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KHSA; actual-station=KHSA; fetched-at=2026-09-06T21:22:44.915223+00:00; observed-or-issued-at=2026-09-06T12:00:00+00:00; valid-from=2026-09-07T12:00:00+00:00; valid-through=2026-09-14T12:00:00+00:00; target-dates=2026-09-07; dates-with-points=2026-09-07 — [Iowa State API](#)
- MOS effective date selection — state=partial; rows=12; requested-station=KHSA; actual-station=KHSA; fetched-at=2026-09-06T21:22:44.233798+00:00; observed-or-issued-at=2026-09-06T12:00:00+00:00; valid-from=2026-09-06T18:00:00+00:00; valid-through=2026-09-09T12:00:00+00:00; target-dates=2026-09-07; partial-target-dates=2026-09-06; dates-with-points=2026-09-06,2026-09-07; selected-by-date=2026-09-06=GFS, 2026-09-07=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — [FAA Chart Supplement \(current cycle\)](#) — see AirNav link above

#26 **KNEW** New Orleans/Lakefront Arpt, LA, US · Gulf West · New Orleans Lakefront

📶 OBS - VFR

ETE
2h38

DIST
389 nm

SUN 6 SEP 15:53 ET OBSERVED VALUE

Current observation

📶 OBS - VFR

OBSER

METAR

clear below 12,000 ft (CLR)

WINDW (260°) 6 kt

TEMPERATURE31 °C

VISIBILITY10 sm

DEWPOINT24 °C



KNEW runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 18R/36L, 18L/36R, 09/27. Wind from 260 degrees true, 261 degrees magnetic, at 6 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 27. Wind source: KNEW METAR 061953Z.

Evidence & limitations

- METAR source state: ok; observed Sep 6 15:53 ET; retrieved Sep 6 17:21 ET; 88 min before this run.
- Measured values read from the KNEW METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.89 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- The runway schematic is alignment-only; verify current runway use and NOTAMs.

DESTINATION OUTLOOK

SUN, SEP 6

SUN 6 SEP 12:00–18:00 ET HIGH CONFIDENCE

Forecast

TA

F

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · MVFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 6 SEP 18:00–00:00 ET HIGH CONFIDENCE

Forecast

TA

F

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 18:00–00:00 ET ET · MVFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 6

12:00–18:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON 7 SEP 00:00–06:00 ET HIGH CONFIDENCE

Forecast

TA

F

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · MVFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 7 SEP 12:00–18:00 ET HIGH CONFIDENCE

Forecast

TA

F

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · MVFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Surface prog evidence · Mon Sep 7

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

MON 7 SEP 06:00–12:00 ET HIGH CONFIDENCE

Forecast

TA

F

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · MVFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 7 SEP 18:00–00:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND5–6 kt

TEMPERATURE88–90 °F

DEWPOINT76–78 °F

PRECIPITATION28%

Evidence & limitations

• GFS MAV MOS · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

34°C dep KLZU → 31°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

18R/36L (180/000°M · 179/359°T) · 18L/36R (180/000°M · 179/359°T) · 09/27 (090/270°M · 089/269°T) — designators and °M headings are magnetic; °T are true; variation 1°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMS

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

	2 · What	3 · Where	
	ed 2026-09-06T21:22:13.299121Z. poritative)		
	FRI SEP 4	SAT SEP 5	SUN SEP 6
			MON SEP 7
6/7961			
6/6847			
09/001			
12 additional normalized NOTAM records omitted from this view.			

Raw NOTAM data · NOTAMs as of 21:22 Z

NOTAMs as of 21:22 Z — advisory only; verify an official briefing.

- 6/1269

NOTAM text not available in this projection.
- 6/1270

NOTAM text not available in this projection.
- 6/7961

NOTAM text not available in this projection.
- 6/6847

NOTAM text not available in this projection.
- 09/001

NOTAM text not available in this projection.
- 07/007

NOTAM text not available in this projection.
- 07/014

NOTAM text not available in this projection.
- 08/002

NOTAM text not available in this projection.
- 08/005

NOTAM text not available in this projection.

08/008

NOTAM text not available in this projection.

08/015

NOTAM text not available in this projection.

08/016

NOTAM text not available in this projection.

08/020

NOTAM text not available in this projection.

09/002

NOTAM text not available in this projection.

09/006

NOTAM text not available in this projection.

09/003

NOTAM text not available in this projection.

09/004

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production
source per owner decision 2026-08-09;
technical transport environment remains
preprod. Limited 2026-07-30 spot check
covered KLZU, KAVL, and KSGJ (3 of 30
airports). NOTAMs were read from this source
and used on this card this run. Typed state:
OK. The dot colour reports whether this
source was read this run; technical
environment: preprod.

Effective 2026-06-12T16:47:00Z → 2026-09-16T16:47:00Z

Effective 2026-08-20T17:08:00Z → 2026-10-29T17:08:00Z

NAV_APPROACH 09/001 — NAV ILS RWY 18R LOC US

Effective 2026-09-01T20:30:00Z → 2026-09-09T20:00:00Z

12 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics,
the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KNEW this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

00 ET ET · MVFR

00 ET ET · MVFR

00 ET ET · MVFR

00 ET ET · MVFR

00 ET ET · MVFR

· 18:00–00:00 ET ET · VFR

- + MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-06=GFS, 2026-09-07=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-06 18:00	88	Bkn	330/6kt	—	>10kft	>6SM
GFS	2026-09-06 21:00	89	Ovc	280/6kt	—	>10kft	>6SM
GFS	2026-09-07 00:00	87	Bkn	240/7kt	47.0	>10kft	>6SM
GFS	2026-09-07 03:00	84	Bkn	240/8kt	—	>10kft	>6SM
GFS	2026-09-07 06:00	83	Bkn	260/7kt	16.0	>10kft	>6SM
GFS	2026-09-07 09:00	83	Sct	280/8kt	—	>10kft	>6SM
GFS	2026-09-07 12:00	83	Bkn	310/8kt	20.0	>10kft	>6SM
GFS	2026-09-07 15:00	86	Sct	340/6kt	—	>10kft	>6SM
GFS	2026-09-07 18:00	88	Bkn	340/6kt	28.0	>10kft	>6SM
GFS	2026-09-07 21:00	90	Bkn	310/5kt	—	>10kft	>6SM

GFS	2026-09-08 00:00	87	Bkn	180/6kt	39.0	>10kft	>6SM
GFS	2026-09-08 03:00	85	Bkn	200/6kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KNEW 061953Z 26006KT 10SM CLR 31/24 A2989 RMK A01 SLP114 T03110239

TAF KNEW 061720Z 0618/0718 32005KT P6SM FEW025 FEW110 PROB30 0618/0624 4SM -TSRA BKN025CB BKN030

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KNEW; actual-station=KNEW; fetched-at=2026-09-06T21:21:59.343702+00:00; observed-or-issued-at=2026-09-06T19:53:00+00:00 — [AWC API](#)
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KNEW; actual-station=KNEW; fetched-at=2026-09-06T21:21:59.427383+00:00; observed-or-issued-at=2026-09-06T17:20:00+00:00; valid-from=2026-09-06T18:00:00+00:00; valid-through=2026-09-07T18:00:00+00:00; partial-target-dates=2026-09-06,2026-09-07 — [AWC API](#)

TAF proxy · KNEW

- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KNEW; actual-station=KNEW; fetched-at=2026-09-06T21:22:00.300949+00:00
- FAA NMS NOTAM — state=OK; requested-station=KNEW; actual-station=KNEW; fetched-at=2026-09-06T21:22:13.299121Z — [FAA NMS overview](#)
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KNEW; actual-station=KNEW; fetched-at=2026-09-06T21:22:44.222713+00:00; observed-or-issued-at=2026-09-06T12:00:00+00:00; valid-from=2026-09-06T18:00:00+00:00; valid-through=2026-09-09T12:00:00+00:00; target-dates=2026-09-07; partial-target-dates=2026-09-06; dates-with-points=2026-09-06,2026-09-07 — [Iowa State API](#)
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KNEW; actual-station=KNEW; fetched-at=2026-09-06T21:22:44.955792+00:00; observed-or-issued-at=2026-09-06T12:00:00+00:00; valid-from=2026-09-07T12:00:00+00:00; valid-through=2026-09-14T12:00:00+00:00; target-dates=2026-09-07; dates-with-points=2026-09-07 — [Iowa State API](#)
- MOS effective date selection — state=partial; rows=12; requested-station=KNEW; actual-station=KNEW; fetched-at=2026-09-06T21:22:44.222713+00:00; observed-or-issued-at=2026-09-06T12:00:00+00:00; valid-from=2026-09-06T18:00:00+00:00; valid-through=2026-09-09T12:00:00+00:00; target-dates=2026-09-07; partial-target-dates=2026-09-06; dates-with-points=2026-09-06,2026-09-07; selected-by-date=2026-09-06=GFS, 2026-09-07=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — [FAA Chart Supplement \(current cycle\)](#) — see AirNav link above

#27

KOPF

Miami/Opa Locka Arpt, FL, US

· Long-range · Miami-Opa Locka

OBS - MVFR

ETE

3h30

DIST

521 nm

SUN 6 SEP 15:53 ET OBSERVED VALUE

Current observation

METAR

scattered 11,000 ft

WINDNE (60°) 7 kt

OBS - MVFR

OBSE

TEMPERATURE24 °C

VISIBILITY4 sm

DEWPOINT23 °C

From 067°M - 7 kt

067 degrees true, 067 degrees magnetic

KOPF METAR 061953Z

KOPF runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 09L/27R, 12/30, 09R/27L. Wind from 060 degrees true, 067 degrees magnetic, at 7 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Equally wind-favoured runway ends, highlighted: 09L and 09R. Wind source: KOPF METAR 061953Z.

Evidence & limitations

- METAR source state: ok; observed Sep 6 15:53 ET; retrieved Sep 6 17:21 ET; 88 min before this run.
- Measured values read from the KOPF METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.91 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- The runway schematic is alignment-only; verify current runway use and NOTAMs.

DESTINATION OUTLOOK

SUN, SEP 6

SUN 6 SEP 12:00–18:00 ET HIGH CONFIDENCE

Forecast

TA

F

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 6 SEP 18:00–00:00 ET HIGH CONFIDENCE

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 6

12:00–18:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, SEP 7

MON 7 SEP 00:00–06:00 ET HIGH CONFIDENCE

Forecast

TA
F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 7 SEP 12:00–18:00 ET HIGH CONFIDENCE

Forecast

TA
F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 7 SEP 06:00–12:00 ET HIGH CONFIDENCE

Forecast

TA
F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 7 SEP 18:00–00:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND7–8 kt

TEMPERATURE87–89 °F

DEWPOINT75 °F

PRECIPITATION19%

Evidence & limitations

• GFS MAV MOS · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

34°C dep KLZU → 24°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

09L/27R (090/270°M · 083/263°T) · 12/30 (120/300°M · 113/293°T) · 09R/27L (090/270°M · 083/263°T) — designators and °M headings are magnetic; °T are true; variation 7°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

NOTAMS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

17 Act on

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

ed 2026-09-06T21:22:13.408247Z.

FRI SEP 4

SAT SEP 5

SUN SEP 6

MON SEP 7

08/051

09/026

09/027

91 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMS as of 21:22 Z

NOTAMS as of 21:22 Z — advisory only; verify an official briefing.

6/2604

NOTAM text not available in this projection.

08/050

NOTAM text not available in this projection.

08/051

NOTAM text not available in this projection.

09/026

NOTAM text not available in this projection.

09/027

NOTAM text not available in this projection.

09/028

NOTAM text not available in this projection.

08/028

NOTAM text not available in this projection.

5/7064

NOTAM text not available in this projection.

5/0554

NOTAM text not available in this projection.

6/2599

NOTAM text not available in this projection.

6/2236

NOTAM text not available in this projection.

6/1259

NOTAM text not available in this projection.

6/8187

NOTAM text not available in this projection.

6/8903

NOTAM text not available in this projection.

6/8910

NOTAM text not available in this projection.

6/8914

NOTAM text not available in this projection.

6/8915

NOTAM text not available in this projection.

6/8918

NOTAM text not available in this projection.

6/8919

NOTAM text not available in this projection.

6/8921

NOTAM text not available in this projection.

6/1226

NOTAM text not available in this projection.

05/045

NOTAM text not available in this projection.

07/090

NOTAM text not available in this projection.

07/091

NOTAM text not available in this projection.

07/092

NOTAM text not available in this projection.

07/093

NOTAM text not available in this projection.

07/094

NOTAM text not available in this projection.

07/095

NOTAM text not available in this projection.

07/096

NOTAM text not available in this projection.

07/097

NOTAM text not available in this projection.

07/098

NOTAM text not available in this projection.

07/102

NOTAM text not available in this projection.

07/103

NOTAM text not available in this projection.

07/104

NOTAM text not available in this projection.

07/109

NOTAM text not available in this projection.

07/110

NOTAM text not available in this projection.

07/111

NOTAM text not available in this projection.

07/112

NOTAM text not available in this projection.

07/113

NOTAM text not available in this projection.

07/114

NOTAM text not available in this projection.

07/115

NOTAM text not available in this projection.

07/116

NOTAM text not available in this projection.

07/117

NOTAM text not available in this projection.

07/118

NOTAM text not available in this projection.

07/119

NOTAM text not available in this projection.

07/120

NOTAM text not available in this projection.

07/121

NOTAM text not available in this projection.

07/124

NOTAM text not available in this projection.

07/125

NOTAM text not available in this projection.

07/126

NOTAM text not available in this projection.

07/130

NOTAM text not available in this projection.

07/131

NOTAM text not available in this projection.

07/132

NOTAM text not available in this projection.

07/133

NOTAM text not available in this projection.

07/134

NOTAM text not available in this projection.

10/001

NOTAM text not available in this projection.

10/002

NOTAM text not available in this projection.

10/044

NOTAM text not available in this projection.

10/045

NOTAM text not available in this projection.

10/050

NOTAM text not available in this projection.

10/051

NOTAM text not available in this projection.

10/046

NOTAM text not available in this projection.

10/047

NOTAM text not available in this projection.

10/048

NOTAM text not available in this projection.

10/049

NOTAM text not available in this projection.

11/013

NOTAM text not available in this projection.

11/014

NOTAM text not available in this projection.

11/015

NOTAM text not available in this projection.

11/016

NOTAM text not available in this projection.

11/025

NOTAM text not available in this projection.

11/026

NOTAM text not available in this projection.

11/027

NOTAM text not available in this projection.

11/028

NOTAM text not available in this projection.

02/017

NOTAM text not available in this projection.

02/018

NOTAM text not available in this projection.

03/037

NOTAM text not available in this projection.

03/038

NOTAM text not available in this projection.

03/044

NOTAM text not available in this projection.

05/068

NOTAM text not available in this projection.

05/069

NOTAM text not available in this projection.

05/070

NOTAM text not available in this projection.

05/071

NOTAM text not available in this projection.

05/073

NOTAM text not available in this projection.

05/074

NOTAM text not available in this projection.

06/061

NOTAM text not available in this projection.

06/062

NOTAM text not available in this projection.

06/063

NOTAM text not available in this projection.

08/030

NOTAM text not available in this projection.

08/033

NOTAM text not available in this projection.

08/034

NOTAM text not available in this projection.

08/035

NOTAM text not available in this projection.

08/036

NOTAM text not available in this projection.

08/039

NOTAM text not available in this projection.

08/040

NOTAM text not available in this projection.

08/041

NOTAM text not available in this projection.

08/042

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2026-09-06T21:22:13.408247Z

Source provenance — FAA NMS: Production
source per owner decision 2026-08-09;
technical transport environment remains
preprod. Limited 2026-07-30 spot check
covered KLZU, KAVL, and KSGJ (3 of 30
airports). NOTAMs were read from this source
and used on this card this run. Typed state:
OK. The dot colour reports whether this
source was read this run; technical
environment: preprod.

Effective 2026-03-03T15:34:00Z → 2026-11-16T15:34:00Z

Effective 2026-08-20T11:42:00Z → 2027-08-01T04:00:00Z

Effective 2026-08-20T11:43:00Z → 2027-08-01T04:00:00Z

Effective 2026-09-06T18:58:00Z → 2026-09-07T18:58:00Z

Effective 2026-09-06T18:59:00Z → 2026-09-07T18:59:00Z

91 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KOPF this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

00 ET ET · MVFR

00 ET ET · VFR

00 ET ET · VFR

00 ET ET · VFR

00 ET ET · VFR

· 18:00–00:00 ET ET · VFR

- + MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-06=GFS, 2026-09-07=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-06 18:00	91	Bkn	270/6kt	—	>10kft	>6SM
GFS	2026-09-06 21:00	89	Ovc	130/6kt	—	>10kft	>6SM
GFS	2026-09-07 00:00	85	Bkn	170/4kt	39.0	>10kft	>6SM
GFS	2026-09-07 03:00	83	Few	200/4kt	—	>10kft	>6SM
GFS	2026-09-07 06:00	81	Sct	250/3kt	24.0	>10kft	>6SM
GFS	2026-09-07 09:00	79	Few	270/1kt	—	>10kft	>6SM

GFS	2026-09-07 12:00	80	Few	270/1kt	29.0	>10kft	>6SM
GFS	2026-09-07 15:00	87	Few	270/4kt	—	>10kft	>6SM
GFS	2026-09-07 18:00	89	Bkn	200/8kt	19.0	>10kft	>6SM
GFS	2026-09-07 21:00	87	Ovc	190/7kt	—	>10kft	>6SM
GFS	2026-09-08 00:00	83	Ovc	260/7kt	53.0	>10kft	>6SM
GFS	2026-09-08 03:00	80	Bkn	270/1kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KOPF 061953Z 06007KT 4SM -TSRA BR SCT110 24/23 A2991 RMK A02 LTG DSNT ALQDS TSE23B24 SLP131 T02440233 PNO \$

TAF KOPF 062051Z 0621/0718 14006KT P6SM VCTS SCT030CB SCT060 TEMPO 0621/0622 VRB10G20KT 4SM TSRA SCT030CB BKN050 FM062200 16007KT P6SM VCTS SCT030CB BKN060 FM070000 VRB04KT P6SM FEW030 SCT060 FM071700 15006KT P6SM VCSH SCT030 SCT060

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KOPF; actual-station=KOPF; fetched-at=2026-09-06T21:21:59.343702+00:00; observed-or-issued-at=2026-09-06T19:53:00+00:00 — [AWC API](#)
 - TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KOPF; actual-station=KOPF; fetched-at=2026-09-06T21:21:59.427383+00:00; observed-or-issued-at=2026-09-06T20:51:00+00:00; valid-from=2026-09-06T21:00:00+00:00; valid-through=2026-09-07T18:00:00+00:00; partial-target-dates=2026-09-06,2026-09-07 — [AWC API](#)
- TAF proxy · KOPF
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KOPF; actual-station=KOPF; fetched-at=2026-09-06T21:22:00.268683+00:00
 - FAA NMS NOTAM — state=OK; requested-station=KOPF; actual-station=KOPF; fetched-at=2026-09-06T21:22:13.408247Z — [FAA NMS overview](#)
 - MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KOPF; actual-station=KOPF; fetched-at=2026-09-06T21:22:44.291395+00:00; observed-or-issued-at=2026-09-06T12:00:00+00:00; valid-from=2026-09-06T18:00:00+00:00; valid-through=2026-09-09T12:00:00+00:00; target-dates=2026-09-07; partial-target-dates=2026-09-06; dates-with-points=2026-09-06,2026-09-07 — [Iowa State API](#)
 - MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KOPF; actual-station=KOPF; fetched-at=2026-09-06T21:22:45.366181+00:00; observed-or-issued-at=2026-09-06T12:00:00+00:00; valid-from=2026-09-07T12:00:00+00:00; valid-through=2026-09-14T12:00:00+00:00; target-dates=2026-09-07; dates-with-points=2026-09-07 — [Iowa State API](#)
 - MOS effective date selection — state=partial; rows=12; requested-station=KOPF; actual-station=KOPF; fetched-at=2026-09-06T21:22:44.291395+00:00; observed-or-issued-at=2026-09-06T12:00:00+00:00; valid-from=2026-09-06T18:00:00+00:00; valid-through=2026-09-09T12:00:00+00:00; target-dates=2026-09-07; partial-target-dates=2026-09-06; dates-with-points=2026-09-06,2026-09-07; selected-by-date=2026-09-06=GFS, 2026-09-07=GFS
 - Extended outlook and hazard-feed states are reported in the source stamp.
 - Runway data + Chart Supplement — [FAA Chart Supplement \(current cycle\)](#) — see AirNav link above

#28

KHPN White Plains/Westchester Cnty, NY, US

· Long-range · White Plains NY

OBS - VFR

ETE

4h18

DIST

647 nm

SUN 6 SEP 15:56 ET OBSERVED VALUE

Current observation

OBS - VFR

OBSERVATION



few 4,000 ft, scattered 5,500 ft



WINDS (190°) 6 kt




TEMPERATURE22 °C



VISIBILITY10 sm



DEWPOINT16 °C



KHPN runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 16/34, 11/29. Wind from 190 degrees true, 203 degrees magnetic, at 6 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 16. NOTAM-affected runway ends, hatched separately from the wind highlight: 16, 34, 11 and 29. The wind-favoured end 16 is also NOTAM-affected: the wind does favour it, but a NOTAM on this card names it, so the highlight is not a statement that the runway is usable. The hatch marks only that a NOTAM names the runway; it does not decode the NOTAM's effective times, so confirm the closure window in the NOTAM text below. Wind source: KHPN METAR 061956Z.

Evidence & limitations

- METAR source state: ok; observed Sep 6 15:56 ET; retrieved Sep 6 17:21 ET; 85 min before this run.
- Measured values read from the KHPN METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.97 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- The runway schematic is alignment-only; verify current runway use and NOTAMs.

DESTINATION OUTLOOK

SUN 6 SEP 12:00–18:00 ET HIGH CONFIDENCE

Forecast



FORECAST



Flight-category
guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 6 SEP 18:00–00:00 ET HIGH CONFIDENCE

Forecast



FORECAST



Flight-category
guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 6

12:00–18:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON 7 SEP 00:00–06:00 ET HIGH CONFIDENCE

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 7 SEP 12:00–18:00 ET HIGH CONFIDENCE

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Surface prog evidence · Mon Sep 7

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

MON 7 SEP 06:00–12:00 ET HIGH CONFIDENCE

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 7 SEP 18:00–00:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND8–10 kt

TEMPERATURE77 °F

DEWPOINT48 °F

PRECIPITATION0%

Evidence & limitations

• GFS MAV MOS · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

34°C dep KLZU → 22°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

16/34 (160/340°M · 147/327°T) · 11/29 (110/290°M · 097/277°T) — designators and °M headings are magnetic; °T are true; variation 13°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMS

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

9 Act on

1 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production
source per owner decision 2026-08-09;
technical transport environment remains
preprod. Limited 2026-07-30 spot check
covered KLZU, KAVL, and KSGJ (3 of 30
airports). NOTAMs were read from this source
and used on this card this run. Typed state:
OK. The dot colour reports whether this
source was read this run; technical
environment: preprod.

2 · What

3 · Where

ed 2026-09-06T21:22:13.451390Z.

FRI SEP 4

SAT SEP 5

SUN SEP 6

MON SEP 7

A3675/26

09/055

A3793/26

40 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 21:22 Z

08/243

NOTAM text not available in this projection.

08/245

NOTAM text not available in this projection.

A3675/26

NOTAM text not available in this projection.

09/055

NOTAM text not available in this projection.

A3793/26

NOTAM text not available in this projection.

09/030

NOTAM text not available in this projection.

A3746/26

NOTAM text not available in this projection.

03/058

NOTAM text not available in this projection.

A1006/26

NOTAM text not available in this projection.

03/062

NOTAM text not available in this projection.

A1019/26

NOTAM text not available in this projection.

04/112

NOTAM text not available in this projection.

A1392/26

NOTAM text not available in this projection.

07/120

NOTAM text not available in this projection.

A2868/26

NOTAM text not available in this projection.

08/016

NOTAM text not available in this projection.

A3278/26

NOTAM text not available in this projection.

08/204

NOTAM text not available in this projection.

A3585/26

NOTAM text not available in this projection.

A3779/26

NOTAM text not available in this projection.

A3780/26

NOTAM text not available in this projection.

A3781/26

NOTAM text not available in this projection.

A3782/26

NOTAM text not available in this projection.

A3783/26

NOTAM text not available in this projection.

A3784/26

NOTAM text not available in this projection.

A3785/26

NOTAM text not available in this projection.

A3786/26

NOTAM text not available in this projection.

A3787/26

NOTAM text not available in this projection.

A3788/26

NOTAM text not available in this projection.

A3790/26

NOTAM text not available in this projection.

09/053

NOTAM text not available in this projection.

A3791/26

NOTAM text not available in this projection.

6/4747

NOTAM text not available in this projection.

6/4758

NOTAM text not available in this projection.

A0678/26

NOTAM text not available in this projection.

A0679/26

NOTAM text not available in this projection.

03/043

NOTAM text not available in this projection.

03/045

NOTAM text not available in this projection.

A0978/26

NOTAM text not available in this projection.

6/5381

NOTAM text not available in this projection.

A1014/26

NOTAM text not available in this projection.

6/9015

NOTAM text not available in this projection.

A1738/26

NOTAM text not available in this projection.

09/057

NOTAM text not available in this projection.

09/058

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2026-09-06T21:22:13.451390Z.

SIGN AT TWY L LOST UPS

:00Z

RTY LOST UPS

:00Z

RTY RD LOST UPS

:00Z

:00Z

RUNWAY

A3746/26 — RWY L10/34 CLOSED

Effective 2026-09-06T19:36:00Z → 2026-09-07T23:00:00Z

RUNWAY

09/038 — RWY L10/34 CLOSED WED-FRI 0400-0900

Effective 2026-09-09T04:00:00Z → 2026-09-11T09:30:00Z

RUNWAY

A3746/26 — RWY L10/34 CLOSED

Effective 2026-09-09T04:00:00Z → 2026-09-11T09:30:00Z

38 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.


GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-

range MOS product, issued twice a day in twelve-hourly steps out to about 192 hours. Coarse, but the only station-calibrated numeric guidance that reaches the far end of a long weekend. This card shows it only as a labelled rough outlook and never as a resolved forecast. A station-calibrated MEX MOS product was read for this airport this run (state: partial).

valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KHPN this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.



ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

00 ET ET · VFR
00 ET ET · VFR
00 ET ET · VFR
00 ET ET · VFR
00 ET ET · VFR
· 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-06=GFS, 2026-09-07=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-06 18:00	70	Bkn	10/6kt	—	5-10kft	>6SM
GFS	2026-09-06 21:00	71	Bkn	10/5kt	—	>10kft	>6SM
GFS	2026-09-07 00:00	65	Bkn	70/2kt	19.0	>10kft	>6SM
GFS	2026-09-07 03:00	62	Clear	340/3kt	—	>10kft	>6SM
GFS	2026-09-07 06:00	59	Clear	320/3kt	5.0	>10kft	>6SM
GFS	2026-09-07 09:00	57	Clear	320/4kt	—	>10kft	>6SM
GFS	2026-09-07 12:00	63	Clear	320/7kt	1.0	>10kft	>6SM
GFS	2026-09-07 15:00	73	Clear	330/11kt	—	>10kft	>6SM
GFS	2026-09-07 18:00	77	Few	320/10kt	0.0	>10kft	>6SM
GFS	2026-09-07 21:00	77	Few	320/8kt	—	>10kft	>6SM
GFS	2026-09-08 00:00	69	Clear	290/3kt	0.0	>10kft	>6SM
GFS	2026-09-08 03:00	64	Clear	310/3kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KHPN 061956Z 19006KT 10SM FEW040 SCT055 22/16 A2997 RMK A02 SLP144 T02220156

TAF KHPN 061953Z 0620/0718 08006KT P6SM BKN050 FM070100 34004KT P6SM SCT070 FM071500 33010KT P6SM SKC AMD NOT SKED

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KHPN; actual-station=KHPN; fetched-at=2026-09-06T21:21:59.343702+00:00; observed-or-issued-at=2026-09-06T19:56:00+00:00 — [AWC API](#)
 - TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KHPN; actual-station=KHPN; fetched-at=2026-09-06T21:21:59.427383+00:00; observed-or-issued-at=2026-09-06T19:53:00+00:00; valid-from=2026-09-06T20:00:00+00:00; valid-through=2026-09-07T18:00:00+00:00; partial-target-dates=2026-09-06,2026-09-07 — [AWC API](#)
- TAF proxy · KHPN
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KHPN; actual-station=KHPN; fetched-at=2026-09-06T21:22:00.172816+00:00
 - FAA NMS NOTAM — state=OK; requested-station=KHPN; actual-station=KHPN; fetched-at=2026-09-06T21:22:13.451390Z — [FAA NMS overview](#)
 - MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KHPN; actual-station=KHPN; fetched-at=2026-09-06T21:22:44.216812+00:00; observed-or-issued-at=2026-09-06T12:00:00+00:00; valid-from=2026-09-06T18:00:00+00:00; valid-through=2026-09-09T12:00:00+00:00; target-dates=2026-09-07; partial-target-dates=2026-09-06; dates-with-points=2026-09-06,2026-09-07 — [Iowa State API](#)
 - MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KHPN; actual-station=KHPN; fetched-at=2026-09-06T21:22:44.949086+00:00; observed-or-issued-at=2026-09-06T12:00:00+00:00; valid-from=2026-09-07T12:00:00+00:00; valid-through=2026-09-14T12:00:00+00:00; target-dates=2026-09-07; dates-with-points=2026-09-07 — [Iowa State API](#)
 - MOS effective date selection — state=partial; rows=12; requested-station=KHPN; actual-station=KHPN; fetched-at=2026-09-06T21:22:44.216812+00:00; observed-or-issued-at=2026-09-06T12:00:00+00:00; valid-from=2026-09-06T18:00:00+00:00; valid-through=2026-09-09T12:00:00+00:00; target-dates=2026-09-07; partial-target-dates=2026-09-06; dates-with-points=2026-09-06,2026-09-07; selected-by-date=2026-09-06=GFS, 2026-09-07=GFS
 - Extended outlook and hazard-feed states are reported in the source stamp.
 - Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#29 **KBED** Bedford/Hanscom Fld, MA, US · Long-range · Boston-Bedford MA

OBS - VFR

ETE
5h11

DIST
784 nm

SUN 6 SEP 15:51 ET OBSERVED VALUE

Current observation

OBS - VFR

OBSER

METAR


scattered 3,600 ft

WINDW (290°) 8 kt

TEMPERATURE21 °C

VISIBILITY10 sm

DEWPOINT13 °C



KBED runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 11/29, 05/23. Wind from 290 degrees true, 304 degrees magnetic, at 8 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 29. Wind source: KBED METAR 061951Z.

Evidence & limitations

- METAR source state: ok; observed Sep 6 15:51 ET; retrieved Sep 6 17:21 ET; 90 min before this run.
- Measured values read from the KBED METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.93 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- The runway schematic is alignment-only; verify current runway use and NOTAMs.

DESTINATION OUTLOOK

SUN, SEP 6

SUN 6 SEP 12:00–18:00 ET HIGH CONFIDENCE

Forecast



TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 6 SEP 18:00–00:00 ET HIGH CONFIDENCE

Forecast



TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 6

12:00–18:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON 7 SEP 00:00–06:00 ET HIGH CONFIDENCE

Forecast

TA

F

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · MVFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 7 SEP 12:00–18:00 ET HIGH CONFIDENCE

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Surface prog evidence · Mon Sep 7

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

MON 7 SEP 06:00–12:00 ET HIGH CONFIDENCE

Forecast

TA

F

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · MVFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 7 SEP 18:00–00:00 ET MEDIUM CONFIDENCE

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND7–9 kt

TEMPERATURE79–80 °F

DEWPOINT47–48 °F

PRECIPITATION0%

Evidence & limitations

• GFS MAV MOS · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

34°C dep KLZU → 21°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

11/29 (110/290°M · 096/276°T) · 05/23 (050/230°M · 036/216°T) — designators and °M headings are magnetic; °T are true; variation 14°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMS

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

ed 2026-09-06T21:22:14.589735Z.
poritative)

FRI SEP 4

SAT SEP 5

SUN SEP 6

MON SEP 7

A2225/26

09/005

09/006

20 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 21:22 Z

NOTAMs as of 21:22 Z — advisory only; verify an official briefing.

5/0511

NOTAM text not available in this projection.

06/013

NOTAM text not available in this projection.

A2225/26

NOTAM text not available in this projection.

09/005

NOTAM text not available in this projection.

09/006

NOTAM text not available in this projection.

08/020

NOTAM text not available in this projection.

A2431/26

NOTAM text not available in this projection.

08/088

NOTAM text not available in this projection.

08/124

NOTAM text not available in this projection.

A2549/26

NOTAM text not available in this projection.

08/125

NOTAM text not available in this projection.

09/001

NOTAM text not available in this projection.

A2568/26

NOTAM text not available in this projection.

A1392/25

NOTAM text not available in this projection.

5/0197

NOTAM text not available in this projection.

A2784/25

NOTAM text not available in this projection.

6/8189

NOTAM text not available in this projection.

A2533/26

NOTAM text not available in this projection.

06/012

NOTAM text not available in this projection.

06/054

NOTAM text not available in this projection.

07/034

NOTAM text not available in this projection.

A2378/26

NOTAM text not available in this projection.

08/093

NOTAM text not available in this projection.

08/110

NOTAM text not available in this projection.

09/008

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2026-09-06T21:22:14.589735Z.

HANSCOM FLD, BEDFORD, MA, TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 5A... IN ADDITION TO EXISTING TAKEOFF OBSTACLE INFORMATION: 1. 155 FT AGL/282 FT MSL ANTENNA 5027 FT FROM DER, 1882 FT LEFT OF CENTERLINE, 285 FT MSL. ALL OTHER

:00Z

FOR RWY 29 LOST UPS

:00Z

RE FOR RWY 29 LOST UPS

:00Z

RUNWAY

2026-09-02T16:47:00Z → 2026-11-13T22:00:00Z

Effective 2026-09-02T16:47:00Z → 2026-11-13T22:00:00Z

RUNWAY

2026-09-02T16:47:00Z → 2026-11-12T22:00:00Z

Effective 2026-09-02T16:47:00Z → 2026-11-12T22:00:00Z

20 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KBED this run.

published WPC surface chart matches this period and is shown in the dropdown with its

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

00 ET ET · MVFR

00 ET ET · MVFR

00 ET ET · MVFR

00 ET ET · MVFR

00 ET ET · VFR

· 18:00–00:00 ET ET · VFR

issuing office and valid time. It is displayed, never interpreted.

Source state: partial; selected by target date: 2026-09-06=GFS, 2026-09-07=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-06 18:00	72	Bkn	360/6kt	—	5-10kft	>6SM
GFS	2026-09-06 21:00	70	Bkn	340/6kt	—	>10kft	>6SM
GFS	2026-09-07 00:00	63	Bkn	30/2kt	6.0	>10kft	>6SM
GFS	2026-09-07 03:00	57	Clear	260/2kt	—	>10kft	>6SM
GFS	2026-09-07 06:00	53	Clear	270/3kt	0.0	>10kft	>6SM
GFS	2026-09-07 09:00	51	Clear	280/2kt	—	>10kft	>6SM
GFS	2026-09-07 12:00	58	Clear	300/4kt	1.0	>10kft	>6SM
GFS	2026-09-07 15:00	74	Clear	330/10kt	—	>10kft	>6SM
GFS	2026-09-07 18:00	80	Clear	320/9kt	0.0	>10kft	>6SM
GFS	2026-09-07 21:00	79	Clear	300/7kt	—	>10kft	>6SM
GFS	2026-09-08 00:00	70	Clear	270/4kt	0.0	>10kft	>6SM
GFS	2026-09-08 03:00	63	Clear	290/3kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KBED 061951Z 29008KT 10SM SCT036 21/13 A2993 RMK A02 SLP148 T02110133 \$

TAF KBED 061720Z 0618/0718 34004KT P6SM VCSH BKN025 FM062000 35005KT P6SM BKN040 FM070000 30003KT P6SM SCT150 TEMPO 0709/0712 4SM BR FEW005 FM071300 32010KT P6SM SKC

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KBED; actual-station=KBED; fetched-at=2026-09-06T21:21:59.343702+00:00; observed-or-issued-at=2026-09-06T19:51:00+00:00 — [AWC API](#)
 - TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KBED; actual-station=KBED; fetched-at=2026-09-06T21:21:59.427383+00:00; observed-or-issued-at=2026-09-06T17:20:00+00:00; valid-from=2026-09-06T18:00:00+00:00; valid-through=2026-09-07T18:00:00+00:00; partial-target-dates=2026-09-06,2026-09-07 — [AWC API](#)
- TAF proxy · KBED
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KBED; actual-station=KBED; fetched-at=2026-09-06T21:22:00.431870+00:00
 - FAA NMS NOTAM — state=OK; requested-station=KBED; actual-station=KBED; fetched-at=2026-09-06T21:22:14.589735Z — [FAA NMS overview](#)
 - MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KBED; actual-station=KBED; fetched-at=2026-09-06T21:22:44.243457+00:00; observed-or-issued-at=2026-09-06T12:00:00+00:00; valid-from=2026-09-06T18:00:00+00:00; valid-through=2026-09-09T12:00:00+00:00; target-dates=2026-09-07; partial-target-dates=2026-09-06; dates-with-points=2026-09-06,2026-09-07 — [Iowa State API](#)
 - MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KBED; actual-station=KBED; fetched-at=2026-09-06T21:22:44.961739+00:00; observed-or-issued-at=2026-09-06T12:00:00+00:00; valid-from=2026-09-07T12:00:00+00:00; valid-through=2026-09-14T12:00:00+00:00; target-dates=2026-09-07; dates-with-points=2026-09-07 — [Iowa State API](#)

- MOS effective date selection — state=partial; rows=12; requested-station=KBED; actual-station=KBED; fetched-at=2026-09-06T21:22:44.243457+00:00; observed-or-issued-at=2026-09-06T12:00:00+00:00; valid-from=2026-09-06T18:00:00+00:00; valid-through=2026-09-09T12:00:00+00:00; target-dates=2026-09-07; partial-target-dates=2026-09-06; dates-with-points=2026-09-06,2026-09-07; selected-by-date=2026-09-06=GFS, 2026-09-07=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

3 · Hazard feeds & regional observations

Unfiltered hazard feeds (not route-geometry screened): 24 SIGMET records, 27 G-AIRMET records, 2 CWA records. Regional current observations (not corridor forecasts): Atlantic South: MVFR at KSAV, KSGJ; Gulf East: MVFR at KDAB; Long-range: MVFR at KOPF.

Scope: Hazard counts are raw feed totals and have not been filtered against a proposed route, altitude, or time. Airport flight categories are current point observations, not corridor forecasts.

4 · Planning gates

- **Evidence gate:** an unavailable, stale, or out-of-horizon source is unknown — never treat it as favorable.
- **Weather gate:** compare current observations and valid-period forecasts with personal ceiling, visibility, convection, wind, and crosswind minimums.
- **Route gate:** screen the actual route, altitude, and time against official hazard products; feed totals on this page are not route-filtered.
- **Operations gate:** verify NOTAMS, TFRs, runway conditions, fuel, aircraft performance, daylight, and alternates.

5 · ForeFlight manual cross-check (before flight)

- Official briefing matches these go/no-go windows
- Prog charts / radar / satellite trend agrees with convection timing
- Winds & temps aloft along actual route (may shift ETE)
- **NOTAMS & TFRs** — airport-scoped NMS records may be shown, but route-wide/TFR coverage is not included; pull a fresh official briefing for departure, destination, and alternates
- Runway condition / length / closures at destination & alternate
- Weight & balance + performance at forecast density altitude (heat!)
- File & brief in ForeFlight; confirm fuel stops if long-range

6 · Source stamp

Show source stamp and evidence inventory

KLZU METAR excerpt: METAR KLZU 061956Z VRB03. AWC METAR state OK for 30/30 airports; TAF target coverage for 0/30; MOS fetch health GFS 30/30, MEX 30/30; target coverage 30/60 airport-days; planned-window board coverage 2/2; combined target forecast coverage for 0/30; FAA status known for 0/30. Hazard feeds: state=ok; SIGMET=24, G-AIRMET=27, CWA=2; counts are unfiltered and are not a route assessment.
NWS AFD state: ok · FAA NMS NOTAM states: OK=24, RATE_LIMITED=6; normalized records=649; unnormalized records=0; environment=preprod; sandbox-public-preview=true · Fuel: best-effort (verify) · FAA chart cycle: VFR Sectional Ed. 98 (eff. 09/03/2026); Chart Supplement Ed. 5 (eff. 09/03/2026).

Executive summary

DETERMINISTIC · RESTATES PAGE EVIDENCE · NO MODEL CALLED

A plain restatement of evidence shown in full below, computed from that evidence with no model call. It reports what the sources say; it does not rank the days, rate them, or make a go/no-go call. It follows the order the owner asked for: feasibility evidence, KLZU, destinations, weather by area or region, then new KLZU NOTAMs.

1 · Feasibility evidence for the trip window

This part is a derivation, not an observation: it states how much of the trip window carries a forecast flight category, and nothing more. It is not a go/no-go call, not a recommendation, and not a flight category. Its inputs and its gaps are listed in the tooltip on the line below.

- Trip window: Fri Sep 4 – Mon Sep 7, 2026. “This weekend” is taken to mean exactly this window; no other date range is assessed.
- Trip-window feasibility evidence (Derived): assessable for every active trip day — 2 of 2 active trip days in Fri Sep 4 – Mon Sep 7, 2026 carry a forecast flight category and 0 carry none. This is a derived statement about how much evidence exists, it is not a flight category, and it says nothing about whether a flight is advisable. Every input and every gap is named in this line's tooltip.

2 · KLZU home-base status

The KLZU observation and the per-day board categories, taken from the same helpers the board itself renders from, so the two cannot disagree.

- KLZU current observation: VFR — from the surface observation read this run; it describes conditions now, not a trip day.
- Sun Sep 6, 15:00–22:00 ET: MVFR — most restrictive forecast flight category; high confidence; from TAF, MOS.
- Mon Sep 7, 06:00–22:00 ET: IFR — most restrictive forecast flight category; medium confidence; from TAF, MOS.
- A forecast flight category is available for 2 of 2 active trip days; 0 reach no category-capable product at this lead time.
- Data quality: DEGRADED — as reported by the badge in the page header; it gates publication, it is not a weather statement.

3 · Destination coverage

Coverage, not a pick: this counts which destinations a product permitted to state a flight category actually reaches. It is not a ranking, not a recommendation, and the editorial order of the destination list is not a flyability score.

- Destinations: 29 of 29 covered airports resolve a forecast flight category on at least one active trip day; 0 resolve none at this lead time. Counted from the same per-day outlook the destination cards render, with outlook-grade blocks excluded.
- Most restrictive resolved category per covered airport, across the active trip days: KAVL LIFR (2/2 d), KBED MVFR (2/2 d), KBFM VFR (2/2 d), KCRE MVFR (2/2 d), KCRG IFR (2/2 d), KDAB VFR (2/2 d), KECP MVFR (2/2 d), KFIN VFR (2/2 d), KGKT VFR (2/2 d), KGPT MVFR (2/2 d), KHPN VFR (2/2 d), KHSA MVFR (2/2 d); 17 further airports in section 2.
- NOTAMs: 23 of 29 destinations report an active NOTAM; 6 destination NOTAM queries did not complete. KLZU departure NOTAM state: OK.

4 · Weather events by area or region

Weather events by area or region, from products that carry an area. Per-airport categories are never clustered into a region here: an area inferred that way would be a spatial claim no source made.

- 53 hazard areas retained with their own coordinate rings. Each is related to an airport only by point-in-polygon (ray casting) against the product's own coordinate ring, or by great-circle distance from the airport to the nearest point on the product's boundary within 100 NM — tested against 30 airports that reported a position this run. No area name is inferred: the only names stated are the ones a product supplies itself. Per-airport categories are never clustered into a region.
- 53 of 53 retained hazard areas are valid at some point inside the planned trip window; the rest describe conditions before it.
- G-AIRMET SIERRA — MT_OBSC: contains KAVL (point-in-polygon (ray casting) against the product's own coordinate ring); boundary within 100 NM of KTRI 28 NM, KGKT 38 NM, KROA 59 NM, KLZU 59 NM. valid 2026-09-06 20:45Z to 2026-09-07 03:00Z.
- SIGMET 06E — CONVECTIVE: contains KMYR, KCRE, KROA, KTRI, KGKT, KAVL (point-in-polygon (ray casting) against the product's own coordinate ring); boundary within 100 NM of KJZI 24 NM, KLZU 33 NM, KSHD 53 NM, KHXD 63 NM, KSAV 77 NM. valid 2026-09-06 20:55Z to 2026-09-06 22:55Z.
- SIGMET 07E — CONVECTIVE: contains KSGJ, KHXD, KCRG, KSAV, KSSI (point-in-polygon (ray casting) against the product's own coordinate ring); boundary within 100 NM of KFIN 20 NM, KJZI 23 NM, KLZU 27 NM, KDAB 38 NM, KECP 44 NM, KMYR 81 NM, KAVL 83 NM, KCRE 94 NM. valid 2026-09-06 20:55Z to 2026-09-06 22:55Z.
- SIGMET 08E — CONVECTIVE: contains KOPF (point-in-polygon (ray casting) against the product's own coordinate ring); boundary within 100 NM of KVNC 46 NM, KSRQ 67 NM, KSPG 88 NM, KTPF 92 NM. valid 2026-09-06 20:55Z to 2026-09-06 22:55Z.
- SIGMET 10E — CONVECTIVE: contains KTPF, KFIN, KDAB (point-in-polygon (ray casting) against the product's own coordinate ring); boundary within 100 NM of KSPG 4 NM, KVNC 4 NM, KSRQ 5 NM, KSGJ 10 NM, KCRG 34 NM, KOPF 63 NM, KSSI 82 NM. valid 2026-09-06 20:55Z to 2026-09-06 22:55Z.
- G-AIRMET ZULU — FZLVL: boundary within 100 NM of KHPN 97 NM; published as a line, not an enclosed area, so no containment test is made against it. valid 2026-09-06 20:45Z to 2026-09-07 03:00Z.
- G-AIRMET ZULU — FZLVL: boundary within 100 NM of KBED 7 NM; published as a line, not an enclosed area, so no containment test is made against it. valid 2026-09-06 20:45Z to 2026-09-07 03:00Z.
- G-AIRMET TANGO — TURB-HI: boundary within 100 NM of KGKT 6 NM, KTRI 25 NM, KAVL 60 NM, KLZU 66 NM. valid 2026-09-06 20:45Z to 2026-09-07 03:00Z.
- SIGMET 05E — CONVECTIVE: boundary within 100 NM of KDAB 95 NM, KSGJ 96 NM, KFIN 97 NM, KSSI 98 NM, KCRG 100 NM. valid 2026-09-06 20:55Z to 2026-09-06 22:55Z.
- SIGMET 09E — CONVECTIVE: boundary within 100 NM of KLZU 50 NM, KECP 100 NM. valid 2026-09-06 20:55Z to 2026-09-06 22:55Z.
- SIGMET 11E — CONVECTIVE: boundary within 100 NM of KPNS 13 NM, KBFM 35 NM, KJKA 37 NM, KECP 46 NM, KGPT 81 NM, KHSA 98 NM. valid 2026-09-06 20:55Z to 2026-09-06 22:55Z.
- SIGMET 69C — CONVECTIVE: boundary within 100 NM of KBFM 9 NM, KGPT 35 NM, KJKA 37 NM, KHSA 44 NM, KPNS 51 NM, KNEW 73 NM. valid 2026-09-06 20:55Z to 2026-09-06 22:55Z.
- 41 of 53 retained hazard areas could not be related to any airport this page covers, by either test. They remain national-unfiltered: their geography is real but lies outside 100 NM of every airport tested, and nothing is claimed about where they are.
- Hazard feed record counts this run, unfiltered and national: SIGMET 24, G-AIRMET 27, CWA 2; overall feed state ok; feed states — CWA: ok, G-AIRMET: ok, SIGMET: ok. These are totals over the whole feed, not a count near KLZU, not a count along any route, and not a route assessment.

5 • New KLZU NOTAMs

This run keeps no snapshot of the previous run, so “new” cannot mean “changed since last time”. It is defined below as an FAA-published timestamp window, and the service-status scan reads the published text of every KLZU record so a status embedded inside a record of another category is not missed.

- Baseline for “new”: a KLZU NOTAM whose own FAA-published timestamp (last update, else issue, else effective start) falls within the 72 hours before this run's generation time (2026-09-06T21:21:57.412196+00:00). This run holds no copy of the previous run's NOTAM set, so this is a source-timestamp window and not a difference against an earlier run.
- KLZU: 4 of 23 current NOTAMs are new by that baseline — 09/008 (OBSTRUCTION, last_updated_at 2026-09-04T03:35:00+00:00); 09/009 (OBSTRUCTION, last_updated_at 2026-09-05T19:15:00+00:00); 09/010 (OBSTRUCTION, last_updated_at 2026-09-05T21:55:00+00:00); 09/011 (OBSTRUCTION, last_updated_at 2026-09-06T02:12:00+00:00).
- Service-status wording found in the published text of KLZU records, whatever their category — 6/6851 (NAV_APPROACH) states: “LZU AWOS OUT OF SERVICE.”; 6/6854 (NAV_APPROACH) states: “LZU AWOS OUT OF SERVICE.”; 6/6855 (NAV_APPROACH) states: “LZU AWOS OUT OF SERVICE.”; A0318/26 (NAV_APPROACH) states: “LZU AWOS OUT OF SERVICE.”; A0319/26 (NAV_APPROACH) states: “LZU AWOS OUT OF SERVICE.”; A0320/26 (NAV_APPROACH) states: “LZU AWOS OUT OF SERVICE.”. These are verbatim quotations from the record named beside each one; they are text matches inside those records, not NOTAMs of their own, and they are reported whether or not the carrying record is new.

This restates evidence; it is not a recommendation, not an all-clear, and not a data outage. The decision surfaces are the planning gates and the ForeFlight cross-check below, read against the KLZU board and destination cards. Every line above restates a value shown elsewhere on this page.

⚠ **Pre-planning only — not an official weather briefing.** Verify an official briefing, METAR/TAF/GFA/SIGMET/CWA, NOTAMs, TFRs, runway conditions, fuel, W&B, performance, and personal minimums before flight.