

Flight Planning Desk

Performance profile: Mooney M20J · Lawrenceville, GA · **Fri Sep 11 – Mon Sep 14, 2026**

✔ Data quality · **DEGRADED**

✔ Live verification · **Checking**

● Published snapshot · Generated · Sunday Sep 13, 2026 · 6:25 PM ET · Next run · not before Monday Sep 14 · 12:17 AM ET

1 · KLZU departure / return board

KLZU

Lawrenceville/Gwinnett Cnty, GA, US
Home base · timed forecast changes · source detail retained

⏮ OBS - VFR

PLANNING HORIZON
Sun 13 → Mon 14 · 2 days

RIGHT NOW · METAR

SUN 13 SEP 16:56 ET OBSERVED

Current observation

OBS - VFR

OBSER

METAR

few 5,500 ft

WINDNW (320°) 5 kt

TEMPERATURE32 °C

VISIBILITY10 sm

DEWPOINT17 °C

From 320°W - 5 kt
- Wind from 320° true
- Wind speed 5 kt

Wind favours RWY 25

320° true · 326° magnetic · 5 kt

Evidence & limitations

- METAR source state: ok; observed Sep 13 16:56 ET; retrieved Sep 13 18:25 ET; 89 min before this run.
- Measured values read from the KLZU METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.00 inHg.
- Raw METAR: METAR KLZU 132056Z 32005KT 10SM FEW055 32/17 A3000 RMK A02 SLP158 T03220172 57013 \$

• KLZU runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 07/25. Wind from 320 degrees true, 326 degrees magnetic, at 5 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 25. Wind source: KLZU METAR 132056Z.

Important planning / evidence detail (1 warning)

LEGEND **VFR** **MVFR** **IFR** **LIFR** **Unknown**  Solid = source-interval category guidance:  Dashed = lower-confidence outlook  Weather icon = surface forecastAll times Eastern (ET), 24-hour clock · "around/after" preserves source precision.  △ KLZU has no TAF station. Every KLZU TAF-derived value on this page is taken from the nearby **KPDK** proxy station, not from KLZU itself — treat it as regional, and confirm KLZU conditions in an official briefing.

A raster chart may be displayed with its issuing office and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

- METAR
- TAF
- NWS-hr
- NWS-day
- MAV
- MEX
- GFA
- NOTAM

METAR – issued hourly. The NWS issues a METAR every hour, but only if there is a change in weather. METARs include information on visibility, wind, clouds, and temperature. They are used by pilots and meteorologists to understand current conditions. KLZU obs describes conditions now, not this trip day.

TAF – highest forecast. The NWS issues a TAF every 6 hours. It includes information on expected weather conditions over the next 24 hours. TAFs are used by pilots and meteorologists to plan flights. The str page covers part of this forecast.

NWS hour Weather Service cell contains hourly forecasts and reach this board. and it is the reaches the forecast.

NWS day/night Weather Service cell contains daily and night forecasts. Coarser than one day forecasts. Not reach. Not by the finer-forecast.

GFS M range the GFS model range from 12 to 120 hours. Coarser than hourly forecasts. a long flagged short-range coverage.

GFS e range the GFS model range from 12 to 120 hours. Coarser than hourly forecasts. a long flagged short-range coverage.

GFA a Forecast Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KLZU this run.

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KLZU this run.

office and valid time and never interprets them: no category, wind, ceiling, ranking or go/no-go here is derived from an image. A published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

Mostly Clear

WINDNW–W · 4 kt

PRECIP CHANCE0%

TS CHANCE0%

SKY COVER9–12%

FORECAST

Evidence & limitations

- The visible badge names the contributing product. Exact issuance, retrieval, and member-period provenance remains in Day evidence & planning note below.
- The hour-by-hour source evidence below retains every original period and its detailed wind line.

Surface prog · 18:00–22:00 ET · available

Day evidence & planning note

Source unavailable — verify aviation weather

18:00–19:00 ET

KPDK TAF - VFR

GFS OUTLOOK - VFR

Mostly Clear

Precipitation probability (PoP) 0%

NWS + TAF + MOS · NWS ISSUED SEP 13 17:12 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 13 18:26 ET

19:00–20:00 ET

KPDK TAF - VFR

GFS OUTLOOK - VFR

Mostly Clear

Precipitation probability (PoP) 0%

NWS + TAF + MOS · NWS ISSUED SEP 13 17:12 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 13 18:26 ET

20:00–21:00 ET

KPDK TAF - VFR

GFS MOS - VFR

Mostly Clear

Precipitation probability (PoP) 0%

NWS + TAF + MOS · NWS ISSUED SEP 13 17:12 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 13 18:26 ET

21:00–22:00 ET

KPDK TAF - VFR

GFS OUTLOOK - VFR

Mostly Clear

Precipitation probability (PoP) 0%

NWS + TAF + MOS · NWS ISSUED SEP 13 17:12 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 13 18:26 ET

WIND / WIND-FAVORED RUNWAY · ONE ENTRY PER DISPLAY BLOCK

18:00–19:00 ET NW (~315° true) 4 kt Approx. wind-favored RWY 25 NWS hourly surface forecast	19:00–20:00 ET W (~270° true) 4 kt Approx. wind-favored RWY 25 NWS hourly surface forecast
20:00–21:00 ET W (~270° true) 4 kt Approx. wind-favored RWY 25 NWS hourly surface forecast	21:00–22:00 ET W (~270° true) 4 kt Approx. wind-favored RWY 25 NWS hourly surface forecast

Surface prog evidence · Sun Sep 13

18:00–22:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

Runway guidance is approximate wind alignment only; verify ATIS, NOTAMs and actual runway use.
RWY numbers magnetic; wind converted from true using 6°W variation (NOAA WMM2025)

Day operations

WEATHER
TAF and radar cross-check.

PERFORMANCE
Temperature / performance check.

RUNWAY
Verify ATIS, NOTAMs and actual use.

Mon

Sep 14

RETURN DAY

MEDIUM CONFIDENCE

SEP 14 · 06:00–22:00 ET

- METAR
- TAF
- NWS-hr
- NWS-day
- MAV
- MEX
- GFA
- NOTAM

METAR — issued hourly. The highest visibility, wind, and temperature are reported. Issued by the National Weather Service (NWS) at the airport. Not a forecast. KLZU observations describe conditions now, not this trip day.

TAF — The National Weather Service (NWS) issues a forecast of weather conditions for the next 24 hours. It includes the time of day and the time of day. Coarser than the NWS day/night forecast. Not a forecast. KLZU observations describe conditions now, not this trip day.

NWS hour — The National Weather Service (NWS) issues a forecast of weather conditions for the next 24 hours. It includes the time of day and the time of day. Coarser than the NWS day/night forecast. Not a forecast. KLZU observations describe conditions now, not this trip day.

NWS day/night — The National Weather Service (NWS) issues a forecast of weather conditions for the next 24 hours. It includes the time of day and the time of day. Coarser than the NWS day/night forecast. Not a forecast. KLZU observations describe conditions now, not this trip day.

GFS Model — The Global Forecast System (GFS) is a numerical weather prediction model. It is used by the National Weather Service (NWS) to produce weather forecasts. The GFS model is run every 6 hours. The forecast is valid for 7 days. The GFS model is run every 6 hours. The forecast is valid for 7 days. The GFS model is run every 6 hours. The forecast is valid for 7 days.

GFS Extended Range — The Global Forecast System (GFS) is a numerical weather prediction model. It is used by the National Weather Service (NWS) to produce weather forecasts. The GFS model is run every 6 hours. The forecast is valid for 7 days. The GFS model is run every 6 hours. The forecast is valid for 7 days. The GFS model is run every 6 hours. The forecast is valid for 7 days.

GFA and GFS — The Global Forecast System (GFS) is a numerical weather prediction model. It is used by the National Weather Service (NWS) to produce weather forecasts. The GFS model is run every 6 hours. The forecast is valid for 7 days. The GFS model is run every 6 hours. The forecast is valid for 7 days. The GFS model is run every 6 hours. The forecast is valid for 7 days.

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KLZU this run.

Sunny

WINDN (~360° true) · 4 kt

PRECIP CHANCE0%

TS CHANCE0%

SKY COVER10–12%

Wind favors RWY 07
N (~360° true) · 4 kt · full datum in the day evidence

FORECAST

Evidence & limitations

- The visible badge names the contributing product. Exact issuance, retrieval, and member-period provenance remains in Day evidence & planning note below.
- The hour-by-hour source evidence below retains every original period and its detailed wind line.

Surface prog · 06:00–10:00 ET · available

MON 14 SEP 10:00–15:00 ET HIGH

Forecast

KPDK TAF proxy

Sunny

FORECAST



WINDN-NE · 4 kt



PRECIP CHANCE0%



TS CHANCE0%



SKY COVER7-11%

Evidence & limitations

- The visible badge names the contributing product. Exact issuance, retrieval, and member-period provenance remains in Day evidence & planning note below.
- The hour-by-hour source evidence below retains every original period and its detailed wind line.

Surface prog · 10:00-15:00 ET · available

MON 14 SEP 15:00-18:00 ET MEDIUM

Forecast

GFS
MAV

Sunny

GFS OUTLOOK - VFR

GFS MOS - VFR

FORECAST



WINDNE · 0-4 kt



PRECIP CHANCE1%



TS CHANCE1%



SKY COVER9-12%

Evidence & limitations

- The visible badge names the contributing product. Exact issuance, retrieval, and member-period provenance remains in Day evidence & planning note below.
- The hour-by-hour source evidence below retains every original period and its detailed wind line.

Surface prog · 15:00-18:00 ET · available

MON 14 SEP 18:00-22:00 ET MEDIUM

Forecast

GFS
MAV

Mostly Clear

WIND

CALM · 0 kt

PRECIP CHANCE0–1%

TS CHANCE0–1%

SKY COVER6–11%

GFS OUTLOOK - VFR

GFS MOS - VFR

FORECAST

Evidence & limitations

The visible badge names the contributing product. Exact issuance, retrieval, and member-period provenance remains in Day evidence & planning note below.

The hour-by-hour source evidence below retains every original period and its detailed wind line.

Surface prog · 18:00–22:00 ET · available

Day evidence & planning note

Surface temperature 93°F; calculate aircraft performance

SOURCES & LIMITATIONS — HOUR-BY-HOUR SOURCE EVIDENCE (15 FORECAST PERIODS)

06:00–08:00 ET

KPDK TAF - VFR

GFS OUTLOOK - VFR

Sunny

Precipitation probability (PoP) 0%

NWS + TAF + MOS · NWS ISSUED SEP 13 17:12 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 13 18:26 ET

08:00–09:00 ET

KPDK TAF - VFR

GFS MOS - VFR

Sunny

Precipitation probability (PoP) 0%

NWS + TAF + MOS · NWS ISSUED SEP 13 17:12 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 13 18:26 ET

09:00–10:00 ET



KPDK TAF - VFR

GFS OUTLOOK - VFR

Sunny

Precipitation probability (PoP) 0%

NWS + TAF + MOS · NWS ISSUED SEP 13 17:12 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 13 18:26 ET

10:00–11:00 ET



KPDK TAF - VFR

GFS OUTLOOK - VFR

Sunny

Precipitation probability (PoP) 0%

NWS + TAF + MOS · NWS ISSUED SEP 13 17:12 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 13 18:26 ET

11:00–12:00 ET



KPDK TAF - VFR

GFS MOS - VFR

Sunny

Precipitation probability (PoP) 0%

NWS + TAF + MOS · NWS ISSUED SEP 13 17:12 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 13 18:26 ET

12:00–13:00 ET



KPDK TAF - VFR

GFS OUTLOOK - VFR

Sunny

Precipitation probability (PoP) 0%

NWS + TAF + MOS · NWS ISSUED SEP 13 17:12 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 13 18:26 ET

13:00–14:00 ET



KPDK TAF - VFR

GFS OUTLOOK - VFR

Sunny

Precipitation probability (PoP) 0%

NWS + TAF + MOS · NWS ISSUED SEP 13 17:12 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 13 18:26 ET

14:00–15:00 ET

GFS MOS - VFR

Sunny

Precipitation probability (PoP) 0%

NWS + MOS · NWS ISSUED SEP 13 17:12 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 13 18:26 ET

15:00–16:00 ET

GFS OUTLOOK - VFR

Sunny

Precipitation probability (PoP) 1%

Beyond the 72 h short-range GFS MOS horizon at this lead time. The product published normally; this day is simply past its reach, which is expected and is not a fault. Expected to be covered from about Fri Sep 11 · 12:00 AM ET.

NWS + MOS · NWS ISSUED SEP 13 17:12 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 13 18:26 ET

16:00–17:00 ET

GFS OUTLOOK - VFR

Sunny

Precipitation probability (PoP) 1%

Beyond the 72 h short-range GFS MOS horizon at this lead time. The product published normally; this day is simply past its reach, which is expected and is not a fault. Expected to be covered from about Fri Sep 11 · 12:00 AM ET.

NWS + MOS · NWS ISSUED SEP 13 17:12 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 13 18:26 ET

17:00–18:00 ET

GFS MOS - VFR

Sunny

Precipitation probability (PoP) 1%

NWS + MOS · NWS ISSUED SEP 13 17:12 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 13 18:26 ET

18:00–19:00 ET

GFS OUTLOOK - VFR

Mostly Clear

Precipitation probability (PoP) 0%

Beyond the 72 h short-range GFS MOS horizon at this lead time. The product published normally; this day is simply past its reach, which is expected and is not a fault. Expected to be covered from about Fri Sep 11 · 12:00 AM ET.

NWS + MOS · NWS ISSUED SEP 13 17:12 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 13 18:26 ET

19:00–20:00 ET

GFS OUTLOOK - VFR

Mostly Clear

Precipitation probability (PoP) 1%

Beyond the 72 h short-range GFS MOS horizon at this lead time. The product published normally; this day is simply past its reach, which is expected and is not a fault. Expected to be covered from about Fri Sep 11 · 12:00 AM ET.

NWS + MOS · NWS ISSUED SEP 13 17:12 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 13 18:26 ET

20:00–21:00 ET

GFS MOS - VFR

Mostly Clear

Precipitation probability (PoP) 1%

NWS + MOS · NWS ISSUED SEP 13 17:12 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 13 18:26 ET

21:00–22:00 ET

GFS OUTLOOK - VFR

Mostly Clear

Precipitation probability (PoP) 1%

Beyond the 72 h short-range GFS MOS horizon at this lead time. The product published normally; this day is simply past its reach, which is expected and is not a fault. Expected to be covered from about Fri Sep 11 · 12:00 AM ET.

NWS + MOS · NWS ISSUED SEP 13 17:12 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 13 18:26 ET

WIND / WIND-FAVORED RUNWAY · ONE ENTRY PER DISPLAY BLOCK

06:00–08:00 ET N (~360° true) 4 kt Approx. wind-favored RWY 07 NWS hourly surface forecast	08:00–09:00 ET N (~360° true) 4 kt Approx. wind-favored RWY 07 NWS hourly surface forecast
09:00–10:00 ET N (~360° true) 4 kt Approx. wind-favored RWY 07 NWS hourly surface forecast	10:00–11:00 ET N (~360° true) 4 kt Approx. wind-favored RWY 07 NWS hourly surface forecast
11:00–12:00 ET NE (~45° true) 4 kt Approx. wind-favored RWY 07 NWS hourly surface forecast	12:00–13:00 ET NE (~45° true) 4 kt Approx. wind-favored RWY 07 NWS hourly surface forecast
13:00–14:00 ET NE (~45° true) 4 kt Approx. wind-favored RWY 07 NWS hourly surface forecast	14:00–15:00 ET NE (~45° true) 4 kt Approx. wind-favored RWY 07 NWS hourly surface forecast
15:00–16:00 ET NE (~45° true) 4 kt Approx. wind-favored RWY 07 NWS hourly surface forecast	16:00–17:00 ET NE (~45° true) 4 kt Approx. wind-favored RWY 07 NWS hourly surface forecast
17:00–18:00 ET CALM 0 kt Runway alignment unavailable NWS hourly surface forecast	18:00–19:00 ET CALM 0 kt Runway alignment unavailable NWS hourly surface forecast
19:00–20:00 ET CALM 0 kt Runway alignment unavailable NWS hourly surface forecast	20:00–21:00 ET CALM 0 kt Runway alignment unavailable NWS hourly surface forecast
21:00–22:00 ET CALM 0 kt Runway alignment unavailable NWS hourly surface forecast	

Surface prog evidence · Mon Sep 14

06:00–10:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

10:00–15:00 ET ET · 15:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–22:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

Runway guidance is approximate wind alignment only; verify ATIS, NOTAMs and actual runway use.

RWY numbers magnetic; wind converted from true using 6°W variation (NOAA WMM2025)

Day operations

WEATHER

TAF and radar cross-check.

PERFORMANCE

Temperature / performance check.

RUNWAY

Verify ATIS, NOTAMs and actual use.



Pattern summary: .. (This afternoon through Monday) Issued at 201 PM EDT Sun Sep 13 2026 Lingerin LL moisture and an exiting midlevel trough axis has prompted in isolated showers and thunderstorms developing south and east of Macon this afternoon. — .. (Tuesday morning through next Saturday) Issued at 201 PM EDT Sun Sep 13 2026 The extended period begins Tue with an upper ridge centered...

NWS FFC Area Forecast Discussion · regional context, not a KLZU category or exact timing forecast

[Extended outlook ▼](#)

EXTENDED OUTLOOK SUMMARY

.. (This afternoon through Monday)

Issued at 201 PM EDT Sun Sep 13 2026

Lingerin LL moisture and an exiting midlevel trough axis has prompted in isolated showers and thunderstorms developing south and east of Macon this afternoon. — .. (Tuesday morning through next Saturday)
Issued at 201 PM EDT Sun Sep 13 2026

The extended period begins Tue with an upper ridge centered...

SHORT TERM

..

(This afternoon through Monday)

Issued at 201 PM EDT Sun Sep 13 2026

Lingerin LL moisture and an exiting midlevel trough axis has prompted in isolated showers and thunderstorms developing south and east of Macon this afternoon. Elsewhere, fair weather cumulus and warm temperatures prevail. Most places remain dry today with high temperatures in the low to mid 90s and upper 70s/low 80s at the higher elevations. Still pretty humid out there, heat indices in the 90s to low 100s, so make sure to stay hydrated and take frequent breaks inside. Skies clear out tonight and temperatures fall into the upper 60s to low 70s by Monday morning.

Midlevel ridging will continue to slide into the region on Monday and a backdoor cold front will enter the area turning winds to the N/NE at the surface. A low chance for an isolated shower or storm at

the higher elevations in association with the front but most will remain dry. The front will provide little if any relief from the heat as temperatures will once again rise back into the 90s and heat indices in the 90s to low 100s by the afternoon.

LONG TERM

..
(Tuesday morning through next Saturday)
Issued at 201 PM EDT Sun Sep 13 2026

The extended period begins Tue with an upper ridge centered over the GA/TN/NC borders along with a surface ridge/wedge nosing down the eastern seaboard from the New England states. By Tue morning the wedge will be firmly entrenched into North and Central GA with Eats to SE winds in the 8-12mph range. We will still have decent moisture across the area Tues as the drier airmass does not really start to move in until Wed. With the ridge/wedge building in we could still see a shower or two mainly across east central GA but not expecting much. As that drier air filters into the region Wed we will see Dewpoints drop into the low to middle 60s and continuing across the state through the end of the week. High temps stay in the upper 80s to lower 90s through the end of the week but with the drier air moving in Heat Index values will drop from the upper 902 to lower 100s Tue to the lower 90s Wed to Fri.

Models show moisture beginning to return Fri evening into Sat as the ridge finally begins to break down. The continued east to southeasterly flow brings atlantic moisture in across the state as we get into the weekend. Right now just going with a 20% to 30% chance of showers and thunderstorms Sat/Sun.

+ Raw NWS AFD text

000
FXUS62 KFFC 131803
AFDFFC

Area Forecast Discussion
National Weather Service Peachtree City GA
203 PM EDT Sun Sep 13 2026

...Afternoon Area Forecast Discussion...

.KEY MESSAGES...

- Isolated showers and thunderstorms south and east of Macon this afternoon. Most places will remain dry.

- Surface high pressure will keep temperatures warm and limit meaningful rain chances (20% or less each afternoon) this next week.

&&

.SHORT TERM...

(This afternoon through Monday)
Issued at 201 PM EDT Sun Sep 13 2026

Lingering LL moisture and an exiting midlevel trough axis has prompted in isolated showers and thunderstorms developing south and east of Macon this afternoon. Elsewhere, fair weather cumulus and warm temperatures prevail. Most places remain dry today with high temperatures in the low to mid 90s and upper 70s/low 80s at the higher elevations. Still pretty humid out there, heat indices in the 90s to low 100s, so make sure to stay hydrated and take frequent breaks inside. Skies clear out tonight and temperatures fall into the upper 60s to low 70s by Monday morning.

Midlevel ridging will continue to slide into the region on Monday and a backdoor cold front will enter the area turning winds to the N/NE at the surface. A low chance for an isolated shower or storm at the higher elevations in association with the front but most will remain dry. The front will provide little if any relief from the heat as temperatures will once again rise back into the 90s and heat indices in the 90s to low 100s by the afternoon.

&&

.LONG TERM...
(Tuesday morning through next Saturday)
Issued at 201 PM EDT Sun Sep 13 2026

The extended period begins Tue with an upper ridge centered over the GA/TN/NC borders along with a surface ridge/wedge nosing down the eastern seaboard from the New England states. By Tue morning the wedge will be firmly entrenched into North and Central GA with Eats to SE winds in the 8-12mph range. We will still have decent moisture across the area Tues as the drier airmass does not really start to move in until Wed. With the ridge/wedge building in we could still see a shower or two mainly across east central GA but not expecting much. As that drier air filters into the region Wed we will see Dewpoints drop into the low to middle 60s and continuing across the state through the end of the week. High temps stay in the upper 80s to lower 90s through the end of the week but with the drier air moving in Heat Index values will drop from the upper 902 to lower 100s Tue to the lower 90s Wed to Fri.

Models show moisture beginning to return Fri evening into Sat as the ridge finally begins to break down. The continued east to southeasterly flow brings atlantic moisture in across the state as we get into the weekend. Right now just going with a 20% to 30% chance of showers and thunderstorms Sat/Sun.

&&

.AVIATION...
(18Z TAFS)
Issued at 113 PM EDT Sun Sep 13 2026

VFR and mostly dry at all sites through the period. FEW to SCT clouds out there this afternoon abv 4kft becoming SKC by or shortly after 00z. WNW to NW wind 4-8kts, diminishing after 00z, turning N to NE after 15-18z Monday.

//ATL Confidence...18Z Update...

High confidence on all elements.

07

&&

.PRELIMINARY POINT TEMPS/POPS...

Athens	68	95	71	90	/	0	0	10	10
Atlanta	71	95	74	91	/	0	0	0	10
Blairsville	63	88	65	84	/	0	10	0	0
Cartersville	67	95	72	92	/	0	0	0	0
Columbus	72	96	74	95	/	0	0	0	0
Gainesville	68	93	72	87	/	0	0	10	10
Macon	71	95	72	92	/	0	0	0	10
Rome	67	96	70	93	/	0	0	0	0
Peachtree City	68	95	71	92	/	0	0	0	10
Vidalia	73	95	73	91	/	10	0	10	40

&&

.FFC WATCHES/WARNINGS/ADVISORIES...

None.

&&

\$\$

SHORT TERM...07

LONG TERM...01

AVIATION...07

1.1 · KLZU departure-airport NOTAM state

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

7 Act on

2 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

ed 2026-09-13T22:25:48.538723Z.

poritative)

FRI SEP 11

SAT SEP 12

SUN SEP 13

MON SEP 14

6/5419

A0178/26

6/6851

12 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 22:25 Z

NOTAMs as of 22:25 Z — advisory only; verify an official briefing.

04/013 <i>NOTAM text not available in this projection.</i>
A0166/26 <i>NOTAM text not available in this projection.</i>
6/5419 <i>NOTAM text not available in this projection.</i>
A0178/26 <i>NOTAM text not available in this projection.</i>
6/6851 <i>NOTAM text not available in this projection.</i>
6/6854 <i>NOTAM text not available in this projection.</i>
6/6855 <i>NOTAM text not available in this projection.</i>
A0318/26 <i>NOTAM text not available in this projection.</i>
A0319/26 <i>NOTAM text not available in this projection.</i>
A0320/26 <i>NOTAM text not available in this projection.</i>
07/011 <i>NOTAM text not available in this projection.</i>
07/030 <i>NOTAM text not available in this projection.</i>
07/034 <i>NOTAM text not available in this projection.</i>
08/001 <i>NOTAM text not available in this projection.</i>
08/007

NOTAM text not available in this projection.
08/024 NOTAM text not available in this projection.
09/014 NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2026-09-13T22:25:48.538723Z.
RWY 25 CAT OPS
00Z
RWY 25 CAT OPS
00Z
T T COUNTYBRISCOE FLD, LAWRENCEVILLE, GA. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 5... TAKE-OFF MINIMUMS RWY 25, 300-1
LMB OF 330 FTNM TO 1400. ALL OTHER DATA REMAINS AS PUBLISHED. 2604231433-2604231433EST
:00Z
NETT COUNTYBRISCOE FLD, LAWRENCEVILLE, GA. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 5... TAKE-OFF MINIMUMS RWY 25, 300-1
FOR STD STANDARDS WITH MINIMUM CLMB OF 330 FTNM TO 1400. ALL OTHER DATA REMAINS AS PUBLISHED.
Effective 2026-04-23T14:33:00Z → 2028-04-23T14:33:00Z
NAV_APPROACH 000001 — IAP CONNETT COUNTYBRISCOE FLD, LAWRENCEVILLE, GA. ILS OF LOC RWY 25, AMDT 4A... WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE WDR ALTIMETER SETTING AND INCREASE S-ILS 25 DA TO 1444 FT. INCREASE ALL MDAS 60 FT AND CIRCLING VISIBILITY CAT C/D 1/4 SM. FOR INOPERATIVE ALS WHEN USING WDR ALTIMETER SETTING, INCREASE S-ILS 25 ALL CATS VISIBILITY TO 1/2 SM AND INCREASE S-LOC 25 CAT A/B TO 1 SM. L2U AWD5 OUT OF SERVICE. 2600201711-2610211711EST
Effective 2026-08-20T17:11:00Z → 2026-10-21T17:11:00Z
12 additional normalized FAA NOTAM records omitted from this view.

2 · All 29 destinations — existing editorial RANK order

#1

KAVL Asheville Muni, NC, US · Mountain · cool mountain escape

OBS - VFR

ETE

0h49

DIST

112 nm

SUN 13 SEP 16:54 ET OBSERVED

Current observation

METAR

clear below 12,000 ft (CLR)

WINDN (350°) 9 kt gust 20 kt


OBS - VFR

OBSER

⚡
TEMPERATURE29 °C

☁
VISIBILITY10 sm

💧
DEWPOINT16 °C


Wind favours RWY 35
350° true · 357° magnetic · 9G20 kt

Evidence & limitations

- METAR source state: ok; observed Sep 13 16:54 ET; retrieved Sep 13 18:25 ET; 91 min before this run.
- Measured values read from the KAVL METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.06 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KAVL runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 17/35. Wind from 350 degrees true, 357 degrees magnetic, at 9 knots gusting 20 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 35. Wind source: KAVL METAR 132054Z.

DESTINATION OUTLOOK

SUN, SEP 13

SUN 13 SEP 18:00–00:00 ET HIGH

Forecast



 Flight-category guidance



FORECAST

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 13

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON 14 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 14 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 14 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 14 SEP 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND6–8 kt

TEMPERATURE85–86 °F

DEWPOINT62 °F

PRECIP CHANCE0%

Evidence & limitations

• GFS MAV MOS · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 14

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

6000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

32°C dep KLZU → 29°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

17/35 (170/350°M · 163/343°T) — designators and °M headings are magnetic; °T are true; variation 7°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

6 Act on

1 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

ed 2026-09-13T22:25:48.539254Z.

pritative)

FRI SEP 11

SAT SEP 12

SUN SEP 13

MON SEP 14

09/034

A1041/26

4/1431

21 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 22:25 Z

NOTAMs as of 22:25 Z — advisory only; verify an official briefing.

01/023

NOTAM text not available in this projection.

A0040/26

NOTAM text not available in this projection.

09/034

NOTAM text not available in this projection.

A1041/26

NOTAM text not available in this projection.

4/1431

NOTAM text not available in this projection.

A0991/24

NOTAM text not available in this projection.

5/9960

NOTAM text not available in this projection.

A0285/25

NOTAM text not available in this projection.

06/067

NOTAM text not available in this projection.

A0730/26

NOTAM text not available in this projection.

08/082

NOTAM text not available in this projection.

A0980/26

NOTAM text not available in this projection.

12/023

NOTAM text not available in this projection.

A1148/25

NOTAM text not available in this projection.

07/051

NOTAM text not available in this projection.

08/013

NOTAM text not available in this projection.

08/090

NOTAM text not available in this projection.

09/024

NOTAM text not available in this projection.

09/025

NOTAM text not available in this projection.

09/026

NOTAM text not available in this projection.

09/036

NOTAM text not available in this projection.

A1042/26

NOTAM text not available in this projection.

09/037

NOTAM text not available in this projection.

A1043/26

NOTAM text not available in this projection.

08/072

NOTAM text not available in this projection.

A0967/26

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2026-09-13T22:25:48.539254Z.

T AND TWY C CLSD TO ACFT WINGSPAN MORE THAN 133FT

:00Z

TWY A3 AND TWY C CLSD TO ACFT WINGSPAN MORE THAN 133FT

:00Z

4 BTH TWY B1 AND TWY B5 CLSD

:00Z

4 B BTH TWY B1 AND TWY B5 CLSD

:00Z

NAV_APPROACH

M1431 — IAP ASHEVILLE RGNL, ASHEVILLE, NC. RNAV (GPS) RWY 35, AMDT 1, LNAV/VNAV DA 2581MAY 440 ALL CATS, LNAV VIS CAT D RWY 3500, ALTERNATE MINIMUMS

STANDARD, CAT D MINIMUMS 500-300-1

Effective 2024-12-26T22:50:00Z → 2026-12-26T22:50:00Z

21 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KAVL this run.

published WPC surface chart matches this

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

0:00 ET ET · VFR

6:00 ET ET · VFR

2:00 ET ET · VFR

3:00 ET ET · VFR

period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

S · 18:00–00:00 ET ET · VFR

Source state: partial; selected by target date: 2026-09-13=GFS, 2026-09-14=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-14 00:00	78	Clear	340/5kt	—	>10kft	>6SM
GFS	2026-09-14 03:00	71	Clear	340/3kt	—	>10kft	>6SM
GFS	2026-09-14 06:00	66	Clear	340/2kt	0.0	>10kft	3-5SM
GFS	2026-09-14 09:00	64	Clear	340/2kt	—	>10kft	<¼SM
GFS	2026-09-14 12:00	64	Clear	350/2kt	0.0	200-500ft	>6SM
GFS	2026-09-14 15:00	78	Clear	350/7kt	—	>10kft	>6SM
GFS	2026-09-14 18:00	85	Sct	350/8kt	0.0	>10kft	>6SM
GFS	2026-09-14 21:00	86	Sct	350/6kt	—	>10kft	>6SM
GFS	2026-09-15 00:00	79	Sct	350/5kt	0.0	>10kft	>6SM
GFS	2026-09-15 03:00	72	Clear	60/2kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KAVL 132054Z 35009G20KT 10SM CLR 29/16 A3006 RMK A02 SLP149 T02890161 56007

TAF KAVL 131724Z 1318/1418 34010G17KT P6SM FEW030 SCT250 FM132300 34006KT P6SM FEW250 FM140300 34003KT P6SM FEW250 FM141000 34004KT 5SM BR FEW006 FM141300 34005KT P6SM FEW110

+ Data sources used

METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KAVL; actual-station=KAVL; fetched-at=2026-09-13T22:25:41.898567+00:00; observed-or-issued-at=2026-09-13T20:54:00+00:00 — AWC API

TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KAVL; actual-station=KAVL; fetched-at=2026-09-13T22:25:43.947674+00:00; observed-or-issued-at=2026-09-13T17:24:00+00:00; valid-from=2026-09-13T18:00:00+00:00; valid-through=2026-09-14T18:00:00+00:00; partial-target-dates=2026-09-13,2026-09-14 — AWC API

TAF proxy · KAVL

FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KAVL; actual-station=KAVL; fetched-at=2026-09-13T22:25:45.027115+00:00

FAA NMS NOTAM — state=OK; requested-station=KAVL; actual-station=KAVL; fetched-at=2026-09-13T22:25:48.539254Z — FAA NMS overview

MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KAVL; actual-station=KAVL; fetched-at=2026-09-13T22:26:03.192797+00:00; observed-or-issued-at=2026-09-13T18:00:00+00:00; valid-from=2026-09-14T00:00:00+00:00; valid-through=2026-09-16T18:00:00+00:00; target-dates=2026-09-14; partial-target-dates=2026-09-13; dates-with-points=2026-09-13,2026-09-14 — Iowa State API

MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KAVL; actual-station=KAVL; fetched-at=2026-09-13T22:26:03.951145+00:00; observed-or-issued-at=2026-09-13T12:00:00+00:00; valid-from=2026-09-14T12:00:00+00:00; valid-through=2026-09-21T12:00:00+00:00; target-dates=2026-09-14; dates-with-points=2026-09-14 — Iowa State API

MOS effective date selection — state=partial; rows=10; requested-station=KAVL; actual-station=KAVL; fetched-at=2026-09-13T22:26:03.192797+00:00; observed-or-issued-at=2026-09-13T18:00:00+00:00; valid-from=2026-09-14T00:00:00+00:00; valid-through=2026-09-16T18:00:00+00:00; target-dates=2026-09-14; partial-target-dates=2026-09-13; dates-with-points=2026-09-13,2026-09-14; selected-by-date=2026-09-13=GFS, 2026-09-14=GFS

Extended outlook and hazard-feed states are reported in the source stamp.

• Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#2 **KSAV** Savannah Intl, GA, US · Atlantic South · historic coast

OBS - VFR

E
T
E

1h15

D
I
S
T

178 nm

SUN 13 SEP 16:53 ET OBSERVED

Current observation

M
E
T
A
R

OBS - VFR

OBSER

 few 4,200 ft, broken 5,000 ft, broken 25,000 ft



WINDS (200°) 5 kt



TEMPERATURE33 °C



VISIBILITY10 sm



DEWPOINT23 °C



Wind favours RWY 19

200° true · 207° magnetic · 5 kt

Evidence & limitations

- METAR source state: ok; observed Sep 13 16:53 ET; retrieved Sep 13 18:25 ET; 92 min before this run.
- Measured values read from the KSAV METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.94 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KSAV runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 10/28, 01/19. Wind from 200 degrees true, 207 degrees magnetic, at 5 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 19. Wind source: KSAV METAR 132053Z.

DESTINATION OUTLOOK

SUN 13 SEP 18:00–00:00 ET HIGH

Forecast

TA
F

TAF · VFR

FORECAST



Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 13

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON 14 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 14 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 14 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 14 SEP 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND5–8 kt

TEMPERATURE95–96 °F

DEWPOINT69 °F

PRECIP CHANCE1%

Evidence & limitations

• GFS MAV MOS · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 14

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

6000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

32°C dep KLZU → 33°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

10/28 (100/280°M · 093/273°T) · 01/19 (010/190°M · 003/183°T) — designators and °M headings are magnetic; °T are true; variation 7°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMS

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

	2 · What	3 · Where	
	ed 2026-09-13T22:25:48.539720Z.		
	FRI SEP 11	SAT SEP 12	SUN SEP 13
A0416/24			
10/066			
A0512/24			
46 additional normalized NOTAM records omitted from this view.			

Raw NOTAM data · NOTAMs as of 22:25 Z

NOTAMs as of 22:25 Z — advisory only; verify an official briefing.

- 08/102

NOTAM text not available in this projection.
- 09/025

NOTAM text not available in this projection.
- A0416/24

NOTAM text not available in this projection.
- 10/066

NOTAM text not available in this projection.
- A0512/24

NOTAM text not available in this projection.
- 06/076

NOTAM text not available in this projection.
- A0665/26

NOTAM text not available in this projection.
- M0018/26

NOTAM text not available in this projection.
- 5/5965

NOTAM text not available in this projection.

A0799/25

NOTAM text not available in this projection.

5/5767

NOTAM text not available in this projection.

5/5768

NOTAM text not available in this projection.

A0796/25

NOTAM text not available in this projection.

A0797/25

NOTAM text not available in this projection.

05/093

NOTAM text not available in this projection.

A0523/26

NOTAM text not available in this projection.

M0015/26

NOTAM text not available in this projection.

6/8574

NOTAM text not available in this projection.

A0899/26

NOTAM text not available in this projection.

A0926/26

NOTAM text not available in this projection.

04/008

NOTAM text not available in this projection.

A0273/25

NOTAM text not available in this projection.

04/009

NOTAM text not available in this projection.

A0275/25

NOTAM text not available in this projection.

04/010

NOTAM text not available in this projection.

A0276/25

NOTAM text not available in this projection.

04/007

NOTAM text not available in this projection.

A0272/25

NOTAM text not available in this projection.

12/023

NOTAM text not available in this projection.

A0801/25

NOTAM text not available in this projection.

06/053

NOTAM text not available in this projection.

06/072

NOTAM text not available in this projection.

07/025

NOTAM text not available in this projection.

07/027

NOTAM text not available in this projection.

08/003

NOTAM text not available in this projection.

08/017

NOTAM text not available in this projection.

08/025

NOTAM text not available in this projection.

08/058

NOTAM text not available in this projection.

08/080

NOTAM text not available in this projection.

08/094

NOTAM text not available in this projection.

08/095

NOTAM text not available in this projection.

08/107

NOTAM text not available in this projection.

09/002

NOTAM text not available in this projection.

09/005

NOTAM text not available in this projection.

09/014

NOTAM text not available in this projection.

A0931/26

NOTAM text not available in this projection.

09/020

NOTAM text not available in this projection.

09/022

NOTAM text not available in this projection.

09/027

NOTAM text not available in this projection.

09/030

NOTAM text not available in this projection.

09/008

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2026-09-13T22:25:48.539720Z.

WINDS CHG

:00Z

WINDS CHG

:00Z

WINDS CHG

:00Z

WINDS CHG

:00Z

TAXIWAY

2026-09-13T22:25:48.539720Z. WINDS CHG

Effective 2024-10-25T14:22:00Z → 2026-12-01T00:01:00Z

46 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KSAV this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

... and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

0:00 ET ET · VFR

6:00 ET ET · VFR

12:00 ET ET · VFR

18:00 ET ET · VFR

S · 18:00–00:00 ET ET · VFR

Source state: partial; selected by target date: 2026-09-13=GFS, 2026-09-14=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-14 00:00	84	Bkn	200/6kt	—	>10kft	>6SM
GFS	2026-09-14 03:00	81	Bkn	220/3kt	—	>10kft	>6SM
GFS	2026-09-14 06:00	79	Sct	250/2kt	10.0	>10kft	>6SM
GFS	2026-09-14 09:00	77	Clear	260/3kt	—	>10kft	>6SM
GFS	2026-09-14 12:00	77	Few	290/3kt	7.0	>10kft	>6SM
GFS	2026-09-14 15:00	89	Clear	330/4kt	—	>10kft	>6SM
GFS	2026-09-14 18:00	96	Sct	10/5kt	1.0	>10kft	>6SM
GFS	2026-09-14 21:00	95	Few	110/8kt	—	>10kft	>6SM
GFS	2026-09-15 00:00	86	Clear	140/7kt	0.0	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KSAV 132053Z COR 20005KT 10SM FEW042 BKN050 BKN250 33/23 A2994 RMK A02 SLP138 CB DSNT N MOV SE T03280228 56021

TAF KSAV 131727Z 1318/1418 25007KT P6SM VCTS SCT050CB SCT250 FM132300 23004KT P6SM SCT040 SCT100 FM141400 33005KT P6SM FEW250

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KSAV; actual-station=KSAV; fetched-at=2026-09-13T22:25:41.898567+00:00; observed-or-issued-at=2026-09-13T20:53:00+00:00 — [AWC API](#)

TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KSAV; actual-station=KSAV; fetched-at=2026-09-13T22:25:43.947674+00:00; observed-or-issued-at=2026-09-13T17:27:00+00:00; valid-from=2026-09-13T18:00:00+00:00; valid-through=2026-09-14T18:00:00+00:00; partial-target-dates=2026-09-13,2026-09-14 — [AWC API](#)

TAF proxy · KSAV

FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KSAV; actual-station=KSAV; fetched-at=2026-09-13T22:25:44.989914+00:00

FAA NMS NOTAM — state=OK; requested-station=KSAV; actual-station=KSAV; fetched-at=2026-09-13T22:25:48.539720Z — [FAA NMS overview](#)

MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KSAV; actual-station=KSAV; fetched-at=2026-09-13T22:26:03.216886+00:00; observed-or-issued-at=2026-09-13T18:00:00+00:00; valid-from=2026-09-14T00:00:00+00:00; valid-through=2026-09-16T18:00:00+00:00; target-dates=2026-09-14; partial-target-dates=2026-09-13; dates-with-points=2026-09-13,2026-09-14 — [Iowa State API](#)

MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KSAV; actual-station=KSAV; fetched-at=2026-09-13T22:26:03.978154+00:00; observed-or-issued-at=2026-09-13T12:00:00+00:00; valid-from=2026-09-14T12:00:00+00:00; valid-through=2026-09-21T12:00:00+00:00; target-dates=2026-09-14; dates-with-points=2026-09-14 — [Iowa State API](#)

MOS effective date selection — state=partial; rows=10; requested-station=KSAV; actual-station=KSAV; fetched-at=2026-09-13T22:26:03.216886+00:00; observed-or-issued-at=2026-09-13T18:00:00+00:00; valid-from=2026-09-14T00:00:00+00:00; valid-through=2026-09-16T18:00:00+00:00; target-dates=2026-09-14; partial-target-dates=2026-09-13; dates-with-points=2026-09-13,2026-09-14; selected-by-date=2026-09-13=GFS, 2026-09-14=GFS

Extended outlook and hazard-feed states are reported in the source stamp.

Runway data + Chart Supplement — [FAA Chart Supplement \(current cycle\)](#) — see [AirNav](#) link above

#3

KSSI

Brunswick/McKinnon St Simons Arpt, GA, US

· Atlantic South · St Simons beach

⌵ OBS - VFR

ETE

1h29

DIST

214 nm

SUN 13 SEP 16:35 ET OBSERVED

Current observation

META

R

clear below 12,000 ft (CLR)

WINDSE (150°) 8 kt

TEMPERATURE32 °C

⌵ OBS - VFR

OBSER

VISIBILITY10 sm



DEWPOINT26 °C



Wind favours RWY 16

150° true · 157° magnetic · 8 kt

Evidence & limitations

- METAR source state: ok; observed Sep 13 16:35 ET; retrieved Sep 13 18:25 ET; 110 min before this run.
- Measured values read from the KSSI METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.94 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KSSI runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 04/22, 16/34. Wind from 150 degrees true, 157 degrees magnetic, at 8 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 16. Wind source: KSSI METAR 132035Z.

DESTINATION OUTLOOK

SUN, SEP 13

SUN 13 SEP 18:00–00:00 ET HIGH

Forecast



Flight-category guidance

Additional source fields unavailable for this card.



FORECAST

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 13

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON 14 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 14 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 14 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 14 SEP 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND8 kt

TEMPERATURE90–92 °F

DEWPOINT75–76 °F

PRECIP CHANCE8%

Evidence & limitations

• GFS MAV MOS · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 14

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

6000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — source state: not_queried

CURRENT METAR TEMP DEP / DEST

32°C dep KLZU → 32°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

04/22 (040/220°M · 033/213°T) · 16/34 (160/340°M · 153/333°T) — designators and °M headings are magnetic; °T are true; variation 7°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

2026-09-13T22:25:48.540082Z.

FRI SEP 11

SAT SEP 12

SUN SEP 13

MON SEP 14

Raw NOTAM data · NOTAMs as of 22:25 Z

NOTAMs as of 22:25 Z — advisory only; verify an official briefing.

A0047/26

NOTAM text not available in this projection.

07/001

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2026-09-13T22:25:48.540082Z.

NOT USED

00Z

00Z

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.


GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-

range MOS product, issued twice a day in twelve-hourly steps out to about 192 hours. Coarse, but the only station-calibrated numeric guidance that reaches the far end of a long weekend. This card shows it only as a labelled rough outlook and never as a resolved forecast. A station-calibrated MEX MOS product was read for this airport this run (state: partial).

valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KSSI this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.



ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

0:00 ET ET · VFR
6:00 ET ET · VFR
12:00 ET ET · VFR
18:00 ET ET · VFR
S · 18:00–00:00 ET ET · VFR

Source state: partial; selected by target date: 2026-09-13=GFS, 2026-09-14=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-14 00:00	85	Ovc	180/4kt	—	>10kft	>6SM
GFS	2026-09-14 03:00	83	Bkn	200/4kt	—	>10kft	>6SM
GFS	2026-09-14 06:00	81	Sct	240/3kt	21.0	>10kft	>6SM
GFS	2026-09-14 09:00	79	Few	260/4kt	—	>10kft	>6SM
GFS	2026-09-14 12:00	80	Few	280/4kt	10.0	>10kft	>6SM
GFS	2026-09-14 15:00	88	Clear	310/6kt	—	>10kft	>6SM
GFS	2026-09-14 18:00	92	Sct	90/8kt	8.0	>10kft	>6SM
GFS	2026-09-14 21:00	90	Few	120/8kt	—	>10kft	>6SM
GFS	2026-09-15 00:00	86	Few	130/6kt	4.0	>10kft	>6SM
GFS	2026-09-15 03:00	84	Clear	130/4kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KSSI 132035Z AUTO 15008KT 10SM CLR 32/26 A2994 RMK A02

TAF KSSI 132105Z 1321/1418 16009KT P6SM VCTS SCT025CB BKN100 FM140000 20005KT P6SM FEW050 BKN150 OVC250 FM141300 32005KT P6SM FEW050

+ [Data sources used](#)

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KSSI; actual-station=KSSI; fetched-at=2026-09-13T22:25:41.898567+00:00; observed-or-issued-at=2026-09-13T20:35:00+00:00 — [AWC API](#)
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KSSI; actual-station=KSSI; fetched-at=2026-09-13T22:25:43.947674+00:00; observed-or-issued-at=2026-09-13T21:05:00+00:00; valid-from=2026-09-13T21:00:00+00:00; valid-through=2026-09-14T18:00:00+00:00; partial-target-dates=2026-09-13,2026-09-14 — [AWC API](#)
- TAF proxy · KSSI
- FAA airport status — state=not_queried; fetch-state=not_attempted; payload-state=not_attempted; requested-station=KSSI
- FAA NMS NOTAM — state=OK; requested-station=KSSI; actual-station=KSSI; fetched-at=2026-09-13T22:25:48.540082Z — [FAA NMS overview](#)
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KSSI; actual-station=KSSI; fetched-at=2026-09-13T22:26:03.210077+00:00; observed-or-issued-at=2026-09-13T18:00:00+00:00; valid-from=2026-09-14T00:00:00+00:00; valid-through=2026-09-16T18:00:00+00:00; target-dates=2026-09-14; partial-target-dates=2026-09-13; dates-with-points=2026-09-13,2026-09-14 — [Iowa State API](#)
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KSSI; actual-station=KSSI; fetched-at=2026-09-13T22:26:04.009705+00:00; observed-or-issued-at=2026-09-13T12:00:00+00:00; valid-from=2026-09-14T12:00:00+00:00; valid-through=2026-09-21T12:00:00+00:00; target-dates=2026-09-14; dates-with-points=2026-09-14 — [Iowa State API](#)
- MOS effective date selection — state=partial; rows=10; requested-station=KSSI; actual-station=KSSI; fetched-at=2026-09-13T22:26:03.210077+00:00; observed-or-issued-at=2026-09-13T18:00:00+00:00; valid-from=2026-09-14T00:00:00+00:00; valid-through=2026-09-16T18:00:00+00:00; target-dates=2026-09-14; partial-target-dates=2026-09-13; dates-with-points=2026-09-13,2026-09-14; selected-by-date=2026-09-13=GFS, 2026-09-14=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — [FAA Chart Supplement \(current cycle\)](#) — see AirNav link above

#4 **KJZI Charleston Exec, SC, US** · Atlantic South · Charleston Exec

OBS - VFR

ETE
1h28

DIST
213 nm

SUN 13 SEP 16:35 ET OBSERVED

Current observation

OBS - VFR

OBSER

METAR

clear below 12,000 ft (CLR)

WINDSW (210°) 10 kt

TEMPERATURE32 °C

VISIBILITY10 sm

DEWPOINT25 °C



Wind favours RWY 22

210° true · 218° magnetic · 10 kt

Evidence & limitations

- METAR source state: ok; observed Sep 13 16:35 ET; retrieved Sep 13 18:25 ET; 110 min before this run.
- Measured values read from the KJZI METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.95 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KJZI runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 09/27, 04/22. Wind from 210 degrees true, 218 degrees magnetic, at 10 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 22. Wind source: KJZI METAR 132035Z.

DESTINATION OUTLOOK

SUN, SEP 13

SUN 13 SEP 18:00–00:00 ET HIGH

Forecast

TAF

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

TAF · 18:00–00:00 ET ET · VFR

Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 13

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON 14 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 14 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 14 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 14 SEP 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND7–8 kt

TEMPERATURE91–93 °F

DEWPOINT74 °F

PRECIP CHANCE1%

Evidence & limitations

• GFS MAV MOS · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 14

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

6000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed (proxy KCHS)

CURRENT METAR TEMP DEP / DEST

32°C dep KLZU → 32°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

09/27 (090/270°M · 082/262°T) · 04/22 (040/220°M · 032/212°T) — designators and °M headings are magnetic; °T are true; variation 8°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMS

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

Read 2026-09-13T22:25:48.714295Z.
(non-prioritative)

FRI SEP 11

SAT SEP 12

SUN SEP 13

MON SEP 14

07/354

08/049

08/354

2 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 22:25 Z

NOTAMs as of 22:25 Z — advisory only; verify an official briefing.

5/3307

NOTAM text not available in this projection.

07/235

NOTAM text not available in this projection.

07/354

NOTAM text not available in this projection.

08/049

NOTAM text not available in this projection.

08/354

NOTAM text not available in this projection.

09/116

NOTAM text not available in this projection.

08/546

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production
source per owner decision 2026-08-09;
technical transport environment remains
preprod. Limited 2026-07-30 spot check
covered KLZU, KAVL, and KSGJ (3 of 30
airports). NOTAMs were read from this source
and used on this card this run. Typed state:
OK. The dot colour reports whether this
source was read this run; technical
environment: preprod.

26-09-13T22:25:48.714295Z.

:00Z

:00Z

:00Z

OBSTRUCTION 08/049 — OBST TOWER LGT (ASR 10449013) 324315 90N0800456 90W (4 1NM WNW J2) 275 9FT (251 DFT AGL) US

Effective 2026-08-04T11:22:00Z → 2026-10-03T04:00:00Z

OBSTRUCTION 080354 — OBST TOWER LGT (ASR 1038410) 324735 60N0800203.30W (5.7NM NNW J2) 357.9FT (350.1FT AGL) U.S.

Effective 2026-08-21T08:30:00Z → 2026-11-19T09:30:00Z

2 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics,
the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KJZI this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

0:00 ET ET · VFR

6:00 ET ET · VFR

2:00 ET ET · VFR

3:00 ET ET · VFR

S · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-13=GFS, 2026-09-14=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-14 00:00	81	Bkn	200/5kt	—	>10kft	>6SM
GFS	2026-09-14 03:00	80	Few	220/3kt	—	>10kft	>6SM
GFS	2026-09-14 06:00	79	Few	240/1kt	12.0	>10kft	>6SM
GFS	2026-09-14 09:00	77	Clear	240/1kt	—	>10kft	6SM
GFS	2026-09-14 12:00	78	Clear	300/1kt	9.0	>10kft	>6SM
GFS	2026-09-14 15:00	90	Clear	330/4kt	—	>10kft	>6SM
GFS	2026-09-14 18:00	93	Few	70/7kt	1.0	>10kft	>6SM
GFS	2026-09-14 21:00	91	Clear	130/8kt	—	>10kft	>6SM
GFS	2026-09-15 00:00	84	Clear	120/3kt	0.0	>10kft	>6SM
GFS	2026-09-15 03:00	81	Clear	0/0kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KJZI 132035Z AUTO 21010KT 10SM CLR 32/25 A2995 RMK A02

TAF KJZI 131727Z 1318/1418 24008KT P6SM FEW050 SCT100 FM140200 23004KT P6SM SCT040 SCT100 FM141400 33005KT P6SM SKC

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KJZI; actual-station=KJZI; fetched-at=2026-09-13T22:25:41.898567+00:00; observed-or-issued-at=2026-09-13T20:35:00+00:00 — [AWC API](#)
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KJZI; actual-station=KJZI; fetched-at=2026-09-13T22:25:43.947674+00:00; observed-or-issued-at=2026-09-13T17:27:00+00:00; valid-from=2026-09-13T18:00:00+00:00; valid-through=2026-09-14T18:00:00+00:00; partial-target-dates=2026-09-13,2026-09-14 — [AWC API](#)

TAF proxy · KJZI

- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KJZI; actual-station=KCHS; fetched-at=2026-09-13T22:25:44.624136+00:00
- FAA NMS NOTAM — state=OK; requested-station=KJZI; actual-station=KJZI; fetched-at=2026-09-13T22:25:48.714295Z — [FAA NMS overview](#)
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KJZI; actual-station=KJZI; fetched-at=2026-09-13T22:26:03.297104+00:00; observed-or-issued-at=2026-09-13T18:00:00+00:00; valid-from=2026-09-14T00:00:00+00:00; valid-through=2026-09-16T18:00:00+00:00; target-dates=2026-09-14; partial-target-dates=2026-09-13; dates-with-points=2026-09-13,2026-09-14 — [Iowa State API](#)
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KJZI; actual-station=KJZI; fetched-at=2026-09-13T22:26:03.959157+00:00; observed-or-issued-at=2026-09-13T12:00:00+00:00; valid-from=2026-09-14T12:00:00+00:00; valid-through=2026-09-21T12:00:00+00:00; target-dates=2026-09-14; dates-with-points=2026-09-14 — [Iowa State API](#)
- MOS effective date selection — state=partial; rows=10; requested-station=KJZI; actual-station=KJZI; fetched-at=2026-09-13T22:26:03.297104+00:00; observed-or-issued-at=2026-09-13T18:00:00+00:00; valid-from=2026-09-14T00:00:00+00:00; valid-through=2026-09-16T18:00:00+00:00; target-dates=2026-09-14; partial-target-dates=2026-09-13; dates-with-points=2026-09-13,2026-09-14; selected-by-date=2026-09-13=GFS, 2026-09-14=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.

• Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#5

KMYR

Myrtle Beach Intl, SC, US

· Atlantic North · Myrtle Beach (Class C)

| OBS - VFR

ETE
1h45

DIST
251 nm

SUN 13 SEP 16:53 ET OBSERVED

Current observation

| OBS - VFR



scattered 4,500 ft, broken 5,500 ft



WINDS (170°) 11 kt




TEMPERATURE30 °C



VISIBILITY10 sm



DEWPOINT26 °C



Wind favours RWY 18
170° true · 179° magnetic · 11 kt

Evidence & limitations

- METAR source state: ok; observed Sep 13 16:53 ET; retrieved Sep 13 18:25 ET; 92 min before this run.
- Measured values read from the KMYR METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.95 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KMYR runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 18/36. Wind from 170 degrees true, 179 degrees magnetic, at 11 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 18. Wind source: KMYR METAR 132053Z.

DESTINATION OUTLOOK

SUN 13 SEP 18:00–00:00 ET HIGH

Forecast

TA
F

TAF · VFR

FORECAST



Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
 - Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.
- Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 13

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON 14 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 14 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 14 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 14 SEP 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND8–9 kt

TEMPERATURE88–92 °F

DEWPOINT74–76 °F

PRECIP CHANCE0%

Evidence & limitations

• GFS MAV MOS · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 14

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

32°C dep KLZU → 30°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

18/36 (180/000°M · 171/351°T) — designators and °M headings are magnetic; °T are true; variation 9°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMS

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

18 Act on

6 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production
source per owner decision 2026-08-09;
technical transport environment remains
preprod. Limited 2026-07-30 spot check
covered KLZU, KAVL, and KSGJ (3 of 30
airports). NOTAMs were read from this source
and used on this card this run. Typed state:
OK. The dot colour reports whether this
source was read this run; technical
environment: preprod.

2 · What

3 · Where

ed 2026-09-13T22:25:48.823551Z

pritative) Narrow bars = daily schedule sub-window

FRI SEP 1

SAT SEP 1

SUN SEP 1

MON SEP 1

06/042

A0529/26

08/036

48 additional normalized NOTAM records omitted from this view

Raw NOTAM data · NOTAMs as of 22:25 Z

03/06

NOTAM text not available in this projection

A0316/20

NOTAM text not available in this projection

06/04

NOTAM text not available in this projection

A0529/20

NOTAM text not available in this projection

08/03

NOTAM text not available in this projection

08/03

NOTAM text not available in this projection

A0639/20

NOTAM text not available in this projection

A0647/20

NOTAM text not available in this projection

08/05

NOTAM text not available in this projection.

A0660/26

NOTAM text not available in this projection.

08/056

NOTAM text not available in this projection.

08/059

NOTAM text not available in this projection.

08/060

NOTAM text not available in this projection.

08/061

NOTAM text not available in this projection.

A0665/26

NOTAM text not available in this projection.

A0671/26

NOTAM text not available in this projection.

A0673/26

NOTAM text not available in this projection.

A0675/26

NOTAM text not available in this projection.

6/8172

NOTAM text not available in this projection.

03/021

NOTAM text not available in this projection.

03/022

NOTAM text not available in this projection.

03/023

NOTAM text not available in this projection.

03/028

NOTAM text not available in this projection.

03/032

NOTAM text not available in this projection.

A0248/26

NOTAM text not available in this projection.

A0249/26

NOTAM text not available in this projection.

A0250/26

NOTAM text not available in this projection.

A0257/26

NOTAM text not available in this projection.

A0262/26

NOTAM text not available in this projection.

03/039

NOTAM text not available in this projection.

A0275/26

NOTAM text not available in this projection.

03/041

NOTAM text not available in this projection.

A0278/26

NOTAM text not available in this projection.

03/046

NOTAM text not available in this projection.

A0287/26

NOTAM text not available in this projection.

03/068

NOTAM text not available in this projection.

A0320/26

NOTAM text not available in this projection.

03/069

NOTAM text not available in this projection.

05/037

NOTAM text not available in this projection.

A0444/26

NOTAM text not available in this projection.

06/017

NOTAM text not available in this projection.
08/069 NOTAM text not available in this projection.
08/057 NOTAM text not available in this projection.
08/058 NOTAM text not available in this projection.
A0672/26 NOTAM text not available in this projection.
A0674/26 NOTAM text not available in this projection.
A0684/26 NOTAM text not available in this projection.
07/032 NOTAM text not available in this projection.
08/007 NOTAM text not available in this projection.
08/034 NOTAM text not available in this projection.
08/073 NOTAM text not available in this projection.
08/005 NOTAM text not available in this projection.
A0600/26 NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30

2026-09-13T22:25:48.823551Z.
ECHO FROM RAMP 36 LWS
:00Z
ECHO FROM RAMP 36 LWS

00Z
PAP
00Z
36 F
00Z

Effective 2026-08-17T04:00:00Z → 2026-10-17T10:00:00Z

- Forecast evidence

METAR — the routine surface observation issued hourly by the reporting station, with

GFS MOS (MAV) — Model Output Statistics,
the GFS model bias-corrected against

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

be and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

0:00 ET ET · VFR

6:00 ET ET · VFR

2:00 ET ET · VFR

3:00 ET ET · VFR

S · 18:00–00:00 ET ET · VFR

Source state: partial; selected by target date: 2026-09-13=GFS, 2026-09-14=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-13 18:00	86	Bkn	220/10kt	—	>10kft	>6SM
GFS	2026-09-13 21:00	86	Bkn	200/12kt	—	>10kft	>6SM
GFS	2026-09-14 00:00	83	Sct	210/9kt	10.0	>10kft	>6SM
GFS	2026-09-14 03:00	81	Few	220/4kt	—	>10kft	>6SM
GFS	2026-09-14 06:00	79	Clear	250/4kt	8.0	>10kft	>6SM

GFS	2026-09-14 09:00	77	Clear	280/4kt	—	>10kft	>6SM
GFS	2026-09-14 12:00	78	Clear	310/5kt	6.0	>10kft	>6SM
GFS	2026-09-14 15:00	89	Clear	340/7kt	—	>10kft	>6SM
GFS	2026-09-14 18:00	92	Clear	50/8kt	0.0	>10kft	>6SM
GFS	2026-09-14 21:00	88	Sct	110/9kt	—	>10kft	>6SM
GFS	2026-09-15 00:00	84	Clear	80/8kt	1.0	>10kft	>6SM
GFS	2026-09-15 03:00	82	Bkn	50/12kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KMYR 132053Z 17011KT 10SM SCT045 BKN055 30/26 A2995 RMK A02 SLP140 T03000261 56015 \$

TAF KMYR 131720Z 1318/1418 26011KT P6SM SCT030 FM131900 21011KT P6SM SCT030 FM140000 23006KT P6SM FEW250 FM140400 26004KT P6SM FEW250 FM141400 34007KT P6SM FEW045

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KMYR; actual-station=KMYR; fetched-at=2026-09-13T22:25:41.898567+00:00; observed-or-issued-at=2026-09-13T20:53:00+00:00 — [AWC API](#)
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KMYR; actual-station=KMYR; fetched-at=2026-09-13T22:25:43.947674+00:00; observed-or-issued-at=2026-09-13T17:20:00+00:00; valid-from=2026-09-13T18:00:00+00:00; valid-through=2026-09-14T18:00:00+00:00; partial-target-dates=2026-09-13,2026-09-14 — [AWC API](#)

TAF proxy · KMYR

- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KMYR; actual-station=KMYR; fetched-at=2026-09-13T22:25:44.574554+00:00
- FAA NMS NOTAM — state=OK; requested-station=KMYR; actual-station=KMYR; fetched-at=2026-09-13T22:25:48.823551Z — [FAA NMS overview](#)
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KMYR; actual-station=KMYR; fetched-at=2026-09-13T22:26:03.190365+00:00; observed-or-issued-at=2026-09-13T12:00:00+00:00; valid-from=2026-09-13T18:00:00+00:00; valid-through=2026-09-16T12:00:00+00:00; target-dates=2026-09-14; partial-target-dates=2026-09-13; dates-with-points=2026-09-13,2026-09-14 — [Iowa State API](#)
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KMYR; actual-station=KMYR; fetched-at=2026-09-13T22:26:03.991193+00:00; observed-or-issued-at=2026-09-13T12:00:00+00:00; valid-from=2026-09-14T12:00:00+00:00; valid-through=2026-09-21T12:00:00+00:00; target-dates=2026-09-14; dates-with-points=2026-09-14 — [Iowa State API](#)
- MOS effective date selection — state=partial; rows=12; requested-station=KMYR; actual-station=KMYR; fetched-at=2026-09-13T22:26:03.190365+00:00; observed-or-issued-at=2026-09-13T12:00:00+00:00; valid-from=2026-09-13T18:00:00+00:00; valid-through=2026-09-16T12:00:00+00:00; target-dates=2026-09-14; partial-target-dates=2026-09-13; dates-with-points=2026-09-13,2026-09-14; selected-by-date=2026-09-13=GFS, 2026-09-14=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — [FAA Chart Supplement \(current cycle\)](#) — see AirNav link above

#6

KCRE North Myrtle Beach/Grand Strand Arpt, SC, US

· Atlantic North · N Myrtle Beach

▮ OBS - VFR

ETE

1h49

DIST

261 nm

SUN 13 SEP 16:53 ET OBSERVED

Current observation

OBS - VFR

OBSER



clear below 12,000 ft (CLR)



WINDS (200°) 13 kt




TEMPERATURE29 °C



VISIBILITY10 sm



DEWPOINT25 °C



Wind favours RWY 23

200° true · 209° magnetic · 13 kt

Evidence & limitations

- METAR source state: ok; observed Sep 13 16:53 ET; retrieved Sep 13 18:25 ET; 92 min before this run.
- Measured values read from the KCRE METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.93 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KCRE runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 05/23. Wind from 200 degrees true, 209 degrees magnetic, at 13 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 23. Wind source: KCRE METAR 132053Z.

DESTINATION OUTLOOK

SUN 13 SEP 18:00–00:00 ET HIGH

Forecast

TA

F



Flight-category guidance

TAF · VFR

FORECAST

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 13

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON 14 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 14 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 14 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 14 SEP 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND7 kt

TEMPERATURE90–92 °F

DEWPOINT72–73 °F

PRECIP CHANCE0%

Evidence & limitations

• GFS MAV MOS · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 14

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — source state: not_queried

CURRENT METAR TEMP DEP / DEST

32°C dep KLZU → 29°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

05/23 (050/230°M · 041/221°T) — designators and °M headings are magnetic; °T are true; variation 9°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

...d 2026-09-13T22:25:48.828603Z.
...pritative)

FRI SEP 11

SAT SEP 12

SUN SEP 13

MON SEP 14

07/004

07/005

08/003

2 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 22:25 Z

NOTAMs as of 22:25 Z — advisory only; verify an official briefing.

5/9932

NOTAM text not available in this projection.

5/9933

NOTAM text not available in this projection.

07/004

NOTAM text not available in this projection.

07/005

NOTAM text not available in this projection.

08/003

NOTAM text not available in this projection.

09/002

NOTAM text not available in this projection.

08/002

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

OBSTRUCTION

STAND — FIRST TOWER LIGHT (ASR 121000Z) 334859 20ND0705150 00W (7.0NM W CRE) 402.0FT (365.0FT AGL) UPS

Effective 2026-07-09T22:41:00Z → 2026-10-10T23:59:00Z

OBSTRUCTION

STAND — FIRST TOWER LIGHT (ASR 104010Z) 334820 00ND0706017 00W (2.4NM WNW CRE) 361.0FT (235.0FT AGL) UPS

Effective 2026-08-12T02:56:00Z → 2026-09-26T02:56:00Z

2 additional normalized FAA NOTAM records omitted from this view.

26-09-13T22:25:48.828603Z.

STAND, NORTH MYRTLE BEACH, SC, VOR RWY 23, AMDT 10B, ... DISREGARD WACRA FIX MINIMUMS, 5.00 MDA 620HAT 500 ALL CATS, VISIBILITY CAT C/D 1, 1/4

TEMPORARY CRANE 252FT MSL 500FT SOUTHEAST OF RWY 23 (2025-ASD-19005-0E), 2512162107-2512212107TEST

:00Z

STAND, NORTH MYRTLE BEACH, SC, ILS OR LOC RWY 23, AMDT 12B, ... RNAV (GPS) RWY 23, AMDT 1C, ... RNAV (GPS) RWY 5, ORIG-A, ... VOR RWY 5, AMDT 22B

TEMPORARY CRANE 252FT MSL 1.18 NM SOUTHEAST OF CRE AIRPORT (2025-ASD-19005-0E), 2512162107-2512212107TEST

:00Z

LIGHT (ASR 120000Z) 334859 20ND0705150 00W (7.0NM W CRE) 402.0FT (365.0FT AGL) UPS

:00Z

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KCRE this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

Category and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

0:00 ET ET · VFR

5:00 ET ET · VFR

12:00 ET ET · VFR

18:00 ET ET · VFR

S · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-13=GFS, 2026-09-14=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-14 00:00	81	Sct	210/10kt	—	>10kft	>6SM
GFS	2026-09-14 03:00	80	Clear	230/5kt	—	>10kft	>6SM
GFS	2026-09-14 06:00	78	Clear	250/3kt	8.0	>10kft	>6SM
GFS	2026-09-14 09:00	75	Clear	270/2kt	—	>10kft	6SM
GFS	2026-09-14 12:00	78	Clear	310/3kt	3.0	>10kft	>6SM
GFS	2026-09-14 15:00	88	Clear	360/6kt	—	>10kft	>6SM
GFS	2026-09-14 18:00	92	Clear	170/7kt	0.0	>10kft	>6SM
GFS	2026-09-14 21:00	90	Few	150/7kt	—	>10kft	>6SM
GFS	2026-09-15 00:00	85	Few	90/6kt	0.0	>10kft	>6SM
GFS	2026-09-15 03:00	81	Bkn	60/8kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KCRE 132053Z 20013KT 10SM CLR 29/25 A2993 RMK A02 SLP135 60000 T02940250 56013

TAF KMYR 131720Z 1318/1418 26011KT P6SM SCT030 FM131900 21011KT P6SM SCT030 FM140000 23006KT P6SM FEW250 FM140400 26004KT P6SM FEW250 FM141400 34007KT P6SM FEW045

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KCRE; actual-station=KCRE; fetched-at=2026-09-13T22:25:41.898567+00:00; observed-or-issued-at=2026-09-13T20:53:00+00:00 — [AWC API](#)
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KCRE; actual-station=KMYR; fetched-at=2026-09-13T22:25:43.947674+00:00; observed-or-issued-at=2026-09-13T17:20:00+00:00; valid-from=2026-09-13T18:00:00+00:00; valid-through=2026-09-14T18:00:00+00:00; partial-target-dates=2026-09-13,2026-09-14 — [AWC API](#)

TAF proxy · KMYR

- FAA airport status — state=not_queried; fetch-state=not_attempted; payload-state=not_attempted; requested-station=KCRE
- FAA NMS NOTAM — state=OK; requested-station=KCRE; actual-station=KCRE; fetched-at=2026-09-13T22:25:48.828603Z — [FAA NMS overview](#)
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KCRE; actual-station=KCRE; fetched-at=2026-09-13T22:26:03.194283+00:00; observed-or-issued-at=2026-09-13T18:00:00+00:00; valid-from=2026-09-14T00:00:00+00:00; valid-through=2026-09-16T18:00:00+00:00; target-dates=2026-09-14; partial-target-dates=2026-09-13; dates-with-points=2026-09-13,2026-09-14 — [Iowa State API](#)
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KCRE; actual-station=KCRE; fetched-at=2026-09-13T22:26:04.017294+00:00; observed-or-issued-at=2026-09-13T12:00:00+00:00; valid-from=2026-09-14T12:00:00+00:00; valid-through=2026-09-21T12:00:00+00:00; target-dates=2026-09-14; dates-with-points=2026-09-14 — [Iowa State API](#)
- MOS effective date selection — state=partial; rows=10; requested-station=KCRE; actual-station=KCRE; fetched-at=2026-09-13T22:26:03.194283+00:00; observed-or-issued-at=2026-09-13T18:00:00+00:00; valid-from=2026-09-14T00:00:00+00:00; valid-through=2026-09-16T18:00:00+00:00; target-dates=2026-09-14; partial-target-dates=2026-09-13; dates-with-points=2026-09-13,2026-09-14; selected-by-date=2026-09-13=GFS, 2026-09-14=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.

• Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#7

KHXD

Hilton Head Arpt, SC, US

· Atlantic South · Hilton Head

▮

OBS - VFR

ETE

1h21

DIST

195 nm

SUN 13 SEP 16:50 ET OBSERVED

Current observation

▮

OBS - VFR

METAR


few 3,500 ft

WINDS (200°) 8 kt gust 13 kt

TEMPERATURE30 °C

VISIBILITY10 sm

DEWPOINT25 °C



Wind favours RWY 21

200° true · 208° magnetic · 8G13 kt

Evidence & limitations

- METAR source state: ok; observed Sep 13 16:50 ET; retrieved Sep 13 18:25 ET; 95 min before this run.
- Measured values read from the KHXD METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.96 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KHXD runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 03/21. Wind from 200 degrees true, 208 degrees magnetic, at 8 knots gusting 13 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 21. Wind source: KHXD METAR 132050Z.

DESTINATION OUTLOOK

SUN 13 SEP 18:00–00:00 ET HIGH

Forecast

TA
F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
 - Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.
- Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 13

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON 14 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 14 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 14 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 14 SEP 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND5–6 kt

TEMPERATURE90–92 °F

DEWPOINT72–74 °F

PRECIP CHANCE1%

Evidence & limitations

• GFS MAV MOS · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 14

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

6000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

32°C dep KLZU → 30°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

03/21 (030/210°M · 022/202°T) — designators and °M headings are magnetic; °T are true; variation 8°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMS

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 Act on

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

Read 2026-09-13T22:25:48.842690Z. (non-prioritative)

FRI SEP 11

SAT SEP 12

SUN SEP 13

MON SEP 14

5/3292

A0137/25

06/020

2 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 22:25 Z

NOTAMs as of 22:25 Z — advisory only; verify an official briefing.

07/013

NOTAM text not available in this projection.

A0238/26

NOTAM text not available in this projection.

5/3292

NOTAM text not available in this projection.

A0137/25

NOTAM text not available in this projection.

06/020

NOTAM text not available in this projection.

08/032

NOTAM text not available in this projection.

08/034

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

Effective 2025-04-29T20:01:00Z → 2027-04-29T20:01:00Z

OBSTRUCTION 160020 — OBST TOWER LIT (ASR 160010) 321526.20N080523.80W (9.2NM WNW HXD) 436.0FT (419.0FT AGL) UPS
Effective 2026-06-18T20:51:00Z → 2026-09-16T20:51:00Z

2 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KHXD this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

2026-09-13T22:25:48.842690Z.

AREA IRREGULAR SFC

:00Z

ITY AREA IRREGULAR SFC

:00Z

HEAD, HILTON HEAD ISLAND, SC, LOC RWY 21, AMDT 6, VOSI AND DESCENT ANGLES NOT COINCIDENT (VOSI ANGLE 3.00 DITCH 30)

:00Z

HILTON HEAD, HILTON HEAD ISLAND, SC, LOC RWY 21, AMDT 6, VOSI AND DESCENT ANGLES NOT COINCIDENT (VOSI ANGLE 3.00 DITCH 35)

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

0:00 ET ET · VFR

6:00 ET ET · VFR

12:00 ET ET · VFR

18:00 ET ET · VFR

S · 18:00–00:00 ET ET · VFR

Source state: partial; selected by target date: 2026-09-13=GFS, 2026-09-14=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-14 00:00	83	Bkn	200/5kt	—	>10kft	>6SM
GFS	2026-09-14 03:00	81	Sct	220/3kt	—	>10kft	>6SM
GFS	2026-09-14 06:00	80	Sct	230/2kt	14.0	>10kft	>6SM
GFS	2026-09-14 09:00	78	Clear	240/2kt	—	>10kft	>6SM
GFS	2026-09-14 12:00	78	Clear	290/3kt	10.0	>10kft	>6SM
GFS	2026-09-14 15:00	88	Clear	350/5kt	—	>10kft	>6SM
GFS	2026-09-14 18:00	92	Few	40/5kt	1.0	>10kft	>6SM
GFS	2026-09-14 21:00	90	Few	120/6kt	—	>10kft	>6SM
GFS	2026-09-15 00:00	85	Clear	160/4kt	0.0	>10kft	>6SM
GFS	2026-09-15 03:00	82	Clear	180/1kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KHXD 132050Z 20008G13KT 10SM FEW035 30/25 A2996

TAF KSAV 131727Z 1318/1418 25007KT P6SM VCTS SCT050CB SCT250 FM132300 23004KT P6SM SCT040 SCT100 FM141400 33005KT P6SM FEW250

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KHXD; actual-station=KHXD; fetched-at=2026-09-13T22:25:41.898567+00:00; observed-or-issued-at=2026-09-13T20:50:00+00:00 — [AWC API](#)
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KHXD; actual-station=KSAV; fetched-at=2026-09-13T22:25:43.947674+00:00; observed-or-issued-at=2026-09-13T17:27:00+00:00; valid-from=2026-09-13T18:00:00+00:00; valid-through=2026-09-14T18:00:00+00:00; partial-target-dates=2026-09-13,2026-09-14 — [AWC API](#)

TAF proxy · KSAV

- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KHXD; actual-station=KHXD; fetched-at=2026-09-13T22:25:45.151208+00:00
- FAA NMS NOTAM — state=OK; requested-station=KHXD; actual-station=KHXD; fetched-at=2026-09-13T22:25:48.842690Z — [FAA NMS overview](#)
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KHXD; actual-station=KHXD; fetched-at=2026-09-13T22:26:03.212115+00:00; observed-or-issued-at=2026-09-13T18:00:00+00:00; valid-from=2026-09-14T00:00:00+00:00; valid-through=2026-09-16T18:00:00+00:00; target-dates=2026-09-14; partial-target-dates=2026-09-13; dates-with-points=2026-09-13,2026-09-14 — [Iowa State API](#)
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KHXD; actual-station=KHXD; fetched-at=2026-09-13T22:26:03.983656+00:00; observed-or-issued-at=2026-09-13T12:00:00+00:00; valid-from=2026-09-14T12:00:00+00:00; valid-through=2026-09-21T12:00:00+00:00; target-dates=2026-09-14; dates-with-points=2026-09-14 — [Iowa State API](#)
- MOS effective date selection — state=partial; rows=10; requested-station=KHXD; actual-station=KHXD; fetched-at=2026-09-13T22:26:03.212115+00:00; observed-or-issued-at=2026-09-13T18:00:00+00:00; valid-from=2026-09-14T00:00:00+00:00; valid-through=2026-09-16T18:00:00+00:00; target-dates=2026-09-14; partial-target-dates=2026-09-13; dates-with-points=2026-09-13,2026-09-14; selected-by-date=2026-09-13=GFS, 2026-09-14=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — [FAA Chart Supplement \(current cycle\)](#) — see AirNav link above

SUN 13 SEP 16:53 ET OBSERVED

Current observation

OBS - VFR

OBSER

METAR

broken 8,000 ft, broken 25,000 ft

WINDW (280°) 10 kt gust 15 kt

TEMPERATURE31 °C

VISIBILITY10 sm

DEWPOINT18 °C

From 280°M - 33015 M

Alt. Measuring Equip. 280° True

directional diagram

Wind favours RWY 27

280° true · 288° magnetic · 10G15 kt

Evidence & limitations

- METAR source state: ok; observed Sep 13 16:53 ET; retrieved Sep 13 18:25 ET; 92 min before this run.
- Measured values read from the KTRI METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.03 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KTRI runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 05/23, 09/27. Wind from 280 degrees true, 288 degrees magnetic, at 10 knots gusting 15 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 27. Wind source: KTRI METAR 132053Z.

DESTINATION OUTLOOK

SUN 13 SEP 18:00–00:00 ET HIGH

Forecast

TA
F

TAF · VFR

FORECAST



Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 13

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON 14 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 14 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 14 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 14 SEP 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND4–6 kt

TEMPERATURE83–85 °F

DEWPOINT61–64 °F

PRECIP CHANCE0%

Evidence & limitations

• GFS MAV MOS · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 14

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

6000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

32°C dep KLZU → 31°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

05/23 (050/230°M · 042/222°T) · 09/27 (090/270°M · 082/262°T) — designators and °M headings are magnetic; °T are true; variation 8°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMS

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

	2 · What	3 · Where	
	ed 2026-09-13T22:25:48.972875Z. poritative)		
	FRI SEP 11	SAT SEP 12	SUN SEP 13
			MON SEP 14
08/068			
08/069			
08/070			
44 additional normalized NOTAM records omitted from this view.			

Raw NOTAM data · NOTAMs as of 22:25 Z

NOTAMs as of 22:25 Z — advisory only; verify an official briefing.

5/8343	NOTAM text not available in this projection.
5/8558	NOTAM text not available in this projection.
08/068	NOTAM text not available in this projection.
08/069	NOTAM text not available in this projection.
08/070	NOTAM text not available in this projection.
08/071	NOTAM text not available in this projection.
08/072	NOTAM text not available in this projection.
09/019	NOTAM text not available in this projection.
A1212/26	

NOTAM text not available in this projection.

09/023

NOTAM text not available in this projection.

A1216/26

NOTAM text not available in this projection.

08/067

NOTAM text not available in this projection.

08/073

NOTAM text not available in this projection.

5/1221

NOTAM text not available in this projection.

A1144/25

NOTAM text not available in this projection.

A1251/25

NOTAM text not available in this projection.

A1252/25

NOTAM text not available in this projection.

5/8404

NOTAM text not available in this projection.

5/8405

NOTAM text not available in this projection.

5/8406

NOTAM text not available in this projection.

5/8407

NOTAM text not available in this projection.

A1367/25

NOTAM text not available in this projection.

A1368/25

NOTAM text not available in this projection.

A1369/25

NOTAM text not available in this projection.

A1370/25

NOTAM text not available in this projection.

5/8409

NOTAM text not available in this projection.

A1373/25

NOTAM text not available in this projection.

5/8411

NOTAM text not available in this projection.

A1374/25

NOTAM text not available in this projection.

06/034

NOTAM text not available in this projection.

A0975/26

NOTAM text not available in this projection.

06/042

NOTAM text not available in this projection.

A0980/26

NOTAM text not available in this projection.

06/043

NOTAM text not available in this projection.

A0981/26

NOTAM text not available in this projection.

06/044

NOTAM text not available in this projection.

06/046

NOTAM text not available in this projection.

06/061

NOTAM text not available in this projection.

06/068

NOTAM text not available in this projection.

07/010

NOTAM text not available in this projection.

07/028

NOTAM text not available in this projection.

07/029

NOTAM text not available in this projection.

07/054

NOTAM text not available in this projection.

08/034

NOTAM text not available in this projection.

08/053

NOTAM text not available in this projection.

08/078

NOTAM text not available in this projection.

A1181/26

NOTAM text not available in this projection.

09/004

NOTAM text not available in this projection.

09/017

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

RUNWAY 080000 — RWY 08 THE MARKINGS NOT STD

Effective 2026-08-28T12:08:00Z → 2026-09-30T22:00:00Z

RUNWAY 080070 — RWY 08 THE MARKINGS NOT STD

Effective 2026-08-28T12:08:00Z → 2026-09-30T22:00:00Z

44 additional normalized FAA NOTAM records omitted from this view.

026-09-13T22:25:48.972875Z.

PISTOLJOHNSBORINGSPO RT, TN, TRICITIES THREE DEPARTURE ... DISREGARD TAKE-OFF MINIMUMS RWY 27, 400 2 1/2 OR STANDARD WITH MINIMUM CLIMB OF MINIMUMS, RWY 27 400 2 1/2. ALL OTHER DATA REMAINS AS PUBLISHED. 2509221540-2709221540EST :00Z

PISTOLJOHNSBORINGSPO RT, TN, KINGS TWO DEPARTURE... TAKE-OFF/TAKE-OFF MINIMUMS, RWY 27, NOT AUTHORIZED. ALL OTHER DATA REMAINS AS PUBLISHED. 2509221540-2709221540EST :00Z

MARKINGS NOT STD :00Z

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KTRI this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

... and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

0:00 ET ET · VFR
6:00 ET ET · VFR
12:00 ET ET · VFR
18:00 ET ET · VFR
S · 18:00–00:00 ET ET · VFR

Source state: partial; selected by target date: 2026-09-13=GFS, 2026-09-14=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-14 00:00	79	Sct	280/3kt	—	>10kft	>6SM
GFS	2026-09-14 03:00	71	Few	0/0kt	—	>10kft	>6SM
GFS	2026-09-14 06:00	67	Clear	0/0kt	0.0	>10kft	>6SM
GFS	2026-09-14 09:00	66	Bkn	0/0kt	—	>10kft	>6SM
GFS	2026-09-14 12:00	66	Bkn	340/1kt	1.0	1-3kft	3-5SM
GFS	2026-09-14 15:00	76	Bkn	360/5kt	—	5-10kft	>6SM
GFS	2026-09-14 18:00	83	Bkn	350/4kt	0.0	>10kft	>6SM
GFS	2026-09-14 21:00	85	Sct	340/6kt	—	>10kft	>6SM
GFS	2026-09-15 00:00	76	Few	10/2kt	0.0	>10kft	>6SM
GFS	2026-09-15 03:00	67	Clear	70/1kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KTRI 132053Z 28010G15KT 10SM BKN080 BKN250 31/18 A3003 RMK A02 SLP139 T03060183 56011

TAF KTRI 131720Z 1318/1418 26006KT P6SM SCT050 FM140900 00000KT 5SM BR OVC035 FM141500 32005KT P6SM SCT035

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KTRI; actual-station=KTRI; fetched-at=2026-09-13T22:25:41.898567+00:00; observed-or-issued-at=2026-09-13T20:53:00+00:00 — [AWC API](#)
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KTRI; actual-station=KTRI; fetched-at=2026-09-13T22:25:43.947674+00:00; observed-or-issued-at=2026-09-13T17:20:00+00:00; valid-from=2026-09-13T18:00:00+00:00; valid-through=2026-09-14T18:00:00+00:00; partial-target-dates=2026-09-13,2026-09-14 — [AWC API](#)
- TAF proxy · KTRI
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KTRI; actual-station=KTRI; fetched-at=2026-09-13T22:25:44.958325+00:00
- FAA NMS NOTAM — state=OK; requested-station=KTRI; actual-station=KTRI; fetched-at=2026-09-13T22:25:48.972875Z — [FAA NMS overview](#)
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KTRI; actual-station=KTRI; fetched-at=2026-09-13T22:26:03.197551+00:00; observed-or-issued-at=2026-09-13T18:00:00+00:00; valid-from=2026-09-14T00:00:00+00:00; valid-through=2026-09-16T18:00:00+00:00; target-dates=2026-09-14; partial-target-dates=2026-09-13; dates-with-points=2026-09-13,2026-09-14 — [Iowa State API](#)
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KTRI; actual-station=KTRI; fetched-at=2026-09-13T22:26:04.015012+00:00; observed-or-issued-at=2026-09-13T12:00:00+00:00; valid-from=2026-09-14T12:00:00+00:00; valid-through=2026-09-21T12:00:00+00:00; target-dates=2026-09-14; dates-with-points=2026-09-14 — [Iowa State API](#)
- MOS effective date selection — state=partial; rows=10; requested-station=KTRI; actual-station=KTRI; fetched-at=2026-09-13T22:26:03.197551+00:00; observed-or-issued-at=2026-09-13T18:00:00+00:00; valid-from=2026-09-14T00:00:00+00:00; valid-through=2026-09-16T18:00:00+00:00; target-dates=2026-09-14; partial-target-dates=2026-09-13; dates-with-points=2026-09-13,2026-09-14; selected-by-date=2026-09-13=GFS, 2026-09-14=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — [FAA Chart Supplement \(current cycle\)](#) — see AirNav link above

#9

KROA

Roanoke Rgnl, VA, US

· Mountain · Roanoke valley

OBS - VFR

ETE

1h56

DIST

279 nm

SUN 13 SEP 16:54 ET OBSERVED

Current observation

OBS - VFR

OBSER

META

R

scattered 8,000 ft

WINDNW (310°) 9 kt


TEMPERATURE

31 °C

VISIBILITY

10 sm

DEWPOINT18 °C



Wind favours RWY 34

310° true · 319° magnetic · 9 kt

Evidence & limitations

- METAR source state: ok; observed Sep 13 16:54 ET; retrieved Sep 13 18:25 ET; 91 min before this run.
- Measured values read from the KROA METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.96 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KROA runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 06/24, 16/34. Wind from 310 degrees true, 319 degrees magnetic, at 9 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 34. Wind source: KROA METAR 132054Z.

DESTINATION OUTLOOK

SUN, SEP 13

SUN 13 SEP 18:00–00:00 ET HIGH

Forecast



Flight-category guidance



FORECAST

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 13

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON 14 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 14 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 14 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 14 SEP 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND7–8 kt

TEMPERATURE82–83 °F

DEWPOINT55–59 °F

PRECIP CHANCE0%

Evidence & limitations

• GFS MAV MOS · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 14

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

32°C dep KLZU → 31°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

06/24 (060/240°M · 051/231°T) · 16/34 (160/340°M · 151/331°T) — designators and °M headings are magnetic; °T are true; variation 9°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMS

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

ed 2026-09-13T22:25:49.066477Z.

FRI SEP 11

SAT SEP 12

SUN SEP 13

MON SEP 14

08/149

08/150

08/152

15 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 22:25 Z

NOTAMs as of 22:25 Z — advisory only; verify an official briefing.

08/147

NOTAM text not available in this projection.

08/148

NOTAM text not available in this projection.

08/149

NOTAM text not available in this projection.

08/150

NOTAM text not available in this projection.

08/152

NOTAM text not available in this projection.

08/153

NOTAM text not available in this projection.

A1062/26

NOTAM text not available in this projection.

08/154

NOTAM text not available in this projection.

08/155

NOTAM text not available in this projection.

08/156

NOTAM text not available in this projection.

5/6949

NOTAM text not available in this projection.

A0691/25

NOTAM text not available in this projection.

08/084

NOTAM text not available in this projection.

A0956/26

NOTAM text not available in this projection.

08/050

NOTAM text not available in this projection.

A1138/25

NOTAM text not available in this projection.

08/074

NOTAM text not available in this projection.

08/075

NOTAM text not available in this projection.

08/076

NOTAM text not available in this projection.

08/114

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this

2026-09-13T22:25:49.066477Z.

NOTS NOT STD

:00Z

ISS BTH TWR BA AND TWR BL NOT STD

:00Z

RED HLDS PSN SIGNS FOR TWR 0824 NOT STD

:00Z

```
source was read this run; technical
environment: preprod.
```

TAXIWAY 08/152 — TWY B3 CL MARK

Effective 2026-08-31T16:33:00Z → 2026-09-30T23:59

15 additional normalized FAA NOTAM records omitted f

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics,
the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMS were read for KROA this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

S · 18:00–00:00 ET ET · VFR

Source state: partial; selected by target date: 2026-09-13=GFS, 2026-09-14=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-14 00:00	83	Clear	320/6kt	—	>10kft	>6SM
GFS	2026-09-14 03:00	76	Clear	320/3kt	—	>10kft	>6SM
GFS	2026-09-14 06:00	72	Clear	300/3kt	1.0	>10kft	>6SM
GFS	2026-09-14 09:00	70	Few	310/4kt	—	>10kft	>6SM
GFS	2026-09-14 12:00	72	Bkn	310/6kt	2.0	5-10kft	>6SM
GFS	2026-09-14 15:00	79	Bkn	350/9kt	—	>10kft	>6SM
GFS	2026-09-14 18:00	82	Sct	340/7kt	0.0	>10kft	>6SM

GFS	2026-09-14 21:00	83	Clear	350/8kt	—	>10kft	>6SM
GFS	2026-09-15 00:00	75	Clear	40/7kt	0.0	>10kft	>6SM
GFS	2026-09-15 03:00	68	Clear	50/6kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KROA 132054Z 31009KT 10SM SCT080 31/18 A2996 RMK A02 SLP130 T03110178 56012 \$

TAF KROA 131720Z 1318/1418 31007KT P6SM FEW150 FM141400 01006KT P6SM FEW200

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KROA; actual-station=KROA; fetched-at=2026-09-13T22:25:41.898567+00:00; observed-or-issued-at=2026-09-13T20:54:00+00:00 — [AWC API](#)
 - TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KROA; actual-station=KROA; fetched-at=2026-09-13T22:25:43.947674+00:00; observed-or-issued-at=2026-09-13T17:20:00+00:00; valid-from=2026-09-13T18:00:00+00:00; valid-through=2026-09-14T18:00:00+00:00; partial-target-dates=2026-09-13,2026-09-14 — [AWC API](#)
- TAF proxy · KROA
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KROA; actual-station=KROA; fetched-at=2026-09-13T22:25:45.035045+00:00
 - FAA NMS NOTAM — state=OK; requested-station=KROA; actual-station=KROA; fetched-at=2026-09-13T22:25:49.066477Z — [FAA NMS overview](#)
 - MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KROA; actual-station=KROA; fetched-at=2026-09-13T22:26:03.295861+00:00; observed-or-issued-at=2026-09-13T18:00:00+00:00; valid-from=2026-09-14T00:00:00+00:00; valid-through=2026-09-16T18:00:00+00:00; target-dates=2026-09-14; partial-target-dates=2026-09-13; dates-with-points=2026-09-13,2026-09-14 — [Iowa State API](#)
 - MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KROA; actual-station=KROA; fetched-at=2026-09-13T22:26:04.008775+00:00; observed-or-issued-at=2026-09-13T12:00:00+00:00; valid-from=2026-09-14T12:00:00+00:00; valid-through=2026-09-21T12:00:00+00:00; target-dates=2026-09-14; dates-with-points=2026-09-14 — [Iowa State API](#)
 - MOS effective date selection — state=partial; rows=10; requested-station=KROA; actual-station=KROA; fetched-at=2026-09-13T22:26:03.295861+00:00; observed-or-issued-at=2026-09-13T18:00:00+00:00; valid-from=2026-09-14T00:00:00+00:00; valid-through=2026-09-16T18:00:00+00:00; target-dates=2026-09-14; partial-target-dates=2026-09-13; dates-with-points=2026-09-13,2026-09-14; selected-by-date=2026-09-13=GFS, 2026-09-14=GFS
 - Extended outlook and hazard-feed states are reported in the source stamp.
 - Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#10

KSGJ St Augustine Arpt, FL, US · Atlantic South · St Augustine FL

⌋ OBS - MVFR

ETE
1h55

DIST
276 nm

SUN 13 SEP 16:56 ET OBSERVED

Current observation

METAR

broken 2,000 ft cumulonimbus

WINDSE (120°) 4 kt


⌋ OBS - MVFR

OBSE

TEMPERATURE27 °C

VISIBILITY5 sm

DEWPOINT24 °C



Wind favours RWY 13
120° true · 127° magnetic · 4 kt

Evidence & limitations

- METAR source state: ok; observed Sep 13 16:56 ET; retrieved Sep 13 18:25 ET; 89 min before this run.
- Measured values read from the KSGJ METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.00 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KSGJ runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 13/31, 06/24, 02/20. Seaplane water lanes (17W, 35W, 18W, 36W, 12W and 30W) are excluded from the diagram and are never marked as favoured. Wind from 120 degrees true, 127 degrees magnetic, at 4 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 13. Wind source: KSGJ METAR 132056Z.

DESTINATION OUTLOOK

SUN, SEP 13

SUN 13 SEP 18:00–00:00 ET HIGH

Forecast



Flight-category guidance



TAF · MVFR

FORECAST

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 13

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, SEP 14

MON 14 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 14 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 14 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 14 SEP 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND8 kt

TEMPERATURE88–89 °F

DEWPOINT78 °F

PRECIP CHANCE21%

Evidence & limitations

• GFS MAV MOS · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 14

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

32°C dep KLZU → 27°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

13/31 (130/310°M · 123/303°T) · 06/24 (060/240°M · 053/233°T) · 02/20 (020/200°M · 013/193°T) · 17W/35W (170/350°M · 163/343°T · water lane, not wind-favored) · 18W/36W (180/000°M · 173/353°T · water lane, not wind-favored) · 12W/30W (120/300°M · 113/293°T · water lane, not wind-favored) — designators and °M headings are magnetic; °T are true; variation 7°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

6 Act on

3 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

ed 2026-09-13T22:25:49.067614Z.

poritative) » = no published end (each row states whether it is permanent or simply not supplied) — continues past this window

	FRI SEP 11	SAT SEP 12	SUN SEP 13	MON SEP 14
09/003				
5/0380				
12/004				

12 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 22:25 Z

NOTAMs as of 22:25 Z — advisory only; verify an official briefing.

08/010

NOTAM text not available in this projection.

08/014

NOTAM text not available in this projection.

09/003

NOTAM text not available in this projection.

5/0380

NOTAM text not available in this projection.

12/004

NOTAM text not available in this projection.

6/6168

NOTAM text not available in this projection.

06/017

NOTAM text not available in this projection.

08/003

NOTAM text not available in this projection.

06/025

NOTAM text not available in this projection.

07/002

NOTAM text not available in this projection.

08/008

NOTAM text not available in this projection.

08/013

NOTAM text not available in this projection.

09/001

NOTAM text not available in this projection.

09/002

NOTAM text not available in this projection.

09/004

NOTAM text not available in this projection.

09/005

NOTAM text not available in this projection.

08/018

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production
source per owner decision 2026-08-09;
technical transport environment remains
preprod. Limited 2026-07-30 spot check
covered KLZU, KAVL, and KSGJ (3 of 30
airports). NOTAMs were read from this source
and used on this card this run. Typed state:
OK. The dot colour reports whether this
source was read this run; technical
environment: preprod.

2026-09-13T22:25:49.067614Z.

:00Z

:00Z

:00Z

Effective 2025-09-09T18:42:00Z → 2027-09-09T23:59:00Z

NAV APPROACH 121004 — NAV VOR/DME DECOMMISSIONED

Effective 2025-12-04T15:30:00Z → Permanent — no expiry published

12 additional normalized FAA NOTAM records omitted from this view.

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMS were read for KSGJ this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

Source state: partial; selected by target date: 2026-09-13=GFS, 2026-09-14=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-14 00:00	80	Ovc	170/4kt	—	5-10kft	>6SM
GFS	2026-09-14 03:00	78	Ovc	210/3kt	—	>10kft	6SM
GFS	2026-09-14 06:00	77	Ovc	250/3kt	34.0	>10kft	6SM
GFS	2026-09-14 09:00	76	Bkn	260/3kt	—	>10kft	6SM
GFS	2026-09-14 12:00	77	Bkn	290/4kt	25.0	>10kft	>6SM
GFS	2026-09-14 15:00	87	Clear	340/6kt	—	>10kft	>6SM
GFS	2026-09-14 18:00	89	Sct	50/8kt	21.0	>10kft	>6SM
GFS	2026-09-14 21:00	88	Sct	80/8kt	—	>10kft	>6SM
GFS	2026-09-15 00:00	84	Sct	120/5kt	18.0	>10kft	>6SM

GFS2026-09-15 03:0081Few110/5kt—>10kft>6SM

+ Raw products

+ Raw METAR / TAF

METAR KSGJ 132056Z 12004KT 5SM TSRA BKN020CB 27/24 A3000 RMK A02 LTG DSNT ALQDS RAB00 SLP157 P0026 60026 T02670239 56008 \$

TAF KSGJ 132104Z 1321/1418 10009KT P6SM VCTS SCT025CB BKN070 BKN120 TEMPO 1321/1323 5SM +TSRA BR BKN020CB FM140200 21005KT P6SM VCSH FEW050 BKN150 OVC250 FM141300 32005KT P6SM FEW050 FM141600 05007KT P6SM SCT030 SCT120

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KSGJ; actual-station=KSGJ; fetched-at=2026-09-13T22:25:41.898567+00:00; observed-or-issued-at=2026-09-13T20:56:00+00:00 — [AWC API](#)
 - TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KSGJ; actual-station=KSGJ; fetched-at=2026-09-13T22:25:43.947674+00:00; observed-or-issued-at=2026-09-13T21:04:00+00:00; valid-from=2026-09-13T21:00:00+00:00; valid-through=2026-09-14T18:00:00+00:00; partial-target-dates=2026-09-13,2026-09-14 — [AWC API](#)
- TAF proxy · KSGJ
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KSGJ; actual-station=KSGJ; fetched-at=2026-09-13T22:25:45.131496+00:00
 - FAA NMS NOTAM — state=OK; requested-station=KSGJ; actual-station=KSGJ; fetched-at=2026-09-13T22:25:49.067614Z — [FAA NMS overview](#)
 - MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KSGJ; actual-station=KSGJ; fetched-at=2026-09-13T22:26:03.419637+00:00; observed-or-issued-at=2026-09-13T18:00:00+00:00; valid-from=2026-09-14T00:00:00+00:00; valid-through=2026-09-16T18:00:00+00:00; target-dates=2026-09-14; partial-target-dates=2026-09-13; dates-with-points=2026-09-13,2026-09-14 — [Iowa State API](#)
 - MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KSGJ; actual-station=KSGJ; fetched-at=2026-09-13T22:26:04.189843+00:00; observed-or-issued-at=2026-09-13T12:00:00+00:00; valid-from=2026-09-14T12:00:00+00:00; valid-through=2026-09-21T12:00:00+00:00; target-dates=2026-09-14; dates-with-points=2026-09-14 — [Iowa State API](#)
 - MOS effective date selection — state=partial; rows=10; requested-station=KSGJ; actual-station=KSGJ; fetched-at=2026-09-13T22:26:03.419637+00:00; observed-or-issued-at=2026-09-13T18:00:00+00:00; valid-from=2026-09-14T00:00:00+00:00; valid-through=2026-09-16T18:00:00+00:00; target-dates=2026-09-14; partial-target-dates=2026-09-13; dates-with-points=2026-09-13,2026-09-14; selected-by-date=2026-09-13=GFS, 2026-09-14=GFS
 - Extended outlook and hazard-feed states are reported in the source stamp.
 - Runway data + Chart Supplement — [FAA Chart Supplement \(current cycle\)](#) — see AirNav link above

#11KCRG Jacksonville/Executive at Craig Arprt, FL, US · Atlantic North · Jacksonville Exec

OBS - VFR

ETE1h45

DIST252 nm

SUN 13 SEP 16:30 ET OBSERVED

Current observation

METAR

few 6,000 ft, scattered 11,000 ft

WINDS (170°) 10 kt


TEMPERATURE28 °C

OBS - VFR

OBSER

☁
VISIBILITY10 sm

💧
DEWPOINT26 °C



Wind favours RWY 14
170° true · 177° magnetic · 10 kt

Evidence & limitations

- METAR source state: ok; observed Sep 13 16:30 ET; retrieved Sep 13 18:25 ET; 115 min before this run.
- Measured values read from the KCRG METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.98 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KCRG runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 14/32, 05/23. Wind from 170 degrees true, 177 degrees magnetic, at 10 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 14. Wind source: KCRG METAR 132030Z.

DESTINATION OUTLOOK

SUN, SEP 13

SUN 13 SEP 18:00–00:00 ET HIGH

Forecast

TA
F

TAF ·
VFR

FORECAST

Flight-category
guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 13

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON 14 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 14 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 14 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 14 SEP 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND7 kt

TEMPERATURE89–91 °F

DEWPOINT74 °F

PRECIP CHANCE12%

Evidence & limitations

• GFS MAV MOS · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 14

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

32°C dep KLZU → 28°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

14/32 (140/320°M · 133/313°T) · 05/23 (050/230°M · 043/223°T) — designators and °M headings are magnetic; °T are true; variation 7°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMS

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

ed 2026-09-13T22:25:49.142129Z.
pritative)

	FRI SEP 11	SAT SEP 12	SUN SEP 13	MON SEP 14
6/9357				
6/9358				
A0189/26				

9 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 22:25 Z

NOTAMs as of 22:25 Z — advisory only; verify an official briefing.

6/8452
NOTAM text not available in this projection.

A0170/26
NOTAM text not available in this projection.

6/9357
NOTAM text not available in this projection.

6/9358
NOTAM text not available in this projection.

A0189/26
NOTAM text not available in this projection.

A0190/26
NOTAM text not available in this projection.

12/015
NOTAM text not available in this projection.

A0332/25
NOTAM text not available in this projection.

02/057

NOTAM text not available in this projection.

07/005

NOTAM text not available in this projection.

07/012

NOTAM text not available in this projection.

08/014

NOTAM text not available in this projection.

08/030

NOTAM text not available in this projection.

09/004

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2026-09-13T22:25:49.142129Z.

JACKSONVILLE EXEC AT CRAIG, JACKSONVILLE, FL, ILS OR LOC RWY 32, AMDT 5C... RNAV (GPS) RWY 14, AMDT 1B... RNAV (GPS) RWY 32, AMDT 1B... CIRCLING CAT C 1/4 SM. 2605111508-2605111508EST

:00Z

JACKSONVILLE EXEC AT CRAIG, JACKSONVILLE, FL, ILS OR LOC RWY 32, AMDT 5C... RNAV (GPS) RWY 14, AMDT 1B... RNAV (GPS) RWY 32, AMDT 1B... CIRCLING CAT C 1/4 SM. 2605111508-2605111508EST

:00Z

JACKSONVILLE EXEC AT CRAIG, JACKSONVILLE, FL, RNAV (GPS) RWY 14, AMDT 1B... LPV DA 295/HAT 254 ALL CATS. CHANGE NOTE TO READ: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE JACKSONVILLE INTL ALTIMETER SETTING. INCREASE LPV DA TO 327 FEET. INCREASE LNAV/VNAV DA TO 490 FEET AND ALL VISIBILITIES 1/8 SM. INCREASE ALL MDAS 40 FEET AND CIRCLING VISIBILITY CAT C 1/4 SM. 2605111508-2605111508EST

Effective 2026-05-11T15:08:00Z → 2028-05-11T15:08:00Z

NAV APPROACH

W0358 — IAP JACKSONVILLE EXEC AT CRAIG, JACKSONVILLE, FL, RNAV (GPS) RWY 32, AMDT 1B... LPV DA 291/HAT 250 ALL CATS. LNAV/VNAV DA 406/HAT 365 ALL CATS. VDP NA. CHANGE NOTE TO READ: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE JACKSONVILLE INTL ALTIMETER SETTING. INCREASE LPV DA TO 324 FEET. INCREASE LNAV/VNAV DA TO 439 FEET. INCREASE ALL MDAS 40 FEET AND CIRCLING VISIBILITY CAT C 1/4 SM. 2605111508-2605111508EST

Effective 2026-05-11T15:08:00Z → 2028-05-11T15:08:00Z

NAV APPROACH

A0189026 — IAP JACKSONVILLE EXEC AT CRAIG, JACKSONVILLE, FL, RNAV (GPS) RWY 32, AMDT 1B... LPV DA 291/HAT 250 ALL CATS. LNAV/VNAV DA 406/HAT 365 ALL CATS. VDP NA. CHANGE NOTE TO READ: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE JACKSONVILLE INTL ALTIMETER SETTING. INCREASE LPV DA TO 324 FEET. INCREASE LNAV/VNAV DA TO 439 FEET. INCREASE ALL MDAS 40 FEET AND CIRCLING VISIBILITY CAT C 1/4 SM.

Effective 2026-05-11T15:08:00Z → 2028-05-11T15:08:00Z

9 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR


issued hourly by the reporting station, with SPECI reports off-cycle, carrying ceiling, visibility, wind, temperature and altimeter. Issued by the observing station and distributed by aviationweather.gov. This is measured fact, not a forecast, and on this page it describes conditions right now, not this day. A current KCRG observation was read this run. It describes conditions now, not this trip day.

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KCRG this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.



...ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

0:00 ET ET · VFR
6:00 ET ET · VFR
12:00 ET ET · VFR
18:00 ET ET · VFR
S · 18:00–00:00 ET ET · VFR

Source state: partial; selected by target date: 2026-09-13=GFS, 2026-09-14=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-14 00:00	78	Ovc	250/4kt	—	>10kft	>6SM
GFS	2026-09-14 03:00	77	Bkn	220/2kt	—	>10kft	>6SM
GFS	2026-09-14 06:00	77	Bkn	230/2kt	28.0	>10kft	>6SM
GFS	2026-09-14 09:00	77	Bkn	270/2kt	—	>10kft	>6SM
GFS	2026-09-14 12:00	77	Bkn	300/3kt	16.0	>10kft	>6SM
GFS	2026-09-14 15:00	88	Clear	340/5kt	—	>10kft	>6SM
GFS	2026-09-14 18:00	91	Sct	40/7kt	12.0	>10kft	>6SM
GFS	2026-09-14 21:00	89	Sct	90/7kt	—	>10kft	>6SM
GFS	2026-09-15 00:00	83	Few	130/4kt	12.0	>10kft	>6SM
GFS	2026-09-15 03:00	80	Clear	140/2kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

SPECI KCRG 132030Z 17010KT 10SM TS FEW060 SCT110 28/26 A2998 RMK A02 LTG DSNT SE AND S TSB24 T02830256

TAF KCRG 132142Z 1322/1418 20008KT P6SM VCTS SCT030CB BKN070 BKN120 FM132300 19005KT P6SM VCSH FEW050 BKN150 OVC250 FM140300 VRB02KT P6SM SCT050 BKN250 FM141400 33005KT P6SM VCSH SCT035 SCT100

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KCRG; actual-station=KCRG; fetched-at=2026-09-13T22:25:41.898567+00:00; observed-or-issued-at=2026-09-13T20:30:00+00:00 — [AWC API](#)
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KCRG; actual-station=KCRG; fetched-at=2026-09-13T22:25:43.947674+00:00; observed-or-issued-at=2026-09-13T21:42:00+00:00; valid-from=2026-09-13T22:00:00+00:00; valid-through=2026-09-14T18:00:00+00:00; partial-target-dates=2026-09-13,2026-09-14 — [AWC API](#)
- TAF proxy · KCRG
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KCRG; actual-station=KCRG; fetched-at=2026-09-13T22:25:44.612696+00:00
- FAA NMS NOTAM — state=OK; requested-station=KCRG; actual-station=KCRG; fetched-at=2026-09-13T22:25:49.142129Z — [FAA NMS overview](#)
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KCRG; actual-station=KCRG; fetched-at=2026-09-13T22:26:03.411799+00:00; observed-or-issued-at=2026-09-13T18:00:00+00:00; valid-from=2026-09-14T00:00:00+00:00; valid-through=2026-09-16T18:00:00+00:00; target-dates=2026-09-14; partial-target-dates=2026-09-13; dates-with-points=2026-09-13,2026-09-14 — [Iowa State API](#)
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KCRG; actual-station=KCRG; fetched-at=2026-09-13T22:26:04.132823+00:00; observed-or-issued-at=2026-09-13T12:00:00+00:00; valid-from=2026-09-14T12:00:00+00:00; valid-through=2026-09-21T12:00:00+00:00; target-dates=2026-09-14; dates-with-points=2026-09-14 — [Iowa State API](#)
- MOS effective date selection — state=partial; rows=10; requested-station=KCRG; actual-station=KCRG; fetched-at=2026-09-13T22:26:03.411799+00:00; observed-or-issued-at=2026-09-13T18:00:00+00:00; valid-from=2026-09-14T00:00:00+00:00; valid-through=2026-09-16T18:00:00+00:00; target-dates=2026-09-14; partial-target-dates=2026-09-13; dates-with-points=2026-09-13,2026-09-14; selected-by-date=2026-09-13=GFS, 2026-09-14=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — [FAA Chart Supplement \(current cycle\)](#) — see AirNav link above

#12 **KFIN** Palm Coast/Flagler Exec, FL, US · Atlantic South · Flagler Exec FL

OBS - VFR

ETE
2h03

DIST
295 nm

SUN 13 SEP 16:50 ET OBSERVED

Current observation

OBS - VFR

OBSER

METAR


scattered 4,500 ft

WINDE (90°) 7 kt

TEMPERATURE30 °C

VISIBILITY10 sm

DEWPOINT23 °C



Wind favours RWY 11

090° true · 097° magnetic · 7 kt

Evidence & limitations

- METAR source state: ok; observed Sep 13 16:50 ET; retrieved Sep 13 18:25 ET; 95 min before this run.
- Measured values read from the KFIN METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.98 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KFIN runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 11/29, 06/24. Seaplane water lanes (18W and 36W) are excluded from the diagram and are never marked as favoured. Wind from 090 degrees true, 097 degrees magnetic, at 7 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 11. Wind source: KFIN METAR 132050Z.

DESTINATION OUTLOOK

SUN, SEP 13

SUN 13 SEP 18:00–00:00 ET HIGH

Forecast



Flight-category guidance



FORECAST

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 13

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON 14 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 14 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 14 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 14 SEP 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND6 kt

TEMPERATURE87–89 °F

DEWPOINT75 °F

PRECIP CHANCE27%

Evidence & limitations

• GFS MAV MOS · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 14

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — source state: not_queried

CURRENT METAR TEMP DEP / DEST

32°C dep KLZU → 30°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

11/29 (110/290°M · 103/283°T) · 06/24 (060/240°M · 053/233°T) · 18W/36W (180/000°M · 173/353°T · water lane, not wind-favored) — designators and °M headings are magnetic; °T are true; variation 7°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

ed 2026-09-13T22:25:49.188927Z.

FRI SEP 11

SAT SEP 12

SUN SEP 13

MON SEP 14

07/008

A0036/26

08/002

5 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 22:25 Z

NOTAMs as of 22:25 Z — advisory only; verify an official briefing.

06/004

NOTAM text not available in this projection.

06/007

NOTAM text not available in this projection.

07/008

NOTAM text not available in this projection.

A0036/26

NOTAM text not available in this projection.

08/002

NOTAM text not available in this projection.

08/004

NOTAM text not available in this projection.

08/007

NOTAM text not available in this projection.

09/001

NOTAM text not available in this projection.

08/006

NOTAM text not available in this projection.

A0037/26

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

OBSTRUCTION

000000 — CLOSURE — CLOSURE LIST (ASR 1250000) 252507 30ND0012045 30W (5 3NM WNW FIN) 272.8FT (259.8FT AGL) URS

Effective 2026-08-12T21:17:00Z → 2026-10-20T12:47:00Z

5 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KFIN this run.

published WPC surface chart matches this period and is shown in the dropdown with its

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

0:00 ET ET · VFR

6:00 ET ET · VFR

12:00 ET ET · VFR

18:00 ET ET · VFR

S · 18:00–00:00 ET ET · VFR

issuing office and valid time. It is displayed, never interpreted.

Source state: partial; selected by target date: 2026-09-13=GFS, 2026-09-14=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-14 00:00	80	Ovc	150/2kt	—	>10kft	>6SM
GFS	2026-09-14 03:00	77	Ovc	230/1kt	—	>10kft	>6SM
GFS	2026-09-14 06:00	76	Bkn	250/1kt	37.0	>10kft	>6SM
GFS	2026-09-14 09:00	75	Bkn	250/1kt	—	>10kft	>6SM
GFS	2026-09-14 12:00	75	Bkn	280/1kt	29.0	>10kft	>6SM
GFS	2026-09-14 15:00	86	Bkn	320/3kt	—	>10kft	>6SM
GFS	2026-09-14 18:00	89	Bkn	50/6kt	27.0	>10kft	>6SM
GFS	2026-09-14 21:00	87	Bkn	70/6kt	—	>10kft	>6SM
GFS	2026-09-15 00:00	80	Sct	90/2kt	28.0	>10kft	>6SM
GFS	2026-09-15 03:00	78	Few	90/1kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KFIN 132050Z 09007KT 10SM SCT045 30/23 A2998

TAF KDAB 132219Z 1322/1418 06005KT P6SM VCTS SCT035CB SCT120 SCT200 FM140100 VRB05KT P6SM FEW040 BKN080 BKN200 FM141600 07006KT P6SM VCSH FEW035 SCT200

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KFIN; actual-station=KFIN; fetched-at=2026-09-13T22:25:41.898567+00:00; observed-or-issued-at=2026-09-13T20:50:00+00:00 — [AWC API](#)
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KFIN; actual-station=KDAB; fetched-at=2026-09-13T22:25:43.947674+00:00; observed-or-issued-at=2026-09-13T22:19:00+00:00; valid-from=2026-09-13T22:00:00+00:00; valid-through=2026-09-14T18:00:00+00:00; partial-target-dates=2026-09-13,2026-09-14 — [AWC API](#)
- TAF proxy · KDAB
- FAA airport status — state=not_queried; fetch-state=not_attempted; payload-state=not_attempted; requested-station=KFIN
- FAA NMS NOTAM — state=OK; requested-station=KFIN; actual-station=KFIN; fetched-at=2026-09-13T22:25:49.188927Z — [FAA NMS overview](#)
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KFIN; actual-station=KFIN; fetched-at=2026-09-13T22:26:03.421731+00:00; observed-or-issued-at=2026-09-13T18:00:00+00:00; valid-from=2026-09-14T00:00:00+00:00; valid-through=2026-09-16T18:00:00+00:00; target-dates=2026-09-14; partial-target-dates=2026-09-13; dates-with-points=2026-09-13,2026-09-14 — [Iowa State API](#)
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KFIN; actual-station=KFIN; fetched-at=2026-09-13T22:26:04.209331+00:00; observed-or-issued-at=2026-09-13T12:00:00+00:00; valid-from=2026-09-14T12:00:00+00:00; valid-through=2026-09-21T12:00:00+00:00; target-dates=2026-09-14; dates-with-points=2026-09-14 — [Iowa State API](#)
- MOS effective date selection — state=partial; rows=10; requested-station=KFIN; actual-station=KFIN; fetched-at=2026-09-13T22:26:03.421731+00:00; observed-or-issued-at=2026-09-13T18:00:00+00:00; valid-from=2026-09-14T00:00:00+00:00; valid-through=2026-09-16T18:00:00+00:00; target-dates=2026-09-14; partial-target-dates=2026-09-13; dates-with-points=2026-09-13,2026-09-14; selected-by-date=2026-09-13=GFS, 2026-09-14=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.

• Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#13 **KGKT** Gatlinburg-Pigeon Forge Arpt, TN, US · Mountain · Smokies/Gatlinburg

OBS - VFR

ETE
0h50

DIST
114 nm

SUN 13 SEP 16:36 ET OBSERVED

Current observation

METAR

OBS - VFR

OBSER

scattered 5,000 ft, broken 6,000 ft, broken 7,000 ft

WINDcalm

TEMPERATURE31 °C

VISIBILITY10 sm

DEWPOINT19 °C

Evidence & limitations

- METAR source state: ok; observed Sep 13 16:36 ET; retrieved Sep 13 18:25 ET; 109 min before this run.
- Measured values read from the KGKT METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.02 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.

DESTINATION OUTLOOK

SUN 13 SEP 18:00–00:00 ET HIGH

Forecast

TA
F

Flight-category guidance

TAF · VFR

FORECAST

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 13

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON 14 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 14 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 14 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 14 SEP 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND5–6 kt

TEMPERATURE88–89 °F

DEWPOINT63–66 °F

PRECIP CHANCE0%

Evidence & limitations

• GFS MAV MOS · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 14

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

6000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — source state: not_queried

CURRENT METAR TEMP DEP / DEST

32°C dep KLZU → 31°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

10/28 (100/280°M · 093/273°T) — designators and °M headings are magnetic; °T are true; variation 7°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

4 Act on

2 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

ed 2026-09-13T22:25:49.231911Z.

poritative) = no published end (each row states whether it is permanent or simply not supplied) — continues past this window

	FRI SEP 11	SAT SEP 12	SUN SEP 13	MON SEP 14
04/122				
04/123				
5/0055				

12 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 22:25 Z

NOTAMs as of 22:25 Z — advisory only; verify an official briefing.

5/5737

NOTAM text not available in this projection.

04/104

NOTAM text not available in this projection.

04/122

NOTAM text not available in this projection.

04/123

NOTAM text not available in this projection.

5/0055

NOTAM text not available in this projection.

5/0067

NOTAM text not available in this projection.

6/4578

NOTAM text not available in this projection.

07/681

NOTAM text not available in this projection.

07/682

NOTAM text not available in this projection.

07/683

NOTAM text not available in this projection.

07/806

NOTAM text not available in this projection.

08/415

NOTAM text not available in this projection.

08/632

NOTAM text not available in this projection.

09/026

NOTAM text not available in this projection.

09/032

NOTAM text not available in this projection.

09/050

NOTAM text not available in this projection.

08/532

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2026-09-13T22:25:49.231911Z.

PIGEON FORGE, SEVIERVILLE, TN, TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 4B... TAKEOFF MINIMUMS: RWY 28, 400-2 34 OR F 220 FTNM TO 1500. DEPARTURE PROCEDURE: RWY 28, CLIMB ON HEADING 282 TO INTERCEPT VXXV VORTAC R-102 THEN TO VXXV VORTAC TO 5000 BEFORE RWY 10. OBTAIN ATC APPROVAL FOR VCOA WHEN REQUESTING IFR CLEARANCE. CLIMB IN VISUAL CONDITIONS TO CROSS GATLINBURG-PIGEON FORGE E 1900 ON VXXV VORTAC R-102 TO VXXV VORTAC TO 5000 BEFORE PROCEEDING ON COURSE. ALL OTHER DATA REMAINS AS PUBLISHED.

:00Z

:00Z

RUNWAY 04/122 — RWY 10 PAPI LWS

Effective 2026-04-07T10:24:00Z → 2027-11-30T19:00:00Z

RUNWAY 04/123 — RWY 10/08 SFC MARKINGS NOT STD

Effective 2026-04-07T10:26:00Z → Permanent — no expiry published

NAV APPROACH 50055 — IAP GATLINBURG-PIGEON FORGE, SEVIERVILLE, TN, RNAV (GPS) RWY 10, ORIG-C... VOR/DME RWY 10, AMDT 6B... PROCEDURE NA/1309242031-2709242031EST

Effective 2025-09-24T20:31:00Z → 2027-09-24T20:31:00Z

12 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics,
the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KGKT this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

0:00 ET ET · VFR

6:00 ET ET · VFR

2:00 ET ET · VFR

3:00 ET ET · VFR

S · 18:00–00:00 ET ET · VFR

Source state: partial; selected by target date: 2026-09-13=GFS, 2026-09-14=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-14 00:00	81	Sct	0/0kt	—	>10kft	>6SM
GFS	2026-09-14 03:00	74	Few	0/0kt	—	>10kft	>6SM
GFS	2026-09-14 06:00	70	Clear	0/0kt	0.0	>10kft	3-5SM
GFS	2026-09-14 09:00	67	Sct	330/1kt	—	>10kft	>6SM
GFS	2026-09-14 12:00	68	Bkn	30/1kt	0.0	>10kft	6SM
GFS	2026-09-14 15:00	81	Sct	20/2kt	—	>10kft	>6SM
GFS	2026-09-14 18:00	88	Bkn	20/5kt	0.0	>10kft	>6SM
GFS	2026-09-14 21:00	89	Sct	30/6kt	—	>10kft	>6SM
GFS	2026-09-15 00:00	81	Sct	30/2kt	0.0	>10kft	>6SM
GFS	2026-09-15 03:00	73	Clear	340/1kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KGKT 132036Z AUTO 00000KT 10SM SCT050 BKN060 BKN070 31/19 A3002 RMK A01

TAF KTYS 131720Z 1318/1418 32005KT P6SM SCT035 FM141000 02002KT 6SM BR BKN035 FM141300 02004KT P6SM SCT250

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KGKT; actual-station=KGKT; fetched-at=2026-09-13T22:25:41.898567+00:00; observed-or-issued-at=2026-09-13T20:36:00+00:00 — [AWC API](#)
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KGKT; actual-station=KTYS; fetched-at=2026-09-13T22:25:43.947674+00:00; observed-or-issued-at=2026-09-13T17:20:00+00:00; valid-from=2026-09-13T18:00:00+00:00; valid-through=2026-09-14T18:00:00+00:00; partial-target-dates=2026-09-13,2026-09-14 — [AWC API](#)
- TAF proxy · KTYS
- FAA airport status — state=not_queried; fetch-state=not_attempted; payload-state=not_attempted; requested-station=KGKT
- FAA NMS NOTAM — state=OK; requested-station=KGKT; actual-station=KGKT; fetched-at=2026-09-13T22:25:49.231911Z — [FAA NMS overview](#)
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KGKT; actual-station=KGKT; fetched-at=2026-09-13T22:26:03.418195+00:00; observed-or-issued-at=2026-09-13T18:00:00+00:00; valid-from=2026-09-14T00:00:00+00:00; valid-through=2026-09-16T18:00:00+00:00; target-dates=2026-09-14; partial-target-dates=2026-09-13; dates-with-points=2026-09-13,2026-09-14 — [Iowa State API](#)
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KGKT; actual-station=KGKT; fetched-at=2026-09-13T22:26:04.172676+00:00; observed-or-issued-at=2026-09-13T12:00:00+00:00; valid-from=2026-09-14T12:00:00+00:00; valid-through=2026-09-21T12:00:00+00:00; target-dates=2026-09-14; dates-with-points=2026-09-14 — [Iowa State API](#)
- MOS effective date selection — state=partial; rows=10; requested-station=KGKT; actual-station=KGKT; fetched-at=2026-09-13T22:26:03.418195+00:00; observed-or-issued-at=2026-09-13T18:00:00+00:00; valid-from=2026-09-14T00:00:00+00:00; valid-through=2026-09-16T18:00:00+00:00; target-dates=2026-09-14; partial-target-dates=2026-09-13; dates-with-points=2026-09-13,2026-09-14; selected-by-date=2026-09-13=GFS, 2026-09-14=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#14 **KSHD** Staunton/Shenandoah Valley Rgnl, VA, US · Mountain · Shenandoah valley

OBS - VFR

ETE
2h25

DIST
355 nm

SUN 13 SEP 16:35 ET OBSERVED

Current observation

OBS - VFR

OBSER

METAR

scattered 3,600 ft, broken 4,600 ft



WINDN (20°) 6 kt



TEMPERATURE28 °C



VISIBILITY10 sm



DEWPOINT21 °C



Wind favours RWY 05

020° true · 030° magnetic · 6 kt

Evidence & limitations

- METAR source state: ok; observed Sep 13 16:35 ET; retrieved Sep 13 18:25 ET; 110 min before this run.
- Measured values read from the KSHD METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.95 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KSHD runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 05/23. Wind from 020 degrees true, 030 degrees magnetic, at 6 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 05. Wind source: KSHD METAR 132035Z.

DESTINATION OUTLOOK

SUN, SEP 13

SUN 13 SEP 18:00–00:00 ET HIGH

Forecast



Flight-category guidance



FORECAST

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 13

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON 14 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 14 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 14 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 14 SEP 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND7–8 kt

TEMPERATURE78 °F

DEWPOINT51–55 °F

PRECIP CHANCE0%

Evidence & limitations

• GFS MAV MOS · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 14

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — source state: not_queried

CURRENT METAR TEMP DEP / DEST

32°C dep KLZU → 28°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

05/23 (050/230°M · 040/220°T) — designators and °M headings are magnetic; °T are true; variation 10°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

ed 2026-09-13T22:25:49.279337Z.
poritative)

FRI SEP 11

SAT SEP 12

SUN SEP 13

MON SEP 14

5/3811

A0196/25

07/006

1 additional normalized NOTAM record omitted from this view.

Raw NOTAM data · NOTAMs as of 22:25 Z

NOTAMs as of 22:25 Z — advisory only; verify an official briefing.

03/004

NOTAM text not available in this projection.

A0068/26

NOTAM text not available in this projection.

5/3811

NOTAM text not available in this projection.

A0196/25

NOTAM text not available in this projection.

07/006

NOTAM text not available in this projection.

A0111/26

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production

source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2026-09-13T22:25:49.279337Z.
TRANSIENT
:00Z
IN TO TRANSIENT
:00Z
DOAN VALLEY RGNL, STAUNTONWAYNESBORO/HARRISONBURG, VA, ILS OR LOC RWY 5, ANDT 9B... AUTOPILOT COUPLED APPROACH NA BELOW 1600 FEET
:00Z

NAV_APPROACH

AD196125 — SHD LAR SHENANDOAH VALLEY RGNL, STAUNTONWAYNESBORO/HARRISONBURG, VA, ILS OR LOC RWY 5, ANDT 9B... AUTOPILOT COUPLED APPROACH NA BELOW 1600 FEET

Effective 2025-09-15T15:42:00Z → 2027-09-15T15:41:00Z

NAV_APPROACH

DT0006 — RWY 10 TO RWY 15 OR OM LGS

Effective 2026-07-15T17:40:00Z → 2028-02-29T21:11:00Z

1 additional normalized FAA NOTAM record omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KSHD this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

Source state: partial; selected by target date: 2026-09-13=GFS, 2026-09-14=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-14 00:00	77	Few	290/2kt	—	>10kft	>6SM

GFS	2026-09-14 03:00	71	Clear	230/1kt	—	>10kft	>6SM
GFS	2026-09-14 06:00	69	Few	300/1kt	2.0	>10kft	3-5SM
GFS	2026-09-14 09:00	66	Ovc	10/3kt	—	3-5kft	½-1SM
GFS	2026-09-14 12:00	67	Ovc	10/5kt	6.0	5-10kft	3-5SM
GFS	2026-09-14 15:00	74	Few	10/7kt	—	>10kft	>6SM
GFS	2026-09-14 18:00	78	Clear	10/7kt	0.0	>10kft	>6SM
GFS	2026-09-14 21:00	78	Clear	10/8kt	—	>10kft	>6SM
GFS	2026-09-15 00:00	66	Clear	20/4kt	0.0	>10kft	>6SM
GFS	2026-09-15 03:00	56	Clear	10/1kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KSHD 132035Z AUTO 02006KT 10SM SCT036 BKN046 28/21 A2995 RMK A02 T02830213

TAF KCHO 131912Z 1319/1418 35003KT P6SM VCSH FEW040 FEW060 BKN070 FM131930 02003KT P6SM FEW045 SCT100 FM140800 00000KT 5SM BR FEW010 SCT150 FM141200 02008G17KT P6SM FEW060 SCT250

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KSHD; actual-station=KSHD; fetched-at=2026-09-13T22:25:41.898567+00:00; observed-or-issued-at=2026-09-13T20:35:00+00:00 — [AWC API](#)
 - TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KSHD; actual-station=KCHO; fetched-at=2026-09-13T22:25:43.947674+00:00; observed-or-issued-at=2026-09-13T19:12:00+00:00; valid-from=2026-09-13T19:00:00+00:00; valid-through=2026-09-14T18:00:00+00:00; partial-target-dates=2026-09-13,2026-09-14 — [AWC API](#)
- TAF proxy · KCHO
- FAA airport status — state=not_queried; fetch-state=not_attempted; payload-state=not_attempted; requested-station=KSHD
 - FAA NMS NOTAM — state=OK; requested-station=KSHD; actual-station=KSHD; fetched-at=2026-09-13T22:25:49.279337Z — [FAA NMS overview](#)
 - MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KSHD; actual-station=KSHD; fetched-at=2026-09-13T22:26:03.431999+00:00; observed-or-issued-at=2026-09-13T18:00:00+00:00; valid-from=2026-09-14T00:00:00+00:00; valid-through=2026-09-16T18:00:00+00:00; target-dates=2026-09-14; partial-target-dates=2026-09-13; dates-with-points=2026-09-13,2026-09-14 — [Iowa State API](#)
 - MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KSHD; actual-station=KSHD; fetched-at=2026-09-13T22:26:04.175317+00:00; observed-or-issued-at=2026-09-13T12:00:00+00:00; valid-from=2026-09-14T12:00:00+00:00; valid-through=2026-09-21T12:00:00+00:00; target-dates=2026-09-14; dates-with-points=2026-09-14 — [Iowa State API](#)
 - MOS effective date selection — state=partial; rows=10; requested-station=KSHD; actual-station=KSHD; fetched-at=2026-09-13T22:26:03.431999+00:00; observed-or-issued-at=2026-09-13T18:00:00+00:00; valid-from=2026-09-14T00:00:00+00:00; valid-through=2026-09-16T18:00:00+00:00; target-dates=2026-09-14; partial-target-dates=2026-09-13; dates-with-points=2026-09-13,2026-09-14; selected-by-date=2026-09-13=GFS, 2026-09-14=GFS
 - Extended outlook and hazard-feed states are reported in the source stamp.
 - Runway data + Chart Supplement — [FAA Chart Supplement \(current cycle\)](#) — see AirNav link above

SUN 13 SEP 16:53 ET OBSERVED

Current observation

METAR

OBSER

clear below 12,000 ft (CLR)

WINDS (170°) 7 kt

TEMPERATURE32 °C

VISIBILITY10 sm

DEWPOINT24 °C

From 170°W - 7 kt

16

34

Wind favours RWY 16

170° true · 173° magnetic · 7 kt

Evidence & limitations

- METAR source state: ok; observed Sep 13 16:53 ET; retrieved Sep 13 18:25 ET; 92 min before this run.
- Measured values read from the KECP METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.96 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KECP runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 16/34. Wind from 170 degrees true, 173 degrees magnetic, at 7 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 16. Wind source: KECP METAR 132053Z.

DESTINATION OUTLOOK

SUN 13 SEP 18:00–00:00 ET HIGH

Forecast

TA
F

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · MVFR
 - Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.
- Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 13

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON 14 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 14 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 14 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 14 SEP 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND7–8 kt

TEMPERATURE92–94 °F

DEWPOINT73–74 °F

PRECIP CHANCE4%

Evidence & limitations

• GFS MAV MOS · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 14

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

6000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

32°C dep KLZU → 32°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

16/34 (160/340°M · 157/337°T) — designators and °M headings are magnetic; °T are true; variation 3°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMS

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

4 Act on

1 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production
source per owner decision 2026-08-09;
technical transport environment remains
preprod. Limited 2026-07-30 spot check
covered KLZU, KAVL, and KSGJ (3 of 30
airports). NOTAMs were read from this source
and used on this card this run. Typed state:
OK. The dot colour reports whether this
source was read this run; technical
environment: preprod.

2 · What

3 · Where

ed 2026-09-13T22:25:49.382216Z

primitiva)

FRI SEP 11

SAT SEP 12

SUN SEP 13

MON SEP 14

07/022

A0129/26

6/0313

13 additional normalized NOTAM records omitted from this view

Raw NOTAM data · NOTAMs as of 22:25 Z

09/008

NOTAM text not available in this projection.

A0156/26

NOTAM text not available in this projection

07/022

NOTAM text not available in this projection

A0129/26

NOTAM text not available in this projection

6/0313

NOTAM text not available in this projection

A0153/26

NOTAM text not available in this projection

06/021

NOTAM text not available in this projection

06/029

NOTAM text not available in this projection

07/001

NOTAM text not available in this projection.

08/015

NOTAM text not available in this projection.

08/016

NOTAM text not available in this projection.

08/027

NOTAM text not available in this projection.

08/033

NOTAM text not available in this projection.

09/001

NOTAM text not available in this projection.

09/003

NOTAM text not available in this projection.

A0152/26

NOTAM text not available in this projection.

09/004

NOTAM text not available in this projection.

09/006

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2026-09-13T22:25:49.382216Z.

00Z

00Z

00Z

00Z

RAMP WIP CONST ADJ W EDGE BARRICADED

00Z

RAMP WIP CONST ADJ W EDGE BARRICADED

00Z

NAV_APPROACH

00113 — IAP NORTHWEST FLORIDA BEACHES INTL, PANAMA CITY, FL, ILS OR LOC RWY 18, AMDT 38, RNAV (GPS) RWY 18, AMDT 24, RNAV (GPS) RWY 34, AMDT 26, CIRCLING CAT A,B,C,D, NDB NADHAA CTI, TEMPORARY CRANE 289 MSL 1513FT SW OF EOP AIRPORT (2025-ASO-11517-NRA), 2600021700-2701151623EST

Effective 2026-09-02T17:00:00Z → 2027-01-15T16:23:00Z

13 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics,
the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KECP this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

0:00 ET ET · MVFR

6:00 ET ET · VFR

2:00 ET ET · VFR

3:00 ET ET · VFR

S · 18:00–00:00 ET ET · VFR

Source state: partial; selected by target date: 2026-09-13=GFS, 2026-09-14=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-14 00:00	83	Bkn	220/5kt	—	>10kft	>6SM
GFS	2026-09-14 03:00	79	Few	240/1kt	—	>10kft	>6SM
GFS	2026-09-14 06:00	77	Few	280/2kt	5.0	>10kft	>6SM
GFS	2026-09-14 09:00	76	Clear	290/2kt	—	>10kft	>6SM
GFS	2026-09-14 12:00	76	Clear	310/2kt	11.0	>10kft	>6SM
GFS	2026-09-14 15:00	88	Clear	330/5kt	—	>10kft	>6SM
GFS	2026-09-14 18:00	94	Clear	310/7kt	4.0	>10kft	>6SM
GFS	2026-09-14 21:00	92	Few	220/8kt	—	>10kft	>6SM
GFS	2026-09-15 00:00	85	Few	230/5kt	3.0	>10kft	>6SM
GFS	2026-09-15 03:00	79	Clear	230/1kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KECP 132053Z 17007KT 10SM CLR 32/24 A2996 RMK A02 SLP155 T03170244 58023

TAF KECP 131740Z 1318/1418 24006KT P6SM VCSH SCT025 BKN040 PROB30 1318/1323 VRB06G15KT 4SM TSRA BKN035CB FM140000 VRB03KT P6SM SCT100 FM141400 35005KT P6SM SCT025

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KECP; actual-station=KECP; fetched-at=2026-09-13T22:25:41.898567+00:00; observed-or-issued-at=2026-09-13T20:53:00+00:00 — [AWC API](#)
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KECP; actual-station=KECP; fetched-at=2026-09-13T22:25:43.947674+00:00; observed-or-issued-at=2026-09-13T17:40:00+00:00; valid-from=2026-09-13T18:00:00+00:00; valid-through=2026-09-14T18:00:00+00:00; partial-target-dates=2026-09-13,2026-09-14 — [AWC API](#)
- TAF proxy · KECP
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KECP; actual-station=KECP; fetched-at=2026-09-13T22:25:44.347058+00:00
- FAA NMS NOTAM — state=OK; requested-station=KECP; actual-station=KECP; fetched-at=2026-09-13T22:25:49.382216Z — [FAA NMS overview](#)
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KECP; actual-station=KECP; fetched-at=2026-09-13T22:26:03.447584+00:00; observed-or-issued-at=2026-09-13T18:00:00+00:00; valid-from=2026-09-14T00:00:00+00:00; valid-through=2026-09-16T18:00:00+00:00; target-dates=2026-09-14; partial-target-dates=2026-09-13; dates-with-points=2026-09-13,2026-09-14 — [Iowa State API](#)
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KECP; actual-station=KECP; fetched-at=2026-09-13T22:26:04.170310+00:00; observed-or-issued-at=2026-09-13T12:00:00+00:00; valid-from=2026-09-14T12:00:00+00:00; valid-through=2026-09-21T12:00:00+00:00; target-dates=2026-09-14; dates-with-points=2026-09-14 — [Iowa State API](#)
- MOS effective date selection — state=partial; rows=10; requested-station=KECP; actual-station=KECP; fetched-at=2026-09-13T22:26:03.447584+00:00; observed-or-issued-at=2026-09-13T18:00:00+00:00; valid-from=2026-09-14T00:00:00+00:00; valid-through=2026-09-16T18:00:00+00:00; target-dates=2026-09-14; partial-target-dates=2026-09-13; dates-with-points=2026-09-13,2026-09-14; selected-by-date=2026-09-13=GFS, 2026-09-14=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#16 **KPNS** Pensacola Intl, FL, US · Gulf East · Pensacola (Class C)

OBS - VFR

ETE

1h51

DIST

267 nm

SUN 13 SEP 16:53 ET OBSERVED

Current observation

OBS - VFR
OBSER

METAR

clear below 12,000 ft (CLR)



WINDS (200°) 10 kt



TEMPERATURE31 °C



VISIBILITY10 sm



DEWPOINT25 °C



Wind favours RWY 17

200° true · 202° magnetic · 10 kt · NOTAM-affected: 08 and 26

Evidence & limitations

- METAR source state: ok; observed Sep 13 16:53 ET; retrieved Sep 13 18:25 ET; 92 min before this run.
- Measured values read from the KPNS METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.97 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KPNS runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 17/35, 08/26. Wind from 200 degrees true, 202 degrees magnetic, at 10 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 17. NOTAM-affected runway ends, hatched separately from the wind highlight: 08 and 26. The hatch marks only that a NOTAM names the runway; it does not decode the NOTAM's effective times, so confirm the closure window in the NOTAM text below. Wind source: KPNS METAR 132053Z.

DESTINATION OUTLOOK

SUN, SEP 13

SUN 13 SEP 18:00–00:00 ET HIGH

Forecast



Flight-category guidance



TAF · MVFR

FORECAST

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 13

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON 14 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 14 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 14 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 14 SEP 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND7–8 kt

TEMPERATURE92 °F

DEWPOINT74–75 °F

PRECIP CHANCE4%

Evidence & limitations

• GFS MAV MOS · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 14

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

32°C dep KLZU → 31°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

17/35 (170/350°M · 168/348°T) · 08/26 (080/260°M · 078/258°T) — designators and °M headings are magnetic; °T are true; variation 2°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMS

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

	2 · What	3 · Where	
	ed 2026-09-13T22:25:49.422707Z.		
	FRI SEP 11	SAT SEP 12	SUN SEP 13
04/047			
A0477/26			
A0478/26			
65 additional normalized NOTAM records omitted from this view.			

Raw NOTAM data · NOTAMs as of 22:25 Z

NOTAMs as of 22:25 Z — advisory only; verify an official briefing.

- 5/9591

NOTAM text not available in this projection.
- 04/046

NOTAM text not available in this projection.
- 04/047

NOTAM text not available in this projection.
- A0477/26

NOTAM text not available in this projection.
- A0478/26

NOTAM text not available in this projection.
- 04/048

NOTAM text not available in this projection.
- A0479/26

NOTAM text not available in this projection.
- 04/049

NOTAM text not available in this projection.
- A0480/26

NOTAM text not available in this projection.

06/011

NOTAM text not available in this projection.

A0665/26

NOTAM text not available in this projection.

07/040

NOTAM text not available in this projection.

07/041

NOTAM text not available in this projection.

6/7052

NOTAM text not available in this projection.

07/067

NOTAM text not available in this projection.

A0859/26

NOTAM text not available in this projection.

07/073

NOTAM text not available in this projection.

07/075

NOTAM text not available in this projection.

07/082

NOTAM text not available in this projection.

08/033

NOTAM text not available in this projection.

08/078

NOTAM text not available in this projection.

A1007/26

NOTAM text not available in this projection.

09/005

NOTAM text not available in this projection.

09/006

NOTAM text not available in this projection.

09/007

NOTAM text not available in this projection.

A1014/26

NOTAM text not available in this projection.

A1015/26

NOTAM text not available in this projection.

09/008

NOTAM text not available in this projection.

12/025

NOTAM text not available in this projection.

A1113/25

NOTAM text not available in this projection.

05/004

NOTAM text not available in this projection.

A0495/26

NOTAM text not available in this projection.

05/065

NOTAM text not available in this projection.

A0605/26

NOTAM text not available in this projection.

07/058

NOTAM text not available in this projection.

07/059

NOTAM text not available in this projection.

07/061

NOTAM text not available in this projection.

A0855/26

NOTAM text not available in this projection.

07/066

NOTAM text not available in this projection.

07/071

NOTAM text not available in this projection.

A0863/26

NOTAM text not available in this projection.

07/083

NOTAM text not available in this projection.

07/084

NOTAM text not available in this projection.

07/085

NOTAM text not available in this projection.

A0882/26

NOTAM text not available in this projection.

A0883/26

NOTAM text not available in this projection.

08/077

NOTAM text not available in this projection.

08/079

NOTAM text not available in this projection.

08/080

NOTAM text not available in this projection.

08/081

NOTAM text not available in this projection.

08/082

NOTAM text not available in this projection.

A0797/25

NOTAM text not available in this projection.

01/160

NOTAM text not available in this projection.

A0199/26

NOTAM text not available in this projection.

6/3336

NOTAM text not available in this projection.

A0624/26

NOTAM text not available in this projection.

A0826/26

NOTAM text not available in this projection.

6/7054

NOTAM text not available in this projection.

A0828/26

NOTAM text not available in this projection.

6/8258

NOTAM text not available in this projection.

A0849/26

NOTAM text not available in this projection.

6/8259

NOTAM text not available in this projection.

A0850/26

NOTAM text not available in this projection.

08/034

NOTAM text not available in this projection.

08/044

NOTAM text not available in this projection.

08/045

NOTAM text not available in this projection.

08/066

NOTAM text not available in this projection.

08/053

NOTAM text not available in this projection.

A0967/26

NOTAM text not available in this projection.

09/004

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production

source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2026-09-13T22:25:49.422707Z.

INTL, PENSACOLA, FL, TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 1, TAKEOFF OBSTACLE NOTES, RWY 8, TREES BEGINNING CENTERLINE, UP TO 54 FT AGL/48 FT MSL, TREES BEGINNING 134 FT FROM DER, 50 FT LEFT OF CENTERLINE, UP TO 53 FT AGL/163 FT MSL, TREE 443 FT FROM DER, 50 FT AGL/153 FT MSL, TREES BEGINNING 645 FT FROM DER, 465 FT RIGHT OF CENTERLINE, UP TO 195 FT MSL, TREES BEGINNING 1307 FT FROM DER, 405 FT AGL/163 FT MSL, TREES BEGINNING 1457 FT FROM DER, 136 FT RIGHT OF CENTERLINE, UP TO 71 FT AGL/164 FT MSL, TREES BEGINNING 1695 FT FROM DER, 171 FT MSL, TREES BEGINNING 1699 FT FROM DER, 195 FT RIGHT OF CENTERLINE, UP TO 167 FT MSL, TREES BEGINNING 1721 FT FROM DER, 172 FT AGL/172 FT MSL, TREES BEGINNING 1817 FT FROM DER, 91 FT LEFT OF CENTERLINE, UP TO 76 FT AGL/190 FT MSL, END PART 1 OF 3 ODP, 172 FT MSL, TREES BEGINNING 1874 FT FROM DER, 775 FT LEFT OF CENTERLINE, UP TO 175 FT MSL, RWY 17, TREE 944 FT FROM DER, 733 FT LEFT OF CENTERLINE, 195 FT MSL, TREES BEGINNING 1095 FT FROM DER, 793 FT RIGHT OF CENTERLINE, UP TO 58 FT AGL/156 FT MSL, TREES BEGINNING 1121 FT FROM DER, 752 FT LEFT OF CENTERLINE, UP TO 158 FT MSL, RWY 26, TREES, ELECTRICAL SYSTEM, POLES BEGINNING 5 FT FROM DER, 280 FT LEFT OF CENTERLINE, UP TO 63 FT AGL/153 FT MSL, TREE 943 FT FROM DER, 614 FT RIGHT OF CENTERLINE, 48 FT AGL/135 FT MSL, TREE 946 FT FROM DER, 541 FT RIGHT OF CENTERLINE, 50 FT AGL/137 FT MSL, TREES BEGINNING 987 FT FROM DER, 308 FT RIGHT OF CENTERLINE, UP TO 143 FT MSL, TREES BEGINNING 1132 FT FROM DER, 465 FT RIGHT OF CENTERLINE, UP TO 60 FT AGL/147 FT MSL, RWY 35, LIGHT POLES BEGINNING 5 FT FROM DER, 14 FT RIGHT OF 78 FT AGL/190 FT MSL, END PART 2 OF 3 ODP PENSACOLA INTL, PENSACOLA, FL, CENTERLINE, UP TO 1 FT AGL/122 FT MSL, LIGHT POLES BEGINNING 10 FT FROM DER, 15 F

Effective 2025-09-08T16:19:00Z → 2027-09-08T16:19:00Z

FAA NOTAM text was truncated in this preview; verify the complete official record.

RUNWAY

D40046 — RWY 06 RWY END ID LST LWS

Effective 2026-04-24T22:11:00Z → 2027-01-29T20:00:00Z

RUNWAY

D40047 — RWY 26 RWY LWS

Effective 2026-04-24T22:11:00Z → 2027-01-29T20:00:00Z

RUNWAY

A0477126 — RWY 16 RWY LWS

Effective 2026-04-24T22:11:00Z → 2027-01-29T20:00:00Z

RUNWAY

A0478126 — RWY 08 RWY END ID LST LWS

Effective 2026-04-24T22:11:00Z → 2027-01-29T20:00:00Z

RUNWAY

D00078 — RWY 08/26 CLSD EXC XNG AND TAX

Effective 2026-08-31T22:40:00Z → 2026-09-28T23:00:00Z

RUNWAY

A1007126 — RWY 08/26 CLSD EXC XNG AND TAX

Effective 2026-08-31T22:40:00Z → 2026-09-28T23:00:00Z

63 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR	
METAR — the routine surface observation issued hourly by the reporting station, with	
TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.	
GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against	
GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in	
GFA and prog charts — the Graphical Forecast for Aviation and the Weather	
FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are	ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KPNS this run.

published VFR Surface Chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

0:00 ET ET · MVFR

6:00 ET ET · VFR

12:00 ET ET · VFR

18:00 ET ET · VFR

• Mon, Sep 14 · 18:00–00:00 ET: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-13=GFS, 2026-09-14=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-14 00:00	84	Sct	220/7kt	—	>10kft	>6SM
GFS	2026-09-14 03:00	82	Few	260/3kt	—	>10kft	>6SM
GFS	2026-09-14 06:00	80	Sct	290/3kt	3.0	>10kft	>6SM
GFS	2026-09-14 09:00	78	Clear	310/3kt	—	>10kft	>6SM
GFS	2026-09-14 12:00	78	Clear	340/4kt	6.0	>10kft	>6SM
GFS	2026-09-14 15:00	87	Clear	350/5kt	—	>10kft	>6SM
GFS	2026-09-14 18:00	92	Clear	170/7kt	4.0	>10kft	>6SM
GFS	2026-09-14 21:00	92	Few	200/8kt	—	>10kft	>6SM
GFS	2026-09-15 00:00	87	Clear	230/7kt	7.0	>10kft	>6SM
GFS	2026-09-15 03:00	83	Clear	270/4kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KPNS 132053Z 20010KT 10SM CLR 31/25 A2997 RMK A02 LTG DSNT N SLP151 T03110250 56021

TAF KPNS 132205Z 1322/1418 22008KT P6SM SKC PROB30 1322/1324 36015G25KT 3SM TSRA BR BKN030CB FM140100 VRB03KT P6SM BKN250 FM141400 35005KT P6SM FEW040

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KPNS; actual-station=KPNS; fetched-at=2026-09-13T22:25:41.898567+00:00; observed-or-issued-at=2026-09-13T20:53:00+00:00 — [AWC API](#)
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KPNS; actual-station=KPNS; fetched-at=2026-09-13T22:25:43.947674+00:00; observed-or-issued-at=2026-09-13T22:05:00+00:00; valid-from=2026-09-13T22:00:00+00:00; valid-through=2026-09-14T18:00:00+00:00; partial-target-dates=2026-09-13,2026-09-14 — [AWC API](#)

TAF proxy · KPNS

- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KPNS; actual-station=KPNS; fetched-at=2026-09-13T22:25:45.031604+00:00
- FAA NMS NOTAM — state=OK; requested-station=KPNS; actual-station=KPNS; fetched-at=2026-09-13T22:25:49.422707Z — [FAA NMS overview](#)

• MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KPNS; actual-station=KPNS; fetched-at=2026-09-13T22:26:03.451727+00:00; observed-or-issued-at=2026-09-13T18:00:00+00:00; valid-from=2026-09-14T00:00:00+00:00; valid-through=2026-09-16T18:00:00+00:00; target-dates=2026-09-14; partial-target-dates=2026-09-13; dates-with-points=2026-09-13,2026-09-14 — [Iowa State API](#)

• MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KPNS; actual-station=KPNS; fetched-at=2026-09-13T22:26:04.196522+00:00; observed-or-issued-at=2026-09-13T12:00:00+00:00; valid-from=2026-09-14T12:00:00+00:00; valid-through=2026-09-21T12:00:00+00:00; target-dates=2026-09-14; dates-with-points=2026-09-14 — [Iowa State API](#)

• MOS effective date selection — state=partial; rows=10; requested-station=KPNS; actual-station=KPNS; fetched-at=2026-09-13T22:26:03.451727+00:00; observed-or-issued-at=2026-09-13T18:00:00+00:00; valid-from=2026-09-14T00:00:00+00:00; valid-through=2026-09-16T18:00:00+00:00; target-dates=2026-09-14; partial-target-dates=2026-09-13; dates-with-points=2026-09-13,2026-09-14; selected-by-date=2026-09-13=GFS, 2026-09-14=GFS

• Extended outlook and hazard-feed states are reported in the source stamp.

• Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#17

KDAB

Daytona Beach Intl, FL, US

· Gulf East · Daytona Beach (Class C)

⏏

OBS - VFR

ETE

2h13

DIST

324 nm

SUN 13 SEP 16:53 ET OBSERVED

Current observation

METAR

OBS - VFR

OBSERVED



scattered 2,800 ft, scattered 5,000 ft, scattered 20,000 ft



WINDE (90°) 8 kt




TEMPERATURE30 °C



VISIBILITY10 sm



DEWPOINT24 °C



Wind equally favours RWY 07L and 07R
090° true · 097° magnetic · 8 kt

Evidence & limitations

- METAR source state: ok; observed Sep 13 16:53 ET; retrieved Sep 13 18:25 ET; 92 min before this run.
- Measured values read from the KDAB METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.97 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.

• KDAB runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 07L/25R, 16/34, 07R/25L. Wind from 090 degrees true, 097 degrees magnetic, at 8 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Equally wind-favoured runway ends, highlighted: 07L and 07R. Wind source: KDAB METAR 132053Z.

DESTINATION OUTLOOK

SUN, SEP 13

SUN 13 SEP 18:00–00:00 ET HIGH

Forecast

TA

F

TAF

VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 13

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON 14 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 14 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Surface prog evidence · Mon Sep 14

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

MON 14 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 14 SEP 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND6–7 kt

TEMPERATURE85–88 °F

DEWPOINT77–78 °F

PRECIP CHANCE31%

Evidence & limitations

• GFS MAV MOS · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

32°C dep KLZU → 30°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

07L/25R (070/250°M · 063/243°T) · 16/34 (160/340°M · 153/333°T) · 07R/25L (070/250°M · 063/243°T) — designators and °M headings are magnetic; °T are true; variation 7°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMS

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

ed 2026-09-13T22:25:49.472883Z.
poritative)

FRI SEP 11

SAT SEP 12

SUN SEP 13

MON SEP 14

6/8811

6/8814

6/8816

25 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 22:25 Z

NOTAMs as of 22:25 Z — advisory only; verify an official briefing.

09/034

NOTAM text not available in this projection.

6/8810

NOTAM text not available in this projection.

6/8811

NOTAM text not available in this projection.

6/8814

NOTAM text not available in this projection.

6/8816

NOTAM text not available in this projection.

A0825/26

NOTAM text not available in this projection.

A0828/26

NOTAM text not available in this projection.

A0829/26

NOTAM text not available in this projection.

A0830/26

NOTAM text not available in this projection.

6/3056

NOTAM text not available in this projection.

A0972/26

NOTAM text not available in this projection.

6/0752

NOTAM text not available in this projection.

A1405/26

NOTAM text not available in this projection.

6/0885

NOTAM text not available in this projection.

A1425/26

NOTAM text not available in this projection.

08/067

NOTAM text not available in this projection.

08/069

NOTAM text not available in this projection.

08/070

NOTAM text not available in this projection.

08/071

NOTAM text not available in this projection.

02/081

NOTAM text not available in this projection.

A0203/26

NOTAM text not available in this projection.

06/126

NOTAM text not available in this projection.

A0894/26

NOTAM text not available in this projection.

07/052

NOTAM text not available in this projection.

A1038/26

NOTAM text not available in this projection.

07/089

NOTAM text not available in this projection.

09/043

NOTAM text not available in this projection.

A1469/26

NOTAM text not available in this projection.

09/051

NOTAM text not available in this projection.

A1487/26

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2026-09-13T22:25:49.472883Z.

1. SIGN FOR RWY 37L/35R LOT 115

:00Z

DAYTONA BEACH INTL, DAYTONA BEACH, FL, RNAV (GPS) RWY 25R, AMDT 4, L, LNAV MDA 500HAT 400 ALL CATS, VIS CATS CID 1, CIRCLING CAT A/B MDA 500HAA 520,

CAT CID VISIBILITY TO 1 300 SM, TEMPORARY CRANE 250 MSL 2020FT NW OF RWY 25R (2026-ASO-209-0E), 2606171000-2612150429EST

:00Z

DAYTONA BEACH INTL, DAYTONA BEACH, FL, ILS OR LOC RWY 7L, AMDT 32A, L, ZOPRI FIX MINIMUMS (DUAL VOR RECEIVERS REQUIRED), CIRCLING CAT A/B MDA 500

SL 3607FT NE OF DAB AIRPORT (2026-ASO-209-0E), 2606171000-2612150429EST

:00Z

NAV_APPROACH

08014 — IAP DAYTONA BEACH INTL, DAYTONA BEACH, FL, ILS OR LOC RWY 25R, AMDT 1, L, BANNER FIX MINIMUMS (DUAL VOR RECEIVERS OR DME REQUIRED), CIRCLING CAT A/B MDA 500HAA 520, TEMPORARY CRANE 250 MSL 3607FT NE OF DAB AIRPORT (2026-ASO-209-0E), 2606171000-2612150429EST

Effective 2026-06-17T10:00:00Z → 2026-12-15T04:29:00Z

NAV_APPROACH

08016 — IAP DAYTONA BEACH INTL, DAYTONA BEACH, FL, RNAV (GPS) RWY 7L, AMDT 1C, L, LNAV MDA 400HAT 410 ALL CATS, CIRCLING CAT A/B MDA 500HAA 520, TEMPORARY CRANE 250 MSL 2711FT NW OF RWY 7L (2026-ASO-15771-0E), TEMPORARY CRANE 250 MSL 3607FT NE OF DAB AIRPORT (2026-ASO-209-0E), 2606171000-2612150429EST

Effective 2026-06-17T10:00:00Z → 2026-12-15T04:29:00Z

25 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

the GFS model bias-corrected against decades of observations at this station. Issued four times a day in three-hourly steps out to about 72 hours. It carries an explicit ceiling and visibility category, so this card uses it to resolve a day the TAF cannot reach. A station-calibrated GFS MOS product was read for this airport this run (state: partial).

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KDAB this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

00:00 ET ET · VFR
06:00 ET ET · VFR
12:00 ET ET · VFR
18:00 ET ET · VFR
S · 18:00–00:00 ET ET · VFR

Source state: partial; selected by target date: 2026-09-13=GFS, 2026-09-14=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-14 00:00	82	Ovc	140/3kt	—	>10kft	>6SM
GFS	2026-09-14 03:00	79	Ovc	230/2kt	—	>10kft	>6SM
GFS	2026-09-14 06:00	77	Bkn	230/2kt	39.0	>10kft	>6SM
GFS	2026-09-14 09:00	76	Bkn	230/2kt	—	>10kft	>6SM
GFS	2026-09-14 12:00	77	Bkn	270/3kt	30.0	>10kft	>6SM
GFS	2026-09-14 15:00	87	Bkn	310/4kt	—	>10kft	>6SM
GFS	2026-09-14 18:00	88	Bkn	50/7kt	31.0	>10kft	>6SM
GFS	2026-09-14 21:00	85	Bkn	70/6kt	—	>10kft	>6SM
GFS	2026-09-15 00:00	82	Bkn	70/3kt	33.0	>10kft	>6SM
GFS	2026-09-15 03:00	80	Few	70/2kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KDAB 132053Z 09008KT 10SM SCT028 SCT050 SCT200 30/24 A2997 RMK A02 SLP149 CB DSNT S-W-N T03000239 56017 \$

TAF KDAB 132219Z 1322/1418 06005KT P6SM VCTS SCT035CB SCT120 SCT200 FM140100 VRB05KT P6SM FEW040 BKN080 BKN200 FM141600 07006KT P6SM VCSH FEW035 SCT200

+ [Data sources used](#)

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KDAB; actual-station=KDAB; fetched-at=2026-09-13T22:25:41.898567+00:00; observed-or-issued-at=2026-09-13T20:53:00+00:00 — [AWC API](#)
 - TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KDAB; actual-station=KDAB; fetched-at=2026-09-13T22:25:43.947674+00:00; observed-or-issued-at=2026-09-13T22:19:00+00:00; valid-from=2026-09-13T22:00:00+00:00; valid-through=2026-09-14T18:00:00+00:00; partial-target-dates=2026-09-13,2026-09-14 — [AWC API](#)
- TAF proxy · KDAB
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KDAB; actual-station=KDAB; fetched-at=2026-09-13T22:25:45.112926+00:00
 - FAA NMS NOTAM — state=OK; requested-station=KDAB; actual-station=KDAB; fetched-at=2026-09-13T22:25:49.472883Z — [FAA NMS overview](#)
 - MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KDAB; actual-station=KDAB; fetched-at=2026-09-13T22:26:03.435851+00:00; observed-or-issued-at=2026-09-13T18:00:00+00:00; valid-from=2026-09-14T00:00:00+00:00; valid-through=2026-09-16T18:00:00+00:00; target-dates=2026-09-14; partial-target-dates=2026-09-13; dates-with-points=2026-09-13,2026-09-14 — [Iowa State API](#)
 - MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KDAB; actual-station=KDAB; fetched-at=2026-09-13T22:26:04.188026+00:00; observed-or-issued-at=2026-09-13T12:00:00+00:00; valid-from=2026-09-14T12:00:00+00:00; valid-through=2026-09-21T12:00:00+00:00; target-dates=2026-09-14; dates-with-points=2026-09-14 — [Iowa State API](#)
 - MOS effective date selection — state=partial; rows=10; requested-station=KDAB; actual-station=KDAB; fetched-at=2026-09-13T22:26:03.435851+00:00; observed-or-issued-at=2026-09-13T18:00:00+00:00; valid-from=2026-09-14T00:00:00+00:00; valid-through=2026-09-16T18:00:00+00:00; target-dates=2026-09-14; partial-target-dates=2026-09-13; dates-with-points=2026-09-13,2026-09-14; selected-by-date=2026-09-13=GFS, 2026-09-14=GFS
 - Extended outlook and hazard-feed states are reported in the source stamp.
 - Runway data + Chart Supplement — [FAA Chart Supplement \(current cycle\)](#) — see AirNav link above

#18 **KJKA** **Gulf Shores/Edwards Arpt, AL, US** · Gulf West · Gulf Shores AL

| OBS - VFR

ETE
2h01

DIST
291 nm

SUN 13 SEP 16:56 ET OBSERVED

Current observation

| OBS - VFR

OBSER



clear below 12,000 ft (CLR)

WINDS (190°) 7 kt

TEMPERATURE32 °C

VISIBILITY10 sm

DEWPOINT23 °C



Wind favours RWY 17
190° true · 192° magnetic · 7 kt

Evidence & limitations

- METAR source state: ok; observed Sep 13 16:56 ET; retrieved Sep 13 18:25 ET; 89 min before this run.
- Measured values read from the KJKA METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.98 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KJKA runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 09/27, 17/35. Wind from 190 degrees true, 192 degrees magnetic, at 7 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 17. Wind source: KJKA METAR 132056Z.

DESTINATION OUTLOOK

SUN, SEP 13

SUN 13 SEP 18:00–00:00 ET HIGH

Forecast

TA
F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 13

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON 14 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 14 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 14 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 14 SEP 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND6 kt

TEMPERATURE90–91 °F

DEWPOINT76 °F

PRECIP CHANCE5%

Evidence & limitations

• GFS MAV MOS · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 14

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

32°C dep KLZU → 32°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

09/27 (090/270°M · 088/268°T) · 17/35 (170/350°M · 168/348°T) — designators and °M headings are magnetic; °T are true; variation 2°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMS

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

8 Act on

1 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production
source per owner decision 2026-08-09;
technical transport environment remains
preprod. Limited 2026-07-30 spot check
covered KLZU, KAVL, and KSGJ (3 of 30
airports). NOTAMS were read from this source
and used on this card this run. Typed state:
OK. The dot colour reports whether this
source was read this run; technical
environment: preprod.

2 · What

3 · Where

ed 2026-09-13T22:25:49.474939Z.

oritative)

FRI SEP 11

SAT SEP 12

SUN SEP 13

MON SEP 14

5/1161

5/1162

6/6821

6 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 22:25 Z

05/473

NOTAM text not available in this projection.

08/415

NOTAM text not available in this projection.

5/1161

NOTAM text not available in this projection.

5/1162

NOTAM text not available in this projection.

6/6821

NOTAM text not available in this projection.

6/6822

NOTAM text not available in this projection.

6/6824

NOTAM text not available in this projection.

6/3337

NOTAM text not available in this projection.

6/2179

NOTAM text not available in this projection.

03/876

NOTAM text not available in this projection.

03/884

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2026-09-13T22:25:49.474939Z.

:00Z

APN EAST ACCESS CLOSED

:00Z

ORDS INTL/JACK EDWARDS FLD, GULF SHORES, AL ILS OR LOC RWY 27, AMDT 1B., LCVBE FIX MINIMUMS: CIRCLING CAT B MDA 540HAA 523.

:00Z

ORDS INTL/JACK EDWARDS FLD, GULF SHORES, AL RNAV (GPS) RWY 27, AMDT 2B., RNAV (GPS) RWY 9, AMDT 3C., CIRCLING CAT B MDA 540HAA 523.

2025-09-10T15:59:00Z → 2027-09-10T15:59:00Z

Effective 2025-09-10T15:59:00Z → 2027-09-10T15:59:00Z

NAV_APPROACH 00021 — IAP GULF SHORES INTL/JACK EDWARDS FLD, GULF SHORES, AL RNAV (GPS) RWY 9, AMDT 3C., LNAV/VNAV DA 400HAT 304 ALL CATS, VIS ALL CATS 1 10, LNAV MDA 500 HAT 404 ALL CATS, VIS CATS C/D 1 30, CIRCLING MDA CATS A/B 580HAA 583, VDP NA, CHANGE NOTE TO READ: INCREASE LNAV/VNAV DA TO 400 FEET AND ALL VISIBILITIES 1/4 SM, TEMPORARY CLOSURE UP TO THE END, START OF THE RWY 9 (2024-ASO-100210003-0E), 2004291501-2026101601EST

Effective 2026-04-29T15:01:00Z → 2026-10-16T15:01:00Z

6 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and

Source and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KJKA this run.

published VFR Surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

0:00 ET ET · VFR
5:00 ET ET · VFR
12:00 ET ET · VFR
18:00 ET ET · VFR
S · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-13=GFS, 2026-09-14=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-14 00:00	83	Bkn	240/3kt	—	>10kft	>6SM
GFS	2026-09-14 03:00	78	Sct	280/1kt	—	>10kft	>6SM
GFS	2026-09-14 06:00	76	Sct	330/1kt	3.0	>10kft	>6SM
GFS	2026-09-14 09:00	75	Clear	330/2kt	—	>10kft	>6SM
GFS	2026-09-14 12:00	75	Clear	340/3kt	7.0	>10kft	>6SM
GFS	2026-09-14 15:00	87	Clear	330/3kt	—	>10kft	>6SM
GFS	2026-09-14 18:00	91	Few	210/6kt	5.0	>10kft	>6SM
GFS	2026-09-14 21:00	90	Sct	220/6kt	—	>10kft	>6SM
GFS	2026-09-15 00:00	84	Sct	230/4kt	8.0	>10kft	>6SM
GFS	2026-09-15 03:00	78	Few	330/1kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KJKA 132056Z 19007KT 10SM CLR 32/23 A2998

TAF KJKA 131736Z 1318/1418 25005KT P6SM SCT035 SCT300 FM132000 22008KT P6SM SCT035 SCT300 FM140100 VRB03KT P6SM BKN250 FM141400 35005KT P6SM FEW040

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KJKA; actual-station=KJKA; fetched-at=2026-09-13T22:25:41.898567+00:00; observed-or-issued-at=2026-09-13T20:56:00+00:00 — [AWC API](#)
 - TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KJKA; actual-station=KJKA; fetched-at=2026-09-13T22:25:43.947674+00:00; observed-or-issued-at=2026-09-13T17:36:00+00:00; valid-from=2026-09-13T18:00:00+00:00; valid-through=2026-09-14T18:00:00+00:00; partial-target-dates=2026-09-13,2026-09-14 — [AWC API](#)
- TAF proxy · KJKA
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KJKA; actual-station=KJKA; fetched-at=2026-09-13T22:25:45.117302+00:00
 - FAA NMS NOTAM — state=OK; requested-station=KJKA; actual-station=KJKA; fetched-at=2026-09-13T22:25:49.474939Z — [FAA NMS overview](#)

- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KJKA; actual-station=KJKA; fetched-at=2026-09-13T22:26:03.524115+00:00; observed-or-issued-at=2026-09-13T18:00:00+00:00; valid-from=2026-09-14T00:00:00+00:00; valid-through=2026-09-16T18:00:00+00:00; target-dates=2026-09-14; partial-target-dates=2026-09-13; dates-with-points=2026-09-13,2026-09-14 — [Iowa State API](#)
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KJKA; actual-station=KJKA; fetched-at=2026-09-13T22:26:04.200030+00:00; observed-or-issued-at=2026-09-13T12:00:00+00:00; valid-from=2026-09-14T12:00:00+00:00; valid-through=2026-09-21T12:00:00+00:00; target-dates=2026-09-14; dates-with-points=2026-09-14 — [Iowa State API](#)
- MOS effective date selection — state=partial; rows=10; requested-station=KJKA; actual-station=KJKA; fetched-at=2026-09-13T22:26:03.524115+00:00; observed-or-issued-at=2026-09-13T18:00:00+00:00; valid-from=2026-09-14T00:00:00+00:00; valid-through=2026-09-16T18:00:00+00:00; target-dates=2026-09-14; partial-target-dates=2026-09-13; dates-with-points=2026-09-13,2026-09-14; selected-by-date=2026-09-13=GFS, 2026-09-14=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#19 **KBFM** Mobile/Downtown Arpt, AL, US · Gulf West · Mobile Downtown

OBS - VFR

FTE
2h00

DIST
290 nm

SUN 13 SEP 16:53 ET OBSERVED

Current observation

OBS - VFR

OBSERVATIONS




 clear below 12,000 ft (CLR)

WINDS (170°) 5 kt

TEMPERATURE 33 °C

VISIBILITY10 sm

DEWPOINT 24 °C



Wind favours RWY 18

170° true · 172° magnetic · 5 kt

Evidence & limitations

- METAR source state: ok; observed Sep 13 16:53 ET; retrieved Sep 13 18:25 ET; 92 min before this run.
- Measured values read from the KBFM METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.98 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KBFM runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 14/32, 18/36. Wind from 170 degrees true, 172 degrees magnetic, at 5 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 18. Wind source: KBFM METAR 132053Z.

SUN, SEP 13

SUN13SEP18:00–00:00 ET HIGH

Forecast

TAF

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

TAF · 18:00–00:00 ET ET · VFR

Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 13

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON 14 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 14 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 14 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 14 SEP 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND5–6 kt

TEMPERATURE93–94 °F

DEWPOINT77 °F

PRECIP CHANCE2%

Evidence & limitations

• GFS MAV MOS · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 14

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

32°C dep KLZU → 33°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

14/32 (140/320°M · 138/318°T) · 18/36 (180/000°M · 178/358°T) — designators and °M headings are magnetic; °T are true; variation 2°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMS

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

12 Act on

3 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production
source per owner decision 2026-08-09;
technical transport environment remains
preprod. Limited 2026-07-30 spot check
covered KLZU, KAVL, and KSGJ (3 of 30
airports). NOTAMs were read from this source
and used on this card this run. Typed state:
OK. The dot colour reports whether this
source was read this run; technical
environment: preprod.

2 · What

3 · Where

preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 stations). NCTM	ed 2026-09-13T22:25:49.557997Z. pritative)
--	---

and used on this card this run. Typed state:

SAT SEP 12

SUN SEP 13

MON SEP 14

08/020

A0373/26

08/024

32 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 22:25 Z

08/004

NOTAM text not available in this projection.

A0354/26

NOTAM text not available in this projection.

08/020

NOTAM text not available in this projection.

A0373/26

NOTAM text not available in this projection.

08/024

NOTAM text not available in this projection.

A0377/26

NOTAM text not available in this projection.

6/1287

NOTAM text not available in this projection.

6/1289

NOTAM text not available in this projection.

A0106/26

NOTAM text not available in this projection.

A0108/26

NOTAM text not available in this projection.

6/3379

NOTAM text not available in this projection.

A0284/26

NOTAM text not available in this projection.

6/2188

NOTAM text not available in this projection.

A0356/26

NOTAM text not available in this projection.

6/4898

NOTAM text not available in this projection.

A0364/26

NOTAM text not available in this projection.

6/9973

NOTAM text not available in this projection.

A0382/26

NOTAM text not available in this projection.

05/009

NOTAM text not available in this projection.

A0240/26

NOTAM text not available in this projection.

06/026

NOTAM text not available in this projection.

06/027

NOTAM text not available in this projection.

06/028

NOTAM text not available in this projection.

06/029

NOTAM text not available in this projection.

06/030

NOTAM text not available in this projection.

06/031

NOTAM text not available in this projection.

06/032

NOTAM text not available in this projection.

06/033

NOTAM text not available in this projection.

06/049

NOTAM text not available in this projection.

07/009

NOTAM text not available in this projection.

A0326/26

NOTAM text not available in this projection.

08/021

NOTAM text not available in this projection.

09/002

NOTAM text not available in this projection.

09/003

NOTAM text not available in this projection.

09/009

NOTAM text not available in this projection.

08/027

NOTAM text not available in this projection.

09/011

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30

2026-09-13T22:25:49.557997Z.

00Z

00Z

00Z

airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

000Z
000Z
000Z
000Z

TAXIWAY

000024 — T00T A LTT RTN T00T A2 AND T00T A3 L00

Effective 2026-08-26T15:11:00Z → 2026-09-30T23:59:00Z

32 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KBFM this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

category and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

00:00 ET ET · VFR
06:00 ET ET · VFR
12:00 ET ET · VFR
18:00 ET ET · VFR
S · 18:00–00:00 ET ET · VFR

Source state: partial; selected by target date: 2026-09-13=GFS, 2026-09-14=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-14 00:00	86	Few	210/3kt	—	>10kft	>6SM
GFS	2026-09-14 03:00	81	Few	260/1kt	—	>10kft	>6SM
GFS	2026-09-14 06:00	80	Sct	280/1kt	4.0	>10kft	>6SM
GFS	2026-09-14 09:00	78	Clear	300/2kt	—	>10kft	>6SM
GFS	2026-09-14 12:00	77	Clear	320/2kt	5.0	>10kft	>6SM

GFS	2026-09-14 15:00	89	Clear	10/4kt	—	>10kft	>6SM
GFS	2026-09-14 18:00	94	Few	100/5kt	2.0	>10kft	>6SM
GFS	2026-09-14 21:00	93	Sct	160/6kt	—	>10kft	>6SM
GFS	2026-09-15 00:00	88	Few	220/2kt	8.0	>10kft	>6SM
GFS	2026-09-15 03:00	82	Clear	250/2kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KBFM 132053Z AUTO 17005KT 10SM CLR 33/24 A2998 RMK A02 SLP153 T03330244 56022

TAF KBFM 131736Z 1318/1418 12007KT P6SM SCT030 SCT300 FM132000 17006KT P6SM SCT035 SCT300 FM140000 00000KT P6SM FEW040 SCT250 FM141400 01005KT P6SM FEW040

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KBFM; actual-station=KBFM; fetched-at=2026-09-13T22:25:41.898567+00:00; observed-or-issued-at=2026-09-13T20:53:00+00:00 — [AWC API](#)
 - TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KBFM; actual-station=KBFM; fetched-at=2026-09-13T22:25:43.947674+00:00; observed-or-issued-at=2026-09-13T17:36:00+00:00; valid-from=2026-09-13T18:00:00+00:00; valid-through=2026-09-14T18:00:00+00:00; partial-target-dates=2026-09-13,2026-09-14 — [AWC API](#)
- TAF proxy · KBFM
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KBFM; actual-station=KBFM; fetched-at=2026-09-13T22:25:45.088869+00:00
 - FAA NMS NOTAM — state=OK; requested-station=KBFM; actual-station=KBFM; fetched-at=2026-09-13T22:25:49.557997Z — [FAA NMS overview](#)
 - MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KBFM; actual-station=KBFM; fetched-at=2026-09-13T22:26:03.525622+00:00; observed-or-issued-at=2026-09-13T18:00:00+00:00; valid-from=2026-09-14T00:00:00+00:00; valid-through=2026-09-16T18:00:00+00:00; target-dates=2026-09-14; partial-target-dates=2026-09-13; dates-with-points=2026-09-13,2026-09-14 — [Iowa State API](#)
 - MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KBFM; actual-station=KBFM; fetched-at=2026-09-13T22:26:04.480724+00:00; observed-or-issued-at=2026-09-13T12:00:00+00:00; valid-from=2026-09-14T12:00:00+00:00; valid-through=2026-09-21T12:00:00+00:00; target-dates=2026-09-14; dates-with-points=2026-09-14 — [Iowa State API](#)
 - MOS effective date selection — state=partial; rows=10; requested-station=KBFM; actual-station=KBFM; fetched-at=2026-09-13T22:26:03.525622+00:00; observed-or-issued-at=2026-09-13T18:00:00+00:00; valid-from=2026-09-14T00:00:00+00:00; valid-through=2026-09-16T18:00:00+00:00; target-dates=2026-09-14; partial-target-dates=2026-09-13; dates-with-points=2026-09-13,2026-09-14; selected-by-date=2026-09-13=GFS, 2026-09-14=GFS
 - Extended outlook and hazard-feed states are reported in the source stamp.
 - Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#20

KGPT

Gulfport-Biloxi Intl, MS, US

· Gulf West · Gulfport-Biloxi

OBS - VFR

ETE

2h18

DIST

337 nm

SUN 13 SEP 16:53 ET OBSERVED

Current observation

METAR



clear below 12,000 ft (CLR)

OBS - VFR

OBSER



WINDS (190°) 8 kt



TEMPERATURE32 °C



VISIBILITY10 sm



DEWPOINT25 °C



Wind favours RWY 18

190° true · 191° magnetic · 8 kt

Evidence & limitations

- METAR source state: ok; observed Sep 13 16:53 ET; retrieved Sep 13 18:25 ET; 92 min before this run.
- Measured values read from the KGPT METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.97 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KGPT runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 14/32, 18/36. Wind from 190 degrees true, 191 degrees magnetic, at 8 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 18. Wind source: KGPT METAR 132053Z.

DESTINATION OUTLOOK

SUN, SEP 13

SUN 13 SEP 18:00–00:00 ET HIGH

Forecast



Flight-category guidance



TAF · VFR

FORECAST

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, SEP 14

MON 14 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 14 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 14 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 14 SEP 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND5 kt

↓
TEMPERATURE91–92 °F

💧
DEWPOINT74 °F

💧
PRECIP CHANCE7%

Evidence & limitations

• GFS MAV MOS · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

32°C dep KLZU → 32°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

14/32 (140/320°M · 139/319°T) · 18/36 (180/000°M · 179/359°T) — designators and °M headings are magnetic; °T are true; variation 1°W (NOAA WMM2025)



Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

8 Act on

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

ed 2026-09-13T22:25:49.667512Z.

pritative)

FRI SEP 11

SAT SEP 12

SUN SEP 13

MON SEP 14

09/008

A0675/26

09/058

19 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 22:25 Z

NOTAMs as of 22:25 Z — advisory only; verify an official briefing.

06/071

NOTAM text not available in this projection.

06/072

NOTAM text not available in this projection.

09/008

NOTAM text not available in this projection.

A0675/26

NOTAM text not available in this projection.

09/058

NOTAM text not available in this projection.

A0789/25

NOTAM text not available in this projection.

6/5422

NOTAM text not available in this projection.

A0386/26

NOTAM text not available in this projection.

06/065

NOTAM text not available in this projection.

6/9967

NOTAM text not available in this projection.

A0597/26

NOTAM text not available in this projection.

09/013

NOTAM text not available in this projection.

A0678/26

NOTAM text not available in this projection.

06/056

NOTAM text not available in this projection.

06/060

NOTAM text not available in this projection.

07/001

NOTAM text not available in this projection.

07/031

NOTAM text not available in this projection.

08/003

NOTAM text not available in this projection.

08/023

NOTAM text not available in this projection.

08/040 <i>NOTAM text not available in this projection.</i>
08/041 <i>NOTAM text not available in this projection.</i>
08/042 <i>NOTAM text not available in this projection.</i>
09/007 <i>NOTAM text not available in this projection.</i>
09/010 <i>NOTAM text not available in this projection.</i>

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

NAV_APPROACH

PROD — NAV APPROACH FOR OWNERS

Effective 2025-09-29T08:58:00Z → 2026-09-25T21:11:00Z

19 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical

Forecast for Aviation and the Weather Prediction Center surface progs, issued by the National Weather Service through the day; the surface prog series reaches 144 hours. They are raster images a pilot reads for fronts, pressure systems and precipitation shields. This page displays them with their issuing office and valid time and never interprets them: no category, wind, ceiling, ranking or go/no-go here is derived from an image. A published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

00:00 ET ET · VFR

06:00 ET ET · VFR

12:00 ET ET · VFR

18:00 ET ET · VFR

S · 18:00–00:00 ET ET · VFR

Source state: partial; selected by target date: 2026-09-13=GFS, 2026-09-14=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

+ MOS target-window outlook (GFS)

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-14 00:00	85	Few	200/4kt	—	>10kft	>6SM
GFS	2026-09-14 03:00	82	Few	320/1kt	—	>10kft	>6SM
GFS	2026-09-14 06:00	79	Few	0/0kt	10.0	>10kft	>6SM
GFS	2026-09-14 09:00	78	Clear	310/1kt	—	>10kft	>6SM
GFS	2026-09-14 12:00	78	Clear	340/2kt	8.0	>10kft	>6SM
GFS	2026-09-14 15:00	87	Clear	350/5kt	—	>10kft	>6SM
GFS	2026-09-14 18:00	92	Few	160/5kt	7.0	>10kft	>6SM
GFS	2026-09-14 21:00	91	Sct	190/5kt	—	>10kft	>6SM
GFS	2026-09-15 00:00	87	Few	220/3kt	12.0	>10kft	>6SM
GFS	2026-09-15 03:00	82	Clear	240/2kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KGPT 132053Z 19008KT 10SM CLR 32/25 A2997 RMK A02 SLP148 T03220250 56022

TAF KGPT 131720Z 1318/1418 VRB03KT P6SM FEW035

+ Data sources used

• METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KGPT; actual-station=KGPT; fetched-at=2026-09-13T22:25:41.898567+00:00; observed-or-issued-at=2026-09-13T20:53:00+00:00 — AWC API

- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KGPT; actual-station=KGPT; fetched-at=2026-09-13T22:25:43.947674+00:00; observed-or-issued-at=2026-09-13T17:20:00+00:00; valid-from=2026-09-13T18:00:00+00:00; valid-through=2026-09-14T18:00:00+00:00; partial-target-dates=2026-09-13,2026-09-14 — [AWC API](#)

TAF proxy · KGPT
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KGPT; actual-station=KGPT; fetched-at=2026-09-13T22:25:45.421404+00:00
- FAA NMS NOTAM — state=OK; requested-station=KGPT; actual-station=KGPT; fetched-at=2026-09-13T22:25:49.667512Z — [FAA NMS overview](#)
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KGPT; actual-station=KGPT; fetched-at=2026-09-13T22:26:03.689264+00:00; observed-or-issued-at=2026-09-13T18:00:00+00:00; valid-from=2026-09-14T00:00:00+00:00; valid-through=2026-09-16T18:00:00+00:00; target-dates=2026-09-14; partial-target-dates=2026-09-13; dates-with-points=2026-09-13,2026-09-14 — [Iowa State API](#)
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KGPT; actual-station=KGPT; fetched-at=2026-09-13T22:26:04.317568+00:00; observed-or-issued-at=2026-09-13T12:00:00+00:00; valid-from=2026-09-14T12:00:00+00:00; valid-through=2026-09-21T12:00:00+00:00; target-dates=2026-09-14; dates-with-points=2026-09-14 — [Iowa State API](#)
- MOS effective date selection — state=partial; rows=10; requested-station=KGPT; actual-station=KGPT; fetched-at=2026-09-13T22:26:03.689264+00:00; observed-or-issued-at=2026-09-13T18:00:00+00:00; valid-from=2026-09-14T00:00:00+00:00; valid-through=2026-09-16T18:00:00+00:00; target-dates=2026-09-14; partial-target-dates=2026-09-13; dates-with-points=2026-09-13,2026-09-14; selected-by-date=2026-09-13=GFS, 2026-09-14=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — [FAA Chart Supplement](#) (current cycle) — see AirNav link above

#21

KSPG

St Petersburg/Whitted Arpt, FL, US

· Gulf East · St Petersburg

⏮

OBS - VFR

⏭

ETE

2h35

DIST

379 nm

SUN

13 SEP

16:53 ET

OBSERVED

Current observation

⏮

OBS - VFR

⏭

META

R

OBSER

☁

clear below 12,000 ft (CLR)

🌀

WINDSE (130°) 4 kt

🌡

TEMPERATURE29 °C

👁

VISIBILITY10 sm

💧

DEWPOINT25 °C



Wind favours RWY 18

130° true · 136° magnetic · 4 kt

Evidence & limitations

- METAR source state: ok; observed Sep 13 16:53 ET; retrieved Sep 13 18:25 ET; 92 min before this run.
- Measured values read from the KSPG METAR. This is a current surface observation only; it is not a forecast.

- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.99 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KSPG runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 07/25, 18/36. Wind from 130 degrees true, 136 degrees magnetic, at 4 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 18. Wind source: KSPG METAR 132053Z.

DESTINATION OUTLOOK

SUN, SEP 13

SUN 13 SEP 18:00–00:00 ET HIGH

Forecast

TA
F

TAF ·
VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

TAF · 18:00–00:00 ET ET · VFR

Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 13

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON 14 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 14 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 14 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 14 SEP 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND5–7 kt

TEMPERATURE88 °F

DEWPOINT76–77 °F

PRECIP CHANCE33%

Evidence & limitations

• GFS MAV MOS · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 14

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

32°C dep KLZU → 29°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

07/25 (070/250°M · 064/244°T) · 18/36 (180/000°M · 174/354°T) — designators and °M headings are magnetic; °T are true; variation 6°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMS

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

ed 2026-09-13T22:25:49.719512Z.
poritative)

FRI SEP 11

SAT SEP 12

SUN SEP 13

MON SEP 14

07/003

07/004

07/005

5 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 22:25 Z

NOTAMs as of 22:25 Z — advisory only; verify an official briefing.

6/3728

NOTAM text not available in this projection.

07/002

NOTAM text not available in this projection.

07/003

NOTAM text not available in this projection.

07/004

NOTAM text not available in this projection.

07/005

NOTAM text not available in this projection.

07/006

NOTAM text not available in this projection.

07/007

NOTAM text not available in this projection.

07/010

NOTAM text not available in this projection.

08/001

NOTAM text not available in this projection.

+ NOTAM DETAILS

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.	2026-09-13T22:25:49.719512Z. TIED, ST PETERSBURG, FL, TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 4L, ADD TAKEOFF OBSTACLE NOTE, RWY 15, BUILDING OBSTACLE, TPFT AGL/TPFT MSL (2026-ASD-3175-DE-PERM), ALL OTHER DATA REMAINS AS PUBLISHED. 200417020-200417020EST :00Z :00Z :00Z :00Z
---	--

Effective 2026-07-21T18:50:00Z → 2026-10-01T15:00:00Z

[RUNWAY](#)
[#7005](#)
[— RWY QT RWY END ID LOT US](#)

Effective 2026-07-21T18:51:00Z → 2026-10-01T15:00:00Z

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

range MOS product, issued twice a day in	
GFA and prog charts — the Graphical Forecast for Aviation and the Weather	

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KSPG this run.

published WPC surface chart matches this 13:00 ET ET · VFR

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

S · 18:00–00:00 ET ET · VFR

Source state: partial; selected by target date: 2026-09-13=GFS, 2026-09-14=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-14 00:00	85	Ovc	20/6kt	—	>10kft	>6SM
GFS	2026-09-14 03:00	84	Ovc	110/5kt	—	>10kft	>6SM
GFS	2026-09-14 06:00	83	Few	120/3kt	25.0	>10kft	>6SM
GFS	2026-09-14 09:00	83	Sct	120/4kt	—	>10kft	>6SM
GFS	2026-09-14 12:00	83	Few	10/4kt	17.0	>10kft	>6SM
GFS	2026-09-14 15:00	85	Clear	50/5kt	—	>10kft	>6SM
GFS	2026-09-14 18:00	88	Ovc	10/5kt	33.0	>10kft	>6SM
GFS	2026-09-14 21:00	88	Ovc	300/7kt	—	>10kft	>6SM
GFS	2026-09-15 00:00	84	Ovc	40/7kt	44.0	>10kft	>6SM
GFS	2026-09-15 03:00	83	Bkn	70/7kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KSPG 132053Z 13004KT 10SM CLR 29/25 A2999 RMK A02 SLP154 60000 T02940250 56015

TAF KPIE 131721Z 1318/1418 30007KT P6SM VCSH SCT030 BKN100 BKN250 FM132300 31006KT P6SM SCT030 BKN250 FM140200 VRB03KT P6SM FEW030 BKN250 FM141500 03005KT P6SM SCT030 BKN250 FM141700 28007KT P6SM VCTS SCT030CB BKN250

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KSPG; actual-station=KSPG; fetched-at=2026-09-13T22:25:41.898567+00:00; observed-or-issued-at=2026-09-13T20:53:00+00:00 — [AWC API](#)
 - TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KSPG; actual-station=KPIE; fetched-at=2026-09-13T22:25:43.947674+00:00; observed-or-issued-at=2026-09-13T17:21:00+00:00; valid-from=2026-09-13T18:00:00+00:00; valid-through=2026-09-14T18:00:00+00:00; partial-target-dates=2026-09-13,2026-09-14 — [AWC API](#)
- TAF proxy · KPIE
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KSPG; actual-station=KSPG; fetched-at=2026-09-13T22:25:45.423725+00:00
 - FAA NMS NOTAM — state=OK; requested-station=KSPG; actual-station=KSPG; fetched-at=2026-09-13T22:25:49.719512Z — [FAA NMS overview](#)
 - MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KSPG; actual-station=KSPG; fetched-at=2026-09-13T22:26:03.652587+00:00; observed-or-issued-at=2026-09-13T18:00:00+00:00; valid-from=2026-09-14T00:00:00+00:00; valid-through=2026-09-16T18:00:00+00:00; target-dates=2026-09-14; partial-target-dates=2026-09-13; dates-with-points=2026-09-13,2026-09-14 — [Iowa State API](#)
 - MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KSPG; actual-station=KSPG; fetched-at=2026-09-13T22:26:04.380792+00:00; observed-or-issued-at=2026-09-13T12:00:00+00:00; valid-from=2026-09-14T12:00:00+00:00; valid-through=2026-09-21T12:00:00+00:00; target-dates=2026-09-14; dates-with-points=2026-09-14 — [Iowa State API](#)
 - MOS effective date selection — state=partial; rows=10; requested-station=KSPG; actual-station=KSPG; fetched-at=2026-09-13T22:26:03.652587+00:00; observed-or-issued-at=2026-09-13T18:00:00+00:00; valid-from=2026-09-14T00:00:00+00:00; valid-through=2026-09-16T18:00:00+00:00; target-dates=2026-09-14; partial-target-dates=2026-09-13; dates-with-points=2026-09-13,2026-09-14; selected-by-date=2026-09-13=GFS, 2026-09-14=GFS
 - Extended outlook and hazard-feed states are reported in the source stamp.

• Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#22

KTPF Tampa/Knight Arpt, FL, US · Gulf East · Tampa Peter O Knight

OBS - VFR

ETE

2h32

DIST

372 nm

SUN 13 SEP 16:35 ET OBSERVED

Current observation

OBS - VFR

METAR

OBSERVED

clear below 12,000 ft (CLR)

WINDS (200°) 4 kt

TEMPERATURE30 °C

VISIBILITY10 sm

DEWPOINT26 °C



Wind favours RWY 22

200° true · 206° magnetic · 4 kt

Evidence & limitations

- METAR source state: ok; observed Sep 13 16:35 ET; retrieved Sep 13 18:25 ET; 110 min before this run.
- Measured values read from the KTPF METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.98 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KTPF runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 04/22, 18/36. Wind from 200 degrees true, 206 degrees magnetic, at 4 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 22. Wind source: KTPF METAR 132035Z.

DESTINATION OUTLOOK

SUN 13 SEP 18:00–00:00 ET HIGH

Forecast

TA
F

TAF ·
VFR

FORECAST



Flight-category
guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS and TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 13

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON 14 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 14 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · MVFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Surface prog evidence · Mon Sep 14

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

32°C dep KLZU → 30°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

04/22 (040/220°M · 034/214°T) · 18/36 (180/000°M · 174/354°T) — designators and °M headings are magnetic; °T are true; variation 6°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 Act on

3 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state:

2 · What

3 · Where

ed 2026-09-13T22:25:49.723562Z.

pritative)

OK. The dot colour reports whether this source was read this run; technical environment: preprod.

	FRI SEP 11	SAT SEP 12	SUN SEP 13	MON SEP 14
05/005				
06/014				
6/0956				
6/8311				
11 additional normalized NOTAM records omitted from this view.				

Raw NOTAM data · NOTAMs as of 22:25 Z

NOTAMs as of 22:25 Z — advisory only; verify an official briefing.

04/019 NOTAM text not available in this projection.
05/005 NOTAM text not available in this projection.
06/014 NOTAM text not available in this projection.
6/0956 NOTAM text not available in this projection.
6/8311 NOTAM text not available in this projection.
4/6304 NOTAM text not available in this projection.
6/8312 NOTAM text not available in this projection.
09/025 NOTAM text not available in this projection.
12/007 NOTAM text not available in this projection.
02/001 NOTAM text not available in this projection.
06/005 NOTAM text not available in this projection.
07/008

NOTAM text not available in this projection.

07/015

NOTAM text not available in this projection.

07/016

NOTAM text not available in this projection.

09/004

NOTAM text not available in this projection.

06/015

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2026-09-13T22:25:49.723562Z.

1 SIGN AT RWY AA RIGHT SIDE MISSING

:00Z

10 LOST US

:00Z

:00Z

RIGHT TAMPA, FL TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 7A... ADD TAKEOFF OBSTACLE NOTE: RWY 22, BUILDING HOME CENTERLINE, 40FT AGL 48FT MSL (2025 ASD 12076 OE PERM). ALL OTHER DATA REMAINS AS PUBLISHED. 2606261555-2606261555EST

Effective 2026-06-26T15:55:00Z → 2028-06-26T15:55:00Z

RUNWAY

060311 --- ODP PETER O KNIGHT, TAMPA, FL TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 7A... TAKEOFF MINIMUMS: RWY 18, STANDARD WITH A MINIMUM CLimb OF 300 FT PER NM TO 600. TEMPORARY CRANES 420 MSL BEGINNING 1.1NM SE OF RWY 18 (2026 ASD 6500551 OE). ALL OTHER DATA REMAINS AS PUBLISHED.

20260100-20260100EST

Effective 2026-08-28T10:00:00Z → 2028-01-29T16:33:00Z

11 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.


GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-

range MOS product, issued twice a day in twelve-hourly steps out to about 192 hours. Coarse, but the only station-calibrated numeric guidance that reaches the far end of a long weekend. This card shows it only as a labelled rough outlook and never as a resolved forecast. A station-calibrated MEX MOS product was read for this airport this run (state: partial).

valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KTPF this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.



ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

0:00 ET ET · VFR
6:00 ET ET · VFR
12:00 ET ET · VFR
18:00 ET ET · MVFR
00:00 ET ET · MVFR

Source state: partial; selected by target date: 2026-09-13=GFS, 2026-09-14=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-13 18:00	90	Ovc	260/5kt	—	>10kft	>6SM
GFS	2026-09-13 21:00	90	Ovc	260/4kt	—	>10kft	>6SM
GFS	2026-09-14 00:00	85	Ovc	280/3kt	38.0	>10kft	>6SM
GFS	2026-09-14 03:00	82	Bkn	60/1kt	—	>10kft	>6SM
GFS	2026-09-14 06:00	81	Few	60/1kt	21.0	>10kft	>6SM
GFS	2026-09-14 09:00	80	Few	20/1kt	—	>10kft	>6SM
GFS	2026-09-14 12:00	81	Bkn	30/1kt	13.0	>10kft	>6SM
GFS	2026-09-14 15:00	88	Sct	350/3kt	—	>10kft	>6SM
GFS	2026-09-14 18:00	90	Bkn	250/4kt	26.0	>10kft	>6SM
GFS	2026-09-14 21:00	89	Ovc	300/5kt	—	>10kft	>6SM
GFS	2026-09-15 00:00	84	Ovc	40/3kt	43.0	>10kft	>6SM
GFS	2026-09-15 03:00	81	Bkn	80/3kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KTPF 132035Z AUTO 20004KT 10SM CLR 30/26 A2998 RMK A02 LTG DSNT N AND SE T02950256 \$

TAF KTPA 132156Z 1322/1424 28007KT P6SM VCTS SCT030CB BKN100 BKN250 FM132300 30005KT P6SM SCT030 BKN250 FM140200 VRB03KT P6SM FEW030 BKN250 FM141500 29005KT P6SM SCT030 BKN250 FM141800 28007KT P6SM VCTS SCT030CB BKN250 TEMPO 1418/1420 VRB15G25KT 3SM TSRA BKN030CB

+ Data sources used

TAF proxy · KTPA

• METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KTPF; actual-station=KTPF; fetched-at=2026-09-13T22:25:41.898567+00:00; observed-or-issued-at=2026-09-13T20:35:00+00:00 — AWC API

• TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KTPF; actual-station=KTPA; fetched-at=2026-09-13T22:25:43.947674+00:00; observed-or-issued-at=2026-09-13T21:56:00+00:00; valid-from=2026-09-13T22:00:00+00:00; valid-through=2026-09-15T00:00:00+00:00; partial-target-dates=2026-09-13,2026-09-14 — AWC API

• FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KTPF; actual-station=KTPF; fetched-at=2026-09-13T22:25:45.478193+00:00

• FAA NMS NOTAM — state=OK; requested-station=KTPF; actual-station=KTPF; fetched-at=2026-09-13T22:25:49.723562Z — FAA NMS overview

• MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KTPF; actual-station=KTPF; fetched-at=2026-09-13T22:26:03.644466+00:00; observed-or-issued-at=2026-09-13T12:00:00+00:00; valid-from=2026-09-13T18:00:00+00:00; valid-through=2026-09-16T12:00:00+00:00; target-dates=2026-09-14; partial-target-dates=2026-09-13; dates-with-points=2026-09-13,2026-09-14 — Iowa State API

• MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KTPF; actual-station=KTPF; fetched-at=2026-09-13T22:26:04.345219+00:00; observed-or-issued-at=2026-09-13T12:00:00+00:00; valid-from=2026-09-14T12:00:00+00:00; valid-through=2026-09-21T12:00:00+00:00; target-dates=2026-09-14; dates-with-points=2026-09-14 — Iowa State API

• MOS effective date selection — state=partial; rows=12; requested-station=KTPF; actual-station=KTPF; fetched-at=2026-09-13T22:26:03.644466+00:00; observed-or-issued-at=2026-09-13T12:00:00+00:00; valid-from=2026-09-13T18:00:00+00:00; valid-through=2026-09-16T12:00:00+00:00; target-dates=2026-09-14; partial-target-dates=2026-09-13; dates-with-points=2026-09-13,2026-09-14; selected-by-date=2026-09-13=GFS, 2026-09-14=GFS

• Extended outlook and hazard-feed states are reported in the source stamp.

• Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#23

KSRQ Sarasota-Bradenton Intl, FL, US · Gulf East · Sarasota-Bradenton

OBS - VFR

ETE

2h43

DIST

402 nm

SUN 13 SEP 16:53 ET OBSERVED

Current observation

METAR

R

clear below 12,000 ft (CLR)

WIND

calm

TEMPERATURE

32 °C

VISIBILITY

10 sm

DEWPOINT

24 °C

Evidence & limitations

• METAR source state: ok; observed Sep 13 16:53 ET; retrieved Sep 13 18:25 ET; 92 min before this run.

• Measured values read from the KSRQ METAR. This is a current surface observation only; it is not a forecast.

- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.00 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.

DESTINATION OUTLOOK

SUN, SEP 13

SUN 13 SEP 18:00–00:00 ET HIGH

Forecast

TA

F

TAF

VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 13

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON 14 SEP 00:00–06:00 ET HIGH

Forecast

TA
F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 14 SEP 12:00–18:00 ET HIGH

Forecast

TA
F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 14 SEP 06:00–12:00 ET HIGH

Forecast

TA
F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 14 SEP 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND8 kt

TEMPERATURE86–89 °F

DEWPOINT77 °F

PRECIP CHANCE41%

Evidence & limitations

• GFS MAV MOS · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 14

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

32°C dep KLZU → 32°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

14/32 (140/320°M · 134/314°T) · 04/22 (040/220°M · 034/214°T) — designators and °M headings are magnetic; °T are true; variation 6°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMS

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

6 Act on

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production
source per owner decision 2026-08-09;
technical transport environment remains
preprod. Limited 2026-07-30 spot check
covered KLZU, KAVL, and KSGJ (3 of 30
airports). NOTAMs were read from this source
and used on this card this run. Typed state:
OK. The dot colour reports whether this
source was read this run; technical
environment: preprod.

2 · What

3 · Where

preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 stations). NOTAM.	ed 2026-09-13T22:25:49.742665Z. pritative)
--	---

pritative)

FRI SEP 11

SAT SEP 12

SUN SEP 13

MON SEP 14

05/096

A0516/26

08/050

20 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 22:25 Z

09/009

NOTAM text not available in this projection.

A0954/26

NOTAM text not available in this projection.

05/096

NOTAM text not available in this projection.

A0516/26

NOTAM text not available in this projection.

08/050

NOTAM text not available in this projection.

A0891/26

NOTAM text not available in this projection.

08/070

NOTAM text not available in this projection.

A0920/26

NOTAM text not available in this projection.

5/0499

NOTAM text not available in this projection.

A1001/25

NOTAM text not available in this projection.

6/4825

NOTAM text not available in this projection.

A0754/26

NOTAM text not available in this projection.

06/005

NOTAM text not available in this projection.

A0527/26

NOTAM text not available in this projection.

06/146

NOTAM text not available in this projection.

A0706/26

NOTAM text not available in this projection.

06/147

NOTAM text not available in this projection.

07/029

NOTAM text not available in this projection.

07/033

NOTAM text not available in this projection.

08/060

NOTAM text not available in this projection.

08/074

NOTAM text not available in this projection.

A0926/26

NOTAM text not available in this projection.

08/075

NOTAM text not available in this projection.

09/001

NOTAM text not available in this projection.

09/010

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

TAXIWAY

080500 — TAXIWAY T AND T HANDCARS RAMP CLOSED

Effective 2026-08-17T11:00:00Z → 2026-09-21T22:00:00Z

20 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KSRQ this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

0:00 ET ET · VFR

6:00 ET ET · VFR

12:00 ET ET · VFR

18:00 ET ET · VFR

S · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-13=GFS, 2026-09-14=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-14 00:00	85	Bkn	340/3kt	—	>10kft	>6SM
GFS	2026-09-14 03:00	82	Ovc	50/3kt	—	>10kft	>6SM
GFS	2026-09-14 06:00	80	Few	80/1kt	24.0	>10kft	>6SM
GFS	2026-09-14 09:00	79	Sct	10/2kt	—	>10kft	>6SM
GFS	2026-09-14 12:00	80	Few	20/4kt	20.0	>10kft	>6SM
GFS	2026-09-14 15:00	87	Few	350/4kt	—	>10kft	>6SM
GFS	2026-09-14 18:00	89	Ovc	280/8kt	41.0	>10kft	>6SM
GFS	2026-09-14 21:00	86	Ovc	300/8kt	—	>10kft	>6SM
GFS	2026-09-15 00:00	82	Ovc	360/4kt	48.0	>10kft	>6SM
GFS	2026-09-15 03:00	80	Bkn	60/3kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KSRQ 132053Z 00000KT 10SM CLR 32/24 A3000 RMK A02 SLP157 T03170239 56013

TAF KSRQ 131721Z 1318/1418 30008KT P6SM VCSH SCT030 BKN100 BKN250 FM132300 32006KT P6SM SCT030 BKN250 FM140200 VRB03KT P6SM FEW030 BKN250 FM141400 34006KT P6SM SCT030 BKN250 FM141700 29007KT P6SM VCTS SCT030CB BKN250

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KSRQ; actual-station=KSRQ; fetched-at=2026-09-13T22:25:41.898567+00:00; observed-or-issued-at=2026-09-13T20:53:00+00:00 — [AWC API](#)
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KSRQ; actual-station=KSRQ; fetched-at=2026-09-13T22:25:43.947674+00:00; observed-or-issued-at=2026-09-13T17:21:00+00:00; valid-from=2026-09-13T18:00:00+00:00; valid-through=2026-09-14T18:00:00+00:00; partial-target-dates=2026-09-13,2026-09-14 — [AWC API](#)

TAF proxy · KSRQ

- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KSRQ; actual-station=KSRQ; fetched-at=2026-09-13T22:25:45.630450+00:00
- FAA NMS NOTAM — state=OK; requested-station=KSRQ; actual-station=KSRQ; fetched-at=2026-09-13T22:25:49.742665Z — [FAA NMS overview](#)
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KSRQ; actual-station=KSRQ; fetched-at=2026-09-13T22:26:03.650894+00:00; observed-or-issued-at=2026-09-13T18:00:00+00:00; valid-from=2026-09-14T00:00:00+00:00; valid-through=2026-09-16T18:00:00+00:00; target-dates=2026-09-14; partial-target-dates=2026-09-13; dates-with-points=2026-09-13,2026-09-14 — [Iowa State API](#)
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KSRQ; actual-station=KSRQ; fetched-at=2026-09-13T22:26:04.387300+00:00; observed-or-issued-at=2026-09-13T12:00:00+00:00; valid-from=2026-09-14T12:00:00+00:00; valid-through=2026-09-21T12:00:00+00:00; target-dates=2026-09-14; dates-with-points=2026-09-14 — [Iowa State API](#)
- MOS effective date selection — state=partial; rows=10; requested-station=KSRQ; actual-station=KSRQ; fetched-at=2026-09-13T22:26:03.650894+00:00; observed-or-issued-at=2026-09-13T18:00:00+00:00; valid-from=2026-09-14T00:00:00+00:00; valid-through=2026-09-16T18:00:00+00:00; target-dates=2026-09-14; partial-target-dates=2026-09-13; dates-with-points=2026-09-13,2026-09-14; selected-by-date=2026-09-13=GFS, 2026-09-14=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.

• Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#24

KVNC Venice Muni, FL, US · Gulf East · Venice FL

OBS - VFR

ETE

2h51

DIST

422 nm

SUN 13 SEP 16:35 ET OBSERVED

Current observation

OBS - VFR

METAR

OBSERVED

broken 18,000 ft

WINDS (160°) 3 kt

TEMPERATURE28 °C

VISIBILITY10 sm

DEWPOINT25 °C



Wind favours RWY 13

160° true · 166° magnetic · 3 kt

Evidence & limitations

- METAR source state: ok; observed Sep 13 16:35 ET; retrieved Sep 13 18:25 ET; 110 min before this run.
- Measured values read from the KVNC METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.01 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KVNC runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 13/31, 05/23. Wind from 160 degrees true, 166 degrees magnetic, at 3 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 13. Wind source: KVNC METAR 132035Z.

DESTINATION OUTLOOK

SUN 13 SEP 18:00–00:00 ET HIGH

Forecast

TA
F

Flight-category guidance

TAF · VFR

FORECAST

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
 - Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.
- Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 13

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON 14 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 14 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 14 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 14 SEP 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND8 kt

TEMPERATURE86–88 °F

DEWPOINT77 °F

PRECIP CHANCE44%

Evidence & limitations

• GFS MAV MOS · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 14

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — source state: not_queried

CURRENT METAR TEMP DEP / DEST

32°C dep KLZU → 28°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

13/31 (130/310°M · 124/304°T) · 05/23 (050/230°M · 044/224°T) — designators and °M headings are magnetic; °T are true; variation 6°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMS

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

2026-09-13T22:25:49.870360Z.

pritative)

FRI SEP 11

SAT SEP 12

SUN SEP 13

MON SEP 14

07/031

08/096

09/006

Raw NOTAM data · NOTAMs as of 22:25 Z

NOTAMs as of 22:25 Z — advisory only; verify an official briefing.

6/8218

NOTAM text not available in this projection.

6/8216

NOTAM text not available in this projection.

07/031

NOTAM text not available in this projection.

08/096

NOTAM text not available in this projection.

09/006

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source

2026-09-13T22:25:49.870360Z.

1. VEHICLE. PL. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 4... ADD TAKEOFF OBSTACLE NOTE: RWY 31, TEMPORARY CRANES
ENTERLINE, 100FT AGL/ 100FT MSL (2024-ASD-15155-DE, 2024-ASD-17015-DE). ALL OTHER DATA REMAINS AS PUBLISHED. 2601131005-2610011005ST
:00Z

and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

OBSTRUCTION

OBSTRUCTION

OBSTRUCTION 20260807T11:23:00Z → 20261006T04:00:00Z (A:SPM,NNE,SPAC) RPT:RPT,COM:RPT,ACQ:ACQ
Effective 2026-08-07T11:23:00Z → 2026-10-06T04:00:00Z

OBSTRUCTION

OBSTRUCTION 2026-09-01T16:48:00Z → 2026-12-01T23:59:00Z
Effective 2026-09-01T16:48:00Z → 2026-12-01T23:59:00Z

+ Forecast evidence

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KVNC this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

0:00 ET ET · VFR

6:00 ET ET · VFR

2:00 ET ET · VFR

3:00 ET ET · VFR

S · 18:00–00:00 ET ET · VFR

Source state: partial; selected by target date: 2026-09-13=GFS, 2026-09-14=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-14 00:00	82	Bkn	330/4kt	—	>10kft	>6SM
GFS	2026-09-14 03:00	81	Ovc	30/3kt	—	>10kft	>6SM
GFS	2026-09-14 06:00	80	Sct	60/2kt	23.0	>10kft	>6SM
GFS	2026-09-14 09:00	79	Sct	10/3kt	—	>10kft	>6SM

GFS	2026-09-14 12:00	79	Bkn	10/4kt	24.0	>10kft	>6SM
GFS	2026-09-14 15:00	87	Bkn	340/5kt	—	>10kft	>6SM
GFS	2026-09-14 18:00	88	Ovc	280/8kt	44.0	>10kft	>6SM
GFS	2026-09-14 21:00	86	Ovc	310/8kt	—	>10kft	>6SM
GFS	2026-09-15 00:00	81	Ovc	360/5kt	51.0	>10kft	>6SM
GFS	2026-09-15 03:00	80	Bkn	50/4kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KVNC 132035Z AUTO 16003KT 10SM BKN180 28/25 A3001 RMK A02 LTG DSNT S AND SW T02840251 \$

TAF KSRQ 131721Z 1318/1418 30008KT P6SM VCSH SCT030 BKN100 BKN250 FM132300 32006KT P6SM SCT030 BKN250 FM140200 VRB03KT P6SM FEW030 BKN250 FM141400 34006KT P6SM SCT030 BKN250 FM141700 29007KT P6SM VCTS SCT030CB BKN250

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KVNC; actual-station=KVNC; fetched-at=2026-09-13T22:25:41.898567+00:00; observed-or-issued-at=2026-09-13T20:35:00+00:00 — [AWC API](#)
 - TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KVNC; actual-station=KSRQ; fetched-at=2026-09-13T22:25:43.947674+00:00; observed-or-issued-at=2026-09-13T17:21:00+00:00; valid-from=2026-09-13T18:00:00+00:00; valid-through=2026-09-14T18:00:00+00:00; partial-target-dates=2026-09-13,2026-09-14 — [AWC API](#)
- TAF proxy · KSRQ
- FAA airport status — state=not_queried; fetch-state=not_attempted; payload-state=not_attempted; requested-station=KVNC
 - FAA NMS NOTAM — state=OK; requested-station=KVNC; actual-station=KVNC; fetched-at=2026-09-13T22:25:49.870360Z — [FAA NMS overview](#)
 - MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KVNC; actual-station=KVNC; fetched-at=2026-09-13T22:26:03.669679+00:00; observed-or-issued-at=2026-09-13T18:00:00+00:00; valid-from=2026-09-14T00:00:00+00:00; valid-through=2026-09-16T18:00:00+00:00; target-dates=2026-09-14; partial-target-dates=2026-09-13; dates-with-points=2026-09-13,2026-09-14 — [Iowa State API](#)
 - MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KVNC; actual-station=KVNC; fetched-at=2026-09-13T22:26:04.401060+00:00; observed-or-issued-at=2026-09-13T12:00:00+00:00; valid-from=2026-09-14T12:00:00+00:00; valid-through=2026-09-21T12:00:00+00:00; target-dates=2026-09-14; dates-with-points=2026-09-14 — [Iowa State API](#)
 - MOS effective date selection — state=partial; rows=10; requested-station=KVNC; actual-station=KVNC; fetched-at=2026-09-13T22:26:03.669679+00:00; observed-or-issued-at=2026-09-13T18:00:00+00:00; valid-from=2026-09-14T00:00:00+00:00; valid-through=2026-09-16T18:00:00+00:00; target-dates=2026-09-14; partial-target-dates=2026-09-13; dates-with-points=2026-09-13,2026-09-14; selected-by-date=2026-09-13=GFS, 2026-09-14=GFS
 - Extended outlook and hazard-feed states are reported in the source stamp.
 - Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#25

KHSA

Bay St Louis/Stennis Intl, MS, US

· Gulf West · Stennis MS

OBS - VFR

ETE

2h25

DIST

353 nm

SUN 13 SEP 16:50 ET OBSERVED

Current observation

OBS - VFR

OBSER



scattered 4,000 ft



WINDS (190°) 5 kt



TEMPERATURE33 °C



VISIBILITY10 sm



DEWPOINT25 °C



Wind favours RWY 18

190° true · 191° magnetic · 5 kt

Evidence & limitations

- METAR source state: ok; observed Sep 13 16:50 ET; retrieved Sep 13 18:25 ET; 95 min before this run.
- Measured values read from the KHSa METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.97 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KHSa runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 18/36. Wind from 190 degrees true, 191 degrees magnetic, at 5 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 18. Wind source: KHSa METAR 132050Z.

DESTINATION OUTLOOK

SUN 13 SEP 18:00–00:00 ET HIGH

Forecast

TA
F

TAF · VFR

FORECAST



Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
 - Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.
- Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 13

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON 14 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 14 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 14 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 14 SEP 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND3–5 kt

TEMPERATURE92–93 °F

DEWPOINT75 °F

PRECIP CHANCE8%

Evidence & limitations

• GFS MAV MOS · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 14

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — source state: not_queried

CURRENT METAR TEMP DEP / DEST

32°C dep KLZU → 33°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

18/36 (180/000°M · 179/359°T) — designators and °M headings are magnetic; °T are true; variation 1°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 Act on

1 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production
source per owner decision 2026-08-09;
technical transport environment remains
preprod. Limited 2026-07-30 spot check
covered KLZU, KAVL, and KSGJ (3 of 30
airports). NOTAMS were read from this source
and used on this card this run. Typed state:
OK. The dot colour reports whether this
source was read this run; technical
environment: preprod.

2 · What

3 · Where

ed 2026-09-13T22:25:49.875740Z.

FRI SEP 11

SAT SEP 12

SUN SEP 13

MON SEP 14

09/006

07/008

07/018

7 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 22:25 Z

08/010

NOTAM text not available in this projection.

08/016

NOTAM text not available in this projection.

09/006

NOTAM text not available in this projection.

07/008

NOTAM text not available in this projection.

07/018

NOTAM text not available in this projection.

07/033

NOTAM text not available in this projection.

09/005

NOTAM text not available in this projection.

12/015

NOTAM text not available in this projection.

6/5656

NOTAM text not available in this projection.
07/002 NOTAM text not available in this projection.
08/013 NOTAM text not available in this projection.
02/005 NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

TAXIWAY

07018 — TWY C LOCATION SIGN BTN TWY A AND NORTH APN MISSING

Effective 2026-07-23T13:13:00Z → 2026-09-30T16:00:00Z

2026-09-13T22:25:49.875740Z.

REPHASE IN SIDE CROSS

2026-09-13T22:25:49.875740Z.

AREA NOT STD

2026-09-13T22:25:49.875740Z.

LOT NOT STD

2026-09-13T22:25:49.875740Z.

AND NORTH APN CLSD EXC ACFT WINGSPAN LESS THAN 50FT

2026-09-13T22:25:49.875740Z.

7 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and

No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KHSA this run.

published VFR Surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

0:00 ET ET · VFR

6:00 ET ET · VFR

12:00 ET ET · VFR

18:00 ET ET · VFR

S · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-13=GFS, 2026-09-14=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-14 00:00	84	Sct	180/3kt	—	>10kft	>6SM
GFS	2026-09-14 03:00	999	Few	990/99kt	—	>10kft	>6SM
GFS	2026-09-14 06:00	999	Few	990/99kt	14.0	>10kft	>6SM
GFS	2026-09-14 09:00	999	Clear	990/99kt	—	>10kft	>6SM
GFS	2026-09-14 12:00	74	Clear	10/1kt	8.0	>10kft	>6SM
GFS	2026-09-14 15:00	85	Clear	350/2kt	—	>10kft	>6SM
GFS	2026-09-14 18:00	93	Sct	140/3kt	8.0	>10kft	>6SM
GFS	2026-09-14 21:00	92	Sct	180/5kt	—	>10kft	>6SM
GFS	2026-09-15 00:00	85	Few	200/2kt	16.0	>10kft	>6SM
GFS	2026-09-15 03:00	999	Clear	990/99kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KHSA 132050Z 19005KT 10SM SCT040 33/25 A2997

TAF KGPT 131720Z 1318/1418 VRB03KT P6SM FEW035

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KHSA; actual-station=KHSA; fetched-at=2026-09-13T22:25:41.898567+00:00; observed-or-issued-at=2026-09-13T20:50:00+00:00 — [AWC API](#)
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KHSA; actual-station=KGPT; fetched-at=2026-09-13T22:25:43.947674+00:00; observed-or-issued-at=2026-09-13T17:20:00+00:00; valid-from=2026-09-13T18:00:00+00:00; valid-through=2026-09-14T18:00:00+00:00; partial-target-dates=2026-09-13,2026-09-14 — [AWC API](#)

TAF proxy · KGPT

- FAA airport status — state=not_queried; fetch-state=not_attempted; payload-state=not_attempted; requested-station=KHSA
- FAA NMS NOTAM — state=OK; requested-station=KHSA; actual-station=KHSA; fetched-at=2026-09-13T22:25:49.875740Z — [FAA NMS overview](#)

• MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KHSA; actual-station=KHSA; fetched-at=2026-09-13T22:26:03.656145+00:00; observed-or-issued-at=2026-09-13T18:00:00+00:00; valid-from=2026-09-14T00:00:00+00:00; valid-through=2026-09-16T18:00:00+00:00; target-dates=2026-09-14; partial-target-dates=2026-09-13; dates-with-points=2026-09-13,2026-09-14 — [Iowa State API](#)

• MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KHSA; actual-station=KHSA; fetched-at=2026-09-13T22:26:04.398000+00:00; observed-or-issued-at=2026-09-13T12:00:00+00:00; valid-from=2026-09-14T12:00:00+00:00; valid-through=2026-09-21T12:00:00+00:00; target-dates=2026-09-14; dates-with-points=2026-09-14 — [Iowa State API](#)

• MOS effective date selection — state=partial; rows=10; requested-station=KHSA; actual-station=KHSA; fetched-at=2026-09-13T22:26:03.656145+00:00; observed-or-issued-at=2026-09-13T18:00:00+00:00; valid-from=2026-09-14T00:00:00+00:00; valid-through=2026-09-16T18:00:00+00:00; target-dates=2026-09-14; partial-target-dates=2026-09-13; dates-with-points=2026-09-13,2026-09-14; selected-by-date=2026-09-13=GFS, 2026-09-14=GFS

• Extended outlook and hazard-feed states are reported in the source stamp.

• Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#26

KNEW

New Orleans/Lakefront Arpt, LA, US

· Gulf West · New Orleans Lakefront

OBS - VFR

EFE

2h38

DIST

389 nm

SUN 13 SEP 16:53 ET OBSERVED

Current observation

OBS - VFR

OBSER

META

R

clear below 12,000 ft (CLR)

WINDNW (320°) 4 kt

TEMPERATURE32 °C

VISIBILITY10 sm

DEWPOINT23 °C



Wind equally favours RWY 36L and 36R

320° true · 321° magnetic · 4 kt

Evidence & limitations

- METAR source state: ok; observed Sep 13 16:53 ET; retrieved Sep 13 18:25 ET; 92 min before this run.
- Measured values read from the KNEW METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.99 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.

• KNEW runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 18R/36L, 18L/36R, 09/27. Wind from 320 degrees true, 321 degrees magnetic, at 4 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Equally wind-favoured runway ends, highlighted: 36L and 36R. Wind source: KNEW METAR 132053Z.

DESTINATION OUTLOOK

SUN, SEP 13

SUN 13 SEP 18:00–00:00 ET HIGH

Forecast

TA

F

TAF

VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 13

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON 14 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 14 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 14 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 14 SEP 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND5–6 kt

TEMPERATURE90–91 °F

DEWPOINT74–76 °F

PRECIP CHANCE9%

Evidence & limitations

• GFS MAV MOS · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 14

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

32°C dep KLZU → 32°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

18R/36L (180/000°M · 179/359°T) · 18L/36R (180/000°M · 179/359°T) · 09/27 (090/270°M · 089/269°T) — designators and °M headings are magnetic; °T are true; variation 1°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMS

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

6 Act on

1 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

ed 2026-09-13T22:25:49.993279Z.

poritative)

FRI SEP 11

SAT SEP 12

SUN SEP 13

MON SEP 14

6/7961

6/6847

09/010

13 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 22:25 Z

NOTAMs as of 22:25 Z — advisory only; verify an official briefing.

6/1269

NOTAM text not available in this projection.

6/1270

NOTAM text not available in this projection.

6/7961

NOTAM text not available in this projection.

6/6847

NOTAM text not available in this projection.

09/010

NOTAM text not available in this projection.

09/008

NOTAM text not available in this projection.

07/007

NOTAM text not available in this projection.

07/014

NOTAM text not available in this projection.

08/002

NOTAM text not available in this projection.

08/005

NOTAM text not available in this projection.

08/015

NOTAM text not available in this projection.

08/016

NOTAM text not available in this projection.

08/020

NOTAM text not available in this projection.

09/002

NOTAM text not available in this projection.

09/006

NOTAM text not available in this projection.

09/007

NOTAM text not available in this projection.

09/011

NOTAM text not available in this projection.

09/003

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2026-09-13T22:25:49.993279Z.

INT, NEW ORLEANS, LA, ILS OR LOC RWY 18R, AMDT 1A... VOR/DME RWY 36L, AMDT 9A... CIRCLING CATS A/B MDA 560HAA 563. TEMPORARY CRANE, 203 MSL, 1500FT EAST OF KNEW AIRPORT (2025 ASDW-0013-NRA). 2605191300-2605292300EST

:00Z

INT, NEW ORLEANS, LA, RNAV (GPS) RWY 36L, ORIG-B... LPV DA 370HAT 365. TEMPORARY CRANE, 203 MSL, 1500FT SOUTHEAST OF RWY 36L.

:00Z

INT, NEW ORLEANS, LA, ILS OR LOC RWY 18R, AMDT 1A... PROCEDURE NA EXCEPT FOR ACFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, HPV 147-2605161647EST

Effective 2026-06-12T16:47:00Z → 2026-09-16T16:47:00Z

NAV APPROACH

05547 — IAP LAKEFRONT, NEW ORLEANS, LA, ILS OR LOC RWY 18R, AMDT 1A... VOR/DME RWY 36L, AMDT 9A... PROCEDURE NA EXCEPT FOR ACFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS. R04V VOR/DME OUT OF SERVICE. 2606201708-2610291708EST

Effective 2026-08-20T17:08:00Z → 2026-10-29T17:08:00Z

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KNEW this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

0:00 ET ET · VFR

5:00 ET ET · VFR

2:00 ET ET · VFR

3:00 ET ET · VFR

S · 18:00–00:00 ET ET · VFR

Source state: partial; selected by target date: 2026-09-13=GFS, 2026-09-14=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-14 00:00	87	Clear	210/6kt	—	>10kft	>6SM
GFS	2026-09-14 03:00	84	Clear	210/5kt	—	>10kft	>6SM
GFS	2026-09-14 06:00	82	Few	230/5kt	12.0	>10kft	>6SM
GFS	2026-09-14 09:00	82	Clear	280/5kt	—	>10kft	>6SM
GFS	2026-09-14 12:00	82	Clear	330/7kt	7.0	>10kft	>6SM
GFS	2026-09-14 15:00	86	Clear	360/5kt	—	>10kft	>6SM
GFS	2026-09-14 18:00	90	Few	360/5kt	9.0	>10kft	>6SM
GFS	2026-09-14 21:00	91	Sct	180/6kt	—	>10kft	>6SM

GFS	2026-09-15 00:00	88	Few	190/6kt	24.0	>10kft	>6SM
GFS	2026-09-15 03:00	85	Clear	200/6kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KNEW 132053Z 32004KT 10SM CLR 32/23 A2999 RMK A01 SLP150 T03220228 58023 \$

TAF KNEW 131720Z 1318/1418 VRB03KT P6SM SCT035

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KNEW; actual-station=KNEW; fetched-at=2026-09-13T22:25:41.898567+00:00; observed-or-issued-at=2026-09-13T20:53:00+00:00 — [AWC API](#)
 - TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KNEW; actual-station=KNEW; fetched-at=2026-09-13T22:25:43.947674+00:00; observed-or-issued-at=2026-09-13T17:20:00+00:00; valid-from=2026-09-13T18:00:00+00:00; valid-through=2026-09-14T18:00:00+00:00; partial-target-dates=2026-09-13,2026-09-14 — [AWC API](#)
- TAF proxy · KNEW
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KNEW; actual-station=KNEW; fetched-at=2026-09-13T22:25:45.739538+00:00
 - FAA NMS NOTAM — state=OK; requested-station=KNEW; actual-station=KNEW; fetched-at=2026-09-13T22:25:49.993279Z — [FAA NMS overview](#)
 - MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KNEW; actual-station=KNEW; fetched-at=2026-09-13T22:26:03.661458+00:00; observed-or-issued-at=2026-09-13T18:00:00+00:00; valid-from=2026-09-14T00:00:00+00:00; valid-through=2026-09-16T18:00:00+00:00; target-dates=2026-09-14; partial-target-dates=2026-09-13; dates-with-points=2026-09-13,2026-09-14 — [Iowa State API](#)
 - MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KNEW; actual-station=KNEW; fetched-at=2026-09-13T22:26:04.420986+00:00; observed-or-issued-at=2026-09-13T12:00:00+00:00; valid-from=2026-09-14T12:00:00+00:00; valid-through=2026-09-21T12:00:00+00:00; target-dates=2026-09-14; dates-with-points=2026-09-14 — [Iowa State API](#)
 - MOS effective date selection — state=partial; rows=10; requested-station=KNEW; actual-station=KNEW; fetched-at=2026-09-13T22:26:03.661458+00:00; observed-or-issued-at=2026-09-13T18:00:00+00:00; valid-from=2026-09-14T00:00:00+00:00; valid-through=2026-09-16T18:00:00+00:00; target-dates=2026-09-14; partial-target-dates=2026-09-13; dates-with-points=2026-09-13,2026-09-14; selected-by-date=2026-09-13=GFS, 2026-09-14=GFS
 - Extended outlook and hazard-feed states are reported in the source stamp.
 - Runway data + Chart Supplement — [FAA Chart Supplement \(current cycle\)](#) — see AirNav link above

ETE

3h30

DIST

521 nm

SUN 13 SEP 16:53 ET OBSERVED

Current observation

METAR

few 5,000 ft

WINDS (160°) 5 kt

⌵ OBS - VFR

OBSER

TEMPERATURE27 °C

VISIBILITY10 sm

DEWPOINT26 °C

From 167°M · 5 kt

160° · 167° · 167°

160° · 167° · 167°

160° · 167° · 167°

160° · 167° · 167°

160° · 167° · 167°

Wind favours RWY 12

160° true · 167° magnetic · 5 kt

Evidence & limitations

- METAR source state: ok; observed Sep 13 16:53 ET; retrieved Sep 13 18:25 ET; 92 min before this run.
- Measured values read from the KOPF METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.01 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KOPF runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 09L/27R, 12/30, 09R/27L. Wind from 160 degrees true, 167 degrees magnetic, at 5 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 12. Wind source: KOPF METAR 132053Z.

DESTINATION OUTLOOK

SUN, SEP 13

SUN 13 SEP 18:00–00:00 ET HIGH

Forecast

TA

F

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

TAF · VFR

FORECAST

Surface prog evidence · Sun Sep 13

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON 14 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 14 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 14 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 14 SEP 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND6–7 kt

TEMPERATURE88–89 °F

DEWPOINT75 °F

PRECIP CHANCE8%

Evidence & limitations

• GFS MAV MOS · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 14

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

32°C dep KLZU → 27°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

09L/27R (090/270°M · 083/263°T) · 12/30 (120/300°M · 113/293°T) · 09R/27L (090/270°M · 083/263°T) — designators and °M headings are magnetic; °T are true; variation 7°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMS

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

12 Act on

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production
source per owner decision 2026-08-09;
technical transport environment remains
preprod. Limited 2026-07-30 spot check
covered KLZU, KAVL, and KSGJ (3 of 30
airports). NOTAMs were read from this source
and used on this card this run. Typed state:
OK. The dot colour reports whether this
source was read this run; technical
environment: preprod.

2 · What

3 · Where

ed 2026-09-13T22:25:50.043282Z.
pritative)

FRI SEP 11

SAT SEP 12

SUN SEP 13

MON SEP 14

08/051

5/7064

5/0554

86 additional normalized NOTAM records omitted from this view

Raw NOTAM data · NOTAMs as of 22:25 Z

6/2604

NOTAM text not available in this projection

08/050

NOTAM text not available in this projection

08/05:

NOTAM text not available in this projection

5/7064

NOTAM text not available in this projection

5/0554

NOTAM text not available in this projection

6/2599

NOTAM text not available in this projection

6/2230

NOTAM text not available in this projection

6/1259

NOTAM text not available in this projection

6/818

NOTAM text not available in this projection.

6/8903

NOTAM text not available in this projection.

6/8910

NOTAM text not available in this projection.

6/8914

NOTAM text not available in this projection.

6/8915

NOTAM text not available in this projection.

6/8918

NOTAM text not available in this projection.

6/8919

NOTAM text not available in this projection.

6/8921

NOTAM text not available in this projection.

05/045

NOTAM text not available in this projection.

07/090

NOTAM text not available in this projection.

07/091

NOTAM text not available in this projection.

07/092

NOTAM text not available in this projection.

07/093

NOTAM text not available in this projection.

07/094

NOTAM text not available in this projection.

07/095

NOTAM text not available in this projection.

07/096

NOTAM text not available in this projection.

07/097

NOTAM text not available in this projection.

07/098

NOTAM text not available in this projection.

07/102

NOTAM text not available in this projection.

07/103

NOTAM text not available in this projection.

07/104

NOTAM text not available in this projection.

07/109

NOTAM text not available in this projection.

07/110

NOTAM text not available in this projection.

07/111

NOTAM text not available in this projection.

07/112

NOTAM text not available in this projection.

07/113

NOTAM text not available in this projection.

07/114

NOTAM text not available in this projection.

07/115

NOTAM text not available in this projection.

07/116

NOTAM text not available in this projection.

07/117

NOTAM text not available in this projection.

07/118

NOTAM text not available in this projection.

07/119

NOTAM text not available in this projection.

07/120

NOTAM text not available in this projection.

07/121

NOTAM text not available in this projection.

07/124

NOTAM text not available in this projection.

07/125

NOTAM text not available in this projection.

07/126

NOTAM text not available in this projection.

07/130

NOTAM text not available in this projection.

07/131

NOTAM text not available in this projection.

07/132

NOTAM text not available in this projection.

07/133

NOTAM text not available in this projection.

07/134

NOTAM text not available in this projection.

10/001

NOTAM text not available in this projection.

10/002

NOTAM text not available in this projection.

10/044

NOTAM text not available in this projection.

10/045

NOTAM text not available in this projection.

10/050

NOTAM text not available in this projection.

10/051

NOTAM text not available in this projection.

10/046

NOTAM text not available in this projection.

10/047

NOTAM text not available in this projection.

10/048

NOTAM text not available in this projection.

10/049

NOTAM text not available in this projection.

11/013

NOTAM text not available in this projection.

11/014

NOTAM text not available in this projection.

11/015

NOTAM text not available in this projection.

11/016

NOTAM text not available in this projection.

11/025

NOTAM text not available in this projection.

11/026

NOTAM text not available in this projection.

11/027

NOTAM text not available in this projection.

11/028

NOTAM text not available in this projection.

02/017

NOTAM text not available in this projection.

02/018

NOTAM text not available in this projection.

03/037

NOTAM text not available in this projection.

03/038

NOTAM text not available in this projection.

03/044

NOTAM text not available in this projection.

05/068

NOTAM text not available in this projection.

05/069

NOTAM text not available in this projection.

05/070

NOTAM text not available in this projection.

05/071

NOTAM text not available in this projection.

05/073

NOTAM text not available in this projection.

05/074

NOTAM text not available in this projection.

06/061

NOTAM text not available in this projection.

06/062

NOTAM text not available in this projection.

06/063

NOTAM text not available in this projection.

08/030

NOTAM text not available in this projection.

08/033

NOTAM text not available in this projection.

08/034

NOTAM text not available in this projection.

08/035

NOTAM text not available in this projection.

08/036

NOTAM text not available in this projection.

08/039

NOTAM text not available in this projection.

08/040

NOTAM text not available in this projection.

08/041

NOTAM text not available in this projection.

08/042

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2026-09-13T22:25:50.043282Z.

LOCKA EXEC. MIAMI, FL. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 9A... TAKEOFF MINIMUMS: RWY 27L 300-1. TAKEOFF
BARY CRANES BEGINNING 1200FT FROM DER, 454FT RIGHT OF CENTERLINE, UP TO 34FT AGL/42FT MSL (2017-ASD-74175-NRA). TEMPORARY CRANES
T LEFT OF CENTERLINE, UP TO 34FT AGL/42FT MSL (2017-ASD-70883-NRA). TEMPORARY CRANE 2021FT FROM DER, 86FT RIGHT OF CENTERLINE, 79FT AGL/
F 12. TEMPORARY CRANES BEGINNING 800FT FROM DER, 540FT LEFT OF CENTERLINE, UP TO 34FT AGL/42FT MSL (2017-ASD-70800-NRA). TEMPORARY
DER, 113FT RIGHT OF CENTERLINE, UP TO 34FT AGL/42FT MSL (2017-ASD-74175-NRA). TEMPORARY CRANE 1670FT FROM DER, 601FT LEFT OF CENTERLINE,
(DOE). TEMPORARY CRANE 3466FT FROM DER, 1404FT RIGHT OF CENTERLINE, 120FT AGL/120FT MSL (2023-ASD-32414-OE). RWY 27L, TEMPORARY CRANES
MINING 467 FT RIGHT OF CENTERLINE, 167 AGL/177 MSL (2020-ASD-1933/1934-NRA). TEMPORARY CRANES BEGINNING 3253FT FROM DER, BEGINNING 814FT
107FT MSL (2023-ASD-27044/27046/27050/27052-OE). RWY 30, TEMPORARY CONSTRUCTION EQUIPMENT 33FT FROM DER, 271FT RIGHT OF CENTERLINE,

PUBLISHED. END PART 1 OF 2 ODP MIAMI-OPA LOCKA EXEC. MIAMI, FL. 23FT AGL/27FT MSL (2023-ASD-7484-NRA). ALL OTHER DATA REMAINS AS PUBLISHED. END PART 2 OF 2

Effective 2026-03-03T15:34:00Z → 2026-11-16T15:34:00Z

RUNWAY 08050 → RWY 27R 1000FT DIST REMAINING SIGN MISSING

Effective 2026-08-20T11:42:00Z → 2027-08-01T04:00:00Z

RUNWAY 08051 → RWY 09L 7000FT DIST REMAINING SIGN MISSING

Effective 2026-08-20T11:43:00Z → 2027-08-01T04:00:00Z

NAV_APPROACH 87054 → ODP MIAMI-OPA LOCKA EXEC. MIAMI, FL. ILS OR LOC RWY 12, AMDT 2C... AUTOPILOT COUPLED APPROACH NA BELOW 500 MSL. 2500251214-2700251216EST

Effective 2025-05-07T12:14:00Z → 2027-05-07T12:13:00Z

NAV_APPROACH 88054 → ODP MIAMI-OPA LOCKA EXEC. MIAMI, FL. ILS OR LOC RWY 09, AMDT 6... AUTOPILOT COUPLED APPROACH NA BELOW 770. 2500251859-2700251859EST

Effective 2025-09-25T18:59:00Z → 2027-09-25T18:59:00Z

86 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

Forecast for Aviation and the Weather Prediction Center surface progs, issued by the National Weather Service through the day; the surface prog series reaches 144 hours. They are raster images a pilot reads for fronts, pressure systems and precipitation shields. This page displays them with their issuing office and valid time and never interprets them: no category, wind, ceiling, ranking or go/no-go here is derived from an image. A published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

0:00 ET ET · VFR

6:00 ET ET · VFR

12:00 ET ET · VFR

18:00 ET ET · VFR

S · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-13=GFS, 2026-09-14=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-13 18:00	88	Bkn	100/5kt	—	>10kft	>6SM
GFS	2026-09-13 21:00	86	Ovc	120/6kt	—	>10kft	>6SM
GFS	2026-09-14 00:00	82	Ovc	210/5kt	63.0	>10kft	>6SM
GFS	2026-09-14 03:00	80	Bkn	240/2kt	—	>10kft	>6SM
GFS	2026-09-14 06:00	79	Few	0/0kt	34.0	>10kft	>6SM
GFS	2026-09-14 09:00	78	Clear	0/0kt	—	>10kft	>6SM
GFS	2026-09-14 12:00	79	Clear	250/1kt	1.0	>10kft	>6SM
GFS	2026-09-14 15:00	88	Clear	170/3kt	—	>10kft	>6SM
GFS	2026-09-14 18:00	89	Sct	130/6kt	8.0	>10kft	>6SM
GFS	2026-09-14 21:00	88	Sct	130/7kt	—	>10kft	>6SM
GFS	2026-09-15 00:00	84	Bkn	120/6kt	23.0	>10kft	>6SM
GFS	2026-09-15 03:00	83	Few	110/3kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KOPF 132053Z 16005KT 10SM -RA FEW050 27/26 A3001 RMK A02 LTG DSNT N SLP162 6///// T02670256 58007 PNO \$

TAF KOPF 132059Z 1321/1418 VRB05KT P6SM VCSH SCT025 BKN050 FM140100 VRB04KT P6SM FEW040 SCT250

+ [Data sources used](#)

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KOPF; actual-station=KOPF; fetched-at=2026-09-13T22:25:41.898567+00:00; observed-or-issued-at=2026-09-13T20:53:00+00:00 — [AWC API](#)
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KOPF; actual-station=KOPF; fetched-at=2026-09-13T22:25:43.947674+00:00; observed-or-issued-at=2026-09-13T20:59:00+00:00; valid-from=2026-09-13T21:00:00+00:00; valid-through=2026-09-14T18:00:00+00:00; partial-target-dates=2026-09-13,2026-09-14 — [AWC API](#)
- TAF proxy · KOPF
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KOPF; actual-station=KOPF; fetched-at=2026-09-13T22:25:45.509667+00:00
- FAA NMS NOTAM — state=OK; requested-station=KOPF; actual-station=KOPF; fetched-at=2026-09-13T22:25:50.043282Z — [FAA NMS overview](#)
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KOPF; actual-station=KOPF; fetched-at=2026-09-13T22:26:03.670989+00:00; observed-or-issued-at=2026-09-13T12:00:00+00:00; valid-from=2026-09-13T18:00:00+00:00; valid-through=2026-09-16T12:00:00+00:00; target-dates=2026-09-14; partial-target-dates=2026-09-13; dates-with-points=2026-09-13,2026-09-14 — [Iowa State API](#)
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KOPF; actual-station=KOPF; fetched-at=2026-09-13T22:26:04.399222+00:00; observed-or-issued-at=2026-09-13T12:00:00+00:00; valid-from=2026-09-14T12:00:00+00:00; valid-through=2026-09-21T12:00:00+00:00; target-dates=2026-09-14; dates-with-points=2026-09-14 — [Iowa State API](#)
- MOS effective date selection — state=partial; rows=12; requested-station=KOPF; actual-station=KOPF; fetched-at=2026-09-13T22:26:03.670989+00:00; observed-or-issued-at=2026-09-13T12:00:00+00:00; valid-from=2026-09-13T18:00:00+00:00; valid-through=2026-09-16T12:00:00+00:00; target-dates=2026-09-14; partial-target-dates=2026-09-13; dates-with-points=2026-09-13,2026-09-14; selected-by-date=2026-09-13=GFS, 2026-09-14=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — [FAA Chart Supplement \(current cycle\)](#) — see AirNav link above

#28 **KHPN** White Plains/Westchester Cnty, NY, US · Long-range · White Plains NY

 OBS - MVFR

ETE

4h18

DIST

647 nm

SUN 13 SEP 16:45 ET OBSERVED

Current observation

 OBS - MVFR



 broken 2,300 ft

 WINDNW (300°) 8 kt

 TEMPERATURE24 °C

 VISIBILITY10 sm

 DEWPOINT21 °C



Wind favours RWY 29
300° true · 313° magnetic · 8 kt · NOTAM-affected: 16 and 34

OBSE

Evidence & limitations

- METAR source state: ok; observed Sep 13 16:45 ET; retrieved Sep 13 18:25 ET; 100 min before this run.
- Measured values read from the KHPN METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.85 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KHPN runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 16/34, 11/29. Wind from 300 degrees true, 313 degrees magnetic, at 8 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 29. NOTAM-affected runway ends, hatched separately from the wind highlight: 16 and 34. The hatch marks only that a NOTAM names the runway; it does not decode the NOTAM's effective times, so confirm the closure window in the NOTAM text below. Wind source: KHPN METAR 132045Z.

DESTINATION OUTLOOK

SUN, SEP 13

SUN 13 SEP 18:00–00:00 ET HIGH

Forecast

TAF

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

TAF · 18:00–00:00 ET ET · VFR

Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 13

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON 14 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 14 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 14 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 14 SEP 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND14–15 kt

TEMPERATURE71–72 °F

DEWPOINT44–47 °F

PRECIP CHANCE0%

Evidence & limitations

• GFS MAV MOS · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 14

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

32°C dep KLZU → 24°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

16/34 (160/340°M · 147/327°T) · 11/29 (110/290°M · 097/277°T) — designators and °M headings are magnetic; °T are true; variation 13°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMS

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

8 Act on

1 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production
source per owner decision 2026-08-09;
technical transport environment remains
preprod. Limited 2026-07-30 spot check
covered KLZU, KAVL, and KSGJ (3 of 30
airports). NOTAMs were read from this source
and used on this card this run. Typed state:
OK. The dot colour reports whether this
source was read this run; technical
environment: preprod.

2 · What

3 · Where

ed 2026-09-13T22:25:50.083611Z.

WS

FRI SEP 11

SAT SEP 12

SUN SEP 13

MON SEP 14

A3675/26

09/062

A3797/26

23 additional normalized NOTAM records omitted from this view

Raw NOTAM data · NOTAMs as of 22:25 Z

08/243

NOTAM text not available in this projection.

08/245

NOTAM text not available in this projection.

A3675/26

NOTAM text not available in this projection.

09/062

NOTAM text not available in this projection.

A3797/26

NOTAM text not available in this projection.

03/058

NOTAM text not available in this projection.

A1006/26

NOTAM text not available in this projection

03/062

NOTAM text not available in this projection

A1019/26

NOTAM text not available in this projection.

04/112

NOTAM text not available in this projection.

A1392/26

NOTAM text not available in this projection.

07/120

NOTAM text not available in this projection.

A2868/26

NOTAM text not available in this projection.

08/016

NOTAM text not available in this projection.

A3278/26

NOTAM text not available in this projection.

08/204

NOTAM text not available in this projection.

A3585/26

NOTAM text not available in this projection.

09/053

NOTAM text not available in this projection.

A3791/26

NOTAM text not available in this projection.

6/4747

NOTAM text not available in this projection.

6/4758

NOTAM text not available in this projection.

A0678/26

NOTAM text not available in this projection.

A0679/26

NOTAM text not available in this projection.

03/045

NOTAM text not available in this projection.

6/5381

NOTAM text not available in this projection.

A1014/26
NOTAM text not available in this projection.

6/9015
NOTAM text not available in this projection.

A1738/26
NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

RUNWAY

A1738/26 — OWNER-APPROVED

Effective 2026-09-14T04:00:00Z → 2026-09-15T09:30:00Z

23 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and

valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KHPN this run.

published VFR Surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

0:00 ET ET · VFR
6:00 ET ET · VFR
12:00 ET ET · VFR
18:00 ET ET · VFR
S · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-13=GFS, 2026-09-14=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-14 00:00	72	Ovc	240/2kt	—	1-3kft	>6SM
GFS	2026-09-14 03:00	71	Ovc	250/2kt	—	5-10kft	>6SM
GFS	2026-09-14 06:00	68	Ovc	310/5kt	6.0	>10kft	>6SM
GFS	2026-09-14 09:00	65	Bkn	320/12kt	—	>10kft	>6SM
GFS	2026-09-14 12:00	65	Sct	320/14kt	1.0	>10kft	>6SM
GFS	2026-09-14 15:00	69	Few	330/16kt	—	>10kft	>6SM
GFS	2026-09-14 18:00	72	Few	330/15kt	0.0	>10kft	>6SM
GFS	2026-09-14 21:00	71	Few	330/14kt	—	>10kft	>6SM
GFS	2026-09-15 00:00	64	Clear	330/8kt	0.0	>10kft	>6SM
GFS	2026-09-15 03:00	57	Clear	330/7kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

SPECI KHPN 132045Z 30008KT 10SM BKN023 24/21 A2985 RMK A02 T02440206

TAF KHPN 132212Z 1322/1418 30006KT P6SM FEW030 FM132300 VRB03KT P6SM FEW035 FM140800 32011KT P6SM SCT040 BKN100 FM141300 32014G23KT P6SM SKC AMD NOT SKED

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KHPN; actual-station=KHPN; fetched-at=2026-09-13T22:25:41.898567+00:00; observed-or-issued-at=2026-09-13T20:45:00+00:00 — [AWC API](#)
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KHPN; actual-station=KHPN; fetched-at=2026-09-13T22:25:43.947674+00:00; observed-or-issued-at=2026-09-13T22:12:00+00:00; valid-from=2026-09-13T22:00:00+00:00; valid-through=2026-09-14T18:00:00+00:00; partial-target-dates=2026-09-13,2026-09-14 — [AWC API](#)

TAF proxy · KHPN

- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KHPN; actual-station=KHPN; fetched-at=2026-09-13T22:25:45.425304+00:00
- FAA NMS NOTAM — state=OK; requested-station=KHPN; actual-station=KHPN; fetched-at=2026-09-13T22:25:50.083611Z — [FAA NMS overview](#)

• MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KHPN; actual-station=KHPN; fetched-at=2026-09-13T22:26:03.751554+00:00; observed-or-issued-at=2026-09-13T18:00:00+00:00; valid-from=2026-09-14T00:00:00+00:00; valid-through=2026-09-16T18:00:00+00:00; target-dates=2026-09-14; partial-target-dates=2026-09-13; dates-with-points=2026-09-13,2026-09-14 — [Iowa State API](#)

• MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KHPN; actual-station=KHPN; fetched-at=2026-09-13T22:26:04.379723+00:00; observed-or-issued-at=2026-09-13T12:00:00+00:00; valid-from=2026-09-14T12:00:00+00:00; valid-through=2026-09-21T12:00:00+00:00; target-dates=2026-09-14; dates-with-points=2026-09-14 — [Iowa State API](#)

• MOS effective date selection — state=partial; rows=10; requested-station=KHPN; actual-station=KHPN; fetched-at=2026-09-13T22:26:03.751554+00:00; observed-or-issued-at=2026-09-13T18:00:00+00:00; valid-from=2026-09-14T00:00:00+00:00; valid-through=2026-09-16T18:00:00+00:00; target-dates=2026-09-14; partial-target-dates=2026-09-13; dates-with-points=2026-09-13,2026-09-14; selected-by-date=2026-09-13=GFS, 2026-09-14=GFS

• Extended outlook and hazard-feed states are reported in the source stamp.

• Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#29

KBED

Bedford/Hanscom Fld, MA, US

· Long-range · Boston-Bedford MA

OBS - LIFR

EFE

5h11

DIST

784 nm

SUN 13 SEP 16:51 ET OBSERVED

Current observation

METAR

R

OBS - LIFR

OBSERVED

overcast 200 ft

WIND

calm

TEMPERATURE

19 °C

VISIBILITY

10 sm

DEWPOINT

19 °C

Evidence & limitations

• METAR source state: ok; observed Sep 13 16:51 ET; retrieved Sep 13 18:25 ET; 94 min before this run.

• Measured values read from the KBED METAR. This is a current surface observation only; it is not a forecast.

• Only fields decoded from this METAR are shown; every missing field remains unavailable.

• Altimeter: 29.81 inHg.

• The complete raw METAR remains in this airport's Raw products disclosure.

DESTINATION OUTLOOK

SUN 13 SEP 18:00–00:00 ET HIGH

Forecast

TA
F

TAF ·
IFR

FORECAST

 Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · IFR
 - Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.
- Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 13

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON 14 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · IFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

TAF · 00:00–06:00 ET ET · IFR

Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 14 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

TAF · 12:00–18:00 ET ET · VFR

Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 14 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

TAF · 06:00–12:00 ET ET · MVFR

Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 14 SEP 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

FORECAST

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND12–13 kt

TEMPERATURE73–75 °F

DEWPOINT46–47 °F

PRECIP CHANCE0%

Evidence & limitations

GFS MAV MOS · 18:00–00:00 ET ET · VFR

Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 14

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

32°C dep KLZU → 19°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

11/29 (110/290°M · 096/276°T) · 05/23 (050/230°M · 036/216°T) — designators and °M headings are magnetic; °T are true; variation 14°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMS

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

ed 2026-09-13T22:25:50.142133Z.
poritative)

FRI SEP 11

SAT SEP 12

SUN SEP 13

MON SEP 14

A2225/26

08/020

A2431/26

12 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 22:25 Z

NOTAMs as of 22:25 Z — advisory only; verify an official briefing.

5/0511

NOTAM text not available in this projection.

06/013

NOTAM text not available in this projection.

A2225/26

NOTAM text not available in this projection.

08/020

NOTAM text not available in this projection.

A2431/26

NOTAM text not available in this projection.

08/088

NOTAM text not available in this projection.

A1392/25

NOTAM text not available in this projection.

5/0197

NOTAM text not available in this projection.

A2784/25

NOTAM text not available in this projection.

6/8189

NOTAM text not available in this projection.

A2533/26

NOTAM text not available in this projection.

06/012

NOTAM text not available in this projection.

06/054

NOTAM text not available in this projection.

07/034

NOTAM text not available in this projection.

A2378/26

NOTAM text not available in this projection.

08/093

NOTAM text not available in this projection.

09/008

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2026-09-13T22:25:50.142133Z.

HANSCOM FLD, BEDFORD, MA, TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 6A, IN ADDITION TO EXISTING TAKEOFF OBSTACLE DATA: (A) RWY 29: 155 FT AGL/262 FT MSL ANTENNA 5027 FT FROM DER, 1882 FT LEFT OF CENTERLINE, 285 FT MSL. ALL OTHER OBSTACLES 270/305/180/85 FT.

2026-09-13T22:25:50.142133Z.

HANSCOM FLD, BEDFORD, MA, TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 6A, IN ADDITION TO EXISTING TAKEOFF OBSTACLE DATA: (A) RWY 29: 155 FT AGL/262 FT MSL ANTENNA 5027 FT FROM DER, 1882 FT LEFT OF CENTERLINE, 285 FT MSL. ALL OTHER OBSTACLES 270/305/180/85 FT.

2026-09-13T22:25:50.142133Z.

HANSCOM FLD, BEDFORD, MA, TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 6A, IN ADDITION TO EXISTING TAKEOFF OBSTACLE DATA: (A) RWY 29: 155 FT AGL/262 FT MSL ANTENNA 5027 FT FROM DER, 1882 FT LEFT OF CENTERLINE, 285 FT MSL. ALL OTHER OBSTACLES 270/305/180/85 FT.

2026-09-13T22:25:50.142133Z.

TAXIWAY 080126 — TWY T DIRECTION MARKINGS REMOVED

Effective 2026-08-10T16:47:00Z → 2026-12-31T22:00:00Z

TAXIWAY A2431/26 — TWY T DIRECTION MARKINGS REMOVED

Effective 2026-08-10T16:47:00Z → 2026-12-31T22:00:00Z

12 additional normalized FAA NOTAM records omitted from this view.

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KBED this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

0:00 ET ET · IFR
6:00 ET ET · IFR
12:00 ET ET · MVFR
18:00 ET ET · VFR
S · 18:00–00:00 ET ET · VFR

Source state: partial; selected by target date: 2026-09-13=GFS, 2026-09-14=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-14 00:00	65	Ovc	80/2kt	—	200-500ft	>6SM
GFS	2026-09-14 03:00	64	Ovc	240/1kt	—	200-500ft	3-5SM
GFS	2026-09-14 06:00	65	Ovc	250/4kt	0.0	200-500ft	3-5SM
GFS	2026-09-14 09:00	63	Ovc	270/5kt	—	>10kft	>6SM
GFS	2026-09-14 12:00	63	Sct	290/9kt	0.0	>10kft	>6SM
GFS	2026-09-14 15:00	70	Clear	320/15kt	—	>10kft	>6SM
GFS	2026-09-14 18:00	75	Clear	320/13kt	0.0	>10kft	>6SM
GFS	2026-09-14 21:00	73	Clear	330/12kt	—	>10kft	>6SM
GFS	2026-09-15 00:00	63	Clear	340/6kt	0.0	>10kft	>6SM
GFS	2026-09-15 03:00	55	Clear	350/4kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KBED 132051Z 00000KT 10SM OVC002 19/19 A2981 RMK A02 RAE07 SLP106 P0000 60016 T01940189 55027 \$

TAF KBED 131735Z 1318/1418 13004KT 4SM -SHRA BR BKN003 FM132100 00000KT 3SM BR BKN008 FM140200 VRB03KT 1SM BR SCT003 BKN008 FM140800 27005KT P6SM SCT008 BKN025 FM141100 30006KT P6SM BKN080 FM141500 33010G21KT P6SM SKC

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KBED; actual-station=KBED; fetched-at=2026-09-13T22:25:41.898567+00:00; observed-or-issued-at=2026-09-13T20:51:00+00:00 — [AWC API](#)
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KBED; actual-station=KBED; fetched-at=2026-09-13T22:25:43.947674+00:00; observed-or-issued-at=2026-09-13T17:35:00+00:00; valid-from=2026-09-13T18:00:00+00:00; valid-through=2026-09-14T18:00:00+00:00; partial-target-dates=2026-09-13,2026-09-14 — [AWC API](#)
- TAF proxy · KBED
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KBED; actual-station=KBED; fetched-at=2026-09-13T22:25:46.051404+00:00
- FAA NMS NOTAM — state=OK; requested-station=KBED; actual-station=KBED; fetched-at=2026-09-13T22:25:50.142133Z — [FAA NMS overview](#)
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KBED; actual-station=KBED; fetched-at=2026-09-13T22:26:03.751011+00:00; observed-or-issued-at=2026-09-13T18:00:00+00:00; valid-from=2026-09-14T00:00:00+00:00; valid-through=2026-09-16T18:00:00+00:00; target-dates=2026-09-14; partial-target-dates=2026-09-13; dates-with-points=2026-09-13,2026-09-14 — [Iowa State API](#)
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KBED; actual-station=KBED; fetched-at=2026-09-13T22:26:04.527219+00:00; observed-or-issued-at=2026-09-13T12:00:00+00:00; valid-from=2026-09-14T12:00:00+00:00; valid-through=2026-09-21T12:00:00+00:00; target-dates=2026-09-14; dates-with-points=2026-09-14 — [Iowa State API](#)
- MOS effective date selection — state=partial; rows=10; requested-station=KBED; actual-station=KBED; fetched-at=2026-09-13T22:26:03.751011+00:00; observed-or-issued-at=2026-09-13T18:00:00+00:00; valid-from=2026-09-14T00:00:00+00:00; valid-through=2026-09-16T18:00:00+00:00; target-dates=2026-09-14; partial-target-dates=2026-09-13; dates-with-points=2026-09-13,2026-09-14; selected-by-date=2026-09-13=GFS, 2026-09-14=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — [FAA Chart Supplement \(current cycle\)](#) — see AirNav link above

3 · Hazard feeds & regional observations

Unfiltered hazard feeds (not route-geometry screened): 23 SIGMET records, 30 G-AIRMET records, 2 CWA records. Regional current observations (not corridor forecasts): Atlantic South: MVFR at KSGJ; Long-range: IFR/LIFR at KBED; Long-range: MVFR at KHPN.

Scope: Hazard counts are raw feed totals and have not been filtered against a proposed route, altitude, or time. Airport flight categories are current point observations, not corridor forecasts.

4 · Planning gates

- **Evidence gate:** an unavailable, stale, or out-of-horizon source is unknown — never treat it as favorable.
- **Weather gate:** compare current observations and valid-period forecasts with personal ceiling, visibility, convection, wind, and crosswind minimums.
- **Route gate:** screen the actual route, altitude, and time against official hazard products; feed totals on this page are not route-filtered.
- **Operations gate:** verify NOTAMs, TFRs, runway conditions, fuel, aircraft performance, daylight, and alternates.

5 · ForeFlight manual cross-check (before flight)

- Official briefing matches these go/no-go windows

- Prog charts / radar / satellite trend agrees with convection timing
- Winds & temps aloft along actual route (may shift ETE)
- **NOTAMs & TFRs** — airport-scoped NMS records may be shown, but route-wide/TFR coverage is not included; pull a fresh official briefing for departure, destination, and alternates
- Runway condition / length / closures at destination & alternate
- Weight & balance + performance at forecast density altitude (heat!)
- File & brief in ForeFlight; confirm fuel stops if long-range

6 · Source stamp

Show source stamp and evidence inventory

KLZU METAR excerpt: METAR KLZU 132056Z 32005. AWC METAR state OK for 30/30 airports; TAF target coverage for 0/30; MOS fetch health GFS 30/30, MEX 30/30; target coverage 30/60 airport-days; planned-window board coverage 2/2; combined target forecast coverage for 0/30; FAA status known for 0/30. Hazard feeds: state=ok; SIGMET=23, G-AIRMET=30, CWA=2; counts are unfiltered and are not a route assessment.
NWS AFD state: ok · FAA NMS NOTAM states: OK=30; normalized records=715; unnormalized records=0; environment=preprod; sandbox-public-preview=true · Fuel: best-effort (verify) · FAA chart cycle: VFR Sectional Ed. 98 (eff. 09/03/2026); Chart Supplement Ed. 5 (eff. 09/03/2026).

Executive summary

DETERMINISTIC · RESTATES PAGE EVIDENCE · NO MODEL CALLED

A plain restatement of evidence shown in full below, computed from that evidence with no model call. It reports what the sources say; it does not rank the days, rate them, or make a go/no-go call. It follows the order the owner asked for: feasibility evidence, KLZU, destinations, weather by area or region, then new KLZU NOTAMs.

1 · Feasibility evidence for the trip window

This part is a derivation, not an observation: it states how much of the trip window carries a forecast flight category, and nothing more. It is not a go/no-go call, not a recommendation, and not a flight category. Its inputs and its gaps are listed in the tooltip on the line below.

- Trip window: Fri Sep 11 – Mon Sep 14, 2026. “This weekend” is taken to mean exactly this window; no other date range is assessed.
- Trip-window feasibility evidence (Derived): assessable for every active trip day — 2 of 2 active trip days in Fri Sep 11 – Mon Sep 14, 2026 carry a forecast flight category and 0 carry none. This is a derived statement about how much evidence exists, it is not a flight category, and it says nothing about whether a flight is advisable. Every input and every gap is named in this line's tooltip.

2 · KLZU home-base status

The KLZU observation and the per-day board categories, taken from the same helpers the board itself renders from, so the two cannot disagree.

- KLZU current observation: VFR — from the surface observation read this run; it describes conditions now, not a trip day.
- Sun Sep 13, 18:00–22:00 ET: VFR — most restrictive forecast flight category; high confidence; from TAF, MOS.
- Mon Sep 14, 06:00–22:00 ET: VFR — most restrictive forecast flight category; medium confidence; from TAF, MOS.
- A forecast flight category is available for 2 of 2 active trip days; 0 reach no category-capable product at this lead time.
- Data quality: DEGRADED — as reported by the badge in the page header; it gates publication, it is not a weather statement.

3 · Destination coverage

Coverage, not a pick: this counts which destinations a product permitted to state a flight category actually reaches. It is not a ranking, not a recommendation, and the editorial order of the destination list is not a flyability score.

- Destinations: 29 of 29 covered airports resolve a forecast flight category on at least one active trip day; 0 resolve none at this lead time. Counted from the same per-day outlook the destination cards render, with outlook-grade blocks excluded.
- Most restrictive resolved category per covered airport, across the active trip days: KAVL VFR (2/2 d), KBED IFR (2/2 d), KBFM VFR (2/2 d), KCRE VFR (2/2 d), KCRG VFR (2/2 d), KDAB VFR (2/2 d), KECP MVFR (2/2 d), KFIN VFR (2/2 d), KGKT VFR (2/2 d), KGPT VFR (2/2 d), KHPN VFR (2/2 d), KHSA VFR (2/2 d); 17 further airports in section 2.
- NOTAMs: 29 of 29 destinations report an active NOTAM. KLZU departure NOTAM state: OK.

4 · Weather events by area or region

Weather events by area or region, from products that carry an area. Per-airport categories are never clustered into a region here: an area inferred that way would be a spatial claim no source made.

- 55 hazard areas retained with their own coordinate rings. Each is related to an airport only by point-in-polygon (ray casting) against the product's own coordinate ring, or by great-circle distance from the airport to the nearest point on the product's boundary within 100 NM — tested against 30 airports that reported a position this run. No area name is inferred: the only names stated are the ones a product supplies itself. Per-airport categories are never clustered into a region.

- 55 of 55 retained hazard areas are valid at some point inside the planned trip window; the rest describe conditions before it.
- G-AIRMET SIERRA — IFR: contains KBED (point-in-polygon (ray casting) against the product's own coordinate ring); boundary within 100 NM of KHPN 5 NM. valid 2026-09-13 20:45Z to 2026-09-14 03:00Z.
- G-AIRMET TANGO — TURB-HI: contains KTRI, KGKT (point-in-polygon (ray casting) against the product's own coordinate ring); boundary within 100 NM of KAVL 13 NM, KLZU 53 NM, KROA 57 NM. valid 2026-09-13 20:45Z to 2026-09-14 03:00Z.
- G-AIRMET TANGO — TURB-HI: contains KHPN, KBED (point-in-polygon (ray casting) against the product's own coordinate ring). valid 2026-09-13 20:45Z to 2026-09-14 03:00Z.
- SIGMET 55E — CONVECTIVE: contains KCRG, KDAB, KSGJ, KFIN, KOPF, KSPG, KTPF, KSRQ, KVNC (point-in-polygon (ray casting) against the product's own coordinate ring); boundary within 100 NM of KSSI 28 NM, KSAV 86 NM, KHXD 94 NM. valid 2026-09-13 21:55Z to 2026-09-13 23:55Z.
- SIGMET 56E — CONVECTIVE: contains KHXD (point-in-polygon (ray casting) against the product's own coordinate ring); boundary within 100 NM of KSAV 2 NM, KJZI 30 NM, KSSI 60 NM, KMYR 98 NM. valid 2026-09-13 21:55Z to 2026-09-13 23:55Z.
- SIGMET 59E — CONVECTIVE: contains KBFM, KPNS (point-in-polygon (ray casting) against the product's own coordinate ring); boundary within 100 NM of KJKA 13 NM, KGPT 26 NM, KHSA 42 NM, KECP 51 NM, KNEW 78 NM. valid 2026-09-13 21:55Z to 2026-09-13 23:55Z.
- G-AIRMET ZULU — FZLVL: boundary within 100 NM of KLZU 59 NM, KGKT 70 NM; published as a line, not an enclosed area, so no containment test is made against it. valid 2026-09-13 20:45Z to 2026-09-14 03:00Z.
- G-AIRMET ZULU — FZLVL: boundary within 100 NM of KTPF 2 NM, KSHD 2 NM, KSPG 14 NM, KSRQ 26 NM, KVNC 32 NM, KROA 38 NM, KTRI 46 NM, KOPF 51 NM, KNEW 62 NM, KGKT 65 NM, KCRE 72 NM, KMYR 79 NM, KECP 85 NM, KHSA 86 NM, KGPT 91 NM, KJKA 94 NM; published as a line, not an enclosed area, so no containment test is made against it. valid 2026-09-13 20:45Z to 2026-09-14 03:00Z.
- G-AIRMET ZULU — ICE: boundary within 100 NM of KBED 31 NM. valid 2026-09-13 20:45Z to 2026-09-14 03:00Z.
- G-AIRMET ZULU — ICE: boundary within 100 NM of KBED 6 NM, KHPN 78 NM. valid 2026-09-13 20:45Z to 2026-09-14 03:00Z.
- G-AIRMET SIERRA — MT_OBSC: boundary within 100 NM of KBED 28 NM, KHPN 48 NM. valid 2026-09-13 20:45Z to 2026-09-14 03:00Z.
- SIGMET 52E — CONVECTIVE: boundary within 100 NM of KBED 29 NM, KHPN 80 NM. valid 2026-09-13 21:55Z to 2026-09-13 23:55Z.
- SIGMET 53E — CONVECTIVE: boundary within 100 NM of KSSI 30 NM, KECP 37 NM, KCRG 44 NM, KSGJ 65 NM, KSAV 68 NM, KFIN 88 NM, KHXD 92 NM, KTPF 96 NM, KSPG 99 NM. valid 2026-09-13 21:55Z to 2026-09-13 23:55Z.
- SIGMET 93C — CONVECTIVE: boundary within 100 NM of KBFM 43 NM, KHSA 43 NM, KGPT 45 NM, KNEW 57 NM, KJKA 67 NM, KPNS 69 NM. valid 2026-09-13 21:55Z to 2026-09-13 23:55Z.
- SIGMET 97C — CONVECTIVE: boundary within 100 NM of KNEW 87 NM. valid 2026-09-13 21:55Z to 2026-09-13 23:55Z.
- 40 of 55 retained hazard areas could not be related to any airport this page covers, by either test. They remain national-unfiltered: their geography is real but lies outside 100 NM of every airport tested, and nothing is claimed about where they are.
- Hazard feed record counts this run, unfiltered and national: SIGMET 23, G-AIRMET 30, CWA 2; overall feed state ok; feed states — CWA: ok, G-AIRMET: ok, SIGMET: ok. These are totals over the whole feed, not a count near KLZU, not a count along any route, and not a route assessment.

5 · New KLZU NOTAMS

This run keeps no snapshot of the previous run, so “new” cannot mean “changed since last time”. It is defined below as an FAA-published timestamp window, and the service-status scan reads the published text of every KLZU record so a status embedded inside a record of another category is not missed.

- Baseline for “new”: a KLZU NOTAM whose own FAA-published timestamp (last update, else issue, else effective start) falls within the 72 hours before this run's generation time (2026-09-13T22:25:41.616578+00:00). This run holds no copy of the previous run's NOTAM set, so this is a source-timestamp window and not a difference against an earlier run.
- KLZU: none of the 17 current NOTAMs carries an FAA-published timestamp inside that window, so no NOTAM is new by that baseline. The existing records are unchanged, not absent.
- Service-status wording found in the published text of KLZU records, whatever their category — 6/6851 (NAV_APPROACH) states: “LZU AWOS OUT OF SERVICE.”; 6/6854 (NAV_APPROACH) states: “LZU AWOS OUT OF SERVICE.”; 6/6855 (NAV_APPROACH) states: “LZU AWOS OUT OF SERVICE.”; A0318/26 (NAV_APPROACH) states: “LZU AWOS OUT OF SERVICE.”; A0319/26 (NAV_APPROACH) states: “LZU AWOS OUT OF SERVICE.”; A0320/26 (NAV_APPROACH) states: “LZU AWOS OUT OF SERVICE.”; 09/014 (OTHER) states: “SVC AUTOMATED WX BCST SYSTEM NOT AVBL”. These are verbatim quotations from the record named beside each one; they are text matches inside those records, not NOTAMs of their own, and they are reported whether or not the carrying record is new.

This restates evidence; it is not a recommendation, not an all-clear, and not a data outage. The decision surfaces are the planning gates and the ForeFlight cross-check below, read against the KLZU board and destination cards. Every line above restates a value shown elsewhere on this page.

⚠ **Pre-planning only — not an official weather briefing.** Verify an official briefing, METAR/TAF/GFA/SIGMET/CWA, NOTAMs, TFRs, runway conditions, fuel, W&B, performance, and personal minimums before flight.