Flight Planning Desk

Data quality · DEGRADED

Live verification · Checking

Published snapshot · Generated · Sunday Oct 25, 2026 · 7:25 AM ET · Next run · not before Sunday Oct 25 · 1:17 PM ET

1 · KLZU departure / return board

KLZU Lawrenceville/Gwinnett Cnty, GA, US

Home base · timed forecast changes · source detail retained

OBS - VFR

PLANNING HORIZON
Sun 25 → Mon 26 · 2 days

RIGHT NOW · METAR

SUN 25 OCT 05:56 ET OBSERVED

Current observation

OBS - VFR

OBSER

METAR

overcast 3,800 ft

WIND **NE (50°) 6 kt**

TEMPERATURE **12 °C**

VISIBILITY **10 sm**

DEWPOINT **8 °C**



Wind favours RWY 07

050° true · 056° magnetic · 6 kt

Evidence & limitations

- METAR source state: ok; observed Oct 25 05:56 ET; retrieved Oct 25 07:25 ET; 89 min before this run.
- Measured values read from the KLZU METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.44 inHg.
- Raw METAR: `METAR KLZU 250956Z AUTO 05006KT 10SM OVC038 12/08 A3044 RMK AO2 SLP317 T01170083 $`
- KLZU runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 07/25. Wind from 050 degrees true, 056 degrees magnetic,

at 6 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 07. Wind source: KLZU METAR 250956Z.

Important planning / evidence detail (1 warning)

LEGEND VFR MVFR IFR LIFR Unknown Solid = source-interval category guidance Dashed = lower-confidence outlook Weather icon = surface forecastAll times Eastern (ET), 24-hour clock · “around/after” preserves source precision.

⚠ KLZU has no TAF station. Every KLZU TAF-derived value on this page is taken from the nearby **KPDK** proxy station, not from KLZU itself — treat it as regional, and confirm KLZU conditions in an official briefing.

A raster chart may be displayed with its issuing office and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

Sun

Oct 25

RETURN DAY

HIGH CONFIDENCE

OCT 25 · 06:00–22:00 ET

METAR TAF NWS-hr NWS-day MAV MEX GFA NOTAM

METAR — issued hou SPECI rep visibility, w Issued by by aviatio not a fore conditions KLZU obs describes conditions now, not this trip day.

TAF — highes The N times FM an TAF st the str page covers part of this

NWS hour Weather S cell contai and reachi by-hour sk and it is th this board. reaches th

NWS day/ni Weather Se and night ha Coarser tha one day furt describe spa reach. Not by the finer- forecast.

GFS M the GF decade by the day in hours. categ the flig corrob

GFS e range twelve- Coarse numeri a long flagge short-r covere

GFA a Foreca Predic Nation surfac are ras pressu This pa office and valid time and never interprets them: no category, wind, ceiling, ranking or go/no-go here is derived from an image. A published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KLZU this run.

KPDK TAF - VFR GFS OUTLOOK - VFR GFS MOS - VFR

FORECAST

Sunny

WIND **NE (~45° true) · 9 kt**

PRECIP CHANCE **0%**

TS CHANCE **0%**

SKY COVER **2–4%**

Wind favors RWY 07

NE (~45° true) · 9 kt · full datum in the day evidence

Evidence & limitations

- The visible badge names the contributing product. Exact issuance, retrieval, and member-period provenance remains in Day evidence & planning note below.
- The hour-by-hour source evidence below retains every original period and its detailed wind line.

Surface prog · 06:00–10:00 ET · available

SUN 25 OCT 10:00–15:00 ET HIGH

Forecast

KPDK TAF proxy

KPDK TAF - VFR

GFS OUTLOOK - VFR

GFS MOS - VFR

Sunny

FORECAST

WIND NE–NE · 9–13 kt

PRECIP CHANCE 0%

TS CHANCE 0%

SKY COVER 3–4%

Evidence & limitations

- The visible badge names the contributing product. Exact issuance, retrieval, and member-period provenance remains in Day evidence & planning note below.
- The hour-by-hour source evidence below retains every original period and its detailed wind line.

Surface prog · 10:00–15:00 ET · available

SUN 25 OCT 15:00–18:00 ET HIGH

Forecast

KPDK TAF proxy

KPDK TAF - VFR

GFS OUTLOOK - VFR

GFS MOS - VFR

Sunny

FORECAST

WIND NE (~45° true) · 9 kt

PRECIP CHANCE 0%

TS CHANCE 0%

SKY COVER 2–5%

Wind favors RWY 07
NE (~45° true) · 9 kt · full datum in the day evidence

Evidence & limitations

- The visible badge names the contributing product. Exact issuance, retrieval, and member-period provenance remains in Day evidence & planning note below.
- The hour-by-hour source evidence below retains every original period and its detailed wind line.

Surface prog · 15:00–18:00 ET · available

SUN 25 OCT 18:00–22:00 ET HIGH

Forecast

KPDK TAF - VFR · GFS OUTLOOK - VFR · GFS MOS - VFR

KPDK TAF proxy

Clear

FORECAST

WIND NE (~45° true) · 4–9 kt

PRECIP CHANCE 0%

TS CHANCE 0%

SKY COVER 2–3%

Wind favors RWY 07
NE (~45° true) · 4–9 kt · full datum in the day evidence

Evidence & limitations

- The visible badge names the contributing product. Exact issuance, retrieval, and member-period provenance remains in Day evidence & planning note below.
- The hour-by-hour source evidence below retains every original period and its detailed wind line.

Surface prog · 18:00–22:00 ET · available

Day evidence & planning note

No aviation-category inference — verify METAR/TAF

SOURCES & LIMITATIONS — HOUR-BY-HOUR SOURCE EVIDENCE (15 FORECAST PERIODS)

07:00–08:00 ET

KPDK TAF - VFR

GFS OUTLOOK - VFR

Sunny

Precipitation probability (PoP) 0%

NWS + TAF + MOS · NWS ISSUED OCT 25 02:26 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 25 07:26 ET

08:00–09:00 ET

KPDK TAF - VFR

GFS MOS - VFR

Sunny

Precipitation probability (PoP) 0%

NWS + TAF + MOS · NWS ISSUED OCT 25 02:26 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 25 07:26 ET

09:00–10:00 ET

KPDK TAF - VFR

GFS OUTLOOK - VFR

Sunny

Precipitation probability (PoP) 0%

NWS + TAF + MOS · NWS ISSUED OCT 25 02:26 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 25 07:26 ET

10:00–11:00 ET

KPDK TAF - VFR

GFS OUTLOOK - VFR

Sunny

Precipitation probability (PoP) 0%

NWS + TAF + MOS · NWS ISSUED OCT 25 02:26 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 25 07:26 ET

11:00–12:00 ET

KPDK TAF - VFR

GFS MOS - VFR

Sunny

Precipitation probability (PoP) 0%

NWS + TAF + MOS · NWS ISSUED OCT 25 02:26 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 25 07:26 ET

12:00–13:00 ET

KPDK TAF - VFR

GFS OUTLOOK - VFR

Sunny

Precipitation probability (PoP) 0%

NWS + TAF + MOS · NWS ISSUED OCT 25 02:26 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 25 07:26 ET

13:00–14:00 ET

KPDK TAF - VFR

GFS OUTLOOK - VFR

Sunny

Precipitation probability (PoP) 0%

NWS + TAF + MOS · NWS ISSUED OCT 25 02:26 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 25 07:26 ET

14:00–15:00 ET

KPDK TAF - VFR

GFS MOS - VFR

Sunny

Precipitation probability (PoP) 0%

NWS + TAF + MOS · NWS ISSUED OCT 25 02:26 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 25 07:26 ET

15:00–16:00 ET

KPDK TAF - VFR

GFS OUTLOOK - VFR

Sunny

Precipitation probability (PoP) 0%

NWS + TAF + MOS · NWS ISSUED OCT 25 02:26 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 25 07:26 ET

16:00–17:00 ET

KPDK TAF - VFR

GFS OUTLOOK - VFR

Sunny

Precipitation probability (PoP) 0%

NWS + TAF + MOS · NWS ISSUED OCT 25 02:26 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 25 07:26 ET

17:00–18:00 ET

KPDK TAF - VFR

GFS MOS - VFR

Sunny

Precipitation probability (PoP) 0%

NWS + TAF + MOS · NWS ISSUED OCT 25 02:26 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 25 07:26 ET

18:00–19:00 ET

KPDK TAF - VFR

GFS OUTLOOK - VFR

Clear

Precipitation probability (PoP) 0%

NWS + TAF + MOS · NWS ISSUED OCT 25 02:26 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 25 07:26 ET

19:00–20:00 ET

KPDK TAF - VFR

GFS OUTLOOK - VFR

Clear

Precipitation probability (PoP) 0%

NWS + TAF + MOS · NWS ISSUED OCT 25 02:26 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 25 07:26 ET

20:00–21:00 ET

KPDK TAF - VFR

GFS MOS - VFR

Clear

Precipitation probability (PoP) 0%

NWS + TAF + MOS · NWS ISSUED OCT 25 02:26 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 25 07:26 ET

21:00–22:00 ET

KPDK TAF - VFR

GFS OUTLOOK - VFR

Clear

Precipitation probability (PoP) 0%

NWS + TAF + MOS · NWS ISSUED OCT 25 02:26 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 25 07:26 ET

WIND / WIND-FAVORED RUNWAY · ONE ENTRY PER DISPLAY BLOCK

07:00–08:00 ET

NE (~45° true) 9 kt

Approx. wind-favored RWY 07

NWS hourly surface forecast

08:00–09:00 ET

NE (~45° true) 9 kt

Approx. wind-favored RWY 07

NWS hourly surface forecast

09:00–10:00 ET

NE (~45° true) 9 kt

Approx. wind-favored RWY 07

NWS hourly surface forecast

10:00–11:00 ET

NE (~45° true) 9 kt

Approx. wind-favored RWY 07

NWS hourly surface forecast

11:00–12:00 ET

NE (~45° true) 13 kt

Approx. wind-favored RWY 07

NWS hourly surface forecast

12:00–13:00 ET

NE (~45° true) 13 kt

Approx. wind-favored RWY 07

NWS hourly surface forecast

13:00–14:00 ET

E (~90° true) 13 kt

Approx. wind-favored RWY 07

NWS hourly surface forecast

14:00–15:00 ET

NE (~45° true) 9 kt

Approx. wind-favored RWY 07

NWS hourly surface forecast

15:00–16:00 ET

NE (~45° true) 9 kt

Approx. wind-favored RWY 07

NWS hourly surface forecast

16:00–17:00 ET

NE (~45° true) 9 kt

Approx. wind-favored RWY 07

NWS hourly surface forecast

17:00–18:00 ET

NE (~45° true) 9 kt

Approx. wind-favored RWY 07

NWS hourly surface forecast

18:00–19:00 ET

NE (~45° true) 9 kt

Approx. wind-favored RWY 07

NWS hourly surface forecast

19:00–20:00 ET

NE (~45° true) 9 kt

Approx. wind-favored RWY 07

NWS hourly surface forecast

20:00–21:00 ET

NE (~45° true) 4 kt

Approx. wind-favored RWY 07

NWS hourly surface forecast

21:00–22:00 ET

NE (~45° true) 4 kt

Approx. wind-favored RWY 07

NWS hourly surface forecast

Surface prog evidence · Sun Oct 25

06:00–10:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

10:00–15:00 ET ET · 15:00–18:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–22:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

Runway guidance is approximate wind alignment only; verify ATIS, NOTAMs and actual runway use.

RWY numbers magnetic; wind converted from true using 6°W variation (NOAA WMM2025)

Day operations

WEATHER
TAF and radar cross-check.

PERFORMANCE
Temperature / performance check.

RUNWAY
Verify ATIS, NOTAMs and actual use.

Mon
Oct 26

RETURN DAY

MEDIUM CONFIDENCE

OCT 26 · 06:00–22:00 ET

METAR TAF NWS-hr NWS-day MAV MEX GFA NOTAM

METAR — issued hou SPECI rep visibility, w Issued by by aviation not a forec conditions KLZU obs describes

TAF — highes The N times FM an TAF st the str page about 30 hours, no any station.

NWS hour Weather S cell contai and reachi by-hour sk and it is th this board. reaches th

NWS day/ni Weather Se and night ha Coarser thai one day furt describe spa reach. Not n by the finer- forecast.

GFS M the GF decade by the day in hours. catego the flig corrob

GFS e range l twelve- Coarse numeri a long flagged short-r covere

GFA a Foreca Predic Nation surface are ras pressu This pa office and valid time and never interprets them: no category, wind, ceiling, ranking or go/no-go here is derived from an image. A published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KLZU this run.

GFS OUTLOOK - VFR

GFS MOS - VFR

FORECAST

WIND NE (~45° true) · 4 kt

PRECIP CHANCE 0%

TS CHANCE 0%

SKY COVER 12–13%

Wind favors RWY 07
NE (~45° true) · 4 kt · full datum in the day evidence

Evidence & limitations

- The visible badge names the contributing product. Exact issuance, retrieval, and member-period provenance remains in Day evidence & planning note below.
- The hour-by-hour source evidence below retains every original period and its detailed wind line.

Surface prog · 06:00–10:00 ET · available

MON 26 OCT 10:00–15:00 ET MEDIUM

Forecast

GFS MAV

GFS OUTLOOK - VFR

GFS MOS - VFR

FORECAST

Sunny

WIND NE–NE · 4–9 kt

PRECIP CHANCE **0%**

TS CHANCE **0%**

SKY COVER **7–11%**

Evidence & limitations

- The visible badge names the contributing product. Exact issuance, retrieval, and member-period provenance remains in Day evidence & planning note below.
- The hour-by-hour source evidence below retains every original period and its detailed wind line.

Surface prog · 10:00–15:00 ET · available

MON 26 OCT 15:00–18:00 ET MEDIUM

Forecast

GFS MAV

GFS OUTLOOK - VFR

GFS MOS - VFR

FORECAST

Sunny

WIND **NE (~45° true) · 4 kt**

PRECIP CHANCE **0%**

TS CHANCE **0%**

SKY COVER **7–8%**

Wind favors RWY 07

NE (~45° true) · 4 kt · full datum in the day evidence

Evidence & limitations

- The visible badge names the contributing product. Exact issuance, retrieval, and member-period provenance remains in Day evidence & planning note below.
- The hour-by-hour source evidence below retains every original period and its detailed wind line.

Surface prog · 15:00–18:00 ET · available

MON 26 OCT 18:00–22:00 ET MEDIUM

Forecast GFS MAV

Mostly Clear → Partly Cloudy

GFS OUTLOOK - VFR

GFS MOS - VFR

FORECAST

WIND NE · 0–4 kt

PRECIP CHANCE 0%

TS CHANCE 0%

SKY COVER 13–27%

Evidence & limitations

- The visible badge names the contributing product. Exact issuance, retrieval, and member-period provenance remains in Day evidence & planning note below.
- The hour-by-hour source evidence below retains every original period and its detailed wind line.

Surface prog · 18:00–22:00 ET · available

Day evidence & planning note

No aviation-category inference — verify METAR/TAF

SOURCES & LIMITATIONS — HOUR-BY-HOUR SOURCE EVIDENCE (15 FORECAST PERIODS)

06:00–08:00 ET

GFS OUTLOOK - VFR

Sunny

Precipitation probability (PoP) 0%

Beyond the 72 h short-range GFS MOS horizon at this lead time. The product published normally; this day is simply past its reach, which is expected and is not a fault. Expected to be covered from about Fri Oct 23 · 12:00 AM ET.

NWS + MOS · NWS ISSUED OCT 25 02:26 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 25 07:26 ET

08:00–09:00 ET

GFS MOS - VFR

Sunny

Precipitation probability (PoP) 0%

NWS + MOS · NWS ISSUED OCT 25 02:26 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 25 07:26 ET

09:00–10:00 ET



GFS OUTLOOK - VFR

Sunny

Precipitation probability (PoP) 0%

Beyond the 72 h short-range GFS MOS horizon at this lead time. The product published normally; this day is simply past its reach, which is expected and is not a fault. Expected to be covered from about Fri Oct 23 · 12:00 AM ET.

NWS + MOS · NWS ISSUED OCT 25 02:26 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 25 07:26 ET

10:00–11:00 ET



GFS OUTLOOK - VFR

Sunny

Precipitation probability (PoP) 0%

Beyond the 72 h short-range GFS MOS horizon at this lead time. The product published normally; this day is simply past its reach, which is expected and is not a fault. Expected to be covered from about Fri Oct 23 · 12:00 AM ET.

NWS + MOS · NWS ISSUED OCT 25 02:26 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 25 07:26 ET

11:00–12:00 ET



GFS MOS - VFR

Sunny

Precipitation probability (PoP) 0%

NWS + MOS · NWS ISSUED OCT 25 02:26 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 25 07:26 ET

12:00–13:00 ET



GFS OUTLOOK - VFR

Sunny

Precipitation probability (PoP) 0%

Beyond the 72 h short-range GFS MOS horizon at this lead time. The product published normally; this day is simply past its reach, which is expected and is not a fault. Expected to be covered from about Fri Oct 23 · 12:00 AM ET.

NWS + MOS · NWS ISSUED OCT 25 02:26 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 25 07:26 ET

13:00–14:00 ET



GFS OUTLOOK - VFR

Sunny

Precipitation probability (PoP) 0%

Beyond the 72 h short-range GFS MOS horizon at this lead time. The product published normally; this day is simply past its reach, which is expected and is not a fault. Expected to be covered from about Fri Oct 23 · 12:00 AM ET.

NWS + MOS · NWS ISSUED OCT 25 02:26 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 25 07:26 ET

14:00–15:00 ET



GFS MOS - VFR

Sunny

Precipitation probability (PoP) 0%

NWS + MOS · NWS ISSUED OCT 25 02:26 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 25 07:26 ET

15:00–16:00 ET



GFS OUTLOOK - VFR

Sunny

Precipitation probability (PoP) 0%

Beyond the 72 h short-range GFS MOS horizon at this lead time. The product published normally; this day is simply past its reach, which is expected and is not a fault. Expected to be covered from about Fri Oct 23 · 12:00 AM ET.

NWS + MOS · NWS ISSUED OCT 25 02:26 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 25 07:26 ET

16:00–17:00 ET



GFS OUTLOOK - VFR

Sunny

Precipitation probability (PoP) 0%

Beyond the 72 h short-range GFS MOS horizon at this lead time. The product published normally; this day is simply past its reach, which is expected and is not a fault. Expected to be covered from about Fri Oct 23 · 12:00 AM ET.

NWS + MOS · NWS ISSUED OCT 25 02:26 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 25 07:26 ET

17:00–18:00 ET



GFS MOS - VFR

Sunny

Precipitation probability (PoP) 0%

NWS + MOS · NWS ISSUED OCT 25 02:26 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 25 07:26 ET

18:00–19:00 ET



GFS OUTLOOK - VFR

Mostly Clear

Precipitation probability (PoP) 0%

Beyond the 72 h short-range GFS MOS horizon at this lead time. The product published normally; this day is simply past its reach, which is expected and is not a fault. Expected to be covered from about Fri Oct 23 · 12:00 AM ET.

NWS + MOS · NWS ISSUED OCT 25 02:26 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 25 07:26 ET

19:00–20:00 ET



GFS OUTLOOK - VFR

Mostly Clear

Precipitation probability (PoP) 0%

Beyond the 72 h short-range GFS MOS horizon at this lead time. The product published normally; this day is simply past its reach, which is expected and is not a fault. Expected to be covered from about Fri Oct 23 · 12:00 AM ET.

NWS + MOS · NWS ISSUED OCT 25 02:26 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 25 07:26 ET

20:00–21:00 ET



GFS MOS - VFR

Partly Cloudy

Precipitation probability (PoP) 0%

NWS + MOS · NWS ISSUED OCT 25 02:26 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 25 07:26 ET

21:00–22:00 ET

GFS OUTLOOK - VFR

Partly Cloudy

Precipitation probability (PoP) 0%

Beyond the 72 h short-range GFS MOS horizon at this lead time. The product published normally; this day is simply past its reach, which is expected and is not a fault. Expected to be covered from about Fri Oct 23 · 12:00 AM ET.

NWS + MOS · NWS ISSUED OCT 25 02:26 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 25 07:26 ET

WIND / WIND-FAVORED RUNWAY · ONE ENTRY PER DISPLAY BLOCK

06:00–08:00 ET
NE (~45° true) 4 kt
Approx. wind-favored RWY 07
NWS hourly surface forecast

08:00–09:00 ET
NE (~45° true) 4 kt
Approx. wind-favored RWY 07
NWS hourly surface forecast

09:00–10:00 ET
NE (~45° true) 4 kt
Approx. wind-favored RWY 07
NWS hourly surface forecast

10:00–11:00 ET
NE (~45° true) 9 kt
Approx. wind-favored RWY 07
NWS hourly surface forecast

11:00–12:00 ET
E (~90° true) 9 kt
Approx. wind-favored RWY 07
NWS hourly surface forecast

12:00–13:00 ET
NE (~45° true) 9 kt
Approx. wind-favored RWY 07
NWS hourly surface forecast

13:00–14:00 ET
NE (~45° true) 4 kt
Approx. wind-favored RWY 07
NWS hourly surface forecast

14:00–15:00 ET
NE (~45° true) 4 kt
Approx. wind-favored RWY 07
NWS hourly surface forecast

15:00–16:00 ET
NE (~45° true) 4 kt
Approx. wind-favored RWY 07
NWS hourly surface forecast

16:00–17:00 ET
NE (~45° true) 4 kt
Approx. wind-favored RWY 07
NWS hourly surface forecast

17:00–18:00 ET
NE (~45° true) 4 kt
Approx. wind-favored RWY 07
NWS hourly surface forecast

18:00–19:00 ET
NE (~45° true) 4 kt
Approx. wind-favored RWY 07
NWS hourly surface forecast

19:00–20:00 ET
CALM 0 kt
Runway alignment unavailable
NWS hourly surface forecast

20:00–21:00 ET
CALM 0 kt
Runway alignment unavailable
NWS hourly surface forecast

21:00–22:00 ET
CALM 0 kt
Runway alignment unavailable
NWS hourly surface forecast

Surface prog evidence · Mon Oct 26

06:00–10:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

10:00–15:00 ET ET · 15:00–18:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–22:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

Runway guidance is approximate wind alignment only; verify ATIS, NOTAMs and actual runway use.

RWY numbers magnetic; wind converted from true using 6°W variation (NOAA WMM2025)

Day operations

WEATHER
TAF and radar cross-check.

PERFORMANCE
Temperature / performance check.

RUNWAY
Verify ATIS, NOTAMs and actual use.

Pattern summary: .. (Today through Monday) Issued at 332 AM EDT Sun Oct 25 2026 As ridging continues over the central CONUS and shifts slightly east, our area will remain in a northerly flow through Monday. — .. (Monday night through Saturday) Issued at 332 AM EDT Sun Oct 25 2026 Little change in the forecast for the long term.

NWS FFC Area Forecast Discussion · regional context, not a KLZU category or exact timing forecast

Extended outlook ▾

EXTENDED OUTLOOK SUMMARY

.. (Today through Monday)
Issued at 332 AM EDT Sun Oct 25 2026

As ridging continues over the central CONUS and shifts slightly
east, our area will remain in a northerly flow through Monday. — .. (Monday night through Saturday)
Issued at 332 AM EDT Sun Oct 25 2026

Little change in the forecast for the long term.

SHORT TERM

..
(Today through Monday)
Issued at 332 AM EDT Sun Oct 25 2026

As ridging continues over the central CONUS and shifts slightly east, our area will remain in a northerly flow through Monday. A low pressure system forms off the southeast coast which will allow for air to be funneled into the Appalachians putting our area into a wedge of high pressure. This pressure gradient should result in breezy winds through this afternoon with gusts up to 20-25mph possible, especially over central Georgia. Skies will remain mostly clear with zero rain chances expected through the weekend. Temps will hover just around normal with highs in the upper 60s to low 70s. Dewpoints were lowered a tad through the weekend as the dry airmass stays solidly in place. RH values will be just above critical thresholds today. Winds will be just outside of critical thresholds as well. This weather pattern should be a rinse and repeat for Monday.

LONG TERM

..
(Monday night through Saturday)
Issued at 332 AM EDT Sun Oct 25 2026

Little change in the forecast for the long term. While some important things in the atmosphere will be happening around the periphery of the southeast across the next week, the sensible

impacts to north and central Georgia will be to keep things sunny and mostly mild with no chances for precipitation.

Upper level low that has been mostly cut off from the upper jet will continue to spin off the southeastern coastline to start the long term into Monday night. A surface low may form within this, with the primary impact being to continue our E to ENE wind direction that keeps the mild air in place. A stronger upper level trough will dive through the NE during this time period, pushing another surface high pressure across the northern Appalachians. This will settle into place there by Wednesday, pushing air down the Appalachians once again that will just reinforce our current air mass. All in all, this means repeated days of highs in the 70s and lows in the 40s to upper 50s across the entire CWA, with little to no chance of rain.

As we move towards Halloween, there is some signal of things being a touch warmer, but uncertainty remains. Model spread is upwards of 10 degrees for afternoon highs on Friday and Saturday, in part due to uncertainty around the position and timing of a wave over the Plains that could pull in warm air across much of the eastern half of the country. Stay tuned, but current forecast would put temperatures in

+ Raw NWS AFD text

```
000
FXUS62 KFFC 251022
AFDFFC

Area Forecast Discussion
National Weather Service Peachtree City GA
622 AM EDT Sun Oct 25 2026



...New 12Z Aviation Discussion...

.KEY MESSAGES...

  - Breezy conditions are expected through the weekend.

  - Rain-free conditions and near-seasonal temperatures will
    remain for the next 7 days, with a slight warm up by the end
    of the week.



&&

.SHORT TERM...
(Today through Monday)
Issued at 332 AM EDT Sun Oct 25 2026

As ridging continues over the central CONUS and shifts slightly
east, our area will remain in a northerly flow through Monday. A
low pressure system forms off the southeast coast which will allow
for air to be funneled into the Appalachians putting our area
into a wedge of high pressure. This pressure gradient should
```

result in breezy winds through this afternoon with gusts up to
20-25mph possible, especially over central Georgia. Skies will
remain mostly clear with zero rain chances expected through the
weekend. Temps will hover just around normal with highs in the
upper 60s to low 70s. Dewpoints were lowered a tad through the
weekend as the dry airmass stays solidly in place. RH values will
be just above critical thresholds today. Winds will be just
outside of critical thresholds as well. This weather pattern
should be a rinse and repeat for Monday.

&&

.LONG TERM...
(Monday night through Saturday)
Issued at 332 AM EDT Sun Oct 25 2026

Little change in the forecast for the long term. While some
important things in the atmosphere will be happening around the
periphery of the southeast across the next week, the sensible
impacts to north and central Georgia will be to keep things sunny
and mostly mild with no chances for precipitation.

Upper level low that has been mostly cut off from the upper jet will
continue to spin off the southeastern coastline to start the long
term into Monday night. A surface low may form within this, with the
primary impact being to continue our E to ENE wind direction that
keeps the mild air in place. A stronger upper level trough will dive
through the NE during this time period, pushing another surface high
pressure across the northern Appalachians. This will settle into
place there by Wednesday, pushing air down the Appalachians once
again that will just reinforce our current air mass. All in all,
this means repeated days of highs in the 70s and lows in the 40s to
upper 50s across the entire CWA, with little to no chance of rain.

As we move towards Halloween, there is some signal of things being a
touch warmer, but uncertainty remains. Model spread is upwards of 10
degrees for afternoon highs on Friday and Saturday, in part due to
uncertainty around the position and timing of a wave over the Plains
that could pull in warm air across much of the eastern half of the
country. Stay tuned, but current forecast would put temperatures in

&&

.AVIATION...
(12Z TAFS)
Issued at 621 AM EDT Sun Oct 25 2026

SKC through the period. Winds will be NE to E at 5-10kt with
gusts to 20kt possible through the afternoon.

//ATL Confidence...12Z Update...
High confidence on all elements.

Hernandez

&&

```
.PRELIMINARY POINT TEMPS/POPS...
Athens          70  46  72  42 /   0   0   0   0
Atlanta         70  51  71  47 /   0   0   0   0
Blairsville     68  41  72  41 /   0   0   0   0
Cartersville    72  46  74  43 /   0   0   0   0
Columbus        75  51  75  46 /   0   0   0   0
Gainesville     68  47  71  45 /   0   0   0   0
Macon           75  49  75  42 /   0   0   0   0
Rome            73  42  73  41 /   0   0   0   0
Peachtree City  71  47  72  41 /   0   0   0   0
Vidalia         76  53  76  47 /   0   0   0   0

&&

.FFC WATCHES/WARNINGS/ADVISORIES...
None.
&&

$$

SHORT TERM...Hernandez
LONG TERM....Lusk
AVIATION...Hernandez
```

1.1 · KLZU departure-airport NOTAM state

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 2 Act on 2 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

1 · Source 2 · What 3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

ed 2026-10-25T11:25:40.815031Z.

	FRI OCT 23	SAT OCT 24	SUN OCT 25	MON OCT 26
10/033				
A0403/26				
A0405/26				

9 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 11:25 Z

NOTAMs as of 11:25 Z — advisory only; verify an official briefing.

10/031

NOTAM text not available in this projection.

A0402/26

NOTAM text not available in this projection.

10/033

NOTAM text not available in this projection.

A0403/26

NOTAM text not available in this projection.

A0405/26

NOTAM text not available in this projection.

04/013

NOTAM text not available in this projection.

A0166/26

NOTAM text not available in this projection.

6/5419

NOTAM text not available in this projection.

A0178/26

NOTAM text not available in this projection.

07/030

NOTAM text not available in this projection.

07/034

NOTAM text not available in this projection.

08/001

NOTAM text not available in this projection.

08/024

NOTAM text not available in this projection.

10/023

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production

source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

026-10-25T11:25:40.815031Z.

:00Z

:00Z

:00Z

RUNWAY

Effective 2026-10-22T13:04:00Z → 2026-11-02T13:00:00Z

RUNWAY

Effective 2026-10-22T13:22:00Z → 2026-10-25T13:22:00Z

9 additional normalized FAA NOTAM records omitted from this view.

2 · All 29 destinations — existing editorial RANK order

#1 **KAVL** **Asheville Muni, NC, US** · Mountain · cool mountain escape

OBS - VFR

ETE 0h49

DIST 112 nm

SUN 25 OCT 05:54 ET OBSERVED

Current observation

METAR

OBS - VFR

OBSER

overcast 3,300 ft

WIND calm

TEMPERATURE 6 °C

VISIBILITY 10 sm

DEWPOINT 5 °C

Evidence & limitations

- METAR source state: ok; observed Oct 25 05:54 ET; retrieved Oct 25 07:25 ET; 91 min before this run.
- Measured values read from the KAVL METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.50 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.

DESTINATION OUTLOOK

SUN, OCT 25

SUN 25 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 25 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 25 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 25

06:00–12:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 26

MON 26 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 26 OCT 06:00–12:00 ET MEDIUM

Forecast GFS MAV MOS

GFS MAV MOS · LIFR

FORECAST

Flight-category guidance

WIND 0 kt

TEMPERATURE 43–45 °F

DEWPOINT 40–41 °F

PRECIP CHANCE 0%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · LIFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 26 OCT 12:00–18:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 3–7 kt

TEMPERATURE 42–55 °F

DEWPOINT 39–42 °F

PRECIP CHANCE 0%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 26 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 8 kt

TEMPERATURE 66–69 °F

DEWPOINT 38–39 °F

PRECIP CHANCE 0%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 26

00:00–06:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
6000 ft

CURRENT METAR TEMP DEP / DEST
12°C dep KLZU → 6°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
17/35 (170/350°M · 163/343°T) — designators and °M headings are magnetic; °T are true; variation 7°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 10 Act on 2 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What 3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

ed 2026-10-25T11:25:40.815488Z.

RI OCT 23 SAT OCT 24 SUN OCT 25 MON OCT 26



32 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 11:25 Z

NOTAMs as of 11:25 Z — advisory only; verify an official briefing.

10/054

NOTAM text not available in this projection.

A1316/26

NOTAM text not available in this projection.

10/086

NOTAM text not available in this projection.

A1315/26

NOTAM text not available in this projection.

01/023

NOTAM text not available in this projection.

A0040/26

NOTAM text not available in this projection.

10/056

NOTAM text not available in this projection.

A1271/26

NOTAM text not available in this projection.

10/080

NOTAM text not available in this projection.

A1308/26

NOTAM text not available in this projection.

A1317/26

NOTAM text not available in this projection.

10/087

NOTAM text not available in this projection.

A1314/26

NOTAM text not available in this projection.

4/1431

NOTAM text not available in this projection.

A0991/24

NOTAM text not available in this projection.

5/9960

NOTAM text not available in this projection.

A0285/25

NOTAM text not available in this projection.

06/067

NOTAM text not available in this projection.

A0730/26

NOTAM text not available in this projection.

09/118

NOTAM text not available in this projection.

09/119

NOTAM text not available in this projection.

A1161/26

NOTAM text not available in this projection.

A1162/26

NOTAM text not available in this projection.

10/036

NOTAM text not available in this projection.

A1238/26

NOTAM text not available in this projection.

10/082

NOTAM text not available in this projection.

A1311/26

NOTAM text not available in this projection.

12/023

NOTAM text not available in this projection.

A1148/25

NOTAM text not available in this projection.

08/090

NOTAM text not available in this projection.

09/026

NOTAM text not available in this projection.

09/120

NOTAM text not available in this projection.

10/007

NOTAM text not available in this projection.

10/014

NOTAM text not available in this projection.

10/083

NOTAM text not available in this projection.

10/081

NOTAM text not available in this projection.

A1309/26

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

TAXIWAY

Effective 2026-01-13T17:10:00Z → 2027-06-30T22:00:00Z

32 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation

issued hourly by the reporting station, with SPECI reports off-cycle, carrying ceiling, visibility, wind, temperature and altimeter. Issued by the observing station and distributed by aviationweather.gov. This is measured fact, not a forecast, and on this page it describes conditions right now, not this day. A current KAVL observation was read this run. It describes conditions now, not this trip day.

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KAVL this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · MVFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
· 06:00–12:00 ET ET · LIFR
· 12:00–18:00 ET ET · VFR
• **Mon, Oct 26 · 18:00–00:00 ET**: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-25=GFS, 2026-10-26=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-25 12:00	42	Clear	340/3kt	—	>10kft	>6SM
GFS	2026-10-25 15:00	52	Clear	360/4kt	—	>10kft	>6SM
GFS	2026-10-25 18:00	62	Clear	10/9kt	0.0	>10kft	>6SM
GFS	2026-10-25 21:00	63	Clear	90/8kt	—	>10kft	>6SM
GFS	2026-10-26 00:00	55	Clear	350/5kt	0.0	>10kft	>6SM
GFS	2026-10-26 03:00	49	Clear	330/3kt	—	>10kft	>6SM
GFS	2026-10-26 06:00	45	Clear	0/0kt	0.0	>10kft	>6SM
GFS	2026-10-26 09:00	43	Clear	0/0kt	—	>10kft	>6SM
GFS	2026-10-26 12:00	42	Clear	340/3kt	0.0	<200ft	<¼SM
GFS	2026-10-26 15:00	55	Clear	350/7kt	—	>10kft	>6SM
GFS	2026-10-26 18:00	66	Clear	350/8kt	0.0	>10kft	>6SM
GFS	2026-10-26 21:00	69	Clear	10/8kt	—	>10kft	>6SM

GFS	2026-10-27 00:00	58	Clear	350/3kt	0.0	>10kft	>6SM
GFS	2026-10-27 03:00	51	Clear	360/1kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KAVL 250954Z AUTO 00000KT 10SM OVC033 06/05 A3050 RMK AO2 SLP323 T00610050 $

TAF KAVL 250533Z 2506/2606 00000KT P6SM FEW040 FM251000 00000KT P6SM FEW018 SCT025 TEMPO 2510/2514 SCT013 BKN025 FM251500 10004KT P6SM FEW025 FM252300 00000KT P6SM SKC
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KAVL; actual-station=KAVL; fetched-at=2026-10-25T11:25:21.309861+00:00; observed-or-issued-at=2026-10-25T09:54:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KAVL; actual-station=KAVL; fetched-at=2026-10-25T11:25:24.673152+00:00; observed-or-issued-at=2026-10-25T05:33:00+00:00; valid-from=2026-10-25T06:00:00+00:00; valid-through=2026-10-26T06:00:00+00:00; partial-target-dates=2026-10-25,2026-10-26 — AWC API

  TAF proxy · KAVL
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KAVL; actual-station=KAVL; fetched-at=2026-10-25T11:25:25.212466+00:00
- FAA NMS NOTAM — state=OK; requested-station=KAVL; actual-station=KAVL; fetched-at=2026-10-25T11:25:40.815488Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KAVL; actual-station=KAVL; fetched-at=2026-10-25T11:26:05.062054+00:00; observed-or-issued-at=2026-10-25T06:00:00+00:00; valid-from=2026-10-25T12:00:00+00:00; valid-through=2026-10-28T06:00:00+00:00; target-dates=2026-10-26; partial-target-dates=2026-10-25; dates-with-points=2026-10-25,2026-10-26 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KAVL; actual-station=KAVL; fetched-at=2026-10-25T11:26:13.608773+00:00; observed-or-issued-at=2026-10-25T00:00:00+00:00; valid-from=2026-10-26T00:00:00+00:00; valid-through=2026-11-02T00:00:00+00:00; target-dates=2026-10-26; partial-target-dates=2026-10-25; dates-with-points=2026-10-25,2026-10-26 — Iowa State API
- MOS effective date selection — state=partial; rows=14; requested-station=KAVL; actual-station=KAVL; fetched-at=2026-10-25T11:26:05.062054+00:00; observed-or-issued-at=2026-10-25T06:00:00+00:00; valid-from=2026-10-25T12:00:00+00:00; valid-through=2026-10-28T06:00:00+00:00; target-dates=2026-10-26; partial-target-dates=2026-10-25; dates-with-points=2026-10-25,2026-10-26; selected-by-date=2026-10-25=GFS, 2026-10-26=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#2 **KSAV** **Savannah Intl, GA, US** · Atlantic South · historic coast

OBS - VFR

ETE 1h15

DIST 178 nm

SUN 25 OCT 05:53 ET OBSERVED

Current observation

OBS - VFR

OBSER

METAR

clear below 12,000 ft (CLR)

WIND **N (10°) 10 kt**

TEMPERATURE **13 °C**

VISIBILITY **10 sm**

DEWPOINT **11 °C**



Wind favours RWY 01

010° true · 017° magnetic · 10 kt

Evidence & limitations

- METAR source state: ok; observed Oct 25 05:53 ET; retrieved Oct 25 07:25 ET; 92 min before this run.
- Measured values read from the KSAV METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.31 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KSAV runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 10/28, 01/19. Wind from 010 degrees true, 017 degrees magnetic, at 10 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 01. Wind source: KSAV METAR 250953Z.

DESTINATION OUTLOOK

SUN, OCT 25

SUN 25 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 25 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 25 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 25

06:00–12:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 26

MON 26 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 26 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 26 OCT 12:00–18:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 10–13 kt

TEMPERATURE 57–66 °F

DEWPOINT 53 °F

PRECIP CHANCE 6%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 26 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 11 kt

TEMPERATURE 72 °F

DEWPOINT 52 °F

PRECIP CHANCE 2%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 26

00:00–06:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
6000 ft

CURRENT METAR TEMP DEP / DEST
12°C dep KLZU → 13°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
10/28 (100/280°M · 093/273°T) · 01/19 (010/190°M · 003/183°T) — designators and °M headings are magnetic; °T are true; variation 7°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) | 16 Act on | 1 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What | 3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

ed 2026-10-25T11:25:40.815897Z.



45 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 11:25 Z

NOTAMs as of 11:25 Z — advisory only; verify an official briefing.

A1097/26

NOTAM text not available in this projection.

A1098/26

NOTAM text not available in this projection.

A1099/26

NOTAM text not available in this projection.

A1104/26

NOTAM text not available in this projection.

A1105/26

NOTAM text not available in this projection.

A1107/26

NOTAM text not available in this projection.

09/025

NOTAM text not available in this projection.

A0416/24

NOTAM text not available in this projection.

M0022/26

NOTAM text not available in this projection.

M0023/26

NOTAM text not available in this projection.

09/111

NOTAM text not available in this projection.

A1016/26

NOTAM text not available in this projection.

5/5965

NOTAM text not available in this projection.

A0799/25

NOTAM text not available in this projection.

5/5767

NOTAM text not available in this projection.

5/5768

NOTAM text not available in this projection.

A0796/25

NOTAM text not available in this projection.

A0797/25

NOTAM text not available in this projection.

6/8138

NOTAM text not available in this projection.

6/8148

NOTAM text not available in this projection.

A1044/26

NOTAM text not available in this projection.

A1046/26

NOTAM text not available in this projection.

10/062

NOTAM text not available in this projection.

A1072/26

NOTAM text not available in this projection.

A1109/26

NOTAM text not available in this projection.

6/2105

NOTAM text not available in this projection.

A1110/26

NOTAM text not available in this projection.

12/023

NOTAM text not available in this projection.

A0801/25

NOTAM text not available in this projection.

08/003

NOTAM text not available in this projection.

08/017

NOTAM text not available in this projection.

08/025

NOTAM text not available in this projection.

08/058

NOTAM text not available in this projection.

08/080

NOTAM text not available in this projection.

08/107

NOTAM text not available in this projection.

09/030

NOTAM text not available in this projection.

10/010

NOTAM text not available in this projection.

10/037

NOTAM text not available in this projection.

10/066

NOTAM text not available in this projection.

10/069

NOTAM text not available in this projection.

10/074

NOTAM text not available in this projection.

10/078

NOTAM text not available in this projection.

10/092

NOTAM text not available in this projection.

A1103/26

NOTAM text not available in this projection.

10/098

NOTAM text not available in this projection.

10/099

NOTAM text not available in this projection.

10/093

NOTAM text not available in this projection.

10/094

NOTAM text not available in this projection.

10/095

NOTAM text not available in this projection.

10/100

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

RUNWAY

Effective 2026-10-23T18:58:00Z → 2026-10-26T18:58:00Z

45 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KSAV this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · VFR

· 12:00–18:00 ET ET · VFR

• **Mon, Oct 26 · 18:00–00:00 ET**: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-25=GFS, 2026-10-26=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-25 12:00	59	Clear	20/11kt	—	>10kft	>6SM
GFS	2026-10-25 15:00	66	Sct	20/15kt	—	>10kft	>6SM
GFS	2026-10-25 18:00	70	Bkn	40/16kt	1.0	5-10kft	>6SM
GFS	2026-10-25 21:00	69	Bkn	40/16kt	—	5-10kft	>6SM
GFS	2026-10-26 00:00	65	Bkn	40/11kt	7.0	>10kft	>6SM
GFS	2026-10-26 03:00	62	Clear	30/9kt	—	>10kft	>6SM
GFS	2026-10-26 06:00	60	Clear	20/10kt	4.0	>10kft	>6SM

GFS	2026-10-26 09:00	58	Clear	10/10kt	—	>10kft	>6SM
GFS	2026-10-26 12:00	57	Clear	10/10kt	6.0	>10kft	>6SM
GFS	2026-10-26 15:00	66	Clear	30/13kt	—	>10kft	>6SM
GFS	2026-10-26 18:00	72	Clear	40/11kt	2.0	>10kft	>6SM
GFS	2026-10-26 21:00	72	Clear	50/11kt	—	>10kft	>6SM
GFS	2026-10-27 00:00	65	Clear	60/7kt	0.0	>10kft	>6SM
GFS	2026-10-27 03:00	60	Clear	40/4kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KSAV 250953Z 01010KT 10SM CLR 13/11 A3031 RMK AO2 SLP262 T01330111

TAF KSAV 251120Z 2512/2612 01010KT P6SM SKC FM251700 04014G27KT P6SM SCT070 FM260200 04010G20KT P6SM SKC FM260600 02010KT P6SM SKC
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KSAV; actual-station=KSAV; fetched-at=2026-10-25T11:25:21.309861+00:00; observed-or-issued-at=2026-10-25T09:53:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KSAV; actual-station=KSAV; fetched-at=2026-10-25T11:25:24.673152+00:00; observed-or-issued-at=2026-10-25T11:20:00+00:00; valid-from=2026-10-25T12:00:00+00:00; valid-through=2026-10-26T12:00:00+00:00; partial-target-dates=2026-10-25,2026-10-26 — AWC API

  TAF proxy · KSAV
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KSAV; actual-station=KSAV; fetched-at=2026-10-25T11:25:25.256047+00:00
- FAA NMS NOTAM — state=OK; requested-station=KSAV; actual-station=KSAV; fetched-at=2026-10-25T11:25:40.815897Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KSAV; actual-station=KSAV; fetched-at=2026-10-25T11:26:05.463577+00:00; observed-or-issued-at=2026-10-25T06:00:00+00:00; valid-from=2026-10-25T12:00:00+00:00; valid-through=2026-10-28T06:00:00+00:00; target-dates=2026-10-26; partial-target-dates=2026-10-25; dates-with-points=2026-10-25,2026-10-26 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KSAV; actual-station=KSAV; fetched-at=2026-10-25T11:26:14.827050+00:00; observed-or-issued-at=2026-10-25T00:00:00+00:00; valid-from=2026-10-26T00:00:00+00:00; valid-through=2026-11-02T00:00:00+00:00; target-dates=2026-10-26; partial-target-dates=2026-10-25; dates-with-points=2026-10-25,2026-10-26 — Iowa State API
- MOS effective date selection — state=partial; rows=14; requested-station=KSAV; actual-station=KSAV; fetched-at=2026-10-25T11:26:05.463577+00:00; observed-or-issued-at=2026-10-25T06:00:00+00:00; valid-from=2026-10-25T12:00:00+00:00; valid-through=2026-10-28T06:00:00+00:00; target-dates=2026-10-26; partial-target-dates=2026-10-25; dates-with-points=2026-10-25,2026-10-26; selected-by-date=2026-10-25=GFS, 2026-10-26=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#3 **KSSI** **Brunswick/McKinnon St Simons Arpt, GA, US** · Atlantic South · St Simons beach

OBS - MVFR

ETE 1h29

DIST 214 nm

SUN 25 OCT 05:35 ET OBSERVED

Current observation

OBS - MVFR

OBSE

METAR

broken 2,300 ft

WIND N (10°) 13 kt gust 20 kt

TEMPERATURE 18 °C

VISIBILITY 10 sm

DEWPOINT 15 °C



Wind favours RWY 04

010° true · 017° magnetic · 13G20 kt

Evidence & limitations

- METAR source state: ok; observed Oct 25 05:35 ET; retrieved Oct 25 07:25 ET; 110 min before this run.
- Measured values read from the KSSI METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.23 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KSSI runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 04/22, 16/34. Wind from 010 degrees true, 017 degrees magnetic, at 13 knots gusting 20 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 04. Wind source: KSSI METAR 250935Z.

DESTINATION OUTLOOK

SUN, OCT 25

SUN 25 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 25 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 25 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 25

06:00–12:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 26

MON 26 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 26 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 26 OCT 12:00–18:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND14–18 kt

TEMPERATURE65–69 °F

DEWPOINT58 °F

PRECIP CHANCE18%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 26 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND15–17 kt

TEMPERATURE71 °F

DEWPOINT58 °F

PRECIP CHANCE12%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 26

00:00–06:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
6000 ft

CURRENT METAR TEMP DEP / DEST
12°C dep KLZU → 18°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — source state: not_queried

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
04/22 (040/220°M · 033/213°T) · 16/34 (160/340°M · 153/333°T) — designators and °M headings are magnetic; °T are true; variation 7°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 1 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What

3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

d 2026-10-25T11:25:40.816385Z.

RI OCT 23 | SAT OCT 24 | SUN OCT 25 | MON OCT 26

07/001

Raw NOTAM data · NOTAMs as of 11:25 Z

NOTAMs as of 11:25 Z — advisory only; verify an official briefing.

A0047/26

NOTAM text not available in this projection.

10/001

NOTAM text not available in this projection.

07/001

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KSSI this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · MVFR
:00 ET ET · MVFR
:00 ET ET · MVFR
:00 ET ET · MVFR
:00 ET ET · MVFR
S · 12:00–18:00 ET ET · VFR
• **Mon, Oct 26 · 18:00–00:00 ET**: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-25=GFS, 2026-10-26=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-25 12:00	67	Ovc	20/15kt	—	3-5kft	>6SM
GFS	2026-10-25 15:00	69	Bkn	20/19kt	—	3-5kft	>6SM
GFS	2026-10-25 18:00	70	Ovc	20/21kt	13.0	3-5kft	>6SM
GFS	2026-10-25 21:00	70	Ovc	30/20kt	—	5-10kft	>6SM
GFS	2026-10-26 00:00	67	Ovc	30/18kt	25.0	5-10kft	>6SM
GFS	2026-10-26 03:00	67	Sct	40/16kt	—	>10kft	>6SM
GFS	2026-10-26 06:00	67	Sct	30/15kt	16.0	>10kft	>6SM
GFS	2026-10-26 09:00	66	Sct	20/14kt	—	>10kft	>6SM
GFS	2026-10-26 12:00	65	Few	20/14kt	18.0	>10kft	>6SM

GFS	2026-10-26 15:00	69	Few	30/18kt	—	>10kft	>6SM
GFS	2026-10-26 18:00	71	Sct	20/17kt	12.0	>10kft	>6SM
GFS	2026-10-26 21:00	71	Clear	30/15kt	—	>10kft	>6SM
GFS	2026-10-27 00:00	68	Clear	40/11kt	4.0	>10kft	>6SM
GFS	2026-10-27 03:00	66	Clear	40/9kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KSSI 250935Z AUTO 01013G20KT 10SM BKN023 18/15 A3023 RMK AO2

TAF KSSI 251123Z 2512/2612 01015G25KT P6SM BKN015 OVC025 FM251500 02020G30KT P6SM BKN025 BKN040 FM260300 02015G25KT P6SM SCT015 BKN025 BKN040
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KSSI; actual-station=KSSI; fetched-at=2026-10-25T11:25:21.309861+00:00; observed-or-issued-at=2026-10-25T09:35:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KSSI; actual-station=KSSI; fetched-at=2026-10-25T11:25:24.673152+00:00; observed-or-issued-at=2026-10-25T11:23:00+00:00; valid-from=2026-10-25T12:00:00+00:00; valid-through=2026-10-26T12:00:00+00:00; partial-target-dates=2026-10-25,2026-10-26 — AWC API

TAF proxy · KSSI

- FAA airport status — state=not_queried; fetch-state=not_attempted; payload-state=not_attempted; requested-station=KSSI
- FAA NMS NOTAM — state=OK; requested-station=KSSI; actual-station=KSSI; fetched-at=2026-10-25T11:25:40.816385Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KSSI; actual-station=KSSI; fetched-at=2026-10-25T11:26:06.739363+00:00; observed-or-issued-at=2026-10-25T06:00:00+00:00; valid-from=2026-10-25T12:00:00+00:00; valid-through=2026-10-28T06:00:00+00:00; target-dates=2026-10-26; partial-target-dates=2026-10-25; dates-with-points=2026-10-25,2026-10-26 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KSSI; actual-station=KSSI; fetched-at=2026-10-25T11:26:13.603108+00:00; observed-or-issued-at=2026-10-25T00:00:00+00:00; valid-from=2026-10-26T00:00:00+00:00; valid-through=2026-11-02T00:00:00+00:00; target-dates=2026-10-26; partial-target-dates=2026-10-25; dates-with-points=2026-10-25,2026-10-26 — Iowa State API
- MOS effective date selection — state=partial; rows=14; requested-station=KSSI; actual-station=KSSI; fetched-at=2026-10-25T11:26:06.739363+00:00; observed-or-issued-at=2026-10-25T06:00:00+00:00; valid-from=2026-10-25T12:00:00+00:00; valid-through=2026-10-28T06:00:00+00:00; target-dates=2026-10-26; partial-target-dates=2026-10-25; dates-with-points=2026-10-25,2026-10-26; selected-by-date=2026-10-25=GFS, 2026-10-26=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#4 **KJZI** **Charleston Exec, SC, US** · Atlantic South · Charleston Exec

OBS - VFR

ETE 1h28

DIST 213 nm

SUN 25 OCT 05:35 ET OBSERVED

Current observation METAR

few 3,600 ft, few 4,300 ft, scattered 5,500 ft

OBS - VFR

OBSER

WIND N (10°) 7 kt

TEMPERATURE 15 °C

VISIBILITY 10 sm

DEWPOINT 12 °C



Wind favours RWY 04

010° true · 018° magnetic · 7 kt

Evidence & limitations

- METAR source state: ok; observed Oct 25 05:35 ET; retrieved Oct 25 07:25 ET; 110 min before this run.
- Measured values read from the KJZI METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.32 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KJZI runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 09/27, 04/22. Wind from 010 degrees true, 018 degrees magnetic, at 7 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 04. Wind source: KJZI METAR 250935Z.

DESTINATION OUTLOOK

SUN, OCT 25

SUN 25 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 25 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 25 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 25

06:00–12:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 26

MON 26 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 26 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 26 OCT 12:00–18:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 9–12 kt

TEMPERATURE 58–64 °F

DEWPOINT 51–53 °F

PRECIP CHANCE 10%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 26 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 10–12 kt

TEMPERATURE 70 °F

DEWPOINT 54–55 °F

PRECIP CHANCE 6%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 26

00:00–06:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
6000 ft

CURRENT METAR TEMP DEP / DEST
12°C dep KLZU → 15°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed (proxy KCHS)

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
09/27 (090/270°M · 082/262°T) · 04/22 (040/220°M · 032/212°T) — designators and °M headings are magnetic; °T are true; variation 8°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 2 Act on

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What

3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

d 2026-10-25T11:25:41.133677Z.

oritative)

RI OCT 23 | SAT OCT 24 | SUN OCT 25 | MON OCT 26

08/354

10/062

10/279

3 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 11:25 Z

NOTAMs as of 11:25 Z — advisory only; verify an official briefing.

5/3307

NOTAM text not available in this projection.

07/354

NOTAM text not available in this projection.

08/354

NOTAM text not available in this projection.

10/062

NOTAM text not available in this projection.

10/279

NOTAM text not available in this projection.

10/339

NOTAM text not available in this projection.

10/354

NOTAM text not available in this projection.

09/426

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

26-10-25T11:25:41.133677Z.

:00Z

:00Z

:00Z

OBSTRUCTION
Effective 2026-10-05T06:39:00Z → 2027-01-03T07:39:00Z

OBSTRUCTION
Effective 2026-10-19T16:24:00Z → 2027-02-16T16:24:00Z

3 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KJZI this run.

published WPC surface chart matches this period and is shown in the dropdown with its

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR

issuing office and valid time. It is displayed, never interpreted.

S · 12:00–18:00 ET ET · VFR

S · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-25=GFS, 2026-10-26=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-25 12:00	60	Bkn	10/10kt	—	>10kft	>6SM
GFS	2026-10-25 15:00	66	Bkn	20/12kt	—	5-10kft	>6SM
GFS	2026-10-25 18:00	69	Bkn	30/16kt	12.0	5-10kft	>6SM
GFS	2026-10-25 21:00	69	Bkn	30/16kt	—	>10kft	>6SM
GFS	2026-10-26 00:00	65	Clear	30/12kt	10.0	>10kft	>6SM
GFS	2026-10-26 03:00	63	Clear	20/9kt	—	>10kft	>6SM
GFS	2026-10-26 06:00	61	Clear	10/10kt	9.0	>10kft	>6SM
GFS	2026-10-26 09:00	59	Clear	360/9kt	—	>10kft	>6SM
GFS	2026-10-26 12:00	58	Clear	360/9kt	10.0	>10kft	>6SM
GFS	2026-10-26 15:00	64	Clear	10/12kt	—	>10kft	>6SM
GFS	2026-10-26 18:00	70	Clear	20/10kt	6.0	>10kft	>6SM
GFS	2026-10-26 21:00	70	Clear	40/12kt	—	>10kft	>6SM
GFS	2026-10-27 00:00	63	Clear	40/5kt	0.0	>10kft	>6SM
GFS	2026-10-27 03:00	59	Clear	30/3kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KJZI 250935Z AUTO 01007KT 10SM FEW036 FEW043 SCT055 15/12 A3032 RMK AO2

TAF KJZI 251120Z 2512/2612 01010KT P6SM SKC FM251700 04014G27KT P6SM SCT070 FM260200 04010G20KT P6SM SKC FM260600 02010KT P6SM SKC
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KJZI; actual-station=KJZI; fetched-at=2026-10-25T11:25:21.309861+00:00; observed-or-issued-at=2026-10-25T09:35:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KJZI; actual-station=KJZI; fetched-at=2026-10-25T11:25:24.673152+00:00; observed-or-issued-at=2026-10-25T11:20:00+00:00; valid-from=2026-10-25T12:00:00+00:00; valid-through=2026-10-26T12:00:00+00:00; partial-target-dates=2026-10-25,2026-10-26 — AWC API

  TAF proxy · KJZI
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KJZI; actual-station=KCHS; fetched-at=2026-10-25T11:25:25.282485+00:00

- FAA NMS NOTAM — state=OK; requested-station=KJZI; actual-station=KJZI; fetched-at=2026-10-25T11:25:41.133677Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KJZI; actual-station=KJZI; fetched-at=2026-10-25T11:26:03.346980+00:00; observed-or-issued-at=2026-10-25T06:00:00+00:00; valid-from=2026-10-25T12:00:00+00:00; valid-through=2026-10-28T06:00:00+00:00; target-dates=2026-10-26; partial-target-dates=2026-10-25; dates-with-points=2026-10-25,2026-10-26 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KJZI; actual-station=KJZI; fetched-at=2026-10-25T11:26:13.622422+00:00; observed-or-issued-at=2026-10-25T00:00:00+00:00; valid-from=2026-10-26T00:00:00+00:00; valid-through=2026-11-02T00:00:00+00:00; target-dates=2026-10-26; partial-target-dates=2026-10-25; dates-with-points=2026-10-25,2026-10-26 — Iowa State API
- MOS effective date selection — state=partial; rows=14; requested-station=KJZI; actual-station=KJZI; fetched-at=2026-10-25T11:26:03.346980+00:00; observed-or-issued-at=2026-10-25T06:00:00+00:00; valid-from=2026-10-25T12:00:00+00:00; valid-through=2026-10-28T06:00:00+00:00; target-dates=2026-10-26; partial-target-dates=2026-10-25; dates-with-points=2026-10-25,2026-10-26; selected-by-date=2026-10-25=GFS, 2026-10-26=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#5 **KMYR** **Myrtle Beach Intl, SC, US** · Atlantic North · Myrtle Beach (Class C)

OBS - VFR

ETE 1h45

DIST 251 nm

SUN 25 OCT 05:53 ET OBSERVED

Current observation

OBS - VFR

OBSER

METAR

clear below 12,000 ft (CLR)

WIND N (20°) 11 kt gust 15 kt

TEMPERATURE 14 °C

VISIBILITY 10 sm

DEWPOINT 12 °C



Wind favours RWY 36

020° true · 029° magnetic · 11G15 kt · also NOTAM-affected: 18 and 36

Evidence & limitations

- METAR source state: ok; observed Oct 25 05:53 ET; retrieved Oct 25 07:25 ET; 92 min before this run.
- Measured values read from the KMYR METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.36 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.

• KMYR runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 18/36. Wind from 020 degrees true, 029 degrees magnetic, at 11 knots gusting 15 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 36. NOTAM-affected runway ends, hatched separately from the wind highlight: 18 and 36. The wind-favoured end 36 is also NOTAM-affected: the wind does favour it, but a NOTAM on this card names it, so the highlight is not a statement that the runway is usable. The hatch marks only that a NOTAM names the runway; it does not decode the NOTAM's effective times, so confirm the closure window in the NOTAM text below. Wind source: KMYR METAR 250953Z.

DESTINATION OUTLOOK

SUN, OCT 25

SUN 25 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 25 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 25 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 25

06:00–12:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 26

MON 26 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 26 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 26 OCT 12:00–18:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 9–12 kt

TEMPERATURE 55–63 °F

DEWPOINT 49–51 °F

PRECIP CHANCE 5%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 26 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 10–11 kt

TEMPERATURE 69–70 °F

DEWPOINT 51 °F

PRECIP CHANCE 4%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 26

00:00–06:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
12°C dep KLZU → 14°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
18/36 (180/000°M · 171/351°T) — designators and °M headings are magnetic; °T are true; variation 9°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 17 Act on 3 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What 3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

ed 2026-10-25T11:25:41.237583Z.

oritative) Narrow bars = daily schedule sub-windows



43 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 11:25 Z

NOTAMs as of 11:25 Z — advisory only; verify an official briefing.

08/053

NOTAM text not available in this projection.

A0660/26

NOTAM text not available in this projection.

6/8172

NOTAM text not available in this projection.

09/037

NOTAM text not available in this projection.

09/050

NOTAM text not available in this projection.

A0761/26

NOTAM text not available in this projection.

10/004

NOTAM text not available in this projection.

A0776/26

NOTAM text not available in this projection.

10/037

NOTAM text not available in this projection.

A0823/26

NOTAM text not available in this projection.

10/050

NOTAM text not available in this projection.

A0834/26

NOTAM text not available in this projection.

A0839/26

NOTAM text not available in this projection.

A0840/26

NOTAM text not available in this projection.

10/052

NOTAM text not available in this projection.

A0837/26

NOTAM text not available in this projection.

09/035

NOTAM text not available in this projection.

A0739/26

NOTAM text not available in this projection.

09/036

NOTAM text not available in this projection.

A0741/26

NOTAM text not available in this projection.

09/038

NOTAM text not available in this projection.

A0743/26

NOTAM text not available in this projection.

09/039

NOTAM text not available in this projection.

A0746/26

NOTAM text not available in this projection.

09/040

NOTAM text not available in this projection.

A0747/26

NOTAM text not available in this projection.

09/041

NOTAM text not available in this projection.

09/042

NOTAM text not available in this projection.

09/043

NOTAM text not available in this projection.

A0750/26

NOTAM text not available in this projection.

09/048

NOTAM text not available in this projection.

A0757/26

NOTAM text not available in this projection.

09/051

NOTAM text not available in this projection.

09/052

NOTAM text not available in this projection.

A0762/26

NOTAM text not available in this projection.

09/058

NOTAM text not available in this projection.

A0768/26

NOTAM text not available in this projection.

A0684/26

NOTAM text not available in this projection.

07/032

NOTAM text not available in this projection.

09/034

NOTAM text not available in this projection.

10/055

NOTAM text not available in this projection.

08/005

NOTAM text not available in this projection.

A0600/26

NOTAM text not available in this projection.

10/046

NOTAM text not available in this projection.

A0829/26

NOTAM text not available in this projection.

A0841/26

NOTAM text not available in this projection.

10/047

NOTAM text not available in this projection.

A0830/26

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

026-10-25T11:25:41.237583Z.

:00Z

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains

preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

Effective 2026-09-24T11:30:00Z → 2027-01-04T11:00:00Z

RUNWAY

Effective 2026-09-26T04:00:00Z → 2026-10-31T10:00:00Z

RUNWAY

Effective 2026-09-26T04:00:00Z → 2026-10-31T10:00:00Z

RUNWAY

Effective 2026-10-18T03:00:00Z → 2026-10-31T04:59:00Z

RUNWAY

Effective 2026-10-18T03:00:00Z → 2026-10-31T04:59:00Z

RUNWAY

Effective 2026-10-22T05:00:00Z → 2026-10-31T09:00:00Z

RUNWAY

Effective 2026-10-22T05:00:00Z → 2026-10-31T09:00:00Z

RUNWAY

Effective 2026-10-27T05:00:00Z → 2026-10-27T10:00:00Z

RUNWAY

Effective 2026-10-27T05:00:00Z → 2026-10-27T10:00:00Z

36 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KMYR this run.

published WPC surface chart matches this

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · VFR

period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

:00 ET ET · VFR

· 12:00–18:00 ET ET · VFR

· 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-25=GFS, 2026-10-26=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-25 12:00	58	Few	20/13kt	—	>10kft	>6SM
GFS	2026-10-25 15:00	67	Sct	40/16kt	—	>10kft	>6SM
GFS	2026-10-25 18:00	69	Bkn	40/16kt	5.0	5-10kft	>6SM
GFS	2026-10-25 21:00	69	Sct	40/13kt	—	>10kft	>6SM
GFS	2026-10-26 00:00	65	Clear	50/11kt	5.0	>10kft	>6SM
GFS	2026-10-26 03:00	62	Clear	40/10kt	—	>10kft	>6SM
GFS	2026-10-26 06:00	58	Clear	20/10kt	6.0	>10kft	>6SM
GFS	2026-10-26 09:00	56	Clear	10/10kt	—	>10kft	>6SM
GFS	2026-10-26 12:00	55	Clear	360/9kt	5.0	>10kft	>6SM
GFS	2026-10-26 15:00	63	Clear	20/12kt	—	>10kft	>6SM
GFS	2026-10-26 18:00	69	Clear	40/11kt	4.0	>10kft	>6SM
GFS	2026-10-26 21:00	70	Clear	60/10kt	—	>10kft	>6SM
GFS	2026-10-27 00:00	63	Clear	60/5kt	0.0	>10kft	>6SM
GFS	2026-10-27 03:00	60	Clear	50/3kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KMYR 250953Z AUTO 02011G15KT 10SM CLR 14/12 A3036 RMK AO2 SLP280 T01390117 $

TAF KMYR 251120Z 2512/2612 05011KT P6SM SCT070 FM251300 04015G25KT P6SM FEW070 FM260000 04011KT P6SM SKC
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KMYR; actual-station=KMYR; fetched-at=2026-10-25T11:25:21.309861+00:00; observed-or-issued-at=2026-10-25T09:53:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KMYR; actual-station=KMYR; fetched-at=2026-10-25T11:25:24.673152+00:00; observed-or-issued-at=2026-10-25T11:20:00+00:00; valid-from=2026-10-25T12:00:00+00:00; valid-through=2026-10-26T12:00:00+00:00; partial-target-dates=2026-10-25,2026-10-26 — AWC API

TAF proxy · KMYR

- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KMYR; actual-station=KMYR; fetched-at=2026-10-25T11:25:25.299032+00:00
- FAA NMS NOTAM — state=OK; requested-station=KMYR; actual-station=KMYR; fetched-at=2026-10-25T11:25:41.237583Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KMYR; actual-station=KMYR; fetched-at=2026-10-25T11:26:09.416534+00:00; observed-or-issued-at=2026-10-25T06:00:00+00:00; valid-from=2026-10-25T12:00:00+00:00; valid-through=2026-10-28T06:00:00+00:00; target-dates=2026-10-26; partial-target-dates=2026-10-25; dates-with-points=2026-10-25,2026-10-26 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KMYR; actual-station=KMYR; fetched-at=2026-10-25T11:26:13.611083+00:00; observed-or-issued-at=2026-10-25T00:00:00+00:00; valid-from=2026-10-26T00:00:00+00:00; valid-through=2026-11-02T00:00:00+00:00; target-dates=2026-10-26; partial-target-dates=2026-10-25; dates-with-points=2026-10-25,2026-10-26 — Iowa State API
- MOS effective date selection — state=partial; rows=14; requested-station=KMYR; actual-station=KMYR; fetched-at=2026-10-25T11:26:09.416534+00:00; observed-or-issued-at=2026-10-25T06:00:00+00:00; valid-from=2026-10-25T12:00:00+00:00; valid-through=2026-10-28T06:00:00+00:00; target-dates=2026-10-26; partial-target-dates=2026-10-25; dates-with-points=2026-10-25,2026-10-26; selected-by-date=2026-10-25=GFS, 2026-10-26=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#6 **KCRE** **North Myrtle Beach/Grand Strand Arpt, SC, US** · Atlantic North · N Myrtle Beach

OBS - VFR

ETE 1h49

DIST 261 nm

SUN 25 OCT 05:53 ET OBSERVED

Current observation

OBS - VFR

METAR

OBSER

clear below 12,000 ft (CLR)

WIND N (20°) 10 kt

TEMPERATURE 13 °C

VISIBILITY 10 sm

DEWPOINT 12 °C



Wind favours RWY 05

020° true · 029° magnetic · 10 kt

Evidence & limitations

- METAR source state: ok; observed Oct 25 05:53 ET; retrieved Oct 25 07:25 ET; 92 min before this run.
- Measured values read from the KCRE METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.34 inHg.

• The complete raw METAR remains in this airport's Raw products disclosure.

• KCRE runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 05/23. Wind from 020 degrees true, 029 degrees magnetic, at 10 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 05. Wind source: KCRE METAR 250953Z.

DESTINATION OUTLOOK

SUN, OCT 25

SUN 25 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 25 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 25 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 25

06:00–12:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 26

MON 26 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 26 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 26 OCT 12:00–18:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 8–11 kt

TEMPERATURE 55–64 °F

DEWPOINT 49–51 °F

PRECIP CHANCE 4%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 26 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 8–10 kt

TEMPERATURE 70–71 °F

DEWPOINT 50–51 °F

PRECIP CHANCE 4%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 26

00:00–06:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
12°C dep KLZU → 13°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — source state: not_queried

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
05/23 (050/230°M · 041/221°T) — designators and °M headings are magnetic; °T are true; variation 9°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

3 Act on

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What

3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

d 2026-10-25T11:25:41.251133Z.

oritative)

RI OCT 23 | SAT OCT 24 | SUN OCT 25 | MON OCT 26

10/007

10/012

10/013

1 additional normalized NOTAM record omitted from this view.

Raw NOTAM data · NOTAMs as of 11:25 Z

NOTAMs as of 11:25 Z — advisory only; verify an official briefing.

5/9932

NOTAM text not available in this projection.

5/9933

NOTAM text not available in this projection.

10/007

NOTAM text not available in this projection.

10/012

NOTAM text not available in this projection.

10/013

NOTAM text not available in this projection.

08/002

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

26-10-25T11:25:41.251133Z.

:00Z

:00Z

:00Z

OBSTRUCTION

Effective 2026-10-23T23:11:00Z → 2027-02-20T23:11:00Z

OBSTRUCTION

Effective 2026-10-25T04:30:00Z → 2026-11-09T03:30:00Z

1 additional normalized FAA NOTAM record omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KCRE this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR

- **Mon, Oct 26 · 12:00–18:00 ET**: GFS MAV MOS · 12:00–18:00 ET ET · VFR
- **Mon, Oct 26 · 18:00–00:00 ET**: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-25=GFS, 2026-10-26=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-25 12:00	57	Clear	30/12kt	—	>10kft	>6SM
GFS	2026-10-25 15:00	69	Sct	40/17kt	—	>10kft	>6SM
GFS	2026-10-25 18:00	72	Bkn	50/15kt	5.0	>10kft	>6SM
GFS	2026-10-25 21:00	71	Sct	50/13kt	—	>10kft	>6SM
GFS	2026-10-26 00:00	65	Clear	50/10kt	6.0	>10kft	>6SM
GFS	2026-10-26 03:00	61	Clear	50/10kt	—	>10kft	>6SM
GFS	2026-10-26 06:00	58	Clear	30/9kt	5.0	>10kft	>6SM
GFS	2026-10-26 09:00	56	Clear	20/9kt	—	>10kft	>6SM
GFS	2026-10-26 12:00	55	Clear	20/8kt	4.0	>10kft	>6SM
GFS	2026-10-26 15:00	64	Clear	30/11kt	—	>10kft	>6SM
GFS	2026-10-26 18:00	70	Clear	40/10kt	4.0	>10kft	>6SM
GFS	2026-10-26 21:00	71	Clear	60/8kt	—	>10kft	>6SM
GFS	2026-10-27 00:00	62	Clear	60/4kt	0.0	>10kft	>6SM
GFS	2026-10-27 03:00	57	Clear	50/3kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KCRE 250953Z AUTO 02010KT 10SM CLR 13/12 A3034 RMK AO2 SLP275 T01330117

TAF KMYR 251120Z 2512/2612 05011KT P6SM SCT070 FM251300 04015G25KT P6SM FEW070 FM260000 04011KT P6SM SKC
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KCRE; actual-station=KCRE; fetched-at=2026-10-25T11:25:21.309861+00:00; observed-or-issued-at=2026-10-25T09:53:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KCRE; actual-station=KMYR; fetched-at=2026-10-25T11:25:24.673152+00:00; observed-or-issued-at=2026-10-25T11:20:00+00:00; valid-from=2026-10-25T12:00:00+00:00; valid-through=2026-10-26T12:00:00+00:00; partial-target-dates=2026-10-25,2026-10-26 — AWC API

  TAF proxy · KMYR
- FAA airport status — state=not_queried; fetch-state=not_attempted; payload-state=not_attempted; requested-station=KCRE
- FAA NMS NOTAM — state=OK; requested-station=KCRE; actual-station=KCRE; fetched-at=2026-10-25T11:25:41.251133Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KCRE; actual-station=KCRE; fetched-at=2026-10-25T11:26:06.205254+00:00; observed-or-issued-at=2026-10-25T06:00:00+00:00; valid-from=2026-10-25T12:00:00+00:00; valid-through=2026-10-28T06:00:00+00:00; target-dates=2026-10-26; partial-target-dates=2026-10-25; dates-with-points=2026-10-25,2026-10-26 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KCRE; actual-station=KCRE; fetched-at=2026-10-25T11:26:14.773516+00:00; observed-or-issued-at=2026-10-25T00:00:00+00:00; valid-from=2026-10-26T00:00:00+00:00; valid-through=2026-11-02T00:00:00+00:00; target-dates=2026-10-26; partial-target-dates=2026-10-25; dates-with-points=2026-10-25,2026-10-26 — Iowa State API
- MOS effective date selection — state=partial; rows=14; requested-station=KCRE; actual-station=KCRE; fetched-at=2026-10-25T11:26:06.205254+00:00; observed-or-issued-at=2026-10-25T06:00:00+00:00; valid-from=2026-10-25T12:00:00+00:00; valid-through=2026-10-28T06:00:00+00:00; target-dates=2026-10-26; partial-target-dates=2026-10-25; dates-with-points=2026-10-25,2026-10-26; selected-by-date=2026-10-25=GFS, 2026-10-26=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#7 **KHXD** **Hilton Head Arpt, SC, US** · Atlantic South · Hilton Head

OBS - VFR

ETE 1h21

DIST 195 nm

SUN 25 OCT 05:35 ET OBSERVED

Current observation

OBS - VFR

OBSER

METAR

clear below 12,000 ft (CLR)

WIND **NE (30°) 14 kt**

TEMPERATURE **15 °C**

VISIBILITY **10 sm**

DEWPOINT **13 °C**



Wind favours RWY 03

030° true · 038° magnetic · 14 kt

Evidence & limitations

- METAR source state: ok; observed Oct 25 05:35 ET; retrieved Oct 25 07:25 ET; 110 min before this run.
- Measured values read from the KHXD METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.31 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KHXD runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 03/21. Wind from 030 degrees true, 038 degrees magnetic, at 14 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 03. Wind source: KHXD METAR 250935Z.

DESTINATION OUTLOOK

SUN, OCT 25

SUN 25 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 25 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 25 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 25

06:00–12:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 26

MON 26 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 26 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 26 OCT 12:00–18:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 14–16 kt

TEMPERATURE 61–64 °F

DEWPOINT 52–53 °F

PRECIP CHANCE 10%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 26 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 12 kt

TEMPERATURE 69–71 °F

DEWPOINT 54 °F

PRECIP CHANCE 5%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 26

00:00–06:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
6000 ft

CURRENT METAR TEMP DEP / DEST
12°C dep KLZU → 15°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
03/21 (030/210°M · 022/202°T) — designators and °M headings are magnetic; °T are true; variation 8°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 6 Act on

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What 3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

d 2026-10-25T11:25:41.298747Z.

oritative)

	FRI OCT 23	SAT OCT 24	SUN OCT 25	MON OCT 26
6/8144				
6/8146				
A0365/26				

3 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 11:25 Z

NOTAMs as of 11:25 Z — advisory only; verify an official briefing.

5/3292

NOTAM text not available in this projection.

A0137/25

NOTAM text not available in this projection.

6/8144

NOTAM text not available in this projection.

6/8146

NOTAM text not available in this projection.

A0365/26

NOTAM text not available in this projection.

A0366/26

NOTAM text not available in this projection.

09/029

NOTAM text not available in this projection.

10/015

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

26-10-25T11:25:41.298747Z.

:00Z

:00Z

:00Z

NAV_APPROACH

Effective 2026-10-07T19:33:00Z → 2026-11-07T19:33:00Z

NAV_APPROACH

Effective 2026-10-07T19:33:00Z → 2026-11-07T19:33:00Z

3 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics,

the GFS model bias-corrected against decades of observations at this station. Issued four times a day in three-hourly steps out to about 72 hours. It carries an explicit ceiling and visibility category, so this card uses it to resolve a day the TAF cannot reach. A station-calibrated GFS MOS product was read for this airport this run (state: partial).

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KHXD this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
S · 12:00–18:00 ET ET · VFR
• **Mon, Oct 26 · 18:00–00:00 ET**: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-25=GFS, 2026-10-26=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-25 12:00	60	Few	20/15kt	—	>10kft	>6SM
GFS	2026-10-25 15:00	65	Bkn	20/17kt	—	5-10kft	>6SM
GFS	2026-10-25 18:00	68	Bkn	30/17kt	8.0	5-10kft	>6SM
GFS	2026-10-25 21:00	69	Bkn	30/17kt	—	5-10kft	>6SM
GFS	2026-10-26 00:00	67	Sct	40/15kt	11.0	>10kft	>6SM
GFS	2026-10-26 03:00	66	Clear	30/13kt	—	>10kft	>6SM
GFS	2026-10-26 06:00	64	Clear	30/14kt	8.0	>10kft	>6SM
GFS	2026-10-26 09:00	62	Clear	20/15kt	—	>10kft	>6SM
GFS	2026-10-26 12:00	61	Clear	20/14kt	10.0	>10kft	>6SM
GFS	2026-10-26 15:00	64	Clear	20/16kt	—	>10kft	>6SM
GFS	2026-10-26 18:00	69	Clear	30/12kt	5.0	>10kft	>6SM
GFS	2026-10-26 21:00	71	Clear	40/12kt	—	>10kft	>6SM
GFS	2026-10-27 00:00	66	Clear	50/9kt	0.0	>10kft	>6SM
GFS	2026-10-27 03:00	63	Clear	40/7kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KHXD 250935Z AUTO 03014KT 10SM CLR 15/13 A3031 RMK AO2

TAF KSAV 251120Z 2512/2612 01010KT P6SM SKC FM251700 04014G27KT P6SM SCT070 FM260200 04010G20KT P6SM SKC FM260600 02010KT P6SM SKC
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KHXD; actual-station=KHXD; fetched-at=2026-10-25T11:25:21.309861+00:00; observed-or-issued-at=2026-10-25T09:35:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KHXD; actual-station=KSAV; fetched-at=2026-10-25T11:25:24.673152+00:00; observed-or-issued-at=2026-10-25T11:20:00+00:00; valid-from=2026-10-25T12:00:00+00:00; valid-through=2026-10-26T12:00:00+00:00; partial-target-dates=2026-10-25,2026-10-26 — AWC API

  TAF proxy · KSAV
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KHXD; actual-station=KHXD; fetched-at=2026-10-25T11:25:26.418411+00:00
- FAA NMS NOTAM — state=OK; requested-station=KHXD; actual-station=KHXD; fetched-at=2026-10-25T11:25:41.298747Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KHXD; actual-station=KHXD; fetched-at=2026-10-25T11:26:03.322057+00:00; observed-or-issued-at=2026-10-25T06:00:00+00:00; valid-from=2026-10-25T12:00:00+00:00; valid-through=2026-10-28T06:00:00+00:00; target-dates=2026-10-26; partial-target-dates=2026-10-25; dates-with-points=2026-10-25,2026-10-26 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KHXD; actual-station=KHXD; fetched-at=2026-10-25T11:26:16.117081+00:00; observed-or-issued-at=2026-10-25T00:00:00+00:00; valid-from=2026-10-26T00:00:00+00:00; valid-through=2026-11-02T00:00:00+00:00; target-dates=2026-10-26; partial-target-dates=2026-10-25; dates-with-points=2026-10-25,2026-10-26 — Iowa State API
- MOS effective date selection — state=partial; rows=14; requested-station=KHXD; actual-station=KHXD; fetched-at=2026-10-25T11:26:03.322057+00:00; observed-or-issued-at=2026-10-25T06:00:00+00:00; valid-from=2026-10-25T12:00:00+00:00; valid-through=2026-10-28T06:00:00+00:00; target-dates=2026-10-26; partial-target-dates=2026-10-25; dates-with-points=2026-10-25,2026-10-26; selected-by-date=2026-10-25=GFS, 2026-10-26=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#8 **KTRI** **Bristol/Tri-Cities Arpt, TN, US** · Mountain · Tri-Cities TN/VA

OBS - VFR

ETE 1h11

DIST 168 nm

SUN 25 OCT 05:53 ET OBSERVED

Current observation

OBS - VFR

METAR

OBSER

clear below 12,000 ft (CLR)

WIND **calm**

TEMPERATURE **4 °C**

VISIBILITY **10 sm**

DEWPOINT4 °C

Evidence & limitations

- METAR source state: ok; observed Oct 25 05:53 ET; retrieved Oct 25 07:25 ET; 92 min before this run.
- Measured values read from the KTRI METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.49 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.

DESTINATION OUTLOOK

SUN, OCT 25

SUN 25 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 25 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 25 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 25

06:00–12:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 26

MON 26 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 26 OCT 06:00–12:00 ET MEDIUM

Forecast GFS MAV MOS

GFS MAV MOS · LIFR

FORECAST

Flight-category guidance

WIND 0 kt

TEMPERATURE 40–42 °F

DEWPOINT 38–40 °F

PRECIP CHANCE 0%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · LIFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 26 OCT 12:00–18:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 0–1 kt

TEMPERATURE 38–55 °F

DEWPOINT 37–44 °F

PRECIP CHANCE 1%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 26 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 2–3 kt

TEMPERATURE 66–70 °F

DEWPOINT 40–42 °F

PRECIP CHANCE 0%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 26

00:00–06:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
6000 ft

CURRENT METAR TEMP DEP / DEST
12°C dep KLZU → 4°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
05/23 (050/230°M · 042/222°T) · 09/27 (090/270°M · 082/262°T) — designators and °M headings are magnetic; °T are true; variation 8°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs
FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 20 Act on 1 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What
3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

ed 2026-10-25T11:25:41.477941Z.
oritative)

RI OCT 23 | SAT OCT 24 | SUN OCT 25 | MON OCT 26

09/068	
09/069	
09/070	

41 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 11:25 Z

NOTAMs as of 11:25 Z — advisory only; verify an official briefing.

5/8343

NOTAM text not available in this projection.

5/8558

NOTAM text not available in this projection.

09/068

NOTAM text not available in this projection.

09/069

NOTAM text not available in this projection.

09/070

NOTAM text not available in this projection.

09/071

NOTAM text not available in this projection.

09/072

NOTAM text not available in this projection.

A1334/26

NOTAM text not available in this projection.

10/047

NOTAM text not available in this projection.

A1335/26

NOTAM text not available in this projection.

10/038

NOTAM text not available in this projection.

A1327/26

NOTAM text not available in this projection.

5/1221

NOTAM text not available in this projection.

A1144/25

NOTAM text not available in this projection.

A1251/25

NOTAM text not available in this projection.

A1252/25

NOTAM text not available in this projection.

5/8404

NOTAM text not available in this projection.

5/8405

NOTAM text not available in this projection.

5/8406

NOTAM text not available in this projection.

5/8407

NOTAM text not available in this projection.

A1367/25

NOTAM text not available in this projection.

A1368/25

NOTAM text not available in this projection.

A1369/25

NOTAM text not available in this projection.

A1370/25

NOTAM text not available in this projection.

5/8409

NOTAM text not available in this projection.

A1373/25

NOTAM text not available in this projection.

5/8411

NOTAM text not available in this projection.

A1374/25

NOTAM text not available in this projection.

06/034

NOTAM text not available in this projection.

A0975/26

NOTAM text not available in this projection.

06/042

NOTAM text not available in this projection.

A0980/26

NOTAM text not available in this projection.

06/043

NOTAM text not available in this projection.

A0981/26

NOTAM text not available in this projection.

08/034

NOTAM text not available in this projection.

08/053

NOTAM text not available in this projection.

09/017

NOTAM text not available in this projection.

09/055

NOTAM text not available in this projection.

09/064

NOTAM text not available in this projection.

10/001

NOTAM text not available in this projection.

10/004

NOTAM text not available in this projection.

10/008

NOTAM text not available in this projection.

10/010

NOTAM text not available in this projection.

10/036

NOTAM text not available in this projection.

10/040

NOTAM text not available in this projection.

10/049

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

…026-10-25T11:25:41.477941Z.

…RISTOL JOHNSON/KINGSPORT, TN' TRIO TIES THREE DEPARTURE ... DISREGARD TAKE-OFF MINIMUMS RWY 27: 400 2 1/2 OR STANDARD WITH MINIMUM CLIMB …OFF MINIMUMS: RWY 27 400 2 1/2' ALL OTHER DATA REMAINS AS PUBLISHED' 2509221349 2709221349EST

…:00Z

…RISTOL JOHNSON/KINGSPORT, TN' KINGS TWO DEPARTURE ... TAKE OFF/TAKE OFF MINIMUMS: RWY 27: NOT AUTHORIZED' ALL OTHER DATA REMAINS AS …EST

…:00Z

…TIONS NOT STD'

…:00Z

RUNWAY …09/089 — RWY 23 THR MARKINGS NOT STD

Effective 2026-09-29T11:56:00Z → 2026-10-31T22:00:00Z

RUNWAY …09/070 — RWY 05 THR MARKINGS NOT STD

Effective 2026-09-29T11:57:00Z → 2026-10-31T22:00:00Z

41 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KTRI this run.

published WPC surface chart matches this period and is shown in the dropdown with its

…ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

…:00 ET ET · VFR

…:00 ET ET · VFR

…:00 ET ET · VFR

…:00 ET ET · VFR

…S · 06:00–12:00 ET ET · LIFR

issuing office and valid time. It is displayed, never interpreted.

S · 12:00–18:00 ET ET · VFR

S · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-25=GFS, 2026-10-26=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-25 12:00	39	Clear	90/1kt	—	>10kft	>6SM
GFS	2026-10-25 15:00	54	Clear	90/2kt	—	>10kft	>6SM
GFS	2026-10-25 18:00	65	Clear	90/1kt	0.0	>10kft	>6SM
GFS	2026-10-25 21:00	69	Clear	40/3kt	—	>10kft	>6SM
GFS	2026-10-26 00:00	56	Clear	60/2kt	0.0	>10kft	>6SM
GFS	2026-10-26 03:00	47	Clear	0/0kt	—	>10kft	>6SM
GFS	2026-10-26 06:00	42	Clear	0/0kt	0.0	>10kft	>6SM
GFS	2026-10-26 09:00	40	Clear	0/0kt	—	>10kft	>6SM
GFS	2026-10-26 12:00	38	Clear	0/0kt	1.0	>10kft	<¼SM
GFS	2026-10-26 15:00	55	Clear	90/1kt	—	>10kft	>6SM
GFS	2026-10-26 18:00	66	Clear	310/2kt	0.0	>10kft	>6SM
GFS	2026-10-26 21:00	70	Clear	320/3kt	—	>10kft	>6SM
GFS	2026-10-27 00:00	56	Clear	0/0kt	0.0	>10kft	>6SM
GFS	2026-10-27 03:00	48	Clear	0/0kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KTRI 250953Z 00000KT 10SM CLR 04/04 A3049 RMK AO2 SLP312 T00440039 $

TAF KTRI 250531Z 2506/2606 00000KT P6SM SKC FM251500 08003KT P6SM FEW150
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KTRI; actual-station=KTRI; fetched-at=2026-10-25T11:25:21.309861+00:00; observed-or-issued-at=2026-10-25T09:53:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KTRI; actual-station=KTRI; fetched-at=2026-10-25T11:25:24.673152+00:00; observed-or-issued-at=2026-10-25T05:31:00+00:00; valid-from=2026-10-25T06:00:00+00:00; valid-through=2026-10-26T06:00:00+00:00; partial-target-dates=2026-10-25,2026-10-26 — AWC API

  TAF proxy · KTRI
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KTRI; actual-station=KTRI; fetched-at=2026-10-25T11:25:25.278116+00:00

- FAA NMS NOTAM — state=OK; requested-station=KTRI; actual-station=KTRI; fetched-at=2026-10-25T11:25:41.477941Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KTRI; actual-station=KTRI; fetched-at=2026-10-25T11:26:13.405406+00:00; observed-or-issued-at=2026-10-25T06:00:00+00:00; valid-from=2026-10-25T12:00:00+00:00; valid-through=2026-10-28T06:00:00+00:00; target-dates=2026-10-26; partial-target-dates=2026-10-25; dates-with-points=2026-10-25,2026-10-26 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KTRI; actual-station=KTRI; fetched-at=2026-10-25T11:26:13.723760+00:00; observed-or-issued-at=2026-10-25T00:00:00+00:00; valid-from=2026-10-26T00:00:00+00:00; valid-through=2026-11-02T00:00:00+00:00; target-dates=2026-10-26; partial-target-dates=2026-10-25; dates-with-points=2026-10-25,2026-10-26 — Iowa State API
- MOS effective date selection — state=partial; rows=14; requested-station=KTRI; actual-station=KTRI; fetched-at=2026-10-25T11:26:13.405406+00:00; observed-or-issued-at=2026-10-25T06:00:00+00:00; valid-from=2026-10-25T12:00:00+00:00; valid-through=2026-10-28T06:00:00+00:00; target-dates=2026-10-26; partial-target-dates=2026-10-25; dates-with-points=2026-10-25,2026-10-26; selected-by-date=2026-10-25=GFS, 2026-10-26=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#9 **KROA** **Roanoke Rgnl, VA, US** · Mountain · Roanoke valley

OBS - MVFR

ETE 1h56

DIST 279 nm

SUN 25 OCT 05:54 ET OBSERVED

Current observation

METAR

OBS - MVFR

OBSE

broken 1,700 ft, broken 2,800 ft

WIND calm

TEMPERATURE 6 °C

VISIBILITY 10 sm

DEWPOINT 4 °C

Evidence & limitations

- METAR source state: ok; observed Oct 25 05:54 ET; retrieved Oct 25 07:25 ET; 91 min before this run.
- Measured values read from the KROA METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.56 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.

DESTINATION OUTLOOK

SUN, OCT 25

SUN 25 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 25 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 25 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 25

06:00–12:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 26

MON 26 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 26 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 26 OCT 12:00–18:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 2–3 kt

TEMPERATURE 45–59 °F

DEWPOINT 40–42 °F

PRECIP CHANCE 0%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 26 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 4–5 kt

TEMPERATURE 70–71 °F

DEWPOINT 40–41 °F

PRECIP CHANCE 0%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 26

00:00–06:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
12°C dep KLZU → 6°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
06/24 (060/240°M · 051/231°T) · 16/34 (160/340°M · 151/331°T) — designators and °M headings are magnetic; °T are true; variation 9°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) | 3 Act on | 3 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What | 3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

ed 2026-10-25T11:25:41.531778Z.

tes whether it is permanent or simply not supplied) — continues past this window

RI OCT 23 | SAT OCT 24 | SUN OCT 25 | MON OCT 26

10/015

A1222/26

A1309/26

31 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 11:25 Z

NOTAMs as of 11:25 Z — advisory only; verify an official briefing.

10/013

NOTAM text not available in this projection.

A1219/26

NOTAM text not available in this projection.

10/015

NOTAM text not available in this projection.

A1222/26

NOTAM text not available in this projection.

A1309/26

NOTAM text not available in this projection.

10/063

NOTAM text not available in this projection.

A1302/26

NOTAM text not available in this projection.

09/077

NOTAM text not available in this projection.

09/078

NOTAM text not available in this projection.

09/079

NOTAM text not available in this projection.

09/080

NOTAM text not available in this projection.

09/081

NOTAM text not available in this projection.

09/082

NOTAM text not available in this projection.

09/083

NOTAM text not available in this projection.

09/084

NOTAM text not available in this projection.

09/085

NOTAM text not available in this projection.

A1307/26

NOTAM text not available in this projection.

A1308/26

NOTAM text not available in this projection.

5/6949

NOTAM text not available in this projection.

A0691/25

NOTAM text not available in this projection.

09/074

NOTAM text not available in this projection.

A1193/26

NOTAM text not available in this projection.

08/074

NOTAM text not available in this projection.

08/075

NOTAM text not available in this projection.

08/076

NOTAM text not available in this projection.

09/088

NOTAM text not available in this projection.

A1201/26

NOTAM text not available in this projection.

10/008

NOTAM text not available in this projection.

10/009

NOTAM text not available in this projection.

A1214/26

NOTAM text not available in this projection.

10/041

NOTAM text not available in this projection.

10/068

NOTAM text not available in this projection.

A1310/26

NOTAM text not available in this projection.

09/056

NOTAM text not available in this projection.

A1162/26

NOTAM text not available in this projection.

A1306/26

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

026-10-25T11:25:41.531778Z.

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains

xpiry published

preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

xpiry published

xpiry published

xpiry published

RUNWAY

Effective 2026-10-22T18:53:00Z → 2026-10-25T18:53:00Z

31 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KROA this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · MVFR

:00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · VFR

· 12:00–18:00 ET ET · VFR

• **Mon, Oct 26 · 18:00–00:00 ET**: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-25=GFS, 2026-10-26=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-25 12:00	42	Sct	20/2kt	—	1-3kft	>6SM
GFS	2026-10-25 15:00	54	Clear	100/3kt	—	>10kft	>6SM
GFS	2026-10-25 18:00	65	Clear	120/4kt	0.0	>10kft	>6SM

GFS	2026-10-25 21:00	66	Clear	120/5kt	—	>10kft	>6SM
GFS	2026-10-26 00:00	58	Clear	110/3kt	0.0	>10kft	>6SM
GFS	2026-10-26 03:00	51	Clear	10/1kt	—	>10kft	>6SM
GFS	2026-10-26 06:00	47	Clear	10/1kt	0.0	>10kft	>6SM
GFS	2026-10-26 09:00	46	Clear	320/2kt	—	>10kft	>6SM
GFS	2026-10-26 12:00	45	Clear	320/2kt	0.0	>10kft	>6SM
GFS	2026-10-26 15:00	59	Clear	280/3kt	—	>10kft	>6SM
GFS	2026-10-26 18:00	70	Clear	290/4kt	0.0	>10kft	>6SM
GFS	2026-10-26 21:00	71	Clear	340/5kt	—	>10kft	>6SM
GFS	2026-10-27 00:00	62	Clear	10/3kt	0.0	>10kft	>6SM
GFS	2026-10-27 03:00	56	Clear	330/1kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KROA 250954Z 00000KT 10SM BKN017 BKN028 06/04 A3056 RMK SLP350 T00560039

TAF KROA 251120Z 2512/2612 00000KT P6SM SCT017 BKN025 FM251400 03003KT P6SM SCT025 BKN040 FM252000 10004KT P6SM SKC
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KROA; actual-station=KROA; fetched-at=2026-10-25T11:25:21.309861+00:00; observed-or-issued-at=2026-10-25T09:54:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KROA; actual-station=KROA; fetched-at=2026-10-25T11:25:24.673152+00:00; observed-or-issued-at=2026-10-25T11:20:00+00:00; valid-from=2026-10-25T12:00:00+00:00; valid-through=2026-10-26T12:00:00+00:00; partial-target-dates=2026-10-25,2026-10-26 — AWC API

  TAF proxy · KROA
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KROA; actual-station=KROA; fetched-at=2026-10-25T11:25:25.267403+00:00
- FAA NMS NOTAM — state=OK; requested-station=KROA; actual-station=KROA; fetched-at=2026-10-25T11:25:41.531778Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KROA; actual-station=KROA; fetched-at=2026-10-25T11:26:03.350805+00:00; observed-or-issued-at=2026-10-25T06:00:00+00:00; valid-from=2026-10-25T12:00:00+00:00; valid-through=2026-10-28T06:00:00+00:00; target-dates=2026-10-26; partial-target-dates=2026-10-25; dates-with-points=2026-10-25,2026-10-26 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KROA; actual-station=KROA; fetched-at=2026-10-25T11:26:16.157350+00:00; observed-or-issued-at=2026-10-25T00:00:00+00:00; valid-from=2026-10-26T00:00:00+00:00; valid-through=2026-11-02T00:00:00+00:00; target-dates=2026-10-26; partial-target-dates=2026-10-25; dates-with-points=2026-10-25,2026-10-26 — Iowa State API
- MOS effective date selection — state=partial; rows=14; requested-station=KROA; actual-station=KROA; fetched-at=2026-10-25T11:26:03.350805+00:00; observed-or-issued-at=2026-10-25T06:00:00+00:00; valid-from=2026-10-25T12:00:00+00:00; valid-through=2026-10-28T06:00:00+00:00; target-dates=2026-10-26; partial-target-dates=2026-10-25; dates-with-points=2026-10-25,2026-10-26; selected-by-date=2026-10-25=GFS, 2026-10-26=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#10 **KSGJ** **St Augustine Arpt, FL, US** · Atlantic South · St Augustine FL

OBS - VFR

ETE 1h55

DIST 276 nm

SUN 25 OCT 05:56 ET OBSERVED

Current observation

OBS - VFR

OBSER

METAR

few 3,200 ft, overcast 4,700 ft

WIND N (20°) 17 kt gust 20 kt

TEMPERATURE 22 °C

VISIBILITY 10 sm

DEWPOINT 19 °C



Wind favours RWY 02

020° true · 027° magnetic · 17G20 kt

Evidence & limitations

- METAR source state: ok; observed Oct 25 05:56 ET; retrieved Oct 25 07:25 ET; 89 min before this run.
- Measured values read from the KSGJ METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.17 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KSGJ runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 13/31, 06/24, 02/20. Seaplane water lanes (17W, 35W, 18W, 36W, 12W and 30W) are excluded from the diagram and are never marked as favoured. Wind from 020 degrees true, 027 degrees magnetic, at 17 knots gusting 20 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 02. Wind source: KSGJ METAR 250956Z.

DESTINATION OUTLOOK

SUN, OCT 25

SUN 25 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 25 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 25 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 25

06:00–12:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 26

MON 26 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 26 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 26 OCT 12:00–18:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND19 kt

TEMPERATURE73–75 °F

DEWPOINT65 °F

PRECIP CHANCE18%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 26 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND18–19 kt

TEMPERATURE72–74 °F

DEWPOINT64–65 °F

PRECIP CHANCE15%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 26

00:00–06:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
12°C dep KLZU → 22°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
13/31 (130/310°M · 123/303°T) · 06/24 (060/240°M · 053/233°T) · 02/20 (020/200°M · 013/193°T) · 17W/35W (170/350°M · 163/343°T · water lane, not wind-favored) · 18W/36W (180/000°M · 173/353°T · water lane, not wind-favored) · 12W/30W (120/300°M · 113/293°T · water lane, not wind-favored) — designators and °M headings are magnetic; °T are true; variation 7°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) | 6 Act on | 2 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What | 3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

ed 2026-10-25T11:25:41.549811Z.

oritative) » = no published end (each row states whether it is permanent or simply not supplied) — continues past this window



10 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 11:25 Z

NOTAMs as of 11:25 Z — advisory only; verify an official briefing.

10/007

NOTAM text not available in this projection.

10/019

NOTAM text not available in this projection.

10/020

NOTAM text not available in this projection.

5/0380

NOTAM text not available in this projection.

12/004

NOTAM text not available in this projection.

6/6168

NOTAM text not available in this projection.

06/017

NOTAM text not available in this projection.

08/008

NOTAM text not available in this projection.

09/001

NOTAM text not available in this projection.

09/004

NOTAM text not available in this projection.

10/003

NOTAM text not available in this projection.

10/005

NOTAM text not available in this projection.

10/011

NOTAM text not available in this projection.

10/016

NOTAM text not available in this projection.

10/015

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

Effective 2025-09-09T18:42:00Z → 2027-09-09T23:59:00Z

NAV_APPROACH

Effective 2025-12-04T15:30:00Z → Permanent — no expiry published

10 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KSGJ this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · MVFR
:00 ET ET · MVFR
:00 ET ET · MVFR
:00 ET ET · MVFR
:00 ET ET · MVFR
S · 12:00–18:00 ET ET · VFR
• **Mon, Oct 26 · 18:00–00:00 ET**: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-25=GFS, 2026-10-26=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-25 12:00	72	Ovc	30/18kt	—	5-10kft	>6SM
GFS	2026-10-25 15:00	75	Bkn	20/20kt	—	5-10kft	>6SM
GFS	2026-10-25 18:00	74	Ovc	20/21kt	17.0	5-10kft	>6SM
GFS	2026-10-25 21:00	73	Ovc	20/20kt	—	3-5kft	>6SM
GFS	2026-10-26 00:00	74	Ovc	40/25kt	38.0	5-10kft	>6SM
GFS	2026-10-26 03:00	75	Ovc	50/23kt	—	5-10kft	>6SM
GFS	2026-10-26 06:00	74	Ovc	50/19kt	37.0	5-10kft	>6SM
GFS	2026-10-26 09:00	73	Few	40/18kt	—	5-10kft	>6SM
GFS	2026-10-26 12:00	73	Bkn	40/19kt	18.0	5-10kft	>6SM

GFS	2026-10-26 15:00	75	Bkn	30/19kt	—	5-10kft	>6SM
GFS	2026-10-26 18:00	74	Bkn	30/19kt	15.0	5-10kft	>6SM
GFS	2026-10-26 21:00	72	Bkn	30/18kt	—	5-10kft	>6SM
GFS	2026-10-27 00:00	72	Bkn	40/18kt	17.0	5-10kft	>6SM
GFS	2026-10-27 03:00	72	Few	50/18kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KSGJ 250956Z 02017G20KT 10SM FEW032 OVC047 22/19 A3017 RMK AO2 SLP216 T02220194 $

TAF KSGJ 251123Z 2512/2612 02020G30KT 6SM -SHRA BKN020 OVC035 FM251500 02022G32KT 6SM -SHRA BKN025 OVC040 PROB30 2518/2524 3SM +SHRA BR BKN015 OVC025 FM260300 03020G30KT 6SM -SHRA BKN020 OVC035
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KSGJ; actual-station=KSGJ; fetched-at=2026-10-25T11:25:21.309861+00:00; observed-or-issued-at=2026-10-25T09:56:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KSGJ; actual-station=KSGJ; fetched-at=2026-10-25T11:25:24.673152+00:00; observed-or-issued-at=2026-10-25T11:23:00+00:00; valid-from=2026-10-25T12:00:00+00:00; valid-through=2026-10-26T12:00:00+00:00; partial-target-dates=2026-10-25,2026-10-26 — AWC API

TAF proxy · KSGJ

- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KSGJ; actual-station=KSGJ; fetched-at=2026-10-25T11:25:26.415662+00:00
- FAA NMS NOTAM — state=OK; requested-station=KSGJ; actual-station=KSGJ; fetched-at=2026-10-25T11:25:41.549811Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KSGJ; actual-station=KSGJ; fetched-at=2026-10-25T11:26:06.488951+00:00; observed-or-issued-at=2026-10-25T06:00:00+00:00; valid-from=2026-10-25T12:00:00+00:00; valid-through=2026-10-28T06:00:00+00:00; target-dates=2026-10-26; partial-target-dates=2026-10-25; dates-with-points=2026-10-25,2026-10-26 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KSGJ; actual-station=KSGJ; fetched-at=2026-10-25T11:26:13.781097+00:00; observed-or-issued-at=2026-10-25T00:00:00+00:00; valid-from=2026-10-26T00:00:00+00:00; valid-through=2026-11-02T00:00:00+00:00; target-dates=2026-10-26; partial-target-dates=2026-10-25; dates-with-points=2026-10-25,2026-10-26 — Iowa State API
- MOS effective date selection — state=partial; rows=14; requested-station=KSGJ; actual-station=KSGJ; fetched-at=2026-10-25T11:26:06.488951+00:00; observed-or-issued-at=2026-10-25T06:00:00+00:00; valid-from=2026-10-25T12:00:00+00:00; valid-through=2026-10-28T06:00:00+00:00; target-dates=2026-10-26; partial-target-dates=2026-10-25; dates-with-points=2026-10-25,2026-10-26; selected-by-date=2026-10-25=GFS, 2026-10-26=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#11 **KCRG** **Jacksonville/Executive at Craig Arpt, FL, US** · Atlantic North · Jacksonville Exec

OBS - VFR

ETE 1h45

DIST 252 nm

SUN 25 OCT 05:34 ET OBSERVED

Current observation METAR

few 1,900 ft, scattered 3,000 ft, broken 5,500 ft

OBS - VFR

OBSER

WIND **NE (30°) 10 kt gust 23 kt**

TEMPERATURE **21 °C**

VISIBILITY **10 sm**

DEWPOINT **18 °C**



Wind favours RWY 05

030° true · 037° magnetic · 10G23 kt

Evidence & limitations

- METAR source state: ok; observed Oct 25 05:34 ET; retrieved Oct 25 07:25 ET; 111 min before this run.
- Measured values read from the KCRG METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.19 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KCRG runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 14/32, 05/23. Wind from 030 degrees true, 037 degrees magnetic, at 10 knots gusting 23 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 05. Wind source: KCRG METAR 250934Z.

DESTINATION OUTLOOK

SUN, OCT 25

SUN 25 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 25 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 25 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 25

06:00–12:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 26

MON 26 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 26 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 26 OCT 12:00–18:00 ET MEDIUM

Forecast GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 14–15 kt

TEMPERATURE 70–74 °F

DEWPOINT 63 °F

PRECIP CHANCE 15%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 26 OCT 18:00–00:00 ET MEDIUM

Forecast GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 15–17 kt

TEMPERATURE 72–74 °F

DEWPOINT 63 °F

PRECIP CHANCE 11%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 26

00:00–06:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
12°C dep KLZU → 21°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
14/32 (140/320°M · 133/313°T) · 05/23 (050/230°M · 043/223°T) — designators and °M headings are magnetic; °T are true; variation 7°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 3 Act on

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What

3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

ed 2026-10-25T11:25:41.658524Z.

oritative)

RI OCT 23 | SAT OCT 24 | SUN OCT 25 | MON OCT 26

A0335/26

A0334/26

6/8452

18 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 11:25 Z

NOTAMs as of 11:25 Z — advisory only; verify an official briefing.

10/009

NOTAM text not available in this projection.

A0316/26

NOTAM text not available in this projection.

A0335/26

NOTAM text not available in this projection.

A0334/26

NOTAM text not available in this projection.

6/8452

NOTAM text not available in this projection.

A0170/26

NOTAM text not available in this projection.

6/9357

NOTAM text not available in this projection.

6/9358

NOTAM text not available in this projection.

A0189/26

NOTAM text not available in this projection.

A0190/26

NOTAM text not available in this projection.

12/015

NOTAM text not available in this projection.

A0332/25

NOTAM text not available in this projection.

02/057

NOTAM text not available in this projection.

09/013

NOTAM text not available in this projection.

09/014

NOTAM text not available in this projection.

09/016

NOTAM text not available in this projection.

09/019

NOTAM text not available in this projection.

10/008

NOTAM text not available in this projection.

10/024

NOTAM text not available in this projection.

10/025

NOTAM text not available in this projection.

10/028

NOTAM text not available in this projection.

A0336/26

NOTAM text not available in this projection.

10/027

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

026-10-25T11:25:41.658524Z.

:00Z

:00Z

:00Z

:00Z

NAV_APPROACH

Effective 2026-05-06T18:55:00Z → 2028-05-06T18:55:00Z

18 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KCRG this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · MVFR

:00 ET ET · MVFR

:00 ET ET · MVFR

:00 ET ET · MVFR

:00 ET ET · MVFR

S · 12:00–18:00 ET ET · VFR

• **Mon, Oct 26 · 18:00–00:00 ET**: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-25=GFS, 2026-10-26=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-25 12:00	69	Ovc	30/14kt	—	3-5kft	>6SM
GFS	2026-10-25 15:00	73	Bkn	30/16kt	—	5-10kft	>6SM
GFS	2026-10-25 18:00	73	Ovc	30/19kt	14.0	3-5kft	>6SM
GFS	2026-10-25 21:00	71	Ovc	30/17kt	—	3-5kft	>6SM
GFS	2026-10-26 00:00	71	Ovc	40/18kt	31.0	5-10kft	>6SM
GFS	2026-10-26 03:00	72	Bkn	30/17kt	—	5-10kft	>6SM
GFS	2026-10-26 06:00	70	Bkn	40/13kt	26.0	5-10kft	>6SM
GFS	2026-10-26 09:00	70	Sct	20/12kt	—	>10kft	>6SM
GFS	2026-10-26 12:00	70	Sct	20/14kt	15.0	5-10kft	>6SM
GFS	2026-10-26 15:00	74	Bkn	30/15kt	—	5-10kft	>6SM
GFS	2026-10-26 18:00	74	Bkn	30/17kt	11.0	5-10kft	>6SM
GFS	2026-10-26 21:00	72	Sct	30/15kt	—	5-10kft	>6SM
GFS	2026-10-27 00:00	70	Sct	40/12kt	9.0	5-10kft	>6SM
GFS	2026-10-27 03:00	68	Clear	40/10kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
SPECI KCRG 250934Z 03010G23KT 10SM FEW019 SCT030 BKN055 21/18 A3019 RMK AO2 T02110183

TAF KCRG 251123Z 2512/2612 03015G25KT P6SM VCSH BKN015 OVC025 FM251500 03020G30KT P6SM VCSH BKN025 OVC040 PROB30 2518/2524 4SM SHRA BR BKN015 OVC025 FM260300 03015G25KT P6SM VCSH SCT015 BKN025
OVC040
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KCRG; actual-station=KCRG; fetched-at=2026-10-25T11:25:21.309861+00:00; observed-or-issued-at=2026-10-25T09:34:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KCRG; actual-station=KCRG; fetched-at=2026-10-25T11:25:24.673152+00:00; observed-or-issued-at=2026-10-25T11:23:00+00:00; valid-from=2026-10-25T12:00:00+00:00; valid-through=2026-10-26T12:00:00+00:00; partial-target-dates=2026-10-25,2026-10-26 — AWC API
  TAF proxy · KCRG
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KCRG; actual-station=KCRG; fetched-at=2026-10-25T11:25:25.285697+00:00
- FAA NMS NOTAM — state=OK; requested-station=KCRG; actual-station=KCRG; fetched-at=2026-10-25T11:25:41.658524Z — FAA NMS overview

- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KCRG; actual-station=KCRG; fetched-at=2026-10-25T11:26:05.228162+00:00; observed-or-issued-at=2026-10-25T06:00:00+00:00; valid-from=2026-10-25T12:00:00+00:00; valid-through=2026-10-28T06:00:00+00:00; target-dates=2026-10-26; partial-target-dates=2026-10-25; dates-with-points=2026-10-25,2026-10-26 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KCRG; actual-station=KCRG; fetched-at=2026-10-25T11:26:13.789901+00:00; observed-or-issued-at=2026-10-25T00:00:00+00:00; valid-from=2026-10-26T00:00:00+00:00; valid-through=2026-11-02T00:00:00+00:00; target-dates=2026-10-26; partial-target-dates=2026-10-25; dates-with-points=2026-10-25,2026-10-26 — Iowa State API
- MOS effective date selection — state=partial; rows=14; requested-station=KCRG; actual-station=KCRG; fetched-at=2026-10-25T11:26:05.228162+00:00; observed-or-issued-at=2026-10-25T06:00:00+00:00; valid-from=2026-10-25T12:00:00+00:00; valid-through=2026-10-28T06:00:00+00:00; target-dates=2026-10-26; partial-target-dates=2026-10-25; dates-with-points=2026-10-25,2026-10-26; selected-by-date=2026-10-25=GFS, 2026-10-26=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#12 **KFIN** **Palm Coast/Flagler Exec, FL, US** · Atlantic South · Flagler Exec FL

OBS - VFR

ETE 2h03

DIST 295 nm

SUN 25 OCT 05:35 ET OBSERVED

Current observation

METAR

OBS - VFR

OBSER

clear below 12,000 ft (CLR)

WIND **NE (50°) 14 kt gust 22 kt**

TEMPERATURE **23 °C**

VISIBILITY **10 sm**

DEWPOINT **15 °C**



Wind favours RWY 06

050° true · 057° magnetic · 14G22 kt

Evidence & limitations

- METAR source state: ok; observed Oct 25 05:35 ET; retrieved Oct 25 07:25 ET; 110 min before this run.
- Measured values read from the KFIN METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.13 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.

• KFIN runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 11/29, 06/24. Seaplane water lanes (18W and 36W) are excluded from the diagram and are never marked as favoured. Wind from 050 degrees true, 057 degrees magnetic, at 14 knots gusting 22 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 06. Wind source: KFIN METAR 250935Z.

DESTINATION OUTLOOK

SUN, OCT 25

SUN 25 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 25 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 25 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 25

06:00–12:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 26

MON 26 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 26 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 26 OCT 12:00–18:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 12–17 kt

TEMPERATURE 72–77 °F

DEWPOINT 64 °F

PRECIP CHANCE 20%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 26 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 16–18 kt

TEMPERATURE 74–76 °F

DEWPOINT 64–65 °F

PRECIP CHANCE 17%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 26

00:00–06:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
12°C dep KLZU → 23°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — source state: not_queried

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
11/29 (110/290°M · 103/283°T) · 06/24 (060/240°M · 053/233°T) · 18W/36W (180/000°M · 173/353°T · water lane, not wind-favored) — designators and °M headings are magnetic; °T are true; variation 7°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What

3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

ed 2026-10-25T11:25:41.816690Z.

oritative)

	RI OCT 23	SAT OCT 24	SUN OCT 25	MON OCT 26
10/002				
10/003				
A0048/26				

5 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 11:25 Z

NOTAMs as of 11:25 Z — advisory only; verify an official briefing.

08/004

NOTAM text not available in this projection.

08/007

NOTAM text not available in this projection.

10/002

NOTAM text not available in this projection.

10/003

NOTAM text not available in this projection.

A0048/26

NOTAM text not available in this projection.

10/002

NOTAM text not available in this projection.

10/003

NOTAM text not available in this projection.

10/007

NOTAM text not available in this projection.

09/011

NOTAM text not available in this projection.

A0046/26

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

026-10-25T11:25:41.816690Z.

:00Z

:00Z

0:54:00.000Z

2:13:00.000Z

OBSTRUCTION

Effective 2026-10-05T16:15:00.000Z → 2026-11-19T22:13:00.000Z

5 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

the GFS model bias-corrected against decades of observations at this station. Issued four times a day in three-hourly steps out to about 72 hours. It carries an explicit ceiling and visibility category, so this card uses it to resolve a day the TAF cannot reach. A station-calibrated GFS MOS product was read for this airport this run (state: partial).

a normal condition, not a failure.

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KFIN this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
S · 12:00–18:00 ET ET · VFR
• **Mon, Oct 26 · 18:00–00:00 ET**: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-25=GFS, 2026-10-26=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-25 12:00	71	Bkn	50/13kt	—	5-10kft	>6SM
GFS	2026-10-25 15:00	78	Bkn	40/17kt	—	5-10kft	>6SM
GFS	2026-10-25 18:00	77	Bkn	30/18kt	20.0	5-10kft	>6SM
GFS	2026-10-25 21:00	74	Bkn	30/17kt	—	5-10kft	>6SM
GFS	2026-10-26 00:00	73	Ovc	40/17kt	36.0	5-10kft	>6SM
GFS	2026-10-26 03:00	74	Ovc	60/17kt	—	5-10kft	>6SM
GFS	2026-10-26 06:00	73	Ovc	60/14kt	40.0	5-10kft	>6SM
GFS	2026-10-26 09:00	72	Bkn	50/11kt	—	5-10kft	>6SM
GFS	2026-10-26 12:00	72	Bkn	40/12kt	20.0	5-10kft	>6SM
GFS	2026-10-26 15:00	77	Bkn	50/17kt	—	5-10kft	>6SM
GFS	2026-10-26 18:00	76	Bkn	40/18kt	17.0	5-10kft	>6SM
GFS	2026-10-26 21:00	74	Bkn	40/16kt	—	5-10kft	>6SM
GFS	2026-10-27 00:00	72	Bkn	40/12kt	22.0	5-10kft	>6SM
GFS	2026-10-27 03:00	71	Sct	50/13kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KFIN 250935Z AUTO 05014G22KT 10SM CLR 23/15 A3013 RMK AO2 T02330151

TAF KDAB 251123Z 2512/2612 04014G24KT P6SM VCSH SCT020 BKN035 BKN060 FM251400 03022G30KT P6SM VCSH SCT025 BKN040 FM260900 05017G23KT P6SM SCT025 BKN035
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KFIN; actual-station=KFIN; fetched-at=2026-10-25T11:25:21.309861+00:00; observed-or-issued-at=2026-10-25T09:35:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KFIN; actual-station=KDAB; fetched-at=2026-10-25T11:25:24.673152+00:00; observed-or-issued-at=2026-10-25T11:23:00+00:00; valid-from=2026-10-25T12:00:00+00:00; valid-through=2026-10-26T12:00:00+00:00; partial-target-dates=2026-10-25,2026-10-26 — AWC API

  TAF proxy · KDAB
- FAA airport status — state=not_queried; fetch-state=not_attempted; payload-state=not_attempted; requested-station=KFIN
- FAA NMS NOTAM — state=OK; requested-station=KFIN; actual-station=KFIN; fetched-at=2026-10-25T11:25:41.816690Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KFIN; actual-station=KFIN; fetched-at=2026-10-25T11:26:03.567014+00:00; observed-or-issued-at=2026-10-25T06:00:00+00:00; valid-from=2026-10-25T12:00:00+00:00; valid-through=2026-10-28T06:00:00+00:00; target-dates=2026-10-26; partial-target-dates=2026-10-25; dates-with-points=2026-10-25,2026-10-26 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KFIN; actual-station=KFIN; fetched-at=2026-10-25T11:26:13.799026+00:00; observed-or-issued-at=2026-10-25T00:00:00+00:00; valid-from=2026-10-26T00:00:00+00:00; valid-through=2026-11-02T00:00:00+00:00; target-dates=2026-10-26; partial-target-dates=2026-10-25; dates-with-points=2026-10-25,2026-10-26 — Iowa State API
- MOS effective date selection — state=partial; rows=14; requested-station=KFIN; actual-station=KFIN; fetched-at=2026-10-25T11:26:03.567014+00:00; observed-or-issued-at=2026-10-25T06:00:00+00:00; valid-from=2026-10-25T12:00:00+00:00; valid-through=2026-10-28T06:00:00+00:00; target-dates=2026-10-26; partial-target-dates=2026-10-25; dates-with-points=2026-10-25,2026-10-26; selected-by-date=2026-10-25=GFS, 2026-10-26=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#13 **KGKT** **Gatlinburg-Pigeon Forge Arpt, TN, US** · Mountain · Smokies/Gatlinburg

OBS - VFR

ETE 0h50

DIST 114 nm

SUN 25 OCT 05:36 ET OBSERVED

Current observation

OBS - VFR

METAR

OBSER

clear below 12,000 ft (CLR)

WIND **calm**

TEMPERATURE **5 °C**

VISIBILITY **9 sm**

DEWPOINT5 °C

Evidence & limitations

- METAR source state: ok; observed Oct 25 05:36 ET; retrieved Oct 25 07:25 ET; 109 min before this run.
- Measured values read from the KGKT METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.46 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.

DESTINATION OUTLOOK

SUN, OCT 25

SUN 25 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 25 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 25 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 25

06:00–12:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 26

MON 26 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 26 OCT 06:00–12:00 ET MEDIUM

Forecast GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 0–1 kt

TEMPERATURE 43–46 °F

DEWPOINT 43–45 °F

PRECIP CHANCE 0%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 26 OCT 12:00–18:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 0–1 kt

TEMPERATURE 41–57 °F

DEWPOINT 41–46 °F

PRECIP CHANCE 1%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 26 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 3 kt

TEMPERATURE 68–72 °F

DEWPOINT 43–44 °F

PRECIP CHANCE 0%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 26

00:00–06:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
6000 ft

CURRENT METAR TEMP DEP / DEST
12°C dep KLZU → 5°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — source state: not_queried

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
10/28 (100/280°M · 093/273°T) — designators and °M headings are magnetic; °T are true; variation 7°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 4 Act on 2 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

ed 2026-10-25T11:25:41.836337Z.

oritative) » = no published end (each row states whether it is permanent or simply not supplied) — continues past this window

RI OCT 23 | SAT OCT 24 | SUN OCT 25 | MON OCT 26



11 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 11:25 Z

NOTAMs as of 11:25 Z — advisory only; verify an official briefing.

5/5737

NOTAM text not available in this projection.

04/104

NOTAM text not available in this projection.

04/122

NOTAM text not available in this projection.

04/123

NOTAM text not available in this projection.

5/0055

NOTAM text not available in this projection.

5/0067

NOTAM text not available in this projection.

6/4578

NOTAM text not available in this projection.

07/683

NOTAM text not available in this projection.

08/632

NOTAM text not available in this projection.

09/026

NOTAM text not available in this projection.

09/050

NOTAM text not available in this projection.

10/113

NOTAM text not available in this projection.

10/405

NOTAM text not available in this projection.

10/443

NOTAM text not available in this projection.

10/457

NOTAM text not available in this projection.

09/688

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

RUNWAY
Effective 2026-04-07T10:24:00Z → 2027-11-30T19:00:00Z

RUNWAY
Effective 2026-04-07T10:26:00Z → Permanent — no expiry published

NAV_APPROACH
Effective 2025-09-24T20:31:00Z → 2027-09-24T20:31:00Z

11 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air

Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KGKT this run.

…ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

…go here is derived from an image. A published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

…:00 ET ET · VFR
…:00 ET ET · VFR
…:00 ET ET · VFR
…:00 ET ET · VFR
… · 06:00–12:00 ET ET · VFR
… · 12:00–18:00 ET ET · VFR
• **Mon, Oct 26 · 18:00–00:00 ET**: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-25=GFS, 2026-10-26=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-25 12:00	40	Clear	0/0kt	—	>10kft	¼-½SM
GFS	2026-10-25 15:00	55	Clear	80/1kt	—	>10kft	>6SM
GFS	2026-10-25 18:00	67	Clear	30/2kt	0.0	>10kft	>6SM
GFS	2026-10-25 21:00	70	Clear	40/3kt	—	>10kft	>6SM
GFS	2026-10-26 00:00	58	Clear	0/0kt	0.0	>10kft	>6SM
GFS	2026-10-26 03:00	50	Clear	90/1kt	—	>10kft	>6SM
GFS	2026-10-26 06:00	46	Clear	210/1kt	0.0	>10kft	>6SM
GFS	2026-10-26 09:00	43	Clear	0/0kt	—	>10kft	>6SM
GFS	2026-10-26 12:00	41	Clear	210/1kt	1.0	>10kft	>6SM
GFS	2026-10-26 15:00	57	Clear	0/0kt	—	>10kft	>6SM
GFS	2026-10-26 18:00	68	Clear	10/3kt	0.0	>10kft	>6SM
GFS	2026-10-26 21:00	72	Clear	30/3kt	—	>10kft	>6SM
GFS	2026-10-27 00:00	59	Clear	0/0kt	0.0	>10kft	>6SM
GFS	2026-10-27 03:00	52	Clear	0/0kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KGKT 250936Z AUTO 00000KT 9SM CLR 05/05 A3046 RMK A01

TAF KTYS 250531Z 2506/2606 VRB03KT P6SM SKC FM251700 04006KT P6SM FEW250
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KGKT; actual-station=KGKT; fetched-at=2026-10-25T11:25:21.309861+00:00; observed-or-issued-at=2026-10-25T09:36:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KGKT; actual-station=KTYS; fetched-at=2026-10-25T11:25:24.673152+00:00; observed-or-issued-at=2026-10-25T05:31:00+00:00; valid-from=2026-10-25T06:00:00+00:00; valid-through=2026-10-26T06:00:00+00:00; partial-target-dates=2026-10-25,2026-10-26 — AWC API

  TAF proxy · KTYS
- FAA airport status — state=not_queried; fetch-state=not_attempted; payload-state=not_attempted; requested-station=KGKT
- FAA NMS NOTAM — state=OK; requested-station=KGKT; actual-station=KGKT; fetched-at=2026-10-25T11:25:41.836337Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KGKT; actual-station=KGKT; fetched-at=2026-10-25T11:26:03.571494+00:00; observed-or-issued-at=2026-10-25T06:00:00+00:00; valid-from=2026-10-25T12:00:00+00:00; valid-through=2026-10-28T06:00:00+00:00; target-dates=2026-10-26; partial-target-dates=2026-10-25; dates-with-points=2026-10-25,2026-10-26 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KGKT; actual-station=KGKT; fetched-at=2026-10-25T11:26:13.873690+00:00; observed-or-issued-at=2026-10-25T00:00:00+00:00; valid-from=2026-10-26T00:00:00+00:00; valid-through=2026-11-02T00:00:00+00:00; target-dates=2026-10-26; partial-target-dates=2026-10-25; dates-with-points=2026-10-25,2026-10-26 — Iowa State API
- MOS effective date selection — state=partial; rows=14; requested-station=KGKT; actual-station=KGKT; fetched-at=2026-10-25T11:26:03.571494+00:00; observed-or-issued-at=2026-10-25T06:00:00+00:00; valid-from=2026-10-25T12:00:00+00:00; valid-through=2026-10-28T06:00:00+00:00; target-dates=2026-10-26; partial-target-dates=2026-10-25; dates-with-points=2026-10-25,2026-10-26; selected-by-date=2026-10-25=GFS, 2026-10-26=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#14 **KSHD** **Staunton/Shenandoah Valley Rgnl, VA, US** · Mountain · Shenandoah valley

OBS - VFR

ETE 2h25

DIST 355 nm

SUN 25 OCT 05:35 ET OBSERVED

Current observation

OBS - VFR

METAR

OBSER

clear below 12,000 ft (CLR)

WIND **calm**

TEMPERATURE **-1 °C**

VISIBILITY **10 sm**

DEWPOINT-1 °C

Evidence & limitations

- METAR source state: ok; observed Oct 25 05:35 ET; retrieved Oct 25 07:25 ET; 110 min before this run.
- Measured values read from the KSHD METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.57 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.

DESTINATION OUTLOOK

SUN, OCT 25

SUN 25 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 25 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 25 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 25

06:00–12:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 26

MON 26 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 26 OCT 06:00–12:00 ET MEDIUM

Forecast GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 0 kt

TEMPERATURE 35–37 °F

DEWPOINT 34–37 °F

PRECIP CHANCE 0%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 26 OCT 12:00–18:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 0–1 kt

TEMPERATURE 34–56 °F

DEWPOINT 34–42 °F

PRECIP CHANCE 0%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 26 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 2–3 kt

TEMPERATURE 69–71 °F

DEWPOINT 40–41 °F

PRECIP CHANCE 0%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 26

00:00–06:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
12°C dep KLZU → -1°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — source state: not_queried

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
05/23 (050/230°M · 040/220°T) — designators and °M headings are magnetic; °T are true; variation 10°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs
FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 3 Act on 2 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

ed 2026-10-25T11:25:41.867412Z.

RI OCT 23 | SAT OCT 24 | SUN OCT 25 | MON OCT 26

10/012	*Outside trip window*			
A0141/26	*Outside trip window*			
03/004				

5 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 11:25 Z

NOTAMs as of 11:25 Z — advisory only; verify an official briefing.

A0142/26

NOTAM text not available in this projection.

A0143/26

NOTAM text not available in this projection.

10/012

NOTAM text not available in this projection.

A0141/26

NOTAM text not available in this projection.

03/004

NOTAM text not available in this projection.

A0068/26

NOTAM text not available in this projection.

5/3811

NOTAM text not available in this projection.

A0196/25

NOTAM text not available in this projection.

07/006

NOTAM text not available in this projection.

A0111/26

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains

preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

:00Z

:00Z

:00Z

TAXIWAY

Effective 2026-03-10T16:01:00Z → 2026-10-31T21:00:00Z

5 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KSHD this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · VFR

· 06:00–12:00 ET ET · VFR

· 12:00–18:00 ET ET · VFR

• **Mon, Oct 26 · 18:00–00:00 ET**: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-25=GFS, 2026-10-26=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-25 12:00	32	Clear	0/0kt	—	>10kft	>6SM
GFS	2026-10-25 15:00	50	Clear	170/1kt	—	>10kft	>6SM
GFS	2026-10-25 18:00	61	Clear	180/2kt	0.0	>10kft	>6SM

GFS	2026-10-25 21:00	62	Clear	160/3kt	—	>10kft	>6SM
GFS	2026-10-26 00:00	48	Clear	0/0kt	0.0	>10kft	>6SM
GFS	2026-10-26 03:00	41	Clear	0/0kt	—	>10kft	>6SM
GFS	2026-10-26 06:00	37	Clear	0/0kt	0.0	>10kft	>6SM
GFS	2026-10-26 09:00	35	Clear	0/0kt	—	>10kft	>6SM
GFS	2026-10-26 12:00	34	Clear	0/0kt	0.0	>10kft	>6SM
GFS	2026-10-26 15:00	56	Clear	260/1kt	—	>10kft	>6SM
GFS	2026-10-26 18:00	69	Clear	90/2kt	0.0	>10kft	>6SM
GFS	2026-10-26 21:00	71	Clear	140/3kt	—	>10kft	>6SM
GFS	2026-10-27 00:00	55	Clear	0/0kt	0.0	>10kft	>6SM
GFS	2026-10-27 03:00	45	Clear	0/0kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KSHD 250935Z AUTO 00000KT 10SM CLR M01/M01 A3057 RMK AO2 T10111013

TAF KCHO 250520Z 2506/2606 03003KT 6SM BR FEW010 FEW035 FM251300 15003KT P6SM FEW050 FEW250
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KSHD; actual-station=KSHD; fetched-at=2026-10-25T11:25:21.309861+00:00; observed-or-issued-at=2026-10-25T09:35:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KSHD; actual-station=KCHO; fetched-at=2026-10-25T11:25:24.673152+00:00; observed-or-issued-at=2026-10-25T05:20:00+00:00; valid-from=2026-10-25T06:00:00+00:00; valid-through=2026-10-26T06:00:00+00:00; partial-target-dates=2026-10-25,2026-10-26 — AWC API

  TAF proxy · KCHO
- FAA airport status — state=not_queried; fetch-state=not_attempted; payload-state=not_attempted; requested-station=KSHD
- FAA NMS NOTAM — state=OK; requested-station=KSHD; actual-station=KSHD; fetched-at=2026-10-25T11:25:41.867412Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KSHD; actual-station=KSHD; fetched-at=2026-10-25T11:26:07.340710+00:00; observed-or-issued-at=2026-10-25T06:00:00+00:00; valid-from=2026-10-25T12:00:00+00:00; valid-through=2026-10-28T06:00:00+00:00; target-dates=2026-10-26; partial-target-dates=2026-10-25; dates-with-points=2026-10-25,2026-10-26 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KSHD; actual-station=KSHD; fetched-at=2026-10-25T11:26:15.028542+00:00; observed-or-issued-at=2026-10-25T00:00:00+00:00; valid-from=2026-10-26T00:00:00+00:00; valid-through=2026-11-02T00:00:00+00:00; target-dates=2026-10-26; partial-target-dates=2026-10-25; dates-with-points=2026-10-25,2026-10-26 — Iowa State API
- MOS effective date selection — state=partial; rows=14; requested-station=KSHD; actual-station=KSHD; fetched-at=2026-10-25T11:26:07.340710+00:00; observed-or-issued-at=2026-10-25T06:00:00+00:00; valid-from=2026-10-25T12:00:00+00:00; valid-through=2026-10-28T06:00:00+00:00; target-dates=2026-10-26; partial-target-dates=2026-10-25; dates-with-points=2026-10-25,2026-10-26; selected-by-date=2026-10-25=GFS, 2026-10-26=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#15 **KECP** **Panama City/NW Florida Beaches Intl, FL, US** · Gulf East · Panama City Beach

OBS - VFR

ETE 1h38

DIST 237 nm

SUN 25 OCT 05:53 ET OBSERVED

Current observation

OBS - VFR

OBSER

METAR

clear below 12,000 ft (CLR)

WIND N (10°) 10 kt

TEMPERATURE 16 °C

VISIBILITY 10 sm

DEWPOINT 10 °C

Wind favours RWY 34

010° true · 013° magnetic · 10 kt

Evidence & limitations

- METAR source state: ok; observed Oct 25 05:53 ET; retrieved Oct 25 07:25 ET; 92 min before this run.
- Measured values read from the KECP METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.26 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KECP runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 16/34. Wind from 010 degrees true, 013 degrees magnetic, at 10 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 34. Wind source: KECP METAR 250953Z.

DESTINATION OUTLOOK

SUN, OCT 25

SUN 25 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 25 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 25 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 25

06:00–12:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 26

MON 26 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 26 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 26 OCT 12:00–18:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 8–12 kt

TEMPERATURE 58–70 °F

DEWPOINT 51–54 °F

PRECIP CHANCE 3%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 26 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 8–11 kt

TEMPERATURE 78–80 °F

DEWPOINT 51–53 °F

PRECIP CHANCE 1%


Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 26

00:00–06:00 ET ET



06:00–12:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
6000 ft

CURRENT METAR TEMP DEP / DEST
12°C dep KLZU → 16°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
16/34 (160/340°M · 157/337°T) — designators and °M headings are magnetic; °T are true; variation 3°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) | 4 Act on | 1 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What | 3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

ed 2026-10-25T11:25:41.938580Z.

oritative)



9 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 11:25 Z

NOTAMs as of 11:25 Z — advisory only; verify an official briefing.

07/022

NOTAM text not available in this projection.

A0129/26

NOTAM text not available in this projection.

6/0313

NOTAM text not available in this projection.

A0153/26

NOTAM text not available in this projection.

A0209/26

NOTAM text not available in this projection.

08/033

NOTAM text not available in this projection.

09/003

NOTAM text not available in this projection.

A0152/26

NOTAM text not available in this projection.

09/027

NOTAM text not available in this projection.

09/035

NOTAM text not available in this projection.

10/008

NOTAM text not available in this projection.

10/041

NOTAM text not available in this projection.

10/042

NOTAM text not available in this projection.

10/045

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

Effective 2026-09-02T17:00:00Z → 2027-01-15T16:23:00Z

NAV_APPROACH

Effective 2026-10-24T22:19:00Z → 2026-10-27T22:19:00Z

9 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation

issued hourly by the reporting station, with SPECI reports off-cycle, carrying ceiling, visibility, wind, temperature and altimeter. Issued by the observing station and distributed by aviationweather.gov. This is measured fact, not a forecast, and on this page it describes conditions right now, not this day. A current KECP observation was read this run. It describes conditions now, not this trip day.

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KECP this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
S · 12:00–18:00 ET ET · VFR
• **Mon, Oct 26 · 18:00–00:00 ET**: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-25=GFS, 2026-10-26=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-25 12:00	57	Clear	10/9kt	—	>10kft	>6SM
GFS	2026-10-25 15:00	68	Clear	20/13kt	—	>10kft	>6SM
GFS	2026-10-25 18:00	77	Clear	20/13kt	4.0	>10kft	>6SM
GFS	2026-10-25 21:00	79	Clear	10/12kt	—	>10kft	>6SM
GFS	2026-10-26 00:00	70	Clear	360/6kt	0.0	>10kft	>6SM
GFS	2026-10-26 03:00	63	Clear	360/6kt	—	>10kft	>6SM
GFS	2026-10-26 06:00	60	Clear	10/6kt	0.0	>10kft	>6SM
GFS	2026-10-26 09:00	58	Clear	20/7kt	—	>10kft	>6SM
GFS	2026-10-26 12:00	58	Clear	10/8kt	3.0	>10kft	>6SM
GFS	2026-10-26 15:00	70	Clear	20/12kt	—	>10kft	>6SM
GFS	2026-10-26 18:00	78	Clear	20/11kt	1.0	>10kft	>6SM
GFS	2026-10-26 21:00	80	Clear	10/8kt	—	>10kft	>6SM

GFS	2026-10-27 00:00	67	Clear	350/4kt	0.0	>10kft	>6SM
GFS	2026-10-27 03:00	61	Clear	10/4kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KECP 250953Z AUTO 01010KT 10SM CLR 16/10 A3026 RMK AO2 SLP257 T01560100 $

TAF KECP 251120Z 2512/2612 02010KT P6SM SKC FM251500 03012G23KT P6SM SKC FM252300 36010KT P6SM SKC
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KECP; actual-station=KECP; fetched-at=2026-10-25T11:25:21.309861+00:00; observed-or-issued-at=2026-10-25T09:53:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KECP; actual-station=KECP; fetched-at=2026-10-25T11:25:24.673152+00:00; observed-or-issued-at=2026-10-25T11:20:00+00:00; valid-from=2026-10-25T12:00:00+00:00; valid-through=2026-10-26T12:00:00+00:00; partial-target-dates=2026-10-25,2026-10-26 — AWC API

  TAF proxy · KECP
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KECP; actual-station=KECP; fetched-at=2026-10-25T11:25:25.222851+00:00
- FAA NMS NOTAM — state=OK; requested-station=KECP; actual-station=KECP; fetched-at=2026-10-25T11:25:41.938580Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KECP; actual-station=KECP; fetched-at=2026-10-25T11:26:03.859978+00:00; observed-or-issued-at=2026-10-25T06:00:00+00:00; valid-from=2026-10-25T12:00:00+00:00; valid-through=2026-10-28T06:00:00+00:00; target-dates=2026-10-26; partial-target-dates=2026-10-25; dates-with-points=2026-10-25,2026-10-26 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KECP; actual-station=KECP; fetched-at=2026-10-25T11:26:13.955966+00:00; observed-or-issued-at=2026-10-25T00:00:00+00:00; valid-from=2026-10-26T00:00:00+00:00; valid-through=2026-11-02T00:00:00+00:00; target-dates=2026-10-26; partial-target-dates=2026-10-25; dates-with-points=2026-10-25,2026-10-26 — Iowa State API
- MOS effective date selection — state=partial; rows=14; requested-station=KECP; actual-station=KECP; fetched-at=2026-10-25T11:26:03.859978+00:00; observed-or-issued-at=2026-10-25T06:00:00+00:00; valid-from=2026-10-25T12:00:00+00:00; valid-through=2026-10-28T06:00:00+00:00; target-dates=2026-10-26; partial-target-dates=2026-10-25; dates-with-points=2026-10-25,2026-10-26; selected-by-date=2026-10-25=GFS, 2026-10-26=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#16 **KPNS** **Pensacola Intl, FL, US** · Gulf East · Pensacola (Class C)

OBS - VFR

ETE 1h51

DIST 267 nm

SUN 25 OCT 05:53 ET OBSERVED

Current observation

OBS - VFR

OBSER

METAR

clear below 12,000 ft (CLR)

WIND NE (30°) 5 kt

TEMPERATURE **15 °C**

VISIBILITY **10 sm**

DEWPOINT **9 °C**



Wind favours RWY 35

030° true · 032° magnetic · 5 kt · NOTAM-affected: 08 and 26

Evidence & limitations

- METAR source state: ok; observed Oct 25 05:53 ET; retrieved Oct 25 07:25 ET; 92 min before this run.
- Measured values read from the KPNS METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.29 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KPNS runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 17/35, 08/26. Wind from 030 degrees true, 032 degrees magnetic, at 5 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 35. NOTAM-affected runway ends, hatched separately from the wind highlight: 08 and 26. The hatch marks only that a NOTAM names the runway; it does not decode the NOTAM's effective times, so confirm the closure window in the NOTAM text below. Wind source: KPNS METAR 250953Z.

DESTINATION OUTLOOK

SUN, OCT 25

SUN 25 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 25 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 25 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 25

06:00–12:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 26

MON 26 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 26 OCT 06:00–12:00 ET MEDIUM

Forecast GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 7 kt

TEMPERATURE 63–64 °F

DEWPOINT 51–52 °F

PRECIP CHANCE 0%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 26 OCT 12:00–18:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 8–10 kt

TEMPERATURE 62–69 °F

DEWPOINT 53–55 °F

PRECIP CHANCE 2%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 26 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 9 kt

TEMPERATURE 76–77 °F

DEWPOINT 51–52 °F

PRECIP CHANCE 0%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 26

00:00–06:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
12°C dep KLZU → 15°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
17/35 (170/350°M · 168/348°T) · 08/26 (080/260°M · 078/258°T) — designators and °M headings are magnetic; °T are true; variation 2°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs
FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 19 Act on 6 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What
3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

ed 2026-10-25T11:25:42.117150Z.

RI OCT 23 | SAT OCT 24 | SUN OCT 25 | MON OCT 26

04/047	
A0477/26	
A0478/26	

90 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 11:25 Z

NOTAMs as of 11:25 Z — advisory only; verify an official briefing.

5/9591

NOTAM text not available in this projection.

04/046

NOTAM text not available in this projection.

04/047

NOTAM text not available in this projection.

A0477/26

NOTAM text not available in this projection.

A0478/26

NOTAM text not available in this projection.

04/048

NOTAM text not available in this projection.

A0479/26

NOTAM text not available in this projection.

04/049

NOTAM text not available in this projection.

A0480/26

NOTAM text not available in this projection.

6/7052

NOTAM text not available in this projection.

09/005

NOTAM text not available in this projection.

09/006

NOTAM text not available in this projection.

09/007

NOTAM text not available in this projection.

A1014/26

NOTAM text not available in this projection.

A1015/26

NOTAM text not available in this projection.

09/008

NOTAM text not available in this projection.

09/074

NOTAM text not available in this projection.

A1113/26

NOTAM text not available in this projection.

09/080

NOTAM text not available in this projection.

A1116/26

NOTAM text not available in this projection.

09/082

NOTAM text not available in this projection.

09/085

NOTAM text not available in this projection.

10/006

NOTAM text not available in this projection.

10/012

NOTAM text not available in this projection.

A1134/26

NOTAM text not available in this projection.

10/013

NOTAM text not available in this projection.

A1135/26

NOTAM text not available in this projection.

10/026

NOTAM text not available in this projection.

A1150/26

NOTAM text not available in this projection.

10/073

NOTAM text not available in this projection.

A1204/26

NOTAM text not available in this projection.

10/087

NOTAM text not available in this projection.

12/025

NOTAM text not available in this projection.

A1113/25

NOTAM text not available in this projection.

05/004

NOTAM text not available in this projection.

A0495/26

NOTAM text not available in this projection.

05/065

NOTAM text not available in this projection.

A0605/26

NOTAM text not available in this projection.

08/079

NOTAM text not available in this projection.

08/082

NOTAM text not available in this projection.

09/075

NOTAM text not available in this projection.

A1115/26

NOTAM text not available in this projection.

09/076

NOTAM text not available in this projection.

09/077

NOTAM text not available in this projection.

A1114/26

NOTAM text not available in this projection.

09/078

NOTAM text not available in this projection.

09/079

NOTAM text not available in this projection.

09/081

NOTAM text not available in this projection.

10/007

NOTAM text not available in this projection.

A1129/26

NOTAM text not available in this projection.

10/023

NOTAM text not available in this projection.

A1148/26

NOTAM text not available in this projection.

10/024

NOTAM text not available in this projection.

10/025

NOTAM text not available in this projection.

A1149/26

NOTAM text not available in this projection.

10/027

NOTAM text not available in this projection.

A1153/26

NOTAM text not available in this projection.

10/028

NOTAM text not available in this projection.

A1154/26

NOTAM text not available in this projection.

10/082

NOTAM text not available in this projection.

A1219/26

NOTAM text not available in this projection.

10/085

NOTAM text not available in this projection.

10/086

NOTAM text not available in this projection.

A1222/26

NOTAM text not available in this projection.

10/091

NOTAM text not available in this projection.

A1224/26

NOTAM text not available in this projection.

A1225/26

NOTAM text not available in this projection.

10/092

NOTAM text not available in this projection.

10/093

NOTAM text not available in this projection.

A1226/26

NOTAM text not available in this projection.

A0797/25

NOTAM text not available in this projection.

01/160

NOTAM text not available in this projection.

A0199/26

NOTAM text not available in this projection.

6/3336

NOTAM text not available in this projection.

A0624/26

NOTAM text not available in this projection.

A0826/26

NOTAM text not available in this projection.

6/7054

NOTAM text not available in this projection.

A0828/26

NOTAM text not available in this projection.

6/8258

NOTAM text not available in this projection.

A0849/26

NOTAM text not available in this projection.

6/8259

NOTAM text not available in this projection.

A0850/26

NOTAM text not available in this projection.

A1228/26

NOTAM text not available in this projection.

08/044

NOTAM text not available in this projection.

08/053

NOTAM text not available in this projection.

A0967/26

NOTAM text not available in this projection.

09/087

NOTAM text not available in this projection.

10/072

NOTAM text not available in this projection.

10/076

NOTAM text not available in this projection.

10/079

NOTAM text not available in this projection.

10/080

NOTAM text not available in this projection.

A1214/26

NOTAM text not available in this projection.

10/089

NOTAM text not available in this projection.

10/090

NOTAM text not available in this projection.

10/094

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

026-10-25T11:25:42.117150Z.

Effective 2025-09-08T16:19:00Z → 2027-09-08T16:19:00Z

FAA NOTAM text was truncated in this preview; verify the complete official record.

RUNWAY

Effective 2026-04-24T22:11:00Z → 2027-01-29T20:00:00Z

RUNWAY

Effective 2026-04-24T22:11:00Z → 2027-01-29T20:00:00Z

RUNWAY

Effective 2026-04-24T22:11:00Z → 2027-01-29T20:00:00Z

RUNWAY

Effective 2026-04-24T22:11:00Z → 2027-01-29T20:00:00Z

RUNWAY

Effective 2026-09-29T12:42:00Z → 2026-12-28T23:00:00Z

RUNWAY

Effective 2026-09-29T12:42:00Z → 2026-12-28T23:00:00Z

88 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the

highest-resolution aviation forecast available. The National Weather Service issues it four times a day, valid 24 to 30 hours, with explicit FM and TEMPO change groups. Airports without their own TAF station use a nearby proxy, which is a normal condition and not a fault. A TAF was read for this airport this run (state: partial).

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KPNS this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

[redacted]

[redacted]

[redacted]

[redacted]

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · VFR

S · 06:00–12:00 ET ET · VFR

S · 12:00–18:00 ET ET · VFR

• **Mon, Oct 26 · 18:00–00:00 ET**: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-25=GFS, 2026-10-26=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-25 12:00	59	Clear	40/8kt	—	>10kft	>6SM
GFS	2026-10-25 15:00	68	Clear	50/10kt	—	>10kft	>6SM
GFS	2026-10-25 18:00	76	Clear	50/13kt	1.0	>10kft	>6SM
GFS	2026-10-25 21:00	78	Clear	30/11kt	—	>10kft	>6SM
GFS	2026-10-26 00:00	71	Clear	20/6kt	0.0	>10kft	>6SM
GFS	2026-10-26 03:00	66	Clear	30/7kt	—	>10kft	>6SM
GFS	2026-10-26 06:00	64	Clear	40/7kt	0.0	>10kft	>6SM
GFS	2026-10-26 09:00	63	Clear	50/7kt	—	>10kft	>6SM
GFS	2026-10-26 12:00	62	Clear	40/8kt	2.0	>10kft	>6SM
GFS	2026-10-26 15:00	69	Clear	50/10kt	—	>10kft	>6SM
GFS	2026-10-26 18:00	76	Clear	50/9kt	0.0	>10kft	>6SM
GFS	2026-10-26 21:00	77	Clear	40/9kt	—	>10kft	>6SM
GFS	2026-10-27 00:00	70	Clear	30/5kt	0.0	>10kft	>6SM

GFS	2026-10-27 03:00	66	Clear	30/6kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KPNS 250953Z AUTO 03005KT 10SM CLR 15/09 A3029 RMK AO2 SLP259 T01500094 $

TAF KPNS 250520Z 2506/2606 05007KT P6SM SKC FM251400 05009G17KT P6SM SKC
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KPNS; actual-station=KPNS; fetched-at=2026-10-25T11:25:21.309861+00:00; observed-or-issued-at=2026-10-25T09:53:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KPNS; actual-station=KPNS; fetched-at=2026-10-25T11:25:24.673152+00:00; observed-or-issued-at=2026-10-25T05:20:00+00:00; valid-from=2026-10-25T06:00:00+00:00; valid-through=2026-10-26T06:00:00+00:00; partial-target-dates=2026-10-25,2026-10-26 — AWC API
  TAF proxy · KPNS
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KPNS; actual-station=KPNS; fetched-at=2026-10-25T11:25:25.388027+00:00
- FAA NMS NOTAM — state=OK; requested-station=KPNS; actual-station=KPNS; fetched-at=2026-10-25T11:25:42.117150Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KPNS; actual-station=KPNS; fetched-at=2026-10-25T11:26:04.071259+00:00; observed-or-issued-at=2026-10-25T06:00:00+00:00; valid-from=2026-10-25T12:00:00+00:00; valid-through=2026-10-28T06:00:00+00:00; target-dates=2026-10-26; partial-target-dates=2026-10-25; dates-with-points=2026-10-25,2026-10-26 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KPNS; actual-station=KPNS; fetched-at=2026-10-25T11:26:13.992700+00:00; observed-or-issued-at=2026-10-25T00:00:00+00:00; valid-from=2026-10-26T00:00:00+00:00; valid-through=2026-11-02T00:00:00+00:00; target-dates=2026-10-26; partial-target-dates=2026-10-25; dates-with-points=2026-10-25,2026-10-26 — Iowa State API
- MOS effective date selection — state=partial; rows=14; requested-station=KPNS; actual-station=KPNS; fetched-at=2026-10-25T11:26:04.071259+00:00; observed-or-issued-at=2026-10-25T06:00:00+00:00; valid-from=2026-10-25T12:00:00+00:00; valid-through=2026-10-28T06:00:00+00:00; target-dates=2026-10-26; partial-target-dates=2026-10-25; dates-with-points=2026-10-25,2026-10-26; selected-by-date=2026-10-25=GFS, 2026-10-26=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#17 **KDAB** **Daytona Beach Intl, FL, US** · Gulf East · Daytona Beach (Class C)

OBS - VFR

ETE 2h13

DIST 324 nm

SUN 25 OCT 05:53 ET OBSERVED

Current observation

OBS - VFR

METAR

OBSER

clear below 12,000 ft (CLR)

WIND **NE (50°) 20 kt gust 26 kt**

TEMPERATURE **23 °C**

VISIBILITY **10 sm**

DEWPOINT **16 °C**



Wind equally favours RWY 07L and 07R

050° true · 057° magnetic · 20G26 kt

Evidence & limitations

- METAR source state: ok; observed Oct 25 05:53 ET; retrieved Oct 25 07:25 ET; 92 min before this run.
- Measured values read from the KDAB METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.11 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KDAB runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 07L/25R, 16/34, 07R/25L. Wind from 050 degrees true, 057 degrees magnetic, at 20 knots gusting 26 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Equally wind-favoured runway ends, highlighted: 07L and 07R. Wind source: KDAB METAR 250953Z.

DESTINATION OUTLOOK

SUN, OCT 25

SUN 25 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 25 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 25 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 25

06:00–12:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 26

MON 26 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 26 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 26 OCT 12:00–18:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 14–19 kt

TEMPERATURE 73–79 °F

DEWPOINT 66–67 °F

PRECIP CHANCE 22%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 26 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 18–20 kt

TEMPERATURE 78–79 °F

DEWPOINT 66 °F

PRECIP CHANCE 17%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 26

00:00–06:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
12°C dep KLZU → 23°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
07L/25R (070/250°M · 063/243°T) · 16/34 (160/340°M · 153/333°T) · 07R/25L (070/250°M · 063/243°T) — designators and °M headings are magnetic; °T are true; variation 7°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) | 18 Act on | 3 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What | 3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

ed 2026-10-25T11:25:42.127902Z.

oritative)

RI OCT 23 | SAT OCT 24 | SUN OCT 25 | MON OCT 26

10/050

A1735/26

10/066

45 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 11:25 Z

NOTAMs as of 11:25 Z — advisory only; verify an official briefing.

10/049

NOTAM text not available in this projection.

A1733/26

NOTAM text not available in this projection.

10/050

NOTAM text not available in this projection.

A1735/26

NOTAM text not available in this projection.

10/066

NOTAM text not available in this projection.

10/082

NOTAM text not available in this projection.

A1787/26

NOTAM text not available in this projection.

10/087

NOTAM text not available in this projection.

A1790/26

NOTAM text not available in this projection.

10/088

NOTAM text not available in this projection.

10/089

NOTAM text not available in this projection.

A1792/26

NOTAM text not available in this projection.

A1793/26

NOTAM text not available in this projection.

10/090

NOTAM text not available in this projection.

A1794/26

NOTAM text not available in this projection.

10/076

NOTAM text not available in this projection.

10/085

NOTAM text not available in this projection.

A1789/26

NOTAM text not available in this projection.

10/086

NOTAM text not available in this projection.

A1791/26

NOTAM text not available in this projection.

10/091

NOTAM text not available in this projection.

6/8810

NOTAM text not available in this projection.

6/8811

NOTAM text not available in this projection.

6/8814

NOTAM text not available in this projection.

6/8816

NOTAM text not available in this projection.

A0825/26

NOTAM text not available in this projection.

A0828/26

NOTAM text not available in this projection.

A0829/26

NOTAM text not available in this projection.

A0830/26

NOTAM text not available in this projection.

6/3056

NOTAM text not available in this projection.

A0972/26

NOTAM text not available in this projection.

6/0752

NOTAM text not available in this projection.

A1405/26

NOTAM text not available in this projection.

08/067

NOTAM text not available in this projection.

08/069

NOTAM text not available in this projection.

08/070

NOTAM text not available in this projection.

08/071

NOTAM text not available in this projection.

02/081

NOTAM text not available in this projection.

A0203/26

NOTAM text not available in this projection.

09/149

NOTAM text not available in this projection.

A1643/26

NOTAM text not available in this projection.

10/031

NOTAM text not available in this projection.

A1704/26

NOTAM text not available in this projection.

10/032

NOTAM text not available in this projection.

A1705/26

NOTAM text not available in this projection.

10/033

NOTAM text not available in this projection.

A1706/26

NOTAM text not available in this projection.

10/092

NOTAM text not available in this projection.

10/084

NOTAM text not available in this projection.

A1788/26

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

026-10-25T11:25:42.127902Z.

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

:00Z

:00Z

:00Z

:00Z

RUNWAY

Effective 2026-10-13T23:02:00Z → 2026-11-01T23:00:00Z

45 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KDAB this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · VFR

S · 12:00–18:00 ET ET · VFR

• **Mon, Oct 26 · 18:00–00:00 ET**: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-25=GFS, 2026-10-26=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-25 12:00	74	Bkn	50/19kt	—	>10kft	>6SM
GFS	2026-10-25 15:00	79	Bkn	40/22kt	—	>10kft	>6SM
GFS	2026-10-25 18:00	78	Bkn	30/20kt	22.0	5-10kft	>6SM
GFS	2026-10-25 21:00	76	Bkn	30/19kt	—	5-10kft	>6SM
GFS	2026-10-26 00:00	75	Bkn	40/20kt	32.0	5-10kft	>6SM
GFS	2026-10-26 03:00	75	Ovc	50/19kt	—	5-10kft	>6SM
GFS	2026-10-26 06:00	75	Ovc	50/17kt	42.0	5-10kft	>6SM

GFS	2026-10-26 09:00	74	Bkn	40/14kt	—	5-10kft	>6SM
GFS	2026-10-26 12:00	73	Sct	40/14kt	22.0	>10kft	>6SM
GFS	2026-10-26 15:00	79	Bkn	40/19kt	—	5-10kft	>6SM
GFS	2026-10-26 18:00	79	Bkn	40/20kt	17.0	5-10kft	>6SM
GFS	2026-10-26 21:00	78	Bkn	40/18kt	—	5-10kft	>6SM
GFS	2026-10-27 00:00	75	Bkn	40/16kt	23.0	5-10kft	>6SM
GFS	2026-10-27 03:00	75	Sct	50/15kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KDAB 250953Z 05020G26KT 10SM CLR 23/16 A3011

TAF KDAB 251123Z 2512/2612 04014G24KT P6SM VCSH SCT020 BKN035 BKN060 FM251400 03022G30KT P6SM VCSH SCT025 BKN040 FM260900 05017G23KT P6SM SCT025 BKN035
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KDAB; actual-station=KDAB; fetched-at=2026-10-25T11:25:21.309861+00:00; observed-or-issued-at=2026-10-25T09:53:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KDAB; actual-station=KDAB; fetched-at=2026-10-25T11:25:24.673152+00:00; observed-or-issued-at=2026-10-25T11:23:00+00:00; valid-from=2026-10-25T12:00:00+00:00; valid-through=2026-10-26T12:00:00+00:00; partial-target-dates=2026-10-25,2026-10-26 — AWC API

  TAF proxy · KDAB
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KDAB; actual-station=KDAB; fetched-at=2026-10-25T11:25:25.432910+00:00
- FAA NMS NOTAM — state=OK; requested-station=KDAB; actual-station=KDAB; fetched-at=2026-10-25T11:25:42.127902Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KDAB; actual-station=KDAB; fetched-at=2026-10-25T11:26:04.285104+00:00; observed-or-issued-at=2026-10-25T06:00:00+00:00; valid-from=2026-10-25T12:00:00+00:00; valid-through=2026-10-28T06:00:00+00:00; target-dates=2026-10-26; partial-target-dates=2026-10-25; dates-with-points=2026-10-25,2026-10-26 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KDAB; actual-station=KDAB; fetched-at=2026-10-25T11:26:13.997018+00:00; observed-or-issued-at=2026-10-25T00:00:00+00:00; valid-from=2026-10-26T00:00:00+00:00; valid-through=2026-11-02T00:00:00+00:00; target-dates=2026-10-26; partial-target-dates=2026-10-25; dates-with-points=2026-10-25,2026-10-26 — Iowa State API
- MOS effective date selection — state=partial; rows=14; requested-station=KDAB; actual-station=KDAB; fetched-at=2026-10-25T11:26:04.285104+00:00; observed-or-issued-at=2026-10-25T06:00:00+00:00; valid-from=2026-10-25T12:00:00+00:00; valid-through=2026-10-28T06:00:00+00:00; target-dates=2026-10-26; partial-target-dates=2026-10-25; dates-with-points=2026-10-25,2026-10-26; selected-by-date=2026-10-25=GFS, 2026-10-26=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#18 **KJKA** **Gulf Shores/Edwards Arpt, AL, US** · Gulf West · Gulf Shores AL

OBS - VFR

ETE **2h01**

DIST **291 nm**

SUN 25 OCT 05:35 ET OBSERVED

Current observation

METAR

OBS - VFR

OBSER

clear below 12,000 ft (CLR)

WIND **NE (40°) 6 kt**

TEMPERATURE **13 °C**

VISIBILITY **10 sm**

DEWPOINT **9 °C**

Wind favours RWY 09

040° true · 042° magnetic · 6 kt

Evidence & limitations

- METAR source state: ok; observed Oct 25 05:35 ET; retrieved Oct 25 07:25 ET; 110 min before this run.
- Measured values read from the KJKA METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.27 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KJKA runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 09/27, 17/35. Wind from 040 degrees true, 042 degrees magnetic, at 6 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 09. Wind source: KJKA METAR 250935Z.

DESTINATION OUTLOOK

SUN, OCT 25

SUN 25 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 25 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 25 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 25

06:00–12:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 26

MON 26 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 26 OCT 06:00–12:00 ET MEDIUM

Forecast GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 5–6 kt

TEMPERATURE 57–58 °F

DEWPOINT 49 °F

PRECIP CHANCE 0%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 26 OCT 12:00–18:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 7–10 kt

TEMPERATURE 58–68 °F

DEWPOINT 50–56 °F

PRECIP CHANCE 4%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 26 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 8–10 kt

TEMPERATURE 74–75 °F

DEWPOINT 55–56 °F

PRECIP CHANCE 0%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 26

00:00–06:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
12°C dep KLZU → 13°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
09/27 (090/270°M · 088/268°T) · 17/35 (170/350°M · 168/348°T) — designators and °M headings are magnetic; °T are true; variation 2°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs
FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 8 Act on 2 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What 3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

ed 2026-10-25T11:25:42.161407Z.
oritative)

RI OCT 23 | SAT OCT 24 | SUN OCT 25 | MON OCT 26



10 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 11:25 Z

NOTAMs as of 11:25 Z — advisory only; verify an official briefing.

05/473

NOTAM text not available in this projection.

10/087

NOTAM text not available in this projection.

10/131

NOTAM text not available in this projection.

5/1161

NOTAM text not available in this projection.

5/1162

NOTAM text not available in this projection.

6/3337

NOTAM text not available in this projection.

6/3337

NOTAM text not available in this projection.

6/2179

NOTAM text not available in this projection.

6/8649

NOTAM text not available in this projection.

6/8650

NOTAM text not available in this projection.

6/8651

NOTAM text not available in this projection.

09/693

NOTAM text not available in this projection.

10/074

NOTAM text not available in this projection.

10/083

NOTAM text not available in this projection.

10/013

NOTAM text not available in this projection.

10/102

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

…026-10-25T11:25:42.161407Z.

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

…:00Z

…:00Z

…:00Z

…ORES INTL/JACK EDWARDS FLD, GULF SHORES, AL. ILS OR LOC RWY 27, AMDT 1B... CEVEE FIX MINIMUMS: CIRCLING CAT A MDA 340(460)-1 3/2…

Effective 2025-09-10T15:56:00Z → 2027-09-10T15:56:00Z

NAV_APPROACH …PAL02 — IAP GULF SHORES INTL/JACK EDWARDS FLD, GULF SHORES, AL. RNAV (GPS) RWY 27, AMDT 1B... RNAV (GPS) RWY 9, AMDT 3C... CIRCLING CAT A MDA 340(460)-1 3/2… 2509100959 2509101559EST

Effective 2025-09-10T15:59:00Z → 2027-09-10T15:59:00Z

10 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight

…e and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

…:00 ET ET · VFR

…:00 ET ET · VFR

category. NOTAMs were read for KJKA this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

:00 ET ET · VFR

:00 ET ET · VFR

S · 06:00–12:00 ET ET · VFR

S · 12:00–18:00 ET ET · VFR

S · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-25=GFS, 2026-10-26=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-25 12:00	56	Clear	40/6kt	—	>10kft	>6SM
GFS	2026-10-25 15:00	67	Clear	60/11kt	—	>10kft	>6SM
GFS	2026-10-25 18:00	75	Clear	70/13kt	0.0	>10kft	>6SM
GFS	2026-10-25 21:00	76	Clear	50/10kt	—	>10kft	>6SM
GFS	2026-10-26 00:00	68	Clear	50/4kt	0.0	>10kft	>6SM
GFS	2026-10-26 03:00	61	Clear	50/5kt	—	>10kft	>6SM
GFS	2026-10-26 06:00	57	Clear	60/5kt	0.0	>10kft	>6SM
GFS	2026-10-26 09:00	58	Clear	60/6kt	—	>10kft	>6SM
GFS	2026-10-26 12:00	58	Clear	50/7kt	4.0	>10kft	>6SM
GFS	2026-10-26 15:00	68	Clear	70/10kt	—	>10kft	>6SM
GFS	2026-10-26 18:00	74	Few	80/10kt	0.0	>10kft	>6SM
GFS	2026-10-26 21:00	75	Clear	70/8kt	—	>10kft	>6SM
GFS	2026-10-27 00:00	65	Clear	50/4kt	1.0	>10kft	>6SM
GFS	2026-10-27 03:00	58	Clear	40/3kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KJKA 250935Z AUTO 04006KT 10SM CLR 13/09 A3027 RMK AO2

TAF KJKA 250520Z 2506/2606 05005KT P6SM SKC FM251400 05010G16KT P6SM SKC
```

+ Data sources used

• METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KJKA; actual-station=KJKA; fetched-at=2026-10-25T11:25:21.309861+00:00; observed-or-issued-at=2026-10-25T09:35:00+00:00 — AWC API

- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KJKA; actual-station=KJKA; fetched-at=2026-10-25T11:25:24.673152+00:00; observed-or-issued-at=2026-10-25T05:20:00+00:00; valid-from=2026-10-25T06:00:00+00:00; valid-through=2026-10-26T06:00:00+00:00; partial-target-dates=2026-10-25,2026-10-26 — AWC API

TAF proxy · KJKA

- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KJKA; actual-station=KJKA; fetched-at=2026-10-25T11:25:25.698880+00:00
- FAA NMS NOTAM — state=OK; requested-station=KJKA; actual-station=KJKA; fetched-at=2026-10-25T11:25:42.161407Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KJKA; actual-station=KJKA; fetched-at=2026-10-25T11:26:04.504670+00:00; observed-or-issued-at=2026-10-25T06:00:00+00:00; valid-from=2026-10-25T12:00:00+00:00; valid-through=2026-10-28T06:00:00+00:00; target-dates=2026-10-26; partial-target-dates=2026-10-25; dates-with-points=2026-10-25,2026-10-26 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KJKA; actual-station=KJKA; fetched-at=2026-10-25T11:26:14.048880+00:00; observed-or-issued-at=2026-10-25T00:00:00+00:00; valid-from=2026-10-26T00:00:00+00:00; valid-through=2026-11-02T00:00:00+00:00; target-dates=2026-10-26; partial-target-dates=2026-10-25; dates-with-points=2026-10-25,2026-10-26 — Iowa State API
- MOS effective date selection — state=partial; rows=14; requested-station=KJKA; actual-station=KJKA; fetched-at=2026-10-25T11:26:04.504670+00:00; observed-or-issued-at=2026-10-25T06:00:00+00:00; valid-from=2026-10-25T12:00:00+00:00; valid-through=2026-10-28T06:00:00+00:00; target-dates=2026-10-26; partial-target-dates=2026-10-25; dates-with-points=2026-10-25,2026-10-26; selected-by-date=2026-10-25=GFS, 2026-10-26=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#19 **KBFM** **Mobile/Downtown Arpt, AL, US** · Gulf West · Mobile Downtown

OBS - VFR

ETE 2h00

DIST 290 nm

SUN 25 OCT 05:53 ET OBSERVED

Current observation

OBS - VFR

METAR

OBSER

clear below 12,000 ft (CLR)

WIND **NW (330°) 7 kt**

TEMPERATURE **12 °C**

VISIBILITY **10 sm**

DEWPOINT **9 °C**



Wind favours RWY 32

330° true · 332° magnetic · 7 kt · also NOTAM-affected: 14, 32, 18 and 36

Evidence & limitations

- METAR source state: ok; observed Oct 25 05:53 ET; retrieved Oct 25 07:25 ET; 92 min before this run.
- Measured values read from the KBFM METAR. This is a current surface observation only; it is not a forecast.

- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.31 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KBFM runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 14/32, 18/36. Wind from 330 degrees true, 332 degrees magnetic, at 7 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 32. NOTAM-affected runway ends, hatched separately from the wind highlight: 14, 32, 18 and 36. The wind-favoured end 32 is also NOTAM-affected: the wind does favour it, but a NOTAM on this card names it, so the highlight is not a statement that the runway is usable. The hatch marks only that a NOTAM names the runway; it does not decode the NOTAM's effective times, so confirm the closure window in the NOTAM text below. Wind source: KBFM METAR 250953Z.

DESTINATION OUTLOOK

SUN, OCT 25

SUN 25 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 25 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 25 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 25

06:00–12:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 26

MON 26 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 26 OCT 06:00–12:00 ET MEDIUM

Forecast GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 8 kt

TEMPERATURE 61–63 °F

DEWPOINT 52–53 °F

PRECIP CHANCE 1%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 26 OCT 12:00–18:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 9–10 kt

TEMPERATURE 60–69 °F

DEWPOINT 52–54 °F

PRECIP CHANCE 2%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 26 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 8 kt

TEMPERATURE 76–78 °F

DEWPOINT 51–53 °F

PRECIP CHANCE 0%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 26

00:00–06:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
12°C dep KLZU → 12°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
14/32 (140/320°M · 138/318°T) · 18/36 (180/000°M · 178/358°T) — designators and °M headings are magnetic; °T are true; variation 2°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 15 Act on 4 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What

3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

ved 2026-10-25T11:25:42.170051Z.

RI OCT 23 | SAT OCT 24 | SUN OCT 25 | MON OCT 26

08/020	
A0373/26	
A0515/26	

183 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 11:25 Z

NOTAMs as of 11:25 Z — advisory only; verify an official briefing.

08/004

NOTAM text not available in this projection.

A0354/26

NOTAM text not available in this projection.

08/020

NOTAM text not available in this projection.

A0373/26

NOTAM text not available in this projection.

A0515/26

NOTAM text not available in this projection.

10/045

NOTAM text not available in this projection.

A0521/26

NOTAM text not available in this projection.

A0522/26

NOTAM text not available in this projection.

10/041

NOTAM text not available in this projection.

10/042

NOTAM text not available in this projection.

A0516/26

NOTAM text not available in this projection.

A0518/26

NOTAM text not available in this projection.

09/083

NOTAM text not available in this projection.

09/089

NOTAM text not available in this projection.

A0520/26

NOTAM text not available in this projection.

09/123

NOTAM text not available in this projection.

A0558/26

NOTAM text not available in this projection.

09/288

NOTAM text not available in this projection.

A0884/26

NOTAM text not available in this projection.

09/334

NOTAM text not available in this projection.

09/340

NOTAM text not available in this projection.

A0937/26

NOTAM text not available in this projection.

A0944/26

NOTAM text not available in this projection.

09/345

NOTAM text not available in this projection.

09/348

NOTAM text not available in this projection.

A0950/26

NOTAM text not available in this projection.

A0953/26

NOTAM text not available in this projection.

09/359

NOTAM text not available in this projection.

09/365

NOTAM text not available in this projection.

A0965/26

NOTAM text not available in this projection.

A0972/26

NOTAM text not available in this projection.

09/372

NOTAM text not available in this projection.

A0980/26

NOTAM text not available in this projection.

09/379

NOTAM text not available in this projection.

09/386

NOTAM text not available in this projection.

09/391

NOTAM text not available in this projection.

A0988/26

NOTAM text not available in this projection.

A0996/26

NOTAM text not available in this projection.

A1001/26

NOTAM text not available in this projection.

09/401

NOTAM text not available in this projection.

09/404

NOTAM text not available in this projection.

09/406

NOTAM text not available in this projection.

09/407

NOTAM text not available in this projection.

A1012/26

NOTAM text not available in this projection.

A1015/26

NOTAM text not available in this projection.

A1018/26

NOTAM text not available in this projection.

A1019/26

NOTAM text not available in this projection.

09/422

NOTAM text not available in this projection.

09/431

NOTAM text not available in this projection.

A1036/26

NOTAM text not available in this projection.

A1046/26

NOTAM text not available in this projection.

09/436

NOTAM text not available in this projection.

A1051/26

NOTAM text not available in this projection.

09/456

NOTAM text not available in this projection.

A1074/26

NOTAM text not available in this projection.

09/463

NOTAM text not available in this projection.

09/472

NOTAM text not available in this projection.

A1081/26

NOTAM text not available in this projection.

A1091/26

NOTAM text not available in this projection.

09/493

NOTAM text not available in this projection.

A1116/26

NOTAM text not available in this projection.

09/529

NOTAM text not available in this projection.

09/530

NOTAM text not available in this projection.

A1156/26

NOTAM text not available in this projection.

A1157/26

NOTAM text not available in this projection.

09/540

NOTAM text not available in this projection.

A1170/26

NOTAM text not available in this projection.

09/543

NOTAM text not available in this projection.

09/548

NOTAM text not available in this projection.

09/549

NOTAM text not available in this projection.

A1173/26

NOTAM text not available in this projection.

A1178/26

NOTAM text not available in this projection.

A1179/26

NOTAM text not available in this projection.

09/569

NOTAM text not available in this projection.

A1203/26

NOTAM text not available in this projection.

09/584

NOTAM text not available in this projection.

A1220/26

NOTAM text not available in this projection.

09/601

NOTAM text not available in this projection.

09/604

NOTAM text not available in this projection.

A1239/26

NOTAM text not available in this projection.

A1243/26

NOTAM text not available in this projection.

09/610

NOTAM text not available in this projection.

A1249/26

NOTAM text not available in this projection.

09/627

NOTAM text not available in this projection.

09/630

NOTAM text not available in this projection.

A1268/26

NOTAM text not available in this projection.

A1271/26

NOTAM text not available in this projection.

09/669

NOTAM text not available in this projection.

09/672

NOTAM text not available in this projection.

A1315/26

NOTAM text not available in this projection.

A1318/26

NOTAM text not available in this projection.

09/698

NOTAM text not available in this projection.

09/709

NOTAM text not available in this projection.

A1348/26

NOTAM text not available in this projection.

A1360/26

NOTAM text not available in this projection.

09/726

NOTAM text not available in this projection.

09/727

NOTAM text not available in this projection.

09/733

NOTAM text not available in this projection.

A1379/26

NOTAM text not available in this projection.

A1381/26

NOTAM text not available in this projection.

A1387/26

NOTAM text not available in this projection.

09/763

NOTAM text not available in this projection.

A1420/26

NOTAM text not available in this projection.

09/769

NOTAM text not available in this projection.

A1426/26

NOTAM text not available in this projection.

09/791

NOTAM text not available in this projection.

09/796

NOTAM text not available in this projection.

A1448/26

NOTAM text not available in this projection.

A1453/26

NOTAM text not available in this projection.

09/813

NOTAM text not available in this projection.

A1470/26

NOTAM text not available in this projection.

09/821

NOTAM text not available in this projection.

09/822

NOTAM text not available in this projection.

09/833

NOTAM text not available in this projection.

A1478/26

NOTAM text not available in this projection.

A1479/26

NOTAM text not available in this projection.

A1490/26

NOTAM text not available in this projection.

09/847

NOTAM text not available in this projection.

09/848

NOTAM text not available in this projection.

A1504/26

NOTAM text not available in this projection.

A1505/26

NOTAM text not available in this projection.

09/860

NOTAM text not available in this projection.

A1517/26

NOTAM text not available in this projection.

09/871

NOTAM text not available in this projection.

09/877

NOTAM text not available in this projection.

A1528/26

NOTAM text not available in this projection.

A1534/26

NOTAM text not available in this projection.

09/887

NOTAM text not available in this projection.

09/888

NOTAM text not available in this projection.

A1544/26

NOTAM text not available in this projection.

A1545/26

NOTAM text not available in this projection.

09/910

NOTAM text not available in this projection.

A1567/26

NOTAM text not available in this projection.

09/921

NOTAM text not available in this projection.

A1578/26

NOTAM text not available in this projection.

09/936

NOTAM text not available in this projection.

A1593/26

NOTAM text not available in this projection.

09/945

NOTAM text not available in this projection.

A1602/26

NOTAM text not available in this projection.

09/959

NOTAM text not available in this projection.

A1616/26

NOTAM text not available in this projection.

09/971

NOTAM text not available in this projection.

A1628/26

NOTAM text not available in this projection.

09/980

NOTAM text not available in this projection.

09/984

NOTAM text not available in this projection.

A1637/26

NOTAM text not available in this projection.

A1641/26

NOTAM text not available in this projection.

09/001

NOTAM text not available in this projection.

09/005

NOTAM text not available in this projection.

09/993

NOTAM text not available in this projection.

A1650/26

NOTAM text not available in this projection.

A1657/26

NOTAM text not available in this projection.

A1660/26

NOTAM text not available in this projection.

09/013

NOTAM text not available in this projection.

A1667/26

NOTAM text not available in this projection.

10/040

NOTAM text not available in this projection.

10/043

NOTAM text not available in this projection.

A0517/26

NOTAM text not available in this projection.

A0519/26

NOTAM text not available in this projection.

6/2188

NOTAM text not available in this projection.

A0356/26

NOTAM text not available in this projection.

6/6897

NOTAM text not available in this projection.

6/6898

NOTAM text not available in this projection.

6/6899

NOTAM text not available in this projection.

A0478/26

NOTAM text not available in this projection.

A0479/26

NOTAM text not available in this projection.

A0480/26

NOTAM text not available in this projection.

6/9259

NOTAM text not available in this projection.

A0497/26

NOTAM text not available in this projection.

6/9269

NOTAM text not available in this projection.

A0499/26

NOTAM text not available in this projection.

05/009

NOTAM text not available in this projection.

A0240/26

NOTAM text not available in this projection.

06/026

NOTAM text not available in this projection.

06/027

NOTAM text not available in this projection.

06/028

NOTAM text not available in this projection.

06/029

NOTAM text not available in this projection.

06/030

NOTAM text not available in this projection.

06/031

NOTAM text not available in this projection.

06/032

NOTAM text not available in this projection.

06/033

NOTAM text not available in this projection.

08/021

NOTAM text not available in this projection.

10/007

NOTAM text not available in this projection.

10/037

NOTAM text not available in this projection.

08/027

NOTAM text not available in this projection.

10/044

NOTAM text not available in this projection.

A0520/26

NOTAM text not available in this projection.

A0523/26

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2026-10-25T11:25:42.170051Z.

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

RUNWAY
Effective 2026-10-22T15:50:00Z → 2026-10-25T15:50:00Z

RUNWAY
Effective 2026-10-28T03:30:00Z → 2026-10-28T09:00:00Z

RUNWAY
Effective 2026-10-28T03:30:00Z → 2026-10-28T09:00:00Z

RUNWAY
Effective 2026-10-28T03:30:00Z → 2026-10-28T09:00:00Z

RUNWAY
Effective 2026-10-28T03:30:00Z → 2026-10-28T09:00:00Z

179 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KBFM this run.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

:00 ET ET · VFR
· 06:00–12:00 ET ET · VFR
· 12:00–18:00 ET ET · VFR
• **Mon, Oct 26 · 18:00–00:00 ET**. GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-25=GFS, 2026-10-26=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-25 12:00	57	Clear	30/10kt	—	>10kft	>6SM
GFS	2026-10-25 15:00	68	Clear	40/12kt	—	>10kft	>6SM
GFS	2026-10-25 18:00	77	Clear	40/10kt	0.0	>10kft	>6SM
GFS	2026-10-25 21:00	79	Clear	30/9kt	—	>10kft	>6SM
GFS	2026-10-26 00:00	71	Clear	30/9kt	0.0	>10kft	>6SM
GFS	2026-10-26 03:00	65	Clear	40/8kt	—	>10kft	>6SM
GFS	2026-10-26 06:00	63	Clear	40/8kt	1.0	>10kft	>6SM
GFS	2026-10-26 09:00	61	Clear	30/8kt	—	>10kft	>6SM
GFS	2026-10-26 12:00	60	Clear	30/9kt	2.0	>10kft	>6SM
GFS	2026-10-26 15:00	69	Clear	50/10kt	—	>10kft	>6SM
GFS	2026-10-26 18:00	76	Clear	50/8kt	0.0	>10kft	>6SM
GFS	2026-10-26 21:00	78	Clear	30/8kt	—	>10kft	>6SM
GFS	2026-10-27 00:00	68	Clear	20/6kt	1.0	>10kft	>6SM
GFS	2026-10-27 03:00	63	Clear	30/6kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KBFM 250953Z AUTO 33007KT 10SM CLR 12/09 A3031 RMK AO2 SLP265 T01220089

TAF KBFM 250520Z 2506/2606 04007KT P6SM SKC FM251500 05011KT P6SM SKC
```

+ Data sources used

• METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KBFM; actual-station=KBFM; fetched-at=2026-10-25T11:25:21.309861+00:00; observed-or-issued-at=2026-10-25T09:53:00+00:00 — AWC API

- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KBFM; actual-station=KBFM; fetched-at=2026-10-25T11:25:24.673152+00:00; observed-or-issued-at=2026-10-25T05:20:00+00:00; valid-from=2026-10-25T06:00:00+00:00; valid-through=2026-10-26T06:00:00+00:00; partial-target-dates=2026-10-25,2026-10-26 — AWC API

TAF proxy · KBFM

- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KBFM; actual-station=KBFM; fetched-at=2026-10-25T11:25:25.604310+00:00
- FAA NMS NOTAM — state=OK; requested-station=KBFM; actual-station=KBFM; fetched-at=2026-10-25T11:25:42.170051Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KBFM; actual-station=KBFM; fetched-at=2026-10-25T11:26:04.732879+00:00; observed-or-issued-at=2026-10-25T06:00:00+00:00; valid-from=2026-10-25T12:00:00+00:00; valid-through=2026-10-28T06:00:00+00:00; target-dates=2026-10-26; partial-target-dates=2026-10-25; dates-with-points=2026-10-25,2026-10-26 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KBFM; actual-station=KBFM; fetched-at=2026-10-25T11:26:16.424072+00:00; observed-or-issued-at=2026-10-25T00:00:00+00:00; valid-from=2026-10-26T00:00:00+00:00; valid-through=2026-11-02T00:00:00+00:00; target-dates=2026-10-26; partial-target-dates=2026-10-25; dates-with-points=2026-10-25,2026-10-26 — Iowa State API
- MOS effective date selection — state=partial; rows=14; requested-station=KBFM; actual-station=KBFM; fetched-at=2026-10-25T11:26:04.732879+00:00; observed-or-issued-at=2026-10-25T06:00:00+00:00; valid-from=2026-10-25T12:00:00+00:00; valid-through=2026-10-28T06:00:00+00:00; target-dates=2026-10-26; partial-target-dates=2026-10-25; dates-with-points=2026-10-25,2026-10-26; selected-by-date=2026-10-25=GFS, 2026-10-26=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#20 **KGPT** **Gulfport-Biloxi Intl, MS, US** · Gulf West · Gulfport-Biloxi

OBS - VFR

ETE 2h18

DIST 337 nm

SUN 25 OCT 05:53 ET OBSERVED

Current observation

METAR

OBS - VFR

OBSER

clear below 12,000 ft (CLR)

WIND **NE (30°) 5 kt**

TEMPERATURE **13 °C**

VISIBILITY **10 sm**

DEWPOINT **8 °C**



Wind favours RWY 36

030° true · 031° magnetic · 5 kt

Evidence & limitations

- METAR source state: ok; observed Oct 25 05:53 ET; retrieved Oct 25 07:25 ET; 92 min before this run.
- Measured values read from the KGPT METAR. This is a current surface observation only; it is not a forecast.

- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.29 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KGPT runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 14/32, 18/36. Wind from 030 degrees true, 031 degrees magnetic, at 5 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 36. Wind source: KGPT METAR 250953Z.

DESTINATION OUTLOOK

SUN, OCT 25

SUN 25 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 25 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 25 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 25

06:00–12:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 26

MON 26 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 26 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 26 OCT 12:00–18:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 5–10 kt

TEMPERATURE 57–70 °F

DEWPOINT 49–54 °F

PRECIP CHANCE 1%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 26 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 10–11 kt

TEMPERATURE 77–78 °F

DEWPOINT 55 °F

PRECIP CHANCE 2%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 26

00:00–06:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
12°C dep KLZU → 13°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
14/32 (140/320°M · 139/319°T) · 18/36 (180/000°M · 179/359°T) — designators and °M headings are magnetic; °T are true; variation 1°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 11 Act on

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What 3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

ed 2026-10-25T11:25:42.467342Z.

oritative)

	RI OCT 23	SAT OCT 24	SUN OCT 25	MON OCT 26
A0386/26				
06/065				
6/9967				

23 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 11:25 Z

NOTAMs as of 11:25 Z — advisory only; verify an official briefing.

09/057

NOTAM text not available in this projection.

6/5422

NOTAM text not available in this projection.

A0386/26

NOTAM text not available in this projection.

06/065

NOTAM text not available in this projection.

6/9967

NOTAM text not available in this projection.

A0597/26

NOTAM text not available in this projection.

09/048

NOTAM text not available in this projection.

A0727/26

NOTAM text not available in this projection.

6/9277

NOTAM text not available in this projection.

6/9279

NOTAM text not available in this projection.

6/9282

NOTAM text not available in this projection.

A0759/26

NOTAM text not available in this projection.

A0760/26

NOTAM text not available in this projection.

08/023

NOTAM text not available in this projection.

08/040

NOTAM text not available in this projection.

08/041

NOTAM text not available in this projection.

09/007

NOTAM text not available in this projection.

09/050

NOTAM text not available in this projection.

10/003

NOTAM text not available in this projection.

10/004

NOTAM text not available in this projection.

10/006

NOTAM text not available in this projection.

10/007

NOTAM text not available in this projection.

10/028

NOTAM text not available in this projection.

10/032

NOTAM text not available in this projection.

10/033

NOTAM text not available in this projection.

10/034

NOTAM text not available in this projection.

10/037

NOTAM text not available in this projection.

10/038

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2026-10-25T11:25:42.467342Z.

NAV_APPROACH

Effective 2026-06-23T11:42:00Z → 2026-12-23T21:11:00Z

NAV_APPROACH

Effective 2026-06-23T12:17:00Z → 2028-06-23T12:17:00Z

23 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KGPT this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
· 12:00–18:00 ET ET · VFR
• **Mon, Oct 26 · 18:00–00:00 ET**: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-25=GFS, 2026-10-26=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-25 12:00	55	Clear	30/4kt	—	>10kft	>6SM
GFS	2026-10-25 15:00	67	Clear	60/11kt	—	>10kft	>6SM
GFS	2026-10-25 18:00	77	Clear	80/12kt	0.0	>10kft	>6SM
GFS	2026-10-25 21:00	78	Clear	100/11kt	—	>10kft	>6SM
GFS	2026-10-26 00:00	70	Clear	80/5kt	0.0	>10kft	>6SM
GFS	2026-10-26 03:00	64	Clear	70/6kt	—	>10kft	>6SM
GFS	2026-10-26 06:00	60	Clear	50/4kt	2.0	>10kft	>6SM
GFS	2026-10-26 09:00	58	Clear	40/4kt	—	>10kft	>6SM
GFS	2026-10-26 12:00	57	Clear	40/5kt	1.0	>10kft	>6SM

GFS	2026-10-26 15:00	70	Clear	60/10kt	—	>10kft	>6SM
GFS	2026-10-26 18:00	78	Few	90/11kt	2.0	>10kft	>6SM
GFS	2026-10-26 21:00	77	Clear	110/10kt	—	>10kft	>6SM
GFS	2026-10-27 00:00	70	Clear	70/4kt	1.0	>10kft	>6SM
GFS	2026-10-27 03:00	64	Clear	70/3kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KGPT 250953Z AUTO 03005KT 10SM CLR 13/08 A3029 RMK AO2 SLP255 T01330078

TAF KGPT 251121Z 2512/2612 05005KT P6SM SKC FM251500 07012KT P6SM FEW250 FM251900 10012KT P6SM SCT250 FM260000 08005KT P6SM SCT250
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KGPT; actual-station=KGPT; fetched-at=2026-10-25T11:25:21.309861+00:00; observed-or-issued-at=2026-10-25T09:53:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KGPT; actual-station=KGPT; fetched-at=2026-10-25T11:25:24.673152+00:00; observed-or-issued-at=2026-10-25T11:21:00+00:00; valid-from=2026-10-25T12:00:00+00:00; valid-through=2026-10-26T12:00:00+00:00; partial-target-dates=2026-10-25,2026-10-26 — AWC API

TAF proxy · KGPT

- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KGPT; actual-station=KGPT; fetched-at=2026-10-25T11:25:25.755987+00:00
- FAA NMS NOTAM — state=OK; requested-station=KGPT; actual-station=KGPT; fetched-at=2026-10-25T11:25:42.467342Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KGPT; actual-station=KGPT; fetched-at=2026-10-25T11:26:07.498713+00:00; observed-or-issued-at=2026-10-25T06:00:00+00:00; valid-from=2026-10-25T12:00:00+00:00; valid-through=2026-10-28T06:00:00+00:00; target-dates=2026-10-26; partial-target-dates=2026-10-25; dates-with-points=2026-10-25,2026-10-26 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KGPT; actual-station=KGPT; fetched-at=2026-10-25T11:26:15.293011+00:00; observed-or-issued-at=2026-10-25T00:00:00+00:00; valid-from=2026-10-26T00:00:00+00:00; valid-through=2026-11-02T00:00:00+00:00; target-dates=2026-10-26; partial-target-dates=2026-10-25; dates-with-points=2026-10-25,2026-10-26 — Iowa State API
- MOS effective date selection — state=partial; rows=14; requested-station=KGPT; actual-station=KGPT; fetched-at=2026-10-25T11:26:07.498713+00:00; observed-or-issued-at=2026-10-25T06:00:00+00:00; valid-from=2026-10-25T12:00:00+00:00; valid-through=2026-10-28T06:00:00+00:00; target-dates=2026-10-26; partial-target-dates=2026-10-25; dates-with-points=2026-10-25,2026-10-26; selected-by-date=2026-10-25=GFS, 2026-10-26=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#21 **KSPG** **St Petersburg/Whitted Arpt, FL, US** · Gulf East · St Petersburg

OBS - VFR

ETE 2h35

DIST 379 nm

SUN 25 OCT 05:53 ET OBSERVED

Current observation

OBS - VFR

OBSER

METAR

overcast 7,500 ft

WIND **NE (30°) 11 kt**

TEMPERATURE **22 °C**

VISIBILITY **10 sm**

DEWPOINT **20 °C**



Wind favours RWY 07

030° true · 036° magnetic · 11 kt

Evidence & limitations

- METAR source state: ok; observed Oct 25 05:53 ET; retrieved Oct 25 07:25 ET; 92 min before this run.
- Measured values read from the KSPG METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.07 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KSPG runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 07/25, 18/36. Wind from 030 degrees true, 036 degrees magnetic, at 11 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 07. Wind source: KSPG METAR 250953Z.

DESTINATION OUTLOOK

SUN, OCT 25

SUN 25 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 25 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 25 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 25

06:00–12:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 26

MON 26 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 26 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 26 OCT 12:00–18:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 14–18 kt

TEMPERATURE 71–75 °F

DEWPOINT 65–66 °F

PRECIP CHANCE 2%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 26 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 15–16 kt

TEMPERATURE 78 °F

DEWPOINT 66 °F

PRECIP CHANCE 2%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 26

00:00–06:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
12°C dep KLZU → 22°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
07/25 (070/250°M · 064/244°T) · 18/36 (180/000°M · 174/354°T) — designators and °M headings are magnetic; °T are true; variation 6°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

d 2026-10-25T11:25:42.631958Z.

oritative)

RI OCT 23 | SAT OCT 24 | SUN OCT 25 | MON OCT 26

08/001

10/002 *Outside trip window*

Raw NOTAM data · NOTAMs as of 11:25 Z

NOTAMs as of 11:25 Z — advisory only; verify an official briefing.

6/3728

NOTAM text not available in this projection.

07/010

NOTAM text not available in this projection.

08/001

NOTAM text not available in this projection.

10/002

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state:

OK. The dot colour reports whether this source was read this run; technical environment: preprod.

AIRSPACE_FDC

Effective 2026-10-29T13:00:00Z → 2026-10-29T17:00:00Z

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KSPG this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
· 12:00–18:00 ET ET · VFR
• **Mon, Oct 26 · 18:00–00:00 ET**: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-25=GFS, 2026-10-26=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-25 12:00	71	Sct	30/16kt	—	>10kft	>6SM
GFS	2026-10-25 15:00	76	Sct	40/19kt	—	>10kft	>6SM
GFS	2026-10-25 18:00	79	Few	50/19kt	5.0	>10kft	>6SM
GFS	2026-10-25 21:00	78	Clear	50/19kt	—	>10kft	>6SM
GFS	2026-10-26 00:00	75	Clear	50/20kt	1.0	>10kft	>6SM
GFS	2026-10-26 03:00	74	Clear	40/18kt	—	5-10kft	>6SM

GFS	2026-10-26 06:00	72	Ovc	40/19kt	0.0	5-10kft	>6SM
GFS	2026-10-26 09:00	71	Clear	40/19kt	—	5-10kft	>6SM
GFS	2026-10-26 12:00	71	Clear	30/14kt	2.0	>10kft	>6SM
GFS	2026-10-26 15:00	75	Clear	40/18kt	—	>10kft	>6SM
GFS	2026-10-26 18:00	78	Few	50/16kt	2.0	5-10kft	>6SM
GFS	2026-10-26 21:00	78	Few	50/15kt	—	>10kft	>6SM
GFS	2026-10-27 00:00	75	Clear	50/18kt	0.0	>10kft	>6SM
GFS	2026-10-27 03:00	73	Clear	50/17kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KSPG 250953Z AUTO 03011KT 10SM OVC075 22/20 A3007 RMK AO2 SLP181 T02170200

TAF KPIE 251120Z 2512/2612 02012G24KT P6SM SCT040 FM251500 04015G25KT P6SM SCT050
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KSPG; actual-station=KSPG; fetched-at=2026-10-25T11:25:21.309861+00:00; observed-or-issued-at=2026-10-25T09:53:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KSPG; actual-station=KPIE; fetched-at=2026-10-25T11:25:24.673152+00:00; observed-or-issued-at=2026-10-25T11:20:00+00:00; valid-from=2026-10-25T12:00:00+00:00; valid-through=2026-10-26T12:00:00+00:00; partial-target-dates=2026-10-25,2026-10-26 — AWC API

  TAF proxy · KPIE
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KSPG; actual-station=KSPG; fetched-at=2026-10-25T11:25:25.916317+00:00
- FAA NMS NOTAM — state=OK; requested-station=KSPG; actual-station=KSPG; fetched-at=2026-10-25T11:25:42.631958Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KSPG; actual-station=KSPG; fetched-at=2026-10-25T11:26:05.272343+00:00; observed-or-issued-at=2026-10-25T06:00:00+00:00; valid-from=2026-10-25T12:00:00+00:00; valid-through=2026-10-28T06:00:00+00:00; target-dates=2026-10-26; partial-target-dates=2026-10-25; dates-with-points=2026-10-25,2026-10-26 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KSPG; actual-station=KSPG; fetched-at=2026-10-25T11:26:14.177580+00:00; observed-or-issued-at=2026-10-25T00:00:00+00:00; valid-from=2026-10-26T00:00:00+00:00; valid-through=2026-11-02T00:00:00+00:00; target-dates=2026-10-26; partial-target-dates=2026-10-25; dates-with-points=2026-10-25,2026-10-26 — Iowa State API
- MOS effective date selection — state=partial; rows=14; requested-station=KSPG; actual-station=KSPG; fetched-at=2026-10-25T11:26:05.272343+00:00; observed-or-issued-at=2026-10-25T06:00:00+00:00; valid-from=2026-10-25T12:00:00+00:00; valid-through=2026-10-28T06:00:00+00:00; target-dates=2026-10-26; partial-target-dates=2026-10-25; dates-with-points=2026-10-25,2026-10-26; selected-by-date=2026-10-25=GFS, 2026-10-26=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#22 **KTPF** **Tampa/Knight Arpt, FL, US** · Gulf East · Tampa Peter O Knight

OBS - VFR

ETE 2h32

DIST 372 nm

SUN 25 OCT 05:35 ET OBSERVED

Current observation

OBS - VFR

OBSER

METAR

few 7,500 ft

WIND **NE (30°) 8 kt**

TEMPERATURE **20 °C**

VISIBILITY **9 sm**

DEWPOINT **20 °C**

Wind favours RWY 04

030° true · 036° magnetic · 8 kt

Evidence & limitations

- METAR source state: ok; observed Oct 25 05:35 ET; retrieved Oct 25 07:25 ET; 110 min before this run.
- Measured values read from the KTPF METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.05 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KTPF runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 04/22, 18/36. Wind from 030 degrees true, 036 degrees magnetic, at 8 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 04. Wind source: KTPF METAR 250935Z.

DESTINATION OUTLOOK

SUN, OCT 25

SUN 25 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 25 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 25 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 25

06:00–12:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 26

MON 26 OCT 00:00–06:00 ET HIGH

Forecast TAF

Flight-category guidance

TAF · VFR

FORECAST

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 26 OCT 06:00–12:00 ET HIGH

Forecast TAF

Flight-category guidance

TAF · VFR

FORECAST

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 26 OCT 12:00–18:00 ET HIGH

Forecast TAF

Flight-category guidance

TAF · VFR

FORECAST

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 26 OCT 18:00–00:00 ET UNAVAILABLE

Forecast

No source

Conditions unavailable

—

UNKNOWN

Additional source fields unavailable for this card.

Evidence & limitations

- No TAF group carried both a ceiling and a visibility for 18:00–00:00 ET ET
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 26

00:00–06:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
12°C dep KLZU → 20°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
04/22 (040/220°M · 034/214°T) · 18/36 (180/000°M · 174/354°T) — designators and °M headings are magnetic; °T are true; variation 6°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 2 Act on 2 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)


2 · What 3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state:

ed 2026-10-25T11:25:42.650708Z.

oritative)

OK. The dot colour reports whether this source was read this run; technical environment: preprod.



9 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 11:25 Z

NOTAMs as of 11:25 Z — advisory only; verify an official briefing.

06/014

NOTAM text not available in this projection.

6/0956

NOTAM text not available in this projection.

6/8311

NOTAM text not available in this projection.

10/003

NOTAM text not available in this projection.

4/6304

NOTAM text not available in this projection.

6/8312

NOTAM text not available in this projection.

09/025

NOTAM text not available in this projection.

12/007

NOTAM text not available in this projection.

02/001

NOTAM text not available in this projection.

06/005

NOTAM text not available in this projection.

07/015

NOTAM text not available in this projection.

07/016

NOTAM text not available in this projection.

10/009

NOTAM text not available in this projection.

06/015

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

…026-10-25T11:25:42.650708Z.

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

…:00Z

…GHT, TAMPA, FL. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 7A. ADD TAKEOFF OBSTACLE NOTE: RWY 22, BUILDING HOME…

…CENTERLINE, 42FT AGL/49FT MSL (ODS ASO 1207E-OE PERM). ALL OTHER DATA REMAINS AS PUBLISHED. 2508251600-2509251600EST

…:00Z

…GHT, TAMPA, FL. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 7A. TAKEOFF MINIMUMS RWY 10 STANDARD WITH A MINIMUM…

…MPORARY CRANES 400 MSL BEGINNING 1 NM SE OF RWY 18 (2026 ASO-[illegible]-OE). ALL OTHER DATA REMAINS AS PUBLISHED.

Effective 2026-08-28T10:00:00Z → 2028-01-29T16:33:00Z

TAXIWAY 10/003 — TWY A4 HLDG PSN SIGN NORTHEAST SIDE B TN RWY 04/22 AND TWY A NOT STD

Effective 2026-10-09T14:27:00Z → 2026-11-30T22:00:00Z

NAV_APPROACH 06/304 — IAP PETER O KNIGHT, TAMPA, FL. RNAV (GPS) RWY 36, AMDT 2E. VDSI AND DESCENT ANGLES NOT COINCIDENT (VDSI ANGLE 3.00TCH 53.0). 2508251600-2509251600EST

Effective 2024-11-19T21:27:00Z → 2026-11-19T21:27:00Z

9 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and

…ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KTPF this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR

- **Mon, Oct 26 · 12:00–18:00 ET**: TAF · 12:00–18:00 ET ET · VFR
- **Mon, Oct 26 · 18:00–00:00 ET**: No TAF group carried both a ceiling and a visibility for 18:00–00:00 ET ET

+ MOS target-window outlook (GFS Extended (MEX))

Source state: partial; selected by target date: 2026-10-25=MEX, 2026-10-26=MEX. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
MEX	2026-10-26 00:00	75	PC	—	6	—	—
MEX	2026-10-26 12:00	69	PC	—	3	—	—
MEX	2026-10-27 00:00	75	Clear	—	2	—	—

+ Raw products

+ Raw METAR / TAF

```
METAR KTPF 250935Z AUTO 03008KT 9SM FEW075 20/20 A3005 RMK AO2 T02050200 $

TAF KTPA 251120Z 2512/2618 02010G20KT P6SM SCT040 FM251500 03015G25KT P6SM SCT050 FM260300 02012G20KT P6SM SCT050
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KTPF; actual-station=KTPF; fetched-at=2026-10-25T11:25:21.309861+00:00; observed-or-issued-at=2026-10-25T09:35:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KTPF; actual-station=KTPA; fetched-at=2026-10-25T11:25:24.673152+00:00; observed-or-issued-at=2026-10-25T11:20:00+00:00; valid-from=2026-10-25T12:00:00+00:00; valid-through=2026-10-26T18:00:00+00:00; partial-target-dates=2026-10-25,2026-10-26 — AWC API

  TAF proxy · KTPA
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KTPF; actual-station=KTPF; fetched-at=2026-10-25T11:25:25.722412+00:00
- FAA NMS NOTAM — state=OK; requested-station=KTPF; actual-station=KTPF; fetched-at=2026-10-25T11:25:42.650708Z — FAA NMS overview
- MOS GFS — state=failed; fetch-state=failed; payload-state=unknown; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=0; requested-station=KTPF; fetched-at=2026-10-25T11:26:10.290415+00:00; reason-code=FAILED_ERROR — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KTPF; actual-station=KTPF; fetched-at=2026-10-25T11:26:14.229273+00:00; observed-or-issued-at=2026-10-25T00:00:00+00:00; valid-from=2026-10-26T00:00:00+00:00; valid-through=2026-11-02T00:00:00+00:00; target-dates=2026-10-26; partial-target-dates=2026-10-25; dates-with-points=2026-10-25,2026-10-26 — Iowa State API
- MOS effective date selection — state=partial; rows=3; requested-station=KTPF; actual-station=KTPF; fetched-at=2026-10-25T11:26:14.229273+00:00; observed-or-issued-at=2026-10-25T00:00:00+00:00; valid-from=2026-10-26T00:00:00+00:00; valid-through=2026-11-02T00:00:00+00:00; target-dates=2026-10-26; partial-target-dates=2026-10-25; dates-with-points=2026-10-25,2026-10-26; selected-by-date=2026-10-25=MEX, 2026-10-26=MEX
- Extended outlook and hazard-feed states are reported in the source stamp.

• Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#23 **KSRQ** **Sarasota-Bradenton Intl, FL, US** · Gulf East · Sarasota-Bradenton

OBS - VFR

ETE 2h43

DIST 402 nm

SUN 25 OCT 05:53 ET OBSERVED

Current observation

OBS - VFR

OBSER

METAR

few 3,300 ft

WIND NE (40°) 10 kt

TEMPERATURE 22 °C

VISIBILITY 10 sm

DEWPOINT 19 °C



Wind favours RWY 04

040° true · 046° magnetic · 10 kt

Evidence & limitations

- METAR source state: ok; observed Oct 25 05:53 ET; retrieved Oct 25 07:25 ET; 92 min before this run.
- Measured values read from the KSRQ METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.06 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KSRQ runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 14/32, 04/22. Wind from 040 degrees true, 046 degrees magnetic, at 10 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 04. Wind source: KSRQ METAR 250953Z.

DESTINATION OUTLOOK

SUN, OCT 25

SUN 25 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 25 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 25 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 25

06:00–12:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 26

MON 26 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 26 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 26 OCT 12:00–18:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 10–15 kt

TEMPERATURE 70–79 °F

DEWPOINT 64–66 °F

PRECIP CHANCE 2%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 26 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 14–16 kt

TEMPERATURE 83–84 °F

DEWPOINT 65 °F

PRECIP CHANCE 2%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 26

00:00–06:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
12°C dep KLZU → 22°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
14/32 (140/320°M · 134/314°T) · 04/22 (040/220°M · 034/214°T) — designators and °M headings are magnetic; °T are true; variation 6°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) | 4 Act on | 3 Brief


FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What | 3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

ed 2026-10-25T11:25:42.682160Z.

oritative)



25 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 11:25 Z

NOTAMs as of 11:25 Z — advisory only; verify an official briefing.

10/068

NOTAM text not available in this projection.

A1128/26

NOTAM text not available in this projection.

05/096

NOTAM text not available in this projection.

A0516/26

NOTAM text not available in this projection.

A1125/26

NOTAM text not available in this projection.

A1126/26

NOTAM text not available in this projection.

A1127/26

NOTAM text not available in this projection.

6/4825

NOTAM text not available in this projection.

A0754/26

NOTAM text not available in this projection.

6/0645

NOTAM text not available in this projection.

A1098/26

NOTAM text not available in this projection.

06/005

NOTAM text not available in this projection.

A0527/26

NOTAM text not available in this projection.

09/080

NOTAM text not available in this projection.

09/081

NOTAM text not available in this projection.

10/002

NOTAM text not available in this projection.

10/003

NOTAM text not available in this projection.

A1049/26

NOTAM text not available in this projection.

10/012

NOTAM text not available in this projection.

10/057

NOTAM text not available in this projection.

10/067

NOTAM text not available in this projection.

10/063

NOTAM text not available in this projection.

A1122/26

NOTAM text not available in this projection.

10/064

NOTAM text not available in this projection.

A1123/26

NOTAM text not available in this projection.

09/069

NOTAM text not available in this projection.

10/046

NOTAM text not available in this projection.

10/047

NOTAM text not available in this projection.

A1099/26

NOTAM text not available in this projection.

A1100/26

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

TAXIWAY

Effective 2026-10-23T09:48:00Z → 2026-10-26T09:48:00Z

25 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

the GFS model bias-corrected against decades of observations at this station. Issued four times a day in three-hourly steps out to about 72 hours. It carries an explicit ceiling and visibility category, so this card uses it to resolve a day the TAF cannot reach. A station-calibrated GFS MOS product was read for this airport this run (state: partial).

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KSRQ this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
S · 12:00–18:00 ET ET · VFR
• **Mon, Oct 26 · 18:00–00:00 ET**: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-25=GFS, 2026-10-26=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-25 12:00	70	Clear	30/9kt	—	>10kft	>6SM
GFS	2026-10-25 15:00	79	Few	40/16kt	—	>10kft	>6SM
GFS	2026-10-25 18:00	84	Sct	50/17kt	5.0	>10kft	>6SM
GFS	2026-10-25 21:00	84	Clear	50/15kt	—	>10kft	>6SM
GFS	2026-10-26 00:00	78	Clear	40/13kt	1.0	>10kft	>6SM
GFS	2026-10-26 03:00	75	Clear	30/9kt	—	>10kft	>6SM
GFS	2026-10-26 06:00	72	Sct	30/11kt	0.0	5-10kft	>6SM
GFS	2026-10-26 09:00	70	Clear	40/10kt	—	5-10kft	>6SM
GFS	2026-10-26 12:00	70	Clear	30/10kt	2.0	>10kft	>6SM
GFS	2026-10-26 15:00	79	Clear	50/15kt	—	>10kft	>6SM
GFS	2026-10-26 18:00	84	Sct	50/16kt	2.0	>10kft	>6SM
GFS	2026-10-26 21:00	83	Few	40/14kt	—	>10kft	>6SM
GFS	2026-10-27 00:00	77	Clear	50/11kt	0.0	>10kft	>6SM
GFS	2026-10-27 03:00	74	Clear	30/10kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KSRQ 250953Z 04010KT 10SM FEW033 22/19 A3006 RMK AO2 SLP179 T02170189

TAF KSRQ 251120Z 2512/2612 03010G20KT P6SM SCT050 FM251500 05015G25KT P6SM SCT050 FM260300 03010G20KT P6SM SCT050
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KSRQ; actual-station=KSRQ; fetched-at=2026-10-25T11:25:21.309861+00:00; observed-or-issued-at=2026-10-25T09:53:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KSRQ; actual-station=KSRQ; fetched-at=2026-10-25T11:25:24.673152+00:00; observed-or-issued-at=2026-10-25T11:20:00+00:00; valid-from=2026-10-25T12:00:00+00:00; valid-through=2026-10-26T12:00:00+00:00; partial-target-dates=2026-10-25,2026-10-26 — AWC API

  TAF proxy · KSRQ
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KSRQ; actual-station=KSRQ; fetched-at=2026-10-25T11:25:25.668414+00:00
- FAA NMS NOTAM — state=OK; requested-station=KSRQ; actual-station=KSRQ; fetched-at=2026-10-25T11:25:42.682160Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KSRQ; actual-station=KSRQ; fetched-at=2026-10-25T11:26:05.497292+00:00; observed-or-issued-at=2026-10-25T06:00:00+00:00; valid-from=2026-10-25T12:00:00+00:00; valid-through=2026-10-28T06:00:00+00:00; target-dates=2026-10-26; partial-target-dates=2026-10-25; dates-with-points=2026-10-25,2026-10-26 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KSRQ; actual-station=KSRQ; fetched-at=2026-10-25T11:26:15.515223+00:00; observed-or-issued-at=2026-10-25T00:00:00+00:00; valid-from=2026-10-26T00:00:00+00:00; valid-through=2026-11-02T00:00:00+00:00; target-dates=2026-10-26; partial-target-dates=2026-10-25; dates-with-points=2026-10-25,2026-10-26 — Iowa State API
- MOS effective date selection — state=partial; rows=14; requested-station=KSRQ; actual-station=KSRQ; fetched-at=2026-10-25T11:26:05.497292+00:00; observed-or-issued-at=2026-10-25T06:00:00+00:00; valid-from=2026-10-25T12:00:00+00:00; valid-through=2026-10-28T06:00:00+00:00; target-dates=2026-10-26; partial-target-dates=2026-10-25; dates-with-points=2026-10-25,2026-10-26; selected-by-date=2026-10-25=GFS, 2026-10-26=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#24 **KVNC** **Venice Muni, FL, US** · Gulf East · Venice FL

OBS - VFR

ETE 2h51

DIST 422 nm

SUN 25 OCT 05:35 ET OBSERVED

Current observation

METAR

OBS - VFR

OBSER

clear below 12,000 ft (CLR)

WIND **NE (30°) 11 kt**

TEMPERATURE **20 °C**

VISIBILITY **9 sm**

DEWPOINT19 °C



Wind favours RWY 05

030° true · 036° magnetic · 11 kt

Evidence & limitations

- METAR source state: ok; observed Oct 25 05:35 ET; retrieved Oct 25 07:25 ET; 110 min before this run.
- Measured values read from the KVNC METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.03 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KVNC runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 13/31, 05/23. Wind from 030 degrees true, 036 degrees magnetic, at 11 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 05. Wind source: KVNC METAR 250935Z.

DESTINATION OUTLOOK

SUN, OCT 25

SUN 25 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 25 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 25 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 25

06:00–12:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 26

MON 26 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 26 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 26 OCT 12:00–18:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND12–18 kt

TEMPERATURE71–79 °F

DEWPOINT67 °F

PRECIP CHANCE2%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 26 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND17–18 kt

TEMPERATURE83–84 °F

DEWPOINT65 °F

PRECIP CHANCE2%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 26

00:00–06:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
12°C dep KLZU → 20°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — source state: not_queried

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
13/31 (130/310°M · 124/304°T) · 05/23 (050/230°M · 044/224°T) — designators and °M headings are magnetic; °T are true; variation 6°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

1 Act on

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What

3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

d 2026-10-25T11:25:42.727619Z.

oritative)

RI OCT 23 | SAT OCT 24 | SUN OCT 25 | MON OCT 26

10/039

10/040

10/046

Raw NOTAM data · NOTAMs as of 11:25 Z

NOTAMs as of 11:25 Z — advisory only; verify an official briefing.

6/5337

NOTAM text not available in this projection.

6/5336

NOTAM text not available in this projection.

10/039

NOTAM text not available in this projection.

10/040

NOTAM text not available in this projection.

10/046

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production

source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

26-10-25T11:25:42.727619Z.

:00Z

:00Z

OBSTRUCTION

Effective 2026-10-05T12:04:00Z → 2026-11-05T17:00:00Z

OBSTRUCTION

Effective 2026-10-05T13:02:00Z → 2027-01-03T04:00:00Z

OBSTRUCTION

Effective 2026-10-05T15:40:00.000Z → 2026-11-19T21:38:00.000Z

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KVNC this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · VFR

· 12:00–18:00 ET ET · VFR

• **Mon, Oct 26 · 18:00–00:00 ET**: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-25=GFS, 2026-10-26=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS

GFS	2026-10-25 12:00	68	Clear	20/11kt	—	>10kft	>6SM
GFS	2026-10-25 15:00	79	Sct	40/18kt	—	>10kft	>6SM
GFS	2026-10-25 18:00	85	Sct	40/19kt	10.0	>10kft	>6SM
GFS	2026-10-25 21:00	84	Clear	40/20kt	—	>10kft	>6SM
GFS	2026-10-26 00:00	78	Clear	30/15kt	5.0	>10kft	>6SM
GFS	2026-10-26 03:00	74	Clear	20/13kt	—	>10kft	>6SM
GFS	2026-10-26 06:00	72	Clear	30/14kt	0.0	5-10kft	>6SM
GFS	2026-10-26 09:00	71	Clear	30/13kt	—	5-10kft	>6SM
GFS	2026-10-26 12:00	71	Clear	30/12kt	2.0	>10kft	>6SM
GFS	2026-10-26 15:00	79	Clear	40/18kt	—	>10kft	>6SM
GFS	2026-10-26 18:00	84	Sct	40/17kt	2.0	>10kft	>6SM
GFS	2026-10-26 21:00	83	Few	40/18kt	—	>10kft	>6SM
GFS	2026-10-27 00:00	77	Clear	30/13kt	0.0	>10kft	>6SM
GFS	2026-10-27 03:00	73	Clear	30/12kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KVNC 250935Z AUTO 03011KT 9SM CLR 20/19 A3003 RMK AO2 T02000190 $

TAF KSRQ 251120Z 2512/2612 03010G20KT P6SM SCT050 FM251500 05015G25KT P6SM SCT050 FM260300 03010G20KT P6SM SCT050
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KVNC; actual-station=KVNC; fetched-at=2026-10-25T11:25:21.309861+00:00; observed-or-issued-at=2026-10-25T09:35:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KVNC; actual-station=KSRQ; fetched-at=2026-10-25T11:25:24.673152+00:00; observed-or-issued-at=2026-10-25T11:20:00+00:00; valid-from=2026-10-25T12:00:00+00:00; valid-through=2026-10-26T12:00:00+00:00; partial-target-dates=2026-10-25,2026-10-26 — AWC API

  TAF proxy · KSRQ
- FAA airport status — state=not_queried; fetch-state=not_attempted; payload-state=not_attempted; requested-station=KVNC
- FAA NMS NOTAM — state=OK; requested-station=KVNC; actual-station=KVNC; fetched-at=2026-10-25T11:25:42.727619Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KVNC; actual-station=KVNC; fetched-at=2026-10-25T11:26:08.401852+00:00; observed-or-issued-at=2026-10-25T06:00:00+00:00; valid-from=2026-10-25T12:00:00+00:00; valid-through=2026-10-28T06:00:00+00:00; target-dates=2026-10-26; partial-target-dates=2026-10-25; dates-with-points=2026-10-25,2026-10-26 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KVNC; actual-station=KVNC; fetched-at=2026-10-25T11:26:16.988475+00:00; observed-or-issued-at=2026-10-25T00:00:00+00:00; valid-from=2026-10-26T00:00:00+00:00; valid-through=2026-11-02T00:00:00+00:00; target-dates=2026-10-26; partial-target-dates=2026-10-25; dates-with-points=2026-10-25,2026-10-26 — Iowa State API
- MOS effective date selection — state=partial; rows=14; requested-station=KVNC; actual-station=KVNC; fetched-at=2026-10-25T11:26:08.401852+00:00; observed-or-issued-at=2026-10-25T06:00:00+00:00; valid-from=2026-10-25T12:00:00+00:00; valid-through=2026-10-28T06:00:00+00:00; target-dates=2026-10-26; partial-target-dates=2026-10-25; dates-with-points=2026-10-25,2026-10-26; selected-by-date=2026-10-25=GFS, 2026-10-26=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.

• Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#25 **KHSA** — · Gulf West · Stennis MS

OBS - UNKNOWN

ETE 2h25

DIST 353 nm

SUN 25 OCT Time unavailable UNAVAILABLE

Current observation

OBS - UNKNOWN

UNAVA

METAR

Current observation unavailable

WIND Unavailable

TEMPERATURE Unavailable

VISIBILITY Unavailable

DEWPOINT Unavailable

Evidence & limitations

- Source state: unavailable.
- No usable current KHSA observation was available this run.
- This is a current surface observation only. It is not a forecast. No forecast value is substituted for a missing observation.

DESTINATION OUTLOOK

SUN, OCT 25

SUN 25 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 25 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 25 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 25

06:00–12:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 26

MON 26 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 26 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 26 OCT 12:00–18:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 4–7 kt

TEMPERATURE 999 °F

DEWPOINT 999 °F

PRECIP CHANCE 1%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 26 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 8–9 kt

TEMPERATURE 999 °F

DEWPOINT 999 °F

PRECIP CHANCE 3%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 26

00:00–06:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
12°C dep KLZU → Unavailable at destination

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — source state: not_queried

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
18/36 (180/000°M · 179/359°T) — designators and °M headings are magnetic; °T are true; variation 1°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 2 Act on

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

ed 2026-10-25T11:25:42.904731Z.

oritative)

RI OCT 23 | SAT OCT 24 | SUN OCT 25 | MON OCT 26

10/014

12/015

6/5656

6 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 11:25 Z

NOTAMs as of 11:25 Z — advisory only; verify an official briefing.

09/015

NOTAM text not available in this projection.

09/005

NOTAM text not available in this projection.

10/014

NOTAM text not available in this projection.

12/015

NOTAM text not available in this projection.

6/5656

NOTAM text not available in this projection.

10/002

NOTAM text not available in this projection.

10/003

NOTAM text not available in this projection.

10/013

NOTAM text not available in this projection.

10/021

NOTAM text not available in this projection.

10/023

NOTAM text not available in this projection.

02/005

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

026-10-25T11:25:42.904731Z.

AREA NOT STD

:00Z

:00Z

AND NORTHAPN CLSD EXC ACFT WING SPAN LESS THAN 90FT

:00Z

NDB U/S

:00Z

NAV_APPROACH

Effective 2026-08-17T16:57:00Z → 2028-08-17T16:57:00Z

6 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air

Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KHSA this run.

no-go here is derived from an image. A published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
• **Mon, Oct 26 · 12:00–18:00 ET**: GFS MAV MOS · 12:00–18:00 ET ET · VFR
• **Mon, Oct 26 · 18:00–00:00 ET**: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-25=GFS, 2026-10-26=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-25 12:00	55	Clear	40/3kt	—	>10kft	>6SM
GFS	2026-10-25 15:00	67	Clear	60/9kt	—	>10kft	>6SM
GFS	2026-10-25 18:00	999	Clear	90/9kt	0.0	>10kft	>6SM
GFS	2026-10-25 21:00	999	Clear	90/9kt	—	>10kft	>6SM
GFS	2026-10-26 00:00	999	Clear	90/2kt	0.0	>10kft	>6SM
GFS	2026-10-26 03:00	999	Clear	60/2kt	—	>10kft	>6SM
GFS	2026-10-26 06:00	999	Clear	990/99kt	2.0	>10kft	>6SM
GFS	2026-10-26 09:00	999	Clear	990/99kt	—	>10kft	>6SM
GFS	2026-10-26 12:00	999	Clear	60/4kt	1.0	>10kft	>6SM
GFS	2026-10-26 15:00	999	Clear	60/7kt	—	>10kft	>6SM
GFS	2026-10-26 18:00	999	Few	90/9kt	3.0	>10kft	>6SM
GFS	2026-10-26 21:00	999	Few	100/8kt	—	>10kft	>6SM
GFS	2026-10-27 00:00	999	Clear	100/2kt	1.0	>10kft	>6SM
GFS	2026-10-27 03:00	999	Clear	0/0kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR unavailable

TAF KGPT 251121Z 2512/2612 05005KT P6SM SKC FM251500 07012KT P6SM FEW250 FM251900 10012KT P6SM SCT250 FM260000 08005KT P6SM SCT250
```

+ Data sources used

- METAR — state=unavailable; fetch-state=ok; payload-state=valid; requested-station=KHSA; actual-station=KHSA; fetched-at=2026-10-25T11:25:21.309861+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KHSA; actual-station=KGPT; fetched-at=2026-10-25T11:25:24.673152+00:00; observed-or-issued-at=2026-10-25T11:21:00+00:00; valid-from=2026-10-25T12:00:00+00:00; valid-through=2026-10-26T12:00:00+00:00; partial-target-dates=2026-10-25,2026-10-26 — AWC API

  TAF proxy · KGPT
- FAA airport status — state=not_queried; fetch-state=not_attempted; payload-state=not_attempted; requested-station=KHSA
- FAA NMS NOTAM — state=OK; requested-station=KHSA; actual-station=KHSA; fetched-at=2026-10-25T11:25:42.904731Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KHSA; actual-station=KHSA; fetched-at=2026-10-25T11:26:08.714248+00:00; observed-or-issued-at=2026-10-25T06:00:00+00:00; valid-from=2026-10-25T12:00:00+00:00; valid-through=2026-10-28T06:00:00+00:00; target-dates=2026-10-26; partial-target-dates=2026-10-25; dates-with-points=2026-10-25,2026-10-26 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KHSA; actual-station=KHSA; fetched-at=2026-10-25T11:26:14.899800+00:00; observed-or-issued-at=2026-10-25T00:00:00+00:00; valid-from=2026-10-26T00:00:00+00:00; valid-through=2026-11-02T00:00:00+00:00; target-dates=2026-10-26; partial-target-dates=2026-10-25; dates-with-points=2026-10-25,2026-10-26 — Iowa State API
- MOS effective date selection — state=partial; rows=14; requested-station=KHSA; actual-station=KHSA; fetched-at=2026-10-25T11:26:08.714248+00:00; observed-or-issued-at=2026-10-25T06:00:00+00:00; valid-from=2026-10-25T12:00:00+00:00; valid-through=2026-10-28T06:00:00+00:00; target-dates=2026-10-26; partial-target-dates=2026-10-25; dates-with-points=2026-10-25,2026-10-26; selected-by-date=2026-10-25=GFS, 2026-10-26=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#26 **KNEW** **New Orleans/Lakefront Arpt, LA, US** · Gulf West · New Orleans Lakefront

OBS - VFR

ETE 2h38

DIST 389 nm

SUN 25 OCT 05:53 ET OBSERVED

Current observation

OBS - VFR

METAR

OBSER

clear below 12,000 ft (CLR)

WIND **NE (60°) 14 kt**

TEMPERATURE **18 °C**

VISIBILITY **10 sm**

DEWPOINT12 °C



Wind favours RWY 09

060° true · 061° magnetic · 14 kt

Evidence & limitations

- METAR source state: ok; observed Oct 25 05:53 ET; retrieved Oct 25 07:25 ET; 92 min before this run.
- Measured values read from the KNEW METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.28 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KNEW runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 18R/36L, 18L/36R, 09/27. Wind from 060 degrees true, 061 degrees magnetic, at 14 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 09. Wind source: KNEW METAR 250953Z.

DESTINATION OUTLOOK

SUN, OCT 25

SUN 25 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 25 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 25 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 25

06:00–12:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 26

MON 26 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 26 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 26 OCT 12:00–18:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 11–12 kt

TEMPERATURE 66–69 °F

DEWPOINT 59 °F

PRECIP CHANCE 1%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 26 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 10 kt

TEMPERATURE 74–76 °F

DEWPOINT 58 °F

PRECIP CHANCE 5%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 26

00:00–06:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
12°C dep KLZU → 18°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
18R/36L (180/000°M · 179/359°T) · 18L/36R (180/000°M · 179/359°T) · 09/27 (090/270°M · 089/269°T) — designators and °M headings are magnetic; °T are true; variation 1°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) | 3 Act on | 2 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What | 3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

ed 2026-10-25T11:25:42.980739Z.

oritative)

RI OCT 23 | SAT OCT 24 | SUN OCT 25 | MON OCT 26

6/5292

6/5293

10/022

8 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 11:25 Z

NOTAMs as of 11:25 Z — advisory only; verify an official briefing.

10/004

NOTAM text not available in this projection.

10/005

NOTAM text not available in this projection.

6/5292

NOTAM text not available in this projection.

6/5293

NOTAM text not available in this projection.

10/022

NOTAM text not available in this projection.

08/020

NOTAM text not available in this projection.

09/002

NOTAM text not available in this projection.

10/004

NOTAM text not available in this projection.

10/006

NOTAM text not available in this projection.

10/009

NOTAM text not available in this projection.

10/019

NOTAM text not available in this projection.

10/020

NOTAM text not available in this projection.

10/021

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

026-10-25T11:25:42.980739Z.

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

:00Z

:00Z

:00Z

Effective 2026-09-24T15:07:00Z → 2027-05-06T15:07:00Z

NAV_APPROACH

Effective 2026-10-21T10:32:00Z → 2026-11-06T20:00:00Z

8 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

the GFS model bias-corrected against decades of observations at this station. Issued four times a day in three-hourly steps out to about 72 hours. It carries an explicit ceiling and visibility category, so this card uses it to resolve a day the TAF cannot reach. A station-calibrated GFS MOS product was read for this airport this run (state: partial).

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KNEW this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
S · 12:00–18:00 ET ET · VFR
• **Mon, Oct 26 · 18:00–00:00 ET**: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-25=GFS, 2026-10-26=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-25 12:00	65	Clear	60/14kt	—	>10kft	>6SM
GFS	2026-10-25 15:00	69	Clear	60/13kt	—	>10kft	>6SM
GFS	2026-10-25 18:00	73	Clear	60/11kt	1.0	>10kft	>6SM
GFS	2026-10-25 21:00	76	Clear	70/11kt	—	>10kft	>6SM
GFS	2026-10-26 00:00	72	Clear	90/8kt	0.0	>10kft	>6SM
GFS	2026-10-26 03:00	69	Clear	70/8kt	—	>10kft	>6SM
GFS	2026-10-26 06:00	67	Clear	60/11kt	2.0	>10kft	>6SM
GFS	2026-10-26 09:00	66	Clear	60/11kt	—	>10kft	>6SM
GFS	2026-10-26 12:00	66	Clear	60/11kt	1.0	>10kft	>6SM
GFS	2026-10-26 15:00	69	Clear	60/12kt	—	>10kft	>6SM
GFS	2026-10-26 18:00	74	Sct	70/10kt	5.0	>10kft	>6SM
GFS	2026-10-26 21:00	76	Few	70/10kt	—	>10kft	>6SM
GFS	2026-10-27 00:00	73	Clear	90/7kt	2.0	>10kft	>6SM
GFS	2026-10-27 03:00	70	Clear	90/7kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KNEW 250953Z AUTO 06014KT 10SM CLR 18/12 A3028 RMK AO1 SLP246 T01780117 $

TAF KNEW 251121Z 2512/2612 06012KT P6SM SCT250
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KNEW; actual-station=KNEW; fetched-at=2026-10-25T11:25:21.309861+00:00; observed-or-issued-at=2026-10-25T09:53:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KNEW; actual-station=KNEW; fetched-at=2026-10-25T11:25:24.673152+00:00; observed-or-issued-at=2026-10-25T11:21:00+00:00; valid-from=2026-10-25T12:00:00+00:00; valid-through=2026-10-26T12:00:00+00:00; partial-target-dates=2026-10-25,2026-10-26 — AWC API

  TAF proxy · KNEW
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KNEW; actual-station=KNEW; fetched-at=2026-10-25T11:25:25.681245+00:00
- FAA NMS NOTAM — state=OK; requested-station=KNEW; actual-station=KNEW; fetched-at=2026-10-25T11:25:42.980739Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KNEW; actual-station=KNEW; fetched-at=2026-10-25T11:26:06.425275+00:00; observed-or-issued-at=2026-10-25T06:00:00+00:00; valid-from=2026-10-25T12:00:00+00:00; valid-through=2026-10-28T06:00:00+00:00; target-dates=2026-10-26; partial-target-dates=2026-10-25; dates-with-points=2026-10-25,2026-10-26 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KNEW; actual-station=KNEW; fetched-at=2026-10-25T11:26:14.961945+00:00; observed-or-issued-at=2026-10-25T00:00:00+00:00; valid-from=2026-10-26T00:00:00+00:00; valid-through=2026-11-02T00:00:00+00:00; target-dates=2026-10-26; partial-target-dates=2026-10-25; dates-with-points=2026-10-25,2026-10-26 — Iowa State API
- MOS effective date selection — state=partial; rows=14; requested-station=KNEW; actual-station=KNEW; fetched-at=2026-10-25T11:26:06.425275+00:00; observed-or-issued-at=2026-10-25T06:00:00+00:00; valid-from=2026-10-25T12:00:00+00:00; valid-through=2026-10-28T06:00:00+00:00; target-dates=2026-10-26; partial-target-dates=2026-10-25; dates-with-points=2026-10-25,2026-10-26; selected-by-date=2026-10-25=GFS, 2026-10-26=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#27 **KOPF** **Miami/Opa Locka Arpt, FL, US** · Long-range · Miami-Opa Locka

OBS - VFR

ETE 3h30

DIST 521 nm

SUN 25 OCT 05:53 ET OBSERVED

Current observation

OBS - VFR

OBSER

METAR

few 7,500 ft

WIND N (350°) 10 kt

TEMPERATURE 22 °C

VISIBILITY 10 sm

DEWPOINT20 °C



Wind favours RWY 30

350° true · 357° magnetic · 10 kt

Evidence & limitations

- METAR source state: ok; observed Oct 25 05:53 ET; retrieved Oct 25 07:25 ET; 92 min before this run.
- Measured values read from the KOPF METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.96 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KOPF runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 09L/27R, 12/30, 09R/27L. Wind from 350 degrees true, 357 degrees magnetic, at 10 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 30. Wind source: KOPF METAR 250953Z.

DESTINATION OUTLOOK

SUN, OCT 25

SUN 25 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 25 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 25 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 25

06:00–12:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 26

MON 26 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 26 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 26 OCT 12:00–18:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 17–18 kt

TEMPERATURE 78–79 °F

DEWPOINT 69–70 °F

PRECIP CHANCE 62%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 26 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 18–22 kt

TEMPERATURE 79–81 °F

DEWPOINT 69–70 °F

PRECIP CHANCE 65%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 26

00:00–06:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
12°C dep KLZU → 22°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
09L/27R (090/270°M · 083/263°T) · 12/30 (120/300°M · 113/293°T) · 09R/27L (090/270°M · 083/263°T) — designators and °M headings are magnetic; °T are true; variation 7°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 12 Act on

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What 3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

ed 2026-10-25T11:25:42.984210Z.

oritative)

RI OCT 23 | SAT OCT 24 | SUN OCT 25 | MON OCT 26

08/051

5/7064

5/0554

76 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 11:25 Z

NOTAMs as of 11:25 Z — advisory only; verify an official briefing.

6/2604

NOTAM text not available in this projection.

08/050

NOTAM text not available in this projection.

08/051

NOTAM text not available in this projection.

5/7064

NOTAM text not available in this projection.

5/0554

NOTAM text not available in this projection.

6/2599

NOTAM text not available in this projection.

6/2236

NOTAM text not available in this projection.

6/1259

NOTAM text not available in this projection.

6/8187

NOTAM text not available in this projection.

6/8903

NOTAM text not available in this projection.

6/8910

NOTAM text not available in this projection.

6/8914

NOTAM text not available in this projection.

6/8915

NOTAM text not available in this projection.

6/8918

NOTAM text not available in this projection.

6/8919

NOTAM text not available in this projection.

6/8921

NOTAM text not available in this projection.

05/045

NOTAM text not available in this projection.

07/090

NOTAM text not available in this projection.

07/091

NOTAM text not available in this projection.

07/092

NOTAM text not available in this projection.

07/093

NOTAM text not available in this projection.

07/094

NOTAM text not available in this projection.

07/116

NOTAM text not available in this projection.

07/117

NOTAM text not available in this projection.

07/118

NOTAM text not available in this projection.

07/119

NOTAM text not available in this projection.

07/120

NOTAM text not available in this projection.

07/121

NOTAM text not available in this projection.

07/130

NOTAM text not available in this projection.

07/131

NOTAM text not available in this projection.

07/132

NOTAM text not available in this projection.

07/133

NOTAM text not available in this projection.

07/134

NOTAM text not available in this projection.

10/001

NOTAM text not available in this projection.

10/002

NOTAM text not available in this projection.

10/046

NOTAM text not available in this projection.

10/047

NOTAM text not available in this projection.

10/048

NOTAM text not available in this projection.

10/049

NOTAM text not available in this projection.

11/025

NOTAM text not available in this projection.

11/026

NOTAM text not available in this projection.

11/027

NOTAM text not available in this projection.

11/028

NOTAM text not available in this projection.

02/017

NOTAM text not available in this projection.

02/018

NOTAM text not available in this projection.

03/037

NOTAM text not available in this projection.

03/038

NOTAM text not available in this projection.

05/068

NOTAM text not available in this projection.

05/069

NOTAM text not available in this projection.

05/070

NOTAM text not available in this projection.

05/071

NOTAM text not available in this projection.

05/073

NOTAM text not available in this projection.

05/074

NOTAM text not available in this projection.

06/061

NOTAM text not available in this projection.

06/062

NOTAM text not available in this projection.

06/063

NOTAM text not available in this projection.

08/030

NOTAM text not available in this projection.

08/033

NOTAM text not available in this projection.

08/034

NOTAM text not available in this projection.

08/035

NOTAM text not available in this projection.

08/036

NOTAM text not available in this projection.

08/039

NOTAM text not available in this projection.

08/040

NOTAM text not available in this projection.

08/041

NOTAM text not available in this projection.

08/042

NOTAM text not available in this projection.

10/007

NOTAM text not available in this projection.

10/008

NOTAM text not available in this projection.

10/009

NOTAM text not available in this projection.

10/010

NOTAM text not available in this projection.

10/013

NOTAM text not available in this projection.

10/014

NOTAM text not available in this projection.

10/036

NOTAM text not available in this projection.

10/034

NOTAM text not available in this projection.

10/035

NOTAM text not available in this projection.

10/045

NOTAM text not available in this projection.

10/052

NOTAM text not available in this projection.

10/053

NOTAM text not available in this projection.

10/054

NOTAM text not available in this projection.

10/055

NOTAM text not available in this projection.

10/083

NOTAM text not available in this projection.

10/087

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

Effective 2026-03-03T15:34:00Z → 2026-11-16T15:34:00Z

RUNWAY

Effective 2026-08-20T11:42:00Z → 2027-08-01T04:00:00Z

RUNWAY 09/051 — RWY 09L 2000FT DIST REMAINING SIGN MISSING

Effective 2026-08-20T11:43:00Z → 2027-08-01T04:00:00Z

NAV_APPROACH 07/094 — IAP MIAMI-OPA LOCKA EXEC, MIAMI, FL, ILS OR LOC RWY 12, AMDT 2C... AUTOPILOT COUPLED APPROACH NA BELOW 900 MSL 2400RVR 2400RVR 2400RVR 2400RVR

Effective 2025-05-07T12:14:00Z → 2027-05-07T12:13:00Z

NAV_APPROACH 09/094 — IAP MIAMI-OPA LOCKA EXEC, MIAMI, FL, ILS OR LOC RWY 9L, AMDT 6... AUTOPILOT COUPLED APPROACH NA BELOW 770 2600RVR 2600RVR 2600RVR 2600RVR

Effective 2025-09-25T18:59:00Z → 2027-09-25T18:59:00Z

76 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KOPF this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · VFR

· 12:00–18:00 ET ET · VFR

• **Mon, Oct 26 · 18:00–00:00 ET**: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-25=GFS, 2026-10-26=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-25 12:00	71	Sct	10/7kt	—	>10kft	>6SM
GFS	2026-10-25 15:00	79	Bkn	40/11kt	—	>10kft	>6SM
GFS	2026-10-25 18:00	81	Bkn	40/15kt	52.0	5-10kft	>6SM
GFS	2026-10-25 21:00	79	Ovc	40/14kt	—	3-5kft	>6SM

GFS	2026-10-26 00:00	76	Ovc	40/13kt	74.0	5-10kft	>6SM
GFS	2026-10-26 03:00	76	Ovc	30/14kt	—	5-10kft	>6SM
GFS	2026-10-26 06:00	77	Ovc	50/16kt	54.0	5-10kft	>6SM
GFS	2026-10-26 09:00	77	Ovc	30/15kt	—	5-10kft	>6SM
GFS	2026-10-26 12:00	78	Ovc	40/17kt	62.0	5-10kft	>6SM
GFS	2026-10-26 15:00	79	Ovc	50/18kt	—	5-10kft	>6SM
GFS	2026-10-26 18:00	81	Ovc	50/22kt	65.0	3-5kft	>6SM
GFS	2026-10-26 21:00	79	Ovc	50/18kt	—	5-10kft	>6SM
GFS	2026-10-27 00:00	77	Ovc	40/16kt	50.0	5-10kft	>6SM
GFS	2026-10-27 03:00	77	Bkn	40/14kt	—	5-10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KOPF 250953Z AUTO 35010KT 10SM FEW075 22/20 A2996 RMK AO2 SLP146 T02170200 TSNO
TAF KOPF 251125Z 2512/2612 35009KT P6SM VCSH FEW030 BKN060 FM251400 03009KT P6SM VCTS SCT020CB BKN060 FM251600 03015G25KT P6SM VCTS SCT020CB BKN060
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KOPF; actual-station=KOPF; fetched-at=2026-10-25T11:25:21.309861+00:00; observed-or-issued-at=2026-10-25T09:53:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KOPF; actual-station=KOPF; fetched-at=2026-10-25T11:25:24.673152+00:00; observed-or-issued-at=2026-10-25T11:25:00+00:00; valid-from=2026-10-25T12:00:00+00:00; valid-through=2026-10-26T12:00:00+00:00; partial-target-dates=2026-10-25,2026-10-26 — AWC API

  TAF proxy · KOPF
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KOPF; actual-station=KOPF; fetched-at=2026-10-25T11:25:25.936008+00:00
- FAA NMS NOTAM — state=OK; requested-station=KOPF; actual-station=KOPF; fetched-at=2026-10-25T11:25:42.984210Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KOPF; actual-station=KOPF; fetched-at=2026-10-25T11:26:09.598951+00:00; observed-or-issued-at=2026-10-25T06:00:00+00:00; valid-from=2026-10-25T12:00:00+00:00; valid-through=2026-10-28T06:00:00+00:00; target-dates=2026-10-26; partial-target-dates=2026-10-25; dates-with-points=2026-10-25,2026-10-26 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KOPF; actual-station=KOPF; fetched-at=2026-10-25T11:26:16.602842+00:00; observed-or-issued-at=2026-10-25T00:00:00+00:00; valid-from=2026-10-26T00:00:00+00:00; valid-through=2026-11-02T00:00:00+00:00; target-dates=2026-10-26; partial-target-dates=2026-10-25; dates-with-points=2026-10-25,2026-10-26 — Iowa State API
- MOS effective date selection — state=partial; rows=14; requested-station=KOPF; actual-station=KOPF; fetched-at=2026-10-25T11:26:09.598951+00:00; observed-or-issued-at=2026-10-25T06:00:00+00:00; valid-from=2026-10-25T12:00:00+00:00; valid-through=2026-10-28T06:00:00+00:00; target-dates=2026-10-26; partial-target-dates=2026-10-25; dates-with-points=2026-10-25,2026-10-26; selected-by-date=2026-10-25=GFS, 2026-10-26=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#28 **KHPN** **White Plains/Westchester Cnty, NY, US** · Long-range · White Plains NY

OBS - VFR

ETE 4h18

DIST 647 nm

SUN 25 OCT 05:56 ET OBSERVED

Current observation

OBS - VFR

OBSER

METAR

clear below 12,000 ft (CLR)

WIND NW (320°) 8 kt

TEMPERATURE 3 °C

VISIBILITY 10 sm

DEWPOINT -1 °C

Wind favours RWY 34

320° true · 333° magnetic · 8 kt · also NOTAM-affected: 16 and 34

Evidence & limitations

- METAR source state: ok; observed Oct 25 05:56 ET; retrieved Oct 25 07:25 ET; 89 min before this run.
- Measured values read from the KHPN METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.54 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KHPN runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 16/34, 11/29. Wind from 320 degrees true, 333 degrees magnetic, at 8 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 34. NOTAM-affected runway ends, hatched separately from the wind highlight: 16 and 34. The wind-favoured end 34 is also NOTAM-affected: the wind does favour it, but a NOTAM on this card names it, so the highlight is not a statement that the runway is usable. The hatch marks only that a NOTAM names the runway; it does not decode the NOTAM's effective times, so confirm the closure window in the NOTAM text below. Wind source: KHPN METAR 250956Z.

DESTINATION OUTLOOK

SUN, OCT 25

SUN 25 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 25 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 25 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 25

06:00–12:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 26

MON 26 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 26 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 26 OCT 12:00–18:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 5–7 kt

TEMPERATURE 45–59 °F

DEWPOINT 38 °F

PRECIP CHANCE 0%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 26 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 8–9 kt

TEMPERATURE 66 °F

DEWPOINT 38–40 °F

PRECIP CHANCE 1%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 26

00:00–06:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
12°C dep KLZU → 3°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
16/34 (160/340°M · 147/327°T) · 11/29 (110/290°M · 097/277°T) — designators and °M headings are magnetic; °T are true; variation 13°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) | 10 Act on | 1 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What | 3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

ed 2026-10-25T11:25:42.985206Z.

RI OCT 23 | SAT OCT 24 | SUN OCT 25 | MON OCT 26

A4680/26

A4681/26

A4682/26

34 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 11:25 Z

NOTAMs as of 11:25 Z — advisory only; verify an official briefing.

10/020

NOTAM text not available in this projection.

A4296/26

NOTAM text not available in this projection.

A4680/26

NOTAM text not available in this projection.

A4681/26

NOTAM text not available in this projection.

A4682/26

NOTAM text not available in this projection.

10/221

NOTAM text not available in this projection.

A4683/26

NOTAM text not available in this projection.

03/058

NOTAM text not available in this projection.

A1006/26

NOTAM text not available in this projection.

03/062

NOTAM text not available in this projection.

A1019/26

NOTAM text not available in this projection.

07/120

NOTAM text not available in this projection.

A2868/26

NOTAM text not available in this projection.

08/016

NOTAM text not available in this projection.

A3278/26

NOTAM text not available in this projection.

10/096

NOTAM text not available in this projection.

A4425/26

NOTAM text not available in this projection.

A4679/26

NOTAM text not available in this projection.

A4685/26

NOTAM text not available in this projection.

A4687/26

NOTAM text not available in this projection.

A4688/26

NOTAM text not available in this projection.

A4690/26

NOTAM text not available in this projection.

10/225

NOTAM text not available in this projection.

A4692/26

NOTAM text not available in this projection.

03/045

NOTAM text not available in this projection.

6/9015

NOTAM text not available in this projection.

A1738/26

NOTAM text not available in this projection.

6/5296

NOTAM text not available in this projection.

6/5312

NOTAM text not available in this projection.

A4160/26

NOTAM text not available in this projection.

A4161/26

NOTAM text not available in this projection.

6/9236

NOTAM text not available in this projection.

A4518/26

NOTAM text not available in this projection.

10/189

NOTAM text not available in this projection.

A4604/26

NOTAM text not available in this projection.

A4672/26

NOTAM text not available in this projection.

A4686/26

NOTAM text not available in this projection.

09/238

NOTAM text not available in this projection.

10/204

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

026-10-25T11:25:42.985206Z.

:00Z

:00Z

:00Z

:00Z

RUNWAY
Effective 2026-10-23T09:12:00Z → 2026-10-26T09:12:00Z

RUNWAY
Effective 2026-10-26T04:00:00Z → 2026-10-30T09:30:00Z

RUNWAY
Effective 2026-10-26T04:00:00Z → 2026-10-30T09:30:00Z

32 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KHPN this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
· 12:00–18:00 ET ET · VFR
• **Mon, Oct 26 · 18:00–00:00 ET**: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-25=GFS, 2026-10-26=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-25 12:00	41	Clear	310/4kt	—	>10kft	>6SM
GFS	2026-10-25 15:00	55	Clear	300/4kt	—	>10kft	>6SM
GFS	2026-10-25 18:00	63	Clear	270/6kt	0.0	>10kft	>6SM
GFS	2026-10-25 21:00	63	Clear	220/4kt	—	>10kft	>6SM
GFS	2026-10-26 00:00	53	Clear	240/2kt	0.0	>10kft	>6SM
GFS	2026-10-26 03:00	49	Clear	280/2kt	—	>10kft	>6SM
GFS	2026-10-26 06:00	47	Clear	300/4kt	0.0	>10kft	>6SM
GFS	2026-10-26 09:00	44	Clear	300/4kt	—	>10kft	>6SM
GFS	2026-10-26 12:00	45	Clear	300/5kt	0.0	>10kft	>6SM
GFS	2026-10-26 15:00	59	Clear	300/7kt	—	>10kft	>6SM
GFS	2026-10-26 18:00	66	Clear	290/9kt	1.0	>10kft	>6SM
GFS	2026-10-26 21:00	66	Clear	300/8kt	—	>10kft	>6SM
GFS	2026-10-27 00:00	59	Sct	310/5kt	0.0	>10kft	>6SM
GFS	2026-10-27 03:00	56	Few	320/7kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KHPN 250956Z 32008KT 10SM CLR 03/M01 A3054 RMK AO2 SLP347 T00281006

TAF KHPN 251121Z 2512/2612 32005KT P6SM SKC FM251600 24005KT P6SM SKC FM252100 20005KT P6SM SKC FM260000 VRB03KT P6SM SKC AMD NOT SKED
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KHPN; actual-station=KHPN; fetched-at=2026-10-25T11:25:21.309861+00:00; observed-or-issued-at=2026-10-25T09:56:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KHPN; actual-station=KHPN; fetched-at=2026-10-25T11:25:24.673152+00:00; observed-or-issued-at=2026-10-25T11:21:00+00:00; valid-from=2026-10-25T12:00:00+00:00; valid-through=2026-10-26T12:00:00+00:00; partial-target-dates=2026-10-25,2026-10-26 — AWC API
  TAF proxy · KHPN
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KHPN; actual-station=KHPN; fetched-at=2026-10-25T11:25:25.789446+00:00
- FAA NMS NOTAM — state=OK; requested-station=KHPN; actual-station=KHPN; fetched-at=2026-10-25T11:25:42.985206Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KHPN; actual-station=KHPN; fetched-at=2026-10-25T11:26:08.050939+00:00; observed-or-issued-at=2026-10-25T06:00:00+00:00; valid-from=2026-10-25T12:00:00+00:00; valid-through=2026-10-28T06:00:00+00:00; target-dates=2026-10-26; partial-target-dates=2026-10-25; dates-with-points=2026-10-25,2026-10-26 — Iowa State API

- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KHPN; actual-station=KHPN; fetched-at=2026-10-25T11:26:17.688405+00:00; observed-or-issued-at=2026-10-25T00:00:00+00:00; valid-from=2026-10-26T00:00:00+00:00; valid-through=2026-11-02T00:00:00+00:00; target-dates=2026-10-26; partial-target-dates=2026-10-25; dates-with-points=2026-10-25,2026-10-26 — Iowa State API
- MOS effective date selection — state=partial; rows=14; requested-station=KHPN; actual-station=KHPN; fetched-at=2026-10-25T11:26:08.050939+00:00; observed-or-issued-at=2026-10-25T06:00:00+00:00; valid-from=2026-10-25T12:00:00+00:00; valid-through=2026-10-28T06:00:00+00:00; target-dates=2026-10-26; partial-target-dates=2026-10-25; dates-with-points=2026-10-25,2026-10-26; selected-by-date=2026-10-25=GFS, 2026-10-26=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#29 **KBED** **Bedford/Hanscom Fld, MA, US** · Long-range · Boston-Bedford MA

OBS - VFR

ETE 5h11

DIST 784 nm

SUN 25 OCT 05:51 ET OBSERVED

Current observation

OBS - VFR

METAR

OBSER

clear below 12,000 ft (CLR)

WIND calm

TEMPERATURE -2 °C

VISIBILITY 10 sm

DEWPOINT -3 °C

Evidence & limitations

- METAR source state: ok; observed Oct 25 05:51 ET; retrieved Oct 25 07:25 ET; 94 min before this run.
- Measured values read from the KBED METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.53 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.

DESTINATION OUTLOOK

SUN, OCT 25

SUN 25 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 25 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 25 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 25

06:00–12:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 26

MON 26 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 26 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 26 OCT 12:00–18:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 3–6 kt

TEMPERATURE 31–58 °F

DEWPOINT 25–33 °F

PRECIP CHANCE 0%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 26 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 7–8 kt

TEMPERATURE 61–64 °F

DEWPOINT 34–37 °F

PRECIP CHANCE 1%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 26

00:00–06:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
12°C dep KLZU → -2°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
11/29 (110/290°M · 096/276°T) · 05/23 (050/230°M · 036/216°T) — designators and °M headings are magnetic; °T are true; variation 14°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) | 7 Act on | 3 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What | 3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

ed 2026-10-25T11:25:43.128685Z.

oritative)

	RI OCT 23	SAT OCT 24	SUN OCT 25	MON OCT 26
A2874/26				
A2875/26				
10/120	*Outside trip window*			

42 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 11:25 Z

NOTAMs as of 11:25 Z — advisory only; verify an official briefing.

5/0511

NOTAM text not available in this projection.

10/129

NOTAM text not available in this projection.

A2874/26

NOTAM text not available in this projection.

A2875/26

NOTAM text not available in this projection.

10/120

NOTAM text not available in this projection.

A2864/26

NOTAM text not available in this projection.

10/119

NOTAM text not available in this projection.

A2863/26

NOTAM text not available in this projection.

08/020

NOTAM text not available in this projection.

A2431/26

NOTAM text not available in this projection.

10/006

NOTAM text not available in this projection.

A2689/26

NOTAM text not available in this projection.

10/034

NOTAM text not available in this projection.

10/042

NOTAM text not available in this projection.

A2737/26

NOTAM text not available in this projection.

10/084

NOTAM text not available in this projection.

10/085

NOTAM text not available in this projection.

A2861/26

NOTAM text not available in this projection.

A2862/26

NOTAM text not available in this projection.

10/121

NOTAM text not available in this projection.

A2865/26

NOTAM text not available in this projection.

10/126

NOTAM text not available in this projection.

A2870/26

NOTAM text not available in this projection.

A2872/26

NOTAM text not available in this projection.

10/127

NOTAM text not available in this projection.

10/128

NOTAM text not available in this projection.

A2871/26

NOTAM text not available in this projection.

A2873/26

NOTAM text not available in this projection.

A2876/26

NOTAM text not available in this projection.

A1392/25

NOTAM text not available in this projection.

5/0197

NOTAM text not available in this projection.

A2784/25

NOTAM text not available in this projection.

6/8189

NOTAM text not available in this projection.

A2533/26

NOTAM text not available in this projection.

07/034

NOTAM text not available in this projection.

A2378/26

NOTAM text not available in this projection.

08/093

NOTAM text not available in this projection.

10/037

NOTAM text not available in this projection.

10/057

NOTAM text not available in this projection.

A2765/26

NOTAM text not available in this projection.

10/073

NOTAM text not available in this projection.

A2788/26

NOTAM text not available in this projection.

10/074

NOTAM text not available in this projection.

A2790/26

NOTAM text not available in this projection.

10/075

NOTAM text not available in this projection.

A2792/26

NOTAM text not available in this projection.

10/107

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

RUNWAY

Effective 2026-10-24T03:56:00Z → 2026-10-25T18:00:00Z

RUNWAY

Effective 2026-10-27T11:30:00Z → 2026-10-27T13:30:00Z

42 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KBED this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
· 12:00–18:00 ET ET · VFR
• **Mon, Oct 26 · 18:00–00:00 ET**: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-25=GFS, 2026-10-26=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-25 12:00	30	Clear	280/1kt	—	>10kft	>6SM
GFS	2026-10-25 15:00	57	Clear	280/2kt	—	>10kft	>6SM
GFS	2026-10-25 18:00	67	Clear	220/5kt	0.0	>10kft	>6SM
GFS	2026-10-25 21:00	65	Clear	180/5kt	—	>10kft	>6SM
GFS	2026-10-26 00:00	51	Clear	200/4kt	0.0	>10kft	>6SM
GFS	2026-10-26 03:00	44	Clear	210/3kt	—	>10kft	>6SM
GFS	2026-10-26 06:00	35	Clear	240/4kt	0.0	>10kft	>6SM
GFS	2026-10-26 09:00	30	Clear	260/2kt	—	>10kft	>6SM
GFS	2026-10-26 12:00	31	Clear	260/3kt	0.0	>10kft	>6SM

GFS	2026-10-26 15:00	58	Clear	280/6kt	—	>10kft	>6SM
GFS	2026-10-26 18:00	64	Few	270/8kt	1.0	>10kft	>6SM
GFS	2026-10-26 21:00	61	Bkn	290/7kt	—	>10kft	>6SM
GFS	2026-10-27 00:00	54	Bkn	300/4kt	0.0	>10kft	>6SM
GFS	2026-10-27 03:00	52	Bkn	330/4kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KBED 250951Z AUTO 00000KT 10SM CLR M02/M03 A3053 RMK AO2 SLP353 I1000 T10221033 $

TAF KBED 251120Z 2512/2612 00000KT P6SM SKC FM251600 23005KT P6SM SKC FM260000 00000KT P6SM SKC
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KBED; actual-station=KBED; fetched-at=2026-10-25T11:25:21.309861+00:00; observed-or-issued-at=2026-10-25T09:51:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KBED; actual-station=KBED; fetched-at=2026-10-25T11:25:24.673152+00:00; observed-or-issued-at=2026-10-25T11:20:00+00:00; valid-from=2026-10-25T12:00:00+00:00; valid-through=2026-10-26T12:00:00+00:00; partial-target-dates=2026-10-25,2026-10-26 — AWC API

TAF proxy · KBED

- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KBED; actual-station=KBED; fetched-at=2026-10-25T11:25:26.114441+00:00
- FAA NMS NOTAM — state=OK; requested-station=KBED; actual-station=KBED; fetched-at=2026-10-25T11:25:43.128685Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KBED; actual-station=KBED; fetched-at=2026-10-25T11:26:09.857835+00:00; observed-or-issued-at=2026-10-25T06:00:00+00:00; valid-from=2026-10-25T12:00:00+00:00; valid-through=2026-10-28T06:00:00+00:00; target-dates=2026-10-26; partial-target-dates=2026-10-25; dates-with-points=2026-10-25,2026-10-26 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KBED; actual-station=KBED; fetched-at=2026-10-25T11:26:15.141902+00:00; observed-or-issued-at=2026-10-25T00:00:00+00:00; valid-from=2026-10-26T00:00:00+00:00; valid-through=2026-11-02T00:00:00+00:00; target-dates=2026-10-26; partial-target-dates=2026-10-25; dates-with-points=2026-10-25,2026-10-26 — Iowa State API
- MOS effective date selection — state=partial; rows=14; requested-station=KBED; actual-station=KBED; fetched-at=2026-10-25T11:26:09.857835+00:00; observed-or-issued-at=2026-10-25T06:00:00+00:00; valid-from=2026-10-25T12:00:00+00:00; valid-through=2026-10-28T06:00:00+00:00; target-dates=2026-10-26; partial-target-dates=2026-10-25; dates-with-points=2026-10-25,2026-10-26; selected-by-date=2026-10-25=GFS, 2026-10-26=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

3 · Hazard feeds & regional observations

Unfiltered hazard feeds (not route-geometry screened): 4 SIGMET records, 42 G-AIRMET records, 4 CWA records. Regional current observations (not corridor forecasts): Mountain: MVFR at KROA; Atlantic South: MVFR at KSSI; Gulf West: category unavailable at KHSA.

Scope: Hazard counts are raw feed totals and have not been filtered against a proposed route, altitude, or time. Airport flight categories are current point observations, not corridor forecasts.

4 · Planning gates

- **Evidence gate:** an unavailable, stale, or out-of-horizon source is unknown — never treat it as favorable.
- **Weather gate:** compare current observations and valid-period forecasts with personal ceiling, visibility, convection, wind, and crosswind minimums.
- **Route gate:** screen the actual route, altitude, and time against official hazard products; feed totals on this page are not route-filtered.
- **Operations gate:** verify NOTAMs, TFRs, runway conditions, fuel, aircraft performance, daylight, and alternates.

5 · ForeFlight manual cross-check (before flight)

- Official briefing matches these go/no-go windows
- Prog charts / radar / satellite trend agrees with convection timing
- Winds & temps aloft along actual route (may shift ETE)
- **NOTAMs & TFRs** — airport-scoped NMS records may be shown, but route-wide/TFR coverage is not included; pull a fresh official briefing for departure, destination, and alternates
- Runway condition / length / closures at destination & alternate
- Weight & balance + performance at forecast density altitude (heat!)
- File & brief in ForeFlight; confirm fuel stops if long-range

6 · Source stamp

Show source stamp and evidence inventory

KLZU METAR excerpt: METAR KLZU 250956Z AUTO . AWC METAR state OK for 29/30 airports; TAF target coverage for 0/30; MOS fetch health GFS 29/30, MEX 30/30; target coverage 30/60 airport-days; planned-window board coverage 2/2; combined target forecast coverage for 0/30; FAA status known for 0/30. Hazard feeds: state=ok; SIGMET=4, G-AIRMET=42, CWA=4; counts are unfiltered and are not a route assessment.
NWS AFD state: ok · FAA NMS NOTAM states: OK=30; normalized records=964; unnormalized records=0; environment=preprod; sandbox-public-preview=true · Fuel: best-effort (verify) · FAA chart cycle: VFR Sectional Ed. 98 (eff. 09/03/2026); Chart Supplement Ed. 5 (eff. 09/03/2026).

Executive summary

DETERMINISTIC · RESTATES PAGE EVIDENCE · NO MODEL CALLED

A plain restatement of evidence shown in full below, computed from that evidence with no model call. It reports what the sources say; it does not rank the days, rate them, or make a go/no-go call. It follows the order the owner asked for: feasibility evidence, KLZU, destinations, weather by area or region, then new KLZU NOTAMs.

1 · Feasibility evidence for the trip window

This part is a derivation, not an observation: it states how much of the trip window carries a forecast flight category, and nothing more. It is not a go/no-go call, not a recommendation, and not a flight category. Its inputs and its gaps are listed in the tooltip on the line below.

- Trip window: Fri Oct 23 – Mon Oct 26, 2026. “This weekend” is taken to mean exactly this window; no other date range is assessed.
- Trip-window feasibility evidence (Derived): assessable for every active trip day — 2 of 2 active trip days in Fri Oct 23 – Mon Oct 26, 2026 carry a forecast flight category and 0 carry none. This is a derived statement about how much evidence exists, it is not a flight category, and it says nothing about whether a flight is advisable. Every input and every gap is named in this line's tooltip.

2 · KLZU home-base status

The KLZU observation and the per-day board categories, taken from the same helpers the board itself renders from, so the two cannot disagree.

- KLZU current observation: VFR — from the surface observation read this run; it describes conditions now, not a trip day.
- Sun Oct 25, 06:00–22:00 ET: VFR — most restrictive forecast flight category; high confidence; from TAF, MOS.
- Mon Oct 26, 06:00–22:00 ET: VFR — most restrictive forecast flight category; medium confidence; from MOS.
- A forecast flight category is available for 2 of 2 active trip days; 0 reach no category-capable product at this lead time.
- Data quality: DEGRADED — as reported by the badge in the page header; it gates publication, it is not a weather statement.

3 · Destination coverage

Coverage, not a pick: this counts which destinations a product permitted to state a flight category actually reaches. It is not a ranking, not a recommendation, and the editorial order of the destination list is not a flyability score.

- Destinations: 29 of 29 covered airports resolve a forecast flight category on at least one active trip day; 0 resolve none at this lead time. Counted from the same per-day outlook the destination cards render, with outlook-grade blocks excluded.
- Most restrictive resolved category per covered airport, across the active trip days: KAVL LIFR (2/2 d), KBED VFR (2/2 d), KBFM VFR (2/2 d), KCRE VFR (2/2 d), KCRG MVFR (2/2 d), KDAB VFR (2/2 d), KECP VFR (2/2 d), KFIN VFR (2/2 d), KGKT VFR (2/2 d), KGPT VFR (2/2 d), KHPN VFR (2/2 d), KHSA VFR (2/2 d); 17 further airports in section 2.
- NOTAMs: 29 of 29 destinations report an active NOTAM. KLZU departure NOTAM state: OK.

4 · Weather events by area or region

Weather events by area or region, from products that carry an area. Per-airport categories are never clustered into a region here: an area inferred that way would be a spatial claim no source made.

- 50 hazard areas retained with their own coordinate rings. Each is related to an airport only by point-in-polygon (ray casting) against the product's own coordinate ring, or by great-circle distance from the airport to the nearest point on the product's boundary within 100 NM — tested against 29 airports that reported a position this run. No area name is inferred: the only names stated are the ones a product supplies itself. Per-airport categories are never clustered into a region.
- 50 of 50 retained hazard areas are valid at some point inside the planned trip window; the rest describe conditions before it.
- G-AIRMET TANGO — LLWS: contains KECP (point-in-polygon (ray casting) against the product's own coordinate ring); boundary within 100 NM of KDAB 27 NM, KFIN 30 NM, KCRG 36 NM, KSGJ 36 NM, KTPF 39 NM, KSPG 51 NM, KSRQ 63 NM, KPNS 68 NM, KSSI 76 NM, KVNC 76 NM, KJKA 93 NM. valid 2026-10-25 08:45Z to 2026-10-25 15:00Z.
- G-AIRMET TANGO — LLWS: contains KJZI, KCRE, KMYR (point-in-polygon (ray casting) against the product's own coordinate ring); boundary within 100 NM of KHXD 6 NM, KSAV 23 NM, KSSI 77 NM. valid 2026-10-25 08:45Z to 2026-10-25 15:00Z.
- G-AIRMET TANGO — SFC_WND: contains KSSI (point-in-polygon (ray casting) against the product's own coordinate ring); boundary within 100 NM of KSGJ 5 NM, KCRG 9 NM, KFIN 11 NM, KDAB 12 NM, KHXD 21 NM, KSAV 27 NM, KJZI 40 NM. valid 2026-10-25 08:45Z to 2026-10-25 15:00Z.
- G-AIRMET TANGO — TURB-HI: contains KBFM, KGPT, KNEW (point-in-polygon (ray casting) against the product's own coordinate ring); boundary within 100 NM of KJKA 7 NM, KPNS 34 NM. valid 2026-10-25 08:45Z to 2026-10-25 15:00Z.
- G-AIRMET TANGO — TURB-HI: contains KOPF (point-in-polygon (ray casting) against the product's own coordinate ring); boundary within 100 NM of KDAB 42 NM, KFIN 54 NM, KVNC 60 NM, KJZI 66 NM, KSGJ 68 NM, KSRQ 72 NM, KTPF 76 NM, KHXD 78 NM, KCRG 82 NM, KSPG 82 NM, KSSI 89 NM, KMYR 98 NM, KSAV 99 NM. valid 2026-10-25 08:45Z to 2026-10-25 15:00Z.
- CWA 301 — TS over ZMA (Miami): boundary within 100 NM of KOPF 16 NM. valid 2026-10-25 11:13Z to 2026-10-25 12:00Z.
- G-AIRMET ZULU — FZLVL: boundary within 100 NM of KMYR 4 NM, KCRE 7 NM, KTRI 35 NM, KAVL 47 NM, KJZI 60 NM, KROA 88 NM, KGKT 93 NM, KHXD 100 NM; published as a line, not an enclosed area, so no containment test is made against it. valid 2026-10-25 10:16Z to 2026-10-25 15:00Z.
- G-AIRMET ZULU — FZLVL: boundary within 100 NM of KGPT 0 NM, KNEW 20 NM, KBFM 23 NM, KJKA 24 NM, KPNS 49 NM; published as a line, not an enclosed area, so no containment test is made against it. valid 2026-10-25 10:16Z to 2026-10-25 15:00Z.
- G-AIRMET TANGO — SFC_WND: boundary within 100 NM of KCRE 99 NM. valid 2026-10-25 08:45Z to 2026-10-25 15:00Z.
- SIGMET 16E — CONVECTIVE: boundary within 100 NM of KOPF 32 NM, KTPF 56 NM, KDAB 59 NM, KSRQ 62 NM, KVNC 63 NM, KSPG 64 NM, KFIN 78 NM. valid 2026-10-25 10:55Z to 2026-10-25 12:55Z.
- 40 of 50 retained hazard areas could not be related to any airport this page covers, by either test. They remain national-unfiltered: their geography is real but lies outside 100 NM of every airport tested, and nothing is claimed about where they are.
- Hazard feed record counts this run, unfiltered and national: SIGMET 4, G-AIRMET 42, CWA 4; overall feed state ok; feed states — CWA: ok, G-AIRMET: ok, SIGMET: ok. These are totals over the whole feed, not a count near KLZU, not a count along any route, and not a route assessment.

5 · New KLZU NOTAMs

This run keeps no snapshot of the previous run, so “new” cannot mean “changed since last time”. It is defined below as an FAA-published timestamp window, and the service-status scan reads the published text of every KLZU record so a status embedded inside a record of another category is not missed.

- Baseline for “new”: a KLZU NOTAM whose own FAA-published timestamp (last update, else issue, else effective start) falls within the 72 hours before this run's generation time (2026-10-25T11:25:21.072899+00:00). This run holds no copy of the previous run's NOTAM set, so this is a source-timestamp window and not a difference against an earlier run.
- KLZU: 3 of 14 current NOTAMs are new by that baseline — 10/033 (RUNWAY, last_updated_at 2026-10-22T13:11:00+00:00); A0403/26 (RUNWAY, last_updated_at 2026-10-22T13:11:00+00:00); A0405/26 (RUNWAY, last_updated_at 2026-10-22T13:22:00+00:00).
- No service-status wording was found in the published text of the 14 current KLZU records. The scan reads every record's full published text rather than its category, so a status stated inside a record of another category would still be reported.

This restates evidence; it is not a recommendation, not an all-clear, and not a data outage. The decision surfaces are the planning gates and the ForeFlight cross-check below, read against the KLZU board and destination cards. Every line above restates a value shown elsewhere on this page.

⚠ **Pre-planning only — not an official weather briefing.** Verify an official briefing, METAR/TAF/GFA/SIGMET/CWA, NOTAMs, TFRs, runway conditions, fuel, W&B, performance, and personal minimums before flight.

Shared planning page for N201MD & flying partners · static snapshot of the latest scheduled run · the scheduler checks hourly and republishes once at least 6 h have passed since the last publish, so the refresh lands about 4x a day at times that drift

Last updated Sunday Oct 25, 2026 · 7:25 AM ET · Next scheduled run: not before Sunday Oct 25 · 1:17 PM ET · Have a suggestion? Use the **Feedback** button.