

Flight Planning Desk

Performance profile: Mooney M20J · Lawrenceville, GA · **Fri Sep 11 – Mon Sep 14, 2026**

✔ Data quality · OK

✔ Live verification · **Checking**

● Published snapshot · Generated · Sunday Sep 13, 2026 · 2:12 AM ET · Next run · not before Sunday Sep 13 · 8:17 AM ET

1 · KLZU departure / return board

KLZU

Lawrenceville/Gwinnett Cnty, GA, US

Home base · timed forecast changes · source detail retained

OBS - VFR

PLANNING HORIZON
Sun 13 → Mon 14 · 2 days

RIGHT NOW · METAR

SUN 13 SEP 00:56 ET OBSERVED

Current observation

OBS - VFR

OBSER

METAR

clear below 12,000 ft (CLR)

WINDcalm

TEMPERATUREUnavailable

VISIBILITY10 sm

DEWPOINTUnavailable

Evidence & limitations

METAR source state: ok; observed Sep 13 00:56 ET; retrieved Sep 13 02:12 ET; 76 min before this run.

Measured values read from the KLZU METAR. This is a current surface observation only; it is not a forecast.

Only fields decoded from this METAR are shown; every missing field remains unavailable.

Altimeter: 30.03 inHg.

Raw METAR: METAR KLZU 130456Z AUTO 00000KT 10SM CLR 24/ A3003 RMK A02 SLP170 T0239 402940222 \$

Important planning / evidence detail (1 warning)

LEGEND

VFR MVFR IFR LIFR Unknown

Solid = source-interval category guidance; Dashed = lower-confidence outlook

Weather icon = surface forecast

All times Eastern (ET), 24-hour clock · “around/after” preserves source precision.

⚠ KLZU has no TAF station. Every KLZU TAF-derived value on this page is taken from the nearby **KPDK** proxy station, not from KLZU itself — treat it as regional, and confirm KLZU conditions in an official briefing.

A raster chart may be displayed with its issuing office and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

HIGH CONFIDENCE
SEP 13 · 06:00–22:00 ET

- METAR
- TAF
- NWS-hr
- NWS-day
- MAV
- MEX
- GFA
- NOTAM

METAR – issued hourly. The NWS issues a SPECI report if conditions change significantly. Issued by the NWS, not a forecast. KLZU observations describe conditions now, not this trip day.

TAF – highest confidence. The NWS issues a TAF every 6 hours. TAFs cover the entire day. KLZU observations describe conditions now, not this trip day.

NWS hour – Weather Service hourly forecast. Cell contains a by-hour sky and it is the most accurate. Reaches the board.

NWS day/night – Weather Service day and night forecast. Coarser than hourly. Not a forecast. Reaches the board.

GFS Model – Global Forecast System. The GFS is a global model. Coarser than hourly. Not a forecast. Reaches the board.

GFS ensemble – Global Forecast System ensemble. The GFS ensemble is a global model. Coarser than hourly. Not a forecast. Reaches the board.

GFA – Global Forecast System. The GFA is a global model. Coarser than hourly. Not a forecast. Reaches the board.

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KLZU this run.

office and valid time and never interprets them: no category, wind, ceiling, ranking or go/no-go here is derived from an image. A published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

☁️

Mostly Sunny

🌪️

WINDW (~270° true) · 4 kt

💧

PRECIP CHANCE0–1%

⚡

TS CHANCE2–3%

☁️

SKY COVER39–43%

↺

Wind favors RWY 25
W (~270° true) · 4 kt · full datum in the day evidence

Evidence & limitations

◦ The visible badge names the contributing product. Exact issuance, retrieval, and member-period provenance remains in Day evidence & planning note below.

◦ The hour-by-hour source evidence below retains every original period and its detailed wind line.

Surface prog · 06:00–10:00 ET · available

SUN 13 SEP 10:00–15:00 ET HIGH

Forecast

KPDK TAF proxy

KPDK TAF - MVFR

GFS OUTLOOK - VFR

GFS MOS - VFR

☁️

Mostly Sunny → Sunny

FORECAST



WINDW–NW · 4–9 kt



PRECIP CHANCE0%



TS CHANCE0–2%



SKY COVER23–38%

Evidence & limitations

- The visible badge names the contributing product. Exact issuance, retrieval, and member-period provenance remains in Day evidence & planning note below.
- The hour-by-hour source evidence below retains every original period and its detailed wind line.

Surface prog · 10:00–15:00 ET · available

SUN 13 SEP 15:00–18:00 ET HIGH

Forecast

KPDK TAF proxy

KPDK TAF - VFR

GFS OUTLOOK - VFR

GFS MOS - VFR



Sunny

FORECAST



WINDNW (~315° true) · 4–9 kt



PRECIP CHANCE0%



TS CHANCE0%



SKY COVER17–22%



Wind favors RWY 25
NW (~315° true) · 4–9 kt · full datum in the day evidence

Evidence & limitations

- The visible badge names the contributing product. Exact issuance, retrieval, and member-period provenance remains in Day evidence & planning note below.
- The hour-by-hour source evidence below retains every original period and its detailed wind line.

Surface prog · 15:00–18:00 ET · available

SUN 13 SEP 18:00–22:00 ET HIGH

Forecast

KPDK TAF proxy

KPDK TAF - VFR

GFS OUTLOOK - VFR

GFS MOS - VFR

☁️

Mostly Clear → Clear

FORECAST

🌀

WINDNW (~315° true) · 4 kt

💧

PRECIP CHANCE0%

⚡

TS CHANCE0–1%

☁️

SKY COVER4–11%

🔄

Wind favors RWY 25
NW (~315° true) · 4 kt · full datum in the day evidence

Evidence & limitations

- The visible badge names the contributing product. Exact issuance, retrieval, and member-period provenance remains in Day evidence & planning note below.
- The hour-by-hour source evidence below retains every original period and its detailed wind line.

Surface prog · 18:00–22:00 ET · available

Day evidence & planning note

No aviation-category inference — verify METAR/TAF

SOURCES & LIMITATIONS — HOUR-BY-HOUR SOURCE EVIDENCE (15 FORECAST PERIODS)

06:00–08:00 ET

☁️

KPDK TAF - MVFR

GFS OUTLOOK - VFR

Mostly Sunny

Precipitation probability (PoP) 0–1%

NWS + TAF + MOS · NWS ISSUED SEP 13 00:12 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 13 02:12 ET

08:00–09:00 ET



KPDK TAF - MVFR

GFS MOS - VFR

Mostly Sunny

Precipitation probability (PoP) 0%

NWS + TAF + MOS · NWS ISSUED SEP 13 00:12 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 13 02:12 ET

09:00–10:00 ET



KPDK TAF - MVFR

GFS OUTLOOK - VFR

Mostly Sunny

Precipitation probability (PoP) 0%

NWS + TAF + MOS · NWS ISSUED SEP 13 00:12 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 13 02:12 ET

10:00–11:00 ET



KPDK TAF - VFR

GFS OUTLOOK - VFR

Mostly Sunny

Precipitation probability (PoP) 0%

NWS + TAF + MOS · NWS ISSUED SEP 13 00:12 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 13 02:12 ET

11:00–12:00 ET



KPDK TAF - VFR

GFS MOS - VFR

Sunny

Precipitation probability (PoP) 0%

NWS + TAF + MOS · NWS ISSUED SEP 13 00:12 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 13 02:12 ET

12:00–13:00 ET



KPDK TAF - VFR

GFS OUTLOOK - VFR

Sunny

Precipitation probability (PoP) 0%

NWS + TAF + MOS · NWS ISSUED SEP 13 00:12 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 13 02:12 ET

13:00–14:00 ET



KPDK TAF - VFR

GFS OUTLOOK - VFR

Sunny

Precipitation probability (PoP) 0%

NWS + TAF + MOS · NWS ISSUED SEP 13 00:12 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 13 02:12 ET

14:00–15:00 ET



KPDK TAF - VFR

GFS MOS - VFR

Sunny

Precipitation probability (PoP) 0%

NWS + TAF + MOS · NWS ISSUED SEP 13 00:12 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 13 02:12 ET

15:00–16:00 ET



KPDK TAF - VFR

GFS OUTLOOK - VFR

Sunny

Precipitation probability (PoP) 0%

NWS + TAF + MOS · NWS ISSUED SEP 13 00:12 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 13 02:12 ET

16:00–17:00 ET



KPDK TAF - VFR

GFS OUTLOOK - VFR

Sunny

Precipitation probability (PoP) 0%

NWS + TAF + MOS · NWS ISSUED SEP 13 00:12 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 13 02:12 ET

17:00–18:00 ET



KPDK TAF - VFR

GFS MOS - VFR

Sunny

Precipitation probability (PoP) 0%

NWS + TAF + MOS · NWS ISSUED SEP 13 00:12 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 13 02:12 ET

18:00–19:00 ET

KPDK TAF - VFR

GFS OUTLOOK - VFR

Mostly Clear

Precipitation probability (PoP) 0%

NWS + TAF + MOS · NWS ISSUED SEP 13 00:12 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 13 02:12 ET

19:00–20:00 ET

KPDK TAF - VFR

GFS OUTLOOK - VFR

Clear

Precipitation probability (PoP) 0%

NWS + TAF + MOS · NWS ISSUED SEP 13 00:12 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 13 02:12 ET

20:00–21:00 ET

KPDK TAF - VFR

GFS MOS - VFR

Clear

Precipitation probability (PoP) 0%

NWS + TAF + MOS · NWS ISSUED SEP 13 00:12 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 13 02:12 ET

21:00–22:00 ET

KPDK TAF - VFR

GFS OUTLOOK - VFR

Clear

Precipitation probability (PoP) 0%

NWS + TAF + MOS · NWS ISSUED SEP 13 00:12 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 13 02:12 ET

WIND / WIND-FAVORED RUNWAY · ONE ENTRY PER DISPLAY BLOCK

06:00–08:00 ET W (~270° true) 4 kt Approx. wind-favored RWY 25 NWS hourly surface forecast	08:00–09:00 ET W (~270° true) 4 kt Approx. wind-favored RWY 25 NWS hourly surface forecast
09:00–10:00 ET W (~270° true) 4 kt Approx. wind-favored RWY 25 NWS hourly surface forecast	10:00–11:00 ET W (~270° true) 4 kt Approx. wind-favored RWY 25 NWS hourly surface forecast
11:00–12:00 ET NW (~315° true) 4 kt Approx. wind-favored RWY 25 NWS hourly surface forecast	12:00–13:00 ET NW (~315° true) 9 kt Approx. wind-favored RWY 25 · crosswind 9 kt NWS hourly surface forecast

13:00–14:00 ET NW (~315° true) 9 kt Approx. wind-favored RWY 25 · crosswind 9 kt NWS hourly surface forecast	14:00–15:00 ET NW (~315° true) 9 kt Approx. wind-favored RWY 25 · crosswind 9 kt NWS hourly surface forecast
15:00–16:00 ET NW (~315° true) 9 kt Approx. wind-favored RWY 25 · crosswind 9 kt NWS hourly surface forecast	16:00–17:00 ET NW (~315° true) 4 kt Approx. wind-favored RWY 25 NWS hourly surface forecast
17:00–18:00 ET NW (~315° true) 4 kt Approx. wind-favored RWY 25 NWS hourly surface forecast	18:00–19:00 ET NW (~315° true) 4 kt Approx. wind-favored RWY 25 NWS hourly surface forecast
19:00–20:00 ET NW (~315° true) 4 kt Approx. wind-favored RWY 25 NWS hourly surface forecast	20:00–21:00 ET NW (~315° true) 4 kt Approx. wind-favored RWY 25 NWS hourly surface forecast
21:00–22:00 ET NW (~315° true) 4 kt Approx. wind-favored RWY 25 NWS hourly surface forecast	

Surface prog evidence · Sun Sep 13

06:00–10:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

10:00–15:00 ET ET · 15:00–18:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–22:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

Runway guidance is approximate wind alignment only; verify ATIS, NOTAMs and actual runway use.

RWY numbers magnetic; wind converted from true using 6°W variation (NOAA WMM2025)

Day operations

WEATHER

TAF and radar cross-check.

PERFORMANCE

Temperature / performance check.

RUNWAY

Verify ATIS, NOTAMs and actual use.

MEDIUM CONFIDENCE

SEP 14 · 06:00–22:00 ET

- METAR
- TAF
- NWS-hr
- NWS-day
- MAV
- MEX
- GFA
- NOTAM

METAR — issued hourly. The NWS issues a METAR every hour, except during the middle of the night when a SPECI report is issued instead. METARs contain information about current conditions: visibility, wind, clouds, and temperature. Issued by the National Weather Service, METARs are used by pilots and other aviation professionals to make decisions about flight. METARs are not a forecast. They describe the current conditions at the time they are issued. KLZU observes conditions and reports them. KLZU describes conditions and reports them. KLZU describes conditions and reports them.

TAF — The National Weather Service issues a TAF every 6 hours. TAFs contain information about expected conditions: visibility, wind, clouds, and temperature. Issued by the National Weather Service, TAFs are used by pilots and other aviation professionals to make decisions about flight. TAFs are not a forecast. They describe the expected conditions at the time they are issued. KLZU observes conditions and reports them. KLZU describes conditions and reports them.

NWS hour — The National Weather Service issues a 3-hourly forecast every 6 hours. NWS hour forecasts contain information about expected conditions: visibility, wind, clouds, and temperature. Issued by the National Weather Service, NWS hour forecasts are used by pilots and other aviation professionals to make decisions about flight. NWS hour forecasts are not a forecast. They describe the expected conditions at the time they are issued. KLZU observes conditions and reports them. KLZU describes conditions and reports them.

NWS day/night — The National Weather Service issues a 12-hourly forecast every 6 hours. NWS day/night forecasts contain information about expected conditions: visibility, wind, clouds, and temperature. Issued by the National Weather Service, NWS day/night forecasts are used by pilots and other aviation professionals to make decisions about flight. NWS day/night forecasts are not a forecast. They describe the expected conditions at the time they are issued. KLZU observes conditions and reports them. KLZU describes conditions and reports them.

GFS Model — The Global Forecast System (GFS) is a numerical weather prediction model. The GFS Model is used by the National Weather Service to produce forecasts. The GFS Model is not a forecast. It describes the expected conditions at the time they are issued. KLZU observes conditions and reports them. KLZU describes conditions and reports them.

GFS Extended Range — The Global Forecast System (GFS) is a numerical weather prediction model. The GFS Extended Range is used by the National Weather Service to produce forecasts. The GFS Extended Range is not a forecast. It describes the expected conditions at the time they are issued. KLZU observes conditions and reports them. KLZU describes conditions and reports them.

GFA and Missions — The Global Forecast System (GFA) is a numerical weather prediction model. The GFA and Missions are used by the National Weather Service to produce forecasts. The GFA and Missions are not a forecast. They describe the expected conditions at the time they are issued. KLZU observes conditions and reports them. KLZU describes conditions and reports them.

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KLZU this run.

GFS OUTLOOK - VFR

GFS MOS - VFR

FORECAST

WINDN · 0–4 kt

PRECIP CHANCE0%

TS CHANCE0%

SKY COVER11–12%

Evidence & limitations

- The visible badge names the contributing product. Exact issuance, retrieval, and member-period provenance remains in Day evidence & planning note below.
- The hour-by-hour source evidence below retains every original period and its detailed wind line.

Surface prog · 06:00–10:00 ET · available

MON 14 SEP 10:00–15:00 ET MEDIUM

Forecast

GFS
MAV

Sunny

WINDN (~360° true) · 4 kt

PRECIP CHANCE0%

GFS OUTLOOK - VFR

GFS MOS - VFR

FORECAST



TS CHANCE0–1%



SKY COVER10–16%



Wind favors RWY 07
N (~360° true) · 4 kt · full datum in the day evidence

Evidence & limitations

- The visible badge names the contributing product. Exact issuance, retrieval, and member-period provenance remains in Day evidence & planning note below.
- The hour-by-hour source evidence below retains every original period and its detailed wind line.

Surface prog · 10:00–15:00 ET · available

MON 14 SEP 15:00–18:00 ET MEDIUM

Forecast

GFS
MAV

Sunny

WINDN · 0–4 kt



PRECIP CHANCE0%



TS CHANCE1%



SKY COVER5–15%

GFS OUTLOOK - VFR

GFS MOS - VFR

FORECAST

Evidence & limitations

- The visible badge names the contributing product. Exact issuance, retrieval, and member-period provenance remains in Day evidence & planning note below.
- The hour-by-hour source evidence below retains every original period and its detailed wind line.

Surface prog · 15:00–18:00 ET · available

MON 14 SEP 18:00–22:00 ET MEDIUM

Forecast

GFS
MAV

Mostly Clear

GFS OUTLOOK - VFR

GFS MOS - VFR

FORECAST

WINDCALM · 0 kt

PRECIP CHANCE0–1%

TS CHANCE0–1%

SKY COVER8–11%

Evidence & limitations

- The visible badge names the contributing product. Exact issuance, retrieval, and member-period provenance remains in Day evidence & planning note below.
- The hour-by-hour source evidence below retains every original period and its detailed wind line.

Surface prog · 18:00–22:00 ET · available

Day evidence & planning note

Surface temperature 93°F; calculate aircraft performance

SOURCES & LIMITATIONS — HOUR-BY-HOUR SOURCE EVIDENCE (15 FORECAST PERIODS)

06:00–08:00 ET

Sunny

GFS OUTLOOK - VFR

Precipitation probability (PoP) 0%

Beyond the 72 h short-range GFS MOS horizon at this lead time. The product published normally; this day is simply past its reach, which is expected and is not a fault. Expected to be covered from about Fri Sep 11 · 12:00 AM ET.

NWS + MOS · NWS ISSUED SEP 13 00:12 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 13 02:12 ET

08:00–09:00 ET

Sunny

GFS MOS - VFR

Precipitation probability (PoP) 0%

NWS + MOS · NWS ISSUED SEP 13 00:12 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 13 02:12 ET

09:00–10:00 ET

Sunny

GFS OUTLOOK - VFR

Precipitation probability (PoP) 0%

Beyond the 72 h short-range GFS MOS horizon at this lead time. The product published normally; this day is simply past its reach, which is expected and is not a fault. Expected to be covered from about Fri Sep 11 · 12:00 AM ET.

NWS + MOS · NWS ISSUED SEP 13 00:12 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 13 02:12 ET

10:00–11:00 ET

GFS OUTLOOK - VFR

Sunny

Precipitation probability (PoP) 0%

Beyond the 72 h short-range GFS MOS horizon at this lead time. The product published normally; this day is simply past its reach, which is expected and is not a fault. Expected to be covered from about Fri Sep 11 · 12:00 AM ET.

NWS + MOS · NWS ISSUED SEP 13 00:12 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 13 02:12 ET

11:00–12:00 ET

GFS MOS - VFR

Sunny

Precipitation probability (PoP) 0%

NWS + MOS · NWS ISSUED SEP 13 00:12 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 13 02:12 ET

12:00–13:00 ET

GFS OUTLOOK - VFR

Sunny

Precipitation probability (PoP) 0%

Beyond the 72 h short-range GFS MOS horizon at this lead time. The product published normally; this day is simply past its reach, which is expected and is not a fault. Expected to be covered from about Fri Sep 11 · 12:00 AM ET.

NWS + MOS · NWS ISSUED SEP 13 00:12 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 13 02:12 ET

13:00–14:00 ET

GFS OUTLOOK - VFR

Sunny

Precipitation probability (PoP) 0%

Beyond the 72 h short-range GFS MOS horizon at this lead time. The product published normally; this day is simply past its reach, which is expected and is not a fault. Expected to be covered from about Fri Sep 11 · 12:00 AM ET.

NWS + MOS · NWS ISSUED SEP 13 00:12 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 13 02:12 ET

14:00–15:00 ET

GFS MOS - VFR

Sunny

Precipitation probability (PoP) 0%

NWS + MOS · NWS ISSUED SEP 13 00:12 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 13 02:12 ET

15:00–16:00 ET

GFS OUTLOOK - VFR

Sunny

Precipitation probability (PoP) 0%

Beyond the 72 h short-range GFS MOS horizon at this lead time. The product published normally; this day is simply past its reach, which is expected and is not a fault. Expected to be covered from about Fri Sep 11 · 12:00 AM ET.

NWS + MOS · NWS ISSUED SEP 13 00:12 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 13 02:12 ET

16:00–17:00 ET



GFS OUTLOOK - VFR

Sunny

Precipitation probability (PoP) 0%

Beyond the 72 h short-range GFS MOS horizon at this lead time. The product published normally; this day is simply past its reach, which is expected and is not a fault. Expected to be covered from about Fri Sep 11 · 12:00 AM ET.

NWS + MOS · NWS ISSUED SEP 13 00:12 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 13 02:12 ET

17:00–18:00 ET



GFS MOS - VFR

Sunny

Precipitation probability (PoP) 0%

NWS + MOS · NWS ISSUED SEP 13 00:12 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 13 02:12 ET

18:00–19:00 ET



GFS OUTLOOK - VFR

Mostly Clear

Precipitation probability (PoP) 0%

Beyond the 72 h short-range GFS MOS horizon at this lead time. The product published normally; this day is simply past its reach, which is expected and is not a fault. Expected to be covered from about Fri Sep 11 · 12:00 AM ET.

NWS + MOS · NWS ISSUED SEP 13 00:12 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 13 02:12 ET

19:00–20:00 ET



GFS OUTLOOK - VFR

Mostly Clear

Precipitation probability (PoP) 1%

Beyond the 72 h short-range GFS MOS horizon at this lead time. The product published normally; this day is simply past its reach, which is expected and is not a fault. Expected to be covered from about Fri Sep 11 · 12:00 AM ET.

NWS + MOS · NWS ISSUED SEP 13 00:12 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 13 02:12 ET

20:00–21:00 ET



GFS MOS - VFR

Mostly Clear

Precipitation probability (PoP) 1%

NWS + MOS · NWS ISSUED SEP 13 00:12 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 13 02:12 ET

21:00–22:00 ET



GFS OUTLOOK - VFR

Mostly Clear

Precipitation probability (PoP) 1%

Beyond the 72 h short-range GFS MOS horizon at this lead time. The product published normally; this day is simply past its reach, which is expected and is not a fault. Expected to be covered from about Fri Sep 11 · 12:00 AM ET.

NWS + MOS · NWS ISSUED SEP 13 00:12 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 13 02:12 ET

WIND / WIND-FAVORED RUNWAY · ONE ENTRY PER DISPLAY BLOCK

06:00–08:00 ET CALM 0 kt Runway alignment unavailable NWS hourly surface forecast	08:00–09:00 ET N (~360° true) 4 kt Approx. wind-favored RWY 07 NWS hourly surface forecast
09:00–10:00 ET CALM 0 kt Runway alignment unavailable NWS hourly surface forecast	10:00–11:00 ET N (~360° true) 4 kt Approx. wind-favored RWY 07 NWS hourly surface forecast
11:00–12:00 ET N (~360° true) 4 kt Approx. wind-favored RWY 07 NWS hourly surface forecast	12:00–13:00 ET N (~360° true) 4 kt Approx. wind-favored RWY 07 NWS hourly surface forecast
13:00–14:00 ET N (~360° true) 4 kt Approx. wind-favored RWY 07 NWS hourly surface forecast	14:00–15:00 ET N (~360° true) 4 kt Approx. wind-favored RWY 07 NWS hourly surface forecast
15:00–16:00 ET N (~360° true) 4 kt Approx. wind-favored RWY 07 NWS hourly surface forecast	16:00–17:00 ET CALM 0 kt Runway alignment unavailable NWS hourly surface forecast
17:00–18:00 ET CALM 0 kt Runway alignment unavailable NWS hourly surface forecast	18:00–19:00 ET CALM 0 kt Runway alignment unavailable NWS hourly surface forecast
19:00–20:00 ET CALM 0 kt Runway alignment unavailable NWS hourly surface forecast	20:00–21:00 ET CALM 0 kt Runway alignment unavailable NWS hourly surface forecast
21:00–22:00 ET CALM 0 kt Runway alignment unavailable NWS hourly surface forecast	

Surface prog evidence · Mon Sep 14

06:00–10:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

10:00–15:00 ET ET · 15:00–18:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–22:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

Runway guidance is approximate wind alignment only; verify ATIS, NOTAMs and actual runway use.

RWY numbers magnetic; wind converted from true using 6°W variation (NOAA WMM2025)

Day operations

WEATHER

TAF and radar cross-check.

PERFORMANCE

Temperature / performance check.

RUNWAY

Verify ATIS, NOTAMs and actual use.



Pattern summary: .. (This afternoon through Sunday) Issued at 242 PM EDT Sat Sep 12 2026 Portions of the I-20 corridor and areas of north Atlanta got quite a bit of rain both yesterday and this morning. — .. (Monday morning through next Friday) Issued at 242 PM EDT Sat Sep 12 2026 By Monday morning the main frontal boundary from the short term will have moved south of the state with high...

NWS FFC Area Forecast Discussion · regional context, not a KLZU category or exact timing forecast

[Extended outlook ▼](#)

EXTENDED OUTLOOK SUMMARY

.. (This afternoon through Sunday)
Issued at 242 PM EDT Sat Sep 12 2026

Portions of the I-20 corridor and areas of north Atlanta got quite a bit of rain both yesterday and this morning. — .. (Monday morning through next Friday)
Issued at 242 PM EDT Sat Sep 12 2026

By Monday morning the main frontal boundary from the short term will have moved south of the state with high...

SHORT TERM

..
(This afternoon through Sunday)
Issued at 242 PM EDT Sat Sep 12 2026

Portions of the I-20 corridor and areas of north Atlanta got quite a bit of rain both yesterday and this morning. 24hr radar estimates indicate a good swath of 3-5" from Carroll to north Fulton and Dekalb counties and a bullseye of nearly 7-8" in the Villa Rica area. There's been a 'lull' in activity for this area (west of I-85) over the past hour or so as a result of subsidence at the midlevels per latest satellite imagery. Thus, ongoing shower and thunderstorm activity is primarily confined to areas east of Interstate 85. It's unclear how much additional shower and thunderstorm activity west Georgia will receive for the remainder of the day. However, additional midlevel disturbances back to our west, in association with the primary midlevel trough axis, are aiding in new convective development back in parts of north AL. So if the sky is able to continue clearing and the environment recovers west Georgia could certainly see some additional showers and isolated thunderstorms late this afternoon into the evening hours. If things do get going again, I-20 west corridor will need close monitoring given recent heavy rains. All thunderstorms will be capable of locally heavy rainfall, frequent lightning and gusty winds. It should be noted that it wont take much wind for trees to topple over especially in areas where soils are primed and saturated.

Patchy fog and perhaps some lower clouds will be possible early Sunday morning -- particularly in areas that received heavy rain. Drier weather returns for most on Sunday as midlevel ridging begins to slide more overhead. Isolated afternoon showers and storms will be confined to far south-central GA but chances remain low (<15%

chance). Under partly to mostly sunny skies, temperatures are forecast to warm back into the lower 90s everywhere except the higher elevations, by the afternoon.

LONG TERM

..
(Monday morning through next Friday)
Issued at 242 PM EDT Sat Sep 12 2026

By Monday morning the main frontal boundary from the short term will have moved south of the state with high pressure continuing to build back into the area. This ridge will also bring in a drier airmass into central GA with a slightly drier airmass keeping things dry through at least Days 5 to 6 (Wed and Thu). Current model runs show a wave moving back into the region from the Atlantic Thu evening into Fri which could increase precipitation chances. for now just going with a 20% chance for Fri afternoon and will see over the next few days how the models handle this.

Temps will stay in the upper 80s to middle 90s through day 7 but with the drier airmass moving in Heat index values will slowly fall through Thursday . Min Dewpoints Mon and Tue will be in the upper 60s to lower 70s but they will fall into the lower to middle 60s by Wed. Even with temps still in the lower 90s it will feel a lot more comfortable.

+ Raw NWS AFD text

000
FXUS62 KFFC 130559
AFDFFC

Area Forecast Discussion
National Weather Service Peachtree City GA
159 AM EDT Sun Sep 13 2026

...New 06Z Aviation Discussion...

.KEY MESSAGES...

- Hot and dry conditions are expected for most on Sunday.

- Patchy dense fog is possible this morning for areas that received recent heavy rainfall in recent days.

- Surface high pressure will suppress meaningful rain chances through Friday (15% or less each afternoon).

&&

.SHORT TERM...
(This afternoon through Sunday)
Issued at 242 PM EDT Sat Sep 12 2026

Portions of the I-20 corridor and areas of north Atlanta got quite a

bit of rain both yesterday and this morning. 24hr radar estimates indicate a good swath of 3-5" from Carroll to north Fulton and Dekalb counties and a bullseye of nearly 7-8" in the Villa Rica area. There's been a 'lull' in activity for this area (west of I-85) over the past hour or so as a result of subsidence at the midlevels per latest satellite imagery. Thus, ongoing shower and thunderstorm activity is primarily confined to areas east of Interstate 85. It's unclear how much additional shower and thunderstorm activity west Georgia will receive for the remainder of the day. However, additional midlevel disturbances back to our west, in association with the primary midlevel trough axis, are aiding in new convective development back in parts of north AL. So if the sky is able to continue clearing and the environment recovers west Georgia could certainly see some additional showers and isolated thunderstorms late this afternoon into the evening hours. If things do get going again, I-20 west corridor will need close monitoring given recent heavy rains. All thunderstorms will be capable of locally heavy rainfall, frequent lightning and gusty winds. It should be noted that it wont take much wind for trees to topple over especially in areas where soils are primed and saturated.

Patchy fog and perhaps some lower clouds will be possible early Sunday morning -- particularly in areas that received heavy rain. Drier weather returns for most on Sunday as midlevel ridging begins to slide more overhead. Isolated afternoon showers and storms will be confined to far south-central GA but chances remain low (<15% chance). Under partly to mostly sunny skies, temperatures are forecast to warm back into the lower 90s everywhere except the higher elevations, by the afternoon.

&&

.LONG TERM...
(Monday morning through next Friday)
Issued at 242 PM EDT Sat Sep 12 2026

By Monday morning the main frontal boundary from the short term will have moved south of the state with high pressure continuing to build back into the area. This ridge will also bring in a drier airmass into central GA with a slightly drier airmass keeping things dry through at least Days 5 to 6 (Wed and Thu). Current model runs show a wave moving back into the region from the Atlantic Thu evening into Fri which could increase precipitation chances. for now just going with a 20% chance for Fri afternoon and will see over the next few days how the models handle this.

Temps will stay in the upper 80s to middle 90s through day 7 but with the drier airmass moving in Heat index values will slowly fall through Thursday . Min Dewpoints Mon and Tue will be in the upper 60s to lower 70s but they will fall into the lower to middle 60s by Wed. Even with temps still in the lower 90s it will feel a lot more comfortable.

&&

.AVIATION...
(06Z TAFS)
Issued at 156 AM EDT Sun Sep 13 2026

Primarily VFR conds exp thru the TAF pd. Patchy SCT IFR cigs are psbl thru 15Z, and are likely to be accompanied by MVFR vsbys in BR. Cannot rule out pds of 1SM (or lower) vsbys for AHN. Otherwise, FEW-SCT cu at 2.5-5kft this aftn. Winds will remain out of the W side at 5-10kts.

//ATL Confidence...06Z Update...
High confidence all elements.

96

&&

.PRELIMINARY POINT TEMPS/POPS...
Athens 69 94 71 90 / 0 0 0 10
Atlanta 72 95

1.1 · KLZU departure-airport NOTAM state

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

7 Act on

2 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

ed 2026-09-13T06:12:12.774325Z.
poritative)

FRI SEP 11

SAT SEP 12

SUN SEP 13

MON SEP 14

6/5419

A0178/26

6/6851

12 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 06:12 Z

NOTAMs as of 06:12 Z — advisory only; verify an official briefing.

04/013

NOTAM text not available in this projection.

A0166/26 <i>NOTAM text not available in this projection.</i>
6/5419 <i>NOTAM text not available in this projection.</i>
A0178/26 <i>NOTAM text not available in this projection.</i>
6/6851 <i>NOTAM text not available in this projection.</i>
6/6854 <i>NOTAM text not available in this projection.</i>
6/6855 <i>NOTAM text not available in this projection.</i>
A0318/26 <i>NOTAM text not available in this projection.</i>
A0319/26 <i>NOTAM text not available in this projection.</i>
A0320/26 <i>NOTAM text not available in this projection.</i>
07/011 <i>NOTAM text not available in this projection.</i>
07/030 <i>NOTAM text not available in this projection.</i>
07/034 <i>NOTAM text not available in this projection.</i>
08/001 <i>NOTAM text not available in this projection.</i>
08/007 <i>NOTAM text not available in this projection.</i>
08/024 <i>NOTAM text not available in this projection.</i>
09/014 <i>NOTAM text not available in this projection.</i>

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

026-09-13T06:12:12.774325Z.
RWY 25 OM OPS
00Z
RWY 25 OM OPS
00Z
TT COUNTYBRISCOE FLD, LAWRENCEVILLE, GA. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 6L. TAKE-OFF MINIMUMS RWY 25, 300-1 LMB OF 330 FTNM TO 1400. ALL OTHER DATA REMAINS AS PUBLISHED. 2604231433-2604231433EST
00Z
NETT COUNTYBRISCOE FLD, LAWRENCEVILLE, GA. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 6L. TAKE-OFF MINIMUMS RWY 25, 300-1 LMB OF 330 FTNM TO 1400. ALL OTHER DATA REMAINS AS PUBLISHED.
Effective 2026-04-23T14:33:00Z → 2028-04-23T14:33:00Z
NAV_APPROACH 000001 — IAP CANNETT COUNTYBRISCOE FLD, LAWRENCEVILLE, GA. ILS OR LOC RWY 25, AMDT 4A. WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE WOR ALTIMETER SETTING AND INCREASE S-ILS 25 DA TO 1444 FT. INCREASE ALL MDAS 60 FT AND CIRCLING VISIBILITY CAT C/D 1/4 SM. FOR INOPERATIVE ALS WHEN USING WOR ALTIMETER SETTING, INCREASE S-ILS 25 ALL CATS VISIBILITY TO 1 1/8 SM AND INCREASE S-LOC 25 CAT A/B TO 1 SM. LZU AWOS OUT OF SERVICE. 2608201711-2610211711EST
Effective 2026-08-20T17:11:00Z → 2026-10-21T17:11:00Z
12 additional normalized FAA NOTAM records omitted from this view.

2 · All 29 destinations — existing editorial RANK order

#1 KAVL Asheville Muni, NC, US · Mountain · cool mountain escape

OBS - IFR

ETE

0h49

DIST

112 nm

SUN 13 SEP 00:54 ET OBSERVED

Current observation

OBS - IFR

OBSERVED

METAR

broken 500 ft, overcast 1,700 ft

WINDcalm

TEMPERATURE21 °C

VISIBILITY10 sm

DEWPOINT21 °C

Evidence & limitations

- METAR source state: ok; observed Sep 13 00:54 ET; retrieved Sep 13 02:12 ET; 78 min before this run.
- Measured values read from the KAVL METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.08 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.

DESTINATION OUTLOOK

SUN, SEP 13

SUN 13 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · LIFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

TAF · 00:00–06:00 ET ET · LIFR

Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 13 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · LIFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

TAF · 06:00–12:00 ET ET · LIFR

Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 13 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

TAF · 12:00–18:00 ET ET · VFR

Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 13 SEP 18:00–00:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

TAF · 18:00–00:00 ET ET · VFR

Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 13

00:00–06:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON 14 SEP 00:00–06:00 ET HIGH

Forecast



Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

TAF · VFR

FORECAST

MON 14 SEP 06:00–12:00 ET MEDIUM

Forecast



Flight-category guidance

WIND1–2 kt

↓

TEMPERATURE64–67 °F

💧

DEWPOINT63–65 °F

💧

PRECIP CHANCE0%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · LIFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

GFS MAV MOS · LIFR

FORECAST

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND2–6 kt



TEMPERATURE65–78 °F



DEWPOINT63–65 °F



PRECIP CHANCE0%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND6–7 kt



TEMPERATURE85–86 °F



DEWPOINT62 °F



PRECIP CHANCE0%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 14

00:00–06:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

6000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

24°C dep KLZU → 21°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

17/35 (170/350°M · 163/343°T) — designators and °M headings are magnetic; °T are true; variation 7°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		
Verify the current FAA Chart Supplement and provider before flight.			

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

7 Act on

1 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

ed 2026-09-13T06:12:12.774740Z.			
FRI SEP 11	SAT SEP 12	SUN SEP 13	MON SEP 14

01/023				
A0040/26				
09/034				
25 additional normalized NOTAM records omitted from this view.				

Raw NOTAM data · NOTAMs as of 06:12 Z

NOTAMs as of 06:12 Z — advisory only; verify an official briefing.

09/032	NOTAM text not available in this projection.
A1039/26	NOTAM text not available in this projection.
01/023	NOTAM text not available in this projection.
A0040/26	NOTAM text not available in this projection.
09/034	NOTAM text not available in this projection.
A1041/26	NOTAM text not available in this projection.
09/033	NOTAM text not available in this projection.
A1038/26	NOTAM text not available in this projection.
4/1431	NOTAM text not available in this projection.
A0991/24	NOTAM text not available in this projection.
5/9960	NOTAM text not available in this projection.
A0285/25	NOTAM text not available in this projection.
06/067	NOTAM text not available in this projection.

A0730/26

NOTAM text not available in this projection.

08/082

NOTAM text not available in this projection.

A0980/26

NOTAM text not available in this projection.

12/023

NOTAM text not available in this projection.

A1148/25

NOTAM text not available in this projection.

07/051

NOTAM text not available in this projection.

08/013

NOTAM text not available in this projection.

08/090

NOTAM text not available in this projection.

09/024

NOTAM text not available in this projection.

09/025

NOTAM text not available in this projection.

09/026

NOTAM text not available in this projection.

09/036

NOTAM text not available in this projection.

A1042/26

NOTAM text not available in this projection.

09/037

NOTAM text not available in this projection.

A1043/26

NOTAM text not available in this projection.

08/072

NOTAM text not available in this projection.

A0967/26

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

TAXIWAY

2026-09-09T09:07:00Z → 2026-09-22T04:00:00Z

Effective 2026-09-09T09:07:00Z → 2026-09-22T04:00:00Z

25 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KAVL this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

• Mon, Sep 14 • 12:00–18:00 ET • GFS MAV MOS • 12:00–18:00 ET ET • VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-13=GFS, 2026-09-14=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-13 06:00	67	Ovc	340/2kt	—	200-500ft	3-5SM
GFS	2026-09-13 09:00	66	Ovc	340/3kt	—	200-500ft	<¼SM
GFS	2026-09-13 12:00	66	Ovc	340/3kt	11.0	<200ft	<¼SM
GFS	2026-09-13 15:00	77	Sct	350/9kt	—	5-10kft	>6SM
GFS	2026-09-13 18:00	84	Bkn	340/7kt	0.0	>10kft	>6SM
GFS	2026-09-13 21:00	86	Few	340/8kt	—	>10kft	>6SM
GFS	2026-09-14 00:00	78	Clear	340/5kt	0.0	>10kft	>6SM
GFS	2026-09-14 03:00	71	Clear	340/3kt	—	>10kft	>6SM
GFS	2026-09-14 06:00	67	Clear	330/1kt	0.0	>10kft	3-5SM
GFS	2026-09-14 09:00	64	Clear	340/2kt	—	200-500ft	<¼SM
GFS	2026-09-14 12:00	65	Clear	350/2kt	0.0	<200ft	<¼SM
GFS	2026-09-14 15:00	78	Clear	350/6kt	—	>10kft	>6SM
GFS	2026-09-14 18:00	85	Sct	350/7kt	0.0	>10kft	>6SM
GFS	2026-09-14 21:00	86	Sct	350/6kt	—	>10kft	>6SM
GFS	2026-09-15 00:00	79	Sct	350/5kt	0.0	>10kft	>6SM
GFS	2026-09-15 03:00	71	Clear	130/3kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KAVL 130454Z AUTO 00000KT 10SM BKN005 OVC017 21/21 A3008 RMK A02 SLP157 T02110206 402670200

TAF KAVL 130520Z 1306/1406 VRB02KT 6SM BR SCT003 BKN007 TEMPO 1308/1312 1/2SM FG OVC002 FM131400 35005KT P6SM FEW007 SCT025 FM131600 35011G20KT P6SM FEW050 SCT250 FM132200 34007KT P6SM FEW250 FM140100 34003KT P6SM FEW250

+ Data sources used

- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KAVL; actual-station=KAVL; fetched-at=2026-09-13T06:12:08.222149+00:00; observed-or-issued-at=2026-09-13T05:20:00+00:00; valid-from=2026-09-13T06:00:00+00:00; valid-through=2026-09-14T06:00:00+00:00; partial-target-dates=2026-09-13,2026-09-14 — [AWC API](#)

TAF proxy · KAVL
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KAVL; actual-station=KAVL; fetched-at=2026-09-13T06:12:08.882269+00:00
- FAA NMS NOTAM — state=OK; requested-station=KAVL; actual-station=KAVL; fetched-at=2026-09-13T06:12:12.774740Z — [FAA NMS overview](#)
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KAVL; actual-station=KAVL; fetched-at=2026-09-13T06:12:29.884458+00:00; observed-or-issued-at=2026-09-13T00:00:00+00:00; valid-from=2026-09-13T06:00:00+00:00; valid-through=2026-09-16T00:00:00+00:00; target-dates=2026-09-13,2026-09-14; dates-with-points=2026-09-13,2026-09-14 — [Iowa State API](#)
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KAVL; actual-station=KAVL; fetched-at=2026-09-13T06:12:30.412310+00:00; observed-or-issued-at=2026-09-13T00:00:00+00:00; valid-from=2026-09-14T00:00:00+00:00; valid-through=2026-09-21T00:00:00+00:00; target-dates=2026-09-14; partial-target-dates=2026-09-13; dates-with-points=2026-09-13,2026-09-14 — [Iowa State API](#)
- MOS effective date selection — state=partial; rows=16; requested-station=KAVL; actual-station=KAVL; fetched-at=2026-09-13T06:12:29.884458+00:00; observed-or-issued-at=2026-09-13T00:00:00+00:00; valid-from=2026-09-13T06:00:00+00:00; valid-through=2026-09-16T00:00:00+00:00; target-dates=2026-09-13,2026-09-14; dates-with-points=2026-09-13,2026-09-14; selected-by-date=2026-09-13=GFS, 2026-09-14=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — [FAA Chart Supplement \(current cycle\)](#) — see [AirNav](#) link above

#2

KSAV Savannah Intl, GA, US · Atlantic South · historic coast

▮ OBS - VFR

ETE

1h15

DIST

178 nm

SUN 13 SEP 00:53 ET OBSERVED

Current observation

▮ OBS - VFR

OBSER

METAR

broken 8,000 ft


WINDSW (230°) 4 kt

TEMPERATURE25 °C

VISIBILITY10 sm

DEWPOINT23 °C

From 237°M · 4 kt



Wind favours RWY 28

230° true · 237° magnetic · 4 kt

Evidence & limitations

- METAR source state: ok; observed Sep 13 00:53 ET; retrieved Sep 13 02:12 ET; 79 min before this run.
- Measured values read from the KSAV METAR. This is a current surface observation only; it is not a forecast.

- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.02 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KSAV runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 10/28, 01/19. Wind from 230 degrees true, 237 degrees magnetic, at 4 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 28. Wind source: KSAV METAR 130453Z.

DESTINATION OUTLOOK

SUN, SEP 13

SUN 13 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 13 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 13 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 13 SEP 18:00–00:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 13

00:00–06:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

Forecast



Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

TAF · VFR

FORECAST

Forecast



Flight-category guidance

WIND3 kt

TEMPERATURE77–79 °F

DEWPOINT74–75 °F

PRECIP CHANCE9%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

GFS MAV MOS · VFR

FORECAST

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND4 kt

TEMPERATURE77–89 °F

DEWPOINT73 °F

PRECIP CHANCE2%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND5–7 kt

TEMPERATURE96 °F

DEWPOINT69–70 °F

PRECIP CHANCE3%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 14

00:00–06:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

6000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

24°C dep KLZU → 25°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

10/28 (100/280°M · 093/273°T) · 01/19 (010/190°M · 003/183°T) — designators and °M headings are magnetic; °T are true; variation 7°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

12 Act on3 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

ed 2026-09-13T06:12:12.775443Z.			
FRI SEP 11	SAT SEP 12	SUN SEP 13	MON SEP 14

A0416/24				
10/066				
A0512/24				
46 additional normalized NOTAM records omitted from this view.				

Raw NOTAM data · NOTAMs as of 06:12 Z

NOTAMs as of 06:12 Z — advisory only; verify an official briefing.

08/102	NOTAM text not available in this projection.
09/025	NOTAM text not available in this projection.
A0416/24	NOTAM text not available in this projection.
10/066	NOTAM text not available in this projection.
A0512/24	NOTAM text not available in this projection.
06/076	NOTAM text not available in this projection.
A0665/26	NOTAM text not available in this projection.
M0018/26	NOTAM text not available in this projection.
5/5965	NOTAM text not available in this projection.
A0799/25	NOTAM text not available in this projection.
5/5767	NOTAM text not available in this projection.
5/5768	NOTAM text not available in this projection.
A0796/25	NOTAM text not available in this projection.

A0797/25

NOTAM text not available in this projection.

05/093

NOTAM text not available in this projection.

A0523/26

NOTAM text not available in this projection.

M0015/26

NOTAM text not available in this projection.

6/8574

NOTAM text not available in this projection.

A0899/26

NOTAM text not available in this projection.

A0926/26

NOTAM text not available in this projection.

04/008

NOTAM text not available in this projection.

A0273/25

NOTAM text not available in this projection.

04/009

NOTAM text not available in this projection.

A0275/25

NOTAM text not available in this projection.

04/010

NOTAM text not available in this projection.

A0276/25

NOTAM text not available in this projection.

04/007

NOTAM text not available in this projection.

A0272/25

NOTAM text not available in this projection.

12/023

NOTAM text not available in this projection.

A0801/25

NOTAM text not available in this projection.

06/053

NOTAM text not available in this projection.

06/072

NOTAM text not available in this projection.

07/025

NOTAM text not available in this projection.

07/027

NOTAM text not available in this projection.

08/003

NOTAM text not available in this projection.

08/017

NOTAM text not available in this projection.

08/025

NOTAM text not available in this projection.

08/058

NOTAM text not available in this projection.

08/080

NOTAM text not available in this projection.

08/094

NOTAM text not available in this projection.

08/095

NOTAM text not available in this projection.

08/107

NOTAM text not available in this projection.

09/002

NOTAM text not available in this projection.

09/005

NOTAM text not available in this projection.

09/014

NOTAM text not available in this projection.

A0931/26

NOTAM text not available in this projection.

09/020

NOTAM text not available in this projection.

09/022

NOTAM text not available in this projection.

09/027

NOTAM text not available in this projection.

09/030

NOTAM text not available in this projection.

09/008

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2026-09-13T06:12:12.775443Z.

WINDS CHNG

:00Z

RRUAL RAMP AND TWTY A CLSD

:00Z

N TERMINAL RAMP AND TWTY A CLSD

:00Z

RAMP WIP CONST E END NO TAXITOW BTN A1A3 ON RAMP

:00Z

TAXIWAY

A0931/26 — TAXIWAY N TERMINAL RAMP WIP CONST E END NO TAXITOW BTN A1A3 ON RAMP

Effective 2024-10-25T14:22:00Z → 2026-12-01T00:01:00Z

46 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

range MOS product, issued twice a day in twelve-hourly steps out to about 192 hours. Coarse, but the only station-calibrated numeric guidance that reaches the far end of a long weekend. This card shows it only as a labelled rough outlook and never as a resolved forecast. A station-calibrated MEX MOS product was read for this airport this run (state: partial).

valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KSAV this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

6:00 ET ET · VFR

2:00 ET ET · VFR

8:00 ET ET · VFR

0:00 ET ET · VFR

6:00 ET ET · VFR

S · 06:00–12:00 ET ET · VFR

• Mon, Sep 14 • 12:00–18:00 ET: GFS MAV MOS • 12:00–18:00 ET ET • VFR

• Mon, Sep 14 · 18:00–00:00 ET: GFS MAV MOS · 18:00–00:00 ET ET · VFR

- + MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-13=GFS, 2026-09-14=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-13 06:00	77	Bkn	220/4kt	—	>10kft	>6SM
GFS	2026-09-13 09:00	77	Ovc	240/4kt	—	>10kft	>6SM
GFS	2026-09-13 12:00	77	Bkn	250/4kt	29.0	>10kft	3-5SM
GFS	2026-09-13 15:00	85	Bkn	280/5kt	—	>10kft	>6SM
GFS	2026-09-13 18:00	92	Sct	270/6kt	16.0	>10kft	>6SM
GFS	2026-09-13 21:00	93	Bkn	240/7kt	—	>10kft	>6SM
GFS	2026-09-14 00:00	85	Bkn	200/7kt	21.0	>10kft	>6SM
GFS	2026-09-14 03:00	81	Bkn	210/4kt	—	>10kft	>6SM
GFS	2026-09-14 06:00	79	Sct	240/3kt	9.0	>10kft	>6SM
GFS	2026-09-14 09:00	77	Clear	260/3kt	—	>10kft	>6SM
GFS	2026-09-14 12:00	77	Clear	280/4kt	2.0	>10kft	6SM
GFS	2026-09-14 15:00	89	Clear	320/4kt	—	>10kft	>6SM
GFS	2026-09-14 18:00	96	Few	360/5kt	3.0	>10kft	>6SM
GFS	2026-09-14 21:00	96	Few	110/7kt	—	>10kft	>6SM
GFS	2026-09-15 00:00	87	Clear	150/7kt	0.0	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KSAV 130453Z AUTO 23004KT 10SM BKN080 25/23 A3002 RMK A02 SLP165 T02500233 403280228 TSN0

TAF KSAV 130520Z 1306/1406 23004KT P6SM SCT050 BKN250 FM131400 28006KT P6SM SCT030 FM132200 20008KT P6SM SCT050

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KSAV; actual-station=KSAV; fetched-at=2026-09-13T06:12:07.417459+00:00; observed-or-issued-at=2026-09-13T04:53:00+00:00 — [AWC API](#)
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KSAV; actual-station=KSAV; fetched-at=2026-09-13T06:12:08.222149+00:00; observed-or-issued-at=2026-09-13T05:20:00+00:00; valid-from=2026-09-13T06:00:00+00:00; valid-through=2026-09-14T06:00:00+00:00; partial-target-dates=2026-09-13,2026-09-14 — [AWC API](#)
- TAF proxy · KSAV
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KSAV; actual-station=KSAV; fetched-at=2026-09-13T06:12:09.167900+00:00
- FAA NMS NOTAM — state=OK; requested-station=KSAV; actual-station=KSAV; fetched-at=2026-09-13T06:12:12.775443Z — [FAA NMS overview](#)
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KSAV; actual-station=KSAV; fetched-at=2026-09-13T06:12:29.895769+00:00; observed-or-issued-at=2026-09-13T00:00:00+00:00; valid-from=2026-09-13T06:00:00+00:00; valid-through=2026-09-16T00:00:00+00:00; target-dates=2026-09-13,2026-09-14; dates-with-points=2026-09-13,2026-09-14 — [Iowa State API](#)
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KSAV; actual-station=KSAV; fetched-at=2026-09-13T06:12:30.418891+00:00; observed-or-issued-at=2026-09-13T00:00:00+00:00; valid-from=2026-09-14T00:00:00+00:00; valid-through=2026-09-21T00:00:00+00:00; target-dates=2026-09-14; partial-target-dates=2026-09-13; dates-with-points=2026-09-13,2026-09-14 — [Iowa State API](#)
- MOS effective date selection — state=partial; rows=16; requested-station=KSAV; actual-station=KSAV; fetched-at=2026-09-13T06:12:29.895769+00:00; observed-or-issued-at=2026-09-13T00:00:00+00:00; valid-from=2026-09-13T06:00:00+00:00; valid-through=2026-09-16T00:00:00+00:00; target-dates=2026-09-13,2026-09-14; dates-with-points=2026-09-13,2026-09-14; selected-by-date=2026-09-13=GFS, 2026-09-14=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — [FAA Chart Supplement \(current cycle\)](#) — see AirNav link above

#3

KSSI

Brunswick/McKinnon St Simons Arpt, GA, US

· Atlantic South · St Simons beach

⌵

OBS - VFR

ETE

1h29

DIST

214 nm

SUN 13 SEP 00:15 ET OBSERVED

Current observation

METAR

broken 3,200 ft, broken 4,900 ft

WINDSW (210°) 4 kt

TEMPERATURE27 °C

⌵

OBS - VFR


OBSER



VISIBILITY10 sm



DEWPOINT26 °C



Wind favours RWY 22

210° true · 217° magnetic · 4 kt

Evidence & limitations

- METAR source state: ok; observed Sep 13 00:15 ET; retrieved Sep 13 02:12 ET; 117 min before this run.
- Measured values read from the KSSI METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.02 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KSSI runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 04/22, 16/34. Wind from 210 degrees true, 217 degrees magnetic, at 4 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 22. Wind source: KSSI METAR 130415Z.

DESTINATION OUTLOOK

SUN 13 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 13 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · MVFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 13 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · MVFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 13 SEP 18:00–00:00 ET HIGH

Forecast

TA

F

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 18:00–00:00 ET ET · MVFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 13

00:00–06:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

Forecast



Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

TAF · VFR
FORECAST

Forecast



Flight-category guidance

WIND4–5 kt

TEMPERATURE79–81 °F

DEWPOINT75–76 °F

PRECIP CHANCE22%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

GFS MAV MOS · VFR
FORECAST

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND5–6 kt



TEMPERATURE80–89 °F



DEWPOINT75–76 °F



PRECIP CHANCE11%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND7–8 kt



TEMPERATURE90–93 °F



DEWPOINT75–76 °F



PRECIP CHANCE6%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 14

00:00–06:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

now

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

6000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — source state: not_queried

CURRENT METAR TEMP DEP / DEST

24°C dep KLZU → 27°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

rwY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

04/22 (040/220°M · 033/213°T) · 16/34 (160/340°M · 153/333°T) — designators and °M headings are magnetic; °T are true; variation 7°W (NOAA WMM2025)

info

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

1 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2026-09-13T06:12:12.776021Z.

FRI SEP 11	SAT SEP 12	SUN SEP 13	MON SEP 14

NOTAMS as of 06:12 Z — advisory only; verify an official briefing.

A0047/26

NOTAM text not available in this projection.

07/001

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMS were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

26-09-13T06:12:12.776021Z.

00Z

00Z

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMS were read for KSSI this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

0:00 ET ET · VFR

2:00 ET ET · MVFR

8:00 ET ET · MVFR

0:00 ET ET · MVFR

6:00 ET ET · VFR

S · 06:00–12:00 ET ET · VFR

• Mon, Sep 14 • 12:00–18:00 ET · GFS MAV MOS · 12:00–18:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-13=GFS, 2026-09-14=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-13 06:00	80	Bkn	220/5kt	—	>10kft	>6SM
GFS	2026-09-13 09:00	78	Bkn	240/5kt	—	>10kft	>6SM
GFS	2026-09-13 12:00	78	Bkn	250/5kt	18.0	>10kft	>6SM
GFS	2026-09-13 15:00	86	Bkn	260/6kt	—	>10kft	>6SM
GFS	2026-09-13 18:00	89	Bkn	190/7kt	20.0	>10kft	>6SM
GFS	2026-09-13 21:00	87	Ovc	160/7kt	—	>10kft	>6SM
GFS	2026-09-14 00:00	83	Ovc	190/6kt	43.0	>10kft	>6SM
GFS	2026-09-14 03:00	82	Ovc	210/5kt	—	>10kft	>6SM
GFS	2026-09-14 06:00	81	Sct	240/5kt	22.0	>10kft	>6SM
GFS	2026-09-14 09:00	79	Few	260/4kt	—	>10kft	>6SM
GFS	2026-09-14 12:00	80	Clear	270/5kt	11.0	>10kft	>6SM
GFS	2026-09-14 15:00	89	Clear	290/6kt	—	>10kft	>6SM
GFS	2026-09-14 18:00	93	Sct	100/7kt	6.0	>10kft	>6SM
GFS	2026-09-14 21:00	90	Few	120/8kt	—	>10kft	>6SM
GFS	2026-09-15 00:00	85	Clear	160/5kt	15.0	>10kft	>6SM
GFS	2026-09-15 03:00	84	Clear	150/4kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KSSI 130415Z AUTO 21004KT 10SM BKN032 BKN049 27/26 A3002 RMK A02

TAF KSSI 130530Z 1306/1406 23006KT P6SM FEW012 SCT035 BKN250 FM131300 26007KT P6SM BKN015 BKN250 FM131700 24009KT P6SM VCSH SCT020 BKN070 BKN120 FM131900 16010G15KT P6SM VCTS SCT025CB BKN070 BKN120 PROB30 1320/1324 VRB15G25KT 3SM +TSRA BR SCT010 BKN020CB OVC040 FM140100 20005KT P6SM FEW050 BKN150 OVC250

+ Data sources used

- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KSSI; actual-station=KSSI; fetched-at=2026-09-13T06:12:08.222149+00:00; observed-or-issued-at=2026-09-13T05:30:00+00:00; valid-from=2026-09-13T06:00:00+00:00; valid-through=2026-09-14T06:00:00+00:00; partial-target-dates=2026-09-13,2026-09-14 — [AWC API](#)

TAF proxy · KSSI
- FAA airport status — state=not_queried; fetch-state=not_attempted; payload-state=not_attempted; requested-station=KSSI
- FAA NMS NOTAM — state=OK; requested-station=KSSI; actual-station=KSSI; fetched-at=2026-09-13T06:12:12.776021Z — [FAA NMS overview](#)
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KSSI; actual-station=KSSI; fetched-at=2026-09-13T06:12:29.908876+00:00; observed-or-issued-at=2026-09-13T00:00:00+00:00; valid-from=2026-09-13T06:00:00+00:00; valid-through=2026-09-16T00:00:00+00:00; target-dates=2026-09-13,2026-09-14; dates-with-points=2026-09-13,2026-09-14 — [Iowa State API](#)
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KSSI; actual-station=KSSI; fetched-at=2026-09-13T06:12:30.367263+00:00; observed-or-issued-at=2026-09-13T00:00:00+00:00; valid-from=2026-09-14T00:00:00+00:00; valid-through=2026-09-21T00:00:00+00:00; target-dates=2026-09-14; partial-target-dates=2026-09-13; dates-with-points=2026-09-13,2026-09-14 — [Iowa State API](#)
- MOS effective date selection — state=partial; rows=16; requested-station=KSSI; actual-station=KSSI; fetched-at=2026-09-13T06:12:29.908876+00:00; observed-or-issued-at=2026-09-13T00:00:00+00:00; valid-from=2026-09-13T06:00:00+00:00; valid-through=2026-09-16T00:00:00+00:00; target-dates=2026-09-13,2026-09-14; dates-with-points=2026-09-13,2026-09-14; selected-by-date=2026-09-13=GFS, 2026-09-14=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — [FAA Chart Supplement \(current cycle\)](#) — see AirNav link above

#4

KJZI Charleston Exec, SC, US · Atlantic South · Charleston Exec

⌵

OBS - MVFR

ETE

1h28

DIST

213 nm

SUN 13 SEP 00:15 ET OBSERVED

Current observation

⌵

OBS - MVFR

OBSE

META

R

broken 1,500 ft

WINDSW (210°) 8 kt

TEMPERATURE28 °C

VISIBILITY10 sm

DEWPOINT26 °C



Wind favours RWY 22

210° true · 218° magnetic · 8 kt

Evidence & limitations

- METAR source state: ok; observed Sep 13 00:15 ET; retrieved Sep 13 02:12 ET; 117 min before this run.
- Measured values read from the KJZI METAR. This is a current surface observation only; it is not a forecast.

- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.01 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KJZI runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 09/27, 04/22. Wind from 210 degrees true, 218 degrees magnetic, at 8 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 22. Wind source: KJZI METAR 130415Z.

DESTINATION OUTLOOK

SUN, SEP 13

SUN 13 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 13 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 13 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 13 SEP 18:00–00:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 13

00:00–06:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON 14 SEP 00:00–06:00 ET HIGH

Forecast



Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

TAF · VFR
FORECAST

MON 14 SEP 06:00–12:00 ET MEDIUM

Forecast



Flight-category guidance

WIND2 kt

TEMPERATURE77–79 °F

DEWPOINT75–76 °F

PRECIP CHANCE12%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

GFS MAV MOS · VFR
FORECAST

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND2–5 kt

TEMPERATURE79–90 °F

DEWPOINT74–75 °F

PRECIP CHANCE4%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND7–8 kt

TEMPERATURE92–94 °F

DEWPOINT74 °F

PRECIP CHANCE6%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 14

00:00–06:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

6000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed (proxy KCHS)

CURRENT METAR TEMP DEP / DEST

24°C dep KLZU → 28°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

09/27 (090/270°M · 082/262°T) · 04/22 (040/220°M · 032/212°T) — designators and °M headings are magnetic; °T are true; variation 8°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 Act on

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production
source per owner decision 2026-08-09;
technical transport environment remains
preprod. Limited 2026-07-30 spot check
covered KLZU, KAVL, and KSGJ (3 of 30
airports). NOTAMs were read from this source
and used on this card this run. Typed state:
OK. The dot colour reports whether this
source was read this run; technical
environment: preprod.

2 · What

3 · Where

d 2026-09-13T06:12:13.175847Z

oritative)

FRI SEP 11

SAT SEP 12

SUN SEP 13

MON SEP 14

07/354				
08/049				
08/354				
2 additional normalized NOTAM records omitted from this view.				

Raw NOTAM data · NOTAMs as of 06:12 Z

NOTAMs as of 06:12 Z — advisory only; verify an official briefing.

- 5/3307

NOTAM text not available in this projection.
- 07/235

NOTAM text not available in this projection.
- 07/354

NOTAM text not available in this projection.
- 08/049

NOTAM text not available in this projection.
- 08/354

NOTAM text not available in this projection.
- 09/116

NOTAM text not available in this projection.
- 08/546

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2026-09-13T06:12:13.175847Z.
STON EXEC. CHARLESTON, SC. RNAV (GPS) RWY 27, AMDT 2C... LNAV MDA 420HAT 405. CHANGE NOTE TO READ: WHEN LOCAL ALTIMETER SETTING NOT
TTING AND INCREASE LPV DA TO 287 FEET AND VISIBILITY ALL CATS 1/8 SM. INCREASE LNAV/LNAV DA TO 305 FEET AND VISIBILITY ALL CATS 1/8 SM.
VISIBILITY CAT C/D 1/4 SM. 2607231623-2707231623EST
:00Z
LIST (ASR 1245470) 323828 40ND795020 30W (4.3NM ESE, J2) 256.0FT (245.1FT AGL) U/S
:00Z
LIST (ASR 1060025) 324228 70ND795020 30W (3.4NM ENE, J2) 274.0FT (265.1FT AGL) U/S
:00Z
OBSTRUCTION 080354 — CRIST TOWER LIGHT (ASR 1104003) 324735 60ND080205 30W (5.7NM NNW, J2) 257.0FT (250.1FT AGL) U/S
Effective 2026-08-04T11:22:00Z → 2026-10-03T04:00:00Z
OBSTRUCTION 080354 — CRIST TOWER LIGHT (ASR 1104010) 324735 60ND080205 30W (5.7NM NNW, J2) 257.0FT (250.1FT AGL) U/S

Effective 2026-08-21T08:30:00Z → 2026-11-19T09:30:00Z

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMS were read for KJZI this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

• Mon, Sep 14 • 12:00–18:00 ET • GFS MAV MOS • 12:00–18:00 ET ET • VFR

Source state: partial; selected by target date: 2026-09-13=GFS, 2026-09-14=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-13 06:00	81	Bkn	200/6kt	—	>10kft	>6SM
GFS	2026-09-13 09:00	79	Ovc	220/4kt	—	>10kft	>6SM
GFS	2026-09-13 12:00	79	Bkn	250/3kt	39.0	>10kft	>6SM
GFS	2026-09-13 15:00	86	Sct	250/6kt	—	>10kft	>6SM
GFS	2026-09-13 18:00	90	Bkn	210/7kt	23.0	>10kft	>6SM
GFS	2026-09-13 21:00	88	Bkn	200/9kt	—	>10kft	>6SM
GFS	2026-09-14 00:00	82	Bkn	200/6kt	13.0	>10kft	>6SM

GFS	2026-09-14 03:00	80	Few	210/3kt	—	>10kft	>6SM
GFS	2026-09-14 06:00	79	Clear	230/2kt	12.0	>10kft	>6SM
GFS	2026-09-14 09:00	77	Clear	250/2kt	—	>10kft	>6SM
GFS	2026-09-14 12:00	79	Clear	300/2kt	4.0	>10kft	>6SM
GFS	2026-09-14 15:00	90	Clear	340/5kt	—	>10kft	>6SM
GFS	2026-09-14 18:00	94	Few	100/7kt	6.0	>10kft	>6SM
GFS	2026-09-14 21:00	92	Clear	130/8kt	—	>10kft	>6SM
GFS	2026-09-15 00:00	84	Clear	120/4kt	0.0	>10kft	>6SM
GFS	2026-09-15 03:00	82	Clear	90/3kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KJZI 130415Z AUTO 21008KT 10SM BKN015 28/26 A3001 RMK A02

TAF KJZI 130520Z 1306/1406 21004KT P6SM FEW015 SCT050 BKN100 FM131400 25006KT P6SM SCT035 FM131900 20008KT P6SM SCT050

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KJZI; actual-station=KJZI; fetched-at=2026-09-13T06:12:07.417459+00:00; observed-or-issued-at=2026-09-13T04:15:00+00:00 — [AWC API](#)
 - TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KJZI; actual-station=KJZI; fetched-at=2026-09-13T06:12:08.222149+00:00; observed-or-issued-at=2026-09-13T05:20:00+00:00; valid-from=2026-09-13T06:00:00+00:00; valid-through=2026-09-14T06:00:00+00:00; partial-target-dates=2026-09-13,2026-09-14 — [AWC API](#)
- TAF proxy · KJZI
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KJZI; actual-station=KCHS; fetched-at=2026-09-13T06:12:08.704314+00:00
 - FAA NMS NOTAM — state=OK; requested-station=KJZI; actual-station=KJZI; fetched-at=2026-09-13T06:12:13.175847Z — [FAA NMS overview](#)
 - MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KJZI; actual-station=KJZI; fetched-at=2026-09-13T06:12:29.905097+00:00; observed-or-issued-at=2026-09-13T00:00:00+00:00; valid-from=2026-09-13T06:00:00+00:00; valid-through=2026-09-16T00:00:00+00:00; target-dates=2026-09-13,2026-09-14; dates-with-points=2026-09-13,2026-09-14 — [Iowa State API](#)
 - MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KJZI; actual-station=KJZI; fetched-at=2026-09-13T06:12:30.429984+00:00; observed-or-issued-at=2026-09-13T00:00:00+00:00; valid-from=2026-09-14T00:00:00+00:00; valid-through=2026-09-21T00:00:00+00:00; target-dates=2026-09-14; partial-target-dates=2026-09-13; dates-with-points=2026-09-13,2026-09-14 — [Iowa State API](#)
 - MOS effective date selection — state=partial; rows=16; requested-station=KJZI; actual-station=KJZI; fetched-at=2026-09-13T06:12:29.905097+00:00; observed-or-issued-at=2026-09-13T00:00:00+00:00; valid-from=2026-09-13T06:00:00+00:00; valid-through=2026-09-16T00:00:00+00:00; target-dates=2026-09-13,2026-09-14; dates-with-points=2026-09-13,2026-09-14; selected-by-date=2026-09-13=GFS, 2026-09-14=GFS
 - Extended outlook and hazard-feed states are reported in the source stamp.
 - Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

SUN 13 SEP 00:43 ET OBSERVED

Current observation

⌵

OBS - MVFR

OBSE

META

R

broken 1,400 ft, broken 2,000 ft

WINDS (200°) 11 kt

TEMPERATURE28 °C

VISIBILITY10 sm

DEWPOINT26 °C



Wind favours RWY 18

200° true · 209° magnetic · 11 kt

Evidence & limitations

- METAR source state: ok; observed Sep 13 00:43 ET; retrieved Sep 13 02:12 ET; 89 min before this run.
- Measured values read from the KMYR METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.02 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KMYR runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 18/36. Wind from 200 degrees true, 209 degrees magnetic, at 11 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 18. Wind source: KMYR METAR 130443Z.

DESTINATION OUTLOOK

SUN 13 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · MVFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 13 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 13 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · MVFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 13 SEP 18:00–00:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 13

- 00:00–06:00 ET ET
- WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.
- 06:00–12:00 ET ET
- WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.
- 12:00–18:00 ET ET
- WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.
- 18:00–00:00 ET ET
- WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON 14 SEP 00:00–06:00 ET HIGH

Forecast



Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

TAF · VFR
FORECAST

MON 14 SEP 06:00–12:00 ET MEDIUM

Forecast



Flight-category guidance

WIND4 kt

↓
TEMPERATURE76–79 °F

💧
DEWPOINT72–74 °F

💧
PRECIP CHANCE8%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

GFS MAV MOS · VFR
FORECAST

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND5–7 kt



TEMPERATURE78–90 °F



DEWPOINT72 °F



PRECIP CHANCE3%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND9 kt



TEMPERATURE89–94 °F



DEWPOINT73–75 °F



PRECIP CHANCE3%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 14

00:00–06:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

now

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

24°C dep KLZU → 28°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

rwY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

18/36 (180/000°M · 171/351°T) — designators and °M headings are magnetic; °T are true; variation 9°W (NOAA WMM2025)

info

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

18 Act on6 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

ed 2026-09-13T06:12:13.278561Z.			
oritative) Narrow bars = daily schedule sub-windows			
FRI SEP 11	SAT SEP 12	SUN SEP 13	MON SEP 14

06/042				
A0529/26				
08/036				
48 additional normalized NOTAM records omitted from this view.				

Raw NOTAM data · NOTAMs as of 06:12 Z

NOTAMs as of 06:12 Z — advisory only; verify an official briefing.

03/061 <i>NOTAM text not available in this projection.</i>
A0316/26 <i>NOTAM text not available in this projection.</i>
06/042 <i>NOTAM text not available in this projection.</i>
A0529/26 <i>NOTAM text not available in this projection.</i>
08/036 <i>NOTAM text not available in this projection.</i>
08/038 <i>NOTAM text not available in this projection.</i>
A0639/26 <i>NOTAM text not available in this projection.</i>
A0647/26 <i>NOTAM text not available in this projection.</i>
08/053 <i>NOTAM text not available in this projection.</i>
A0660/26 <i>NOTAM text not available in this projection.</i>
08/056 <i>NOTAM text not available in this projection.</i>
08/059 <i>NOTAM text not available in this projection.</i>
08/060 <i>NOTAM text not available in this projection.</i>

08/061

NOTAM text not available in this projection.

A0665/26

NOTAM text not available in this projection.

A0671/26

NOTAM text not available in this projection.

A0673/26

NOTAM text not available in this projection.

A0675/26

NOTAM text not available in this projection.

6/8172

NOTAM text not available in this projection.

03/021

NOTAM text not available in this projection.

03/022

NOTAM text not available in this projection.

03/023

NOTAM text not available in this projection.

03/028

NOTAM text not available in this projection.

03/032

NOTAM text not available in this projection.

A0248/26

NOTAM text not available in this projection.

A0249/26

NOTAM text not available in this projection.

A0250/26

NOTAM text not available in this projection.

A0257/26

NOTAM text not available in this projection.

A0262/26

NOTAM text not available in this projection.

03/039

NOTAM text not available in this projection.

A0275/26

NOTAM text not available in this projection.

03/041

NOTAM text not available in this projection.

A0278/26

NOTAM text not available in this projection.

03/046

NOTAM text not available in this projection.

A0287/26

NOTAM text not available in this projection.

03/068

NOTAM text not available in this projection.

A0320/26

NOTAM text not available in this projection.

03/069

NOTAM text not available in this projection.

05/037

NOTAM text not available in this projection.

A0444/26

NOTAM text not available in this projection.

06/017

NOTAM text not available in this projection.

08/069

NOTAM text not available in this projection.

08/057

NOTAM text not available in this projection.

08/058

NOTAM text not available in this projection.

A0672/26

NOTAM text not available in this projection.

A0674/26

NOTAM text not available in this projection.

A0684/26

NOTAM text not available in this projection.

07/032

NOTAM text not available in this projection.

08/007

NOTAM text not available in this projection.

08/034

NOTAM text not available in this projection.

08/073

NOTAM text not available in this projection.

08/005

NOTAM text not available in this projection.

A0600/26

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2026-09-13T06:12:13.278561Z.

FROM RWNY 30 LWS

:00Z

ENDONE FOR RWNY 30 LWS

:00Z

FMN LWS

:00Z

TO RWNY 30 LWS

:00Z

RUNWAY

080732 — FROM RWNY 30 LWS FOR 10400-1000

Effective 2026-08-17T04:00:00Z → 2026-10-17T10:00:00Z

48 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation

issued hourly by the reporting station, with SPECI reports off-cycle, carrying ceiling, visibility, wind, temperature and altimeter. Issued by the observing station and distributed by aviationweather.gov. This is measured fact, not a forecast, and on this page it describes conditions right now, not this day. A current KMYR observation was read this run. It describes conditions now, not this trip day.

SPS extended MOS (EMEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMS were read for KMYR this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

• Mon, Sep 14 • 12:00–18:00 ET: GFS MAV MOS • 12:00–18:00 ET ET • VFR

• Mon, Sep 14 • 18:00–00:00 ET: GFS MAV MOS • 18:00–00:00 ET ET • VFR

be and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

6:00 ET ET · MVFR

2:00 ET ET · MVFR

3:00 ET ET · VFR

0:00 ET ET · VFR

6:00 ET ET · VFR

S · 06:00–12:00 ET ET · VFR

- + MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-13=GFS, 2026-09-14=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-13 06:00	80	Ovc	200/7kt	—	5-10kft	>6SM
GFS	2026-09-13 09:00	79	Ovc	220/6kt	—	1-3kft	>6SM
GFS	2026-09-13 12:00	79	Ovc	240/6kt	47.0	1-3kft	>6SM
GFS	2026-09-13 15:00	86	Sct	250/8kt	—	>10kft	>6SM
GFS	2026-09-13 18:00	89	Sct	200/11kt	13.0	>10kft	>6SM
GFS	2026-09-13 21:00	88	Sct	200/13kt	—	>10kft	>6SM
GFS	2026-09-14 00:00	84	Sct	210/9kt	7.0	>10kft	>6SM
GFS	2026-09-14 03:00	82	Few	220/5kt	—	>10kft	>6SM
GFS	2026-09-14 06:00	79	Clear	240/4kt	8.0	>10kft	>6SM
GFS	2026-09-14 09:00	76	Clear	290/4kt	—	>10kft	6SM
GFS	2026-09-14 12:00	78	Clear	310/5kt	3.0	>10kft	>6SM

GFS	2026-09-14 15:00	90	Clear	350/7kt	—	>10kft	>6SM
GFS	2026-09-14 18:00	94	Clear	100/9kt	3.0	>10kft	>6SM
GFS	2026-09-14 21:00	89	Few	140/9kt	—	>10kft	>6SM
GFS	2026-09-15 00:00	85	Few	80/7kt	1.0	>10kft	>6SM
GFS	2026-09-15 03:00	81	Bkn	60/12kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

SPECI KMYR 130443Z AUTO 20011KT 10SM BKN014 BKN020 28/26 A3002 RMK A02 \$

TAF KMYR 130559Z 1306/1406 21008KT P6SM SCT015 BKN250 PROB30 1308/1311 4SM -SHRA BR BKN013 BKN050 FM131100 26005KT P6SM SCT025 SCT250 FM131700 18012KT P6SM VCTS SCT030CB SCT250 FM140300 22007KT P6SM SCT015 SCT250

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KMYR; actual-station=KMYR; fetched-at=2026-09-13T06:12:07.417459+00:00; observed-or-issued-at=2026-09-13T04:43:00+00:00 — [AWC API](#)
 - TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KMYR; actual-station=KMYR; fetched-at=2026-09-13T06:12:08.222149+00:00; observed-or-issued-at=2026-09-13T05:59:00+00:00; valid-from=2026-09-13T06:00:00+00:00; valid-through=2026-09-14T06:00:00+00:00; partial-target-dates=2026-09-13,2026-09-14 — [AWC API](#)
- TAF proxy · KMYR
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KMYR; actual-station=KMYR; fetched-at=2026-09-13T06:12:09.177289+00:00
 - FAA NMS NOTAM — state=OK; requested-station=KMYR; actual-station=KMYR; fetched-at=2026-09-13T06:12:13.278561Z — [FAA NMS overview](#)
 - MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KMYR; actual-station=KMYR; fetched-at=2026-09-13T06:12:29.886214+00:00; observed-or-issued-at=2026-09-13T00:00:00+00:00; valid-from=2026-09-13T06:00:00+00:00; valid-through=2026-09-16T00:00:00+00:00; target-dates=2026-09-13,2026-09-14; dates-with-points=2026-09-13,2026-09-14 — [Iowa State API](#)
 - MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KMYR; actual-station=KMYR; fetched-at=2026-09-13T06:12:30.413234+00:00; observed-or-issued-at=2026-09-13T00:00:00+00:00; valid-from=2026-09-14T00:00:00+00:00; valid-through=2026-09-21T00:00:00+00:00; target-dates=2026-09-14; partial-target-dates=2026-09-13; dates-with-points=2026-09-13,2026-09-14 — [Iowa State API](#)
 - MOS effective date selection — state=partial; rows=16; requested-station=KMYR; actual-station=KMYR; fetched-at=2026-09-13T06:12:29.886214+00:00; observed-or-issued-at=2026-09-13T00:00:00+00:00; valid-from=2026-09-13T06:00:00+00:00; valid-through=2026-09-16T00:00:00+00:00; target-dates=2026-09-13,2026-09-14; dates-with-points=2026-09-13,2026-09-14; selected-by-date=2026-09-13=GFS, 2026-09-14=GFS
 - Extended outlook and hazard-feed states are reported in the source stamp.
 - Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#6

KCRE North Myrtle Beach/Grand Strand Arpt, SC, US

· Atlantic North · N Myrtle Beach

⌵

OBS - MVFR

ETE

1h49

DIST

261 nm

SUN 13 SEP 00:53 ET OBSERVED

Current observation

OBS - MVFR

OBSE



broken 1,500 ft, broken 2,200 ft



WINDSW (220°) 10 kt



TEMPERATURE28 °C



VISIBILITY10 sm



DEWPOINT26 °C



Wind favours RWY 23

220° true · 229° magnetic · 10 kt

Evidence & limitations

- METAR source state: ok; observed Sep 13 00:53 ET; retrieved Sep 13 02:12 ET; 79 min before this run.
- Measured values read from the KCRE METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.01 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KCRE runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 05/23. Wind from 220 degrees true, 229 degrees magnetic, at 10 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 23. Wind source: KCRE METAR 130453Z.

DESTINATION OUTLOOK

SUN 13 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · MVFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 13 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 13 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · MVFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 13 SEP 18:00–00:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 13

- 00:00–06:00 ET ET
- WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.
- 06:00–12:00 ET ET
- WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.
- 12:00–18:00 ET ET
- WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.
- 18:00–00:00 ET ET
- WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON 14 SEP 00:00–06:00 ET HIGH

Forecast



Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

TAF · VFR
FORECAST

MON 14 SEP 06:00–12:00 ET MEDIUM

Forecast



Flight-category guidance

WIND3–4 kt

TEMPERATURE76–78 °F

DEWPOINT72–74 °F

PRECIP CHANCE8%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

GFS MAV MOS · VFR
FORECAST

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND4–6 kt



TEMPERATURE78–88 °F



DEWPOINT71–72 °F



PRECIP CHANCE4%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND7–8 kt



TEMPERATURE89–91 °F



DEWPOINT71–72 °F



PRECIP CHANCE2%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 14

00:00–06:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

now

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — source state: not_queried

CURRENT METAR TEMP DEP / DEST

24°C dep KLZU → 28°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

rwY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

05/23 (050/230°M · 041/221°T) — designators and °M headings are magnetic; °T are true; variation 9°W (NOAA WMM2025)

info

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

3 Act on

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

2026-09-13T06:12:13.283042Z.

oritative)

FRI SEP 11	SAT SEP 12	SUN SEP 13	MON SEP 14

07/004				
07/005				
08/003				
2 additional normalized NOTAM records omitted from this view.				

Raw NOTAM data · NOTAMs as of 06:12 Z

NOTAMs as of 06:12 Z — advisory only; verify an official briefing.

- 5/9932

NOTAM text not available in this projection.
- 5/9933

NOTAM text not available in this projection.
- 07/004

NOTAM text not available in this projection.
- 07/005

NOTAM text not available in this projection.
- 08/003

NOTAM text not available in this projection.
- 09/002

NOTAM text not available in this projection.
- 08/002

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

OBSTRUCTION

070005 — CRST TOWER LST (ASR 1210500) 335012 (00N076W)2 DOW (2.3NM WNW CRE) 272.0FT (235.9FT AGL) U/S
Effective 2026-07-09T22:41:00Z → 2026-10-10T23:59:00Z

OBSTRUCTION

080005 — CRST TOWER LST (ASR 1046107) 334920 (00N076W)17 DOW (2.4NM WNW CRE) 361.9FT (335.0FT AGL) U/S

26-09-13T06:12:13.283042Z.
STRAND, NORTH MYRTLE BEACH, SC. VOR RWY 23, AMDT 20B... DISREGARD WAGRA FIX MINIMUMS. S-23 MDA 620HAT 590 ALL CATS. VISIBILITY CAT C/D 1. 1/4.
TEMPORARY CRANE 252FT MSL 500FT SOUTHEAST OF RWY 23 (2025-ASD-19095-0E). 2512162107-2612212107EST
:00Z
STRAND, NORTH MYRTLE BEACH, SC. ILS OR LOC RWY 23, AMDT 12B... RNAV (GPS) RWY 23, AMDT 1C... RNAV (GPS) RWY 5, ORIG-A... VOR RWY 5, AMDT10B...
TEMPORARY CRANE 252FT MSL 1.18 NM SOUTHEAST OF CRE AIRPORT (2025-ASD-19095-0E). 2512162107-2612212107EST
:00Z
LIST (ASR 1200500) 334909 (20N076W)150 DOW (2.0NM W CRE) 402.2FT (365.2FT AGL) U/S
:00Z

Effective 2026-08-12T02:56:00Z → 2026-09-26T02:56:00Z

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMS were read for KCRE this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

• Mon, Sep 14 • 12:00–18:00 ET • GFS MAV MOS • 12:00–18:00 ET ET • VFR

Source state: partial; selected by target date: 2026-09-13=GFS, 2026-09-14=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-13 06:00	81	Ovc	210/10kt	—	1-3kft	>6SM
GFS	2026-09-13 09:00	80	Ovc	220/6kt	—	1-3kft	>6SM
GFS	2026-09-13 12:00	80	Ovc	240/5kt	48.0	1-3kft	>6SM
GFS	2026-09-13 15:00	85	Sct	230/7kt	—	>10kft	>6SM
GFS	2026-09-13 18:00	89	Few	210/11kt	15.0	>10kft	>6SM
GFS	2026-09-13 21:00	88	Sct	210/13kt	—	>10kft	>6SM
GFS	2026-09-14 00:00	84	Sct	210/12kt	8.0	>10kft	>6SM

GFS	2026-09-14 03:00	82	Few	230/6kt	—	>10kft	>6SM
GFS	2026-09-14 06:00	78	Clear	240/4kt	8.0	>10kft	>6SM
GFS	2026-09-14 09:00	76	Clear	270/3kt	—	>10kft	6SM
GFS	2026-09-14 12:00	78	Clear	330/4kt	4.0	>10kft	>6SM
GFS	2026-09-14 15:00	88	Clear	10/6kt	—	>10kft	>6SM
GFS	2026-09-14 18:00	91	Clear	120/7kt	2.0	>10kft	>6SM
GFS	2026-09-14 21:00	89	Few	140/8kt	—	>10kft	>6SM
GFS	2026-09-15 00:00	84	Bkn	80/8kt	3.0	>10kft	>6SM
GFS	2026-09-15 03:00	80	Bkn	60/12kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KCRE 130453Z AUTO 22010KT 10SM BKN015 BKN022 28/26 A3001 RMK A02 SLP162 T02780256 403000222

TAF KMYR 130559Z 1306/1406 21008KT P6SM SCT015 BKN250 PROB30 1308/1311 4SM -SHRA BR BKN013 BKN050 FM131100 26005KT P6SM SCT025 SCT250 FM131700 18012KT P6SM VCTS SCT030CB SCT250 FM140300 22007KT P6SM SCT015 SCT250

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KCRE; actual-station=KCRE; fetched-at=2026-09-13T06:12:07.417459+00:00; observed-or-issued-at=2026-09-13T04:53:00+00:00 — [AWC API](#)
 - TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KCRE; actual-station=KMYR; fetched-at=2026-09-13T06:12:08.222149+00:00; observed-or-issued-at=2026-09-13T05:59:00+00:00; valid-from=2026-09-13T06:00:00+00:00; valid-through=2026-09-14T06:00:00+00:00; partial-target-dates=2026-09-13,2026-09-14 — [AWC API](#)
- TAF proxy · KMYR
- FAA airport status — state=not_queried; fetch-state=not_attempted; payload-state=not_attempted; requested-station=KCRE
 - FAA NMS NOTAM — state=OK; requested-station=KCRE; actual-station=KCRE; fetched-at=2026-09-13T06:12:13.283042Z — [FAA NMS overview](#)
 - MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KCRE; actual-station=KCRE; fetched-at=2026-09-13T06:12:29.887950+00:00; observed-or-issued-at=2026-09-13T00:00:00+00:00; valid-from=2026-09-13T06:00:00+00:00; valid-through=2026-09-16T00:00:00+00:00; target-dates=2026-09-13,2026-09-14; dates-with-points=2026-09-13,2026-09-14 — [Iowa State API](#)
 - MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KCRE; actual-station=KCRE; fetched-at=2026-09-13T06:12:30.391688+00:00; observed-or-issued-at=2026-09-13T00:00:00+00:00; valid-from=2026-09-14T00:00:00+00:00; valid-through=2026-09-21T00:00:00+00:00; target-dates=2026-09-14; partial-target-dates=2026-09-13; dates-with-points=2026-09-13,2026-09-14 — [Iowa State API](#)
 - MOS effective date selection — state=partial; rows=16; requested-station=KCRE; actual-station=KCRE; fetched-at=2026-09-13T06:12:29.887950+00:00; observed-or-issued-at=2026-09-13T00:00:00+00:00; valid-from=2026-09-13T06:00:00+00:00; valid-through=2026-09-16T00:00:00+00:00; target-dates=2026-09-13,2026-09-14; dates-with-points=2026-09-13,2026-09-14; selected-by-date=2026-09-13=GFS, 2026-09-14=GFS
 - Extended outlook and hazard-feed states are reported in the source stamp.
 - Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

SUN 13 SEP 00:15 ET OBSERVED

Current observation

METAR

clear below 12,000 ft (CLR)

WINDW (250°) 5 kt

TEMPERATURE27 °C

VISIBILITY10 sm

DEWPOINT25 °C

From 250°M · 5 kt

Wind from 250° true, 258° magnetic, at 5 knots

Wind favours RWY 21

250° true · 258° magnetic · 5 kt

OBS - VFR

OBSERVED

Evidence & limitations

- METAR source state: ok; observed Sep 13 00:15 ET; retrieved Sep 13 02:12 ET; 117 min before this run.
- Measured values read from the KHXD METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.03 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KHXD runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 03/21. Wind from 250 degrees true, 258 degrees magnetic, at 5 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 21. Wind source: KHXD METAR 130415Z.

DESTINATION OUTLOOK

SUN 13 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 13 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 13 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 13 SEP 18:00–00:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 13

- 00:00–06:00 ET ET
- WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.
- 06:00–12:00 ET ET
- WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.
- 12:00–18:00 ET ET
- WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.
- 18:00–00:00 ET ET
- WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

Forecast



Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

TAF · VFR

FORECAST

Forecast



Flight-category guidance

WIND3 kt

↓

TEMPERATURE79–81 °F

💧

DEWPOINT75–76 °F

💧

PRECIP CHANCE13%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

GFS MAV MOS · VFR

FORECAST

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND4–5 kt



TEMPERATURE80–89 °F



DEWPOINT73–75 °F



PRECIP CHANCE4%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND5–6 kt



TEMPERATURE90–92 °F



DEWPOINT73–75 °F



PRECIP CHANCE5%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 14

00:00–06:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

now

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

6000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

24°C dep KLZU → 27°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

rwY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

03/21 (030/210°M · 022/202°T) — designators and °M headings are magnetic; °T are true; variation 8°W (NOAA WMM2025)

info

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 Act on

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

d 2026-09-13T06:12:13.292825Z.			
oritative)			
FRI SEP 11	SAT SEP 12	SUN SEP 13	MON SEP 14

5/3292	
A0137/25	
06/020	
2 additional normalized NOTAM records omitted from this view.	

Raw NOTAM data · NOTAMs as of 06:12 Z

07/013

NOTAM text not available in this projection.

A0238/26

NOTAM text not available in this projection.

5/3292

NOTAM text not available in this projection.

A0137/25

NOTAM text not available in this projection.

06/020

NOTAM text not available in this projection.

08/032

NOTAM text not available in this projection.

08/034

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production
source per owner decision 2026-08-09;
technical transport environment remains
preprod. Limited 2026-07-30 spot check
covered KLZU, KAVL, and KSGJ (3 of 30
airports). NOTAMs were read from this source
and used on this card this run. Typed state:
OK. The dot colour reports whether this
source was read this run; technical
environment: preprod.

Effective 2025-04-29T20:01:00Z → 2027-04-29T20:01:00Z

OBSTRUCTION 061020 — OBST TOWER LGT (ASR 1058019) 321526.20N0805233.80W (9.2NM WNW HXD) 436.0FT (419.0FT AGL) U.S.

Effective 2026-06-18T20:51:00Z → 2026-09-16T20:51:00Z

2 additional normalized FAA NOTAM records omitted from this view.

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics,
the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMS were read for KHXD this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

6:00 ET ET · VFR

• Mon, Sep 14 • 12:00–18:00 ET: GFS MAV MOS • 12:00–18:00 ET ET • VFR

Source state: partial; selected by target date: 2026-09-13=GFS, 2026-09-14=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-13 06:00	80	Bkn	210/3kt	—	>10kft	>6SM
GFS	2026-09-13 09:00	78	Bkn	220/3kt	—	>10kft	>6SM
GFS	2026-09-13 12:00	78	Bkn	230/4kt	37.0	>10kft	>6SM
GFS	2026-09-13 15:00	85	Sct	260/6kt	—	>10kft	>6SM
GFS	2026-09-13 18:00	89	Bkn	210/6kt	20.0	>10kft	>6SM
GFS	2026-09-13 21:00	88	Bkn	190/7kt	—	>10kft	>6SM
GFS	2026-09-14 00:00	84	Bkn	200/6kt	21.0	>10kft	>6SM

GFS	2026-09-14 03:00	82	Bkn	210/4kt	—	>10kft	>6SM
GFS	2026-09-14 06:00	81	Sct	230/3kt	13.0	>10kft	>6SM
GFS	2026-09-14 09:00	79	Clear	250/3kt	—	>10kft	>6SM
GFS	2026-09-14 12:00	80	Clear	280/4kt	4.0	>10kft	>6SM
GFS	2026-09-14 15:00	89	Clear	340/5kt	—	>10kft	>6SM
GFS	2026-09-14 18:00	92	Few	30/5kt	5.0	>10kft	>6SM
GFS	2026-09-14 21:00	90	Few	120/6kt	—	>10kft	>6SM
GFS	2026-09-15 00:00	85	Clear	160/5kt	0.0	>10kft	>6SM
GFS	2026-09-15 03:00	84	Clear	160/2kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KHXD 130415Z AUTO 25005KT 10SM CLR 27/25 A3003 RMK A02

TAF KSAV 130520Z 1306/1406 23004KT P6SM SCT050 BKN250 FM131400 28006KT P6SM SCT030 FM132200 20008KT P6SM SCT050

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KHXD; actual-station=KHXD; fetched-at=2026-09-13T06:12:07.417459+00:00; observed-or-issued-at=2026-09-13T04:15:00+00:00 — [AWC API](#)
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KHXD; actual-station=KSAV; fetched-at=2026-09-13T06:12:08.222149+00:00; observed-or-issued-at=2026-09-13T05:20:00+00:00; valid-from=2026-09-13T06:00:00+00:00; valid-through=2026-09-14T06:00:00+00:00; partial-target-dates=2026-09-13,2026-09-14 — [AWC API](#)

TAF proxy · KSAV
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KHXD; actual-station=KHXD; fetched-at=2026-09-13T06:12:08.899119+00:00
- FAA NMS NOTAM — state=OK; requested-station=KHXD; actual-station=KHXD; fetched-at=2026-09-13T06:12:13.292825Z — [FAA NMS overview](#)
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KHXD; actual-station=KHXD; fetched-at=2026-09-13T06:12:29.910840+00:00; observed-or-issued-at=2026-09-13T00:00:00+00:00; valid-from=2026-09-13T06:00:00+00:00; valid-through=2026-09-16T00:00:00+00:00; target-dates=2026-09-13,2026-09-14; dates-with-points=2026-09-13,2026-09-14 — [Iowa State API](#)
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KHXD; actual-station=KHXD; fetched-at=2026-09-13T06:12:30.433095+00:00; observed-or-issued-at=2026-09-13T00:00:00+00:00; valid-from=2026-09-14T00:00:00+00:00; valid-through=2026-09-21T00:00:00+00:00; target-dates=2026-09-14; partial-target-dates=2026-09-13; dates-with-points=2026-09-13,2026-09-14 — [Iowa State API](#)
- MOS effective date selection — state=partial; rows=16; requested-station=KHXD; actual-station=KHXD; fetched-at=2026-09-13T06:12:29.910840+00:00; observed-or-issued-at=2026-09-13T00:00:00+00:00; valid-from=2026-09-13T06:00:00+00:00; valid-through=2026-09-16T00:00:00+00:00; target-dates=2026-09-13,2026-09-14; dates-with-points=2026-09-13,2026-09-14; selected-by-date=2026-09-13=GFS, 2026-09-14=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — [FAA Chart Supplement \(current cycle\)](#) — see AirNav link above

SUN 13 SEP 00:53 ET OBSERVED

Current observation

OBS - VFR

OBSER

METAR

R

few 500 ft, scattered 1,100 ft

WINDSW (210°) 4 kt

TEMPERATURE21 °C

VISIBILITY8 sm

DEWPOINT21 °C

From 210°W · 4 kt

05 23 09 27

Wind favours RWY 23

210° true · 218° magnetic · 4 kt

Evidence & limitations

- METAR source state: ok; observed Sep 13 00:53 ET; retrieved Sep 13 02:12 ET; 79 min before this run.
- Measured values read from the KTRI METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.04 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KTRI runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 05/23, 09/27. Wind from 210 degrees true, 218 degrees magnetic, at 4 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 23. Wind source: KTRI METAR 130453Z.

DESTINATION OUTLOOK

SUN 13 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · LIFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · LIFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 13 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 13 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · LIFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · LIFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 13 SEP 18:00–00:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 13

00:00–06:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON 14 SEP 00:00–06:00 ET HIGH

Forecast



Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

TAF · VFR

FORECAST

MON 14 SEP 06:00–12:00 ET MEDIUM

Forecast



Flight-category guidance

WIND1 kt

↓

TEMPERATURE66–68 °F

💧

DEWPOINT64–65 °F

💧

PRECIP CHANCE0%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · LIFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

GFS MAV MOS · LIFR

FORECAST

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND1–5 kt



TEMPERATURE66–76 °F



DEWPOINT64–67 °F



PRECIP CHANCE3%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND4–6 kt



TEMPERATURE83–84 °F



DEWPOINT61–64 °F



PRECIP CHANCE4%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 14

00:00–06:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

6000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

24°C dep KLZU → 21°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

05/23 (050/230°M · 042/222°T) · 09/27 (090/270°M · 082/262°T) — designators and °M headings are magnetic; °T are true; variation 8°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

20 Act on1 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

ed 2026-09-13T06:12:13.396575Z.			
(pritative)			
FRI SEP 11	SAT SEP 12	SUN SEP 13	MON SEP 14

08/068				
08/069				
08/070				
44 additional normalized NOTAM records omitted from this view.				

Raw NOTAM data · NOTAMs as of 06:12 Z

NOTAMs as of 06:12 Z — advisory only; verify an official briefing.

5/8343	NOTAM text not available in this projection.
5/8558	NOTAM text not available in this projection.
08/068	NOTAM text not available in this projection.
08/069	NOTAM text not available in this projection.
08/070	NOTAM text not available in this projection.
08/071	NOTAM text not available in this projection.
08/072	NOTAM text not available in this projection.
09/019	NOTAM text not available in this projection.
A1212/26	NOTAM text not available in this projection.
09/023	NOTAM text not available in this projection.
A1216/26	NOTAM text not available in this projection.
08/067	NOTAM text not available in this projection.
08/073	NOTAM text not available in this projection.

5/1221

NOTAM text not available in this projection.

A1144/25

NOTAM text not available in this projection.

A1251/25

NOTAM text not available in this projection.

A1252/25

NOTAM text not available in this projection.

5/8404

NOTAM text not available in this projection.

5/8405

NOTAM text not available in this projection.

5/8406

NOTAM text not available in this projection.

5/8407

NOTAM text not available in this projection.

A1367/25

NOTAM text not available in this projection.

A1368/25

NOTAM text not available in this projection.

A1369/25

NOTAM text not available in this projection.

A1370/25

NOTAM text not available in this projection.

5/8409

NOTAM text not available in this projection.

A1373/25

NOTAM text not available in this projection.

5/8411

NOTAM text not available in this projection.

A1374/25

NOTAM text not available in this projection.

06/034

NOTAM text not available in this projection.

A0975/26

NOTAM text not available in this projection.

06/042

NOTAM text not available in this projection.

A0980/26

NOTAM text not available in this projection.

06/043

NOTAM text not available in this projection.

A0981/26

NOTAM text not available in this projection.

06/044

NOTAM text not available in this projection.

06/046

NOTAM text not available in this projection.

06/061

NOTAM text not available in this projection.

06/068

NOTAM text not available in this projection.

07/010

NOTAM text not available in this projection.

07/028

NOTAM text not available in this projection.

07/029

NOTAM text not available in this projection.

07/054

NOTAM text not available in this projection.

08/034

NOTAM text not available in this projection.

08/053

NOTAM text not available in this projection.

08/078

NOTAM text not available in this projection.

A1181/26

NOTAM text not available in this projection.

09/004

NOTAM text not available in this projection.

09/017

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

RUNWAY

080000 — RWY 05 THIS MARKINGS NOT STD

Effective 2026-08-28T12:08:00Z → 2026-09-30T22:00:00Z

RUNWAY

080070 — RWY 05 THIS MARKINGS NOT STD

Effective 2026-08-28T12:08:00Z → 2026-09-30T22:00:00Z

44 additional normalized FAA NOTAM records omitted from this view.

2026-09-13T06:12:13.396575Z.

PISTOLJOHNSONKINGSPOORT, TN, TRICITIES THREE DEPARTURE ... DISREGARD TAKE-OFF MINIMUMS RWY 27, 400 2 1/2 OR STANDARD WITH MINIMUM CLIMB OF MINIMUMS, RWY 27 400 2 1/2. ALL OTHER DATA REMAINS AS PUBLISHED. 2509221540 2709221540EST

PISTOLJOHNSONKINGSPOORT, TN, KINGS TWO DEPARTURE... TAKE-OFFTAKE-OFF MINIMUMS, RWY 27, NOT AUTHORIZED. ALL OTHER DATA REMAINS AS PUBLISHED. 2509221540 2709221540EST

MARKINGS NOT STD

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KTRI this run.

them. No category, wind, ceiling, ranking or go/no-go here is derived from an image. A published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

06:00 ET ET · LIFR
06:00 ET ET · LIFR
06:00 ET ET · VFR
06:00 ET ET · VFR
06:00 ET ET · VFR
06:00–12:00 ET ET · LIFR

- Mon, Sep 14 · 12:00–18:00 ET: GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Mon, Sep 14 · 18:00–00:00 ET: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-13=GFS, 2026-09-14=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-13 06:00	70	Ovc	0/0kt	—	200-500ft	3-5SM
GFS	2026-09-13 09:00	69	Ovc	230/1kt	—	500-1kft	½-1SM
GFS	2026-09-13 12:00	69	Ovc	250/1kt	9.0	500-1kft	¼-½SM
GFS	2026-09-13 15:00	77	Bkn	270/4kt	—	1-3kft	>6SM
GFS	2026-09-13 18:00	85	Bkn	280/6kt	8.0	>10kft	>6SM
GFS	2026-09-13 21:00	88	Sct	270/7kt	—	>10kft	>6SM
GFS	2026-09-14 00:00	79	Few	270/4kt	1.0	>10kft	>6SM
GFS	2026-09-14 03:00	71	Clear	0/0kt	—	>10kft	>6SM
GFS	2026-09-14 06:00	68	Clear	300/1kt	0.0	>10kft	>6SM
GFS	2026-09-14 09:00	66	Sct	350/1kt	—	>10kft	½-1SM
GFS	2026-09-14 12:00	66	Bkn	340/1kt	3.0	5-10kft	¼-½SM
GFS	2026-09-14 15:00	76	Bkn	350/5kt	—	5-10kft	>6SM
GFS	2026-09-14 18:00	83	Bkn	340/4kt	4.0	>10kft	>6SM
GFS	2026-09-14 21:00	84	Sct	330/6kt	—	>10kft	>6SM
GFS	2026-09-15 00:00	75	Few	20/2kt	0.0	>10kft	>6SM
GFS	2026-09-15 03:00	66	Clear	60/1kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KTRI 130453Z 21004KT 8SM FEW005 SCT011 21/21 A3004 RMK A02 SLP145 T02110211 402940183

TAF KTRI 130520Z 1306/1406 00000KT 4SM BR BKN007 FM130800 00000KT 1SM BR OVC004 FM130900 00000KT 1/2SM FG OVC002 FM131400 VRB03KT 4SM BR BKN015 FM131600 26004KT P6SM BKN035

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KTRI; actual-station=KTRI; fetched-at=2026-09-13T06:12:07.417459+00:00; observed-or-issued-at=2026-09-13T04:53:00+00:00 — [AWC API](#)
 - TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KTRI; actual-station=KTRI; fetched-at=2026-09-13T06:12:08.222149+00:00; observed-or-issued-at=2026-09-13T05:20:00+00:00; valid-from=2026-09-13T06:00:00+00:00; valid-through=2026-09-14T06:00:00+00:00; partial-target-dates=2026-09-13,2026-09-14 — [AWC API](#)
- TAF proxy · KTRI
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KTRI; actual-station=KTRI; fetched-at=2026-09-13T06:12:08.807590+00:00
 - FAA NMS NOTAM — state=OK; requested-station=KTRI; actual-station=KTRI; fetched-at=2026-09-13T06:12:13.396575Z — [FAA NMS overview](#)
 - MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KTRI; actual-station=KTRI; fetched-at=2026-09-13T06:12:29.903606+00:00; observed-or-issued-at=2026-09-13T00:00:00+00:00; valid-from=2026-09-13T06:00:00+00:00; valid-through=2026-09-16T00:00:00+00:00; target-dates=2026-09-13,2026-09-14; dates-with-points=2026-09-13,2026-09-14 — [Iowa State API](#)
 - MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KTRI; actual-station=KTRI; fetched-at=2026-09-13T06:12:30.389351+00:00; observed-or-issued-at=2026-09-13T00:00:00+00:00; valid-from=2026-09-14T00:00:00+00:00; valid-through=2026-09-21T00:00:00+00:00; target-dates=2026-09-14; partial-target-dates=2026-09-13; dates-with-points=2026-09-13,2026-09-14 — [Iowa State API](#)
 - MOS effective date selection — state=partial; rows=16; requested-station=KTRI; actual-station=KTRI; fetched-at=2026-09-13T06:12:29.903606+00:00; observed-or-issued-at=2026-09-13T00:00:00+00:00; valid-from=2026-09-13T06:00:00+00:00; valid-through=2026-09-16T00:00:00+00:00; target-dates=2026-09-13,2026-09-14; dates-with-points=2026-09-13,2026-09-14; selected-by-date=2026-09-13=GFS, 2026-09-14=GFS
 - Extended outlook and hazard-feed states are reported in the source stamp.
 - Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#9 **KROA** **Roanoke Rgnl, VA, US** · Mountain · Roanoke valley

OBS - IFR

ETE

1h56

DIST

279 nm

SUN 13 SEP 00:16 ET OBSERVED

Current observation

METAR

OBS - IFR

OBSERV


scattered 500 ft, broken 2,000 ft, overcast 8,000 ft

WINDW (270°) 3 kt

TEMPERATURE22 °C

VISIBILITY2 1/2 sm

DEWPOINT22 °C



Wind favours RWY 24

270° true · 279° magnetic · 3 kt

Evidence & limitations

- METAR source state: ok; observed Sep 13 00:16 ET; retrieved Sep 13 02:12 ET; 116 min before this run.
- Measured values read from the KROA METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.04 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KROA runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 06/24, 16/34. Wind from 270 degrees true, 279 degrees magnetic, at 3 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 24. Wind source: KROA METAR 130416Z.

DESTINATION OUTLOOK

SUN 13 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · IFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · IFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 13 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 13 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · IFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · IFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 13 SEP 18:00–00:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 13

00:00–06:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

Forecast



Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

TAF · VFR
FORECAST

Forecast



Flight-category guidance

WIND3–4 kt

TEMPERATURE72–74 °F

DEWPOINT65 °F

PRECIP CHANCE0%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

GFS MAV MOS · VFR
FORECAST

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND5–8 kt



TEMPERATURE73–79 °F



DEWPOINT64 °F



PRECIP CHANCE4%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND8–9 kt



TEMPERATURE82–83 °F



DEWPOINT56–59 °F



PRECIP CHANCE1%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 14

00:00–06:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

now

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

24°C dep KLZU → 22°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

rwY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

06/24 (060/240°M · 051/231°T) · 16/34 (160/340°M · 151/331°T) — designators and °M headings are magnetic; °T are true; variation 9°W (NOAA WMM2025)

info

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

3 Act on

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

ed 2026-09-13T06:12:13.651368Z.			
FRI SEP 11	SAT SEP 12	SUN SEP 13	MON SEP 14

08/149				
08/150				
08/152				
15 additional normalized NOTAM records omitted from this view.				

Raw NOTAM data · NOTAMs as of 06:12 Z

NOTAMs as of 06:12 Z — advisory only; verify an official briefing.

08/147	NOTAM text not available in this projection.
08/148	NOTAM text not available in this projection.
08/149	NOTAM text not available in this projection.
08/150	NOTAM text not available in this projection.
08/152	NOTAM text not available in this projection.
08/153	NOTAM text not available in this projection.
A1062/26	NOTAM text not available in this projection.
08/154	NOTAM text not available in this projection.
08/155	NOTAM text not available in this projection.
08/156	NOTAM text not available in this projection.
5/6949	NOTAM text not available in this projection.
A0691/25	NOTAM text not available in this projection.
08/084	NOTAM text not available in this projection.

A0956/26

NOTAM text not available in this projection.

08/050

NOTAM text not available in this projection.

A1138/25

NOTAM text not available in this projection.

08/074

NOTAM text not available in this projection.

08/075

NOTAM text not available in this projection.

08/076

NOTAM text not available in this projection.

08/114

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2026-09-13T06:12:13.651368Z.

NOTICE NOT STD

:00Z

IT'S BTW TWY B4 AND TWY B1 NOT STD

:00Z

RED HLDS PSN SIGNS FOR TWY B024 NOT STD

:00Z

RED HLDS PSN SIGNS NOT MARKED

:00Z

TAXIWAY

08/152 — TWY B4 CL MARKINGS NOT STD

Effective 2026-08-31T16:33:00Z → 2026-09-30T23:59:00Z

15 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR


METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

the GFS model bias-corrected against decades of observations at this station. Issued four times a day in three-hourly steps out to about 72 hours. It carries an explicit ceiling and visibility category, so this card uses it to resolve a day the TAF cannot reach. A station-calibrated GFS MOS product was read for this airport this run (state: partial).

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KROA this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.



ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

06:00 ET ET · IFR
08:00 ET ET · IFR
10:00 ET ET · VFR
12:00 ET ET · VFR
14:00 ET ET · VFR
16:00 ET ET · VFR
18:00 ET ET · VFR

- Mon, Sep 14 · 12:00–18:00 ET: GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Mon, Sep 14 · 18:00–00:00 ET: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-13=GFS, 2026-09-14=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-13 06:00	73	Ovc	150/3kt	—	500-1kft	3-5SM
GFS	2026-09-13 09:00	72	Ovc	200/3kt	—	500-1kft	3-5SM
GFS	2026-09-13 12:00	74	Ovc	330/2kt	30.0	1-3kft	1-2SM
GFS	2026-09-13 15:00	80	Bkn	300/9kt	—	3-5kft	>6SM
GFS	2026-09-13 18:00	86	Bkn	300/8kt	5.0	>10kft	>6SM
GFS	2026-09-13 21:00	88	Bkn	300/9kt	—	>10kft	>6SM
GFS	2026-09-14 00:00	82	Clear	310/5kt	1.0	>10kft	>6SM
GFS	2026-09-14 03:00	76	Clear	310/3kt	—	>10kft	>6SM
GFS	2026-09-14 06:00	74	Few	310/3kt	0.0	>10kft	>6SM
GFS	2026-09-14 09:00	72	Bkn	310/4kt	—	>10kft	>6SM
GFS	2026-09-14 12:00	73	Bkn	330/5kt	4.0	>10kft	>6SM
GFS	2026-09-14 15:00	79	Bkn	330/8kt	—	>10kft	>6SM
GFS	2026-09-14 18:00	82	Sct	330/8kt	1.0	>10kft	>6SM
GFS	2026-09-14 21:00	83	Clear	340/9kt	—	>10kft	>6SM

GFS	2026-09-15 00:00	75	Clear	30/6kt	0.0	>10kft	>6SM
GFS	2026-09-15 03:00	67	Clear	50/4kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

SPECI KROA 130416Z 27003KT 2 1/2SM RA BR SCT005 BKN020 OVC080 22/22 A3004 RMK A02 RAB03 P0004 T02220217 \$

TAF KROA 130520Z 1306/1406 00000KT P6SM FEW006 BKN035 OVC070 TEMPO 1308/1312 1SM BR BKN008 FM131300 28005KT P6SM SCT060 FM131600 31007KT P6SM FEW150

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KROA; actual-station=KROA; fetched-at=2026-09-13T06:12:07.417459+00:00; observed-or-issued-at=2026-09-13T04:16:00+00:00 — [AWC API](#)
 - TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KROA; actual-station=KROA; fetched-at=2026-09-13T06:12:08.222149+00:00; observed-or-issued-at=2026-09-13T05:20:00+00:00; valid-from=2026-09-13T06:00:00+00:00; valid-through=2026-09-14T06:00:00+00:00; partial-target-dates=2026-09-13,2026-09-14 — [AWC API](#)
- TAF proxy · KROA
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KROA; actual-station=KROA; fetched-at=2026-09-13T06:12:08.775174+00:00
 - FAA NMS NOTAM — state=OK; requested-station=KROA; actual-station=KROA; fetched-at=2026-09-13T06:12:13.651368Z — [FAA NMS overview](#)
 - MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KROA; actual-station=KROA; fetched-at=2026-09-13T06:12:29.910128+00:00; observed-or-issued-at=2026-09-13T00:00:00+00:00; valid-from=2026-09-13T06:00:00+00:00; valid-through=2026-09-16T00:00:00+00:00; target-dates=2026-09-13,2026-09-14; dates-with-points=2026-09-13,2026-09-14 — [Iowa State API](#)
 - MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KROA; actual-station=KROA; fetched-at=2026-09-13T06:12:30.374878+00:00; observed-or-issued-at=2026-09-13T00:00:00+00:00; valid-from=2026-09-14T00:00:00+00:00; valid-through=2026-09-21T00:00:00+00:00; target-dates=2026-09-14; partial-target-dates=2026-09-13; dates-with-points=2026-09-13,2026-09-14 — [Iowa State API](#)
 - MOS effective date selection — state=partial; rows=16; requested-station=KROA; actual-station=KROA; fetched-at=2026-09-13T06:12:29.910128+00:00; observed-or-issued-at=2026-09-13T00:00:00+00:00; valid-from=2026-09-13T06:00:00+00:00; valid-through=2026-09-16T00:00:00+00:00; target-dates=2026-09-13,2026-09-14; dates-with-points=2026-09-13,2026-09-14; selected-by-date=2026-09-13=GFS, 2026-09-14=GFS
 - Extended outlook and hazard-feed states are reported in the source stamp.
 - Runway data + Chart Supplement — [FAA Chart Supplement \(current cycle\)](#) — see AirNav link above

#10

KSGJ

St Augustine Arpt, FL, US

· Atlantic South · St Augustine FL

● OBS - UNKNOWN

ETE

1h55

DIST

276 nm

SUN 13 SEP 00:56 ET OBSERVED

Current observation

● OBS - UNKNOWN

META

R

Condition not reported

WINDSW (230°) 5 kt



TEMPERATURE25 °C



VISIBILITY10 sm



DEWPOINT24 °C



Wind favours RWY 24

230° true · 237° magnetic · 5 kt

Evidence & limitations

- METAR source state: ok; observed Sep 13 00:56 ET; retrieved Sep 13 02:12 ET; 76 min before this run.
- Measured values read from the KSGJ METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.03 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KSGJ runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 13/31, 06/24, 02/20. Seaplane water lanes (17W, 35W, 18W, 36W, 12W and 30W) are excluded from the diagram and are never marked as favoured. Wind from 230 degrees true, 237 degrees magnetic, at 5 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 24. Wind source: KSGJ METAR 130456Z.

DESTINATION OUTLOOK

SUN 13 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 13 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · MVFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 13 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · IFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · IFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 13 SEP 18:00–00:00 ET HIGH

Forecast

TA

F

TAF · IFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 18:00–00:00 ET ET · IFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 13

00:00–06:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON 14 SEP 00:00–06:00 ET HIGH

Forecast



Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

TAF · VFR
FORECAST

MON 14 SEP 06:00–12:00 ET MEDIUM

Forecast



Flight-category guidance

WIND3 kt

↓
TEMPERATURE75–76 °F

💧
DEWPOINT74–75 °F

💧
PRECIP CHANCE43%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

GFS MAV MOS · VFR
FORECAST

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND4–6 kt



TEMPERATURE76–87 °F



DEWPOINT75–77 °F



PRECIP CHANCE19%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND7–8 kt



TEMPERATURE86–89 °F



DEWPOINT78 °F



PRECIP CHANCE16%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 14

00:00–06:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

24°C dep KLZU → 25°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

13/31 (130/310°M · 123/303°T) · 06/24 (060/240°M · 053/233°T) · 02/20 (020/200°M · 013/193°T) · 17W/35W (170/350°M · 163/343°T · water lane, not wind-favored) · 18W/36W (180/000°M · 173/353°T · water lane, not wind-favored) · 12W/30W (120/300°M · 113/293°T · water lane, not wind-favored) — designators and °M headings are magnetic; °T are true; variation 7°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 6 Act on 3 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this

2 · What

3 · Where

ed 2026-09-13T06:12:13.672172Z.

pritative) » = no published end (each row states whether it is permanent or simply not supplied) — continues past this window

FRI SEP 11

SAT SEP 12

SUN SEP 13

MON SEP 14

source was read this run; technical environment: preprod.

5/0380				
12/004				»
12 additional normalized NOTAM records omitted from this view.				

Raw NOTAM data · NOTAMs as of 06:12 Z

NOTAMs as of 06:12 Z — advisory only; verify an official briefing.

08/010 NOTAM text not available in this projection.
08/014 NOTAM text not available in this projection.
09/003 NOTAM text not available in this projection.
5/0380 NOTAM text not available in this projection.
12/004 NOTAM text not available in this projection.
6/6168 NOTAM text not available in this projection.
06/017 NOTAM text not available in this projection.
08/003 NOTAM text not available in this projection.
06/025 NOTAM text not available in this projection.
07/002 NOTAM text not available in this projection.
08/008 NOTAM text not available in this projection.
08/013 NOTAM text not available in this projection.
09/001

NOTAM text not available in this projection.

09/002

NOTAM text not available in this projection.

09/004

NOTAM text not available in this projection.

09/005

NOTAM text not available in this projection.

08/018

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production
source per owner decision 2026-08-09;
technical transport environment remains
preprod. Limited 2026-07-30 spot check
covered KLZU, KAVL, and KSGJ (3 of 30
airports). NOTAMS were read from this source
and used on this card this run. Typed state:
OK. The dot colour reports whether this
source was read this run; technical
environment: preprod.

026-09-13T06:12:13.672172Z.

:00Z

:00Z

:00Z

Effective 2025-09-09T18:42:00Z → 2027-09-09T23:59:00Z

NAV_APPROACH

Effective 2025-12-04T15:30:00Z → Permanent — no expiry published

12 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics,
the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

— **Defining the Problem** —

Forecast for Aviation and the Weather Prediction Center surface progs, issued by the National Weather Service through the day; the surface prog series reaches 144 hours. They are raster images a pilot reads for fronts, pressure systems and precipitation shields. This page displays them with their issuing office and valid time and never interprets them: no category, wind, ceiling, ranking or go/no-go here is derived from an image. A published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

Source state: partial; selected by target date: 2026-09-13=GFS, 2026-09-14=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

06:00 ET ET · VFR

06:00 ET ET · MVFR

06:00 ET ET · IFR

06:00 ET ET · IFR

06:00 ET ET · VFR

• Mon, Sep 14 · 06:00–12:00 ET: GFS MAV MOS · 06:00–12:00 ET ET · VFR

• Mon, Sep 14 · 12:00–18:00 ET: GFS MAV MOS · 12:00–18:00 ET ET · VFR

• Mon, Sep 14 · 18:00–00:00 ET: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-13=GFS, 2026-09-14=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-13 06:00	76	Bkn	230/3kt	—	>10kft	>6SM
GFS	2026-09-13 09:00	75	Bkn	250/3kt	—	>10kft	>6SM
GFS	2026-09-13 12:00	76	Bkn	260/3kt	9.0	>10kft	>6SM
GFS	2026-09-13 15:00	86	Bkn	300/6kt	—	>10kft	>6SM
GFS	2026-09-13 18:00	87	Bkn	110/7kt	16.0	>10kft	>6SM
GFS	2026-09-13 21:00	84	Ovc	140/8kt	—	>10kft	>6SM
GFS	2026-09-14 00:00	81	Ovc	180/5kt	49.0	>10kft	>6SM
GFS	2026-09-14 03:00	78	Ovc	240/3kt	—	>10kft	>6SM
GFS	2026-09-14 06:00	76	Bkn	240/3kt	43.0	>10kft	>6SM
GFS	2026-09-14 09:00	75	Bkn	270/3kt	—	>10kft	>6SM
GFS	2026-09-14 12:00	76	Sct	280/4kt	19.0	>10kft	>6SM
GFS	2026-09-14 15:00	87	Few	320/6kt	—	>10kft	>6SM
GFS	2026-09-14 18:00	89	Sct	50/8kt	16.0	>10kft	>6SM
GFS	2026-09-14 21:00	86	Sct	90/7kt	—	>10kft	>6SM
GFS	2026-09-15 00:00	83	Sct	130/4kt	37.0	>10kft	>6SM
GFS	2026-09-15 03:00	81	Few	120/4kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KSGJ 130456Z AUTO 23005KT 10SM 25/24 A3003 RMK A02 SLP170 T02500239 \$

TAF KSGJ 130530Z 1306/1406 23004KT P6SM FEW025 BKN200 FM131300 28006KT P6SM BKN015 BKN250 FM131800 07009KT P6SM VCTS SCT025CB BKN070 BKN120 PROB30 1319/1324 VRB20G30KT 1SM +TSRA BR SCT015 BKN025CB OVC070 FM140200 21005KT P6SM VCSH FEW050 BKN150 OVC250

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KSGJ; actual-station=KSGJ; fetched-at=2026-09-13T06:12:07.417459+00:00; observed-or-issued-at=2026-09-13T04:56:00+00:00 — [AWC API](#)
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KSGJ; actual-station=KSGJ; fetched-at=2026-09-13T06:12:08.222149+00:00; observed-or-issued-at=2026-09-13T05:30:00+00:00; valid-from=2026-09-13T06:00:00+00:00; valid-through=2026-09-14T06:00:00+00:00; partial-target-dates=2026-09-13,2026-09-14 — [AWC API](#)

TAF proxy · KSGJ

- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KSGJ; actual-station=KSGJ; fetched-at=2026-09-13T06:12:09.012990+00:00
- FAA NMS NOTAM — state=OK; requested-station=KSGJ; actual-station=KSGJ; fetched-at=2026-09-13T06:12:13.672172Z — [FAA NMS overview](#)
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KSGJ; actual-station=KSGJ; fetched-at=2026-09-13T06:12:30.046843+00:00; observed-or-issued-at=2026-09-13T00:00:00+00:00; valid-from=2026-09-13T06:00:00+00:00; valid-through=2026-09-16T00:00:00+00:00; target-dates=2026-09-13,2026-09-14; dates-with-points=2026-09-13,2026-09-14 — [Iowa State API](#)
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KSGJ; actual-station=KSGJ; fetched-at=2026-09-13T06:12:30.482485+00:00; observed-or-issued-at=2026-09-13T00:00:00+00:00; valid-from=2026-09-14T00:00:00+00:00; valid-through=2026-09-21T00:00:00+00:00; target-dates=2026-09-14; partial-target-dates=2026-09-13; dates-with-points=2026-09-13,2026-09-14 — [Iowa State API](#)
- MOS effective date selection — state=partial; rows=16; requested-station=KSGJ; actual-station=KSGJ; fetched-at=2026-09-13T06:12:30.046843+00:00; observed-or-issued-at=2026-09-13T00:00:00+00:00; valid-from=2026-09-13T06:00:00+00:00; valid-through=2026-09-16T00:00:00+00:00; target-dates=2026-09-13,2026-09-14; dates-with-points=2026-09-13,2026-09-14; selected-by-date=2026-09-13=GFS, 2026-09-14=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — [FAA Chart Supplement \(current cycle\)](#) — see AirNav link above

#11

KCRG

— · Atlantic North · Jacksonville Exec

• OBS - UNKNOWN

ETE

1h45

DIST

252 nm

SUN 13 SEP Time unavailable UNAVAILABLE

Current observation

• OBS - UNKNOWN

META
R

UNAVA



Current observation
unavailable

WINDUnavailable



TEMPERATUREUnavailable



VISIBILITYUnavailable



DEWPOINTUnavailable

Evidence & limitations

- Source state: unavailable.
- No usable current KCRG observation was available this run.
- This is a current surface observation only. It is not a forecast. No forecast value is substituted for a missing observation.

DESTINATION OUTLOOK

SUN, SEP 13

SUN 13 SEP 00:00–06:00 ET HIGH

Forecast



Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available



FORECAST

SUN 13 SEP 06:00–12:00 ET HIGH

Forecast



Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available



FORECAST

SUN 13 SEP 12:00–18:00 ET HIGH

Forecast



Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · IFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available



FORECAST

SUN 13 SEP 18:00–00:00 ET HIGH

Forecast



Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · IFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available



FORECAST

Surface prog evidence · Sun Sep 13

00:00–06:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

Forecast



Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

TAF · VFR
FORECAST

Forecast



Flight-category guidance

WIND2–3 kt

TEMPERATURE77–78 °F

DEWPOINT75–76 °F

PRECIP CHANCE36%

GFS MAV MOS · VFR
FORECAST

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND4–5 kt



TEMPERATURE78–88 °F



DEWPOINT76 °F



PRECIP CHANCE16%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND5–6 kt



TEMPERATURE90–92 °F



DEWPOINT74–75 °F



PRECIP CHANCE10%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 14

00:00–06:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

now

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

24°C dep KLZU → Unavailable at destination

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

14/32 (140/320°M · 133/313°T) · 05/23 (050/230°M · 043/223°T) — designators and °M headings are magnetic; °T are true; variation 7°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

3 Act on

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

ed 2026-09-13T06:12:13.790313Z.

(oritative)

FRI SEP 11	SAT SEP 12	SUN SEP 13	MON SEP 14

6/9357				
6/9358				
A0189/26				
9 additional normalized NOTAM records omitted from this view.				

Raw NOTAM data · NOTAMs as of 06:12 Z

NOTAMs as of 06:12 Z — advisory only; verify an official briefing.

6/8452				
NOTAM text not available in this projection.				
A0170/26				
NOTAM text not available in this projection.				
6/9357				
NOTAM text not available in this projection.				
6/9358				
NOTAM text not available in this projection.				
A0189/26				
NOTAM text not available in this projection.				
A0190/26				
NOTAM text not available in this projection.				
12/015				
NOTAM text not available in this projection.				
A0332/25				
NOTAM text not available in this projection.				
02/057				
NOTAM text not available in this projection.				
07/005				
NOTAM text not available in this projection.				
07/012				
NOTAM text not available in this projection.				
08/014				
NOTAM text not available in this projection.				
08/030				
NOTAM text not available in this projection.				

09/004

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.	026-09-13T06:12:13.790313Z. JACKSONVILLE EXEC AT CRAIG, JACKSONVILLE, FL, ILS OR LOC RWY 32, AMDT 5C, ... RNAV (GPS) RWY 14, AMDT 1B, ... RNAV (GPS) RWY 32, AMDT 1B, ... CIRCLING CAT C 1/4 SM, 2605111508-2605111508EST Effective 2026-05-11T15:08:00Z → 2028-05-11T15:08:00Z
NAV_APPROACH M9358 — IAP JACKSONVILLE EXEC AT CRAIG, JACKSONVILLE, FL, RNAV (GPS) RWY 32, AMDT 1B, ... LPV DA 291/HAT 250 ALL CATS, LNAV/VNAV DA 400/HAT 365 ALL CATS, VDP NA, CHANGE NOTE TO READ: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE JACKSONVILLE INTL ALTIMETER SETTING; INCREASE LPV DA TO 324 FEET, INCREASE LNAV/VNAV DA TO 420 FEET, INCREASE ALL MDAS 40 FEET AND CIRCLING VISIBILITY CAT C 1/4 SM, 2605111508-2605111508EST Effective 2026-05-11T15:08:00Z → 2028-05-11T15:08:00Z	
NAV_APPROACH A0189126 — IAP JACKSONVILLE EXEC AT CRAIG, JACKSONVILLE, FL, RNAV (GPS) RWY 32, AMDT 1B, ... LPV DA 291/HAT 250 ALL CATS, LNAV/VNAV DA 400/HAT 365 ALL CATS, VDP NA, CHANGE NOTE TO READ: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE JACKSONVILLE INTL ALTIMETER SETTING; INCREASE LPV DA TO 324 FEET, INCREASE LNAV/VNAV DA TO 420 FEET, INCREASE ALL MDAS 40 FEET AND CIRCLING VISIBILITY CAT C 1/4 SM, 2605111508-2605111508EST Effective 2026-05-11T15:08:00Z → 2028-05-11T15:08:00Z	

9 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR	
METAR — the routine surface observation issued hourly by the reporting station, with	
TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.	
GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against	
GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in	
GFA and prog charts — the Graphical Forecast for Aviation and the Weather	
FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and	ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KCRG this run.

published VFR Surface Chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

06:00 ET ET · VFR
12:00 ET ET · VFR
18:00 ET ET · IFR
00:00 ET ET · IFR
06:00 ET ET · VFR

- Mon, Sep 14 · 06:00–12:00 ET: GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Mon, Sep 14 · 12:00–18:00 ET: GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Mon, Sep 14 · 18:00–00:00 ET: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-13=GFS, 2026-09-14=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-13 06:00	77	Bkn	220/3kt	—	>10kft	>6SM
GFS	2026-09-13 09:00	76	Bkn	240/3kt	—	>10kft	>6SM
GFS	2026-09-13 12:00	76	Bkn	270/4kt	11.0	>10kft	>6SM
GFS	2026-09-13 15:00	85	Bkn	290/6kt	—	>10kft	>6SM
GFS	2026-09-13 18:00	89	Bkn	260/6kt	15.0	>10kft	>6SM
GFS	2026-09-13 21:00	86	Ovc	180/7kt	—	>10kft	>6SM
GFS	2026-09-14 00:00	81	Ovc	180/4kt	47.0	>10kft	>6SM
GFS	2026-09-14 03:00	79	Ovc	200/3kt	—	>10kft	>6SM
GFS	2026-09-14 06:00	78	Bkn	230/3kt	36.0	>10kft	>6SM
GFS	2026-09-14 09:00	77	Sct	270/2kt	—	>10kft	>6SM
GFS	2026-09-14 12:00	78	Few	290/4kt	16.0	>10kft	>6SM
GFS	2026-09-14 15:00	88	Clear	320/5kt	—	>10kft	>6SM
GFS	2026-09-14 18:00	92	Sct	40/5kt	10.0	>10kft	>6SM
GFS	2026-09-14 21:00	90	Bkn	100/6kt	—	>10kft	>6SM
GFS	2026-09-15 00:00	84	Sct	160/4kt	32.0	>10kft	>6SM
GFS	2026-09-15 03:00	80	Clear	180/1kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR unavailable

TAF KCRG 130530Z 1306/1406 22002KT P6SM FEW015 BKN250 FM131300 28005KT P6SM SCT015 BKN250 FM131700 29006KT P6SM VCSH SCT020 BKN070 BKN120 FM131830 29008KT P6SM VCTS SCT030CB BKN070 BKN120 PROB30 1319/1323 VRB20G30KT 1SM +TSRA BR SCT015 BKN025CB OVC070 FM140100 19005KT P6SM VCSH FEW050 BKN150 OVC250 AMD NOT SKED

+ Data sources used

- METAR — state=unavailable; fetch-state=ok; payload-state=valid; requested-station=KCRG; actual-station=KCRG; fetched-at=2026-09-13T06:12:07.417459+00:00 — [AWC API](#)
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KCRG; actual-station=KCRG; fetched-at=2026-09-13T06:12:08.222149+00:00; observed-or-issued-at=2026-09-13T05:30:00+00:00; valid-from=2026-09-13T06:00:00+00:00; valid-through=2026-09-14T06:00:00+00:00; partial-target-dates=2026-09-13,2026-09-14 — [AWC API](#)
- TAF proxy · KCRG
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KCRG; actual-station=KCRG; fetched-at=2026-09-13T06:12:09.009201+00:00
- FAA NMS NOTAM — state=OK; requested-station=KCRG; actual-station=KCRG; fetched-at=2026-09-13T06:12:13.790313Z — [FAA NMS overview](#)
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KCRG; actual-station=KCRG; fetched-at=2026-09-13T06:12:30.066327+00:00; observed-or-issued-at=2026-09-13T00:00:00+00:00; valid-from=2026-09-13T06:00:00+00:00; valid-through=2026-09-16T00:00:00+00:00; target-dates=2026-09-13,2026-09-14; dates-with-points=2026-09-13,2026-09-14 — [Iowa State API](#)
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KCRG; actual-station=KCRG; fetched-at=2026-09-13T06:12:30.511003+00:00; observed-or-issued-at=2026-09-13T00:00:00+00:00; valid-from=2026-09-14T00:00:00+00:00; valid-through=2026-09-21T00:00:00+00:00; target-dates=2026-09-14; partial-target-dates=2026-09-13; dates-with-points=2026-09-13,2026-09-14 — [Iowa State API](#)
- MOS effective date selection — state=partial; rows=16; requested-station=KCRG; actual-station=KCRG; fetched-at=2026-09-13T06:12:30.066327+00:00; observed-or-issued-at=2026-09-13T00:00:00+00:00; valid-from=2026-09-13T06:00:00+00:00; valid-through=2026-09-16T00:00:00+00:00; target-dates=2026-09-13,2026-09-14; dates-with-points=2026-09-13,2026-09-14; selected-by-date=2026-09-13=GFS, 2026-09-14=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — [FAA Chart Supplement \(current cycle\)](#) — see AirNav link above

#12

KFIN Palm Coast/Flagler Exec, FL, US · Atlantic South · Flagler Exec FL

| OBS - VFR

ETE
2h03

DIST
295 nm

SUN 13 SEP 00:15 ET OBSERVED

Current observation

| OBS - VFR

METAR

OBSER

clear below 12,000 ft (CLR)

WINDcalm

TEMPERATURE24 °C

VISIBILITY10 sm



DEWPOINT24 °C

Evidence & limitations

- METAR source state: ok; observed Sep 13 00:15 ET; retrieved Sep 13 02:12 ET; 117 min before this run.
- Measured values read from the KFIN METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.04 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.

DESTINATION OUTLOOK

SUN, SEP 13

SUN 13 SEP 00:00–06:00 ET HIGH

Forecast



Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

TAF · VFR

FORECAST

SUN 13 SEP 06:00–12:00 ET HIGH

Forecast



Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

TAF · VFR

FORECAST

SUN 13 SEP 12:00–18:00 ET HIGH

Forecast



Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

TAF · MVFR

FORECAST

SUN 13 SEP 18:00–00:00 ET HIGH

Forecast



Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

TAF · MVFR

FORECAST

Surface prog evidence · Sun Sep 13

00:00–06:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON 14 SEP 00:00–06:00 ET HIGH

Forecast



Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 14 SEP 06:00–12:00 ET MEDIUM

Forecast



Flight-category guidance

WIND1 kt

TEMPERATURE75 °F

DEWPOINT74 °F

PRECIP CHANCE46%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND2–3 kt



TEMPERATURE74–86 °F



DEWPOINT73–76 °F



PRECIP CHANCE20%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND6 kt



TEMPERATURE86–90 °F



DEWPOINT75 °F



PRECIP CHANCE23%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 14

00:00–06:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — source state: not_queried

CURRENT METAR TEMP DEP / DEST

24°C dep KLZU → 24°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

11/29 (110/290°M · 103/283°T) · 06/24 (060/240°M · 053/233°T) · 18W/36W (180/000°M · 173/353°T · water lane, not wind-favored) — designators and °M headings are magnetic; °T are true; variation 7°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

ed 2026-09-13T06:12:13.931411Z.

FRI SEP 11	SAT SEP 12	SUN SEP 13	MON SEP 14

07/008				
A0036/26				
08/002				
5 additional normalized NOTAM records omitted from this view.				

Raw NOTAM data · NOTAMs as of 06:12 Z

NOTAMs as of 06:12 Z — advisory only; verify an official briefing.

06/004	NOTAM text not available in this projection.
06/007	NOTAM text not available in this projection.
07/008	NOTAM text not available in this projection.
A0036/26	NOTAM text not available in this projection.
08/002	NOTAM text not available in this projection.
08/004	NOTAM text not available in this projection.
08/007	NOTAM text not available in this projection.
09/001	NOTAM text not available in this projection.
08/006	NOTAM text not available in this projection.
A0037/26	NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains

2026-09-13T06:12:13.931411Z.
L00T (ASPH 1000x140) 200100 UNPWR011001 UNPWR (S 00M WNW FINE 1248 DFT 1104 1FT AGL) UPS
:00Z

```
preprod. Limited 2026-07-30 spot check
covered KLZU, KAVL, and KSGJ (3 of 30
airports). NOTAMs were read from this source
and used on this card this run. Typed state:
OK. The dot colour reports whether this
source was read this run; technical
environment: preprod.
```

OBSTRUCTION

Effective 2026-08-12T21:17:00Z → 2026-10-20T12:47:00Z

5 additional normalized FAA NOTAM records omitted from this view.

:00Z

1:00Z

+ Forecast evidence

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics,
the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KFIN this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

6:00 ET ET · VFR

2:00 ET ET · VFR

8:00 ET ET · MVFR

0:00 ET ET · MVFR

6:00 ET ET · VFR

S · 06:00–12:00 ET ET · VFR

• Mon, Sep 14 • 12:00–18:00 ET: GFS MAV MOS • 12:00–18:00 ET ET • VFR

• Mon, Sep 14 • 18:00–00:00 ET: GFS MAV MOS • 18:00–00:00 ET ET • VFR

- + MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-13=GFS, 2026-09-14=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-13 06:00	75	Few	220/1kt	—	>10kft	>6SM
GFS	2026-09-13 09:00	74	Sct	0/0kt	—	>10kft	>6SM

GFS	2026-09-13 12:00	74	Sct	0/0kt	9.0	>10kft	>6SM
GFS	2026-09-13 15:00	85	Sct	300/3kt	—	>10kft	>6SM
GFS	2026-09-13 18:00	90	Bkn	90/6kt	15.0	>10kft	>6SM
GFS	2026-09-13 21:00	85	Bkn	120/6kt	—	>10kft	>6SM
GFS	2026-09-14 00:00	78	Ovc	180/3kt	47.0	>10kft	>6SM
GFS	2026-09-14 03:00	77	Ovc	280/1kt	—	>10kft	>6SM
GFS	2026-09-14 06:00	75	Bkn	250/1kt	46.0	>10kft	>6SM
GFS	2026-09-14 09:00	75	Bkn	290/1kt	—	>10kft	>6SM
GFS	2026-09-14 12:00	74	Bkn	300/2kt	20.0	>10kft	>6SM
GFS	2026-09-14 15:00	86	Bkn	320/3kt	—	>10kft	>6SM
GFS	2026-09-14 18:00	90	Bkn	40/6kt	23.0	>10kft	>6SM
GFS	2026-09-14 21:00	86	Bkn	90/6kt	—	>10kft	>6SM
GFS	2026-09-15 00:00	81	Bkn	120/2kt	46.0	>10kft	>6SM
GFS	2026-09-15 03:00	79	Sct	0/0kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KFIN 130415Z AUTO 00000KT 10SM CLR 24/24 A3004 RMK A02 T02440237

TAF KDAB 130520Z 1306/1406 VRB04KT P6SM FEW030 SCT250 FM131400 29005KT P6SM FEW025 BKN150 BKN200 FM131800 08008KT P6SM VCTS SCT035CB SCT050 BKN150 TEMPO 1321/1401 VRB15G25KT 3SM TSRA BKN030CB FM140200 VRB05KT P6SM FEW040 BKN080 BKN200

+ Data sources used

• METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KFIN; actual-station=KFIN; fetched-at=2026-09-13T06:12:07.417459+00:00; observed-or-issued-at=2026-09-13T04:15:00+00:00 — AWC API

• TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KFIN; actual-station=KDAB; fetched-at=2026-09-13T06:12:08.222149+00:00; observed-or-issued-at=2026-09-13T05:20:00+00:00; valid-from=2026-09-13T06:00:00+00:00; valid-through=2026-09-14T06:00:00+00:00; partial-target-dates=2026-09-13,2026-09-14 — AWC API

TAF proxy · KDAB

• FAA airport status — state=not_queried; fetch-state=not_attempted; payload-state=not_attempted; requested-station=KFIN

• FAA NMS NOTAM — state=OK; requested-station=KFIN; actual-station=KFIN; fetched-at=2026-09-13T06:12:13.931411Z — FAA NMS overview

• MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KFIN; actual-station=KFIN; fetched-at=2026-09-13T06:12:30.045647+00:00; observed-or-issued-at=2026-09-13T00:00:00+00:00; valid-from=2026-09-13T06:00:00+00:00; valid-through=2026-09-16T00:00:00+00:00; target-dates=2026-09-13,2026-09-14; dates-with-points=2026-09-13,2026-09-14 — Iowa State API

• MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KFIN; actual-station=KFIN; fetched-at=2026-09-13T06:12:30.517592+00:00; observed-or-issued-at=2026-09-13T00:00:00+00:00; valid-from=2026-09-14T00:00:00+00:00; valid-through=2026-09-21T00:00:00+00:00; target-dates=2026-09-14; partial-target-dates=2026-09-13; dates-with-points=2026-09-13,2026-09-14 — Iowa State API

• MOS effective date selection — state=partial; rows=16; requested-station=KFIN; actual-station=KFIN; fetched-at=2026-09-13T06:12:30.045647+00:00; observed-or-issued-at=2026-09-13T00:00:00+00:00; valid-from=2026-09-13T06:00:00+00:00; valid-through=2026-09-16T00:00:00+00:00; target-dates=2026-09-13,2026-09-14; dates-with-points=2026-09-13,2026-09-14; selected-by-date=2026-09-13=GFS, 2026-09-14=GFS

- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#13

KGKT

Gatlinburg-Pigeon Forge Arpt, TN, US

· Mountain · Smokies/Gatlinburg

OBS - LIFR

ETE

0h50

DIST

114 nm

SUN 13 SEP 00:16 ET OBSERVED

Current observation

OBS - LIFR

METAR

overcast 200 ft

WINDcalm

TEMPERATURE

21 °C

VISIBILITY

less than 1/4 sm

DEWPOINT

21 °C

Evidence & limitations

- METAR source state: ok; observed Sep 13 00:16 ET; retrieved Sep 13 02:12 ET; 116 min before this run.
- Measured values read from the KGKT METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.03 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.

DESTINATION OUTLOOK

SUN 13 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · IFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · IFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 13 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Surface prog evidence · Sun Sep 13

- 00:00–06:00 ET ET
- WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.
- 06:00–12:00 ET ET
- WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.
- 12:00–18:00 ET ET
- WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.
- 18:00–00:00 ET ET
- WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON 14 SEP 00:00–06:00 ET HIGH

Forecast



Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 14 SEP 06:00–12:00 ET MEDIUM

Forecast



Flight-category guidance

WIND0 kt

TEMPERATURE68–70 °F

DEWPOINT66–67 °F

PRECIP CHANCE0%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND1–3 kt



TEMPERATURE67–81 °F



DEWPOINT66–68 °F



PRECIP CHANCE3%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND4–5 kt



TEMPERATURE88–89 °F



DEWPOINT64–66 °F



PRECIP CHANCE1%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 14

00:00–06:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

now

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

6000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — source state: not_queried

CURRENT METAR TEMP DEP / DEST

24°C dep KLZU → 21°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

rwY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

10/28 (100/280°M · 093/273°T) — designators and °M headings are magnetic; °T are true; variation 7°W (NOAA WMM2025)

info

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

4 Act on2 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

ed 2026-09-13T06:12:13.963724Z.

oritative) = no published end (each row states whether it is permanent or simply not supplied) — continues past this window

FRI SEP 11	SAT SEP 12	SUN SEP 13	MON SEP 14

09/026

NOTAM text not available in this projection.

09/032

NOTAM text not available in this projection.

09/050

NOTAM text not available in this projection.

08/532

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2026-09-13T06:12:13.963724Z.

PIGEON FORGE, SEVIERVILLE, TN, TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 4B . TAKEOFF MINIMUMS: RWY 28, 400-2 34 OR 220 FTNM TO 1500. DEPARTURE PROCEDURE: RWY 28, CLIMB ON HEADING 282 TO INTERCEPT VNAV VORTAC R-102 THEN TO VNAV VORTAC TO 5000 BEFORE RWY 10. OBTAIN ATC APPROVAL FOR VCOA WHEN REQUESTING IFR CLEARANCE. CLIMB IN VISUAL CONDITIONS TO CROSS CATLINBURG-PIGEON FORGE E 1900 ON VNAV VORTAC R-102 TO VNAV VORTAC TO 5000 BEFORE PROCEEDING ON COURSE. ALL OTHER DATA REMAINS AS PUBLISHED.

10:00Z

10:00Z

RUNWAY

04/122 — RWY 10 PAVI LWS

Effective 2026-04-07T10:24:00Z → 2027-11-30T19:00:00Z

RUNWAY

04/123 — RWY 10/06 GPC MARKINGS NOT STD

Effective 2026-04-07T10:26:00Z → Permanent — no expiry published

NAV_APPROACH

00055 — IAP CATLINBURG-PIGEON FORGE, SEVIERVILLE, TN, RNAV (GPS) RWY 10, ORIG-C . VOR/DME RWY 10, AMDT 6B . PROCEDURE NA, 2509242031-2709242031EST

Effective 2025-09-24T20:31:00Z → 2027-09-24T20:31:00Z

12 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

Forecast for Aviation and the Weather Prediction Center surface progs, issued by the National Weather Service through the day; the surface prog series reaches 144 hours. They are raster images a pilot reads for fronts, pressure systems and precipitation shields. This page displays them with their issuing office and valid time and never interprets them: no category, wind, ceiling, ranking or go/no-go here is derived from an image. A published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

06:00 ET ET · IFR

06:00 ET ET · MVFR

06:00 ET ET · VFR

06:00 ET ET · VFR

06:00 ET ET · VFR

• Mon, Sep 14 · 06:00–12:00 ET: GFS MAV MOS · 06:00–12:00 ET ET · VFR

• Mon, Sep 14 · 12:00–18:00 ET: GFS MAV MOS · 12:00–18:00 ET ET · VFR

• Mon, Sep 14 · 18:00–00:00 ET: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-13=GFS, 2026-09-14=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-13 06:00	69	Sct	0/0kt	—	>10kft	3-5SM
GFS	2026-09-13 09:00	68	Bkn	0/0kt	—	>10kft	½-1SM
GFS	2026-09-13 12:00	69	Bkn	0/0kt	2.0	>10kft	¼-½SM
GFS	2026-09-13 15:00	79	Bkn	270/3kt	—	5-10kft	>6SM
GFS	2026-09-13 18:00	87	Bkn	340/5kt	2.0	>10kft	>6SM
GFS	2026-09-13 21:00	89	Sct	320/5kt	—	>10kft	>6SM
GFS	2026-09-14 00:00	82	Sct	300/1kt	0.0	>10kft	>6SM
GFS	2026-09-14 03:00	74	Clear	0/0kt	—	>10kft	>6SM
GFS	2026-09-14 06:00	70	Clear	0/0kt	0.0	>10kft	>6SM
GFS	2026-09-14 09:00	68	Clear	0/0kt	—	>10kft	3-5SM
GFS	2026-09-14 12:00	67	Sct	30/1kt	3.0	>10kft	>6SM
GFS	2026-09-14 15:00	81	Sct	20/3kt	—	>10kft	>6SM
GFS	2026-09-14 18:00	88	Bkn	10/4kt	1.0	>10kft	>6SM
GFS	2026-09-14 21:00	89	Sct	10/5kt	—	>10kft	>6SM
GFS	2026-09-15 00:00	81	Sct	20/2kt	0.0	>10kft	>6SM
GFS	2026-09-15 03:00	73	Clear	40/1kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KGKT 130416Z AUTO 00000KT M1/4SM FG OVC002 21/21 A3003 RMK A01

TAF KTYS 130520Z 1306/1406 00000KT 1SM BR OVC009 FM130800 00000KT 1/4SM FG VV001 FM131300 00000KT 3SM BR BKN010 FM131600 32005KT P6SM SCT035

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KGKT; actual-station=KGKT; fetched-at=2026-09-13T06:12:07.417459+00:00; observed-or-issued-at=2026-09-13T04:16:00+00:00 — [AWC API](#)
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KGKT; actual-station=KTYS; fetched-at=2026-09-13T06:12:08.222149+00:00; observed-or-issued-at=2026-09-13T05:20:00+00:00; valid-from=2026-09-13T06:00:00+00:00; valid-through=2026-09-14T06:00:00+00:00; partial-target-dates=2026-09-13,2026-09-14 — [AWC API](#)
- TAF proxy · KTYS
- FAA airport status — state=not_queried; fetch-state=not_attempted; payload-state=not_attempted; requested-station=KGKT
- FAA NMS NOTAM — state=OK; requested-station=KGKT; actual-station=KGKT; fetched-at=2026-09-13T06:12:13.963724Z — [FAA NMS overview](#)
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KGKT; actual-station=KGKT; fetched-at=2026-09-13T06:12:30.043545+00:00; observed-or-issued-at=2026-09-13T00:00:00+00:00; valid-from=2026-09-13T06:00:00+00:00; valid-through=2026-09-16T00:00:00+00:00; target-dates=2026-09-13,2026-09-14; dates-with-points=2026-09-13,2026-09-14 — [Iowa State API](#)
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KGKT; actual-station=KGKT; fetched-at=2026-09-13T06:12:30.516594+00:00; observed-or-issued-at=2026-09-13T00:00:00+00:00; valid-from=2026-09-14T00:00:00+00:00; valid-through=2026-09-21T00:00:00+00:00; target-dates=2026-09-14; partial-target-dates=2026-09-13; dates-with-points=2026-09-13,2026-09-14 — [Iowa State API](#)
- MOS effective date selection — state=partial; rows=16; requested-station=KGKT; actual-station=KGKT; fetched-at=2026-09-13T06:12:30.043545+00:00; observed-or-issued-at=2026-09-13T00:00:00+00:00; valid-from=2026-09-13T06:00:00+00:00; valid-through=2026-09-16T00:00:00+00:00; target-dates=2026-09-13,2026-09-14; dates-with-points=2026-09-13,2026-09-14; selected-by-date=2026-09-13=GFS, 2026-09-14=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — [FAA Chart Supplement \(current cycle\)](#) — see AirNav link above

#14

KSHD

Staunton/Shenandoah Valley Rgnl, VA, US

· Mountain · Shenandoah valley

OBS - VFR

ETE

2h25

DIST

355 nm

SUN 13 SEP 00:15 ET OBSERVED

Current observation

OBS - VFR

OBSER

META

R

scattered 9,000 ft



WINDcalm



TEMPERATURE21 °C



VISIBILITY7 sm

DEWPOINT21 °C

Evidence & limitations

- METAR source state: ok; observed Sep 13 00:15 ET; retrieved Sep 13 02:12 ET; 117 min before this run.
- Measured values read from the KSHD METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.03 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.

DESTINATION OUTLOOK

SUN, SEP 13

SUN 13 SEP 00:00–06:00 ET HIGH

Forecast



Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · IFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

TAF · IFR

FORECAST

SUN 13 SEP 06:00–12:00 ET HIGH

Forecast



Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · IFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

TAF · IFR

FORECAST

SUN 13 SEP 12:00–18:00 ET HIGH

Forecast



Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

TAF · VFR

FORECAST

SUN 13 SEP 18:00–00:00 ET HIGH

Forecast



Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

TAF · VFR

FORECAST

Surface prog evidence · Sun Sep 13

00:00–06:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON 14 SEP 00:00–06:00 ET HIGH

Forecast



Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

TAF · VFR
FORECAST

MON 14 SEP 06:00–12:00 ET MEDIUM

Forecast



Flight-category guidance



WIND1–2 kt



TEMPERATURE65–67 °F



DEWPOINT63–65 °F



PRECIP CHANCE2%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

GFS MAV MOS · MVFR
FORECAST

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND4–6 kt



TEMPERATURE67–73 °F



DEWPOINT60–63 °F



PRECIP CHANCE5%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND7–8 kt



TEMPERATURE77 °F



DEWPOINT52–55 °F



PRECIP CHANCE0%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 14

00:00–06:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

now

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — source state: not_queried

CURRENT METAR TEMP DEP / DEST

24°C dep KLZU → 21°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

rwY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

05/23 (050/230°M · 040/220°T) — designators and °M headings are magnetic; °T are true; variation 10°W (NOAA WMM2025)

info

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

3 Act on

2 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

d 2026-09-13T06:12:14.018108Z.			
oritative)			
FRI SEP 11	SAT SEP 12	SUN SEP 13	MON SEP 14

03/004				
A0068/26				
5/3811				
3 additional normalized NOTAM records omitted from this view.				

Raw NOTAM data · NOTAMs as of 06:12 Z

NOTAMs as of 06:12 Z — advisory only; verify an official briefing.

09/003	NOTAM text not available in this projection.
A0128/26	NOTAM text not available in this projection.
03/004	NOTAM text not available in this projection.
A0068/26	NOTAM text not available in this projection.
5/3811	NOTAM text not available in this projection.
A0196/25	NOTAM text not available in this projection.
07/006	NOTAM text not available in this projection.
A0111/26	NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

26-09-13T06:12:14.018108Z.
:00Z
:
:00Z
TRANSIENT
:00Z
TO TRANSIENT
:00Z

0001 - IAP SHENANDOAH VALLEY RGNL STAUNTONWAYNESBORO/HARRISONBURG, VA. ILS OR LOC RWY 5. AMDT 08. AUTOPILOT COUPLED APPROACH NA BELOW 1000 FEET
 100151541EST

3 additional normalized FAA NOTAM records omitted from this view.

METAR

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

• Mon, Sep 14 • 18:00–00:00 ET: GFS MAV MOS • 18:00–00:00 ET ET • VFR

S · 06:00–12:00 ET ET · MVFR

Source state: partial; selected by target date: 2026-09-13=GFS, 2026-09-14=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-13 06:00	70	Ovc	0/0kt	—	1-3kft	3-5SM
GFS	2026-09-13 09:00	70	Ovc	0/0kt	—	200-500ft	3-5SM
GFS	2026-09-13 12:00	69	Ovc	0/0kt	39.0	200-500ft	<¼SM
GFS	2026-09-13 15:00	77	Ovc	260/3kt	—	1-3kft	>6SM
GFS	2026-09-13 18:00	84	Bkn	310/4kt	19.0	5-10kft	>6SM
GFS	2026-09-13 21:00	84	Sct	320/5kt	—	>10kft	>6SM

GFS	2026-09-14 00:00	76	Clear	290/3kt	2.0	>10kft	>6SM
GFS	2026-09-14 03:00	70	Few	170/1kt	—	>10kft	>6SM
GFS	2026-09-14 06:00	67	Sct	330/1kt	2.0	>10kft	3-5SM
GFS	2026-09-14 09:00	65	Ovc	360/2kt	—	5-10kft	¼-½SM
GFS	2026-09-14 12:00	67	Ovc	10/4kt	5.0	5-10kft	3-5SM
GFS	2026-09-14 15:00	73	Clear	360/6kt	—	>10kft	>6SM
GFS	2026-09-14 18:00	77	Clear	360/7kt	0.0	>10kft	>6SM
GFS	2026-09-14 21:00	77	Clear	10/8kt	—	>10kft	>6SM
GFS	2026-09-15 00:00	68	Clear	10/4kt	0.0	>10kft	>6SM
GFS	2026-09-15 03:00	57	Clear	10/1kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KSHD 130415Z AUTO 00000KT 7SM SCT090 21/21 A3003 RMK A02 T02110211

TAF KCHO 130537Z 1306/1406 00000KT 6SM -SHRA BR BKN015 FM130700 00000KT 3SM -SHRA BR SCT003 OVC008 FM131000 00000KT 2SM BR BKN008 FM131300 00000KT 5SM BR BKN008 OVC015 FM131500 27003KT P6SM FEW030 SCT060 FM140000 VRB03KT P6SM FEW040 SCT150

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KSHD; actual-station=KSHD; fetched-at=2026-09-13T06:12:07.417459+00:00; observed-or-issued-at=2026-09-13T04:15:00+00:00 — [AWC API](#)
 - TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KSHD; actual-station=KCHO; fetched-at=2026-09-13T06:12:08.222149+00:00; observed-or-issued-at=2026-09-13T05:37:00+00:00; valid-from=2026-09-13T06:00:00+00:00; valid-through=2026-09-14T06:00:00+00:00; partial-target-dates=2026-09-13,2026-09-14 — [AWC API](#)
- TAF proxy · KCHO
- FAA airport status — state=not_queried; fetch-state=not_attempted; payload-state=not_attempted; requested-station=KSHD
 - FAA NMS NOTAM — state=OK; requested-station=KSHD; actual-station=KSHD; fetched-at=2026-09-13T06:12:14.018108Z — [FAA NMS overview](#)
 - MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KSHD; actual-station=KSHD; fetched-at=2026-09-13T06:12:30.075817+00:00; observed-or-issued-at=2026-09-13T00:00:00+00:00; valid-from=2026-09-13T06:00:00+00:00; valid-through=2026-09-16T00:00:00+00:00; target-dates=2026-09-13,2026-09-14; dates-with-points=2026-09-13,2026-09-14 — [Iowa State API](#)
 - MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KSHD; actual-station=KSHD; fetched-at=2026-09-13T06:12:30.523728+00:00; observed-or-issued-at=2026-09-13T00:00:00+00:00; valid-from=2026-09-14T00:00:00+00:00; valid-through=2026-09-21T00:00:00+00:00; target-dates=2026-09-14; partial-target-dates=2026-09-13; dates-with-points=2026-09-13,2026-09-14 — [Iowa State API](#)
 - MOS effective date selection — state=partial; rows=16; requested-station=KSHD; actual-station=KSHD; fetched-at=2026-09-13T06:12:30.075817+00:00; observed-or-issued-at=2026-09-13T00:00:00+00:00; valid-from=2026-09-13T06:00:00+00:00; valid-through=2026-09-16T00:00:00+00:00; target-dates=2026-09-13,2026-09-14; dates-with-points=2026-09-13,2026-09-14; selected-by-date=2026-09-13=GFS, 2026-09-14=GFS
 - Extended outlook and hazard-feed states are reported in the source stamp.
 - Runway data + Chart Supplement — [FAA Chart Supplement \(current cycle\)](#) — see AirNav link above

SUN 13 SEP 00:53 ET OBSERVED

Current observation

METAR

clear below 12,000 ft (CLR)

WINDcalm

TEMPERATURE24 °C

VISIBILITY10 sm

DEWPOINT23 °C

OBS - VFR

OBSERVED

- Evidence & limitations
- METAR source state: ok; observed Sep 13 00:53 ET; retrieved Sep 13 02:12 ET; 79 min before this run.
 - Measured values read from the KECP METAR. This is a current surface observation only; it is not a forecast.
 - Only fields decoded from this METAR are shown; every missing field remains unavailable.
 - Altimeter: 30.01 inHg.
 - The complete raw METAR remains in this airport's Raw products disclosure.

DESTINATION OUTLOOK

SUN 13 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · MVFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 13 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · MVFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 13 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · MVFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 13 SEP 18:00–00:00 ET HIGH

Forecast

TA

F

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 18:00–00:00 ET ET · MVFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 13

- 00:00–06:00 ET ET
- WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.
- 06:00–12:00 ET ET
- WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.
- 12:00–18:00 ET ET
- WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.
- 18:00–00:00 ET ET
- WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON 14 SEP 00:00–06:00 ET HIGH

Forecast



TAF · MVFR

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

FORECAST

MON 14 SEP 06:00–12:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

Flight-category guidance



WIND1–2 kt



TEMPERATURE76–77 °F



DEWPOINT74–75 °F



PRECIP CHANCE7%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

FORECAST

MON 14 SEP 12:00–18:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND2–5 kt



TEMPERATURE76–87 °F



DEWPOINT74–75 °F



PRECIP CHANCE16%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 14 SEP 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND7–8 kt



TEMPERATURE92–93 °F



DEWPOINT73 °F



PRECIP CHANCE10%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 14

00:00–06:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

6000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

24°C dep KLZU → 24°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

16/34 (160/340°M · 157/337°T) — designators and °M headings are magnetic; °T are true; variation 3°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		
Verify the current FAA Chart Supplement and provider before flight.			

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

4 Act on

1 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

ed 2026-09-13T06:12:14.073639Z.			
(oritative)			
FRI SEP 11	SAT SEP 12	SUN SEP 13	MON SEP 14

07/022					
A0129/26					
6/0313					
15 additional normalized NOTAM records omitted from this view.					

Raw NOTAM data · NOTAMs as of 06:12 Z

NOTAMs as of 06:12 Z — advisory only; verify an official briefing.

09/008	NOTAM text not available in this projection.
A0156/26	NOTAM text not available in this projection.
07/022	NOTAM text not available in this projection.
A0129/26	NOTAM text not available in this projection.
6/0313	NOTAM text not available in this projection.
A0153/26	NOTAM text not available in this projection.
06/015	NOTAM text not available in this projection.
06/021	NOTAM text not available in this projection.
06/029	NOTAM text not available in this projection.
07/001	NOTAM text not available in this projection.
08/015	NOTAM text not available in this projection.
08/016	NOTAM text not available in this projection.
08/025	NOTAM text not available in this projection.

08/027

NOTAM text not available in this projection.

08/033

NOTAM text not available in this projection.

09/001

NOTAM text not available in this projection.

09/003

NOTAM text not available in this projection.

A0152/26

NOTAM text not available in this projection.

09/004

NOTAM text not available in this projection.

09/006

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2026-09-13T06:12:14.073639Z.

08

:00Z

0100Z

:00Z

RAMP WIP CONST ADJ W EDGE BARRICADED

:00Z

ALL RAMP WIP CONST ADJ W EDGE BARRICADED

:00Z

NAV APPROACH

080313 — RWY NORTHWEST FLORIDA BEACHES INTL, PANAMA CITY, FL, ILS OR LOC RWY 16, AMDT 36, RNAV (GPS) RWY 16, AMDT 3A, RNAV (GPS) RWY 34, AMDT 3B, CIRCLING CAT A/B/C/D, MDA 640HAA, CTI, TEMPORARY CRANE 289 MSL 1513FT SW OF ECP AIRPORT (2025-ASQ-11517-NRA), 2609021700-2701151623EST

Effective 2026-09-02T17:00:00Z → 2027-01-15T16:23:00Z

15 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the

highest-resolution aviation forecast available. The National Weather Service issues it four times a day, valid 24 to 30 hours, with explicit FM and TEMPO change groups. Airports without their own TAF station use a nearby proxy, which is a normal condition and not a fault. A TAF was read for this airport this run (state: partial).

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KECP this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

- Mon, Sep 14 - 12:00–18:00 ET: GFS MAV MOS - 12:00–18:00 ET ET · VFR
- Mon, Sep 14 - 18:00–00:00 ET: GFS MAV MOS - 18:00–00:00 ET ET · VFR

- + MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-13=GFS, 2026-09-14=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-13 06:00	74	Sct	120/1kt	—	>10kft	>6SM
GFS	2026-09-13 09:00	74	Sct	210/1kt	—	>10kft	>6SM
GFS	2026-09-13 12:00	74	Bkn	300/1kt	32.0	>10kft	>6SM
GFS	2026-09-13 15:00	86	Few	320/2kt	—	>10kft	>6SM
GFS	2026-09-13 18:00	91	Bkn	230/5kt	26.0	>10kft	>6SM
GFS	2026-09-13 21:00	89	Bkn	220/6kt	—	>10kft	>6SM
GFS	2026-09-14 00:00	83	Bkn	230/5kt	24.0	>10kft	>6SM
GFS	2026-09-14 03:00	79	Sct	260/1kt	—	>10kft	>6SM
GFS	2026-09-14 06:00	77	Few	260/1kt	7.0	>10kft	>6SM
GFS	2026-09-14 09:00	76	Clear	270/2kt	—	>10kft	>6SM
GFS	2026-09-14 12:00	76	Clear	310/2kt	16.0	>10kft	>6SM
GFS	2026-09-14 15:00	87	Clear	320/5kt	—	>10kft	>6SM
GFS	2026-09-14 18:00	93	Few	280/7kt	10.0	>10kft	>6SM

GFS	2026-09-14 21:00	92	Clear	220/8kt	—	>10kft	>6SM
GFS	2026-09-15 00:00	86	Few	220/5kt	5.0	>10kft	>6SM
GFS	2026-09-15 03:00	79	Clear	330/1kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KECP 130453Z AUTO 00000KT 10SM CLR 24/23 A3001 RMK A02 SLP173 T02390233

TAF KECP 130520Z 1306/1406 00000KT P6SM FEW100 FM130800 00000KT P6SM VCSH FEW010 SCT025 PROB30 1309/1313 5SM -TSRA BKN025CB FM131500 23006KT P6SM SCT035 PROB30 1318/1323 4SM TSRA BKN035CB

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KECP; actual-station=KECP; fetched-at=2026-09-13T06:12:07.417459+00:00; observed-or-issued-at=2026-09-13T04:53:00+00:00 — [AWC API](#)
 - TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KECP; actual-station=KECP; fetched-at=2026-09-13T06:12:08.222149+00:00; observed-or-issued-at=2026-09-13T05:20:00+00:00; valid-from=2026-09-13T06:00:00+00:00; valid-through=2026-09-14T06:00:00+00:00; partial-target-dates=2026-09-13,2026-09-14 — [AWC API](#)
- TAF proxy · KECP
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KECP; actual-station=KECP; fetched-at=2026-09-13T06:12:09.335064+00:00
 - FAA NMS NOTAM — state=OK; requested-station=KECP; actual-station=KECP; fetched-at=2026-09-13T06:12:14.073639Z — [FAA NMS overview](#)
 - MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KECP; actual-station=KECP; fetched-at=2026-09-13T06:12:30.041582+00:00; observed-or-issued-at=2026-09-13T00:00:00+00:00; valid-from=2026-09-13T06:00:00+00:00; valid-through=2026-09-16T00:00:00+00:00; target-dates=2026-09-13,2026-09-14; dates-with-points=2026-09-13,2026-09-14 — [Iowa State API](#)
 - MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KECP; actual-station=KECP; fetched-at=2026-09-13T06:12:30.629972+00:00; observed-or-issued-at=2026-09-13T00:00:00+00:00; valid-from=2026-09-14T00:00:00+00:00; valid-through=2026-09-21T00:00:00+00:00; target-dates=2026-09-14; partial-target-dates=2026-09-13; dates-with-points=2026-09-13,2026-09-14 — [Iowa State API](#)
 - MOS effective date selection — state=partial; rows=16; requested-station=KECP; actual-station=KECP; fetched-at=2026-09-13T06:12:30.041582+00:00; observed-or-issued-at=2026-09-13T00:00:00+00:00; valid-from=2026-09-13T06:00:00+00:00; valid-through=2026-09-16T00:00:00+00:00; target-dates=2026-09-13,2026-09-14; dates-with-points=2026-09-13,2026-09-14; selected-by-date=2026-09-13=GFS, 2026-09-14=GFS
 - Extended outlook and hazard-feed states are reported in the source stamp.
 - Runway data + Chart Supplement — [FAA Chart Supplement](#) (current cycle) — see AirNav link above

#16

KPNS Pensacola Intl, FL, US · Gulf East · Pensacola (Class C)

⌵ OBS - VFR

ETE

1h51

DIST

267 nm

SUN 13 SEP 00:53 ET OBSERVED

Current observation

METAR

clear below 12,000 ft (CLR)

WINDcalm

⌵ OBS - VFR

OBSER

⌵

TEMPERATURE25 °C

☁

VISIBILITY10 sm

💧

DEWPOINT24 °C

- Evidence & limitations
- METAR source state: ok; observed Sep 13 00:53 ET; retrieved Sep 13 02:12 ET; 79 min before this run.

• Measured values read from the KPNS METAR. This is a current surface observation only; it is not a forecast.

• Only fields decoded from this METAR are shown; every missing field remains unavailable.

• Altimeter: 30.01 inHg.

• The complete raw METAR remains in this airport's Raw products disclosure.

DESTINATION OUTLOOK

SUN, SEP 13

SUN 13 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

☁

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 13 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · MVFR

FORECAST

☁

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · MVFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 13 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

☁

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 13 SEP 18:00–00:00 ET HIGH

Forecast

TA

F

TAF · MVFR

FORECAST

☁

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 18:00–00:00 ET ET · MVFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

00:00–06:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

Forecast



Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

TAF · VFR

FORECAST

Forecast



Flight-category guidance

WIND3 kt

TEMPERATURE78–79 °F

DEWPOINT77 °F

PRECIP CHANCE6%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

GFS MAV MOS · VFR

FORECAST

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND4–5 kt



TEMPERATURE77–87 °F



DEWPOINT76–77 °F



PRECIP CHANCE8%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND7–8 kt



TEMPERATURE92–93 °F



DEWPOINT75–76 °F



PRECIP CHANCE8%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 14

00:00–06:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

24°C dep KLZU → 25°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

17/35 (170/350°M · 168/348°T) · 08/26 (080/260°M · 078/258°T) — designators and °M headings are magnetic; °T are true; variation 2°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

15 Act on

5 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

ed 2026-09-13T06:12:14.249497Z.			
FRI SEP 11	SAT SEP 12	SUN SEP 13	MON SEP 14

04/047				
A0477/26				
A0478/26				
65 additional normalized NOTAM records omitted from this view.				

Raw NOTAM data · NOTAMs as of 06:12 Z

NOTAMs as of 06:12 Z — advisory only; verify an official briefing.

5/9591	NOTAM text not available in this projection.
04/046	NOTAM text not available in this projection.
04/047	NOTAM text not available in this projection.
A0477/26	NOTAM text not available in this projection.
A0478/26	NOTAM text not available in this projection.
04/048	NOTAM text not available in this projection.
A0479/26	NOTAM text not available in this projection.
04/049	NOTAM text not available in this projection.
A0480/26	NOTAM text not available in this projection.
06/011	NOTAM text not available in this projection.
A0665/26	NOTAM text not available in this projection.
07/040	NOTAM text not available in this projection.
07/041	NOTAM text not available in this projection.

6/7052

NOTAM text not available in this projection.

07/067

NOTAM text not available in this projection.

A0859/26

NOTAM text not available in this projection.

07/073

NOTAM text not available in this projection.

07/075

NOTAM text not available in this projection.

07/082

NOTAM text not available in this projection.

08/033

NOTAM text not available in this projection.

08/078

NOTAM text not available in this projection.

A1007/26

NOTAM text not available in this projection.

09/005

NOTAM text not available in this projection.

09/006

NOTAM text not available in this projection.

09/007

NOTAM text not available in this projection.

A1014/26

NOTAM text not available in this projection.

A1015/26

NOTAM text not available in this projection.

09/008

NOTAM text not available in this projection.

12/025

NOTAM text not available in this projection.

A1113/25

NOTAM text not available in this projection.

05/004

NOTAM text not available in this projection.

A0495/26

NOTAM text not available in this projection.

05/065

NOTAM text not available in this projection.

A0605/26

NOTAM text not available in this projection.

07/058

NOTAM text not available in this projection.

07/059

NOTAM text not available in this projection.

07/061

NOTAM text not available in this projection.

A0855/26

NOTAM text not available in this projection.

07/066

NOTAM text not available in this projection.

07/071

NOTAM text not available in this projection.

A0863/26

NOTAM text not available in this projection.

07/083

NOTAM text not available in this projection.

07/084

NOTAM text not available in this projection.

07/085

NOTAM text not available in this projection.

A0882/26

NOTAM text not available in this projection.

A0883/26

NOTAM text not available in this projection.

08/077

NOTAM text not available in this projection.

08/079

NOTAM text not available in this projection.

08/080

NOTAM text not available in this projection.

08/081

NOTAM text not available in this projection.

08/082

NOTAM text not available in this projection.

A0797/25

NOTAM text not available in this projection.

01/160

NOTAM text not available in this projection.

A0199/26

NOTAM text not available in this projection.

6/3336

NOTAM text not available in this projection.

A0624/26

NOTAM text not available in this projection.

A0826/26

NOTAM text not available in this projection.

6/7054

NOTAM text not available in this projection.

A0828/26

NOTAM text not available in this projection.

6/8258

NOTAM text not available in this projection.

A0849/26

NOTAM text not available in this projection.

6/8259

NOTAM text not available in this projection.

A0850/26

NOTAM text not available in this projection.

08/034

NOTAM text not available in this projection.

08/044

NOTAM text not available in this projection.

08/045

NOTAM text not available in this projection.

08/066

NOTAM text not available in this projection.

08/053

NOTAM text not available in this projection.

A0967/26

NOTAM text not available in this projection.

09/004

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production
source per owner decision 2026-08-09;
technical transport environment remains
preprod. Limited 2026-07-30 spot check
covered KLZU, KAVL, and KSGJ (3 of 30
airports). NOTAMs were read from this source
and used on this card this run. Typed state:
OK. The dot colour reports whether this
source was read this run; technical
environment: preprod.

2026-09-13T06:12:14.249497Z.

Effective 2025-09-08T16:19:00Z → 2027-09-08T16:19:00Z

FAA NOTAM text was truncated in this preview; verify the complete official record.

- RUNWAY

040406 — RWY 04 OPEN END ID LGT OPS

Effective 2026-04-24T22:11:00Z → 2027-01-29T20:00:00Z
- RUNWAY

040407 — RWY 04 OPEN LGT

Effective 2026-04-24T22:11:00Z → 2027-01-29T20:00:00Z
- RUNWAY

A0407026 — RWY 04 OPEN LGT

Effective 2026-04-24T22:11:00Z → 2027-01-29T20:00:00Z
- RUNWAY

A0408026 — RWY 04 OPEN END ID LGT OPS

Effective 2026-04-24T22:11:00Z → 2027-01-29T20:00:00Z
- RUNWAY

080828 — RWY 08 ON CLSD END AND TAX

Effective 2026-08-31T22:40:00Z → 2026-09-28T23:00:00Z
- RUNWAY

A1007026 — RWY 08 ON CLSD END AND TAX

Effective 2026-08-31T22:40:00Z → 2026-09-28T23:00:00Z

63 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KPNS this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

00:00 ET ET · VFR

02:00 ET ET · VFR

04:00 ET ET · MVFR

06:00 ET ET · MVFR

08:00 ET ET · VFR

10:00–12:00 ET ET · VFR

12:00–18:00 ET ET · VFR

18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-13=GFS, 2026-09-14=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
---------	----------	-------	-----	------	------	------	-----

GFS	2026-09-13 06:00	78	Few	230/3kt	—	>10kft	>6SM
GFS	2026-09-13 09:00	77	Sct	260/3kt	—	>10kft	>6SM
GFS	2026-09-13 12:00	77	Clear	320/3kt	20.0	>10kft	>6SM
GFS	2026-09-13 15:00	85	Clear	330/4kt	—	>10kft	>6SM
GFS	2026-09-13 18:00	89	Sct	180/5kt	18.0	>10kft	>6SM
GFS	2026-09-13 21:00	89	Sct	190/7kt	—	>10kft	>6SM
GFS	2026-09-14 00:00	84	Sct	230/6kt	22.0	>10kft	>6SM
GFS	2026-09-14 03:00	81	Clear	270/3kt	—	>10kft	>6SM
GFS	2026-09-14 06:00	79	Few	270/3kt	6.0	>10kft	>6SM
GFS	2026-09-14 09:00	78	Clear	310/3kt	—	>10kft	>6SM
GFS	2026-09-14 12:00	77	Clear	340/4kt	8.0	>10kft	>6SM
GFS	2026-09-14 15:00	87	Clear	350/5kt	—	>10kft	>6SM
GFS	2026-09-14 18:00	93	Clear	130/7kt	8.0	>10kft	>6SM
GFS	2026-09-14 21:00	92	Clear	190/8kt	—	>10kft	>6SM
GFS	2026-09-15 00:00	86	Clear	220/7kt	6.0	>10kft	>6SM
GFS	2026-09-15 03:00	83	Clear	290/3kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KPNS 130453Z 00000KT 10SM CLR 25/24 A3001 RMK A02 SLP163 T02500239

TAF KPNS 130524Z 1306/1406 00000KT P6SM SKC FM131800 20008KT P6SM SCT040 BKN100 PROB30 1319/1323 3SM TSRA BR BKN020CB FM140200 00000KT P6SM BKN250

+ Data sources used

• METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KPNS; actual-station=KPNS; fetched-at=2026-09-13T06:12:07.417459+00:00; observed-or-issued-at=2026-09-13T04:53:00+00:00 — [AWC API](#)

• TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KPNS; actual-station=KPNS; fetched-at=2026-09-13T06:12:08.222149+00:00; observed-or-issued-at=2026-09-13T05:24:00+00:00; valid-from=2026-09-13T06:00:00+00:00; valid-through=2026-09-14T06:00:00+00:00; partial-target-dates=2026-09-13,2026-09-14 — [AWC API](#)

TAF proxy · KPNS

• FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KPNS; actual-station=KPNS; fetched-at=2026-09-13T06:12:09.167640+00:00

• FAA NMS NOTAM — state=OK; requested-station=KPNS; actual-station=KPNS; fetched-at=2026-09-13T06:12:14.249497Z — [FAA NMS overview](#)

• MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KPNS; actual-station=KPNS; fetched-at=2026-09-13T06:12:30.044852+00:00; observed-or-issued-at=2026-09-13T00:00:00+00:00; valid-from=2026-09-13T06:00:00+00:00; valid-through=2026-09-16T00:00:00+00:00; target-dates=2026-09-13,2026-09-14; dates-with-points=2026-09-13,2026-09-14 — [Iowa State API](#)

• MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KPNS; actual-station=KPNS; fetched-at=2026-09-13T06:12:30.533139+00:00; observed-or-issued-at=2026-09-13T00:00:00+00:00; valid-from=2026-09-14T00:00:00+00:00; valid-through=2026-09-21T00:00:00+00:00; target-dates=2026-09-14; partial-target-dates=2026-09-13; dates-with-points=2026-09-13,2026-09-14 — [Iowa State API](#)

• MOS effective date selection — state=partial; rows=16; requested-station=KPNS; actual-station=KPNS; fetched-at=2026-09-13T06:12:30.044852+00:00; observed-or-issued-at=2026-09-13T00:00:00+00:00; valid-from=2026-09-13T06:00:00+00:00; valid-through=2026-09-16T00:00:00+00:00; target-dates=2026-09-13,2026-09-14; dates-with-points=2026-09-13,2026-09-14; selected-by-date=2026-09-13=GFS, 2026-09-14=GFS

• Extended outlook and hazard-feed states are reported in the source stamp.

• Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#17

KDAB

Daytona Beach Intl, FL, US

· Gulf East · Daytona Beach (Class C)

⏮

OBS - VFR

⏭

ETE

2h13

DIST

324 nm

SUN 13 SEP 00:53 ET OBSERVED

Current observation

⏮

OBS - VFR

⏭

OBSER

META

R

☁

broken 15,000 ft

🌀

WINDSW (210°) 5 kt

🌡


TEMPERATURE24 °C

👁

VISIBILITY10 sm

💧

DEWPOINT23 °C



Wind equally favours RWY 25R and 25L

210° true · 217° magnetic · 5 kt

Evidence & limitations

- METAR source state: ok; observed Sep 13 00:53 ET; retrieved Sep 13 02:12 ET; 79 min before this run.
- Measured values read from the KDAB METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.04 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KDAB runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 07L/25R, 16/34, 07R/25L. Wind from 210 degrees true, 217 degrees magnetic, at 5 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Equally wind-favoured runway ends, highlighted: 25R and 25L. Wind source: KDAB METAR 130453Z.

DESTINATION OUTLOOK

SUN 13 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 13 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 13 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · MVFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 13 SEP 18:00–00:00 ET HIGH

Forecast

TA

F

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 18:00–00:00 ET ET · MVFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 13

00:00–06:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON 14 SEP 00:00–06:00 ET HIGH

Forecast



Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

TAF · VFR
FORECAST

MON 14 SEP 06:00–12:00 ET MEDIUM

Forecast



Flight-category guidance

WIND2 kt

↓
TEMPERATURE76–77 °F

💧
DEWPOINT75–76 °F

💧
PRECIP CHANCE45%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

GFS MAV MOS · VFR
FORECAST

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND3–5 kt



TEMPERATURE76–87 °F



DEWPOINT76–78 °F



PRECIP CHANCE20%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND5–7 kt



TEMPERATURE84–88 °F



DEWPOINT78–79 °F



PRECIP CHANCE28%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 14

00:00–06:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

24°C dep KLZU → 24°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here: the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

07L/25R (070/250°M · 063/243°T) · 16/34 (160/340°M · 153/333°T) · 07R/25L (070/250°M · 063/243°T) —
designators and °M headings are magnetic; °T are true; variation 7°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

16 Act on

2 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production
source per owner decision 2026-08-09;
technical transport environment remains
preprod. Limited 2026-07-30 spot check
covered KLZU, KAVL, and KSGJ (3 of 30
airports). NOTAMs were read from this source
and used on this card this run. Typed state:
OK. The dot colour reports whether this
source was read this run; technical
environment: preprod.

2 · What

3 · Where

ed 2026-09-13T06:12:14.251718Z.

pritative)

FRI SEP 11

SAT SEP 12

SUN SEP 13

MON SEP 14

6/8811	
6/8814	
6/8816	
25 additional normalized NOTAM records omitted from this view.	

Raw NOTAM data · NOTAMs as of 06:12 Z

NOTAMs as of 06:12 Z — advisory only; verify an official briefing.

09/034	NOTAM text not available in this projection.
6/8810	NOTAM text not available in this projection.
6/8811	NOTAM text not available in this projection.
6/8814	NOTAM text not available in this projection.
6/8816	NOTAM text not available in this projection.
A0825/26	NOTAM text not available in this projection.
A0828/26	NOTAM text not available in this projection.
A0829/26	NOTAM text not available in this projection.
A0830/26	NOTAM text not available in this projection.
6/3056	NOTAM text not available in this projection.
A0972/26	NOTAM text not available in this projection.
6/0752	NOTAM text not available in this projection.
A1405/26	NOTAM text not available in this projection.

6/0885

NOTAM text not available in this projection.

A1425/26

NOTAM text not available in this projection.

08/067

NOTAM text not available in this projection.

08/069

NOTAM text not available in this projection.

08/070

NOTAM text not available in this projection.

08/071

NOTAM text not available in this projection.

02/081

NOTAM text not available in this projection.

A0203/26

NOTAM text not available in this projection.

06/126

NOTAM text not available in this projection.

A0894/26

NOTAM text not available in this projection.

07/052

NOTAM text not available in this projection.

A1038/26

NOTAM text not available in this projection.

07/089

NOTAM text not available in this projection.

09/043

NOTAM text not available in this projection.

A1469/26

NOTAM text not available in this projection.

09/051

NOTAM text not available in this projection.

A1487/26

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

NAV_APPROACH 00014 — IAP DAYTONA BEACH INTL, DAYTONA BEACH, FL, ILS OR LOC RWY 25R, AMDT 1, . BANNER FIX MINIMUMS (DUAL VOR RECEIVERS OR DME REQUIRED); CIRCLING CAT A/B MDA 500HAA 526; TEMPORARY CRANE 250 MSL 360FT NE OF DAB AIRPORT (2026-ASD-269-0E), 2606171000-2612150429EST
Effective 2026-06-17T10:00:00Z → 2026-12-15T04:29:00Z

NAV_APPROACH 00016 — IAP DAYTONA BEACH INTL, DAYTONA BEACH, FL, RNAV (GPS) RWY 7L, AMDT 1C, . LNAV MDA 400HAT 410 ALL CATS; CIRCLING CAT A/B MDA 500HAA 526; TEMPORARY CRANE 250 MSL 371FT NW OF RWY 7L (2026-ASD-15771-0E); TEMPORARY CRANE 250 MSL 360FT NE OF DAB AIRPORT (2026-ASD-269-0E), 2606171000-2612150429EST
Effective 2026-06-17T10:00:00Z → 2026-12-15T04:29:00Z

25 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · MVFR

category. NOTAMs were read for KDAB this run.

issuing once and valid time. It is displayed, never interpreted.

0:00 ET ET · MVFR

05:00 ET ET · VFR

06:00–12:00 ET ET · VFR

• Mon, Sep 14 · 12:00–18:00 ET: GFS MAV MOS · 12:00–18:00 ET ET · VFR

• Mon, Sep 14 · 18:00–00:00 ET: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-13=GFS, 2026-09-14=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-13 06:00	76	Sct	230/2kt	—	>10kft	>6SM
GFS	2026-09-13 09:00	75	Sct	250/2kt	—	>10kft	>6SM
GFS	2026-09-13 12:00	76	Sct	280/2kt	8.0	>10kft	>6SM
GFS	2026-09-13 15:00	86	Bkn	300/4kt	—	>10kft	>6SM
GFS	2026-09-13 18:00	88	Bkn	70/6kt	15.0	>10kft	>6SM
GFS	2026-09-13 21:00	85	Bkn	100/6kt	—	>10kft	>6SM
GFS	2026-09-14 00:00	80	Ovc	160/3kt	44.0	>10kft	>6SM
GFS	2026-09-14 03:00	78	Ovc	250/3kt	—	>10kft	>6SM
GFS	2026-09-14 06:00	77	Bkn	250/2kt	45.0	>10kft	>6SM
GFS	2026-09-14 09:00	76	Bkn	250/2kt	—	>10kft	>6SM
GFS	2026-09-14 12:00	76	Bkn	280/3kt	20.0	>10kft	>6SM
GFS	2026-09-14 15:00	87	Bkn	300/5kt	—	>10kft	>6SM
GFS	2026-09-14 18:00	88	Bkn	40/7kt	28.0	>10kft	>6SM
GFS	2026-09-14 21:00	84	Bkn	70/5kt	—	>10kft	>6SM
GFS	2026-09-15 00:00	81	Bkn	70/4kt	50.0	>10kft	>6SM
GFS	2026-09-15 03:00	80	Sct	110/2kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KDAB 130453Z 21005KT 10SM BKN150 24/23 A3004 RMK A02 SLP170 T02440228 403280244 \$

TAF KDAB 130520Z 1306/1406 VRB04KT P6SM FEW030 SCT250 FM131400 29005KT P6SM FEW025 BKN150 BKN200 FM131800 08008KT P6SM VCTS SCT035CB SCT050 BKN150 TEMPO 1321/1401 VRB15G25KT 3SM TSRA BKN030CB FM140200 VRB05KT P6SM FEW040 BKN080 BKN200

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KDAB; actual-station=KDAB; fetched-at=2026-09-13T06:12:07.417459+00:00; observed-or-issued-at=2026-09-13T04:53:00+00:00 — [AWC API](#)
 - TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KDAB; actual-station=KDAB; fetched-at=2026-09-13T06:12:08.222149+00:00; observed-or-issued-at=2026-09-13T05:20:00+00:00; valid-from=2026-09-13T06:00:00+00:00; valid-through=2026-09-14T06:00:00+00:00; partial-target-dates=2026-09-13,2026-09-14 — [AWC API](#)
- TAF proxy · KDAB
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KDAB; actual-station=KDAB; fetched-at=2026-09-13T06:12:09.090308+00:00
 - FAA NMS NOTAM — state=OK; requested-station=KDAB; actual-station=KDAB; fetched-at=2026-09-13T06:12:14.251718Z — [FAA NMS overview](#)
 - MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KDAB; actual-station=KDAB; fetched-at=2026-09-13T06:12:30.074714+00:00; observed-or-issued-at=2026-09-13T00:00:00+00:00; valid-from=2026-09-13T06:00:00+00:00; valid-through=2026-09-16T00:00:00+00:00; target-dates=2026-09-13,2026-09-14; dates-with-points=2026-09-13,2026-09-14 — [Iowa State API](#)
 - MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KDAB; actual-station=KDAB; fetched-at=2026-09-13T06:12:30.549168+00:00; observed-or-issued-at=2026-09-13T00:00:00+00:00; valid-from=2026-09-14T00:00:00+00:00; valid-through=2026-09-21T00:00:00+00:00; target-dates=2026-09-14; partial-target-dates=2026-09-13; dates-with-points=2026-09-13,2026-09-14 — [Iowa State API](#)
 - MOS effective date selection — state=partial; rows=16; requested-station=KDAB; actual-station=KDAB; fetched-at=2026-09-13T06:12:30.074714+00:00; observed-or-issued-at=2026-09-13T00:00:00+00:00; valid-from=2026-09-13T06:00:00+00:00; valid-through=2026-09-16T00:00:00+00:00; target-dates=2026-09-13,2026-09-14; dates-with-points=2026-09-13,2026-09-14; selected-by-date=2026-09-13=GFS, 2026-09-14=GFS
 - Extended outlook and hazard-feed states are reported in the source stamp.
 - Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#18 **KJKA** Gulf Shores/Edwards Arpt, AL, US · Gulf West · Gulf Shores AL

⌵ OBS - VFR

ETE
2h01

DIST
291 nm

SUN 13 SEP 00:15 ET OBSERVED

Current observation

⌵ OBS - VFR

OBSER



clear below 12,000 ft (CLR)



WINDcalm



TEMPERATURE25 °C



VISIBILITY10 sm



DEWPOINT25 °C

Evidence & limitations

- METAR source state: ok; observed Sep 13 00:15 ET; retrieved Sep 13 02:12 ET; 117 min before this run.
- Measured values read from the KJKA METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.00 inHg.

• The complete raw METAR remains in this airport's Raw products disclosure.

DESTINATION OUTLOOK

SUN, SEP 13

SUN 13 SEP 00:00–06:00 ET HIGH

Forecast



TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 13 SEP 06:00–12:00 ET HIGH

Forecast



TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 13 SEP 12:00–18:00 ET HIGH

Forecast



TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 13 SEP 18:00–00:00 ET HIGH

Forecast



TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 13

00:00–06:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

Forecast



Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available



FORECAST

Forecast



Flight-category guidance

WIND2 kt

TEMPERATURE76–77 °F

DEWPOINT75–76 °F

PRECIP CHANCE6%



FORECAST

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND2–3 kt



TEMPERATURE76–86 °F



DEWPOINT75–77 °F



PRECIP CHANCE10%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND6 kt



TEMPERATURE90–91 °F



DEWPOINT76 °F



PRECIP CHANCE11%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 14

00:00–06:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

now

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

24°C dep KLZU → 25°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

rwY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

09/27 (090/270°M · 088/268°T) · 17/35 (170/350°M · 168/348°T) — designators and °M headings are magnetic; °T are true; variation 2°W (NOAA WMM2025)

info

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

8 Act on1 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

ed 2026-09-13T06:12:14.418180Z.			
(oritative)			
FRI SEP 11	SAT SEP 12	SUN SEP 13	MON SEP 14

5/1161	
5/1162	
6/6821	
6 additional normalized NOTAM records omitted from this view.	

Raw NOTAM data · NOTAMs as of 06:12 Z

NOTAMs as of 06:12 Z — advisory only; verify an official briefing.

- 05/473**
NOTAM text not available in this projection.
- 08/415**
NOTAM text not available in this projection.
- 5/1161**
NOTAM text not available in this projection.
- 5/1162**
NOTAM text not available in this projection.
- 6/6821**
NOTAM text not available in this projection.
- 6/6822**
NOTAM text not available in this projection.
- 6/6824**
NOTAM text not available in this projection.
- 6/3337**
NOTAM text not available in this projection.
- 6/2179**
NOTAM text not available in this projection.
- 03/876**
NOTAM text not available in this projection.
- 03/884**
NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

source per owner decision 2026-08-09;
technical transport environment remains
preprod. Limited 2026-07-30 spot check
covered KLZU, KAVL, and KSGJ (3 of 30
airports). NOTAMS were read from this source
and used on this card this run. Typed state:
OK. The dot colour reports whether this
source was read this run; technical
environment: preprod.

26-09-13T06:12:14.418180Z.

:00Z

:00Z

05:00Z

NAV_APPROACH

Effective 2025-09-10T15:59:00Z → 2027-09-10T15:59:00Z

Effective 2026-04-29T15:01:00Z → 2026-10-16T15:01:00Z

6 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KJKA this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

• Mon, Sep 14 • 12:00–18:00 ET: GFS MAV MOS • 12:00–18:00 ET ET • VFR

• Mon, Sep 14 · 18:00–00:00 ET: GFS MAV MOS · 18:00–00:00 ET ET · VFR

[illegible]

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

6:00 ET ET · VFR

2:00 ET ET · VFR

8:00 ET ET · MVFR

0:00 ET ET · MVFR

6:00 ET ET · VFR

S · 06:00–12:00 ET ET · VFR

OS · 12:00–18:00 ET ET · VFR

OS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-13=GFS, 2026-09-14=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-13 06:00	77	Clear	60/2kt	—	>10kft	>6SM
GFS	2026-09-13 09:00	76	Sct	120/2kt	—	>10kft	>6SM
GFS	2026-09-13 12:00	75	Few	320/2kt	17.0	>10kft	>6SM
GFS	2026-09-13 15:00	84	Few	300/3kt	—	>10kft	>6SM
GFS	2026-09-13 18:00	87	Sct	230/4kt	17.0	>10kft	>6SM
GFS	2026-09-13 21:00	87	Sct	210/6kt	—	>10kft	>6SM
GFS	2026-09-14 00:00	82	Bkn	250/3kt	20.0	>10kft	>6SM
GFS	2026-09-14 03:00	78	Few	0/0kt	—	>10kft	>6SM
GFS	2026-09-14 06:00	77	Sct	100/2kt	6.0	>10kft	>6SM
GFS	2026-09-14 09:00	76	Clear	310/2kt	—	>10kft	>6SM
GFS	2026-09-14 12:00	76	Clear	340/2kt	10.0	>10kft	>6SM
GFS	2026-09-14 15:00	86	Clear	330/3kt	—	>10kft	>6SM
GFS	2026-09-14 18:00	91	Sct	220/6kt	11.0	>10kft	>6SM
GFS	2026-09-14 21:00	90	Few	210/6kt	—	>10kft	>6SM
GFS	2026-09-15 00:00	84	Few	230/4kt	9.0	>10kft	>6SM
GFS	2026-09-15 03:00	78	Clear	330/1kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KJKA 130415Z AUTO 00000KT 10SM CLR 25/25 A3000 RMK A02

TAF KJKA 130524Z 1306/1406 00000KT P6SM SKC FM131800 21008KT P6SM SCT030 SCT100 PROB30 1319/1323 3SM TSRA BR BKN020CB FM140200 00000KT P6SM BKN250

+ Data sources used

• METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KJKA; actual-station=KJKA; fetched-at=2026-09-13T06:12:07.417459+00:00; observed-or-issued-at=2026-09-13T04:15:00+00:00 — AWC API

• TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KJKA; actual-station=KJKA; fetched-at=2026-09-13T06:12:08.222149+00:00; observed-or-issued-at=2026-09-13T05:24:00+00:00; valid-from=2026-09-13T06:00:00+00:00; valid-through=2026-09-14T06:00:00+00:00; partial-target-dates=2026-09-13,2026-09-14 — AWC API

TAF proxy · KJKA

- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KJKA; actual-station=KJKA; fetched-at=2026-09-13T06:12:09.441834+00:00
- FAA NMS NOTAM — state=OK; requested-station=KJKA; actual-station=KJKA; fetched-at=2026-09-13T06:12:14.418180Z — [FAA NMS overview](#)
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KJKA; actual-station=KJKA; fetched-at=2026-09-13T06:12:30.040625+00:00; observed-or-issued-at=2026-09-13T00:00:00+00:00; valid-from=2026-09-13T06:00:00+00:00; valid-through=2026-09-16T00:00:00+00:00; target-dates=2026-09-13,2026-09-14; dates-with-points=2026-09-13,2026-09-14 — [Iowa State API](#)
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KJKA; actual-station=KJKA; fetched-at=2026-09-13T06:12:31.077557+00:00; observed-or-issued-at=2026-09-13T00:00:00+00:00; valid-from=2026-09-14T00:00:00+00:00; valid-through=2026-09-21T00:00:00+00:00; target-dates=2026-09-14; partial-target-dates=2026-09-13; dates-with-points=2026-09-13,2026-09-14 — [Iowa State API](#)
- MOS effective date selection — state=partial; rows=16; requested-station=KJKA; actual-station=KJKA; fetched-at=2026-09-13T06:12:30.040625+00:00; observed-or-issued-at=2026-09-13T00:00:00+00:00; valid-from=2026-09-13T06:00:00+00:00; valid-through=2026-09-16T00:00:00+00:00; target-dates=2026-09-13,2026-09-14; dates-with-points=2026-09-13,2026-09-14; selected-by-date=2026-09-13=GFS, 2026-09-14=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — [FAA Chart Supplement \(current cycle\)](#) — see AirNav link above

#19

KBFM

Mobile/Downtown Arpt, AL, US

· Gulf West · Mobile Downtown

▸

OBS - VFR

ETE

2h00

DIST

290 nm

SUN 13 SEP 00:53 ET OBSERVED

Current observation

▸

OBS - VFR

OBSER




clear below 12,000 ft (CLR)

WINDS (190°) 3 kt

TEMPERATURE25 °C

VISIBILITY10 sm

DEWPOINT24 °C



Wind favours RWY 18

190° true · 192° magnetic · 3 kt

Evidence & limitations

- METAR source state: ok; observed Sep 13 00:53 ET; retrieved Sep 13 02:12 ET; 79 min before this run.
- Measured values read from the KBFM METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.02 inHg.

- The complete raw METAR remains in this airport's Raw products disclosure.
- KBFM runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 14/32, 18/36. Wind from 190 degrees true, 192 degrees magnetic, at 3 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 18. Wind source: KBFM METAR 130453Z.

DESTINATION OUTLOOK

SUN, SEP 13

SUN 13 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 13 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 13 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · MVFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 13 SEP 18:00–00:00 ET HIGH

Forecast

TA

F

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 18:00–00:00 ET ET · MVFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 13

00:00–06:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

Forecast



Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

TAF · VFR
FORECAST

Forecast



Flight-category guidance

WIND2 kt

TEMPERATURE78–79 °F

DEWPOINT77 °F

PRECIP CHANCE6%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

GFS MAV MOS · VFR
FORECAST

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND2–5 kt



TEMPERATURE77–88 °F



DEWPOINT77 °F



PRECIP CHANCE7%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND5–6 kt



TEMPERATURE93 °F



DEWPOINT76–77 °F



PRECIP CHANCE8%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 14

00:00–06:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

now

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

24°C dep KLZU → 25°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

rwY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

14/32 (140/320°M · 138/318°T) · 18/36 (180/000°M · 178/358°T) — designators and °M headings are magnetic; °T are true; variation 2°W (NOAA WMM2025)

info

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

12 Act on3 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

ed 2026-09-13T06:12:14.423265Z.			
(oritative)			
FRI SEP 11	SAT SEP 12	SUN SEP 13	MON SEP 14

08/020				
A0373/26				
08/024				
32 additional normalized NOTAM records omitted from this view.				

Raw NOTAM data · NOTAMs as of 06:12 Z

NOTAMs as of 06:12 Z — advisory only; verify an official briefing.

08/004	NOTAM text not available in this projection.
A0354/26	NOTAM text not available in this projection.
08/020	NOTAM text not available in this projection.
A0373/26	NOTAM text not available in this projection.
08/024	NOTAM text not available in this projection.
A0377/26	NOTAM text not available in this projection.
6/1287	NOTAM text not available in this projection.
6/1289	NOTAM text not available in this projection.
A0106/26	NOTAM text not available in this projection.
A0108/26	NOTAM text not available in this projection.
6/3379	NOTAM text not available in this projection.
A0284/26	NOTAM text not available in this projection.
6/2188	NOTAM text not available in this projection.

A0356/26

NOTAM text not available in this projection.

6/4898

NOTAM text not available in this projection.

A0364/26

NOTAM text not available in this projection.

6/9973

NOTAM text not available in this projection.

A0382/26

NOTAM text not available in this projection.

05/009

NOTAM text not available in this projection.

A0240/26

NOTAM text not available in this projection.

06/026

NOTAM text not available in this projection.

06/027

NOTAM text not available in this projection.

06/028

NOTAM text not available in this projection.

06/029

NOTAM text not available in this projection.

06/030

NOTAM text not available in this projection.

06/031

NOTAM text not available in this projection.

06/032

NOTAM text not available in this projection.

06/033

NOTAM text not available in this projection.

06/049

NOTAM text not available in this projection.

07/009

NOTAM text not available in this projection.

A0326/26

NOTAM text not available in this projection.

08/021

NOTAM text not available in this projection.

09/002

NOTAM text not available in this projection.

09/003

NOTAM text not available in this projection.

09/009

NOTAM text not available in this projection.

08/027

NOTAM text not available in this projection.

09/011

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production
source per owner decision 2026-08-09;
technical transport environment remains
preprod. Limited 2026-07-30 spot check
covered KLZU, KAVL, and KSGJ (3 of 30
airports). NOTAMs were read from this source
and used on this card this run. Typed state:
OK. The dot colour reports whether this
source was read this run; technical
environment: preprod.

026-09-13T06:12:14.423265Z.

:00Z

:00Z

:00Z

:00Z

Effective 2026-08-26T15:11:00Z → 2026-09-30T23:59:00Z

32 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR — the routine surface observation

issued hourly by the reporting station, with SPECI reports off-cycle, carrying ceiling, visibility, wind, temperature and altimeter. Issued by the observing station and distributed by aviationweather.gov. This is measured fact, not a forecast, and on this page it describes conditions right now, not this day. A current KBFM observation was read this run. It describes conditions now, not this trip day.

SPS extended MOS (IMEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KBFM this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

• Mon, Sep 14 • 12:00–18:00 ET: GFS MAV MOS • 12:00–18:00 ET ET • VFR

• Mon, Sep 14 • 18:00–00:00 ET: GFS MAV MOS • 18:00–00:00 ET ET • VFR

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

6:00 ET ET · VFR

2:00 ET ET · VFR

8:00 ET ET · MVFR

0:00 ET ET · MVFR

6:00 ET ET · VFR

S · 06:00–12:00 ET ET · VFR

- + MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-13=GFS, 2026-09-14=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-13 06:00	78	Clear	160/1kt	—	>10kft	>6SM
GFS	2026-09-13 09:00	77	Sct	260/1kt	—	>10kft	>6SM
GFS	2026-09-13 12:00	77	Clear	280/1kt	11.0	>10kft	>6SM
GFS	2026-09-13 15:00	86	Clear	360/3kt	—	>10kft	>6SM
GFS	2026-09-13 18:00	89	Sct	110/5kt	10.0	>10kft	>6SM
GFS	2026-09-13 21:00	89	Sct	170/5kt	—	>10kft	>6SM
GFS	2026-09-14 00:00	85	Sct	230/2kt	21.0	>10kft	>6SM
GFS	2026-09-14 03:00	81	Clear	220/2kt	—	>10kft	>6SM
GFS	2026-09-14 06:00	79	Sct	260/2kt	6.0	>10kft	>6SM
GFS	2026-09-14 09:00	78	Clear	300/2kt	—	>10kft	>6SM
GFS	2026-09-14 12:00	77	Clear	330/2kt	7.0	>10kft	>6SM

GFS	2026-09-14 15:00	88	Clear	20/5kt	—	>10kft	>6SM
GFS	2026-09-14 18:00	93	Few	100/5kt	8.0	>10kft	>6SM
GFS	2026-09-14 21:00	93	Few	150/6kt	—	>10kft	>6SM
GFS	2026-09-15 00:00	87	Few	230/3kt	9.0	>10kft	>6SM
GFS	2026-09-15 03:00	82	Clear	280/1kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KBFM 130453Z AUTO 19003KT 10SM CLR 25/24 A3002 RMK A02 SLP164 T02500244

TAF KBFM 130524Z 1306/1406 19003KT P6SM SKC FM131700 18007KT P6SM SCT030 BKN100 PROB30 1319/1323 3SM TSRA BR BKN020CB FM140200 00000KT P6SM BKN250

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KBFM; actual-station=KBFM; fetched-at=2026-09-13T06:12:07.417459+00:00; observed-or-issued-at=2026-09-13T04:53:00+00:00 — [AWC API](#)
 - TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KBFM; actual-station=KBFM; fetched-at=2026-09-13T06:12:08.222149+00:00; observed-or-issued-at=2026-09-13T05:24:00+00:00; valid-from=2026-09-13T06:00:00+00:00; valid-through=2026-09-14T06:00:00+00:00; partial-target-dates=2026-09-13,2026-09-14 — [AWC API](#)
- TAF proxy · KBFM
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KBFM; actual-station=KBFM; fetched-at=2026-09-13T06:12:09.286353+00:00
 - FAA NMS NOTAM — state=OK; requested-station=KBFM; actual-station=KBFM; fetched-at=2026-09-13T06:12:14.423265Z — [FAA NMS overview](#)
 - MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KBFM; actual-station=KBFM; fetched-at=2026-09-13T06:12:30.052144+00:00; observed-or-issued-at=2026-09-13T00:00:00+00:00; valid-from=2026-09-13T06:00:00+00:00; valid-through=2026-09-16T00:00:00+00:00; target-dates=2026-09-13,2026-09-14; dates-with-points=2026-09-13,2026-09-14 — [Iowa State API](#)
 - MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KBFM; actual-station=KBFM; fetched-at=2026-09-13T06:12:30.542874+00:00; observed-or-issued-at=2026-09-13T00:00:00+00:00; valid-from=2026-09-14T00:00:00+00:00; valid-through=2026-09-21T00:00:00+00:00; target-dates=2026-09-14; partial-target-dates=2026-09-13; dates-with-points=2026-09-13,2026-09-14 — [Iowa State API](#)
 - MOS effective date selection — state=partial; rows=16; requested-station=KBFM; actual-station=KBFM; fetched-at=2026-09-13T06:12:30.052144+00:00; observed-or-issued-at=2026-09-13T00:00:00+00:00; valid-from=2026-09-13T06:00:00+00:00; valid-through=2026-09-16T00:00:00+00:00; target-dates=2026-09-13,2026-09-14; dates-with-points=2026-09-13,2026-09-14; selected-by-date=2026-09-13=GFS, 2026-09-14=GFS
 - Extended outlook and hazard-feed states are reported in the source stamp.
 - Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

ETE

2h18

DIST

337 nm

Current observation

OBS - VFR

OBSER



clear below 12,000 ft (CLR)



WINDcalm



TEMPERATURE25 °C



VISIBILITY10 sm



DEWPOINT24 °C

Evidence & limitations

- METAR source state: ok; observed Sep 13 00:53 ET; retrieved Sep 13 02:12 ET; 79 min before this run.
- Measured values read from the KGPT METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.00 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.

DESTINATION OUTLOOK

SUN 13 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 13 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 13 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 13 SEP 18:00–00:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 13

- 00:00–06:00 ET ET
- WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.
- 06:00–12:00 ET ET
- WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.
- 12:00–18:00 ET ET
- WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.
- 18:00–00:00 ET ET
- WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON 14 SEP 00:00–06:00 ET HIGH

Forecast



Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

TAF · VFR
FORECAST

MON 14 SEP 06:00–12:00 ET MEDIUM

Forecast



Flight-category guidance



WIND0–1 kt



TEMPERATURE77–78 °F



DEWPOINT74–75 °F



PRECIP CHANCE7%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

GFS MAV MOS · VFR
FORECAST

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND1–4 kt



TEMPERATURE77–87 °F



DEWPOINT75 °F



PRECIP CHANCE9%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND5 kt



TEMPERATURE91–92 °F



DEWPOINT74–75 °F



PRECIP CHANCE10%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 14

00:00–06:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

24°C dep KLZU → 25°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

14/32 (140/320°M · 139/319°T) · 18/36 (180/000°M · 179/359°T) — designators and °M headings are magnetic; °T are true; variation 1°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

8 Act on

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

ed 2026-09-13T06:12:14.527190Z.			
(oritative)			
FRI SEP 11	SAT SEP 12	SUN SEP 13	MON SEP 14

09/008					
A0675/26					
09/058					
19 additional normalized NOTAM records omitted from this view.					

Raw NOTAM data · NOTAMs as of 06:12 Z

NOTAMs as of 06:12 Z — advisory only; verify an official briefing.

06/071	NOTAM text not available in this projection.
06/072	NOTAM text not available in this projection.
09/008	NOTAM text not available in this projection.
A0675/26	NOTAM text not available in this projection.
09/058	NOTAM text not available in this projection.
A0789/25	NOTAM text not available in this projection.
6/5422	NOTAM text not available in this projection.
A0386/26	NOTAM text not available in this projection.
06/065	NOTAM text not available in this projection.
6/9967	NOTAM text not available in this projection.
A0597/26	NOTAM text not available in this projection.
09/013	NOTAM text not available in this projection.
A0678/26	NOTAM text not available in this projection.

06/056

NOTAM text not available in this projection.

06/060

NOTAM text not available in this projection.

07/001

NOTAM text not available in this projection.

07/031

NOTAM text not available in this projection.

08/003

NOTAM text not available in this projection.

08/023

NOTAM text not available in this projection.

08/040

NOTAM text not available in this projection.

08/041

NOTAM text not available in this projection.

08/042

NOTAM text not available in this projection.

09/007

NOTAM text not available in this projection.

09/010

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2026-09-13T06:12:14.527190Z.

REPLACES CRBSC

:00Z

IFC MARKING AT TWY E, TWY D, AND TWY A CRBSC

:00Z

:00Z

:00Z

NAV_APPROACH

Effective 2025-09-29T08:58:00Z → 2026-09-25T21:11:00Z

19 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KGPT this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

0:00 ET ET · VFR

2:00 ET ET · VFR

4:00 ET ET · VFR

6:00 ET ET · VFR

8:00 ET ET · VFR

10:00 ET ET · VFR

12:00 ET ET · VFR

• Mon, Sep 14 · 12:00–18:00 ET: GFS MAV MOS · 12:00–18:00 ET ET · VFR

• Mon, Sep 14 · 18:00–00:00 ET: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-13=GFS, 2026-09-14=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-13 06:00	77	Clear	230/1kt	—	>10kft	>6SM
GFS	2026-09-13 09:00	76	Clear	0/0kt	—	>10kft	>6SM
GFS	2026-09-13 12:00	76	Clear	300/1kt	8.0	>10kft	>6SM
GFS	2026-09-13 15:00	86	Clear	310/3kt	—	>10kft	>6SM
GFS	2026-09-13 18:00	90	Sct	190/5kt	7.0	>10kft	>6SM
GFS	2026-09-13 21:00	88	Sct	180/5kt	—	>10kft	>6SM

GFS	2026-09-14 00:00	84	Sct	230/3kt	21.0	>10kft	>6SM
GFS	2026-09-14 03:00	80	Clear	330/1kt	—	>10kft	>6SM
GFS	2026-09-14 06:00	78	Sct	0/0kt	7.0	>10kft	>6SM
GFS	2026-09-14 09:00	77	Clear	310/1kt	—	>10kft	>6SM
GFS	2026-09-14 12:00	77	Clear	330/1kt	9.0	>10kft	>6SM
GFS	2026-09-14 15:00	87	Clear	340/4kt	—	>10kft	>6SM
GFS	2026-09-14 18:00	92	Sct	160/5kt	10.0	>10kft	>6SM
GFS	2026-09-14 21:00	91	Sct	190/5kt	—	>10kft	>6SM
GFS	2026-09-15 00:00	87	Clear	210/4kt	11.0	>10kft	>6SM
GFS	2026-09-15 03:00	82	Clear	230/1kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KGPT 130453Z AUTO 00000KT 10SM CLR 25/24 A3000 RMK A02 SLP156 T02500239

TAF KGPT 130520Z 1306/1406 VRB03KT P6SM FEW035

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KGPT; actual-station=KGPT; fetched-at=2026-09-13T06:12:07.417459+00:00; observed-or-issued-at=2026-09-13T04:53:00+00:00 — [AWC API](#)
 - TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KGPT; actual-station=KGPT; fetched-at=2026-09-13T06:12:08.222149+00:00; observed-or-issued-at=2026-09-13T05:20:00+00:00; valid-from=2026-09-13T06:00:00+00:00; valid-through=2026-09-14T06:00:00+00:00; partial-target-dates=2026-09-13,2026-09-14 — [AWC API](#)
- TAF proxy · KGPT
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KGPT; actual-station=KGPT; fetched-at=2026-09-13T06:12:09.302349+00:00
 - FAA NMS NOTAM — state=OK; requested-station=KGPT; actual-station=KGPT; fetched-at=2026-09-13T06:12:14.527190Z — [FAA NMS overview](#)
 - MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KGPT; actual-station=KGPT; fetched-at=2026-09-13T06:12:30.172059+00:00; observed-or-issued-at=2026-09-13T00:00:00+00:00; valid-from=2026-09-13T06:00:00+00:00; valid-through=2026-09-16T00:00:00+00:00; target-dates=2026-09-13,2026-09-14; dates-with-points=2026-09-13,2026-09-14 — [Iowa State API](#)
 - MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KGPT; actual-station=KGPT; fetched-at=2026-09-13T06:12:30.597542+00:00; observed-or-issued-at=2026-09-13T00:00:00+00:00; valid-from=2026-09-14T00:00:00+00:00; valid-through=2026-09-21T00:00:00+00:00; target-dates=2026-09-14; partial-target-dates=2026-09-13; dates-with-points=2026-09-13,2026-09-14 — [Iowa State API](#)
 - MOS effective date selection — state=partial; rows=16; requested-station=KGPT; actual-station=KGPT; fetched-at=2026-09-13T06:12:30.172059+00:00; observed-or-issued-at=2026-09-13T00:00:00+00:00; valid-from=2026-09-13T06:00:00+00:00; valid-through=2026-09-16T00:00:00+00:00; target-dates=2026-09-13,2026-09-14; dates-with-points=2026-09-13,2026-09-14; selected-by-date=2026-09-13=GFS, 2026-09-14=GFS
 - Extended outlook and hazard-feed states are reported in the source stamp.
 - Runway data + Chart Supplement — [FAA Chart Supplement \(current cycle\)](#) — see AirNav link above

SUN 13 SEP 00:53 ET OBSERVED

Current observation

OBS - VFR

OBSER

METAR

clear below 12,000 ft (CLR)

WINDS (160°) 11 kt

TEMPERATURE28 °C

VISIBILITY10 sm

DEWPOINT24 °C

From 160°M - 11 kt

160°

180°

270°

360°

090°

180°

270°

360°

Wind favours RWY 18

160° true · 166° magnetic · 11 kt

Evidence & limitations

• METAR source state: ok; observed Sep 13 00:53 ET; retrieved Sep 13 02:12 ET; 79 min before this run.

• Measured values read from the KSPG METAR. This is a current surface observation only; it is not a forecast.

• Only fields decoded from this METAR are shown; every missing field remains unavailable.

• Altimeter: 30.02 inHg.

• The complete raw METAR remains in this airport's Raw products disclosure.

• KSPG runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 07/25, 18/36. Wind from 160 degrees true, 166 degrees magnetic, at 11 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 18. Wind source: KSPG METAR 130453Z.

DESTINATION OUTLOOK

SUN 13 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 13 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 13 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 13 SEP 18:00–00:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 13

- 00:00–06:00 ET ET
- WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.
- 06:00–12:00 ET ET
- WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.
- 12:00–18:00 ET ET
- WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.
- 18:00–00:00 ET ET
- WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON 14 SEP 00:00–06:00 ET HIGH

Forecast



Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

TAF · VFR

FORECAST

MON 14 SEP 06:00–12:00 ET MEDIUM

Forecast



Flight-category guidance

WIND3–4 kt

TEMPERATURE82–83 °F

DEWPOINT77 °F

PRECIP CHANCE19%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

GFS MAV MOS · VFR

FORECAST

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND4–5 kt



TEMPERATURE83–86 °F



DEWPOINT78 °F



PRECIP CHANCE13%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND6–7 kt



TEMPERATURE88 °F



DEWPOINT76–77 °F



PRECIP CHANCE28%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 14

00:00–06:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

now

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

24°C dep KLZU → 28°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

rwY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

07/25 (070/250°M · 064/244°T) · 18/36 (180/000°M · 174/354°T) — designators and °M headings are magnetic; °T are true; variation 6°W (NOAA WMM2025)

info

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

6 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

ed 2026-09-13T06:12:14.592938Z.			
(oritative)			
FRI SEP 11	SAT SEP 12	SUN SEP 13	MON SEP 14

07/003				
07/004				
07/005				
5 additional normalized NOTAM records omitted from this view.				

Raw NOTAM data · NOTAMs as of 06:12 Z

NOTAMs as of 06:12 Z — advisory only; verify an official briefing.

6/3728	NOTAM text not available in this projection.
07/002	NOTAM text not available in this projection.
07/003	NOTAM text not available in this projection.
07/004	NOTAM text not available in this projection.
07/005	NOTAM text not available in this projection.
07/006	NOTAM text not available in this projection.
07/007	NOTAM text not available in this projection.
07/010	NOTAM text not available in this projection.
08/001	NOTAM text not available in this projection.
08/002	NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains

2026-09-13T06:12:14.592938Z.
TBD, ST PETERSBURG, FL, TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 4L, ADD TAKEOFF OBSTACLE NOTE, RWY 25, BUILDING CENTERLINE, 19FT AGL/ 80FT MSL (2026-ADD-3172-DE-PERM), ALL OTHER DATA REMAINS AS PUBLISHED. 2026170025-2026170025T

preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

Effective 2026-07-21T18:50:00Z → 2026-10-01T15:00:00Z

RUNWAY 0770005 → 0770005 (0770005) 0770005 (0770005) 0770005 (0770005)

Effective 2026-07-21T18:51:00Z → 2026-10-01T15:00:00Z

5 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KSPG this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

06:00 ET ET · VFR

07:00 ET ET · VFR

08:00 ET ET · VFR

09:00 ET ET · VFR

10:00 ET ET · VFR

11:00 ET ET · VFR

12:00–18:00 ET ET · VFR

13:00–18:00 ET ET · VFR

14:00–18:00 ET ET · VFR

15:00–18:00 ET ET · VFR

16:00–18:00 ET ET · VFR

17:00–18:00 ET ET · VFR

18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-13=GFS, 2026-09-14=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-13 06:00	82	Clear	160/4kt	—	>10kft	>6SM
GFS	2026-09-13 09:00	82	Clear	170/2kt	—	>10kft	>6SM

GFS	2026-09-13 12:00	82	Clear	130/2kt	8.0	>10kft	>6SM
GFS	2026-09-13 15:00	85	Clear	110/4kt	—	>10kft	>6SM
GFS	2026-09-13 18:00	88	Few	290/5kt	24.0	>10kft	>6SM
GFS	2026-09-13 21:00	88	Bkn	280/6kt	—	>10kft	>6SM
GFS	2026-09-14 00:00	86	Bkn	330/6kt	29.0	>10kft	>6SM
GFS	2026-09-14 03:00	84	Bkn	310/4kt	—	>10kft	>6SM
GFS	2026-09-14 06:00	83	Sct	80/3kt	19.0	>10kft	>6SM
GFS	2026-09-14 09:00	82	Clear	110/4kt	—	>10kft	>6SM
GFS	2026-09-14 12:00	83	Clear	40/4kt	13.0	>10kft	>6SM
GFS	2026-09-14 15:00	86	Clear	40/5kt	—	>10kft	>6SM
GFS	2026-09-14 18:00	88	Ovc	340/6kt	28.0	>10kft	>6SM
GFS	2026-09-14 21:00	88	Ovc	300/7kt	—	>10kft	>6SM
GFS	2026-09-15 00:00	85	Bkn	20/7kt	38.0	>10kft	>6SM
GFS	2026-09-15 03:00	83	Ovc	80/6kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KSPG 130453Z AUTO 16011KT 10SM CLR 28/24 A3002 RMK A02 SLP165 T02780244 403220267

TAF KPIE 130531Z 1306/1406 VRB03KT P6SM BKN250 FM131300 VRB03KT P6SM VCSH FEW030 FEW250 FM131500 36006KT P6SM VCTS SCT030CB SCT250 FM132000 32007KT P6SM SCT030 BKN250 FM140200 VRB03KT P6SM BKN250

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KSPG; actual-station=KSPG; fetched-at=2026-09-13T06:12:07.417459+00:00; observed-or-issued-at=2026-09-13T04:53:00+00:00 — [AWC API](#)
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KSPG; actual-station=KPIE; fetched-at=2026-09-13T06:12:08.222149+00:00; observed-or-issued-at=2026-09-13T05:31:00+00:00; valid-from=2026-09-13T06:00:00+00:00; valid-through=2026-09-14T06:00:00+00:00; partial-target-dates=2026-09-13,2026-09-14 — [AWC API](#)

TAF proxy · KPIE

- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KSPG; actual-station=KSPG; fetched-at=2026-09-13T06:12:09.382829+00:00
- FAA NMS NOTAM — state=OK; requested-station=KSPG; actual-station=KSPG; fetched-at=2026-09-13T06:12:14.592938Z — [FAA NMS overview](#)
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KSPG; actual-station=KSPG; fetched-at=2026-09-13T06:12:30.174298+00:00; observed-or-issued-at=2026-09-13T00:00:00+00:00; valid-from=2026-09-13T06:00:00+00:00; valid-through=2026-09-16T00:00:00+00:00; target-dates=2026-09-13,2026-09-14; dates-with-points=2026-09-13,2026-09-14 — [Iowa State API](#)
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KSPG; actual-station=KSPG; fetched-at=2026-09-13T06:12:30.748949+00:00; observed-or-issued-at=2026-09-13T00:00:00+00:00; valid-from=2026-09-14T00:00:00+00:00; valid-through=2026-09-21T00:00:00+00:00; target-dates=2026-09-14; partial-target-dates=2026-09-13; dates-with-points=2026-09-13,2026-09-14 — [Iowa State API](#)
- MOS effective date selection — state=partial; rows=16; requested-station=KSPG; actual-station=KSPG; fetched-at=2026-09-13T06:12:30.174298+00:00; observed-or-issued-at=2026-09-13T00:00:00+00:00; valid-from=2026-09-13T06:00:00+00:00; valid-through=2026-09-16T00:00:00+00:00; target-dates=2026-09-13,2026-09-14; dates-with-points=2026-09-13,2026-09-14; selected-by-date=2026-09-13=GFS, 2026-09-14=GFS

- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#22

KTPF Tampa/Knight Arpt, FL, US

· Gulf East · Tampa Peter O Knight

▮

OBS - VFR

ETE

2h32

DIST

372 nm

SUN 13 SEP 00:15 ET OBSERVED

Current observation

▮

OBS - VFR

METAR

130415Z

OBSERVED

OBSERVED

☁

clear below 12,000 ft (CLR)

🌀

WINDS (170°) 8 kt

🌡️

TEMPERATURE27 °C

👁️

VISIBILITY10 sm

💧

DEWPOINT25 °C

From 170°M: 8 kt

☑️

170° true · 176° magnetic · 8 kt

🌀

Wind favours RWY 18

170° true · 176° magnetic · 8 kt

Evidence & limitations

- METAR source state: ok; observed Sep 13 00:15 ET; retrieved Sep 13 02:12 ET; 117 min before this run.
- Measured values read from the KTPF METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.02 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KTPF runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 04/22, 18/36. Wind from 170 degrees true, 176 degrees magnetic, at 8 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 18. Wind source: KTPF METAR 130415Z.

DESTINATION OUTLOOK

SUN 13 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 13 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 13 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 13 SEP 18:00–00:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 13

00:00–06:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON 14 SEP 00:00–06:00 ET HIGH

Forecast

TAF

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 14 SEP 12:00–18:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND2–3 kt

TEMPERATURE81–88 °F

DEWPOINT78–79 °F

PRECIP CHANCE12%

Evidence & limitations

• GFS MAV MOS · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Surface prog evidence · Mon Sep 14

00:00–06:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

MON 14 SEP 06:00–12:00 ET HIGH

Forecast

TAF

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 14 SEP 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND5 kt

TEMPERATURE90–91 °F

DEWPOINT74–75 °F

PRECIP CHANCE28%

Evidence & limitations

• GFS MAV MOS · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

24°C dep KLZU → 27°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

04/22 (040/220°M · 034/214°T) · 18/36 (180/000°M · 174/354°T) — designators and °M headings are magnetic; °T are true; variation 6°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMS

NOTAMS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 Act on

3 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

ed 2026-09-13T06:12:14.756931Z.

poritative)

FRI SEP 11

SAT SEP 12

SUN SEP 13

MON SEP 14

06/014

6/0956

6/8311

11 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 06:12 Z

NOTAMs as of 06:12 Z — advisory only; verify an official briefing.

04/019

NOTAM text not available in this projection.

05/005

NOTAM text not available in this projection.

06/014

NOTAM text not available in this projection.

6/0956

NOTAM text not available in this projection.

6/8311

NOTAM text not available in this projection.

4/6304

NOTAM text not available in this projection.

6/8312

NOTAM text not available in this projection.

09/025

NOTAM text not available in this projection.

12/007

NOTAM text not available in this projection.

02/001

NOTAM text not available in this projection.

06/005

NOTAM text not available in this projection.

07/008

NOTAM text not available in this projection.

07/015

NOTAM text not available in this projection.

07/016

NOTAM text not available in this projection.

09/004

NOTAM text not available in this projection.

06/015

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2026-09-13T06:12:14.756931Z.

1. SIGN AT TWY AA RIGHT SIDE MISSING.

06:00Z

06:00Z

06:00Z

06:00Z

06:00Z, TAMPA, FL, TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 7A., ADD TAKEOFF OBSTACLE NOTE: RWY 22, BUILDING HONE CENTERLINE, 40FT AGL, 46FT MSL (2025-ASD-12076-DE-PERM), ALL OTHER DATA REMAINS AS PUBLISHED. 2606261555-2606261555EST

Effective 2026-06-26T15:55:00Z → 2028-06-26T15:55:00Z

RUNWAY

060311 --- ODP PETER O KNIGHT, TAMPA, FL, TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 7A., TAKEOFF MINIMUMS: RWY 18, STANDARD WITH A MINIMUM CLIMB OF 300 FT PER NM TO 600, TEMPORARY CRANES 420 MSL BEGINNING 1.1NM SE OF RWY 18 (2026-ASD-0500050-DE), ALL OTHER DATA REMAINS AS PUBLISHED.

2606261555-2606261555EST

Effective 2026-08-28T10:00:00Z → 2028-01-29T16:33:00Z

11 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics,
the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KTPF this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

6:00 ET ET · VFR

2:00 ET ET · VFR

8:00 ET ET · VFR

0:00 ET ET · VFR

6:00 ET ET · VFR

2:00 ET ET · VFR

• Mon, Sep 14 • 12:00–18:00 ET: GFS MAV MOS • 12:00–18:00 ET ET • VFR

• Mon, Sep 14 • 18:00–00:00 ET: GFS MAV MOS • 18:00–00:00 ET ET • VFR

- + MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-13=GFS, 2026-09-14=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-13 06:00	80	Clear	130/2kt	—	>10kft	>6SM
GFS	2026-09-13 09:00	79	Clear	140/1kt	—	>10kft	>6SM
GFS	2026-09-13 12:00	81	Few	0/0kt	9.0	>10kft	>6SM
GFS	2026-09-13 15:00	87	Sct	250/2kt	—	>10kft	>6SM
GFS	2026-09-13 18:00	90	Bkn	250/4kt	28.0	>10kft	>6SM
GFS	2026-09-13 21:00	88	Bkn	270/4kt	—	>10kft	>6SM
GFS	2026-09-14 00:00	84	Bkn	320/3kt	34.0	>10kft	>6SM
GFS	2026-09-14 03:00	82	Bkn	50/2kt	—	>10kft	>6SM
GFS	2026-09-14 06:00	81	Sct	60/1kt	22.0	>10kft	>6SM

GFS	2026-09-14 09:00	80	Few	20/1kt	—	>10kft	>6SM
GFS	2026-09-14 12:00	81	Sct	30/2kt	12.0	>10kft	>6SM
GFS	2026-09-14 15:00	88	Bkn	320/3kt	—	>10kft	>6SM
GFS	2026-09-14 18:00	91	Ovc	260/5kt	28.0	>10kft	>6SM
GFS	2026-09-14 21:00	90	Ovc	330/5kt	—	>10kft	>6SM
GFS	2026-09-15 00:00	83	Bkn	20/3kt	40.0	>10kft	>6SM
GFS	2026-09-15 03:00	81	Ovc	80/3kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KTPF 130415Z AUTO 17008KT 10SM CLR 27/25 A3002 RMK A02 LTG DSNT NE T02660248 \$

TAF KTPA 130531Z 1306/1412 VRB03KT P6SM BKN250 FM131400 VRB03KT P6SM VCSH SCT030 BKN250 FM131600 26006KT P6SM VCTS SCT030CB BKN100 FM132300 31005KT P6SM OVC250 FM140300 VRB03KT P6SM OVC250

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KTPF; actual-station=KTPF; fetched-at=2026-09-13T06:12:07.417459+00:00; observed-or-issued-at=2026-09-13T04:15:00+00:00 — [AWC API](#)
 - TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KTPF; actual-station=KTPA; fetched-at=2026-09-13T06:12:08.222149+00:00; observed-or-issued-at=2026-09-13T05:31:00+00:00; valid-from=2026-09-13T06:00:00+00:00; valid-through=2026-09-14T12:00:00+00:00; partial-target-dates=2026-09-13,2026-09-14 — [AWC API](#)
- TAF proxy · KTPA
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KTPF; actual-station=KTPF; fetched-at=2026-09-13T06:12:09.327220+00:00
 - FAA NMS NOTAM — state=OK; requested-station=KTPF; actual-station=KTPF; fetched-at=2026-09-13T06:12:14.756931Z — [FAA NMS overview](#)
 - MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KTPF; actual-station=KTPF; fetched-at=2026-09-13T06:12:30.188684+00:00; observed-or-issued-at=2026-09-13T00:00:00+00:00; valid-from=2026-09-13T06:00:00+00:00; valid-through=2026-09-16T00:00:00+00:00; target-dates=2026-09-13,2026-09-14; dates-with-points=2026-09-13,2026-09-14 — [Iowa State API](#)
 - MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KTPF; actual-station=KTPF; fetched-at=2026-09-13T06:12:30.692876+00:00; observed-or-issued-at=2026-09-13T00:00:00+00:00; valid-from=2026-09-14T00:00:00+00:00; valid-through=2026-09-21T00:00:00+00:00; target-dates=2026-09-14; partial-target-dates=2026-09-13; dates-with-points=2026-09-13,2026-09-14 — [Iowa State API](#)
 - MOS effective date selection — state=partial; rows=16; requested-station=KTPF; actual-station=KTPF; fetched-at=2026-09-13T06:12:30.188684+00:00; observed-or-issued-at=2026-09-13T00:00:00+00:00; valid-from=2026-09-13T06:00:00+00:00; valid-through=2026-09-16T00:00:00+00:00; target-dates=2026-09-13,2026-09-14; dates-with-points=2026-09-13,2026-09-14; selected-by-date=2026-09-13=GFS, 2026-09-14=GFS
 - Extended outlook and hazard-feed states are reported in the source stamp.
 - Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#23

KSRQ

Sarasota-Bradenton Intl, FL, US

· Gulf East · Sarasota-Bradenton

OBS - VFR

ETE

2h43

DIST

402 nm

SUN 13 SEP 00:53 ET OBSERVED

Current observation

OBS - VFR

OBSER



clear below 12,000 ft (CLR)



WINDSE (130°) 5 kt



TEMPERATURE27 °C



VISIBILITY10 sm



DEWPOINT23 °C



Wind favours RWY 14

130° true · 136° magnetic · 5 kt

Evidence & limitations

- METAR source state: ok; observed Sep 13 00:53 ET; retrieved Sep 13 02:12 ET; 79 min before this run.
- Measured values read from the KSRQ METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.04 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KSRQ runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 14/32, 04/22. Wind from 130 degrees true, 136 degrees magnetic, at 5 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 14. Wind source: KSRQ METAR 130453Z.

DESTINATION OUTLOOK

SUN 13 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 13 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 13 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 13 SEP 18:00–00:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 13

00:00–06:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

Forecast



Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

TAF · VFR

FORECAST

Forecast



Flight-category guidance

WIND2 kt

↓

TEMPERATURE79–80 °F

💧

DEWPOINT76–77 °F

💧

PRECIP CHANCE23%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

GFS MAV MOS · VFR

FORECAST

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND4 kt



TEMPERATURE79–87 °F



DEWPOINT77 °F



PRECIP CHANCE16%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND8 kt



TEMPERATURE88–89 °F



DEWPOINT77 °F



PRECIP CHANCE30%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 14

00:00–06:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

now

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

24°C dep KLZU → 27°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

rwY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

14/32 (140/320°M · 134/314°T) · 04/22 (040/220°M · 034/214°T) — designators and °M headings are magnetic; °T are true; variation 6°W (NOAA WMM2025)

info

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

6 Act on

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

ed 2026-09-13T06:12:14.837463Z.

(oritative)

FRI SEP 11	SAT SEP 12	SUN SEP 13	MON SEP 14

05/096				
A0516/26				
08/050				
20 additional normalized NOTAM records omitted from this view.				

Raw NOTAM data · NOTAMs as of 06:12 Z

NOTAMs as of 06:12 Z — advisory only; verify an official briefing.

09/009	NOTAM text not available in this projection.
A0954/26	NOTAM text not available in this projection.
05/096	NOTAM text not available in this projection.
A0516/26	NOTAM text not available in this projection.
08/050	NOTAM text not available in this projection.
A0891/26	NOTAM text not available in this projection.
08/070	NOTAM text not available in this projection.
A0920/26	NOTAM text not available in this projection.
5/0499	NOTAM text not available in this projection.
A1001/25	NOTAM text not available in this projection.
6/4825	NOTAM text not available in this projection.
A0754/26	NOTAM text not available in this projection.
06/005	NOTAM text not available in this projection.

A0527/26

NOTAM text not available in this projection.

06/146

NOTAM text not available in this projection.

A0706/26

NOTAM text not available in this projection.

06/147

NOTAM text not available in this projection.

07/029

NOTAM text not available in this projection.

07/033

NOTAM text not available in this projection.

08/060

NOTAM text not available in this projection.

08/074

NOTAM text not available in this projection.

A0926/26

NOTAM text not available in this projection.

08/075

NOTAM text not available in this projection.

09/001

NOTAM text not available in this projection.

09/010

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state:

2026-09-13T06:12:14.837463Z.

00Z

00Z

00Z

00Z

:00Z

TAXIWAY

20 additional normalized FAA NOTAM records omitted from this view.

[illegible]

• Mon, Sep 14 • 18:00–00:00 ET: GFS MAV MOS • 18:00–00:00 ET ET • VFR

Source state: partial; selected by target date: 2026-09-13=GFS, 2026-09-14=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-13 06:00	79	Clear	120/3kt	—	>10kft	>6SM
GFS	2026-09-13 09:00	78	Clear	100/2kt	—	>10kft	>6SM
GFS	2026-09-13 12:00	79	Clear	100/2kt	9.0	>10kft	>6SM
GFS	2026-09-13 15:00	87	Sct	270/3kt	—	>10kft	>6SM

GFS	2026-09-13 18:00	89	Bkn	280/8kt	22.0	>10kft	>6SM
GFS	2026-09-13 21:00	89	Bkn	290/8kt	—	>10kft	>6SM
GFS	2026-09-14 00:00	86	Bkn	310/5kt	28.0	>10kft	>6SM
GFS	2026-09-14 03:00	83	Bkn	320/3kt	—	>10kft	>6SM
GFS	2026-09-14 06:00	80	Sct	50/2kt	23.0	>10kft	>6SM
GFS	2026-09-14 09:00	79	Clear	30/2kt	—	>10kft	>6SM
GFS	2026-09-14 12:00	79	Clear	40/4kt	16.0	>10kft	>6SM
GFS	2026-09-14 15:00	87	Few	340/4kt	—	>10kft	>6SM
GFS	2026-09-14 18:00	89	Bkn	280/8kt	30.0	>10kft	>6SM
GFS	2026-09-14 21:00	88	Ovc	300/8kt	—	>10kft	>6SM
GFS	2026-09-15 00:00	83	Bkn	330/5kt	44.0	>10kft	>6SM
GFS	2026-09-15 03:00	81	Ovc	70/3kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KSRQ 130453Z AUTO 13005KT 10SM CLR 27/23 A3004 RMK A02 LTG DSNT S AND SW SLP170 T02670233 403280256

TAF KSRQ 130531Z 1306/1406 VRB03KT P6SM BKN250 FM131400 25003KT P6SM VCSH SCT030 FM131600 28006KT P6SM VCTS SCT030CB BKN250 FM132200 30007KT P6SM SCT030 BKN250 FM140100 VRB03KT P6SM BKN250

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KSRQ; actual-station=KSRQ; fetched-at=2026-09-13T06:12:07.417459+00:00; observed-or-issued-at=2026-09-13T04:53:00+00:00 — [AWC API](#)
 - TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KSRQ; actual-station=KSRQ; fetched-at=2026-09-13T06:12:08.222149+00:00; observed-or-issued-at=2026-09-13T05:31:00+00:00; valid-from=2026-09-13T06:00:00+00:00; valid-through=2026-09-14T06:00:00+00:00; partial-target-dates=2026-09-13,2026-09-14 — [AWC API](#)
- TAF proxy · KSRQ
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KSRQ; actual-station=KSRQ; fetched-at=2026-09-13T06:12:09.429144+00:00
 - FAA NMS NOTAM — state=OK; requested-station=KSRQ; actual-station=KSRQ; fetched-at=2026-09-13T06:12:14.837463Z — [FAA NMS overview](#)
 - MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KSRQ; actual-station=KSRQ; fetched-at=2026-09-13T06:12:30.204087+00:00; observed-or-issued-at=2026-09-13T00:00:00+00:00; valid-from=2026-09-13T06:00:00+00:00; valid-through=2026-09-16T00:00:00+00:00; target-dates=2026-09-13,2026-09-14; dates-with-points=2026-09-13,2026-09-14 — [Iowa State API](#)
 - MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KSRQ; actual-station=KSRQ; fetched-at=2026-09-13T06:12:31.088660+00:00; observed-or-issued-at=2026-09-13T00:00:00+00:00; valid-from=2026-09-14T00:00:00+00:00; valid-through=2026-09-21T00:00:00+00:00; target-dates=2026-09-14; partial-target-dates=2026-09-13; dates-with-points=2026-09-13,2026-09-14 — [Iowa State API](#)
 - MOS effective date selection — state=partial; rows=16; requested-station=KSRQ; actual-station=KSRQ; fetched-at=2026-09-13T06:12:30.204087+00:00; observed-or-issued-at=2026-09-13T00:00:00+00:00; valid-from=2026-09-13T06:00:00+00:00; valid-through=2026-09-16T00:00:00+00:00; target-dates=2026-09-13,2026-09-14; dates-with-points=2026-09-13,2026-09-14; selected-by-date=2026-09-13=GFS, 2026-09-14=GFS
 - Extended outlook and hazard-feed states are reported in the source stamp.
 - Runway data + Chart Supplement — [FAA Chart Supplement \(current cycle\)](#) — see AirNav link above

SUN 13 SEP 00:15 ET OBSERVED

Current observation

OBS - VFR

OBSER

METAR

clear below 12,000 ft (CLR)



WINDcalm



TEMPERATURE27 °C



VISIBILITY10 sm



DEWPOINT25 °C

Evidence & limitations

- METAR source state: ok; observed Sep 13 00:15 ET; retrieved Sep 13 02:12 ET; 117 min before this run.
- Measured values read from the KVNC METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.04 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.

DESTINATION OUTLOOK

SUN 13 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 13 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 13 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 13 SEP 18:00–00:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 13

- 00:00–06:00 ET ET
- WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.
- 06:00–12:00 ET ET
- WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.
- 12:00–18:00 ET ET
- WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.
- 18:00–00:00 ET ET
- WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON 14 SEP 00:00–06:00 ET HIGH

Forecast



Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

TAF · VFR
FORECAST

MON 14 SEP 06:00–12:00 ET MEDIUM

Forecast



Flight-category guidance

WIND3 kt

↓
TEMPERATURE79–81 °F

💧
DEWPOINT77–78 °F

💧
PRECIP CHANCE24%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

GFS MAV MOS · VFR
FORECAST

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND4–5 kt



TEMPERATURE80–88 °F



DEWPOINT78 °F



PRECIP CHANCE19%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND7–8 kt



TEMPERATURE87–89 °F



DEWPOINT78–79 °F



PRECIP CHANCE32%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 14

00:00–06:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

now

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — source state: not_queried

CURRENT METAR TEMP DEP / DEST

24°C dep KLZU → 27°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

rwY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

13/31 (130/310°M · 124/304°T) · 05/23 (050/230°M · 044/224°T) — designators and °M headings are magnetic; °T are true; variation 6°W (NOAA WMM2025)

info

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		
Verify the current FAA Chart Supplement and provider before flight.			

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

1 Act on

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

d 2026-09-13T06:12:14.850762Z.			
oritative)			
FRI SEP 11	SAT SEP 12	SUN SEP 13	MON SEP 14

07/031				
08/096				
09/006				

Raw NOTAM data · NOTAMs as of 06:12 Z

NOTAMs as of 06:12 Z — advisory only; verify an official briefing.

6/8218

NOTAM text not available in this projection.

6/8216

NOTAM text not available in this projection.

07/031

NOTAM text not available in this projection.

08/096

NOTAM text not available in this projection.

09/006

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

OBSTRUCTION

090006 — FIRST TOWER LIST (ASR 1027570) 270759 20N0822300 40W (4.0NM NNE VNC) 606.0FT (580.0FT AGL) US Effective 2026-08-07T11:23:00Z → 2026-10-06T04:00:00Z

OBSTRUCTION

090006 — FIRST TOWER LIST (ASR 2024-ASQ-17133-0E) 270439N0822701W (0.0NM WNW VNC) 62FT (60FT AGL) US Effective 2026-09-01T16:48:00Z → 2026-12-01T23:59:00Z

2026-09-13T06:12:14.850762Z.
L VENCE, FL TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 4... ADD TAKEOFF OBSTACLE NOTE: RWY 31, TEMPORARY CRANES
ENTERLINE, 150FT AGL/ 162FT MSL (2024-ASQ-15156-0E, 2024-ASQ-17015-0E). ALL OTHER DATA REMAINS AS PUBLISHED. 2603131055 2610011055EST
:00Z
MUNI, VENCE, FL RNAV (GPS) RWY 13 AMDT 2A... LPV DA 424HAT 407 ALL CATS, VIS ALL CATS 1 1/8. TEMPORARY CRANES 162 MSL 1502FT NW OF RWY 13
:00Z
:00Z
:00Z
:00Z

+ Forecast evidence

METAR

METAR — the routine surface observation

issued hourly by the reporting station, with SPECI reports off-cycle, carrying ceiling, visibility, wind, temperature and altimeter. Issued by the observing station and distributed by aviationweather.gov. This is measured fact, not a forecast, and on this page it describes conditions right now, not this day. A current KVNC observation was read this run. It describes conditions now, not this trip day.

SPS extended MOS (IMEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KVNC this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

• Mon, Sep 14 • 12:00–18:00 ET: GFS MAV MOS • 12:00–18:00 ET ET • VFR

• Mon, Sep 14 • 18:00–00:00 ET: GFS MAV MOS • 18:00–00:00 ET ET • VFR

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

6:00 ET ET · VFR

2:00 ET ET · VFR

3:00 ET ET · VFR

0:00 ET ET · VFR

6:00 ET ET · VFR

S · 06:00–12:00 ET ET · VFR

- + MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-13=GFS, 2026-09-14=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-13 06:00	80	Clear	120/3kt	—	>10kft	>6SM
GFS	2026-09-13 09:00	79	Clear	100/3kt	—	>10kft	>6SM
GFS	2026-09-13 12:00	81	Clear	80/2kt	10.0	>10kft	>6SM
GFS	2026-09-13 15:00	88	Sct	260/4kt	—	>10kft	>6SM
GFS	2026-09-13 18:00	89	Bkn	270/8kt	19.0	>10kft	>6SM
GFS	2026-09-13 21:00	88	Bkn	280/8kt	—	>10kft	>6SM
GFS	2026-09-14 00:00	84	Bkn	320/5kt	30.0	>10kft	>6SM
GFS	2026-09-14 03:00	82	Bkn	340/3kt	—	>10kft	>6SM
GFS	2026-09-14 06:00	81	Sct	40/3kt	24.0	>10kft	>6SM
GFS	2026-09-14 09:00	79	Clear	30/3kt	—	>10kft	>6SM
GFS	2026-09-14 12:00	80	Few	40/4kt	19.0	>10kft	>6SM

GFS	2026-09-14 15:00	88	Few	350/5kt	—	>10kft	>6SM
GFS	2026-09-14 18:00	89	Bkn	280/7kt	32.0	>10kft	>6SM
GFS	2026-09-14 21:00	87	Ovc	300/8kt	—	>10kft	>6SM
GFS	2026-09-15 00:00	82	Ovc	340/6kt	49.0	>10kft	>6SM
GFS	2026-09-15 03:00	80	Ovc	50/4kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KVNC 130415Z AUTO 00000KT 10SM VCTS CLR 27/25 A3004 RMK A02 T02680249 \$

TAF KSRQ 130531Z 1306/1406 VRB03KT P6SM BKN250 FM131400 25003KT P6SM VCSH SCT030 FM131600 28006KT P6SM VCTS SCT030CB BKN250 FM132200 30007KT P6SM SCT030 BKN250 FM140100 VRB03KT P6SM BKN250

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KVNC; actual-station=KVNC; fetched-at=2026-09-13T06:12:07.417459+00:00; observed-or-issued-at=2026-09-13T04:15:00+00:00 — [AWC API](#)
 - TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KVNC; actual-station=KSRQ; fetched-at=2026-09-13T06:12:08.222149+00:00; observed-or-issued-at=2026-09-13T05:31:00+00:00; valid-from=2026-09-13T06:00:00+00:00; valid-through=2026-09-14T06:00:00+00:00; partial-target-dates=2026-09-13,2026-09-14 — [AWC API](#)
- TAF proxy · KSRQ
- FAA airport status — state=not_queried; fetch-state=not_attempted; payload-state=not_attempted; requested-station=KVNC
 - FAA NMS NOTAM — state=OK; requested-station=KVNC; actual-station=KVNC; fetched-at=2026-09-13T06:12:14.850762Z — [FAA NMS overview](#)
 - MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KVNC; actual-station=KVNC; fetched-at=2026-09-13T06:12:30.184102+00:00; observed-or-issued-at=2026-09-13T00:00:00+00:00; valid-from=2026-09-13T06:00:00+00:00; valid-through=2026-09-16T00:00:00+00:00; target-dates=2026-09-13,2026-09-14; dates-with-points=2026-09-13,2026-09-14 — [Iowa State API](#)
 - MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KVNC; actual-station=KVNC; fetched-at=2026-09-13T06:12:30.651408+00:00; observed-or-issued-at=2026-09-13T00:00:00+00:00; valid-from=2026-09-14T00:00:00+00:00; valid-through=2026-09-21T00:00:00+00:00; target-dates=2026-09-14; partial-target-dates=2026-09-13; dates-with-points=2026-09-13,2026-09-14 — [Iowa State API](#)
 - MOS effective date selection — state=partial; rows=16; requested-station=KVNC; actual-station=KVNC; fetched-at=2026-09-13T06:12:30.184102+00:00; observed-or-issued-at=2026-09-13T00:00:00+00:00; valid-from=2026-09-13T06:00:00+00:00; valid-through=2026-09-16T00:00:00+00:00; target-dates=2026-09-13,2026-09-14; dates-with-points=2026-09-13,2026-09-14; selected-by-date=2026-09-13=GFS, 2026-09-14=GFS
 - Extended outlook and hazard-feed states are reported in the source stamp.
 - Runway data + Chart Supplement — [FAA Chart Supplement \(current cycle\)](#) — see AirNav link above

#25 **KHSA** — · Gulf West · Stennis MS

OBS - UNKNOWN

ETE
2h25

DIST
353 nm

SUN 13 SEP Time unavailable UNAVAILABLE

Current observation



● OBS - UNKNOWN

UNAVA

 Current observation
unavailable

 WINDUnavailable

 TEMPERATUREUnavailable

 VISIBILITYUnavailable

 DEWPOINTUnavailable

Evidence & limitations

- Source state: unavailable.
- No usable current KHS A observation was available this run.
- This is a current surface observation only. It is not a forecast. No forecast value is substituted for a missing observation.

DESTINATION OUTLOOK

SUN 13 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 13 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 13 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 13 SEP 18:00–00:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 13

00:00–06:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

Forecast



Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

TAF · VFR
FORECAST

Forecast



Flight-category guidance

WIND99 kt

TEMPERATURE999 °F

DEWPOINT999 °F

PRECIP CHANCE8%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

GFS MAV MOS · VFR
FORECAST

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND0–3 kt



TEMPERATURE74–86 °F



DEWPOINT74–77 °F



PRECIP CHANCE8%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND4–6 kt



TEMPERATURE92 °F



DEWPOINT75 °F



PRECIP CHANCE9%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 14

00:00–06:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

now

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — source state: not_queried

CURRENT METAR TEMP DEP / DEST

24°C dep KLZU → Unavailable at destination

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

18/36 (180/000°M · 179/359°T) — designators and °M headings are magnetic; °T are true; variation 1°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 Act on1 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

ed 2026-09-13T06:12:14.974296Z.			
FRI SEP 11	SAT SEP 12	SUN SEP 13	MON SEP 14

09/006				
07/008				
07/018				
7 additional normalized NOTAM records omitted from this view.				

Raw NOTAM data · NOTAMs as of 06:12 Z

NOTAMs as of 06:12 Z — advisory only; verify an official briefing.

08/010	NOTAM text not available in this projection.
08/016	NOTAM text not available in this projection.
09/006	NOTAM text not available in this projection.
07/008	NOTAM text not available in this projection.
07/018	NOTAM text not available in this projection.
07/033	NOTAM text not available in this projection.
09/005	NOTAM text not available in this projection.
12/015	NOTAM text not available in this projection.
6/5656	NOTAM text not available in this projection.
07/002	NOTAM text not available in this projection.
08/013	NOTAM text not available in this projection.
02/005	NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

TAXIWAY

DTN16 — TAXI F, LOC ATION SIGN DTN TWY A AND NORTH APN MISSING

Effective 2026-07-23T13:13:00Z → 2026-09-30T16:00:00Z

7 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KHSA this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

00:00 ET ET · VFR

01:00 ET ET · VFR

02:00 ET ET · VFR

03:00 ET ET · VFR

04:00 ET ET · VFR

05:00 ET ET · VFR

06:00–12:00 ET ET · VFR

• Mon, Sep 14 · 12:00–18:00 ET: GFS MAV MOS · 12:00–18:00 ET ET · VFR

• Mon, Sep 14 · 18:00–00:00 ET: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-13=GFS, 2026-09-14=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-13 06:00	999	Clear	990/99kt	—	>10kft	>6SM
GFS	2026-09-13 09:00	999	Clear	990/99kt	—	>10kft	>6SM
GFS	2026-09-13 12:00	74	Clear	0/0kt	6.0	>10kft	>6SM
GFS	2026-09-13 15:00	85	Clear	290/2kt	—	>10kft	>6SM
GFS	2026-09-13 18:00	91	Sct	160/4kt	5.0	>10kft	>6SM
GFS	2026-09-13 21:00	89	Sct	180/5kt	—	>10kft	>6SM
GFS	2026-09-14 00:00	84	Sct	180/2kt	21.0	>10kft	>6SM
GFS	2026-09-14 03:00	999	Clear	990/99kt	—	>10kft	>6SM
GFS	2026-09-14 06:00	999	Sct	990/99kt	8.0	>10kft	>6SM
GFS	2026-09-14 09:00	999	Clear	990/99kt	—	>10kft	>6SM
GFS	2026-09-14 12:00	74	Clear	0/0kt	8.0	>10kft	>6SM
GFS	2026-09-14 15:00	86	Clear	350/3kt	—	>10kft	>6SM
GFS	2026-09-14 18:00	92	Sct	140/4kt	9.0	>10kft	>6SM
GFS	2026-09-14 21:00	92	Sct	180/6kt	—	>10kft	>6SM
GFS	2026-09-15 00:00	85	Few	190/3kt	12.0	>10kft	>6SM
GFS	2026-09-15 03:00	999	Clear	990/99kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR unavailable

TAF KGPT 130520Z 1306/1406 VRB03KT P6SM FEW035

+ Data sources used

- METAR — state=unavailable; fetch-state=ok; payload-state=valid; requested-station=KHSA; actual-station=KHSA; fetched-at=2026-09-13T06:12:07.417459+00:00 — [AWC API](#)
 - TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KHSA; actual-station=KGPT; fetched-at=2026-09-13T06:12:08.222149+00:00; observed-or-issued-at=2026-09-13T05:20:00+00:00; valid-from=2026-09-13T06:00:00+00:00; valid-through=2026-09-14T06:00:00+00:00; partial-target-dates=2026-09-13,2026-09-14 — [AWC API](#)
- TAF proxy · KGPT

- FAA airport status — state=not_queried; fetch-state=not_attempted; payload-state=not_attempted; requested-station=KHSA
- FAA NMS NOTAM — state=OK; requested-station=KHSA; actual-station=KHSA; fetched-at=2026-09-13T06:12:14.974296Z — [FAA NMS overview](#)
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KHSA; actual-station=KHSA; fetched-at=2026-09-13T06:12:30.182128+00:00; observed-or-issued-at=2026-09-13T00:00:00+00:00; valid-from=2026-09-13T06:00:00+00:00; valid-through=2026-09-16T00:00:00+00:00; target-dates=2026-09-13,2026-09-14; dates-with-points=2026-09-13,2026-09-14 — [Iowa State API](#)
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KHSA; actual-station=KHSA; fetched-at=2026-09-13T06:12:30.672607+00:00; observed-or-issued-at=2026-09-13T00:00:00+00:00; valid-from=2026-09-14T00:00:00+00:00; valid-through=2026-09-21T00:00:00+00:00; target-dates=2026-09-14; partial-target-dates=2026-09-13; dates-with-points=2026-09-13,2026-09-14 — [Iowa State API](#)
- MOS effective date selection — state=partial; rows=16; requested-station=KHSA; actual-station=KHSA; fetched-at=2026-09-13T06:12:30.182128+00:00; observed-or-issued-at=2026-09-13T00:00:00+00:00; valid-from=2026-09-13T06:00:00+00:00; valid-through=2026-09-16T00:00:00+00:00; target-dates=2026-09-13,2026-09-14; dates-with-points=2026-09-13,2026-09-14; selected-by-date=2026-09-13=GFS, 2026-09-14=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — [FAA Chart Supplement \(current cycle\)](#) — see AirNav link above

#26

KNEW

New Orleans/Lakefront Arpt, LA, US

· Gulf West · New Orleans Lakefront

▮ OBS - VFR

ETE

2h38

DIST

389 nm

SUN 13 SEP 00:53 ET OBSERVED

Current observation

▮ OBS - VFR



OBSER


clear below 12,000 ft (CLR)

WINDS (190°) 7 kt

TEMPERATURE26 °C

VISIBILITY10 sm

DEWPOINT24 °C



Wind equally favours RWY 18R and 18L
190° true · 191° magnetic · 7 kt

Evidence & limitations

- METAR source state: ok; observed Sep 13 00:53 ET; retrieved Sep 13 02:12 ET; 79 min before this run.
- Measured values read from the KNEW METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.00 inHg.

- The complete raw METAR remains in this airport's Raw products disclosure.
- KNEW runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 18R/36L, 18L/36R, 09/27. Wind from 190 degrees true, 191 degrees magnetic, at 7 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Equally wind-favoured runway ends, highlighted: 18R and 18L. Wind source: KNEW METAR 130453Z.

DESTINATION OUTLOOK

SUN, SEP 13

SUN 13 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 13 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 13 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 13 SEP 18:00–00:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 13

00:00–06:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON 14 SEP 00:00–06:00 ET HIGH

Forecast



Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

TAF · VFR
FORECAST

MON 14 SEP 06:00–12:00 ET MEDIUM

Forecast



Flight-category guidance

WIND4 kt

TEMPERATURE82 °F

DEWPOINT76–77 °F

PRECIP CHANCE8%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

GFS MAV MOS · VFR
FORECAST

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND5–6 kt

TEMPERATURE82–87 °F

DEWPOINT77 °F

PRECIP CHANCE5%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND5–6 kt

TEMPERATURE91–92 °F

DEWPOINT74–76 °F

PRECIP CHANCE8%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 14

00:00–06:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

24°C dep KLZU → 26°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

18R/36L (180/000°M · 179/359°T) · 18L/36R (180/000°M · 179/359°T) · 09/27 (090/270°M · 089/269°T) —
designators and °M headings are magnetic; °T are true; variation 1°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

6 Act on

1 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production
source per owner decision 2026-08-09;
technical transport environment remains
preprod. Limited 2026-07-30 spot check
covered KLZU, KAVL, and KSGJ (3 of 30
airports). NOTAMs were read from this source
and used on this card this run. Typed state:
OK. The dot colour reports whether this
source was read this run; technical
environment: preprod.

2 · What

3 · Where

ed 2026-09-13T06:12:15.011737Z.

oritative)

FRI SEP 11

SAT SEP 12

SUN SEP 13

MON SEP 14

09/002

NOTAM text not available in this projection.

09/006

NOTAM text not available in this projection.

09/007

NOTAM text not available in this projection.

09/011

NOTAM text not available in this projection.

09/003

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production
source per owner decision 2026-08-09;
technical transport environment remains
preprod. Limited 2026-07-30 spot check
covered KLZU, KAVL, and KSGJ (3 of 30
airports). NOTAMs were read from this source
and used on this card this run. Typed state:
OK. The dot colour reports whether this
source was read this run; technical
environment: preprod.

026-09-13T06:12:15.011737Z.

:00Z

:00Z

Effective 2026-06-12T16:47:00Z → 2026-09-16T16:47:00Z

Effective 2026-08-20T17:08:00Z → 2026-10-29T17:08:00Z

NAV_APPROACH 091010 — NAV ILS RWY 18R LOC US

Effective 2026-09-08T19:11:00Z → 2026-09-15T20:00:00Z

13 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics,

the GFS model bias-corrected against decades of observations at this station. Issued four times a day in three-hourly steps out to about 72 hours. It carries an explicit ceiling and visibility category, so this card uses it to resolve a day the TAF cannot reach. A station-calibrated GFS MOS product was read for this airport this run (state: partial).

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KNEW this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

06:00 ET ET · VFR
09:00 ET ET · VFR
12:00 ET ET · VFR
15:00 ET ET · VFR
18:00 ET ET · VFR
S · 06:00–12:00 ET ET · VFR

- Mon, Sep 14 · 12:00–18:00 ET: GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Mon, Sep 14 · 18:00–00:00 ET: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-13=GFS, 2026-09-14=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-13 06:00	79	Clear	190/3kt	—	>10kft	>6SM
GFS	2026-09-13 09:00	80	Clear	210/2kt	—	>10kft	>6SM
GFS	2026-09-13 12:00	81	Clear	230/3kt	2.0	>10kft	>6SM
GFS	2026-09-13 15:00	86	Clear	340/3kt	—	>10kft	>6SM
GFS	2026-09-13 18:00	88	Sct	10/5kt	4.0	>10kft	>6SM
GFS	2026-09-13 21:00	89	Sct	120/6kt	—	>10kft	>6SM
GFS	2026-09-14 00:00	87	Few	170/5kt	20.0	>10kft	>6SM
GFS	2026-09-14 03:00	84	Clear	190/5kt	—	>10kft	>6SM
GFS	2026-09-14 06:00	82	Few	220/4kt	8.0	>10kft	>6SM
GFS	2026-09-14 09:00	82	Clear	260/4kt	—	>10kft	>6SM
GFS	2026-09-14 12:00	82	Clear	320/6kt	5.0	>10kft	>6SM
GFS	2026-09-14 15:00	87	Clear	350/5kt	—	>10kft	>6SM
GFS	2026-09-14 18:00	91	Sct	20/5kt	8.0	>10kft	>6SM
GFS	2026-09-14 21:00	92	Sct	110/6kt	—	>10kft	>6SM

GFS	2026-09-15 00:00	88	Few	170/6kt	15.0	>10kft	>6SM
GFS	2026-09-15 03:00	85	Clear	190/6kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KNEW 130453Z AUTO 19007KT 10SM CLR 26/24 A3000 RMK A01 SLP153 T02610239 \$

TAF KNEW 130520Z 1306/1406 VRB03KT P6SM FEW035

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KNEW; actual-station=KNEW; fetched-at=2026-09-13T06:12:07.417459+00:00; observed-or-issued-at=2026-09-13T04:53:00+00:00 — [AWC API](#)
 - TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KNEW; actual-station=KNEW; fetched-at=2026-09-13T06:12:08.222149+00:00; observed-or-issued-at=2026-09-13T05:20:00+00:00; valid-from=2026-09-13T06:00:00+00:00; valid-through=2026-09-14T06:00:00+00:00; partial-target-dates=2026-09-13,2026-09-14 — [AWC API](#)
- TAF proxy · KNEW
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KNEW; actual-station=KNEW; fetched-at=2026-09-13T06:12:09.548668+00:00
 - FAA NMS NOTAM — state=OK; requested-station=KNEW; actual-station=KNEW; fetched-at=2026-09-13T06:12:15.011737Z — [FAA NMS overview](#)
 - MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KNEW; actual-station=KNEW; fetched-at=2026-09-13T06:12:30.202745+00:00; observed-or-issued-at=2026-09-13T00:00:00+00:00; valid-from=2026-09-13T06:00:00+00:00; valid-through=2026-09-16T00:00:00+00:00; target-dates=2026-09-13,2026-09-14; dates-with-points=2026-09-13,2026-09-14 — [Iowa State API](#)
 - MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KNEW; actual-station=KNEW; fetched-at=2026-09-13T06:12:30.784534+00:00; observed-or-issued-at=2026-09-13T00:00:00+00:00; valid-from=2026-09-14T00:00:00+00:00; valid-through=2026-09-21T00:00:00+00:00; target-dates=2026-09-14; partial-target-dates=2026-09-13; dates-with-points=2026-09-13,2026-09-14 — [Iowa State API](#)
 - MOS effective date selection — state=partial; rows=16; requested-station=KNEW; actual-station=KNEW; fetched-at=2026-09-13T06:12:30.202745+00:00; observed-or-issued-at=2026-09-13T00:00:00+00:00; valid-from=2026-09-13T06:00:00+00:00; valid-through=2026-09-16T00:00:00+00:00; target-dates=2026-09-13,2026-09-14; dates-with-points=2026-09-13,2026-09-14; selected-by-date=2026-09-13=GFS, 2026-09-14=GFS
 - Extended outlook and hazard-feed states are reported in the source stamp.
 - Runway data + Chart Supplement — [FAA Chart Supplement \(current cycle\)](#) — see AirNav link above

ETE

3h30

DIST

521 nm

SUN 13 SEP 00:53 ET OBSERVED

Current observation

METAR

OBSERVED

clear below 12,000 ft (CLR)

WINDSE (130°) 4 kt

TEMPERATURE 26 °C



VISIBILITY10 sm



DEWPOINT 23 °C



Wind favours RWY 12

130° true · 137° magnetic · 4 kt

Evidence & limitations

- METAR source state: ok; observed Sep 13 00:53 ET; retrieved Sep 13 02:12 ET; 79 min before this run.
- Measured values read from the KOPF METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.05 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KOPF runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 09L/27R, 12/30, 09R/27L. Wind from 130 degrees true, 137 degrees magnetic, at 4 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 12. Wind source: KOPF METAR 130453Z.

DESTINATION OUTLOOK

SUN 13 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 13 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 13 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 13 SEP 18:00–00:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 13

- 00:00–06:00 ET ET
- WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.
- 06:00–12:00 ET ET
- WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.
- 12:00–18:00 ET ET
- WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.
- 18:00–00:00 ET ET
- WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

Forecast



 Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

TAF · VFR

FORECAST

Forecast



 Flight-category guidance

 WIND1 kt

 TEMPERATURE79–80 °F

 DEWPOINT77 °F

 PRECIP CHANCE24%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

GFS MAV MOS · VFR

FORECAST

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND2–4 kt



TEMPERATURE80–87 °F



DEWPOINT77–78 °F



PRECIP CHANCE8%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND7 kt



TEMPERATURE86–89 °F



DEWPOINT76 °F



PRECIP CHANCE17%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 14

00:00–06:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

now

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

24°C dep KLZU → 26°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

09L/27R (090/270°M · 083/263°T) · 12/30 (120/300°M · 113/293°T) · 09R/27L (090/270°M · 083/263°T) — designators and °M headings are magnetic; °T are true; variation 7°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

12 Act on

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

6/8918

NOTAM text not available in this projection.

6/8919

NOTAM text not available in this projection.

6/8921

NOTAM text not available in this projection.

05/045

NOTAM text not available in this projection.

07/090

NOTAM text not available in this projection.

07/091

NOTAM text not available in this projection.

07/092

NOTAM text not available in this projection.

07/093

NOTAM text not available in this projection.

07/094

NOTAM text not available in this projection.

07/095

NOTAM text not available in this projection.

07/096

NOTAM text not available in this projection.

07/097

NOTAM text not available in this projection.

07/098

NOTAM text not available in this projection.

07/102

NOTAM text not available in this projection.

07/103

NOTAM text not available in this projection.

07/104

NOTAM text not available in this projection.

07/109

NOTAM text not available in this projection.

07/110

NOTAM text not available in this projection.

07/111

NOTAM text not available in this projection.

07/112

NOTAM text not available in this projection.

07/113

NOTAM text not available in this projection.

07/114

NOTAM text not available in this projection.

07/115

NOTAM text not available in this projection.

07/116

NOTAM text not available in this projection.

07/117

NOTAM text not available in this projection.

07/118

NOTAM text not available in this projection.

07/119

NOTAM text not available in this projection.

07/120

NOTAM text not available in this projection.

07/121

NOTAM text not available in this projection.

07/124

NOTAM text not available in this projection.

07/125

NOTAM text not available in this projection.

07/126

NOTAM text not available in this projection.

07/130

NOTAM text not available in this projection.

07/131

NOTAM text not available in this projection.

07/132

NOTAM text not available in this projection.

07/133

NOTAM text not available in this projection.

07/134

NOTAM text not available in this projection.

10/001

NOTAM text not available in this projection.

10/002

NOTAM text not available in this projection.

10/044

NOTAM text not available in this projection.

10/045

NOTAM text not available in this projection.

10/050

NOTAM text not available in this projection.

10/051

NOTAM text not available in this projection.

10/046

NOTAM text not available in this projection.

10/047

NOTAM text not available in this projection.

10/048

NOTAM text not available in this projection.

10/049

NOTAM text not available in this projection.

11/013

NOTAM text not available in this projection.

11/014

NOTAM text not available in this projection.

11/015

NOTAM text not available in this projection.

11/016

NOTAM text not available in this projection.

11/025

NOTAM text not available in this projection.

11/026

NOTAM text not available in this projection.

11/027

NOTAM text not available in this projection.

11/028

NOTAM text not available in this projection.

02/017

NOTAM text not available in this projection.

02/018

NOTAM text not available in this projection.

03/037

NOTAM text not available in this projection.

03/038

NOTAM text not available in this projection.

03/044

NOTAM text not available in this projection.

05/068

NOTAM text not available in this projection.

05/069

NOTAM text not available in this projection.

05/070

NOTAM text not available in this projection.

05/071

NOTAM text not available in this projection.

05/073

NOTAM text not available in this projection.

05/074

NOTAM text not available in this projection.

06/061

NOTAM text not available in this projection.

06/062

NOTAM text not available in this projection.

06/063

NOTAM text not available in this projection.

08/030

NOTAM text not available in this projection.

08/033

NOTAM text not available in this projection.

08/034

NOTAM text not available in this projection.

08/035

NOTAM text not available in this projection.

08/036

NOTAM text not available in this projection.

08/039

NOTAM text not available in this projection.

08/040

NOTAM text not available in this projection.

08/041

NOTAM text not available in this projection.

08/042

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

source per owner decision 2026-08-09;
technical transport environment remains
preprod. Limited 2026-07-30 spot check
covered KLZU, KAVL, and KSGJ (3 of 30
airports). NOTAMs were read from this source
and used on this card this run. Typed state:
OK. The dot colour reports whether this
source was read this run; technical
environment: preprod.

026-09-13T06:12:15.077535Z.

Effective 2026-03-03T15:34:00Z → 2026-11-16T15:34:00Z

Effective 2026-08-20T11:42:00Z → 2027-08-01T04:00:00Z

RUNWAY 08/051 — RWY 09L 7000FT DIST REMAINING SIGN MISSING

Effective 2026-08-20T11:43:00Z → 2027-08-01T04:00:00Z

Effective 2025-05-07T12:14:00Z → 2027-05-07T12:13:00Z

Effective 2025-09-25T18:59:00Z → 2027-09-25T18:59:00Z

86 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics,
the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KOPF this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

• Mon, Sep 14 • 12:00–18:00 ET: GFS MAV MOS • 12:00–18:00 ET ET • VFR

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

6:00 ET ET · VFR

2:00 ET ET · VFR

8:00 ET ET · VFR

0:00 ET ET · VFR

6:00 ET ET · VFR

S · 06:00–12:00 ET ET · VFR

OS · 12:00–18:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-13=GFS, 2026-09-14=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-13 06:00	78	Sct	190/2kt	—	>10kft	>6SM
GFS	2026-09-13 09:00	77	Clear	260/1kt	—	>10kft	>6SM
GFS	2026-09-13 12:00	78	Few	310/1kt	18.0	>10kft	>6SM
GFS	2026-09-13 15:00	86	Sct	300/2kt	—	>10kft	>6SM
GFS	2026-09-13 18:00	87	Bkn	100/5kt	31.0	>10kft	>6SM
GFS	2026-09-13 21:00	85	Ovc	130/6kt	—	>10kft	>6SM
GFS	2026-09-14 00:00	83	Bkn	140/4kt	48.0	>10kft	>6SM
GFS	2026-09-14 03:00	81	Sct	160/2kt	—	>10kft	>6SM
GFS	2026-09-14 06:00	80	Sct	220/1kt	24.0	>10kft	>6SM
GFS	2026-09-14 09:00	79	Clear	240/1kt	—	>10kft	>6SM
GFS	2026-09-14 12:00	80	Clear	200/2kt	8.0	>10kft	>6SM
GFS	2026-09-14 15:00	87	Sct	150/4kt	—	>10kft	>6SM
GFS	2026-09-14 18:00	89	Bkn	120/7kt	17.0	>10kft	>6SM
GFS	2026-09-14 21:00	86	Ovc	120/7kt	—	>10kft	>6SM
GFS	2026-09-15 00:00	83	Ovc	130/5kt	43.0	>10kft	>6SM
GFS	2026-09-15 03:00	82	Bkn	100/2kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KOPF 130453Z AUTO 13004KT 10SM CLR 26/23 A3005 RMK A02 SLP177 T02560233 403330250 PNO \$

TAF KOPF 130530Z 1306/1406 VRB04KT P6SM FEW050 SCT250 FM131800 13008KT P6SM VCTS SCT025CB BKN050 FM140100 VRB04KT P6SM FEW040 SCT250

+ Data sources used

- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KOPF; actual-station=KOPF; fetched-at=2026-09-13T06:12:08.222149+00:00; observed-or-issued-at=2026-09-13T05:30:00+00:00; valid-from=2026-09-13T06:00:00+00:00; valid-through=2026-09-14T06:00:00+00:00; partial-target-dates=2026-09-13,2026-09-14 — [AWC API](#)

TAF proxy · KOPF
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KOPF; actual-station=KOPF; fetched-at=2026-09-13T06:12:09.586998+00:00
- FAA NMS NOTAM — state=OK; requested-station=KOPF; actual-station=KOPF; fetched-at=2026-09-13T06:12:15.077535Z — [FAA NMS overview](#)
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KOPF; actual-station=KOPF; fetched-at=2026-09-13T06:12:30.207244+00:00; observed-or-issued-at=2026-09-13T00:00:00+00:00; valid-from=2026-09-13T06:00:00+00:00; valid-through=2026-09-16T00:00:00+00:00; target-dates=2026-09-13,2026-09-14; dates-with-points=2026-09-13,2026-09-14 — [Iowa State API](#)
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KOPF; actual-station=KOPF; fetched-at=2026-09-13T06:12:31.104148+00:00; observed-or-issued-at=2026-09-13T00:00:00+00:00; valid-from=2026-09-14T00:00:00+00:00; valid-through=2026-09-21T00:00:00+00:00; target-dates=2026-09-14; partial-target-dates=2026-09-13; dates-with-points=2026-09-13,2026-09-14 — [Iowa State API](#)
- MOS effective date selection — state=partial; rows=16; requested-station=KOPF; actual-station=KOPF; fetched-at=2026-09-13T06:12:30.207244+00:00; observed-or-issued-at=2026-09-13T00:00:00+00:00; valid-from=2026-09-13T06:00:00+00:00; valid-through=2026-09-16T00:00:00+00:00; target-dates=2026-09-13,2026-09-14; dates-with-points=2026-09-13,2026-09-14; selected-by-date=2026-09-13=GFS, 2026-09-14=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — [FAA Chart Supplement \(current cycle\)](#) — see [AirNav](#) link above

#28

KHPN

White Plains/Westchester Cnty, NY, US

· Long-range · White Plains NY

▮ OBS - VFR

ETE

4h18

DIST

647 nm

SUN 13 SEP 00:56 ET OBSERVED

Current observation

▮ OBS - VFR

OBSER

METAR

 few 7,000 ft

WINDcalm

 TEMPERATURE18 °C

 VISIBILITY10 sm

 DEWPOINT17 °C

Evidence & limitations

- METAR source state: ok; observed Sep 13 00:56 ET; retrieved Sep 13 02:12 ET; 76 min before this run.
- Measured values read from the KHPN METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.04 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.

DESTINATION OUTLOOK

SUN 13 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · MVFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 13 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · IFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · IFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 13 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · IFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · IFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 13 SEP 18:00–00:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 13

- 00:00–06:00 ET ET
- WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.
- 06:00–12:00 ET ET
- WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.
- 12:00–18:00 ET ET
- WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.
- 18:00–00:00 ET ET
- WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON 14 SEP 00:00–06:00 ET HIGH

Forecast



Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

TAF · VFR
FORECAST

MON 14 SEP 06:00–12:00 ET MEDIUM

Forecast



Flight-category guidance



WIND8–13 kt



TEMPERATURE66–69 °F



DEWPOINT60–63 °F



PRECIP CHANCE6%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

GFS MAV MOS · VFR
FORECAST

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND12–17 kt



TEMPERATURE66–68 °F



DEWPOINT50–56 °F



PRECIP CHANCE18%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND16–17 kt



TEMPERATURE70–71 °F



DEWPOINT44–47 °F



PRECIP CHANCE1%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 14

00:00–06:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

24°C dep KLZU → 18°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

16/34 (160/340°M · 147/327°T) · 11/29 (110/290°M · 097/277°T) — designators and °M headings are magnetic; °T are true; variation 13°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

8 Act on1 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

ed 2026-09-13T06:12:15.109849Z.			
WS			
FRI SEP 11	SAT SEP 12	SUN SEP 13	MON SEP 14

A3675/26				
09/062				
A3797/26				
23 additional normalized NOTAM records omitted from this view.				

Raw NOTAM data · NOTAMs as of 06:12 Z

NOTAMs as of 06:12 Z — advisory only; verify an official briefing.

08/243	NOTAM text not available in this projection.
08/245	NOTAM text not available in this projection.
A3675/26	NOTAM text not available in this projection.
09/062	NOTAM text not available in this projection.
A3797/26	NOTAM text not available in this projection.
03/058	NOTAM text not available in this projection.
A1006/26	NOTAM text not available in this projection.
03/062	NOTAM text not available in this projection.
A1019/26	NOTAM text not available in this projection.
04/112	NOTAM text not available in this projection.
A1392/26	NOTAM text not available in this projection.
07/120	NOTAM text not available in this projection.
A2868/26	NOTAM text not available in this projection.

08/016

NOTAM text not available in this projection.

A3278/26

NOTAM text not available in this projection.

08/204

NOTAM text not available in this projection.

A3585/26

NOTAM text not available in this projection.

09/053

NOTAM text not available in this projection.

A3791/26

NOTAM text not available in this projection.

6/4747

NOTAM text not available in this projection.

6/4758

NOTAM text not available in this projection.

A0678/26

NOTAM text not available in this projection.

A0679/26

NOTAM text not available in this projection.

03/045

NOTAM text not available in this projection.

6/5381

NOTAM text not available in this projection.

A1014/26

NOTAM text not available in this projection.

6/9015

NOTAM text not available in this projection.

A1738/26

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2026-09-13T06:12:15.109849Z.

2026-09-13T06:12:15.109849Z.

:00Z

2026-09-13T06:12:15.109849Z.

:00Z

2026-09-13T06:12:15.109849Z.

:00Z

2026-09-13T06:12:15.109849Z.

:00Z

RUNWAY

2026-09-14T04:00:00Z → 2026-09-15T09:30:00Z

Effective 2026-09-14T04:00:00Z → 2026-09-15T09:30:00Z

23 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KHPN this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

2026-09-14T00:00:00Z · MVFR

2026-09-14T02:00:00Z · IFR

2026-09-14T04:00:00Z · IFR

2026-09-14T06:00:00Z · VFR

2026-09-14T08:00:00Z · VFR

2026-09-14T10:00:00Z · 06:00–12:00 ET ET · VFR

• Mon, Sep 14 · 12:00–18:00 ET: GFS MAV MOS · 12:00–18:00 ET ET · VFR

• Mon, Sep 14 · 18:00–00:00 ET: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-13=GFS, 2026-09-14=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-13 06:00	66	Ovc	130/3kt	—	5-10kft	>6SM
GFS	2026-09-13 09:00	65	Ovc	100/3kt	—	1-3kft	3-5SM
GFS	2026-09-13 12:00	67	Ovc	70/5kt	95.0	500-1kft	½-1SM
GFS	2026-09-13 15:00	72	Ovc	350/6kt	—	500-1kft	3-5SM
GFS	2026-09-13 18:00	76	Ovc	310/5kt	65.0	3-5kft	>6SM
GFS	2026-09-13 21:00	77	Bkn	300/5kt	—	5-10kft	>6SM
GFS	2026-09-14 00:00	72	Sct	210/3kt	4.0	>10kft	>6SM
GFS	2026-09-14 03:00	71	Bkn	230/3kt	—	>10kft	>6SM
GFS	2026-09-14 06:00	69	Ovc	310/8kt	6.0	5-10kft	>6SM
GFS	2026-09-14 09:00	66	Bkn	330/13kt	—	>10kft	>6SM
GFS	2026-09-14 12:00	66	Sct	320/12kt	18.0	>10kft	>6SM
GFS	2026-09-14 15:00	68	Sct	330/17kt	—	>10kft	>6SM
GFS	2026-09-14 18:00	71	Few	320/17kt	1.0	>10kft	>6SM
GFS	2026-09-14 21:00	70	Few	330/16kt	—	>10kft	>6SM
GFS	2026-09-15 00:00	62	Clear	330/9kt	0.0	>10kft	>6SM
GFS	2026-09-15 03:00	56	Clear	340/7kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KHPN 130456Z 00000KT 10SM FEW070 18/17 A3004

TAF KHPN 130522Z 1306/1406 15005KT P6SM SCT050 BKN250 FM130800 12005KT 6SM -SHRA BKN015 OVC025 TEMPO 1308/1310 3SM SHRA BR FM131000 12004KT 3SM SHRA BR BKN006 OVC010 TEMPO 1311/1315 1SM +TSRA BKN006 OVC010CB FM131500 VRB05KT 6SM -SHRA BR BKN005 BKN010 PROB30 1315/1317 2SM -TSRA SCT006 BKN010CB FM131700 30005KT P6SM BKN025 FM131900 28005KT P6SM BKN035 AMD NOT SKED

+ Data sources used

• METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KHPN; actual-station=KHPN; fetched-at=2026-09-13T06:12:07.417459+00:00; observed-or-issued-at=2026-09-13T04:56:00+00:00 — AWC API

- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KHPN; actual-station=KHPN; fetched-at=2026-09-13T06:12:08.222149+00:00; observed-or-issued-at=2026-09-13T05:22:00+00:00; valid-from=2026-09-13T06:00:00+00:00; valid-through=2026-09-14T06:00:00+00:00; partial-target-dates=2026-09-13,2026-09-14 — [AWC API](#)

TAF proxy · KHPN
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KHPN; actual-station=KHPN; fetched-at=2026-09-13T06:12:09.527261+00:00
- FAA NMS NOTAM — state=OK; requested-station=KHPN; actual-station=KHPN; fetched-at=2026-09-13T06:12:15.109849Z — [FAA NMS overview](#)
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KHPN; actual-station=KHPN; fetched-at=2026-09-13T06:12:30.211314+00:00; observed-or-issued-at=2026-09-13T00:00:00+00:00; valid-from=2026-09-13T06:00:00+00:00; valid-through=2026-09-16T00:00:00+00:00; target-dates=2026-09-13,2026-09-14; dates-with-points=2026-09-13,2026-09-14 — [Iowa State API](#)
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KHPN; actual-station=KHPN; fetched-at=2026-09-13T06:12:30.720973+00:00; observed-or-issued-at=2026-09-13T00:00:00+00:00; valid-from=2026-09-14T00:00:00+00:00; valid-through=2026-09-21T00:00:00+00:00; target-dates=2026-09-14; partial-target-dates=2026-09-13; dates-with-points=2026-09-13,2026-09-14 — [Iowa State API](#)
- MOS effective date selection — state=partial; rows=16; requested-station=KHPN; actual-station=KHPN; fetched-at=2026-09-13T06:12:30.211314+00:00; observed-or-issued-at=2026-09-13T00:00:00+00:00; valid-from=2026-09-13T06:00:00+00:00; valid-through=2026-09-16T00:00:00+00:00; target-dates=2026-09-13,2026-09-14; dates-with-points=2026-09-13,2026-09-14; selected-by-date=2026-09-13=GFS, 2026-09-14=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — [FAA Chart Supplement \(current cycle\)](#) — see AirNav link above

#29

KBED

Bedford/Hanscom Fld, MA, US

· Long-range · Boston-Bedford MA

▮ OBS - VFR

ETE

5h11

DIST

784 nm

SUN 13 SEP 00:51 ET OBSERVED

Current observation

▮ OBS - VFR

OBSER

METAR


overcast 9,000 ft

WINDS (180°) 4 kt

TEMPERATURE17 °C

VISIBILITY10 sm

DEWPOINT13 °C



Wind favours RWY 23

180° true · 194° magnetic · 4 kt

Evidence & limitations

- METAR source state: ok; observed Sep 13 00:51 ET; retrieved Sep 13 02:12 ET; 81 min before this run.
- Measured values read from the KBED METAR. This is a current surface observation only; it is not a forecast.

- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.07 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KBED runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 11/29, 05/23. Wind from 180 degrees true, 194 degrees magnetic, at 4 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 23. Wind source: KBED METAR 130451Z.

DESTINATION OUTLOOK

SUN, SEP 13

SUN 13 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 13 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · IFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · IFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 13 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · IFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · IFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 13 SEP 18:00–00:00 ET HIGH

Forecast

TA

F

TAF · IFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 18:00–00:00 ET ET · IFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 13

00:00–06:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON 14 SEP 00:00–06:00 ET HIGH

Forecast



Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

FORECAST

MON 14 SEP 06:00–12:00 ET MEDIUM

Forecast



Flight-category guidance

WIND4–9 kt

TEMPERATURE65–66 °F

DEWPOINT58–61 °F

PRECIP CHANCE12%

Surface prog · 06:00–12:00 ET · available

FORECAST

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND8–15 kt



TEMPERATURE64–69 °F



DEWPOINT52–54 °F



PRECIP CHANCE32%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND12–13 kt



TEMPERATURE71–73 °F



DEWPOINT47–48 °F



PRECIP CHANCE2%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 14

00:00–06:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

now

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

24°C dep KLZU → 17°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

rwY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

11/29 (110/290°M · 096/276°T) · 05/23 (050/230°M · 036/216°T) — designators and °M headings are magnetic; °T are true; variation 14°W (NOAA WMM2025)

info

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		
Verify the current FAA Chart Supplement and provider before flight.			

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

4 Act on

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

ed 2026-09-13T06:12:15.230268Z.

(oritative)

FRI SEP 11	SAT SEP 12	SUN SEP 13	MON SEP 14

A2225/26				
08/020				
A2431/26				
12 additional normalized NOTAM records omitted from this view.				

Raw NOTAM data · NOTAMs as of 06:12 Z

NOTAMs as of 06:12 Z — advisory only; verify an official briefing.

5/0511	NOTAM text not available in this projection.
06/013	NOTAM text not available in this projection.
A2225/26	NOTAM text not available in this projection.
08/020	NOTAM text not available in this projection.
A2431/26	NOTAM text not available in this projection.
08/088	NOTAM text not available in this projection.
A1392/25	NOTAM text not available in this projection.
5/0197	NOTAM text not available in this projection.
A2784/25	NOTAM text not available in this projection.
6/8189	NOTAM text not available in this projection.
A2533/26	NOTAM text not available in this projection.
06/012	NOTAM text not available in this projection.
06/054	NOTAM text not available in this projection.

07/034

NOTAM text not available in this projection.

A2378/26

NOTAM text not available in this projection.

08/093

NOTAM text not available in this projection.

09/008

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2026-09-13T06:12:15.230268Z.

HANSCOM FLD, BEDFORD, MA, TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 5A., IN ADDITION TO EXISTING TAKEOFF OBSTACLE 155 FT AGL/262 FT MSL ANTENNA 5027 FT FROM DER, 1552 FT LEFT OF CENTERLINE, 285 FT MSL. ALL OTHER

2026-09-13T06:12:15.230268Z.

2026-09-13T06:12:15.230268Z.

2026-09-13T06:12:15.230268Z.

2026-09-13T06:12:15.230268Z.

2026-09-13T06:12:15.230268Z.

TAXIWAY 08/034 — TWY T DIRECTION MARKINGS REMOVED

Effective 2026-08-10T16:47:00Z → 2026-12-31T22:00:00Z

TAXIWAY A2431/26 — TWY T DIRECTION MARKINGS REMOVED

Effective 2026-08-10T16:47:00Z → 2026-12-31T22:00:00Z

12 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KBED this run.

them. No category, wind, ceiling, ranking or go/no-go here is derived from an image. A published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

06:00 ET ET · VFR
06:00 ET ET · IFR
06:00 ET ET · IFR
06:00 ET ET · IFR
06:00 ET ET · MVFR
06:00–12:00 ET ET · VFR

- Mon, Sep 14 · 12:00–18:00 ET: GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Mon, Sep 14 · 18:00–00:00 ET: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-13=GFS, 2026-09-14=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-13 06:00	62	Ovc	180/4kt	—	>10kft	>6SM
GFS	2026-09-13 09:00	62	Ovc	180/3kt	—	>10kft	>6SM
GFS	2026-09-13 12:00	63	Ovc	160/4kt	31.0	3-5kft	6SM
GFS	2026-09-13 15:00	67	Ovc	130/5kt	—	500-1kft	1-2SM
GFS	2026-09-13 18:00	71	Ovc	80/5kt	95.0	200-500ft	½-1SM
GFS	2026-09-13 21:00	69	Ovc	80/4kt	—	200-500ft	3-5SM
GFS	2026-09-14 00:00	65	Ovc	140/1kt	36.0	500-1kft	3-5SM
GFS	2026-09-14 03:00	65	Ovc	220/2kt	—	500-1kft	3-5SM
GFS	2026-09-14 06:00	66	Ovc	220/4kt	12.0	200-500ft	3-5SM
GFS	2026-09-14 09:00	65	Ovc	300/9kt	—	5-10kft	>6SM
GFS	2026-09-14 12:00	64	Bkn	290/8kt	32.0	>10kft	>6SM
GFS	2026-09-14 15:00	69	Clear	320/15kt	—	>10kft	>6SM
GFS	2026-09-14 18:00	73	Few	320/13kt	2.0	>10kft	>6SM
GFS	2026-09-14 21:00	71	Clear	330/12kt	—	>10kft	>6SM
GFS	2026-09-15 00:00	61	Clear	340/7kt	0.0	>10kft	>6SM
GFS	2026-09-15 03:00	54	Clear	350/4kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KBED 130451Z AUTO 18004KT 10SM OVC090 17/13 A3007 RMK A02 SLP195 T01670133 402560056 \$

TAF KBED 130534Z 1306/1406 18004KT P6SM SCT070 BKN150 TEMPO 1313/1314 5SM -SHRA BKN040 FM131400 15005KT 4SM SHRA BR OVC020 PROB30 1314/1318 2SM TSRA BR OVC008CB FM132000 08004KT 2SM BR BKN008 FM140200 00000KT 3SM BR BKN020 FM140500 24003KT 3SM BR BKN050

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KBED; actual-station=KBED; fetched-at=2026-09-13T06:12:07.417459+00:00; observed-or-issued-at=2026-09-13T04:51:00+00:00 — [AWC API](#)
 - TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KBED; actual-station=KBED; fetched-at=2026-09-13T06:12:08.222149+00:00; observed-or-issued-at=2026-09-13T05:34:00+00:00; valid-from=2026-09-13T06:00:00+00:00; valid-through=2026-09-14T06:00:00+00:00; partial-target-dates=2026-09-13,2026-09-14 — [AWC API](#)
- TAF proxy · KBED
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KBED; actual-station=KBED; fetched-at=2026-09-13T06:12:09.649593+00:00
 - FAA NMS NOTAM — state=OK; requested-station=KBED; actual-station=KBED; fetched-at=2026-09-13T06:12:15.230268Z — [FAA NMS overview](#)
 - MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KBED; actual-station=KBED; fetched-at=2026-09-13T06:12:30.225607+00:00; observed-or-issued-at=2026-09-13T00:00:00+00:00; valid-from=2026-09-13T06:00:00+00:00; valid-through=2026-09-16T00:00:00+00:00; target-dates=2026-09-13,2026-09-14; dates-with-points=2026-09-13,2026-09-14 — [Iowa State API](#)
 - MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KBED; actual-station=KBED; fetched-at=2026-09-13T06:12:30.747084+00:00; observed-or-issued-at=2026-09-13T00:00:00+00:00; valid-from=2026-09-14T00:00:00+00:00; valid-through=2026-09-21T00:00:00+00:00; target-dates=2026-09-14; partial-target-dates=2026-09-13; dates-with-points=2026-09-13,2026-09-14 — [Iowa State API](#)
 - MOS effective date selection — state=partial; rows=16; requested-station=KBED; actual-station=KBED; fetched-at=2026-09-13T06:12:30.225607+00:00; observed-or-issued-at=2026-09-13T00:00:00+00:00; valid-from=2026-09-13T06:00:00+00:00; valid-through=2026-09-16T00:00:00+00:00; target-dates=2026-09-13,2026-09-14; dates-with-points=2026-09-13,2026-09-14; selected-by-date=2026-09-13=GFS, 2026-09-14=GFS
 - Extended outlook and hazard-feed states are reported in the source stamp.
 - Runway data + Chart Supplement — [FAA Chart Supplement \(current cycle\)](#) — see AirNav link above

3 · Hazard feeds & regional observations

Unfiltered hazard feeds (not route-geometry screened): 12 SIGMET records, 29 G-AIRMET records. Regional current observations (not corridor forecasts): Mountain: IFR/LIFR at KAVL, KROA; Atlantic South: MVFR at KJZI; Atlantic South: category unavailable at KSGJ; Atlantic North: MVFR at KMYR, KCRE.

Scope: Hazard counts are raw feed totals and have not been filtered against a proposed route, altitude, or time. Airport flight categories are current point observations, not corridor forecasts.

4 · Planning gates

- **Evidence gate:** an unavailable, stale, or out-of-horizon source is unknown — never treat it as favorable.
- **Weather gate:** compare current observations and valid-period forecasts with personal ceiling, visibility, convection, wind, and crosswind minimums.
- **Route gate:** screen the actual route, altitude, and time against official hazard products; feed totals on this page are not route-filtered.
- **Operations gate:** verify NOTAMs, TFRs, runway conditions, fuel, aircraft performance, daylight, and alternates.

5 · ForeFlight manual cross-check (before flight)

- Official briefing matches these go/no-go windows
- Prog charts / radar / satellite trend agrees with convection timing
- Winds & temps aloft along actual route (may shift ETE)
- **NOTAMs & TFRs** — airport-scoped NMS records may be shown, but route-wide/TFR coverage is not included; pull a fresh official briefing for departure, destination, and alternates
- Runway condition / length / closures at destination & alternate
- Weight & balance + performance at forecast density altitude (heat!)
- File & brief in ForeFlight; confirm fuel stops if long-range

6 · Source stamp

Show source stamp and evidence inventory

KLZU METAR excerpt: METAR KLZU 130456Z AUTO . AWC METAR state OK for 28/30 airports; TAF target coverage for 0/30; MOS fetch health GFS 30/30, MEX 30/30; target coverage 60/60 airport-days; planned-window board coverage 2/2; combined target forecast coverage for 30/30; FAA status known for 0/30. Hazard feeds: state=ok; SIGMET=12, G-AIRMET=29, CWA=0; counts are unfiltered and are not a route assessment.
NWS AFD state: ok · FAA NMS NOTAM states: OK=30; normalized records=723; unnormalized records=0; environment=preprod; sandbox-public-preview=true · Fuel: best-effort (verify) · FAA chart cycle: VFR Sectional Ed. 98 (eff. 09/03/2026); Chart Supplement Ed. 5 (eff. 09/03/2026).

Executive summary

FACTS BY CODE · GROUPING BY MODEL · NO MODEL-WRITTEN FACT

A plain restatement of evidence shown in full below. Every fact here was computed by code and is quoted exactly as code wrote it; a model was allowed only to group those facts and join them with connecting words. It reports what the sources say; it does not rank the days, rate them, or make a go/no-go call. The full five-part evidence follows underneath.

- Data quality is OK, as the page header badge reports; it gates publication and is not a weather statement. This restates evidence shown in full below; it is not a recommendation, not an all-clear, and not a data outage. The decision surfaces are the planning gates and the ForeFlight cross-check.
- Trip window: Fri Sep 11 – Mon Sep 14, 2026. “This weekend” is taken to mean exactly this window; no other date range is assessed. A forecast flight category is available for 2 of 2 active trip days; 0 reach no category-capable product at this lead time.
- Trip-window feasibility evidence (Derived): 2 of 2 active trip days carry a forecast flight category and 0 carry none. This is a derivation about how much evidence exists, not a go/no-go call and not a flight category. KLZU current observation: VFR — conditions now, not a trip day.
- 29 of 29 covered destinations resolve a forecast flight category this run. This is coverage, not a ranking. 41 hazard areas retained a coordinate ring this run, 41 of them valid inside the trip window, by the geometric test named below. KLZU: 0 of 17 current NOTAMs are new by the stated 72-hour publication window.

Full evidence, unchanged: the five parts in the owner's order

1 · Feasibility evidence for the trip window

This part is a derivation, not an observation: it states how much of the trip window carries a forecast flight category, and nothing more. It is not a go/no-go call, not a recommendation, and not a flight category. Its inputs and its gaps are listed in the tooltip on the line below.

- Trip window: Fri Sep 11 – Mon Sep 14, 2026. “This weekend” is taken to mean exactly this window; no other date range is assessed.
- Trip-window feasibility evidence (Derived): assessable for every active trip day — 2 of 2 active trip days in Fri Sep 11 – Mon Sep 14, 2026 carry a forecast flight category and 0 carry none. This is a derived statement about how much evidence exists, it is not a flight category, and it says nothing about whether a flight is advisable. Every input and every gap is named in this line's tooltip.

2 · KLZU home-base status

The KLZU observation and the per-day board categories, taken from the same helpers the board itself renders from, so the two cannot disagree.

- KLZU current observation: VFR — from the surface observation read this run; it describes conditions now, not a trip day.
- Sun Sep 13, 06:00–22:00 ET: MVFR — most restrictive forecast flight category; high confidence; from TAF, MOS.
- Mon Sep 14, 06:00–22:00 ET: VFR — most restrictive forecast flight category; medium confidence; from MOS.

- A forecast flight category is available for 2 of 2 active trip days; 0 reach no category-capable product at this lead time.
- Data quality: OK — as reported by the badge in the page header; it gates publication, it is not a weather statement.

3 • Destination coverage

Coverage, not a pick: this counts which destinations a product permitted to state a flight category actually reaches. It is not a ranking, not a recommendation, and the editorial order of the destination list is not a flyability score.

- Destinations: 29 of 29 covered airports resolve a forecast flight category on at least one active trip day; 0 resolve none at this lead time. Counted from the same per-day outlook the destination cards render, with outlook-grade blocks excluded.
- Most restrictive resolved category per covered airport, across the active trip days: KAVL LIFR (2/2 d), KBED IFR (2/2 d), KBFM MVFR (2/2 d), KCRE MVFR (2/2 d), KCRG IFR (2/2 d), KDAB MVFR (2/2 d), KECF MVFR (2/2 d), KFIN MVFR (2/2 d), KGKT IFR (2/2 d), KGPT VFR (2/2 d), KHPN IFR (2/2 d), KHS A VFR (2/2 d); 17 further airports in section 2.
- NOTAMs: 29 of 29 destinations report an active NOTAM. KLZU departure NOTAM state: OK.

4 • Weather events by area or region

Weather events by area or region, from products that carry an area. Per-airport categories are never clustered into a region here: an area inferred that way would be a spatial claim no source made.

- 41 hazard areas retained with their own coordinate rings. Each is related to an airport only by point-in-polygon (ray casting) against the product's own coordinate ring, or by great-circle distance from the airport to the nearest point on the product's boundary within 100 NM — tested against 28 airports that reported a position this run. No area name is inferred: the only names stated are the ones a product supplies itself. Per-airport categories are never clustered into a region.
- 41 of 41 retained hazard areas are valid at some point inside the planned trip window; the rest describe conditions before it.
- G-AIRMET SIERRA — IFR: contains KROA, KSHD (point-in-polygon (ray casting) against the product's own coordinate ring); boundary within 100 NM of KHPN 34 NM, KAVL 44 NM, KTRI 48 NM, KGKT 96 NM. valid 2026-09-13 02:45Z to 2026-09-13 09:00Z.
- G-AIRMET SIERRA — IFR: contains KAVL, KTRI, KGKT (point-in-polygon (ray casting) against the product's own coordinate ring); boundary within 100 NM of KLZU 44 NM, KROA 57 NM, KSHD 96 NM. valid 2026-09-13 02:45Z to 2026-09-13 09:00Z.
- G-AIRMET SIERRA — MT_OBS C: contains KSHD, KROA, KAVL, KGKT, KTRI (point-in-polygon (ray casting) against the product's own coordinate ring); boundary within 100 NM of KLZU 34 NM, KBED 48 NM, KHPN 50 NM. valid 2026-09-13 02:45Z to 2026-09-13 09:00Z.
- SIGMET 45E — CONVECTIVE: contains KROA, KSHD (point-in-polygon (ray casting) against the product's own coordinate ring); boundary within 100 NM of KHPN 43 NM. valid 2026-09-13 05:55Z to 2026-09-13 07:55Z.
- SIGMET 51E — CONVECTIVE: contains KVNC (point-in-polygon (ray casting) against the product's own coordinate ring); boundary within 100 NM of KSRQ 9 NM, KSPG 29 NM, KTPF 40 NM. valid 2026-09-13 05:55Z to 2026-09-13 07:55Z.
- G-AIRMET ZULU — FZLVL: boundary within 100 NM of KOPF 73 NM; published as a line, not an enclosed area, so no containment test is made against it. valid 2026-09-13 02:45Z to 2026-09-13 09:00Z.
- G-AIRMET ZULU — FZLVL: boundary within 100 NM of KDAB 5 NM, KFIN 12 NM, KGKT 18 NM, KOPF 21 NM, KNEW 21 NM, KCRE 31 NM, KGPT 32 NM, KMYR 36 NM, KSGJ 38 NM, KJKA 44 NM, KAVL 47 NM, KJZI 53 NM, KBFM 53 NM, KLZU 58 NM, KTPF 59 NM, KPNS 65 NM, KSPG 71 NM, KSRQ 75 NM, KVNC 76 NM, KTRI 84 NM, KH XD 87 NM, KSAV 96 NM; published as a line, not an enclosed area, so no containment test is made against it. valid 2026-09-13 02:45Z to 2026-09-13 09:00Z.
- G-AIRMET ZULU — ICE: boundary within 100 NM of KSHD 5 NM, KHPN 7 NM, KROA 33 NM, KBED 90 NM. valid 2026-09-13 02:45Z to 2026-09-13 09:00Z.
- SIGMET 47E — CONVECTIVE: boundary within 100 NM of KCRE 23 NM, KMYR 23 NM, KROA 40 NM, KSHD 48 NM, KJZI 56 NM, KH XD 85 NM, KSAV 99 NM. valid 2026-09-13 05:55Z to 2026-09-13 07:55Z.
- SIGMET 48E — CONVECTIVE: boundary within 100 NM of KSGJ 39 NM, KFIN 56 NM, KSSI 58 NM, KDAB 66 NM, KJZI 71 NM, KH XD 77 NM, KSAV 92 NM. valid 2026-09-13 05:55Z to 2026-09-13 07:55Z.
- SIGMET 50E — CONVECTIVE: boundary within 100 NM of KOPF 48 NM. valid 2026-09-13 05:55Z to 2026-09-13 07:55Z.
- 30 of 41 retained hazard areas could not be related to any airport this page covers, by either test. They remain national-unfiltered: their geography is real but lies outside 100 NM of every airport tested, and nothing is claimed about where they are.
- Hazard feed record counts this run, unfiltered and national: SIGMET 12, G-AIRMET 29, CWA 0; overall feed state ok; feed states — CWA: ok, G-AIRMET: ok, SIGMET: ok. These are totals over the whole feed, not a count near KLZU, not a count along any route, and not a route assessment.

5 • New KLZU NOTAMs

This run keeps no snapshot of the previous run, so “new” cannot mean “changed since last time”. It is defined below as an FAA-published timestamp window, and the service-status scan reads the published text of every KLZU record so a status embedded inside a record of another category is not missed.

- Baseline for “new”: a KLZU NOTAM whose own FAA-published timestamp (last update, else issue, else effective start) falls within the 72 hours before this run's generation time (2026-09-13T06:12:07.205190+00:00). This run holds no copy of the previous run's NOTAM set, so this is a source-timestamp window and not a difference against an earlier run.
- KLZU: none of the 17 current NOTAMs carries an FAA-published timestamp inside that window, so no NOTAM is new by that baseline. The existing records are unchanged, not absent.
- Service-status wording found in the published text of KLZU records, whatever their category — 6/6851 (NAV_APPROACH) states: “LZU AWOS OUT OF SERVICE.”; 6/6854 (NAV_APPROACH) states: “LZU AWOS OUT OF SERVICE.”; 6/6855 (NAV_APPROACH) states: “LZU AWOS OUT OF SERVICE.”; A0318/26 (NAV_APPROACH) states: “LZU AWOS OUT OF SERVICE.”; A0319/26 (NAV_APPROACH) states: “LZU AWOS OUT OF SERVICE.”; A0320/26 (NAV_APPROACH) states: “LZU AWOS OUT OF SERVICE.”; 09/014 (OTHER) states: “SVC AUTOMATED WX BCST SYSTEM NOT AVBL”. These are verbatim quotations from the record named beside each one; they are text matches inside those records, not NOTAMs of their own, and they are reported whether or not the carrying record is new.

This restates evidence; it is not a recommendation, not an all-clear, and not a data outage. The decision surfaces are the planning gates and the ForeFlight cross-check below, read against the KLZU board and destination cards. Every line above restates a value shown elsewhere on this page.

⚠ **Pre-planning only — not an official weather briefing.** Verify an official briefing, METAR/TAF/GFA/SIGMET/CWA, NOTAMs, TFRs, runway conditions, fuel, W&B, performance, and personal minimums before flight.

Shared planning page for N201MD & flying partners · static snapshot of the latest scheduled run · the scheduler checks hourly and republishes once at least 6 h have passed since the last publish, so the refresh lands about 4x a day at times that drift
Last updated Sunday Sep 13, 2026 · 2:12 AM ET · Next scheduled run: not before Sunday Sep 13 · 8:17 AM ET · Have a suggestion? Use the **Feedback** button.