

Flight Planning Desk

Performance profile: Mooney M20J · Lawrenceville, GA · **Fri Sep 11 – Mon Sep 14, 2026**

✔ Data quality · **DEGRADED**

✔ Live verification · **Checking**

● Published snapshot · Generated · **Saturday Sep 12, 2026 · 6:19 PM ET** · Next run · not before **Sunday Sep 13 · 12:17 AM ET**

1 · KLZU departure / return board

KLZU

Lawrenceville/Gwinnett Cnty, GA, US

Home base · timed forecast changes · source detail retained

⌵ OBS - MVFR

PLANNING HORIZON

Sat 12 → Mon 14 · 3 days

RIGHT NOW · METAR

SAT 12 SEP 16:56 ET OBSERVED

Current observation

⌵ OBS - MVFR

OBSE

⌵ METAR


☁ broken 2,800 ft

WINDW (270°) 5 kt

🌡 TEMPERATURE29 °C

👁 VISIBILITY10 sm

💧 DEWPOINT23 °C



Wind favours RWY 25

270° true · 276° magnetic · 5 kt

Evidence & limitations

- METAR source state: ok; observed Sep 12 16:56 ET; retrieved Sep 12 18:19 ET; 83 min before this run.
- Measured values read from the KLZU METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.97 inHg.
- Raw METAR: METAR KLZU 122056Z 27005KT 10SM BKN028 29/23 A2997 RMK A02 SLP149 6//// T02890228 58013 \$

• KLZU runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 07/25. Wind from 270 degrees true, 276 degrees magnetic, at 5 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 25. Wind source: KLZU METAR 122056Z.

Important planning / evidence detail (1 warning)

LEGEND **VFR** **MVFR** **IFR** **LIFR** **Unknown**  Solid = source-interval category guidance:  Dashed = lower-confidence outlook  Weather icon = surface forecastAll times Eastern (ET), 24-hour clock · "around/after" preserves source precision.  △ KLZU has no TAF station. Every KLZU TAF-derived value on this page is taken from the nearby **KPDK** proxy station, not from KLZU itself — treat it as regional, and confirm KLZU conditions in an official briefing. A raster chart may be displayed with its issuing office and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

HIGH CONFIDENCE

SEP 12 · 18:00–22:00 ET

- METAR
- TAF
- NWS-hr
- NWS-day
- MAV
- MEX
- GFA
- NOTAM

METAR – issued hourly. The NWS issues a SPECI report if conditions change significantly. Issued by the NWS, not a forecast. KLZU observations describe conditions now, not this trip day.

TAF – highest forecast. The NWS issues a TAF every 6 hours. TAFs cover the next 24 hours. TAFs describe conditions now, not this trip day.

NWS hour – Weather Service hourly forecast. Cell contains a by-hour sky and it is the most detailed forecast on this board. Reaches the end of the trip day.

NWS day/night – Weather Service day and night forecast. Coarser than hourly. Not a forecast. Reaches the end of the trip day.

GFS MOS – Model output. The GFS issues a MOS every 6 hours. MOSs cover the next 24 hours. MOSs describe conditions now, not this trip day.

GFS ensemble – Model output. The GFS issues an ensemble forecast every 6 hours. Ensemble forecasts cover the next 24 hours. Ensemble forecasts describe conditions now, not this trip day.

GFA – Forecast. The GFA issues a forecast every 6 hours. Forecasts cover the next 24 hours. Forecasts describe conditions now, not this trip day.

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KLZU this run.

office and valid time and never interprets them: no category, wind, ceiling, ranking or go/no-go here is derived from an image. A published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

MVFR

KPDK TAF PROB30 - MVFR

KPDK TAF - MVFR → VFR

GFS OUTLOOK - VFR

GFS MOS - VFR

TS 27%

WINDW-SW · 0–4 kt

PRECIP CHANCE12–27%

TS CHANCE12–27%

SKY COVER50–60%

Evidence & limitations

The visible badge names the contributing product. Exact issuance, retrieval, and member-period provenance remains in Day evidence & planning note below.

Flight category changes within this box: MVFR → VFR. The most restrictive displayed value is MVFR.

The hour-by-hour source evidence below retains every original period and its detailed wind line.

Surface prog · 18:00–22:00 ET · available

Day evidence & planning note

Source unavailable — verify aviation weather

SOURCES & LIMITATIONS — HOUR-BY-HOUR SOURCE EVIDENCE (4 FORECAST PERIODS)

18:00–19:00 ET

KPDK TAF PROB30 - MVFR

KPDK TAF - MVFR

TS 27%

GFS OUTLOOK - VFR

Chance Showers And Thunderstorms

Precipitation probability (PoP) 27%

Conditions only — not a flight category; states nothing about ceiling or visibility.

NWS + TAF + MOS · NWS ISSUED SEP 12 14:26 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 12 18:20 ET

19:00–20:00 ET

KPDK TAF PROB30 - MVFR

KPDK TAF - MVFR

TS 25%

GFS OUTLOOK - VFR

Chance Showers And Thunderstorms

Precipitation probability (PoP) 25%

Conditions only — not a flight category; states nothing about ceiling or visibility.

NWS + TAF + MOS · NWS ISSUED SEP 12 14:26 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 12 18:20 ET

20:00–21:00 ET

KPDK TAF - MVFR

GFS MOS - VFR

Slight Chance Showers And Thunderstorms

Precipitation probability (PoP) 15%

NWS + TAF + MOS · NWS ISSUED SEP 12 14:26 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 12 18:20 ET

21:00–22:00 ET

KPDK TAF - VFR

GFS OUTLOOK - VFR

Partly Cloudy

Precipitation probability (PoP) 12%

NWS + TAF + MOS · NWS ISSUED SEP 12 14:26 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 12 18:20 ET

WIND / WIND-FAVORED RUNWAY · ONE ENTRY PER DISPLAY BLOCK

18:00–19:00 ET W (~270° true) 4 kt Approx. wind-favored RWY 25 NWS hourly surface forecast	19:00–20:00 ET SW (~225° true) 4 kt Approx. wind-favored RWY 25 NWS hourly surface forecast
20:00–21:00 ET CALM 0 kt Runway alignment unavailable NWS hourly surface forecast	21:00–22:00 ET CALM 0 kt Runway alignment unavailable NWS hourly surface forecast

18:00–22:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

Runway guidance is approximate wind alignment only; verify ATIS, NOTAMs and actual runway use.

RWY numbers magnetic; wind converted from true using 6°W variation (NOAA WMM2025)

Day operations

WEATHER

TAF and radar cross-check.

PERFORMANCE

Temperature / performance check.

RUNWAY

Verify ATIS, NOTAMs and actual use.

Sep 13

MEDIUM CONFIDENCE

METAR TAF NWS-hr NWS-day MAV MEX GFA NOTAM

GFA and FAA NOTAM (NMS) — Notices to Air
Forecaster Missions: closures, outages, obstacles a
Predicted TFRs, issued continuously by the FAA a
National valid until cancelled. On this page they a
surface advisory evidence about the airport, not
are raw weather, and they never change a flight
pressure category. NOTAMS were read for KLZU
This page run.
office and valid time and never interprets
them: no category, wind, ceiling, ranking or go/
no-go here is derived from an image. A
published WPC surface chart matches this
period and is shown in the dropdown with its
issuing office and valid time. It is displayed,
never interpreted.

 **PRECIP CHANCE**2-6%

TS CHANCE 2-3%

 SKY COVER 48-57%

 **Wind favors RWY 25**
W (~270° true) · 4 kt · full datum in the day evidence

Evidence & limitations

- The visible badge names the contributing product. Exact issuance, retrieval, and member-period provenance remains in Day evidence & planning note below.
- The hour-by-hour source evidence below retains every original period and its detailed wind line.

Surface prog · 06:00–10:00 ET · available

SUN 13 SEP 10:00–15:00 ET HIGH

KPDK TAF
proxy

 Mostly Sunny → Sunny

● KPDK TAF - MVFR

GFS OUTLOOK - MVFR

- **GFS MOS - MVFR**

FORECAST

KPDK TAF - VFR

GFS OUTLOOK - VFR

GFS MOS - VFR

FORECAST

WINDNW–W · 4 kt

PRECIP CHANCE0–2%

TS CHANCE0–2%

SKY COVER18–37%

Evidence & limitations

◦ The visible badge names the contributing product. Exact issuance, retrieval, and member-period provenance remains in Day evidence & planning note below.

◦ The hour-by-hour source evidence below retains every original period and its detailed wind line.

Surface prog · 10:00–15:00 ET · available

SUN 13 SEP 15:00–18:00 ET MEDIUM

Forecast

GFS
MAV

Sunny

WINDNW (~315° true) · 4 kt

PRECIP CHANCE0%

TS CHANCE0%

SKY COVER12–17%

Wind favors RWY 25
NW (~315° true) · 4 kt · full datum in the day evidence

GFS OUTLOOK - VFR

GFS MOS - VFR

FORECAST

Evidence & limitations

◦ The visible badge names the contributing product. Exact issuance, retrieval, and member-period provenance remains in Day evidence & planning note below.

◦ The hour-by-hour source evidence below retains every original period and its detailed wind line.

Surface prog · 15:00–18:00 ET · available

SUN 13 SEP 18:00–22:00 ET MEDIUM

Forecast

GFS
MAV

GFS OUTLOOK - VFR

GFS MOS - VFR

☁️

Mostly Clear → Clear

FORECAST

🌀

WINDNW (~315° true) · 4 kt

💧

PRECIP CHANCE0–1%

⚡

TS CHANCE0–1%

☁️

SKY COVER2–11%

🔄

Wind favors RWY 25
NW (~315° true) · 4 kt · full datum in the day evidence

Evidence & limitations

- The visible badge names the contributing product. Exact issuance, retrieval, and member-period provenance remains in Day evidence & planning note below.
- The hour-by-hour source evidence below retains every original period and its detailed wind line.

Surface prog · 18:00–22:00 ET · available

Day evidence & planning note

No aviation-category inference — verify METAR/TAF

SOURCES & LIMITATIONS — HOUR-BY-HOUR SOURCE EVIDENCE (15 FORECAST PERIODS)

06:00–08:00 ET

☁️

📍 KPDK TAF - MVFR

GFS OUTLOOK - MVFR

Partly Sunny

Precipitation probability (PoP) 6%

NWS + TAF + MOS · NWS ISSUED SEP 12 14:26 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 12 18:20 ET

08:00–09:00 ET



KPDK TAF - MVFR

GFS MOS - MVFR

Partly Sunny

Precipitation probability (PoP) 3%

NWS + TAF + MOS · NWS ISSUED SEP 12 14:26 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 12 18:20 ET

09:00–10:00 ET



KPDK TAF - MVFR

GFS OUTLOOK - MVFR → VFR

Mostly Sunny

Precipitation probability (PoP) 2%

NWS + TAF + MOS · NWS ISSUED SEP 12 14:26 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 12 18:20 ET

10:00–11:00 ET



KPDK TAF - VFR

GFS OUTLOOK - VFR

Mostly Sunny

Precipitation probability (PoP) 2%

NWS + TAF + MOS · NWS ISSUED SEP 12 14:26 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 12 18:20 ET

11:00–12:00 ET



KPDK TAF - VFR

GFS MOS - VFR

Mostly Sunny

Precipitation probability (PoP) 1%

NWS + TAF + MOS · NWS ISSUED SEP 12 14:26 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 12 18:20 ET

12:00–13:00 ET



KPDK TAF - VFR

GFS OUTLOOK - VFR

Sunny

Precipitation probability (PoP) 1%

NWS + TAF + MOS · NWS ISSUED SEP 12 14:26 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 12 18:20 ET

13:00–14:00 ET



KPDK TAF - VFR

GFS OUTLOOK - VFR

Sunny

Precipitation probability (PoP) 1%

NWS + TAF + MOS · NWS ISSUED SEP 12 14:26 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 12 18:20 ET

14:00–15:00 ET



GFS MOS - VFR

Sunny

Precipitation probability (PoP) 0%

NWS + MOS · NWS ISSUED SEP 12 14:26 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 12 18:20 ET

15:00–16:00 ET



GFS OUTLOOK - VFR

Sunny

Precipitation probability (PoP) 0%

Beyond the 72 h short-range GFS MOS horizon at this lead time. The product published normally; this day is simply past its reach, which is expected and is not a fault. Expected to be covered from about Thu Sep 10 · 12:00 AM ET.

NWS + MOS · NWS ISSUED SEP 12 14:26 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 12 18:20 ET

16:00–17:00 ET



GFS OUTLOOK - VFR

Sunny

Precipitation probability (PoP) 0%

Beyond the 72 h short-range GFS MOS horizon at this lead time. The product published normally; this day is simply past its reach, which is expected and is not a fault. Expected to be covered from about Thu Sep 10 · 12:00 AM ET.

NWS + MOS · NWS ISSUED SEP 12 14:26 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 12 18:20 ET

17:00–18:00 ET



GFS MOS - VFR

Sunny

Precipitation probability (PoP) 0%

NWS + MOS · NWS ISSUED SEP 12 14:26 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 12 18:20 ET

18:00–19:00 ET



GFS OUTLOOK - VFR

Mostly Clear

Precipitation probability (PoP) 1%

Beyond the 72 h short-range GFS MOS horizon at this lead time. The product published normally; this day is simply past its reach, which is expected and is not a fault. Expected to be covered from about Thu Sep 10 · 12:00 AM ET.

NWS + MOS · NWS ISSUED SEP 12 14:26 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 12 18:20 ET

19:00–20:00 ET

GFS OUTLOOK - VFR

Mostly Clear

Precipitation probability (PoP) 1%

Beyond the 72 h short-range GFS MOS horizon at this lead time. The product published normally; this day is simply past its reach, which is expected and is not a fault. Expected to be covered from about Thu Sep 10 · 12:00 AM ET.

NWS + MOS · NWS ISSUED SEP 12 14:26 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 12 18:20 ET

20:00–21:00 ET

GFS MOS - VFR

Mostly Clear

Precipitation probability (PoP) 0%

NWS + MOS · NWS ISSUED SEP 12 14:26 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 12 18:20 ET

21:00–22:00 ET

GFS OUTLOOK - VFR

Clear

Precipitation probability (PoP) 0%

Beyond the 72 h short-range GFS MOS horizon at this lead time. The product published normally; this day is simply past its reach, which is expected and is not a fault. Expected to be covered from about Thu Sep 10 · 12:00 AM ET.

NWS + MOS · NWS ISSUED SEP 12 14:26 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 12 18:20 ET

WIND / WIND-FAVORED RUNWAY · ONE ENTRY PER DISPLAY BLOCK

06:00–08:00 ET W (~270° true) 4 kt Approx. wind-favored RWY 25 NWS hourly surface forecast	08:00–09:00 ET W (~270° true) 4 kt Approx. wind-favored RWY 25 NWS hourly surface forecast
09:00–10:00 ET W (~270° true) 4 kt Approx. wind-favored RWY 25 NWS hourly surface forecast	10:00–11:00 ET NW (~315° true) 4 kt Approx. wind-favored RWY 25 NWS hourly surface forecast
11:00–12:00 ET NW (~315° true) 4 kt Approx. wind-favored RWY 25 NWS hourly surface forecast	12:00–13:00 ET NW (~315° true) 4 kt Approx. wind-favored RWY 25 NWS hourly surface forecast
13:00–14:00 ET NW (~315° true) 4 kt Approx. wind-favored RWY 25 NWS hourly surface forecast	14:00–15:00 ET W (~270° true) 4 kt Approx. wind-favored RWY 25 NWS hourly surface forecast
15:00–16:00 ET NW (~315° true) 4 kt Approx. wind-favored RWY 25 NWS hourly surface forecast	16:00–17:00 ET NW (~315° true) 4 kt Approx. wind-favored RWY 25 NWS hourly surface forecast
17:00–18:00 ET NW (~315° true) 4 kt Approx. wind-favored RWY 25 NWS hourly surface forecast	18:00–19:00 ET NW (~315° true) 4 kt Approx. wind-favored RWY 25 NWS hourly surface forecast
19:00–20:00 ET NW (~315° true) 4 kt Approx. wind-favored RWY 25 NWS hourly surface forecast	20:00–21:00 ET NW (~315° true) 4 kt Approx. wind-favored RWY 25 NWS hourly surface forecast

21:00–22:00 ET
NW (~315° true) 4 kt
Approx. wind-favored RWY 25
NWS hourly surface forecast

Surface prog evidence · Sun Sep 13

06:00–10:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

10:00–15:00 ET ET · 15:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–22:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

Runway guidance is approximate wind alignment only; verify ATIS, NOTAMs and actual runway use.
RWY numbers magnetic; wind converted from true using 6°W variation (NOAA WMM2025)

Day operations

WEATHER
TAF and radar cross-check.

PERFORMANCE
Temperature / performance check.

RUNWAY
Verify ATIS, NOTAMs and actual use.

issuing office and valid time. It is displayed,
never interpreted.

MEDIUM CONFIDENCE

SEP 14 · 06:00–22:00 ET

- METAR
- TAF
- NWS-hr
- NWS-day
- MAV
- MEX
- GFA
- NOTAM

METAR — issued hourly. The highest visibility, wind, and temperature are reported. Issued by the National Weather Service. Not a forecast. KLZU observations describe the current weather.

TAF — The National Weather Service issues a TAF for each station. It contains the forecast for the next 24 hours. TAFs are issued four times a day. The forecast is based on the current weather and the latest observations. It is the responsibility of the pilot to interpret the TAF and make decisions based on the forecast.

NWS hour — The National Weather Service issues a hourly forecast for each station. It contains the forecast for the next 6 hours. The forecast is based on the current weather and the latest observations. It is the responsibility of the pilot to interpret the forecast and make decisions based on the forecast.

NWS day/night — The National Weather Service issues a day/night forecast for each station. It contains the forecast for the next 12 hours. The forecast is based on the current weather and the latest observations. It is the responsibility of the pilot to interpret the forecast and make decisions based on the forecast.

GFS M — The Global Forecast System (GFS) is a numerical weather prediction model. It is used by the National Weather Service to produce the forecast. The GFS is a global model, meaning it covers the entire globe. It is updated every 6 hours.

GFS extended range — The GFS extended range forecast is a forecast that is valid for up to 16 days. It is based on the GFS model. It is used by the National Weather Service to provide a long-range forecast. It is not as accurate as the short-range forecast.

GFA and TFRs — The GFA (Global Forecast of Aviation) is a forecast that is valid for up to 16 days. It is based on the GFS model. It is used by the National Weather Service to provide a long-range forecast. It is not as accurate as the short-range forecast. TFRs (Temporary Flight Restrictions) are issued by the FAA to restrict flight in certain areas. They are issued for a variety of reasons, including military operations, special events, and hazardous weather.

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KLZU this run.

GFS OUTLOOK - VFR

GFS MOS - VFR

FORECAST

WINDNW–N · 4 kt

PRECIP CHANCE0%

TS CHANCE0%

SKY COVER4–8%

Evidence & limitations

- The visible badge names the contributing product. Exact issuance, retrieval, and member-period provenance remains in Day evidence & planning note below.
- The hour-by-hour source evidence below retains every original period and its detailed wind line.

Surface prog · 06:00–10:00 ET · available

MON 14 SEP 10:00–15:00 ET MEDIUM

Forecast

GFS
MAV

Sunny

WINDN–NE · 4 kt

PRECIP CHANCE0–1%

GFS OUTLOOK - VFR

GFS MOS - VFR

FORECAST



TS CHANCE0–1%



SKY COVER3–4%

Evidence & limitations

- The visible badge names the contributing product. Exact issuance, retrieval, and member-period provenance remains in Day evidence & planning note below.
- The hour-by-hour source evidence below retains every original period and its detailed wind line.

Surface prog · 10:00–15:00 ET · available

MON 14 SEP 15:00–18:00 ET MEDIUM

Forecast

GFS
MAV

Sunny

WINDNE–N · 4 kt

PRECIP CHANCE1%

TS CHANCE1%

SKY COVER4–5%

GFS OUTLOOK - VFR

GFS MOS - VFR

FORECAST

Evidence & limitations

- The visible badge names the contributing product. Exact issuance, retrieval, and member-period provenance remains in Day evidence & planning note below.
- The hour-by-hour source evidence below retains every original period and its detailed wind line.

Surface prog · 15:00–18:00 ET · available

MON 14 SEP 18:00–22:00 ET MEDIUM

Forecast

GFS
MAV

Clear → Mostly Clear

WINDCALM · 0 kt



GFS OUTLOOK - VFR

GFS MOS - VFR

FORECAST

PRECIP CHANCE0–1%

⚡

TS CHANCE0–1%

☁

SKY COVER5–6%

Evidence & limitations

- The visible badge names the contributing product. Exact issuance, retrieval, and member-period provenance remains in Day evidence & planning note below.
- The hour-by-hour source evidence below retains every original period and its detailed wind line.

Surface prog · 18:00–22:00 ET · available

Day evidence & planning note

Surface temperature 93°F; calculate aircraft performance

SOURCES & LIMITATIONS — HOUR-BY-HOUR SOURCE EVIDENCE (15 FORECAST PERIODS)

06:00–08:00 ET

GFS OUTLOOK - VFR

Sunny

Precipitation probability (PoP) 0%

Beyond the 72 h short-range GFS MOS horizon at this lead time. The product published normally; this day is simply past its reach, which is expected and is not a fault. Expected to be covered from about Fri Sep 11 · 12:00 AM ET.

NWS + MOS · NWS ISSUED SEP 12 14:26 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 12 18:20 ET

08:00–09:00 ET

GFS MOS - VFR

Sunny

Precipitation probability (PoP) 0%

NWS + MOS · NWS ISSUED SEP 12 14:26 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 12 18:20 ET

09:00–10:00 ET

GFS OUTLOOK - VFR

Sunny

Precipitation probability (PoP) 0%

Beyond the 72 h short-range GFS MOS horizon at this lead time. The product published normally; this day is simply past its reach, which is expected and is not a fault. Expected to be covered from about Fri Sep 11 · 12:00 AM ET.

NWS + MOS · NWS ISSUED SEP 12 14:26 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 12 18:20 ET

10:00–11:00 ET Sunny Precipitation probability (PoP) 0% Beyond the 72 h short-range GFS MOS horizon at this lead time. The product published normally; this day is simply past its reach, which is expected and is not a fault. Expected to be covered from about Fri Sep 11 · 12:00 AM ET. NWS + MOS · NWS ISSUED SEP 12 14:26 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 12 18:20 ET
11:00–12:00 ET Sunny Precipitation probability (PoP) 0% NWS + MOS · NWS ISSUED SEP 12 14:26 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 12 18:20 ET
12:00–13:00 ET Sunny Precipitation probability (PoP) 0% Beyond the 72 h short-range GFS MOS horizon at this lead time. The product published normally; this day is simply past its reach, which is expected and is not a fault. Expected to be covered from about Fri Sep 11 · 12:00 AM ET. NWS + MOS · NWS ISSUED SEP 12 14:26 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 12 18:20 ET
13:00–14:00 ET Sunny Precipitation probability (PoP) 0% Beyond the 72 h short-range GFS MOS horizon at this lead time. The product published normally; this day is simply past its reach, which is expected and is not a fault. Expected to be covered from about Fri Sep 11 · 12:00 AM ET. NWS + MOS · NWS ISSUED SEP 12 14:26 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 12 18:20 ET
14:00–15:00 ET Sunny Precipitation probability (PoP) 1% NWS + MOS · NWS ISSUED SEP 12 14:26 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 12 18:20 ET
15:00–16:00 ET Sunny Precipitation probability (PoP) 1% Beyond the 72 h short-range GFS MOS horizon at this lead time. The product published normally; this day is simply past its reach, which is expected and is not a fault. Expected to be covered from about Fri Sep 11 · 12:00 AM ET. NWS + MOS · NWS ISSUED SEP 12 14:26 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 12 18:20 ET

16:00–17:00 ET Sunny Precipitation probability (PoP) 1% Beyond the 72 h short-range GFS MOS horizon at this lead time. The product published normally; this day is simply past its reach, which is expected and is not a fault. Expected to be covered from about Fri Sep 11 · 12:00 AM ET. NWS + MOS · NWS ISSUED SEP 12 14:26 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 12 18:20 ET
17:00–18:00 ET Sunny Precipitation probability (PoP) 1% NWS + MOS · NWS ISSUED SEP 12 14:26 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 12 18:20 ET
18:00–19:00 ET Clear Precipitation probability (PoP) 1% Beyond the 72 h short-range GFS MOS horizon at this lead time. The product published normally; this day is simply past its reach, which is expected and is not a fault. Expected to be covered from about Fri Sep 11 · 12:00 AM ET. NWS + MOS · NWS ISSUED SEP 12 14:26 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 12 18:20 ET
19:00–20:00 ET Clear Precipitation probability (PoP) 1% Beyond the 72 h short-range GFS MOS horizon at this lead time. The product published normally; this day is simply past its reach, which is expected and is not a fault. Expected to be covered from about Fri Sep 11 · 12:00 AM ET. NWS + MOS · NWS ISSUED SEP 12 14:26 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 12 18:20 ET
20:00–21:00 ET Clear Precipitation probability (PoP) 0% NWS + MOS · NWS ISSUED SEP 12 14:26 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 12 18:20 ET
21:00–22:00 ET Mostly Clear Precipitation probability (PoP) 0% Beyond the 72 h short-range GFS MOS horizon at this lead time. The product published normally; this day is simply past its reach, which is expected and is not a fault. Expected to be covered from about Fri Sep 11 · 12:00 AM ET. NWS + MOS · NWS ISSUED SEP 12 14:26 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 12 18:20 ET

WIND / WIND-FAVORED RUNWAY · ONE ENTRY PER DISPLAY BLOCK

06:00–08:00 ET NW (~315° true) 4 kt Approx. wind-favored RWY 25 NWS hourly surface forecast	08:00–09:00 ET N (~360° true) 4 kt Approx. wind-favored RWY 07 NWS hourly surface forecast
09:00–10:00 ET N (~360° true) 4 kt Approx. wind-favored RWY 07 NWS hourly surface forecast	10:00–11:00 ET N (~360° true) 4 kt Approx. wind-favored RWY 07 NWS hourly surface forecast
11:00–12:00 ET N (~360° true) 4 kt Approx. wind-favored RWY 07 NWS hourly surface forecast	12:00–13:00 ET N (~360° true) 4 kt Approx. wind-favored RWY 07 NWS hourly surface forecast
13:00–14:00 ET N (~360° true) 4 kt Approx. wind-favored RWY 07 NWS hourly surface forecast	14:00–15:00 ET NE (~45° true) 4 kt Approx. wind-favored RWY 07 NWS hourly surface forecast
15:00–16:00 ET NE (~45° true) 4 kt Approx. wind-favored RWY 07 NWS hourly surface forecast	16:00–17:00 ET N (~360° true) 4 kt Approx. wind-favored RWY 07 NWS hourly surface forecast
17:00–18:00 ET N (~360° true) 4 kt Approx. wind-favored RWY 07 NWS hourly surface forecast	18:00–19:00 ET CALM 0 kt Runway alignment unavailable NWS hourly surface forecast
19:00–20:00 ET CALM 0 kt Runway alignment unavailable NWS hourly surface forecast	20:00–21:00 ET CALM 0 kt Runway alignment unavailable NWS hourly surface forecast
21:00–22:00 ET CALM 0 kt Runway alignment unavailable NWS hourly surface forecast	

Surface prog evidence · Mon Sep 14

06:00–10:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

10:00–15:00 ET ET · 15:00–18:00 ET ET

WPC surface prog raster chart for F+048 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–22:00 ET ET

WPC surface prog raster chart for F+054 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

Runway guidance is approximate wind alignment only; verify ATIS, NOTAMs and actual runway use.

RWY numbers magnetic; wind converted from true using 6°W variation (NOAA WMM2025)

Day operations

WEATHER

TAF and radar cross-check.

PERFORMANCE

Temperature / performance check.

RUNWAY

Verify ATIS, NOTAMs and actual use.



Pattern summary: .. (This afternoon through Sunday) Issued at 242 PM EDT Sat Sep 12 2026 Portions of the I-20 corridor and areas of north Atlanta got quite a bit of rain both yesterday and this morning. — .. (Monday morning through next Friday) Issued at 242 PM EDT Sat Sep 12 2026 By Monday morning the main frontal boundary from the short term will have moved south of the state with high...

NWS FFC Area Forecast Discussion · regional context, not a KLZU category or exact timing forecast

[Extended outlook ▼](#)

EXTENDED OUTLOOK SUMMARY

.. (This afternoon through Sunday)

Issued at 242 PM EDT Sat Sep 12 2026

Portions of the I-20 corridor and areas of north Atlanta got quite a bit of rain both yesterday and this morning. — .. (Monday morning through next Friday)
Issued at 242 PM EDT Sat Sep 12 2026

By Monday morning the main frontal boundary from the short term will have moved south of the state with high...

SHORT TERM

..

(This afternoon through Sunday)

Issued at 242 PM EDT Sat Sep 12 2026

Portions of the I-20 corridor and areas of north Atlanta got quite a bit of rain both yesterday and this morning. 24hr radar estimates indicate a good swath of 3-5" from Carroll to north Fulton and Dekalb counties and a bullseye of nearly 7-8" in the Villa Rica area. There's been a 'lull' in activity for this area (west of I-85) over the past hour or so as a result of subsidence at the midlevels per latest satellite imagery. Thus, ongoing shower and thunderstorm activity is primarily confined to areas east of Interstate 85. It's unclear how much additional shower and thunderstorm activity west Georgia will receive for the remainder of the day. However, additional midlevel disturbances back to our west, in association with the primary midlevel trough axis, are aiding in new convective development back in parts of north AL. So if the sky is able to continue clearing and the environment recovers west Georgia could certainly see some additional showers and isolated thunderstorms late this afternoon into the evening hours. If things do get going again, I-20 west corridor will need close monitoring given recent heavy rains. All thunderstorms will be capable of locally heavy rainfall, frequent lightning and gusty winds. It should be noted that it wont take much wind for trees to topple over especially in areas where soils are primed and saturated.

Patchy fog and perhaps some lower clouds will be possible early Sunday morning -- particularly in areas that received heavy rain. Drier weather returns for most on Sunday as midlevel ridging begins to slide more overhead. Isolated afternoon showers and storms will be confined to far south-central GA but chances remain low (<15%

chance). Under partly to mostly sunny skies, temperatures are forecast to warm back into the lower 90s everywhere except the higher elevations, by the afternoon.

LONG TERM

..
(Monday morning through next Friday)
Issued at 242 PM EDT Sat Sep 12 2026

By Monday morning the main frontal boundary from the short term will have moved south of the state with high pressure continuing to build back into the area. This ridge will also bring in a drier airmass into central GA with a slightly drier airmass keeping things dry through at least Days 5 to 6 (Wed and Thu). Current model runs show a wave moving back into the region from the Atlantic Thu evening into Fri which could increase precipitation chances. for now just going with a 20% chance for Fri afternoon and will see over the next few days how the models handle this.

Temps will stay in the upper 80s to middle 90s through day 7 but with the drier airmass moving in Heat index values will slowly fall through Thursday . Min Dewpoints Mon and Tue will be in the upper 60s to lower 70s but they will fall into the lower to middle 60s by Wed. Even with temps still in the lower 90s it will feel a lot more comfortable.

+ Raw NWS AFD text

000
FXUS62 KFFC 121848
AFDFFC

Area Forecast Discussion
National Weather Service Peachtree City GA
248 PM EDT Sat Sep 12 2026

...Afternoon Area Forecast Discussion...

.KEY MESSAGES...

- Isolated to scattered showers and thunderstorms to continue through late this evening. Any storms that form will be capable of producing gusty winds, frequent lightning, and locally heavy rainfall.

- Patchy fog is likely Sunday morning especially in areas that received recent heavy rainfall.

- Comparatively hot and humid conditions will return from Sunday on, with diminishing rain chances (<20%).

&&

.SHORT TERM...
(This afternoon through Sunday)
Issued at 242 PM EDT Sat Sep 12 2026

Portions of the I-20 corridor and areas of north Atlanta got quite a

bit of rain both yesterday and this morning. 24hr radar estimates indicate a good swath of 3-5" from Carroll to north Fulton and Dekalb counties and a bullseye of nearly 7-8" in the Villa Rica area. There's been a 'lull' in activity for this area (west of I-85) over the past hour or so as a result of subsidence at the midlevels per latest satellite imagery. Thus, ongoing shower and thunderstorm activity is primarily confined to areas east of Interstate 85. It's unclear how much additional shower and thunderstorm activity west Georgia will receive for the remainder of the day. However, additional midlevel disturbances back to our west, in association with the primary midlevel trough axis, are aiding in new convective development back in parts of north AL. So if the sky is able to continue clearing and the environment recovers west Georgia could certainly see some additional showers and isolated thunderstorms late this afternoon into the evening hours. If things do get going again, I-20 west corridor will need close monitoring given recent heavy rains. All thunderstorms will be capable of locally heavy rainfall, frequent lightning and gusty winds. It should be noted that it won't take much wind for trees to topple over especially in areas where soils are primed and saturated.

Patchy fog and perhaps some lower clouds will be possible early Sunday morning -- particularly in areas that received heavy rain. Drier weather returns for most on Sunday as midlevel ridging begins to slide more overhead. Isolated afternoon showers and storms will be confined to far south-central GA but chances remain low (<15% chance). Under partly to mostly sunny skies, temperatures are forecast to warm back into the lower 90s everywhere except the higher elevations, by the afternoon.

&&

.LONG TERM...

(Monday morning through next Friday)

Issued at 242 PM EDT Sat Sep 12 2026

By Monday morning the main frontal boundary from the short term will have moved south of the state with high pressure continuing to build back into the area. This ridge will also bring in a drier airmass into central GA with a slightly drier airmass keeping things dry through at least Days 5 to 6 (Wed and Thu). Current model runs show a wave moving back into the region from the Atlantic Thu evening into Fri which could increase precipitation chances. for now just going with a 20% chance for Fri afternoon and will see over the next few days how the models handle this.

Temps will stay in the upper 80s to middle 90s through day 7 but with the drier airmass moving in Heat index values will slowly fall through Thursday. Min Dewpoints Mon and Tue will be in the upper 60s to lower 70s but they will fall into the lower to middle 60s by Wed. Even with temps still in the lower 90s it will feel a lot more comfortable.

&&

.AVIATION...

(18Z TAFS)

Issued at 136 PM EDT Sat Sep 12 2026

A mix of MVFR and VFR cigs prevail and exp this trend to hold thru the aftn. Axis of precip has shifted east of the ATL airfields and a lull may cont for a few hours. Another disturbance may lead to more shra/tsra between 20-24z for these sites but it's unclear to what extent. Otherwise, sct shra/tsra to push thru remai

1.1 · KLZU departure-airport NOTAM state

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

7 Act on

2 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

ed 2026-09-12T22:19:45.443257Z.

oritative)

FRI SEP 11

SAT SEP 12

SUN SEP 13

MON SEP 14

6/5419

A0178/26

6/6851

12 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 22:19 Z

NOTAMs as of 22:19 Z — advisory only; verify an official briefing.

04/013

NOTAM text not available in this projection.

A0166/26

NOTAM text not available in this projection.

6/5419

NOTAM text not available in this projection.

A0178/26

NOTAM text not available in this projection.

6/6851

NOTAM text not available in this projection.

6/6854

NOTAM text not available in this projection.

6/6855

NOTAM text not available in this projection.

A0318/26

NOTAM text not available in this projection.

A0319/26

NOTAM text not available in this projection.

A0320/26

NOTAM text not available in this projection.

07/011

NOTAM text not available in this projection.

07/030

NOTAM text not available in this projection.

07/034

NOTAM text not available in this projection.

08/001

NOTAM text not available in this projection.

08/007

NOTAM text not available in this projection.

08/024

NOTAM text not available in this projection.

09/014

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2026-09-12T22:19:45.443257Z.

Source provenance — FAA NMS: Production
source per owner decision 2026-08-09;
technical transport environment remains
preprod. Limited 2026-07-30 spot check
covered KLZU, KAVL, and KSGJ (3 of 30)

:00Z

airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

NAV_APPROACH

000001 — KAVL CORNETT COUNTYBRISCOE FLD, LAWRENCEVILLE, GA. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 6L TAKE-OFF MINIMUMS RWY 25, 300-1 FOR C/P STANDARD WITH MINIMUM CLAND OF 330 FTNM TO 1400. ALL OTHER DATA REMAINS AS PUBLISHED. 2604211400-2604211400EST

Effective 2026-04-23T14:33:00Z → 2028-04-23T14:33:00Z

NAV_APPROACH

000001 — KAVL CORNETT COUNTYBRISCOE FLD, LAWRENCEVILLE, GA. ILS OR LOC RWY 25, AMDT 4A. WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE WDR ALTIMETER SETTING AND INCREASE S-ILS 25 DA TO 1444 FT. INCREASE ALL MDAS 60 FT AND CIRCLING VISIBILITY CAT C/D 14 SM. FOR INOPERATIVE ALS WHEN USING WDR ALTIMETER SETTING, INCREASE S-ILS 25 ALL CATS VISIBILITY TO 1.1 SM AND INCREASE S-LOC 25 CAT A/B TO 1 SM. L2UAWDS OUT OF SERVICE. 2608201711-2610211711EST

Effective 2026-08-20T17:11:00Z → 2026-10-21T17:11:00Z

12 additional normalized FAA NOTAM records omitted from this view.

2 · All 29 destinations — existing editorial RANK order

#1

KAVL Asheville Muni, NC, US

Mountain · cool mountain escape

OBS - MVFR

ETE

0h49

DIST

112 nm

SAT 12 SEP 16:33 ET OBSERVED

Current observation

METAR

OBS - MVFR

scattered 900 ft, broken 2,000 ft, overcast 7,500 ft

WINDSE (140°) 6 kt

TEMPERATURE23 °C

VISIBILITY10 sm

DEWPOINT21 °C

From 147°M · 6 kt

140° true · 147° magnetic · 6 kt · also NOTAM-affected: 17 and 35

Wind favours RWY 17

Evidence & limitations

METAR source state: ok; observed Sep 12 16:33 ET; retrieved Sep 12 18:19 ET; 106 min before this run.

Measured values read from the KAVL METAR. This is a current surface observation only; it is not a forecast.

- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.04 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KAVL runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 17/35. Wind from 140 degrees true, 147 degrees magnetic, at 6 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 17. NOTAM-affected runway ends, hatched separately from the wind highlight: 17 and 35. The wind-favoured end 17 is also NOTAM-affected: the wind does favour it, but a NOTAM on this card names it, so the highlight is not a statement that the runway is usable. The hatch marks only that a NOTAM names the runway; it does not decode the NOTAM's effective times, so confirm the closure window in the NOTAM text below. Wind source: KAVL METAR 122033Z.

DESTINATION OUTLOOK

SAT, SEP 12

SAT 12 SEP 18:00–00:00 ET HIGH

Forecast

TA
F

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 18:00–00:00 ET ET · MVFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sat Sep 12

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

SUN 13 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

TAF · 00:00–06:00 ET ET · MVFR

Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 13 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

TAF · 12:00–18:00 ET ET · VFR

Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 13 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

TAF · 06:00–12:00 ET ET · MVFR

Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 13 SEP 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND8 kt

TEMPERATURE84–86 °F

DEWPOINT63–64 °F

PRECIP CHANCE0%

Evidence & limitations

GFS MAV MOS · 18:00–00:00 ET ET · VFR

Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 13

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

Forecast

GFS MAV MOS

GFS MAV MOS · LIFR

FORECAST

Flight-category guidance



WIND3–4 kt



TEMPERATURE71–79 °F



DEWPOINT64–65 °F



PRECIP CHANCE0%

Evidence & limitations

- GFS MAV MOS · 00:00–06:00 ET ET · LIFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · LIFR

FORECAST

Flight-category guidance



WIND1 kt



TEMPERATURE65–67 °F



DEWPOINT63–65 °F



PRECIP CHANCE0%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · LIFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND2–6 kt



TEMPERATURE65–78 °F



DEWPOINT63–65 °F



PRECIP CHANCE0%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND7 kt



TEMPERATURE85–86 °F



DEWPOINT62–63 °F



PRECIP CHANCE2%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 14

00:00–06:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+048 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+054 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

6000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

29°C dep KLZU → 23°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

17/35 (170/350°M · 163/343°T) — designators and °M headings are magnetic; °T are true; variation 7°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

7 Act on1 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

ed 2026-09-12T22:19:45.443778Z.			
FRI SEP 11	SAT SEP 12	SUN SEP 13	MON SEP 14

01/023				
A0040/26				
09/034				
25 additional normalized NOTAM records omitted from this view.				

Raw NOTAM data · NOTAMs as of 22:19 Z

NOTAMs as of 22:19 Z — advisory only; verify an official briefing.

09/032	NOTAM text not available in this projection.
A1039/26	NOTAM text not available in this projection.
01/023	NOTAM text not available in this projection.
A0040/26	NOTAM text not available in this projection.
09/034	NOTAM text not available in this projection.
A1041/26	NOTAM text not available in this projection.
09/033	NOTAM text not available in this projection.
A1038/26	NOTAM text not available in this projection.
4/1431	NOTAM text not available in this projection.
A0991/24	NOTAM text not available in this projection.
5/9960	NOTAM text not available in this projection.
A0285/25	NOTAM text not available in this projection.
06/067	NOTAM text not available in this projection.

A0730/26

NOTAM text not available in this projection.

08/082

NOTAM text not available in this projection.

A0980/26

NOTAM text not available in this projection.

12/023

NOTAM text not available in this projection.

A1148/25

NOTAM text not available in this projection.

07/051

NOTAM text not available in this projection.

08/013

NOTAM text not available in this projection.

08/090

NOTAM text not available in this projection.

09/024

NOTAM text not available in this projection.

09/025

NOTAM text not available in this projection.

09/026

NOTAM text not available in this projection.

09/036

NOTAM text not available in this projection.

A1042/26

NOTAM text not available in this projection.

09/037

NOTAM text not available in this projection.

A1043/26

NOTAM text not available in this projection.

08/072

NOTAM text not available in this projection.

A0967/26

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

TAXIWAY

2026-09-09T09:07:00Z → 2026-09-22T04:00:00Z

25 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KAVL this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

• Mon, Sep 14 • 06:00–12:00 ET • GFS MAV MOS • 06:00–12:00 ET ET • LIFR

• Mon, Sep 14 · 12:00–18:00 ET: GFS MAV MOS · 12:00–18:00 ET ET · VFR

• Mon, Sep 14 · 18:00–00:00 ET: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-12=GFS, 2026-09-13=GFS, 2026-09-14=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-13 00:00	71	Ovc	180/3kt	—	1-3kft	>6SM
GFS	2026-09-13 03:00	69	Ovc	180/3kt	—	3-5kft	>6SM
GFS	2026-09-13 06:00	67	Ovc	340/2kt	43.0	<200ft	<¼SM
GFS	2026-09-13 09:00	66	Ovc	340/3kt	—	200-500ft	<¼SM
GFS	2026-09-13 12:00	66	Ovc	340/3kt	12.0	<200ft	<¼SM
GFS	2026-09-13 15:00	77	Clear	350/9kt	—	>10kft	>6SM
GFS	2026-09-13 18:00	84	Sct	340/8kt	0.0	>10kft	>6SM
GFS	2026-09-13 21:00	86	Few	340/8kt	—	>10kft	>6SM
GFS	2026-09-14 00:00	79	Clear	340/4kt	0.0	>10kft	>6SM
GFS	2026-09-14 03:00	71	Clear	340/3kt	—	>10kft	>6SM
GFS	2026-09-14 06:00	67	Clear	340/1kt	0.0	>10kft	3-5SM
GFS	2026-09-14 09:00	65	Sct	340/1kt	—	>10kft	<¼SM
GFS	2026-09-14 12:00	65	Clear	340/2kt	0.0	<200ft	<¼SM
GFS	2026-09-14 15:00	78	Clear	350/6kt	—	>10kft	>6SM
GFS	2026-09-14 18:00	85	Few	350/7kt	2.0	>10kft	>6SM
GFS	2026-09-14 21:00	86	Sct	350/7kt	—	>10kft	>6SM
GFS	2026-09-15 00:00	79	Clear	350/5kt	0.0	>10kft	>6SM
GFS	2026-09-15 03:00	72	Clear	20/4kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

SPECI KAVL 122033Z AUTO 14006KT 10SM -RA SCT009 BKN020 OVC075 23/21 A3004 RMK A02 RAB12 P0000 T02330211

TAF KAVL 121737Z 1218/1318 17006KT P6SM VCSH SCT020 BKN040 TEMPO 1218/1222 3SM TSRA BKN025CB FM130500 VRB02KT P6SM SCT025 FM130900 00000KT 5SM BR BKN015 FM131400 35005KT P6SM SCT060

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KAVL; actual-station=KAVL; fetched-at=2026-09-12T22:19:40.465940+00:00; observed-or-issued-at=2026-09-12T20:33:00+00:00 — [AWC API](#)
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KAVL; actual-station=KAVL; fetched-at=2026-09-12T22:19:40.815131+00:00; observed-or-issued-at=2026-09-12T17:37:00+00:00; valid-from=2026-09-12T18:00:00+00:00; valid-through=2026-09-13T18:00:00+00:00; partial-target-dates=2026-09-12,2026-09-13 — [AWC API](#)
- TAF proxy · KAVL
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KAVL; actual-station=KAVL; fetched-at=2026-09-12T22:19:41.380778+00:00
- FAA NMS NOTAM — state=OK; requested-station=KAVL; actual-station=KAVL; fetched-at=2026-09-12T22:19:45.443778Z — [FAA NMS overview](#)
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KAVL; actual-station=KAVL; fetched-at=2026-09-12T22:20:07.225999+00:00; observed-or-issued-at=2026-09-12T18:00:00+00:00; valid-from=2026-09-13T00:00:00+00:00; valid-through=2026-09-15T18:00:00+00:00; target-dates=2026-09-13,2026-09-14; partial-target-dates=2026-09-12; dates-with-points=2026-09-12,2026-09-13,2026-09-14 — [Iowa State API](#)
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KAVL; actual-station=KAVL; fetched-at=2026-09-12T22:20:08.502582+00:00; observed-or-issued-at=2026-09-12T12:00:00+00:00; valid-from=2026-09-13T12:00:00+00:00; valid-through=2026-09-20T12:00:00+00:00; target-dates=2026-09-13,2026-09-14; dates-with-points=2026-09-13,2026-09-14 — [Iowa State API](#)
- MOS effective date selection — state=partial; rows=18; requested-station=KAVL; actual-station=KAVL; fetched-at=2026-09-12T22:20:07.225999+00:00; observed-or-issued-at=2026-09-12T18:00:00+00:00; valid-from=2026-09-13T00:00:00+00:00; valid-through=2026-09-15T18:00:00+00:00; target-dates=2026-09-13,2026-09-14; partial-target-dates=2026-09-12; dates-with-points=2026-09-12,2026-09-13,2026-09-14; selected-by-date=2026-09-12=GFS, 2026-09-13=GFS, 2026-09-14=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — [FAA Chart Supplement \(current cycle\)](#) — see AirNav link above

#2

KSAV Savannah Intl, GA, US · Atlantic South · historic coast

OBS - VFR

ETE

1h15

DIST

178 nm

SAT 12 SEP 16:53 ET OBSERVED

Current observation

OBS - VFR

OBSER

METAR

broken 3,500 ft, broken 25,000 ft

WINDS (180°) 6 kt

TEMPERATURE32 °C

VISIBILITY10 sm

DEWPOINT24 °C



Wind favours RWY 19
180° true · 187° magnetic · 6 kt

Evidence & limitations

- METAR source state: ok; observed Sep 12 16:53 ET; retrieved Sep 12 18:19 ET; 86 min before this run.
- Measured values read from the KSAV METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.96 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KSAV runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 10/28, 01/19. Wind from 180 degrees true, 187 degrees magnetic, at 6 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 19. Wind source: KSAV METAR 122053Z.

DESTINATION OUTLOOK

SAT, SEP 12

SAT 12 SEP 18:00–00:00 ET HIGH

Forecast

TAF

F

Flight-category guidance

Additional source fields unavailable for this card.

TAF · MVFR

FORECAST

Evidence & limitations

TAF · 18:00–00:00 ET ET · MVFR

Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sat Sep 12

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

SUN 13 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 13 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 13 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 13 SEP 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND6–8 kt

TEMPERATURE93–94 °F

DEWPOINT73–74 °F

PRECIP CHANCE13%

Evidence & limitations

• GFS MAV MOS · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 13

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND5–7 kt



TEMPERATURE81–86 °F



DEWPOINT74 °F



PRECIP CHANCE10%

Evidence & limitations

- GFS MAV MOS · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND3 kt



TEMPERATURE77–79 °F



DEWPOINT72–73 °F



PRECIP CHANCE6%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND4 kt



TEMPERATURE77–89 °F



DEWPOINT71–72 °F



PRECIP CHANCE4%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND5–7 kt



TEMPERATURE97 °F



DEWPOINT69 °F



PRECIP CHANCE1%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 14

00:00–06:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+048 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+054 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

6000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

29°C dep KLZU → 32°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

10/28 (100/280°M · 093/273°T) · 01/19 (010/190°M · 003/183°T) — designators and °M headings are magnetic; °T are true; variation 7°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

13 Act on

3 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

ed 2026-09-12T22:19:45.444457Z.			
FRI SEP 11	SAT SEP 12	SUN SEP 13	MON SEP 14

A0416/24				
10/066				
A0512/24				
47 additional normalized NOTAM records omitted from this view.				

Raw NOTAM data · NOTAMs as of 22:19 Z

NOTAMs as of 22:19 Z — advisory only; verify an official briefing.

08/102	NOTAM text not available in this projection.
09/025	NOTAM text not available in this projection.
A0416/24	NOTAM text not available in this projection.
10/066	NOTAM text not available in this projection.
A0512/24	NOTAM text not available in this projection.
M0014/26	NOTAM text not available in this projection.
06/076	NOTAM text not available in this projection.
A0665/26	NOTAM text not available in this projection.
M0018/26	NOTAM text not available in this projection.
5/5965	NOTAM text not available in this projection.
A0799/25	NOTAM text not available in this projection.
5/5767	NOTAM text not available in this projection.
5/5768	NOTAM text not available in this projection.

A0796/25

NOTAM text not available in this projection.

A0797/25

NOTAM text not available in this projection.

05/093

NOTAM text not available in this projection.

A0523/26

NOTAM text not available in this projection.

M0015/26

NOTAM text not available in this projection.

6/8574

NOTAM text not available in this projection.

A0899/26

NOTAM text not available in this projection.

A0926/26

NOTAM text not available in this projection.

04/008

NOTAM text not available in this projection.

A0273/25

NOTAM text not available in this projection.

04/009

NOTAM text not available in this projection.

A0275/25

NOTAM text not available in this projection.

04/010

NOTAM text not available in this projection.

A0276/25

NOTAM text not available in this projection.

04/007

NOTAM text not available in this projection.

A0272/25

NOTAM text not available in this projection.

12/023

NOTAM text not available in this projection.

A0801/25

NOTAM text not available in this projection.

06/053

NOTAM text not available in this projection.

06/072

NOTAM text not available in this projection.

07/025

NOTAM text not available in this projection.

07/027

NOTAM text not available in this projection.

08/003

NOTAM text not available in this projection.

08/017

NOTAM text not available in this projection.

08/025

NOTAM text not available in this projection.

08/058

NOTAM text not available in this projection.

08/080

NOTAM text not available in this projection.

08/094

NOTAM text not available in this projection.

08/095

NOTAM text not available in this projection.

08/107

NOTAM text not available in this projection.

09/002

NOTAM text not available in this projection.

09/005

NOTAM text not available in this projection.

09/014

NOTAM text not available in this projection.

A0931/26

NOTAM text not available in this projection.

09/020

NOTAM text not available in this projection.

09/022

NOTAM text not available in this projection.

09/027

NOTAM text not available in this projection.

09/030

NOTAM text not available in this projection.

09/008

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2026-09-12T22:19:45.444457Z.

RRUNGS CRSC

:00Z

RRNAL RAMP AND TAY A CLSD

:00Z

RR TERMINAL RAMP AND TAY A CLSD

:00Z

RRAMP WRP CONST E END NO TAXITOW BTN A1/A3 ON RAMP

:00Z

TAXIWAY

A0512124 — RAV APRON, TERMINAL RAMP WRP CONST E END NO TAXITOW BTN A1/A3 ON RAMP

Effective 2024-10-25T14:22:00Z → 2026-12-01T00:01:00Z

47 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

the GFS model bias-corrected against decades of observations at this station. Issued four times a day in three-hourly steps out to about 72 hours. It carries an explicit ceiling and visibility category, so this card uses it to resolve a day the TAF cannot reach. A station-calibrated GFS MOS product was read for this airport this run (state: partial).

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KSAV this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

• Mon, Sep 14 • 06:00–12:00 ET: GFS MAV MOS • 06:00–12:00 ET ET • VFR

• Mon, Sep 14 • 12:00–18:00 ET: GFS MAV MOS • 12:00–18:00 ET ET • VFR

• Mon, Sep 14 • 18:00–00:00 ET: GFS MAV MOS • 18:00–00:00 ET ET • VFR

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

00 ET ET · MVFR

6:00 ET ET · VFR

2:00 ET ET · VFR

8:00 ET ET · VFR

S · 18:00–00:00 ET ET · VFR

S · 00:00–06:00 ET ET · VFR

- + MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-12=GFS, 2026-09-13=GFS, 2026-09-14=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-13 00:00	83	Ovc	160/7kt	—	5-10kft	>6SM
GFS	2026-09-13 03:00	80	Ovc	180/6kt	—	>10kft	>6SM
GFS	2026-09-13 06:00	78	Bkn	210/5kt	33.0	>10kft	>6SM
GFS	2026-09-13 09:00	77	Bkn	240/4kt	—	>10kft	>6SM
GFS	2026-09-13 12:00	77	Bkn	260/4kt	31.0	>10kft	>6SM
GFS	2026-09-13 15:00	87	Sct	290/6kt	—	>10kft	>6SM
GFS	2026-09-13 18:00	93	Bkn	280/6kt	13.0	>10kft	>6SM
GFS	2026-09-13 21:00	94	Bkn	240/8kt	—	>10kft	>6SM
GFS	2026-09-14 00:00	86	Sct	190/7kt	10.0	>10kft	>6SM
GFS	2026-09-14 03:00	81	Few	210/5kt	—	>10kft	>6SM
GFS	2026-09-14 06:00	79	Clear	240/3kt	6.0	>10kft	>6SM
GFS	2026-09-14 09:00	77	Clear	240/3kt	—	>10kft	>6SM
GFS	2026-09-14 12:00	77	Clear	280/4kt	4.0	>10kft	6SM

GFS	2026-09-14 15:00	89	Clear	320/4kt	—	>10kft	>6SM
GFS	2026-09-14 18:00	97	Few	330/5kt	1.0	>10kft	>6SM
GFS	2026-09-14 21:00	97	Few	80/7kt	—	>10kft	>6SM
GFS	2026-09-15 00:00	88	Clear	150/7kt	0.0	>10kft	>6SM
GFS	2026-09-15 03:00	82	Clear	160/4kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KSAV 122053Z 18006KT 10SM BKN035 BKN250 32/24 A2996 RMK A02 SLP145 CB DSNT SW-NW MOV NE T03220239 56020

TAF KSAV 121727Z 1218/1318 18008KT P6SM VCSH FEW008 SCT060 TEMPO 1218/1222 VRB10G15KT 4SM -TSRA BR BKN050CB FM130400 24005KT P6SM SCT050 BKN060

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KSAV; actual-station=KSAV; fetched-at=2026-09-12T22:19:40.465940+00:00; observed-or-issued-at=2026-09-12T20:53:00+00:00 — [AWC API](#)
 - TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KSAV; actual-station=KSAV; fetched-at=2026-09-12T22:19:40.815131+00:00; observed-or-issued-at=2026-09-12T17:27:00+00:00; valid-from=2026-09-12T18:00:00+00:00; valid-through=2026-09-13T18:00:00+00:00; partial-target-dates=2026-09-12,2026-09-13 — [AWC API](#)
- TAF proxy · KSAV
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KSAV; actual-station=KSAV; fetched-at=2026-09-12T22:19:41.332942+00:00
 - FAA NMS NOTAM — state=OK; requested-station=KSAV; actual-station=KSAV; fetched-at=2026-09-12T22:19:45.444457Z — [FAA NMS overview](#)
 - MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KSAV; actual-station=KSAV; fetched-at=2026-09-12T22:20:07.854091+00:00; observed-or-issued-at=2026-09-12T18:00:00+00:00; valid-from=2026-09-13T00:00:00+00:00; valid-through=2026-09-15T18:00:00+00:00; target-dates=2026-09-13,2026-09-14; partial-target-dates=2026-09-12; dates-with-points=2026-09-12,2026-09-13,2026-09-14 — [Iowa State API](#)
 - MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KSAV; actual-station=KSAV; fetched-at=2026-09-12T22:20:08.462227+00:00; observed-or-issued-at=2026-09-12T12:00:00+00:00; valid-from=2026-09-13T12:00:00+00:00; valid-through=2026-09-20T12:00:00+00:00; target-dates=2026-09-13,2026-09-14; dates-with-points=2026-09-13,2026-09-14 — [Iowa State API](#)
 - MOS effective date selection — state=partial; rows=18; requested-station=KSAV; actual-station=KSAV; fetched-at=2026-09-12T22:20:07.854091+00:00; observed-or-issued-at=2026-09-12T18:00:00+00:00; valid-from=2026-09-13T00:00:00+00:00; valid-through=2026-09-15T18:00:00+00:00; target-dates=2026-09-13,2026-09-14; partial-target-dates=2026-09-12; dates-with-points=2026-09-12,2026-09-13,2026-09-14; selected-by-date=2026-09-12=GFS, 2026-09-13=GFS, 2026-09-14=GFS
 - Extended outlook and hazard-feed states are reported in the source stamp.
 - Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#3

KSSI Brunswick/McKinnon St Simons Arpt, GA, US

· Atlantic South · St Simons beach

⌵

OBS - VFR

ETE

1h29

DIST

214 nm

SAT 12 SEP 16:35 ET OBSERVED

Current observation

OBS - VFR

OBSER



clear below 12,000 ft (CLR)



WINDSE (130°) 10 kt




TEMPERATURE31 °C



VISIBILITY10 sm



DEWPOINT26 °C



Wind favours RWY 16

130° true · 137° magnetic · 10 kt

Evidence & limitations

- METAR source state: ok; observed Sep 12 16:35 ET; retrieved Sep 12 18:19 ET; 104 min before this run.
- Measured values read from the KSSI METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.96 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KSSI runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 04/22, 16/34. Wind from 130 degrees true, 137 degrees magnetic, at 10 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 16. Wind source: KSSI METAR 122035Z.

DESTINATION OUTLOOK

SAT 12 SEP 18:00–00:00 ET HIGH

Forecast

TA
F

TAF · VFR

FORECAST



Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
 - Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.
- Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sat Sep 12

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

SUN 13 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 13 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 13 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 13 SEP 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND7–8 kt

TEMPERATURE87–91 °F

DEWPOINT77 °F

PRECIP CHANCE21%

Evidence & limitations

• GFS MAV MOS · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 13

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND5–6 kt



TEMPERATURE83–84 °F



DEWPOINT76–78 °F



PRECIP CHANCE35%

Evidence & limitations

- GFS MAV MOS · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND5 kt



TEMPERATURE79–81 °F



DEWPOINT74–75 °F



PRECIP CHANCE17%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND4–5 kt



TEMPERATURE79–88 °F



DEWPOINT74 °F



PRECIP CHANCE7%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND7–8 kt



TEMPERATURE90–93 °F



DEWPOINT73–74 °F



PRECIP CHANCE3%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 14

00:00–06:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+048 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+054 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

now

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

6000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — source state: not_queried

CURRENT METAR TEMP DEP / DEST

29°C dep KLZU → 31°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

04/22 (040/220°M · 033/213°T) · 16/34 (160/340°M · 153/333°T) — designators and °M headings are magnetic; °T are true; variation 7°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

1 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2026-09-12T22:19:45.444895Z.

FRI SEP 11	SAT SEP 12	SUN SEP 13	MON SEP 14

NOTAMS as of 22:19 Z — advisory only; verify an official briefing.

A0047/26

NOTAM text not available in this projection.

07/001

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMS were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

26-09-12T22:19:45.444895Z.

00Z

00Z

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMS were read for KSSI this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · VFR

S · 18:00–00:00 ET ET · VFR

S · 00:00–06:00 ET ET · VFR

• Mon, Sep 14 • 06:00–12:00 ET: GFS MAV MOS · 06:00–12:00 ET ET · VFR

• Mon, Sep 14 · 12:00–18:00 ET: GFS MAV MOS · 12:00–18:00 ET ET · VFR

• Mon, Sep 14 · 18:00–00:00 ET: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-12=GFS, 2026-09-13=GFS, 2026-09-14=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-13 00:00	82	Ovc	160/6kt	—	>10kft	>6SM
GFS	2026-09-13 03:00	81	Ovc	190/6kt	—	>10kft	>6SM
GFS	2026-09-13 06:00	80	Ovc	220/5kt	42.0	>10kft	>6SM
GFS	2026-09-13 09:00	79	Bkn	240/5kt	—	>10kft	>6SM
GFS	2026-09-13 12:00	79	Ovc	260/5kt	22.0	>10kft	>6SM
GFS	2026-09-13 15:00	86	Bkn	260/6kt	—	>10kft	>6SM
GFS	2026-09-13 18:00	91	Bkn	230/7kt	21.0	>10kft	>6SM
GFS	2026-09-13 21:00	87	Ovc	160/8kt	—	>10kft	>6SM
GFS	2026-09-14 00:00	84	Ovc	190/6kt	35.0	>10kft	>6SM
GFS	2026-09-14 03:00	83	Bkn	220/5kt	—	>10kft	>6SM
GFS	2026-09-14 06:00	81	Few	240/5kt	17.0	>10kft	>6SM
GFS	2026-09-14 09:00	79	Clear	260/5kt	—	>10kft	>6SM
GFS	2026-09-14 12:00	79	Clear	270/4kt	7.0	>10kft	>6SM
GFS	2026-09-14 15:00	88	Clear	270/5kt	—	>10kft	>6SM
GFS	2026-09-14 18:00	93	Clear	120/7kt	3.0	>10kft	>6SM
GFS	2026-09-14 21:00	90	Clear	130/8kt	—	>10kft	>6SM
GFS	2026-09-15 00:00	85	Clear	140/5kt	5.0	>10kft	>6SM
GFS	2026-09-15 03:00	84	Clear	170/4kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KSSI 122035Z AUTO 13010KT 10SM VCTS CLR 31/26 A2996 RMK A02 LTG DSNT SW-NW

TAF KSSI 122201Z 1222/1318 VRB05KT P6SM -SHRA VCTS SCT005 SCT025CB OVC070 FM122300 17010KT P6SM VCSH SCT030 BKN070 OVC120 FM130100 20007KT P6SM VCSH SCT040 BKN120 OVC250 FM131300 27007KT P6SM SCT015 SCT070 SCT120 FM131700 24010KT P6SM VCSH SCT030 BKN070 BKN120

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KSSI; actual-station=KSSI; fetched-at=2026-09-12T22:19:40.465940+00:00; observed-or-issued-at=2026-09-12T20:35:00+00:00 — [AWC API](#)
 - TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KSSI; actual-station=KSSI; fetched-at=2026-09-12T22:19:40.815131+00:00; observed-or-issued-at=2026-09-12T22:01:00+00:00; valid-from=2026-09-12T22:00:00+00:00; valid-through=2026-09-13T18:00:00+00:00; partial-target-dates=2026-09-12,2026-09-13 — [AWC API](#)
- TAF proxy · KSSI
- FAA airport status — state=not_queried; fetch-state=not_attempted; payload-state=not_attempted; requested-station=KSSI
 - FAA NMS NOTAM — state=OK; requested-station=KSSI; actual-station=KSSI; fetched-at=2026-09-12T22:19:45.444895Z — [FAA NMS overview](#)
 - MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KSSI; actual-station=KSSI; fetched-at=2026-09-12T22:20:07.274521+00:00; observed-or-issued-at=2026-09-12T18:00:00+00:00; valid-from=2026-09-13T00:00:00+00:00; valid-through=2026-09-15T18:00:00+00:00; target-dates=2026-09-13,2026-09-14; partial-target-dates=2026-09-12; dates-with-points=2026-09-12,2026-09-13,2026-09-14 — [Iowa State API](#)
 - MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KSSI; actual-station=KSSI; fetched-at=2026-09-12T22:20:08.296170+00:00; observed-or-issued-at=2026-09-12T12:00:00+00:00; valid-from=2026-09-13T12:00:00+00:00; valid-through=2026-09-20T12:00:00+00:00; target-dates=2026-09-13,2026-09-14; dates-with-points=2026-09-13,2026-09-14 — [Iowa State API](#)
 - MOS effective date selection — state=partial; rows=18; requested-station=KSSI; actual-station=KSSI; fetched-at=2026-09-12T22:20:07.274521+00:00; observed-or-issued-at=2026-09-12T18:00:00+00:00; valid-from=2026-09-13T00:00:00+00:00; valid-through=2026-09-15T18:00:00+00:00; target-dates=2026-09-13,2026-09-14; partial-target-dates=2026-09-12; dates-with-points=2026-09-12,2026-09-13,2026-09-14; selected-by-date=2026-09-12=GFS, 2026-09-13=GFS, 2026-09-14=GFS
 - Extended outlook and hazard-feed states are reported in the source stamp.
 - Runway data + Chart Supplement — [FAA Chart Supplement \(current cycle\)](#) — see AirNav link above

#4 **KJZI Charleston Exec, SC, US** · Atlantic South · Charleston Exec

OBS - VFR

ETE
1h28

DIST
213 nm

SAT 12 SEP 16:35 ET OBSERVED

Current observation

OBS - VFR

OBSER

METAR


clear below 12,000 ft (CLR)

WINDS (170°) 9 kt

TEMPERATURE30 °C

VISIBILITY10 sm

DEWPOINT25 °C



Wind favours RWY 22

170° true · 178° magnetic · 9 kt

Evidence & limitations

- METAR source state: ok; observed Sep 12 16:35 ET; retrieved Sep 12 18:19 ET; 104 min before this run.
- Measured values read from the KJZI METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.00 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KJZI runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 09/27, 04/22. Wind from 170 degrees true, 178 degrees magnetic, at 9 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 22. Wind source: KJZI METAR 122035Z.

DESTINATION OUTLOOK

SAT, SEP 12

SAT 12 SEP 18:00–00:00 ET HIGH

Forecast



Flight-category guidance



TAF · MVFR

FORECAST

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sat Sep 12

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

SUN 13 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

TAF · 00:00–06:00 ET ET · MVFR

Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 13 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

TAF · 12:00–18:00 ET ET · VFR

Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 13 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

TAF · 06:00–12:00 ET ET · VFR

Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 13 SEP 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND8–9 kt

TEMPERATURE89–91 °F

DEWPOINT77 °F

PRECIP CHANCE14%

Evidence & limitations

GFS MAV MOS · 18:00–00:00 ET ET · VFR

Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 13

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND4–7 kt



TEMPERATURE81–83 °F



DEWPOINT77–78 °F



PRECIP CHANCE10%

Evidence & limitations

- GFS MAV MOS · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND2 kt



TEMPERATURE76–79 °F



DEWPOINT74–75 °F



PRECIP CHANCE9%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND2–5 kt



TEMPERATURE78–90 °F



DEWPOINT73–75 °F



PRECIP CHANCE9%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND7–8 kt



TEMPERATURE92–94 °F



DEWPOINT74 °F



PRECIP CHANCE1%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 14

00:00–06:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+048 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+054 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

now

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

6000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed (proxy KCHS)

CURRENT METAR TEMP DEP / DEST

29°C dep KLZU → 30°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

rwY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

09/27 (090/270°M · 082/262°T) · 04/22 (040/220°M · 032/212°T) — designators and °M headings are magnetic; °T are true; variation 8°W (NOAA WMM2025)

info

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		
Verify the current FAA Chart Supplement and provider before flight.			

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 Act on

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

and 2026-09-12T22:19:45.725204Z.

(prioritative)

FRI SEP 11	SAT SEP 12	SUN SEP 13	MON SEP 14

07/354				
08/049				
08/354				
2 additional normalized NOTAM records omitted from this view.				

Raw NOTAM data · NOTAMs as of 22:19 Z

NOTAMs as of 22:19 Z — advisory only; verify an official briefing.

- 5/3307

NOTAM text not available in this projection.
- 07/235

NOTAM text not available in this projection.
- 07/354

NOTAM text not available in this projection.
- 08/049

NOTAM text not available in this projection.
- 08/354

NOTAM text not available in this projection.
- 09/116

NOTAM text not available in this projection.
- 08/546

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2026-09-12T22:19:45.725204Z.

STON EXEC, CHARLESTON, SC. RNAV (GPS) RWY 27, AMDT 2C... LNAV MDA 420HAT 405. CHANGE NOTE TO READ: WHEN LOCAL ALTIMETER SETTING NOT 29.92 INCHES HG, SET TO 29.92 INCHES HG, THEN INCREASE LPV DA TO 287 FEET AND VISIBILITY ALL CATS 1/8 SM. INCREASE LNAV/VNAV DA TO 335 FEET AND VISIBILITY ALL CATS 1/8 SM. (2026-08-04T11:22:00Z - 2026-10-03T04:00:00Z)

OBSTRUCTION 080354 — CRST TOWER LIT (ASR 11000410) 324735 60N0795020 WNW (5.7NM NNW J21) 357 DFT (350 DFT AGL) U/S

Effective 2026-08-21T08:30:00Z → 2026-11-19T09:30:00Z

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMS were read for KJZI this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

• Mon, Sep 14 • 06:00–12:00 ET: GFS MAV MOS • 06:00–12:00 ET ET • VFR

• Mon, Sep 14 · 12:00–18:00 ET: GFS MAV MOS · 12:00–18:00 ET ET · VFR

• Mon, Sep 14 · 18:00–00:00 ET: GFS MAV MOS · 18:00–00:00 ET ET · VFR

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

Source state: partial; selected by target date: 2026-09-12=GFS, 2026-09-13=GFS, 2026-09-14=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-13 00:00	81	Ovc	170/7kt	—	>10kft	>6SM
GFS	2026-09-13 03:00	80	Ovc	190/6kt	—	>10kft	>6SM
GFS	2026-09-13 06:00	80	Bkn	200/5kt	28.0	>10kft	>6SM
GFS	2026-09-13 09:00	79	Bkn	210/3kt	—	>10kft	>6SM
GFS	2026-09-13 12:00	79	Ovc	250/3kt	41.0	>10kft	>6SM
GFS	2026-09-13 15:00	87	Sct	260/5kt	—	>10kft	>6SM

GFS	2026-09-13 18:00	91	Sct	210/8kt	14.0	>10kft	>6SM
GFS	2026-09-13 21:00	89	Bkn	200/9kt	—	>10kft	>6SM
GFS	2026-09-14 00:00	83	Sct	200/7kt	10.0	>10kft	>6SM
GFS	2026-09-14 03:00	81	Clear	210/4kt	—	>10kft	>6SM
GFS	2026-09-14 06:00	79	Clear	230/2kt	9.0	>10kft	>6SM
GFS	2026-09-14 09:00	76	Clear	250/2kt	—	>10kft	>6SM
GFS	2026-09-14 12:00	78	Clear	290/2kt	9.0	>10kft	>6SM
GFS	2026-09-14 15:00	90	Clear	340/5kt	—	>10kft	>6SM
GFS	2026-09-14 18:00	94	Clear	110/7kt	1.0	>10kft	>6SM
GFS	2026-09-14 21:00	92	Few	130/8kt	—	>10kft	>6SM
GFS	2026-09-15 00:00	85	Few	120/4kt	0.0	>10kft	>6SM
GFS	2026-09-15 03:00	82	Few	60/3kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KJZI 122035Z AUTO 17009KT 10SM CLR 30/25 A3000 RMK A02

TAF KJZI 121727Z 1218/1318 17008KT P6SM FEW050 SCT200 TEMPO 1219/1222 VRB10G15KT 4SM -TSRA BR BKN050CB FM130600 21005KT P6SM SCT050 BKN060

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KJZI; actual-station=KJZI; fetched-at=2026-09-12T22:19:40.465940+00:00; observed-or-issued-at=2026-09-12T20:35:00+00:00 — [AWC API](#)
 - TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KJZI; actual-station=KJZI; fetched-at=2026-09-12T22:19:40.815131+00:00; observed-or-issued-at=2026-09-12T17:27:00+00:00; valid-from=2026-09-12T18:00:00+00:00; valid-through=2026-09-13T18:00:00+00:00; partial-target-dates=2026-09-12,2026-09-13 — [AWC API](#)
- TAF proxy · KJZI
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KJZI; actual-station=KCHS; fetched-at=2026-09-12T22:19:41.336801+00:00
 - FAA NMS NOTAM — state=OK; requested-station=KJZI; actual-station=KJZI; fetched-at=2026-09-12T22:19:45.725204Z — [FAA NMS overview](#)
 - MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KJZI; actual-station=KJZI; fetched-at=2026-09-12T22:20:07.203798+00:00; observed-or-issued-at=2026-09-12T18:00:00+00:00; valid-from=2026-09-13T00:00:00+00:00; valid-through=2026-09-15T18:00:00+00:00; target-dates=2026-09-13,2026-09-14; partial-target-dates=2026-09-12; dates-with-points=2026-09-12,2026-09-13,2026-09-14 — [Iowa State API](#)
 - MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KJZI; actual-station=KJZI; fetched-at=2026-09-12T22:20:08.360018+00:00; observed-or-issued-at=2026-09-12T12:00:00+00:00; valid-from=2026-09-13T12:00:00+00:00; valid-through=2026-09-20T12:00:00+00:00; target-dates=2026-09-13,2026-09-14; dates-with-points=2026-09-13,2026-09-14 — [Iowa State API](#)
 - MOS effective date selection — state=partial; rows=18; requested-station=KJZI; actual-station=KJZI; fetched-at=2026-09-12T22:20:07.203798+00:00; observed-or-issued-at=2026-09-12T18:00:00+00:00; valid-from=2026-09-13T00:00:00+00:00; valid-through=2026-09-15T18:00:00+00:00; target-dates=2026-09-13,2026-09-14; partial-target-dates=2026-09-12; dates-with-points=2026-09-12,2026-09-13,2026-09-14; selected-by-date=2026-09-12=GFS, 2026-09-13=GFS, 2026-09-14=GFS
 - Extended outlook and hazard-feed states are reported in the source stamp.
 - Runway data + Chart Supplement — [FAA Chart Supplement \(current cycle\)](#) — see [AirNav](#) link above

SAT 12 SEP 16:53 ET OBSERVED

Current observation

METAR

OBS - VFR

OBSERVATION



few 6,000 ft, scattered 8,000 ft, broken 10,000 ft



WINDS (180°) 11 kt



TEMPERATURE28 °C



VISIBILITY10 sm



DEWPOINT25 °C

From 180°W: 11 kt

alt: 30.00 inHg

180° true



Wind favours RWY 18

180° true · 189° magnetic · 11 kt

Evidence & limitations

- METAR source state: ok; observed Sep 12 16:53 ET; retrieved Sep 12 18:19 ET; 86 min before this run.
- Measured values read from the KMYR METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.00 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KMYR runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 18/36. Wind from 180 degrees true, 189 degrees magnetic, at 11 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 18. Wind source: KMYR METAR 122053Z.

DESTINATION OUTLOOK

SAT 12 SEP 18:00–00:00 ET HIGH

Forecast

TA
F

TAF · VFR

FORECAST



Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sat Sep 12

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

SUN 13 SEP 00:00–06:00 ET HIGH

Forecast

TA
F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 13 SEP 12:00–18:00 ET HIGH

Forecast

TA
F

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · MVFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 13 SEP 06:00–12:00 ET HIGH

Forecast

TA
F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 13 SEP 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND10–12 kt

TEMPERATURE88–90 °F

DEWPOINT77 °F

PRECIP CHANCE21%

Evidence & limitations

• GFS MAV MOS · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 13

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND5–10 kt



TEMPERATURE82–84 °F



DEWPOINT76 °F



PRECIP CHANCE6%

Evidence & limitations

- GFS MAV MOS · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND4 kt



TEMPERATURE77–80 °F



DEWPOINT74–75 °F



PRECIP CHANCE8%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND4–6 kt



TEMPERATURE79–89 °F



DEWPOINT72–74 °F



PRECIP CHANCE7%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND8–9 kt



TEMPERATURE89–91 °F



DEWPOINT73–74 °F



PRECIP CHANCE1%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 14

00:00–06:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+048 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+054 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

now

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

29°C dep KLZU → 28°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

rwY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

18/36 (180/000°M · 171/351°T) — designators and °M headings are magnetic; °T are true; variation 9°W (NOAA WMM2025)

info

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

18 Act on6 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

ed 2026-09-12T22:19:45.743396Z.

oritative) Narrow bars = daily schedule sub-windows

FRI SEP 11	SAT SEP 12	SUN SEP 13	MON SEP 14

06/042				
A0529/26				
08/036				
49 additional normalized NOTAM records omitted from this view.				

Raw NOTAM data · NOTAMs as of 22:19 Z

NOTAMs as of 22:19 Z — advisory only; verify an official briefing.

03/061
NOTAM text not available in this projection.
A0316/26
NOTAM text not available in this projection.
06/042
NOTAM text not available in this projection.
A0529/26
NOTAM text not available in this projection.
08/036
NOTAM text not available in this projection.
08/038
NOTAM text not available in this projection.
A0639/26
NOTAM text not available in this projection.
A0647/26
NOTAM text not available in this projection.
08/053
NOTAM text not available in this projection.
A0660/26
NOTAM text not available in this projection.
08/056
NOTAM text not available in this projection.
08/059
NOTAM text not available in this projection.
08/060
NOTAM text not available in this projection.

08/061

NOTAM text not available in this projection.

A0665/26

NOTAM text not available in this projection.

A0671/26

NOTAM text not available in this projection.

A0673/26

NOTAM text not available in this projection.

A0675/26

NOTAM text not available in this projection.

6/8172

NOTAM text not available in this projection.

03/021

NOTAM text not available in this projection.

03/022

NOTAM text not available in this projection.

03/023

NOTAM text not available in this projection.

03/028

NOTAM text not available in this projection.

03/032

NOTAM text not available in this projection.

A0248/26

NOTAM text not available in this projection.

A0249/26

NOTAM text not available in this projection.

A0250/26

NOTAM text not available in this projection.

A0257/26

NOTAM text not available in this projection.

A0262/26

NOTAM text not available in this projection.

03/039

NOTAM text not available in this projection.

A0275/26

NOTAM text not available in this projection.

03/041

NOTAM text not available in this projection.

A0278/26

NOTAM text not available in this projection.

03/046

NOTAM text not available in this projection.

A0287/26

NOTAM text not available in this projection.

03/068

NOTAM text not available in this projection.

A0320/26

NOTAM text not available in this projection.

03/069

NOTAM text not available in this projection.

05/037

NOTAM text not available in this projection.

A0444/26

NOTAM text not available in this projection.

06/017

NOTAM text not available in this projection.

08/069

NOTAM text not available in this projection.

08/057

NOTAM text not available in this projection.

08/058

NOTAM text not available in this projection.

A0672/26

NOTAM text not available in this projection.

A0674/26

NOTAM text not available in this projection.

A0684/26

NOTAM text not available in this projection.

07/032

NOTAM text not available in this projection.

08/007

NOTAM text not available in this projection.

08/034

NOTAM text not available in this projection.

08/073

NOTAM text not available in this projection.

08/074

NOTAM text not available in this projection.

08/005

NOTAM text not available in this projection.

A0600/26

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

RUNWAY 08/036 — RWY 36 PAID LWS DLY 0400-1000

Effective 2026-08-17T04:00:00Z → 2026-10-17T10:00:00Z

49 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics,
the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KMYR this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

• Mon, Sep 14 • 06:00–12:00 ET: GFS MAV MOS • 06:00–12:00 ET ET • VFR

• Mon, Sep 14 • 12:00–18:00 ET: GFS MAV MOS • 12:00–18:00 ET ET • VFR

• Mon, Sep 14 · 18:00–00:00 ET: GFS MAV MOS · 18:00–00:00 ET ET · VFR

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

000 ET ET · VFR

6:00 ET ET · VFR

2:00 ET ET · VFR

8:00 ET ET · MVFR

S · 18:00–00:00 ET ET · VFR

S · 00:00–06:00 ET ET · VFR

- + MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-12=GFS, 2026-09-13=GFS, 2026-09-14=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-13 00:00	80	Bkn	180/10kt	—	>10kft	>6SM
GFS	2026-09-13 03:00	80	Ovc	190/8kt	—	>10kft	>6SM
GFS	2026-09-13 06:00	79	Bkn	200/6kt	26.0	>10kft	>6SM
GFS	2026-09-13 09:00	78	Bkn	210/5kt	—	>10kft	>6SM
GFS	2026-09-13 12:00	78	Bkn	240/5kt	36.0	>10kft	>6SM
GFS	2026-09-13 15:00	86	Bkn	240/8kt	—	>10kft	>6SM
GFS	2026-09-13 18:00	90	Sct	200/10kt	21.0	>10kft	>6SM
GFS	2026-09-13 21:00	88	Sct	200/12kt	—	>10kft	>6SM

GFS	2026-09-14 00:00	84	Clear	210/10kt	6.0	>10kft	>6SM
GFS	2026-09-14 03:00	82	Clear	220/5kt	—	>10kft	>6SM
GFS	2026-09-14 06:00	80	Clear	250/4kt	8.0	>10kft	>6SM
GFS	2026-09-14 09:00	77	Clear	280/4kt	—	>10kft	6SM
GFS	2026-09-14 12:00	79	Clear	300/4kt	7.0	>10kft	>6SM
GFS	2026-09-14 15:00	89	Clear	340/6kt	—	>10kft	>6SM
GFS	2026-09-14 18:00	91	Clear	120/9kt	1.0	>10kft	>6SM
GFS	2026-09-14 21:00	89	Few	130/8kt	—	>10kft	>6SM
GFS	2026-09-15 00:00	84	Few	70/8kt	2.0	>10kft	>6SM
GFS	2026-09-15 03:00	81	Bkn	50/13kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KMYR 122053Z 18011KT 10SM FEW060 SCT080 BKN100 28/25 A3000 RMK A02 SLP160 T02830250 56014 \$

TAF KMYR 121720Z 1218/1318 17010KT P6SM VCSH SCT030 SCT150 FM122100 18011KT P6SM FEW030 BKN150 FM130200 21006KT P6SM SCT250 FM131200 25006KT P6SM SCT020 FM131600 21008KT P6SM SCT025 PROB30 1316/1318 5SM TSRA BKN025CB

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KMYR; actual-station=KMYR; fetched-at=2026-09-12T22:19:40.465940+00:00; observed-or-issued-at=2026-09-12T20:53:00+00:00 — [AWC API](#)
 - TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KMYR; actual-station=KMYR; fetched-at=2026-09-12T22:19:40.815131+00:00; observed-or-issued-at=2026-09-12T17:20:00+00:00; valid-from=2026-09-12T18:00:00+00:00; valid-through=2026-09-13T18:00:00+00:00; partial-target-dates=2026-09-12,2026-09-13 — [AWC API](#)
- TAF proxy · KMYR
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KMYR; actual-station=KMYR; fetched-at=2026-09-12T22:19:42.480629+00:00
 - FAA NMS NOTAM — state=OK; requested-station=KMYR; actual-station=KMYR; fetched-at=2026-09-12T22:19:45.743396Z — [FAA NMS overview](#)
 - MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KMYR; actual-station=KMYR; fetched-at=2026-09-12T22:20:07.311082+00:00; observed-or-issued-at=2026-09-12T18:00:00+00:00; valid-from=2026-09-13T00:00:00+00:00; valid-through=2026-09-15T18:00:00+00:00; target-dates=2026-09-13,2026-09-14; partial-target-dates=2026-09-12; dates-with-points=2026-09-12,2026-09-13,2026-09-14 — [Iowa State API](#)
 - MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KMYR; actual-station=KMYR; fetched-at=2026-09-12T22:20:08.349712+00:00; observed-or-issued-at=2026-09-12T12:00:00+00:00; valid-from=2026-09-13T12:00:00+00:00; valid-through=2026-09-20T12:00:00+00:00; target-dates=2026-09-13,2026-09-14; dates-with-points=2026-09-13,2026-09-14 — [Iowa State API](#)
 - MOS effective date selection — state=partial; rows=18; requested-station=KMYR; actual-station=KMYR; fetched-at=2026-09-12T22:20:07.311082+00:00; observed-or-issued-at=2026-09-12T18:00:00+00:00; valid-from=2026-09-13T00:00:00+00:00; valid-through=2026-09-15T18:00:00+00:00; target-dates=2026-09-13,2026-09-14; partial-target-dates=2026-09-12; dates-with-points=2026-09-12,2026-09-13,2026-09-14; selected-by-date=2026-09-12=GFS, 2026-09-13=GFS, 2026-09-14=GFS
 - Extended outlook and hazard-feed states are reported in the source stamp.
 - Runway data + Chart Supplement — [FAA Chart Supplement \(current cycle\)](#) — see AirNav link above

SAT 12 SEP 16:53 ET OBSERVED

Current observation

METAR

OBSERVED

few 1,500 ft

WINDS (180°) 10 kt

TEMPERATURE29 °C

VISIBILITY10 sm

DEWPOINT25 °C

From 180°M - 10 kt

Wind favours RWY 23

180° true · 189° magnetic · 10 kt

Evidence & limitations

- METAR source state: ok; observed Sep 12 16:53 ET; retrieved Sep 12 18:19 ET; 86 min before this run.
- Measured values read from the KCRE METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.99 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KCRE runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 05/23. Wind from 180 degrees true, 189 degrees magnetic, at 10 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 23. Wind source: KCRE METAR 122053Z.

DESTINATION OUTLOOK

SAT 12 SEP 18:00–00:00 ET HIGH

Forecast

TA
F

TAF · VFR

FORECAST



Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
 - Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.
- Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sat Sep 12

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

SUN 13 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 13 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · MVFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 13 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 13 SEP 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND10–12 kt

TEMPERATURE88–89 °F

DEWPOINT76–77 °F

PRECIP CHANCE23%

Evidence & limitations

• GFS MAV MOS · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 13

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

Forecast

GFS MAV
MOS

GFS MAV MOS ·
VFR

FORECAST

Flight-category guidance



WIND6–10 kt

TEMPERATURE81–85 °F

DEWPOINT76 °F

PRECIP CHANCE7%

Evidence & limitations

- GFS MAV MOS · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

Forecast

GFS MAV
MOS

GFS MAV MOS ·
VFR

FORECAST

Flight-category guidance



WIND3–4 kt

TEMPERATURE76–78 °F

DEWPOINT72–74 °F

PRECIP CHANCE8%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND3–6 kt



TEMPERATURE78–89 °F



DEWPOINT71–73 °F



PRECIP CHANCE7%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND7 kt



TEMPERATURE89–92 °F



DEWPOINT72 °F



PRECIP CHANCE0%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 14

00:00–06:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+048 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+054 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

now

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — source state: not_queried

CURRENT METAR TEMP DEP / DEST

29°C dep KLZU → 29°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

rwY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

05/23 (050/230°M · 041/221°T) — designators and °M headings are magnetic; °T are true; variation 9°W (NOAA WMM2025)

info

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

3 Act on

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

d 2026-09-12T22:19:45.746968Z.			
oritative)			
FRI SEP 11	SAT SEP 12	SUN SEP 13	MON SEP 14

07/004				
07/005				
08/003				
4 additional normalized NOTAM records omitted from this view.				

Raw NOTAM data · NOTAMs as of 22:19 Z

NOTAMs as of 22:19 Z — advisory only; verify an official briefing.

5/9932	NOTAM text not available in this projection.
5/9933	NOTAM text not available in this projection.
07/004	NOTAM text not available in this projection.
07/005	NOTAM text not available in this projection.
08/003	NOTAM text not available in this projection.
09/002	NOTAM text not available in this projection.
09/004	NOTAM text not available in this projection.
09/005	NOTAM text not available in this projection.
08/002	NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state:

26-09-12T22:19:45.746968Z.
STRAND, NORTH MYRTLE BEACH, SC. VOR RWY 23, AMDT 20B... DISREGARD WAGRA FIX MINIMUMS. S-23 MDA 620HRT 590 ALL CATS. VISIBILITY CAT C/D 1 1/4.
TEMPORARY CRANE 252FT MSL 5005FT SOUTHEAST OF RWY 23 (2025-ASQ-19695-DE) 2512162107-2612212107EST
:00Z
STRAND, NORTH MYRTLE BEACH, SC. ILS OR LOC RWY 23, AMDT 12B... RNAV (GPS) RWY 23, AMDT 1C... RNAV (GPS) RWY 5, ORIG-A... VOR RWY 5, AMDT 20B...
TEMPORARY CRANE 252FT MSL 1.18 NM SOUTHEAST OF CRE AIRPORT (2025-ASQ-19695-DE) 2512162107-2612212107EST

OK. The dot colour reports whether this source was read this run; technical environment: preprod.

OBSTRUCTION

170000 — OBST TYPED LT (AGL 1210000) 334859 20N0780150 00W (7.0NM W CRE) 402.0FT (365.0FT AGL) UPS

Effective 2026-07-09T22:41:00Z → 2026-10-10T23:59:00Z

OBSTRUCTION

180000 — OBST TYPED LT (AGL 1040100) 334820 00N078017 00W (2.4NM WNW CRE) 381.0FT (335.0FT AGL) UPS

Effective 2026-08-12T02:56:00Z → 2026-09-26T02:56:00Z

4 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KCRE this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

00 ET ET · VFR

00 ET ET · VFR

00 ET ET · VFR

00 ET ET · MVFR

S · 18:00–00:00 ET ET · VFR

S · 00:00–06:00 ET ET · VFR

• Mon, Sep 14 · 06:00–12:00 ET: GFS MAV MOS · 06:00–12:00 ET ET · VFR

• Mon, Sep 14 · 12:00–18:00 ET: GFS MAV MOS · 12:00–18:00 ET ET · VFR

• Mon, Sep 14 · 18:00–00:00 ET: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-12=GFS, 2026-09-13=GFS, 2026-09-14=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-13 00:00	81	Ovc	200/10kt	—	>10kft	>6SM
GFS	2026-09-13 03:00	81	Bkn	210/9kt	—	>10kft	>6SM
GFS	2026-09-13 06:00	80	Bkn	210/7kt	28.0	>10kft	>6SM

GFS	2026-09-13 09:00	79	Bkn	220/6kt	—	>10kft	>6SM
GFS	2026-09-13 12:00	80	Bkn	230/4kt	35.0	>10kft	>6SM
GFS	2026-09-13 15:00	85	Sct	230/7kt	—	>10kft	>6SM
GFS	2026-09-13 18:00	89	Sct	210/10kt	23.0	>10kft	>6SM
GFS	2026-09-13 21:00	88	Sct	210/12kt	—	>10kft	>6SM
GFS	2026-09-14 00:00	85	Few	210/10kt	7.0	>10kft	>6SM
GFS	2026-09-14 03:00	81	Few	220/6kt	—	>10kft	>6SM
GFS	2026-09-14 06:00	78	Clear	240/4kt	8.0	>10kft	>6SM
GFS	2026-09-14 09:00	76	Clear	270/3kt	—	>10kft	6SM
GFS	2026-09-14 12:00	78	Clear	320/3kt	7.0	>10kft	>6SM
GFS	2026-09-14 15:00	89	Clear	360/6kt	—	>10kft	>6SM
GFS	2026-09-14 18:00	92	Clear	130/7kt	0.0	>10kft	>6SM
GFS	2026-09-14 21:00	89	Few	100/7kt	—	>10kft	>6SM
GFS	2026-09-15 00:00	84	Bkn	70/8kt	4.0	>10kft	>6SM
GFS	2026-09-15 03:00	80	Bkn	50/11kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KCRE 122053Z 18010KT 10SM FEW015 29/25 A2999 RMK A02 SLP155 T02890250 58015

TAF KMYR 121720Z 1218/1318 17010KT P6SM VCSH SCT030 SCT150 FM122100 18011KT P6SM FEW030 BKN150 FM130200 21006KT P6SM SCT250 FM131200 25006KT P6SM SCT020 FM131600 21008KT P6SM SCT025 PROB30 1316/1318 5SM TSRA BKN025CB

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KCRE; actual-station=KCRE; fetched-at=2026-09-12T22:19:40.465940+00:00; observed-or-issued-at=2026-09-12T20:53:00+00:00 — [AWC API](#)
 - TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KCRE; actual-station=KMYR; fetched-at=2026-09-12T22:19:40.815131+00:00; observed-or-issued-at=2026-09-12T17:20:00+00:00; valid-from=2026-09-12T18:00:00+00:00; valid-through=2026-09-13T18:00:00+00:00; partial-target-dates=2026-09-12,2026-09-13 — [AWC API](#)
- TAF proxy · KMYR
- FAA airport status — state=not_queried; fetch-state=not_attempted; payload-state=not_attempted; requested-station=KCRE
 - FAA NMS NOTAM — state=OK; requested-station=KCRE; actual-station=KCRE; fetched-at=2026-09-12T22:19:45.746968Z — [FAA NMS overview](#)
 - MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KCRE; actual-station=KCRE; fetched-at=2026-09-12T22:20:07.806033+00:00; observed-or-issued-at=2026-09-12T18:00:00+00:00; valid-from=2026-09-13T00:00:00+00:00; valid-through=2026-09-15T18:00:00+00:00; target-dates=2026-09-13,2026-09-14; partial-target-dates=2026-09-12; dates-with-points=2026-09-12,2026-09-13,2026-09-14 — [Iowa State API](#)
 - MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KCRE; actual-station=KCRE; fetched-at=2026-09-12T22:20:08.322104+00:00; observed-or-issued-at=2026-09-12T12:00:00+00:00; valid-from=2026-09-13T12:00:00+00:00; valid-through=2026-09-20T12:00:00+00:00; target-dates=2026-09-13,2026-09-14; dates-with-points=2026-09-13,2026-09-14 — [Iowa State API](#)

• MOS effective date selection — state=partial; rows=18; requested-station=KCRE; actual-station=KCRE; fetched-at=2026-09-12T22:20:07.806033+00:00; observed-or-issued-at=2026-09-12T18:00:00+00:00; valid-from=2026-09-13T00:00:00+00:00; valid-through=2026-09-15T18:00:00+00:00; target-dates=2026-09-13,2026-09-14; partial-target-dates=2026-09-12; dates-with-points=2026-09-12,2026-09-13,2026-09-14; selected-by-date=2026-09-12=GFS, 2026-09-13=GFS, 2026-09-14=GFS

• Extended outlook and hazard-feed states are reported in the source stamp.

• Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#7

KHxD

Hilton Head Arpt, SC, US

· Atlantic South · Hilton Head

⏮

OBS - VFR

⏭

ETE

1h21

DIST

195 nm

SAT

12 SEP

16:50 ET

OBSERVED

Current observation

⏮

OBS - VFR

⏭

OBSER

META

R

☁

few 3,000 ft

↓

WINDS (160°) 4 kt gust 12 kt

🌡

TEMPERATURE30 °C

👁

VISIBILITY10 sm

💧

DEWPOINT26 °C



Wind favours RWY 21

160° true · 168° magnetic · 4G12 kt

Evidence & limitations

- METAR source state: ok; observed Sep 12 16:50 ET; retrieved Sep 12 18:19 ET; 89 min before this run.
- Measured values read from the KHxD METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.99 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KHxD runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 03/21. Wind from 160 degrees true, 168 degrees magnetic, at 4 knots gusting 12 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 21. Wind source: KHxD METAR 122050Z.

DESTINATION OUTLOOK


SAT 12 SEP 18:00–00:00 ET HIGH

Forecast

TA
F

TAF · MVFR

FORECAST



Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sat Sep 12

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

SUN 13 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 13 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 13 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 13 SEP 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND7–8 kt

TEMPERATURE89–90 °F

DEWPOINT76 °F

PRECIP CHANCE15%

Evidence & limitations

• GFS MAV MOS · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 13

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND5–8 kt

TEMPERATURE82–85 °F

DEWPOINT76 °F

PRECIP CHANCE13%

Evidence & limitations

- GFS MAV MOS · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND3 kt

TEMPERATURE79–80 °F

DEWPOINT75–76 °F

PRECIP CHANCE9%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND4–5 kt



TEMPERATURE78–88 °F



DEWPOINT72–74 °F



PRECIP CHANCE8%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND6 kt



TEMPERATURE91–93 °F



DEWPOINT72–74 °F



PRECIP CHANCE1%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 14

00:00–06:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+048 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+054 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

now

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

6000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

29°C dep KLZU → 30°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

rwY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

03/21 (030/210°M · 022/202°T) — designators and °M headings are magnetic; °T are true; variation 8°W (NOAA WMM2025)

info

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 Act on

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

d 2026-09-12T22:19:45.789722Z.			
oritative)			
FRI SEP 11	SAT SEP 12	SUN SEP 13	MON SEP 14

2 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KHXD this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

...ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

2026-09-13 00:00 ET ET · MVFR

2026-09-13 03:00 ET ET · VFR

2026-09-13 06:00 ET ET · VFR

2026-09-13 09:00 ET ET · VFR

2026-09-13 12:00–18:00 ET ET · VFR

2026-09-13 18:00–00:00 ET ET · VFR

2026-09-14 00:00–06:00 ET ET · VFR

• Mon, Sep 14 · 06:00–12:00 ET: GFS MAV MOS · 06:00–12:00 ET ET · VFR

• Mon, Sep 14 · 12:00–18:00 ET: GFS MAV MOS · 12:00–18:00 ET ET · VFR

• Mon, Sep 14 · 18:00–00:00 ET: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-12=GFS, 2026-09-13=GFS, 2026-09-14=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-13 00:00	82	Ovc	180/5kt	—	>10kft	>6SM
GFS	2026-09-13 03:00	81	Ovc	190/5kt	—	>10kft	>6SM
GFS	2026-09-13 06:00	79	Bkn	210/4kt	33.0	>10kft	>6SM
GFS	2026-09-13 09:00	78	Bkn	230/3kt	—	>10kft	>6SM
GFS	2026-09-13 12:00	79	Bkn	250/4kt	38.0	>10kft	>6SM
GFS	2026-09-13 15:00	85	Sct	280/6kt	—	>10kft	>6SM
GFS	2026-09-13 18:00	90	Bkn	230/7kt	15.0	>10kft	>6SM

GFS	2026-09-13 21:00	89	Bkn	190/8kt	—	>10kft	>6SM
GFS	2026-09-14 00:00	85	Sct	200/8kt	13.0	>10kft	>6SM
GFS	2026-09-14 03:00	82	Few	200/5kt	—	>10kft	>6SM
GFS	2026-09-14 06:00	80	Clear	220/3kt	9.0	>10kft	>6SM
GFS	2026-09-14 09:00	79	Clear	240/3kt	—	>10kft	>6SM
GFS	2026-09-14 12:00	78	Clear	260/4kt	8.0	>10kft	>6SM
GFS	2026-09-14 15:00	88	Clear	340/5kt	—	>10kft	>6SM
GFS	2026-09-14 18:00	93	Few	20/6kt	1.0	>10kft	>6SM
GFS	2026-09-14 21:00	91	Few	110/6kt	—	>10kft	>6SM
GFS	2026-09-15 00:00	86	Clear	160/5kt	0.0	>10kft	>6SM
GFS	2026-09-15 03:00	83	Clear	110/2kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KHXD 122050Z 16004G12KT 10SM FEW030 30/26 A2999

TAF KSAV 121727Z 1218/1318 18008KT P6SM VCSH FEW008 SCT060 TEMPO 1218/1222 VRB10G15KT 4SM -TSRA BR BKN050CB FM130400 24005KT P6SM SCT050 BKN060

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KHXD; actual-station=KHXD; fetched-at=2026-09-12T22:19:40.465940+00:00; observed-or-issued-at=2026-09-12T20:50:00+00:00 — [AWC API](#)
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KHXD; actual-station=KSAV; fetched-at=2026-09-12T22:19:40.815131+00:00; observed-or-issued-at=2026-09-12T17:27:00+00:00; valid-from=2026-09-12T18:00:00+00:00; valid-through=2026-09-13T18:00:00+00:00; partial-target-dates=2026-09-12,2026-09-13 — [AWC API](#)

TAF proxy · KSAV

- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KHXD; actual-station=KHXD; fetched-at=2026-09-12T22:19:42.415962+00:00
- FAA NMS NOTAM — state=OK; requested-station=KHXD; actual-station=KHXD; fetched-at=2026-09-12T22:19:45.789722Z — [FAA NMS overview](#)
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KHXD; actual-station=KHXD; fetched-at=2026-09-12T22:20:07.255314+00:00; observed-or-issued-at=2026-09-12T18:00:00+00:00; valid-from=2026-09-13T00:00:00+00:00; valid-through=2026-09-15T18:00:00+00:00; target-dates=2026-09-13,2026-09-14; partial-target-dates=2026-09-12; dates-with-points=2026-09-12,2026-09-13,2026-09-14 — [Iowa State API](#)
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KHXD; actual-station=KHXD; fetched-at=2026-09-12T22:20:08.302850+00:00; observed-or-issued-at=2026-09-12T12:00:00+00:00; valid-from=2026-09-13T12:00:00+00:00; valid-through=2026-09-20T12:00:00+00:00; target-dates=2026-09-13,2026-09-14; dates-with-points=2026-09-13,2026-09-14 — [Iowa State API](#)
- MOS effective date selection — state=partial; rows=18; requested-station=KHXD; actual-station=KHXD; fetched-at=2026-09-12T22:20:07.255314+00:00; observed-or-issued-at=2026-09-12T18:00:00+00:00; valid-from=2026-09-13T00:00:00+00:00; valid-through=2026-09-15T18:00:00+00:00; target-dates=2026-09-13,2026-09-14; partial-target-dates=2026-09-12; dates-with-points=2026-09-12,2026-09-13,2026-09-14; selected-by-date=2026-09-12=GFS, 2026-09-13=GFS, 2026-09-14=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

SAT 12 SEP 16:53 ET OBSERVED

Current observation

METAR

OBS - VFR

OBSERVED



few 4,400 ft, scattered 7,500 ft, broken 9,000 ft, broken 15,000 ft



WINDcalm



TEMPERATURE24 °C



VISIBILITY10 sm



DEWPOINT22 °C

Evidence & limitations

- METAR source state: ok; observed Sep 12 16:53 ET; retrieved Sep 12 18:19 ET; 86 min before this run.
- Measured values read from the KTRI METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.98 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.

DESTINATION OUTLOOK

SAT, SEP 12

SAT 12 SEP 18:00–00:00 ET HIGH

Forecast

TAF

TAF · MVFR

FORECAST



Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

SUN, SEP 13

SUN 13 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · MVFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 13 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · MVFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 13 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · MVFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 13 SEP 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND6–7 kt

↓
TEMPERATURE83–87 °F

💧
DEWPOINT65–68 °F

💧
PRECIP CHANCE7%

Evidence & limitations

• GFS MAV MOS · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

Forecast

GFS MAV MOS

GFS MAV MOS · MVFR

FORECAST

Flight-category guidance



WIND0–3 kt



TEMPERATURE70–79 °F



DEWPOINT65–66 °F



PRECIP CHANCE1%

Evidence & limitations

- GFS MAV MOS · 00:00–06:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · LIFR

FORECAST

Flight-category guidance



WIND0–1 kt



TEMPERATURE66–68 °F



DEWPOINT65 °F



PRECIP CHANCE0%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · LIFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND1–5 kt



TEMPERATURE66–76 °F



DEWPOINT65–67 °F



PRECIP CHANCE6%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND5–7 kt



TEMPERATURE81–83 °F



DEWPOINT61–63 °F



PRECIP CHANCE5%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 14

00:00–06:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+048 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+054 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

6000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

29°C dep KLZU → 24°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

05/23 (050/230°M · 042/222°T) · 09/27 (090/270°M · 082/262°T) — designators and °M headings are magnetic; °T are true; variation 8°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

20 Act on1 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

ed 2026-09-12T22:19:45.973363Z.			
(oritative)			
FRI SEP 11	SAT SEP 12	SUN SEP 13	MON SEP 14

08/068				
08/069				
08/070				
44 additional normalized NOTAM records omitted from this view.				

Raw NOTAM data · NOTAMs as of 22:19 Z

NOTAMs as of 22:19 Z — advisory only; verify an official briefing.

5/8343	NOTAM text not available in this projection.
5/8558	NOTAM text not available in this projection.
08/068	NOTAM text not available in this projection.
08/069	NOTAM text not available in this projection.
08/070	NOTAM text not available in this projection.
08/071	NOTAM text not available in this projection.
08/072	NOTAM text not available in this projection.
09/019	NOTAM text not available in this projection.
A1212/26	NOTAM text not available in this projection.
09/023	NOTAM text not available in this projection.
A1216/26	NOTAM text not available in this projection.
08/067	NOTAM text not available in this projection.
08/073	NOTAM text not available in this projection.

5/1221

NOTAM text not available in this projection.

A1144/25

NOTAM text not available in this projection.

A1251/25

NOTAM text not available in this projection.

A1252/25

NOTAM text not available in this projection.

5/8404

NOTAM text not available in this projection.

5/8405

NOTAM text not available in this projection.

5/8406

NOTAM text not available in this projection.

5/8407

NOTAM text not available in this projection.

A1367/25

NOTAM text not available in this projection.

A1368/25

NOTAM text not available in this projection.

A1369/25

NOTAM text not available in this projection.

A1370/25

NOTAM text not available in this projection.

5/8409

NOTAM text not available in this projection.

A1373/25

NOTAM text not available in this projection.

5/8411

NOTAM text not available in this projection.

A1374/25

NOTAM text not available in this projection.

06/034

NOTAM text not available in this projection.

A0975/26

NOTAM text not available in this projection.

06/042

NOTAM text not available in this projection.

A0980/26

NOTAM text not available in this projection.

06/043

NOTAM text not available in this projection.

A0981/26

NOTAM text not available in this projection.

06/044

NOTAM text not available in this projection.

06/046

NOTAM text not available in this projection.

06/061

NOTAM text not available in this projection.

06/068

NOTAM text not available in this projection.

07/010

NOTAM text not available in this projection.

07/028

NOTAM text not available in this projection.

07/029

NOTAM text not available in this projection.

07/054

NOTAM text not available in this projection.

08/034

NOTAM text not available in this projection.

08/053

NOTAM text not available in this projection.

08/078

NOTAM text not available in this projection.

A1181/26

NOTAM text not available in this projection.

09/004

NOTAM text not available in this projection.

09/017

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2026-09-12T22:19:45.973363Z.

PISTOLJOHNSONKINGSPOORT, TN, TRICITIES THREE DEPARTURE ... DISREGARD TAKE-OFF MINIMUMS RWY 27, 400 2 1/2 OR STANDARD WITH MINIMUM CLIMB OF MINIMUMS, RWY 27 400 2 1/2. ALL OTHER DATA REMAINS AS PUBLISHED. 2509221540 2709221540EST :00Z

PISTOLJOHNSONKINGSPOORT, TN, KINGS TWO DEPARTURE ... TAKE-OFFTAKE-OFF MINIMUMS, RWY 27, NOT AUTHORIZED. ALL OTHER DATA REMAINS AS PUBLISHED. 2509221540 2709221540EST :00Z

MARKINGS NOT STD :00Z

RUNWAY 08/008 — RWY 08 MARKINGS NOT STD

Effective 2026-08-28T12:08:00Z → 2026-09-30T22:00:00Z

RUNWAY 08/078 — RWY 08 MARKINGS NOT STD

Effective 2026-08-28T12:08:00Z → 2026-09-30T22:00:00Z

44 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KTRI this run.

them. No category, wind, ceiling, ranking or go/no-go here is derived from an image. A published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

00 ET ET · MVFR
00 ET ET · MVFR
00 ET ET · MVFR
00 ET ET · MVFR
S · 18:00–00:00 ET ET · VFR
S · 00:00–06:00 ET ET · MVFR

- Mon, Sep 14 · 06:00–12:00 ET: GFS MAV MOS · 06:00–12:00 ET ET · LIFR
- Mon, Sep 14 · 12:00–18:00 ET: GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Mon, Sep 14 · 18:00–00:00 ET: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-12=GFS, 2026-09-13=GFS, 2026-09-14=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-13 00:00	72	Ovc	200/1kt	—	>10kft	>6SM
GFS	2026-09-13 03:00	70	Ovc	210/1kt	—	5-10kft	>6SM
GFS	2026-09-13 06:00	69	Ovc	260/1kt	59.0	<200ft	½-1SM
GFS	2026-09-13 09:00	68	Ovc	240/2kt	—	200-500ft	<¼SM
GFS	2026-09-13 12:00	68	Ovc	250/2kt	15.0	200-500ft	<¼SM
GFS	2026-09-13 15:00	75	Bkn	260/4kt	—	3-5kft	>6SM
GFS	2026-09-13 18:00	83	Bkn	280/6kt	7.0	>10kft	>6SM
GFS	2026-09-13 21:00	87	Sct	270/7kt	—	>10kft	>6SM
GFS	2026-09-14 00:00	79	Few	290/3kt	1.0	>10kft	>6SM
GFS	2026-09-14 03:00	70	Clear	0/0kt	—	>10kft	>6SM
GFS	2026-09-14 06:00	68	Sct	0/0kt	0.0	>10kft	>6SM
GFS	2026-09-14 09:00	66	Sct	340/1kt	—	>10kft	3-5SM
GFS	2026-09-14 12:00	66	Ovc	330/1kt	6.0	3-5kft	<¼SM
GFS	2026-09-14 15:00	76	Bkn	360/5kt	—	5-10kft	>6SM
GFS	2026-09-14 18:00	81	Bkn	340/5kt	5.0	5-10kft	>6SM
GFS	2026-09-14 21:00	83	Sct	350/7kt	—	>10kft	>6SM
GFS	2026-09-15 00:00	75	Clear	20/3kt	0.0	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KTRI 122053Z 00000KT 10SM FEW044 SCT075 BKN090 BKN150 24/22 A2998 RMK A02 RAE52 TSB10E52 SLP130 P0019 60022 T02390222 58010

TAF KTRI 121901Z 1219/1318 35003KT P6SM VCSH BKN045 BKN100 PROB30 1222/1303 4SM TSRA BKN025CB FM130300 VRB03KT P6SM SCT025 BKN035 FM130800 00000KT 5SM BR FEW007 BKN012 FM131600 VRB03KT P6SM BKN015

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KTRI; actual-station=KTRI; fetched-at=2026-09-12T22:19:40.465940+00:00; observed-or-issued-at=2026-09-12T20:53:00+00:00 — [AWC API](#)

TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KTRI; actual-station=KTRI; fetched-at=2026-09-12T22:19:40.815131+00:00; observed-or-issued-at=2026-09-12T19:01:00+00:00; valid-from=2026-09-12T19:00:00+00:00; valid-through=2026-09-13T18:00:00+00:00; partial-target-dates=2026-09-12,2026-09-13 — [AWC API](#)

TAF proxy · KTRI

FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KTRI; actual-station=KTRI; fetched-at=2026-09-12T22:19:42.381887+00:00

FAA NMS NOTAM — state=OK; requested-station=KTRI; actual-station=KTRI; fetched-at=2026-09-12T22:19:45.973363Z — [FAA NMS overview](#)

MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KTRI; actual-station=KTRI; fetched-at=2026-09-12T22:20:07.297131+00:00; observed-or-issued-at=2026-09-12T18:00:00+00:00; valid-from=2026-09-13T00:00:00+00:00; valid-through=2026-09-15T18:00:00+00:00; target-dates=2026-09-13,2026-09-14; partial-target-dates=2026-09-12; dates-with-points=2026-09-12,2026-09-13,2026-09-14 — [Iowa State API](#)

MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KTRI; actual-station=KTRI; fetched-at=2026-09-12T22:20:08.358423+00:00; observed-or-issued-at=2026-09-12T12:00:00+00:00; valid-from=2026-09-13T12:00:00+00:00; valid-through=2026-09-20T12:00:00+00:00; target-dates=2026-09-13,2026-09-14; dates-with-points=2026-09-13,2026-09-14 — [Iowa State API](#)

MOS effective date selection — state=partial; rows=18; requested-station=KTRI; actual-station=KTRI; fetched-at=2026-09-12T22:20:07.297131+00:00; observed-or-issued-at=2026-09-12T18:00:00+00:00; valid-from=2026-09-13T00:00:00+00:00; valid-through=2026-09-15T18:00:00+00:00; target-dates=2026-09-13,2026-09-14; partial-target-dates=2026-09-12; dates-with-points=2026-09-12,2026-09-13,2026-09-14; selected-by-date=2026-09-12=GFS, 2026-09-13=GFS, 2026-09-14=GFS

Extended outlook and hazard-feed states are reported in the source stamp.

Runway data + Chart Supplement — [FAA Chart Supplement \(current cycle\)](#) — see [AirNav](#) link above

#9

KROA

Roanoke Rgnl, VA, US

· Mountain · Roanoke valley

OBS - VFR

ETE

1h56

DIST

279 nm

SAT 12 SEP 16:24 ET OBSERVED

Current observation

METAR

scattered 1,700 ft, broken 4,000 ft



WINDSE (150°) 6 kt


OBS - VFR

OBSER

TEMPERATURE26 °C

VISIBILITY10 sm

DEWPOINT21 °C



Wind favours RWY 16
150° true · 159° magnetic · 6 kt

Evidence & limitations

- METAR source state: ok; observed Sep 12 16:24 ET; retrieved Sep 12 18:19 ET; 115 min before this run.
- Measured values read from the KROA METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.02 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KROA runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 06/24, 16/34. Wind from 150 degrees true, 159 degrees magnetic, at 6 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 16. Wind source: KROA METAR 122024Z.

DESTINATION OUTLOOK

SAT, SEP 12

SAT 12 SEP 18:00–00:00 ET HIGH

Forecast



Flight-category
guidance



FORECAST

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sat Sep 12

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

SUN 13 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · IFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · IFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 13 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 13 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · IFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · IFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 13 SEP 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND6–7 kt

TEMPERATURE86–88 °F

DEWPOINT67–69 °F

PRECIP CHANCE13%

Evidence & limitations

• GFS MAV MOS · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 13

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, SEP 14

MON 14 SEP Whole day COARSE

Predicted

GFS MEX

GFS MEX - VFR (Predicted)

PREDICTED · NOT A FLIGHT CATEGORY

Whole-day conditions outlook

WIND

6–10 kt

TEMPERATURE

72–75 °F

PRECIP CHANCE

9%

TS CHANCE

10%

Evidence & limitations

- GFS extended MOS (MEX) · 2 published point(s) for this ET day · 08:00 ET sky partly cloudy · PoP12 9% · TS12 10% · wind 6 kt · 72°F; 20:00 ET sky partly cloudy · PoP12 5% · TS12 4% · wind 10 kt · 75°F. The single value shown is the least favourable of those points; it is not a flight category because MEX published no ceiling or visibility for them.
- Predicted VFR from sky cover partly cloudy, 12 h thunderstorm probability 10%, 12 h precipitation probability 9%. This is a conservative prediction from the extended GFS MEX outlook, not a flight category: MEX publishes no ceiling or visibility. Verify day-of against a TAF or short-range MOS.
- Rough outlook — a single value for the whole day from the GFS extended MOS (MEX), which steps in twelve-hour intervals. MEX published no ceiling or visibility here, so this is sky cover, precipitation probability, wind and temperature only: it is not a flight category, is not a resolved forecast, and is never shown with the weight of one. Where those fields are usable a conservative “(Predicted)” value is shown alongside — still a prediction, not a flight category.

Surface prog · Whole day · available

Surface prog evidence · Mon Sep 14

00:00–06:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+048 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+054 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

29°C dep KLZU → 26°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

06/24 (060/240°M · 051/231°T) · 16/34 (160/340°M · 151/331°T) — designators and °M headings are magnetic; °T are true; variation 9°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

ed 2026-09-12T22:19:45.989690Z.

FRI SEP 11

SAT SEP 12

SUN SEP 13

MON SEP 14

08/149

08/150

08/152

15 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 22:19 Z

NOTAMs as of 22:19 Z — advisory only; verify an official briefing.

08/147

NOTAM text not available in this projection.

08/148

NOTAM text not available in this projection.

08/149

NOTAM text not available in this projection.

08/150

NOTAM text not available in this projection.

08/152

NOTAM text not available in this projection.

08/153

NOTAM text not available in this projection.

A1062/26

NOTAM text not available in this projection.

08/154

NOTAM text not available in this projection.

08/155

NOTAM text not available in this projection.

08/156

NOTAM text not available in this projection.

5/6949

NOTAM text not available in this projection.

A0691/25

NOTAM text not available in this projection.

08/084

NOTAM text not available in this projection.

A0956/26

NOTAM text not available in this projection.

08/050

NOTAM text not available in this projection.

A1138/25

NOTAM text not available in this projection.

08/074

NOTAM text not available in this projection.

08/075

NOTAM text not available in this projection.

08/076

NOTAM text not available in this projection.

08/114

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this

2026-09-12T22:19:45.989690Z.
NOTS NOT STD
:00Z
ISS BTH TWY B4 AND TWY B1 NOT STD
:00Z
RD HLDS PSN SIGNS FOR TWY 0524 NOT STD
:00Z

source was read this run; technical environment: preprod.

15 additional normalized FAA NOTAM records omitted from this view.

TAXIWAY

08:15Z — TAF B3 CL MARKINGS NOT STD

Effective 2026-08-31T16:33:00Z → 2026-09-30T23:59:00Z

15 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KROA this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

00:00 ET ET · VFR

08:00 ET ET · IFR

12:00 ET ET · IFR

18:00 ET ET · VFR

18:00–00:00 ET ET · VFR

12 h coarse outlook — a single value for the whole day from the GFS extended MOS (MEX), which steps in twelve-hour intervals. MEX published no ceiling or visibility here, so this is sky cover, precipitation probability, wind and temperature only; it is not a flight category, is not a resolved forecast, and is never shown with the weight of one. Where those fields are usable a conservative “(Predicted)” value is shown alongside — still a prediction, not a flight category.

• GFS extended MOS (MEX) · 2 published point(s) for this ET day · 08:00 ET sky partly cloudy · PoP12 9% · TS12 10% · wind 6 kt · 72°F; 20:00 ET sky partly cloudy · PoP12 5% · TS12 4% · wind 10 kt · 75°F. The single value shown is the least favourable of those points; it is not a flight category because MEX published no ceiling or visibility for them.

• Predicted VFR from sky cover partly cloudy, 12 h thunderstorm probability 10%, 12 h precipitation probability 9%. This is a conservative prediction from the extended GFS MEX outlook, not a flight category: MEX publishes no ceiling or visibility. Verify day-of against a TAF or short-range MOS.

+ MOS target-window outlook (GFS / GFS Extended (MEX))

Source state: partial; selected by target date: 2026-09-12=GFS, 2026-09-13=GFS, 2026-09-14=MEX. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-12 18:00	76	Ovc	130/5kt	—	1-3kft	>6SM
GFS	2026-09-12 21:00	75	Ovc	140/5kt	—	3-5kft	>6SM
GFS	2026-09-13 00:00	73	Ovc	110/3kt	59.0	5-10kft	>6SM

GFS	2026-09-13 03:00	72	Ovc	120/2kt	—	5-10kft	3-5SM
GFS	2026-09-13 06:00	71	Ovc	320/2kt	70.0	500-1kft	<¼SM
GFS	2026-09-13 09:00	70	Ovc	320/3kt	—	200-500ft	<¼SM
GFS	2026-09-13 12:00	72	Ovc	310/3kt	28.0	200-500ft	¼-½SM
GFS	2026-09-13 15:00	80	Bkn	300/7kt	—	3-5kft	>6SM
GFS	2026-09-13 18:00	86	Bkn	310/6kt	13.0	>10kft	>6SM
GFS	2026-09-13 21:00	88	Sct	310/7kt	—	>10kft	>6SM
GFS	2026-09-14 00:00	83	Few	310/5kt	1.0	>10kft	>6SM
GFS	2026-09-14 03:00	76	Clear	320/3kt	—	>10kft	>6SM
MEX	2026-09-14 12:00	72	PC	—	9	—	—
MEX	2026-09-15 00:00	75	PC	—	5	—	—

+ Raw products

+ Raw METAR / TAF

SPECI KROA 122024Z 15006KT 10SM SCT017 BKN040 26/21 A3002 RMK A02 T02610211 \$

TAF KROA 121741Z 1218/1318 13006KT P6SM -SHRA SCT010 OVC020 FM122200 14007KT P6SM -TSRA BKN040CB FM130000 00000KT 6SM -SHRA OVC035 FM130600 00000KT 6SM BR OVC015 FM130900 00000KT 4SM BR OVC007 FM131400 30006KT P6SM SCT025

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KROA; actual-station=KROA; fetched-at=2026-09-12T22:19:40.465940+00:00; observed-or-issued-at=2026-09-12T20:24:00+00:00 — [AWC API](#)
 - TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KROA; actual-station=KROA; fetched-at=2026-09-12T22:19:40.815131+00:00; observed-or-issued-at=2026-09-12T17:41:00+00:00; valid-from=2026-09-12T18:00:00+00:00; valid-through=2026-09-13T18:00:00+00:00; partial-target-dates=2026-09-12,2026-09-13 — [AWC API](#)
- TAF proxy · KROA
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KROA; actual-station=KROA; fetched-at=2026-09-12T22:19:42.525332+00:00
 - FAA NMS NOTAM — state=OK; requested-station=KROA; actual-station=KROA; fetched-at=2026-09-12T22:19:45.989690Z — [FAA NMS overview](#)
 - MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KROA; actual-station=KROA; fetched-at=2026-09-12T22:20:07.207760+00:00; observed-or-issued-at=2026-09-12T12:00:00+00:00; valid-from=2026-09-12T18:00:00+00:00; valid-through=2026-09-15T12:00:00+00:00; target-dates=2026-09-13; partial-target-dates=2026-09-12,2026-09-14; dates-with-points=2026-09-12,2026-09-13,2026-09-14 — [Iowa State API](#)
 - MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KROA; actual-station=KROA; fetched-at=2026-09-12T22:20:08.332534+00:00; observed-or-issued-at=2026-09-12T12:00:00+00:00; valid-from=2026-09-13T12:00:00+00:00; valid-through=2026-09-20T12:00:00+00:00; target-dates=2026-09-13,2026-09-14; dates-with-points=2026-09-13,2026-09-14 — [Iowa State API](#)
 - MOS effective date selection — state=partial; rows=14; requested-station=KROA; actual-station=KROA; fetched-at=2026-09-12T22:20:08.332534+00:00; valid-from=2026-09-12T18:00:00+00:00; valid-through=2026-09-20T12:00:00+00:00; target-dates=2026-09-13,2026-09-14; partial-target-dates=2026-09-12; dates-with-points=2026-09-12,2026-09-13,2026-09-14; selected-by-date=2026-09-12=GFS, 2026-09-13=GFS, 2026-09-14=MEX
 - Extended outlook and hazard-feed states are reported in the source stamp.
 - Runway data + Chart Supplement — [FAA Chart Supplement \(current cycle\)](#) — see AirNav link above

#10

KSGJ St Augustine Arpt, FL, US

OBS - IFR

FTE

1h55

DIST

76 n

SAT 12 SEP 16:45 ET OBSERVED

Current observation

OBS - IFR



OBSERV

WINDSE (140°) 10 kt

!



Wind favours RWY 13

140° true · 147° magnetic · 10 kt

Evidence & limitations

- METAR source state: ok; observed Sep 12 16:45 ET; retrieved Sep 12 18:19 ET; 94 min before this run.
- Measured values read from the KSGJ METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.00 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KSGJ runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 13/31, 06/24, 02/20. Seaplane water lanes (17W, 35W, 18W, 36W, 12W and 30W) are excluded from the diagram and are never marked as favoured. Wind from 140 degrees true, 147 degrees magnetic, at 10 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 13. Wind source: KSGJ METAR 122045Z.


SAT 12 SEP 18:00–00:00 ET HIGH

Forecast

TA
F

TAF · MVFR

FORECAST



Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sat Sep 12

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

SUN 13 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 13 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 13 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 13 SEP 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND6–8 kt

TEMPERATURE85–87 °F

DEWPOINT77–78 °F

PRECIP CHANCE20%

Evidence & limitations

• GFS MAV MOS · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 13

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND3–5 kt



TEMPERATURE78–80 °F



DEWPOINT76 °F



PRECIP CHANCE51%

Evidence & limitations

- GFS MAV MOS · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND3 kt



TEMPERATURE75–76 °F



DEWPOINT74–75 °F



PRECIP CHANCE44%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND4–5 kt



TEMPERATURE76–86 °F



DEWPOINT75–77 °F



PRECIP CHANCE14%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND7–8 kt



TEMPERATURE87–88 °F



DEWPOINT77–78 °F



PRECIP CHANCE11%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 14

00:00–06:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+048 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+054 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

29°C dep KLZU → 28°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

13/31 (130/310°M · 123/303°T) · 06/24 (060/240°M · 053/233°T) · 02/20 (020/200°M · 013/193°T) · 17W/35W (170/350°M · 163/343°T · water lane, not wind-favored) · 18W/36W (180/000°M · 173/353°T · water lane, not wind-favored) · 12W/30W (120/300°M · 113/293°T · water lane, not wind-favored) — designators and °M headings are magnetic; °T are true; variation 7°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 6 Act on 3 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this

2 · What

3 · Where

ed 2026-09-12T22:19:45.991416Z.

pritative) » = no published end (each row states whether it is permanent or simply not supplied) — continues past this window

FRI SEP 11

SAT SEP 12

SUN SEP 13

MON SEP 14

source was read this run; technical environment: preprod.

5/0380				
12/004				»
12 additional normalized NOTAM records omitted from this view.				

Raw NOTAM data · NOTAMs as of 22:19 Z

NOTAMs as of 22:19 Z — advisory only; verify an official briefing.

08/010 NOTAM text not available in this projection.
08/014 NOTAM text not available in this projection.
09/003 NOTAM text not available in this projection.
5/0380 NOTAM text not available in this projection.
12/004 NOTAM text not available in this projection.
6/6168 NOTAM text not available in this projection.
06/017 NOTAM text not available in this projection.
08/003 NOTAM text not available in this projection.
06/025 NOTAM text not available in this projection.
07/002 NOTAM text not available in this projection.
08/008 NOTAM text not available in this projection.
08/013 NOTAM text not available in this projection.
09/001

NOTAM text not available in this projection.

09/002

NOTAM text not available in this projection.

09/004

NOTAM text not available in this projection.

09/005

NOTAM text not available in this projection.

08/018

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2026-09-12T22:19:45.991416Z.

000000

000000

000000

000000

000000

ST FLORIDA RGNL ST AUGUSTINE FL RNAV (GPS) RWY 13, ORIG-F, LNAV/VNAV DA 355HAT 355 ALL CATS, CIRCLING CAT C MDA 650HAA STD, LNAV CAT C RWY 13 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED, STRAIGHT-IN MINIMUMS NA AT NIGHT, CIRCLING RWY 2, 6 NA AT NIGHT

2025-09-09T18:42:00Z → 2027-09-09T23:59:00Z

Effective 2025-09-09T18:42:00Z → 2027-09-09T23:59:00Z

NAV_APPROACH

2025-12-04T15:30:00Z → Permanent — no expiry published

Effective 2025-12-04T15:30:00Z → Permanent — no expiry published

12 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

Forecast for Aviation and the Weather Prediction Center surface progs, issued by the National Weather Service through the day; the surface prog series reaches 144 hours. They are raster images a pilot reads for fronts, pressure systems and precipitation shields. This page displays them with their issuing office and valid time and never interprets them: no category, wind, ceiling, ranking or go/no-go here is derived from an image. A published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.



ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

- Mon, Sep 14 · 00:00–06:00 ET: GFS MAV MOS · 00:00–06:00 ET ET · VFR
- Mon, Sep 14 · 06:00–12:00 ET: GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Mon, Sep 14 · 12:00–18:00 ET: GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Mon, Sep 14 · 18:00–00:00 ET: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-12=GFS, 2026-09-13=GFS, 2026-09-14=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-13 00:00	79	Ovc	160/6kt	—	500-1kft	6SM
GFS	2026-09-13 03:00	76	Ovc	200/4kt	—	200-500ft	6SM
GFS	2026-09-13 06:00	75	Ovc	230/3kt	39.0	200-500ft	6SM
GFS	2026-09-13 09:00	74	Ovc	250/3kt	—	200-500ft	6SM
GFS	2026-09-13 12:00	75	Ovc	270/4kt	15.0	5-10kft	>6SM
GFS	2026-09-13 15:00	86	Ovc	300/6kt	—	500-1kft	>6SM
GFS	2026-09-13 18:00	87	Ovc	70/6kt	20.0	<200ft	>6SM
GFS	2026-09-13 21:00	85	Ovc	120/8kt	—	>10kft	>6SM
GFS	2026-09-14 00:00	80	Ovc	170/5kt	51.0	>10kft	>6SM
GFS	2026-09-14 03:00	78	Ovc	240/3kt	—	>10kft	>6SM
GFS	2026-09-14 06:00	76	Bkn	240/3kt	44.0	>10kft	>6SM
GFS	2026-09-14 09:00	75	Bkn	270/3kt	—	>10kft	>6SM
GFS	2026-09-14 12:00	76	Bkn	290/4kt	14.0	>10kft	>6SM
GFS	2026-09-14 15:00	86	Few	320/5kt	—	>10kft	>6SM
GFS	2026-09-14 18:00	88	Sct	70/7kt	11.0	>10kft	>6SM
GFS	2026-09-14 21:00	87	Few	110/8kt	—	>10kft	>6SM

GFS	2026-09-15 00:00	83	Few	140/6kt	27.0	>10kft	>6SM
GFS	2026-09-15 03:00	80	Few	130/5kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

SPECI KSGJ 122045Z 14010KT 2SM +TSRA BKN008 28/26 A3000 RMK A02 PK WND 12029/2018 LTG DSNT ALQDS TSB1957E16B19RAB16 P0014 \$

TAF KSGJ 122149Z 1222/1318 VRB03KT P6SM -SHRA VCTS BKN012 BKN020CB OVC070 FM122300 15006KT P6SM VCSH SCT025 BKN070 BKN120 FM130200 21003KT P6SM SCT070 BKN120 BKN250 FM131300 28006KT P6SM SCT015 SCT120 SCT250 FM131700 07009KT P6SM VCSH SCT025 BKN070 BKN120

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KSGJ; actual-station=KSGJ; fetched-at=2026-09-12T22:19:40.465940+00:00; observed-or-issued-at=2026-09-12T20:45:00+00:00 — [AWC API](#)
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KSGJ; actual-station=KSGJ; fetched-at=2026-09-12T22:19:40.815131+00:00; observed-or-issued-at=2026-09-12T21:49:00+00:00; valid-from=2026-09-12T22:00:00+00:00; valid-through=2026-09-13T18:00:00+00:00; partial-target-dates=2026-09-12,2026-09-13 — [AWC API](#)
- TAF proxy · KSGJ
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KSGJ; actual-station=KSGJ; fetched-at=2026-09-12T22:19:42.724298+00:00
- FAA NMS NOTAM — state=OK; requested-station=KSGJ; actual-station=KSGJ; fetched-at=2026-09-12T22:19:45.991416Z — [FAA NMS overview](#)
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KSGJ; actual-station=KSGJ; fetched-at=2026-09-12T22:20:07.863225+00:00; observed-or-issued-at=2026-09-12T18:00:00+00:00; valid-from=2026-09-13T00:00:00+00:00; valid-through=2026-09-15T18:00:00+00:00; target-dates=2026-09-13,2026-09-14; partial-target-dates=2026-09-12; dates-with-points=2026-09-12,2026-09-13,2026-09-14 — [Iowa State API](#)
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KSGJ; actual-station=KSGJ; fetched-at=2026-09-12T22:20:08.526531+00:00; observed-or-issued-at=2026-09-12T12:00:00+00:00; valid-from=2026-09-13T12:00:00+00:00; valid-through=2026-09-20T12:00:00+00:00; target-dates=2026-09-13,2026-09-14; dates-with-points=2026-09-13,2026-09-14 — [Iowa State API](#)
- MOS effective date selection — state=partial; rows=18; requested-station=KSGJ; actual-station=KSGJ; fetched-at=2026-09-12T22:20:07.863225+00:00; observed-or-issued-at=2026-09-12T18:00:00+00:00; valid-from=2026-09-13T00:00:00+00:00; valid-through=2026-09-15T18:00:00+00:00; target-dates=2026-09-13,2026-09-14; partial-target-dates=2026-09-12; dates-with-points=2026-09-12,2026-09-13,2026-09-14; selected-by-date=2026-09-12=GFS, 2026-09-13=GFS, 2026-09-14=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

OBS - VFR

ETE

1h45

DIST

252 nm

SAT 12 SEP 16:36 ET OBSERVED

Current observation

METAR

broken 4,100 ft, broken 5,500 ft

OBS - VFR

OBSER

WINDvariable 5 kt



TEMPERATURE31 °C



VISIBILITY10 sm



DEWPOINT23 °C

Evidence & limitations

- METAR source state: ok; observed Sep 12 16:36 ET; retrieved Sep 12 18:19 ET; 103 min before this run.
- Measured values read from the KCRG METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.98 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.

DESTINATION OUTLOOK

SAT, SEP 12

SAT 12 SEP 18:00–00:00 ET HIGH

Forecast



Flight-category guidance



FORECAST

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sat Sep 12

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

SUN 13 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 13 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 13 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 13 SEP 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND6–7 kt

TEMPERATURE86–90 °F

DEWPOINT74–75 °F

PRECIP CHANCE18%

Evidence & limitations

• GFS MAV MOS · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 13

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND4–5 kt



TEMPERATURE78–81 °F



DEWPOINT75 °F



PRECIP CHANCE48%

Evidence & limitations

- GFS MAV MOS · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND3 kt



TEMPERATURE76–77 °F



DEWPOINT75 °F



PRECIP CHANCE36%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND3–5 kt

TEMPERATURE77–88 °F

DEWPOINT75 °F

PRECIP CHANCE11%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND5–7 kt

TEMPERATURE90–92 °F

DEWPOINT74 °F

PRECIP CHANCE7%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 14

00:00–06:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+048 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+054 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

now

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

29°C dep KLZU → 31°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

rwY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

14/32 (140/320°M · 133/313°T) · 05/23 (050/230°M · 043/223°T) — designators and °M headings are magnetic; °T are true; variation 7°W (NOAA WMM2025)

info

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

3 Act on

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

ed 2026-09-12T22:19:45.995542Z.

(oritative)

FRI SEP 11	SAT SEP 12	SUN SEP 13	MON SEP 14

09/004

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.	026-09-12T22:19:45.995542Z. JACKSONVILLE EXEC AT CRAIG, JACKSONVILLE, FL, ILS OR LOC RWY 32, AMDT 5C, ... RNAV (GPS) RWY 14, AMDT 1B, ... RNAV (GPS) RWY 32, AMDT 1B, ... CIRCLING CAT C 1/4 SM, 2604 ASD 1724501724717249-DE-PERM) 2605061855-2605061855EST Effective 2026-05-11T15:08:00Z → 2028-05-11T15:08:00Z
NAV_APPROACH M9358 — IAP JACKSONVILLE EXEC AT CRAIG, JACKSONVILLE, FL, RNAV (GPS) RWY 32, AMDT 1B, ... LPV DA 291/HAT 250 ALL CATS, LNAV/VNAV DA 400/HAT 365 ALL CATS, VDP NA, CHANGE NOTE TO READ: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE JACKSONVILLE INTL ALTIMETER SETTING; INCREASE LPV DA TO 324 FEET, INCREASE LNAV/VNAV DA TO 420 FEET, INCREASE ALL MDAS 40 FEET AND CIRCLING VISIBILITY CAT C 1/4 SM, 2605111508-2605111508EST Effective 2026-05-11T15:08:00Z → 2028-05-11T15:08:00Z	
NAV_APPROACH A0189126 — IAP JACKSONVILLE EXEC AT CRAIG, JACKSONVILLE, FL, RNAV (GPS) RWY 32, AMDT 1B, ... LPV DA 291/HAT 250 ALL CATS, LNAV/VNAV DA 400/HAT 365 ALL CATS, VDP NA, CHANGE NOTE TO READ: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE JACKSONVILLE INTL ALTIMETER SETTING; INCREASE LPV DA TO 324 FEET, INCREASE LNAV/VNAV DA TO 420 FEET, INCREASE ALL MDAS 40 FEET AND CIRCLING VISIBILITY CAT C 1/4 SM, 2605111508-2605111508EST Effective 2026-05-11T15:08:00Z → 2028-05-11T15:08:00Z	
9 additional normalized FAA NOTAM records omitted from this view.	

+ Forecast evidence

METAR	
METAR — the routine surface observation issued hourly by the reporting station, with	
TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.	
GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against	
GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in	
GFA and prog charts — the Graphical Forecast for Aviation and the Weather	
FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and	ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KCRG this run.

published VFR Surface Chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

- 2026-09-13 00:00 ET ET · VFR
- 2026-09-13 03:00 ET ET · VFR
- 2026-09-13 06:00 ET ET · VFR
- 2026-09-13 09:00 ET ET · VFR
- 2026-09-13 12:00 ET ET · VFR
- 2026-09-13 15:00 ET ET · VFR
- 2026-09-13 18:00–00:00 ET ET · VFR
- Mon, Sep 14 · 00:00–06:00 ET: GFS MAV MOS · 00:00–06:00 ET ET · VFR
- Mon, Sep 14 · 06:00–12:00 ET: GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Mon, Sep 14 · 12:00–18:00 ET: GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Mon, Sep 14 · 18:00–00:00 ET: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-12=GFS, 2026-09-13=GFS, 2026-09-14=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-13 00:00	78	Ovc	220/5kt	—	5-10kft	>6SM
GFS	2026-09-13 03:00	76	Ovc	190/5kt	—	>10kft	>6SM
GFS	2026-09-13 06:00	76	Bkn	220/3kt	40.0	>10kft	>6SM
GFS	2026-09-13 09:00	76	Ovc	240/3kt	—	>10kft	>6SM
GFS	2026-09-13 12:00	76	Ovc	270/4kt	14.0	>10kft	>6SM
GFS	2026-09-13 15:00	85	Ovc	290/6kt	—	>10kft	>6SM
GFS	2026-09-13 18:00	90	Bkn	320/6kt	18.0	>10kft	>6SM
GFS	2026-09-13 21:00	86	Ovc	120/7kt	—	>10kft	>6SM
GFS	2026-09-14 00:00	81	Ovc	170/5kt	48.0	>10kft	>6SM
GFS	2026-09-14 03:00	78	Ovc	220/4kt	—	>10kft	>6SM
GFS	2026-09-14 06:00	77	Sct	240/3kt	36.0	>10kft	>6SM
GFS	2026-09-14 09:00	76	Sct	280/3kt	—	>10kft	>6SM
GFS	2026-09-14 12:00	77	Bkn	280/3kt	11.0	>10kft	>6SM
GFS	2026-09-14 15:00	88	Clear	310/5kt	—	>10kft	>6SM
GFS	2026-09-14 18:00	92	Sct	40/5kt	7.0	>10kft	>6SM
GFS	2026-09-14 21:00	90	Sct	110/7kt	—	>10kft	>6SM
GFS	2026-09-15 00:00	83	Few	150/5kt	18.0	>10kft	>6SM
GFS	2026-09-15 03:00	80	Clear	180/3kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

SPECI KCRG 122036Z VRB05KT 10SM VCTS BKN041 BKN055 31/23 A2998 RMK A02 LTG DSNT ALQDS T03110233

TAF KCRG 122159Z 1222/1318 VRB10KT 6SM -SHRA BR VCTS SCT010 BKN030CB OVC070 FM122300 17007KT P6SM VCSH SCT040 BKN070 OVC120 FM130000 20006KT P6SM SCT070 BKN120 OVC250 FM130600 23003KT P6SM SCT120 BKN250 FM131400 29006KT P6SM SCT015 BKN120 BKN250

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KCRG; actual-station=KCRG; fetched-at=2026-09-12T22:19:40.465940+00:00; observed-or-issued-at=2026-09-12T20:36:00+00:00 — [AWC API](#)
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KCRG; actual-station=KCRG; fetched-at=2026-09-12T22:19:40.815131+00:00; observed-or-issued-at=2026-09-12T21:59:00+00:00; valid-from=2026-09-12T22:00:00+00:00; valid-through=2026-09-13T18:00:00+00:00; partial-target-dates=2026-09-12,2026-09-13 — [AWC API](#)
- TAF proxy · KCRG
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KCRG; actual-station=KCRG; fetched-at=2026-09-12T22:19:42.292950+00:00
- FAA NMS NOTAM — state=OK; requested-station=KCRG; actual-station=KCRG; fetched-at=2026-09-12T22:19:45.995542Z — [FAA NMS overview](#)
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KCRG; actual-station=KCRG; fetched-at=2026-09-12T22:20:07.495126+00:00; observed-or-issued-at=2026-09-12T18:00:00+00:00; valid-from=2026-09-13T00:00:00+00:00; valid-through=2026-09-15T18:00:00+00:00; target-dates=2026-09-13,2026-09-14; partial-target-dates=2026-09-12; dates-with-points=2026-09-12,2026-09-13,2026-09-14 — [Iowa State API](#)
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KCRG; actual-station=KCRG; fetched-at=2026-09-12T22:20:08.489109+00:00; observed-or-issued-at=2026-09-12T12:00:00+00:00; valid-from=2026-09-13T12:00:00+00:00; valid-through=2026-09-20T12:00:00+00:00; target-dates=2026-09-13,2026-09-14; dates-with-points=2026-09-13,2026-09-14 — [Iowa State API](#)
- MOS effective date selection — state=partial; rows=18; requested-station=KCRG; actual-station=KCRG; fetched-at=2026-09-12T22:20:07.495126+00:00; observed-or-issued-at=2026-09-12T18:00:00+00:00; valid-from=2026-09-13T00:00:00+00:00; valid-through=2026-09-15T18:00:00+00:00; target-dates=2026-09-13,2026-09-14; partial-target-dates=2026-09-12; dates-with-points=2026-09-12,2026-09-13,2026-09-14; selected-by-date=2026-09-12=GFS, 2026-09-13=GFS, 2026-09-14=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#12

KFIN Palm Coast/Flagler Exec, FL, US

· Atlantic South · Flagler Exec FL

OBS - VFR

ETE

2h03

DIST

295 nm

SAT 12 SEP 16:50 ET OBSERVED

Current observation

METAR

OBS - VFR

OBSERVED

scattered 3,300 ft, broken 5,000 ft, broken 6,500 ft

WINDcalm

TEMPERATURE24 °C

VISIBILITY10 sm



DEWPOINT23 °C

Evidence & limitations

- METAR source state: ok; observed Sep 12 16:50 ET; retrieved Sep 12 18:19 ET; 89 min before this run.
- Measured values read from the KFIN METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.00 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.

DESTINATION OUTLOOK

SAT, SEP 12

SAT 12 SEP 18:00–00:00 ET HIGH

Forecast



Flight-category guidance



TAF · MVFR

FORECAST

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sat Sep 12

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

SUN 13 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 13 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 13 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 13 SEP 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND5–6 kt

TEMPERATURE84–88 °F

DEWPOINT74–75 °F

PRECIP CHANCE22%

Evidence & limitations

• GFS MAV MOS · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 13

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND2–3 kt

TEMPERATURE76–77 °F

DEWPOINT75 °F

PRECIP CHANCE52%

Evidence & limitations

- GFS MAV MOS · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND1 kt

TEMPERATURE74–75 °F

DEWPOINT74 °F

PRECIP CHANCE48%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND1–3 kt



TEMPERATURE74–86 °F



DEWPOINT74–76 °F



PRECIP CHANCE16%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND5–6 kt



TEMPERATURE87–90 °F



DEWPOINT75–76 °F



PRECIP CHANCE17%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 14

00:00–06:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+048 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+054 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — source state: not_queried

CURRENT METAR TEMP DEP / DEST

29°C dep KLZU → 24°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

11/29 (110/290°M · 103/283°T) · 06/24 (060/240°M · 053/233°T) · 18W/36W (180/000°M · 173/353°T · water lane, not wind-favored) — designators and °M headings are magnetic; °T are true; variation 7°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

ed 2026-09-12T22:19:46.233972Z.

FRI SEP 11	SAT SEP 12	SUN SEP 13	MON SEP 14

07/008				
A0036/26				
08/002				
5 additional normalized NOTAM records omitted from this view.				

Raw NOTAM data · NOTAMs as of 22:19 Z

NOTAMs as of 22:19 Z — advisory only; verify an official briefing.

06/004	NOTAM text not available in this projection.
06/007	NOTAM text not available in this projection.
07/008	NOTAM text not available in this projection.
A0036/26	NOTAM text not available in this projection.
08/002	NOTAM text not available in this projection.
08/004	NOTAM text not available in this projection.
08/007	NOTAM text not available in this projection.
09/001	NOTAM text not available in this projection.
08/006	NOTAM text not available in this projection.
A0037/26	NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains

2026-09-12T22:19:46.233972Z.
L 07T (ASPH) 12000 (40) 200100 UNPWR011001 UNPWR (S) UNPWR UNPWR FINE 12000 FT (12004.1 FT AGL) UPS
:00Z

```
preprod. Limited 2026-07-30 spot check
covered KLZU, KAVL, and KSGJ (3 of 30
airports). NOTAMs were read from this source
and used on this card this run. Typed state:
OK. The dot colour reports whether this
source was read this run; technical
environment: preprod.
```

OBSTRUCTION

Effective 2026-08-12T21:17:00Z → 2026-10-20T12:47:00Z

5 additional normalized FAA NOTAM records omitted from this view.

:00Z

1:00Z

+ Forecast evidence

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics,
the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KFIN this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

00 ET ET · MVFR

6:00 ET ET · VFR

2:00 ET ET · VFR

8:00 ET ET · VFR

ET · 18:00–00:00 ET ET · VFR

S · 00:00–06:00 ET ET · VFR

• Mon, Sep 14 • 06:00–12:00 ET: GFS MAV MOS • 06:00–12:00 ET ET • VFR

• Mon, Sep 14 • 12:00–18:00 ET: GFS MAV MOS • 12:00–18:00 ET ET • VFR

• Mon, Sep 14 · 18:00–00:00 ET: GFS MAV MOS · 18:00–00:00 ET ET · VFR

- + MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-12=GFS, 2026-09-13=GFS, 2026-09-14=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-13 00:00	75	Ovc	170/2kt	—	5-10kft	>6SM
GFS	2026-09-13 03:00	74	Ovc	190/1kt	—	>10kft	>6SM

GFS	2026-09-13 06:00	74	Bkn	0/0kt	39.0	>10kft	>6SM
GFS	2026-09-13 09:00	74	Bkn	0/0kt	—	>10kft	>6SM
GFS	2026-09-13 12:00	74	Bkn	270/1kt	16.0	>10kft	>6SM
GFS	2026-09-13 15:00	85	Bkn	300/4kt	—	>10kft	>6SM
GFS	2026-09-13 18:00	88	Bkn	50/5kt	22.0	>10kft	>6SM
GFS	2026-09-13 21:00	84	Ovc	100/6kt	—	>10kft	>6SM
GFS	2026-09-14 00:00	77	Ovc	180/3kt	52.0	5-10kft	>6SM
GFS	2026-09-14 03:00	76	Ovc	280/2kt	—	>10kft	>6SM
GFS	2026-09-14 06:00	75	Bkn	260/1kt	48.0	>10kft	>6SM
GFS	2026-09-14 09:00	74	Bkn	300/1kt	—	>10kft	>6SM
GFS	2026-09-14 12:00	74	Bkn	320/1kt	16.0	>10kft	>6SM
GFS	2026-09-14 15:00	86	Bkn	320/3kt	—	>10kft	>6SM
GFS	2026-09-14 18:00	90	Bkn	50/5kt	17.0	>10kft	>6SM
GFS	2026-09-14 21:00	87	Bkn	90/6kt	—	>10kft	>6SM
GFS	2026-09-15 00:00	80	Bkn	140/3kt	41.0	>10kft	>6SM
GFS	2026-09-15 03:00	78	Few	170/2kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KFIN 122050Z 00000KT 10SM SCT033 BKN050 BKN065 24/23 A3000

TAF KDAB 121738Z 1218/1318 11006KT P6SM VCTS SCT040CB BKN150 TEMPO 1218/1222 3SM TSRA BKN030CB FM130100 VRB04KT P6SM SCT060 BKN120 BKN200 FM131400 27005KT P6SM FEW025 BKN150 BKN200

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KFIN; actual-station=KFIN; fetched-at=2026-09-12T22:19:40.465940+00:00; observed-or-issued-at=2026-09-12T20:50:00+00:00 — [AWC API](#)
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KFIN; actual-station=KDAB; fetched-at=2026-09-12T22:19:40.815131+00:00; observed-or-issued-at=2026-09-12T17:38:00+00:00; valid-from=2026-09-12T18:00:00+00:00; valid-through=2026-09-13T18:00:00+00:00; partial-target-dates=2026-09-12,2026-09-13 — [AWC API](#)

TAF proxy · KDAB

- FAA airport status — state=not_queried; fetch-state=not_attempted; payload-state=not_attempted; requested-station=KFIN
- FAA NMS NOTAM — state=OK; requested-station=KFIN; actual-station=KFIN; fetched-at=2026-09-12T22:19:46.233972Z — [FAA NMS overview](#)
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KFIN; actual-station=KFIN; fetched-at=2026-09-12T22:20:07.518191+00:00; observed-or-issued-at=2026-09-12T18:00:00+00:00; valid-from=2026-09-13T00:00:00+00:00; valid-through=2026-09-15T18:00:00+00:00; target-dates=2026-09-13,2026-09-14; partial-target-dates=2026-09-12; dates-with-points=2026-09-12,2026-09-13,2026-09-14 — [Iowa State API](#)

• MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KFIN; actual-station=KFIN; fetched-at=2026-09-12T22:20:08.512296+00:00; observed-or-issued-at=2026-09-12T12:00:00+00:00; valid-from=2026-09-13T12:00:00+00:00; valid-through=2026-09-20T12:00:00+00:00; target-dates=2026-09-13,2026-09-14; dates-with-points=2026-09-13,2026-09-14 — Iowa State API

• MOS effective date selection — state=partial; rows=18; requested-station=KFIN; actual-station=KFIN; fetched-at=2026-09-12T22:20:07.518191+00:00; observed-or-issued-at=2026-09-12T18:00:00+00:00; valid-from=2026-09-13T00:00:00+00:00; valid-through=2026-09-15T18:00:00+00:00; target-dates=2026-09-13,2026-09-14; partial-target-dates=2026-09-12; dates-with-points=2026-09-12,2026-09-13,2026-09-14; selected-by-date=2026-09-12=GFS, 2026-09-13=GFS, 2026-09-14=GFS

• Extended outlook and hazard-feed states are reported in the source stamp.

• Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#13

KGKT Gatlinburg-Pigeon Forge Arpt, TN, US

· Mountain · Smokies/Gatlinburg

⌵

OBS - MVFR

E T E

0h50

D I S T

114 nm

SAT

12 SEP

16:36 ET

OBSERVED

Current observation

META

R

⌵

OBS - MVFR

OBSE


few 1,800 ft, scattered 3,200 ft, broken 4,500 ft

WINDW (280°) 4 kt

TEMPERATURE24 °C

VISIBILITY3 sm

DEWPOINT24 °C



Wind favours RWY 28

280° true · 287° magnetic · 4 kt

Evidence & limitations

- METAR source state: ok; observed Sep 12 16:36 ET; retrieved Sep 12 18:19 ET; 103 min before this run.
- Measured values read from the KGKT METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.98 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KGKT runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 10/28. Wind from 280 degrees true, 287 degrees magnetic, at 4 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 28. Wind source: KGKT METAR 122036Z.

DESTINATION OUTLOOK

SAT 12 SEP 18:00–00:00 ET HIGH

Forecast

TA
F

TAF · VFR

FORECAST



Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sat Sep 12

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

SUN 13 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

TAF · 00:00–06:00 ET ET · MVFR

Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 13 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

TAF · 12:00–18:00 ET ET · VFR

Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 13 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

TAF · 06:00–12:00 ET ET · MVFR

Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 13 SEP 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND4–5 kt

TEMPERATURE86–89 °F

DEWPOINT65–68 °F

PRECIP CHANCE1%

Evidence & limitations

GFS MAV MOS · 18:00–00:00 ET ET · VFR

Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 13

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND0–1 kt

TEMPERATURE73–80 °F

DEWPOINT66–67 °F

PRECIP CHANCE0%

Evidence & limitations

- GFS MAV MOS · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · MVFR

FORECAST

Flight-category guidance



WIND0 kt

TEMPERATURE67–69 °F

DEWPOINT66–67 °F

PRECIP CHANCE0%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND1–4 kt

TEMPERATURE67–80 °F

DEWPOINT65–67 °F

PRECIP CHANCE2%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND4–6 kt

TEMPERATURE87–89 °F

DEWPOINT63–65 °F

PRECIP CHANCE3%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 14

00:00–06:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+048 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+054 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

now

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

6000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — source state: not_queried

CURRENT METAR TEMP DEP / DEST

29°C dep KLZU → 24°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

rwY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

10/28 (100/280°M · 093/273°T) — designators and °M headings are magnetic; °T are true; variation 7°W (NOAA WMM2025)

info

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

4 Act on2 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

ed 2026-09-12T22:19:46.235146Z.

oritative) » = no published end (each row states whether it is permanent or simply not supplied) — continues past this window

FRI SEP 11	SAT SEP 12	SUN SEP 13	MON SEP 14

09/026

NOTAM text not available in this projection.

09/032

NOTAM text not available in this projection.

09/050

NOTAM text not available in this projection.

08/532

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2026-09-12T22:19:46.235146Z.

PIGEON FORGE, SEVIERVILLE, TN, TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 4B . TAKEOFF MINIMUMS: RWY 28, 400-2 34 OR F 220 FTNM TO 1500. DEPARTURE PROCEDURE: RWY 28, CLIMB ON HEADING 282 TO INTERCEPT VNAV VORTAC R-102 THEN TO VNAV VORTAC TO 5000 BEFORE RWY 10. OBTAIN ATC APPROVAL FOR VCOA WHEN REQUESTING IFR CLEARANCE. CLIMB IN VISUAL CONDITIONS TO CROSS CATLINBURG-PIGEON FORGE E 1900 ON VNAV VORTAC R-102 TO VNAV VORTAC TO 5000 BEFORE PROCEEDING ON COURSE. ALL OTHER DATA REMAINS AS PUBLISHED.

:00Z

:00Z

RUNWAY

04/122 — RWY 10 PAVI LWS

Effective 2026-04-07T10:24:00Z → 2027-11-30T19:00:00Z

RUNWAY

04/123 — RWY 10/06 GPC MARKINGS NOT STD

Effective 2026-04-07T10:26:00Z → Permanent — no expiry published

NAV_APPROACH

00055 — IAP CATLINBURG-PIGEON FORGE, SEVIERVILLE, TN, RNAV (GPS) RWY 10, ORIG-C . VOR/DME RWY 10, AMDT 6B . PROCEDURE NA, 2509242031-2709242031EST

Effective 2025-09-24T20:31:00Z → 2027-09-24T20:31:00Z

12 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

Forecast for Aviation and the Weather Prediction Center surface progs, issued by the National Weather Service through the day; the surface prog series reaches 144 hours. They are raster images a pilot reads for fronts, pressure systems and precipitation shields. This page displays them with their issuing office and valid time and never interprets them: no category, wind, ceiling, ranking or go/no-go here is derived from an image. A published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.



ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

- Mon, Sep 14 · 00:00–06:00 ET: GFS MAV MOS · 00:00–06:00 ET ET · VFR
- Mon, Sep 14 · 06:00–12:00 ET: GFS MAV MOS · 06:00–12:00 ET ET · MVFR
- Mon, Sep 14 · 12:00–18:00 ET: GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Mon, Sep 14 · 18:00–00:00 ET: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-12=GFS, 2026-09-13=GFS, 2026-09-14=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-13 00:00	74	Ovc	250/2kt	—	>10kft	3-5SM
GFS	2026-09-13 03:00	72	Bkn	230/1kt	—	>10kft	3-5SM
GFS	2026-09-13 06:00	70	Sct	240/1kt	43.0	>10kft	<¼SM
GFS	2026-09-13 09:00	68	Sct	0/0kt	—	>10kft	<¼SM
GFS	2026-09-13 12:00	68	Bkn	0/0kt	5.0	5-10kft	<¼SM
GFS	2026-09-13 15:00	78	Sct	270/2kt	—	>10kft	>6SM
GFS	2026-09-13 18:00	86	Sct	340/4kt	1.0	>10kft	>6SM
GFS	2026-09-13 21:00	89	Sct	330/5kt	—	>10kft	>6SM
GFS	2026-09-14 00:00	80	Few	180/1kt	0.0	>10kft	>6SM
GFS	2026-09-14 03:00	73	Clear	0/0kt	—	>10kft	>6SM
GFS	2026-09-14 06:00	69	Clear	0/0kt	0.0	>10kft	>6SM
GFS	2026-09-14 09:00	67	Clear	0/0kt	—	>10kft	6SM
GFS	2026-09-14 12:00	67	Sct	10/1kt	2.0	>10kft	3-5SM
GFS	2026-09-14 15:00	80	Sct	50/4kt	—	>10kft	>6SM
GFS	2026-09-14 18:00	87	Bkn	20/4kt	3.0	>10kft	>6SM
GFS	2026-09-14 21:00	89	Sct	10/6kt	—	>10kft	>6SM

GFS	2026-09-15 00:00	81	Few	20/2kt	0.0	>10kft	>6SM
GFS	2026-09-15 03:00	72	Clear	50/1kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KGKT 122036Z AUTO 28004KT 3SM BR FEW018 SCT032 BKN045 24/24 A2998 RMK A01

TAF KTYS 122135Z 1222/1318 13005KT P6SM -RA VCSH SCT025 OVC100 FM130000 VRB02KT P6SM SCT100 FM130900 00000KT 3SM BR SCT003 FM131500 VRB02KT P6SM SCT250

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KGKT; actual-station=KGKT; fetched-at=2026-09-12T22:19:40.465940+00:00; observed-or-issued-at=2026-09-12T20:36:00+00:00 — [AWC API](#)
 - TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KGKT; actual-station=KTYS; fetched-at=2026-09-12T22:19:40.815131+00:00; observed-or-issued-at=2026-09-12T21:35:00+00:00; valid-from=2026-09-12T22:00:00+00:00; valid-through=2026-09-13T18:00:00+00:00; partial-target-dates=2026-09-12,2026-09-13 — [AWC API](#)
- TAF proxy · KTYS
- FAA airport status — state=not_queried; fetch-state=not_attempted; payload-state=not_attempted; requested-station=KGKT
 - FAA NMS NOTAM — state=OK; requested-station=KGKT; actual-station=KGKT; fetched-at=2026-09-12T22:19:46.235146Z — [FAA NMS overview](#)
 - MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KGKT; actual-station=KGKT; fetched-at=2026-09-12T22:20:07.516365+00:00; observed-or-issued-at=2026-09-12T18:00:00+00:00; valid-from=2026-09-13T00:00:00+00:00; valid-through=2026-09-15T18:00:00+00:00; target-dates=2026-09-13,2026-09-14; partial-target-dates=2026-09-12; dates-with-points=2026-09-12,2026-09-13,2026-09-14 — [Iowa State API](#)
 - MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KGKT; actual-station=KGKT; fetched-at=2026-09-12T22:20:08.697894+00:00; observed-or-issued-at=2026-09-12T12:00:00+00:00; valid-from=2026-09-13T12:00:00+00:00; valid-through=2026-09-20T12:00:00+00:00; target-dates=2026-09-13,2026-09-14; dates-with-points=2026-09-13,2026-09-14 — [Iowa State API](#)
 - MOS effective date selection — state=partial; rows=18; requested-station=KGKT; actual-station=KGKT; fetched-at=2026-09-12T22:20:07.516365+00:00; observed-or-issued-at=2026-09-12T18:00:00+00:00; valid-from=2026-09-13T00:00:00+00:00; valid-through=2026-09-15T18:00:00+00:00; target-dates=2026-09-13,2026-09-14; partial-target-dates=2026-09-12; dates-with-points=2026-09-12,2026-09-13,2026-09-14; selected-by-date=2026-09-12=GFS, 2026-09-13=GFS, 2026-09-14=GFS
 - Extended outlook and hazard-feed states are reported in the source stamp.
 - Runway data + Chart Supplement — [FAA Chart Supplement](#) (current cycle) — see [AirNav](#) link above

#14

KSHD

Staunton/Shenandoah Valley Rgnl, VA, US

· Mountain · Shenandoah valley

OBS - MVFR

ETE
2h25

DIST
355 nm

SAT 12 SEP 16:35 ET OBSERVED

Current observation

METAR

OBS - MVFR




broken 1,900 ft, broken 5,500 ft, broken 8,000 ft



WINDS (190°) 7 kt



TEMPERATURE 26 °C



190° true · 200° magnetic · 7 kt · also NOTAM-affected: 05 and 23

- METAR source state: ok; observed Sep 12 16:35 ET; retrieved Sep 12 18:19 ET; 104 min before this run.
- Measured values read from the KSHD METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.03 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KSHD runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 05/23. Wind from 190 degrees true, 200 degrees magnetic, at 7 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 23. NOTAM-affected runway ends, hatched separately from the wind highlight: 05 and 23. The wind-favoured end 23 is also NOTAM-affected: the wind does favour it, but a NOTAM on this card names it, so the highlight is not a statement that the runway is usable. The hatch marks only that a NOTAM names the runway; it does not decode the NOTAM's effective times, so confirm the closure window in the NOTAM text below. Wind source: KSHD METAR 122035Z.

SAT SEP 12

SAT 12 SEP 18:00-00:00 ET HIGH

SAT 12 SEP 18:00-00:00 ET HIGH

Forecast





Flight-category guidance



FORECAST



Additional source fields unavailable for this card.

Evidence & limitations

- TAF: 18:00–00:00 ET ET+FR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

SUN, SEP 13

SUN 13 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · IFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · IFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 13 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 13 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · IFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · IFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 13 SEP 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND4 kt

TEMPERATURE84 °F

DEWPOINT69–70 °F

PRECIP CHANCE28%

Evidence & limitations

• GFS MAV MOS · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 13

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

Forecast

GFS MAV MOS

GFS MAV MOS · LIFR

FORECAST

Flight-category guidance



WIND0–3 kt

TEMPERATURE70–76 °F

DEWPOINT67–69 °F

PRECIP CHANCE0%

Evidence & limitations

- GFS MAV MOS · 00:00–06:00 ET ET · LIFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · MVFR

FORECAST

Flight-category guidance



WIND1–3 kt

TEMPERATURE66–68 °F

DEWPOINT64–65 °F

PRECIP CHANCE1%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND5–7 kt



TEMPERATURE66–71 °F



DEWPOINT61–63 °F



PRECIP CHANCE22%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND7 kt



TEMPERATURE76 °F



DEWPOINT53–56 °F



PRECIP CHANCE0%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 14

00:00–06:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+048 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+054 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — source state: not_queried

CURRENT METAR TEMP DEP / DEST

29°C dep KLZU → 26°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

05/23 (050/230°M · 040/220°T) — designators and °M headings are magnetic; °T are true; variation 10°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		
Verify the current FAA Chart Supplement and provider before flight.			

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

3 Act on2 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

d 2026-09-12T22:19:46.238140Z.			
(pritative)			
FRI SEP 11	SAT SEP 12	SUN SEP 13	MON SEP 14

03/004				
A0068/26				
5/3811				
3 additional normalized NOTAM records omitted from this view.				

Raw NOTAM data · NOTAMs as of 22:19 Z

NOTAMs as of 22:19 Z — advisory only; verify an official briefing.

09/003	NOTAM text not available in this projection.
A0128/26	NOTAM text not available in this projection.
03/004	NOTAM text not available in this projection.
A0068/26	NOTAM text not available in this projection.
5/3811	NOTAM text not available in this projection.
A0196/25	NOTAM text not available in this projection.
07/006	NOTAM text not available in this projection.
A0111/26	NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

26-09-12T22:19:46.238140Z.
:00Z
:
:00Z
TRANSIENT
:00Z
TO TRANSIENT
:00Z

NAV_APPROACH

2025-09-15T15:42:00Z — 2027-09-15T15:41:00Z
METAR — the routine surface observation issued hourly by the reporting station, with

Effective 2025-09-15T15:42:00Z → 2027-09-15T15:41:00Z

3 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KSHD this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

00 ET ET · IFR

00 ET ET · IFR

00 ET ET · IFR

00 ET ET · VFR

S · 18:00–00:00 ET ET · VFR

S · 00:00–06:00 ET ET · LIFR

• Mon, Sep 14 · 06:00–12:00 ET: GFS MAV MOS · 06:00–12:00 ET ET · MVFR

• Mon, Sep 14 · 12:00–18:00 ET: GFS MAV MOS · 12:00–18:00 ET ET · VFR

• Mon, Sep 14 · 18:00–00:00 ET: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-12=GFS, 2026-09-13=GFS, 2026-09-14=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-13 00:00	72	Ovc	150/2kt	—	1-3kft	>6SM
GFS	2026-09-13 03:00	69	Ovc	170/1kt	—	1-3kft	>6SM
GFS	2026-09-13 06:00	68	Ovc	200/1kt	50.0	500-1kft	3-5SM
GFS	2026-09-13 09:00	68	Ovc	210/1kt	—	<200ft	<¼SM
GFS	2026-09-13 12:00	68	Ovc	220/1kt	30.0	<200ft	<¼SM

GFS	2026-09-13 15:00	76	Ovc	260/3kt	—	3-5kft	>6SM
GFS	2026-09-13 18:00	84	Bkn	340/4kt	28.0	5-10kft	>6SM
GFS	2026-09-13 21:00	84	Sct	350/4kt	—	>10kft	>6SM
GFS	2026-09-14 00:00	76	Clear	320/3kt	0.0	>10kft	>6SM
GFS	2026-09-14 03:00	70	Few	0/0kt	—	>10kft	>6SM
GFS	2026-09-14 06:00	68	Bkn	290/1kt	1.0	>10kft	3-5SM
GFS	2026-09-14 09:00	66	Ovc	360/3kt	—	5-10kft	$\frac{1}{4}$ - $\frac{1}{2}$ SM
GFS	2026-09-14 12:00	66	Ovc	20/5kt	22.0	5-10kft	3-5SM
GFS	2026-09-14 15:00	71	Bkn	360/7kt	—	>10kft	>6SM
GFS	2026-09-14 18:00	76	Clear	360/7kt	0.0	>10kft	>6SM
GFS	2026-09-14 21:00	76	Clear	10/7kt	—	>10kft	>6SM
GFS	2026-09-15 00:00	66	Clear	20/3kt	0.0	>10kft	>6SM
GFS	2026-09-15 03:00	56	Clear	30/1kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KSHD 122035Z AUTO 19007KT 10SM BKN019 BKN055 BKN080 26/21 A3003 RMK A02 T02590212

TAF KCHO 121722Z 1218/1318 10003KT P6SM BKN008 OVC015 FM122000 08003KT 6SM -SHRA SCT015 BKN025 PROB30 1220/1302 3SM TSRA BR OVC010CB FM130200 00000KT 3SM SHRA BR BKN005 OVC010 FM130600 00000KT 2SM BR SCT003 OVC005 FM131200 00000KT 5SM BR BKN008 OVC015 FM131500 27003KT P6SM BKN030

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KSHD; actual-station=KSHD; fetched-at=2026-09-12T22:19:40.465940+00:00; observed-or-issued-at=2026-09-12T20:35:00+00:00 — [AWC API](#)
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KSHD; actual-station=KCHO; fetched-at=2026-09-12T22:19:40.815131+00:00; observed-or-issued-at=2026-09-12T17:22:00+00:00; valid-from=2026-09-12T18:00:00+00:00; valid-through=2026-09-13T18:00:00+00:00; partial-target-dates=2026-09-12,2026-09-13 — [AWC API](#)
- TAF proxy · KCHO
- FAA airport status — state=not_queried; fetch-state=not_attempted; payload-state=not_attempted; requested-station=KSHD
- FAA NMS NOTAM — state=OK; requested-station=KSHD; actual-station=KSHD; fetched-at=2026-09-12T22:19:46.238140Z — [FAA NMS overview](#)
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KSHD; actual-station=KSHD; fetched-at=2026-09-12T22:20:07.500955+00:00; observed-or-issued-at=2026-09-12T18:00:00+00:00; valid-from=2026-09-13T00:00:00+00:00; valid-through=2026-09-15T18:00:00+00:00; target-dates=2026-09-13,2026-09-14; partial-target-dates=2026-09-12; dates-with-points=2026-09-12,2026-09-13,2026-09-14 — [Iowa State API](#)
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KSHD; actual-station=KSHD; fetched-at=2026-09-12T22:20:08.572763+00:00; observed-or-issued-at=2026-09-12T12:00:00+00:00; valid-from=2026-09-13T12:00:00+00:00; valid-through=2026-09-20T12:00:00+00:00; target-dates=2026-09-13,2026-09-14; dates-with-points=2026-09-13,2026-09-14 — [Iowa State API](#)
- MOS effective date selection — state=partial; rows=18; requested-station=KSHD; actual-station=KSHD; fetched-at=2026-09-12T22:20:07.500955+00:00; observed-or-issued-at=2026-09-12T18:00:00+00:00; valid-from=2026-09-13T00:00:00+00:00; valid-through=2026-09-15T18:00:00+00:00; target-dates=2026-09-13,2026-09-14; partial-target-dates=2026-09-12; dates-with-points=2026-09-12,2026-09-13,2026-09-14; selected-by-date=2026-09-12=GFS, 2026-09-13=GFS, 2026-09-14=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.

• Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#15 **KECP** Panama City/NW Florida Beaches Intl, FL, US · Gulf East · Panama City Beach

▮ OBS - VFR

ETE
1h38

DIST
237 nm

SAT 12 SEP 16:53 ET OBSERVED

Current observation

▮ OBS - VFR

METAR

OBSERVED

broken 3,200 ft

WINDW (250°) 7 kt

TEMPERATURE31 °C

VISIBILITY10 sm

DEWPOINT24 °C



Crosswind alignment — no runway wind-favoured

250° true · 253° magnetic · 7 kt

Evidence & limitations

- METAR source state: ok; observed Sep 12 16:53 ET; retrieved Sep 12 18:19 ET; 86 min before this run.
- Measured values read from the KECP METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.99 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KECP runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 16/34. Wind from 250 degrees true, 253 degrees magnetic, at 7 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. The wind is within five degrees of straight across every runway. Runway designators are painted to the nearest ten degrees, so no end is marked as favoured. Wind source: KECP METAR 122053Z.

DESTINATION OUTLOOK

SAT 12 SEP 18:00–00:00 ET HIGH

Forecast

TA
F

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 18:00–00:00 ET ET · MVFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

TAF · MVFR

FORECAST

Surface prog evidence · Sat Sep 12

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

SUN 13 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 13 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 13 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 13 SEP 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND5–7 kt

TEMPERATURE89–91 °F

DEWPOINT75–76 °F

PRECIP CHANCE23%

Evidence & limitations

• GFS MAV MOS · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 13

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND1–5 kt

TEMPERATURE79–84 °F

DEWPOINT76–77 °F

PRECIP CHANCE27%

Evidence & limitations

- GFS MAV MOS · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND1–2 kt

TEMPERATURE76–77 °F

DEWPOINT74–75 °F

PRECIP CHANCE6%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND1–4 kt

TEMPERATURE76–88 °F

DEWPOINT74–76 °F

PRECIP CHANCE10%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND6–8 kt

TEMPERATURE92–93 °F

DEWPOINT75 °F

PRECIP CHANCE7%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 14

00:00–06:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+048 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+054 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

now

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

6000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

29°C dep KLZU → 31°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

rwY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

16/34 (160/340°M · 157/337°T) — designators and °M headings are magnetic; °T are true; variation 3°W (NOAA WMM2025)

info

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		
Verify the current FAA Chart Supplement and provider before flight.			

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

4 Act on1 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

ed 2026-09-12T22:19:46.265079Z.			
oritative)			
FRI SEP 11	SAT SEP 12	SUN SEP 13	MON SEP 14

07/022				
A0129/26				
6/0313				
15 additional normalized NOTAM records omitted from this view.				

Raw NOTAM data · NOTAMs as of 22:19 Z

NOTAMs as of 22:19 Z — advisory only; verify an official briefing.

09/008	NOTAM text not available in this projection.
A0156/26	NOTAM text not available in this projection.
07/022	NOTAM text not available in this projection.
A0129/26	NOTAM text not available in this projection.
6/0313	NOTAM text not available in this projection.
A0153/26	NOTAM text not available in this projection.
06/015	NOTAM text not available in this projection.
06/021	NOTAM text not available in this projection.
06/029	NOTAM text not available in this projection.
07/001	NOTAM text not available in this projection.
08/015	NOTAM text not available in this projection.
08/016	NOTAM text not available in this projection.
08/025	NOTAM text not available in this projection.

08/027

NOTAM text not available in this projection.

08/033

NOTAM text not available in this projection.

09/001

NOTAM text not available in this projection.

09/003

NOTAM text not available in this projection.

A0152/26

NOTAM text not available in this projection.

09/004

NOTAM text not available in this projection.

09/006

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2026-09-12T22:19:46.265079Z.

08/027

08/033

09/001

09/003

09/004 RAMP WIP CONST ADJ W EDGE BARRICADED

09/006

09/006 RAMP WIP CONST ADJ W EDGE BARRICADED

09/006

NAV APPROACH

080313 — RWY NORTHWEST FLORIDA BEACHES INTL, PANAMA CITY, FL, ILS OR LOC RWY 16, AMDT 36, RNAV (GPS) RWY 16, AMDT 3A, RNAV (GPS) RWY 34, AMDT 3B, CIRCLING CAT A/B/C/D/MCA KADHAA 071, TEMPORARY CRANE 289 MSL 1513FT SW OF ECP AIRPORT (2025-ASQ-11517-NRA), 2609021700-2701151623EST

Effective 2026-09-02T17:00:00Z → 2027-01-15T16:23:00Z

15 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the

highest-resolution aviation forecast available. The National Weather Service issues it four times a day, valid 24 to 30 hours, with explicit FM and TEMPO change groups. Airports without their own TAF station use a nearby proxy, which is a normal condition and not a fault. A TAF was read for this airport this run (state: partial).

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KECP this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

00 ET ET · MVFR
00 ET ET · VFR
00 ET ET · VFR
00 ET ET · VFR
S · 18:00–00:00 ET ET · VFR
S · 00:00–06:00 ET ET · VFR
• Mon, Sep 14 · 06:00–12:00 ET: GFS MAV MOS · 06:00–12:00 ET ET · VFR
• Mon, Sep 14 · 12:00–18:00 ET: GFS MAV MOS · 12:00–18:00 ET ET · VFR
• Mon, Sep 14 · 18:00–00:00 ET: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-12=GFS, 2026-09-13=GFS, 2026-09-14=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-13 00:00	81	Ovc	230/4kt	—	>10kft	>6SM
GFS	2026-09-13 03:00	78	Bkn	170/1kt	—	>10kft	>6SM
GFS	2026-09-13 06:00	77	Sct	90/1kt	18.0	>10kft	>6SM
GFS	2026-09-13 09:00	76	Sct	180/1kt	—	>10kft	>6SM
GFS	2026-09-13 12:00	76	Bkn	300/1kt	21.0	>10kft	>6SM
GFS	2026-09-13 15:00	86	Sct	300/3kt	—	>10kft	>6SM
GFS	2026-09-13 18:00	91	Bkn	240/5kt	23.0	>10kft	>6SM
GFS	2026-09-13 21:00	89	Bkn	230/7kt	—	>10kft	>6SM
GFS	2026-09-14 00:00	84	Bkn	220/5kt	27.0	>10kft	>6SM
GFS	2026-09-14 03:00	79	Few	250/1kt	—	>10kft	>6SM
GFS	2026-09-14 06:00	77	Few	280/1kt	6.0	>10kft	>6SM
GFS	2026-09-14 09:00	76	Few	290/2kt	—	>10kft	>6SM

GFS	2026-09-14 12:00	76	Sct	310/1kt	10.0	>10kft	>6SM
GFS	2026-09-14 15:00	88	Clear	310/4kt	—	>10kft	>6SM
GFS	2026-09-14 18:00	93	Few	270/6kt	7.0	>10kft	>6SM
GFS	2026-09-14 21:00	92	Few	220/8kt	—	>10kft	>6SM
GFS	2026-09-15 00:00	85	Clear	230/6kt	7.0	>10kft	>6SM
GFS	2026-09-15 03:00	80	Clear	280/1kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KECP 122053Z 25007KT 10SM BKN032 31/24 A2999 RMK A02 LTG DSNT NE SLP165 T03060244 55001

TAF KECP 121740Z 1218/1318 23007KT P6SM VCSH SCT025 BKN070 PROB30 1221/1224 4SM TSRA BKN030CB FM130000 23003KT P6SM SCT250 FM130900 VRB02KT 6SM BR VCSH SCT025

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KECP; actual-station=KECP; fetched-at=2026-09-12T22:19:40.465940+00:00; observed-or-issued-at=2026-09-12T20:53:00+00:00 — [AWC API](#)
 - TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KECP; actual-station=KECP; fetched-at=2026-09-12T22:19:40.815131+00:00; observed-or-issued-at=2026-09-12T17:40:00+00:00; valid-from=2026-09-12T18:00:00+00:00; valid-through=2026-09-13T18:00:00+00:00; partial-target-dates=2026-09-12,2026-09-13 — [AWC API](#)
- TAF proxy · KECP
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KECP; actual-station=KECP; fetched-at=2026-09-12T22:19:42.340193+00:00
 - FAA NMS NOTAM — state=OK; requested-station=KECP; actual-station=KECP; fetched-at=2026-09-12T22:19:46.265079Z — [FAA NMS overview](#)
 - MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KECP; actual-station=KECP; fetched-at=2026-09-12T22:20:07.528194+00:00; observed-or-issued-at=2026-09-12T18:00:00+00:00; valid-from=2026-09-13T00:00:00+00:00; valid-through=2026-09-15T18:00:00+00:00; target-dates=2026-09-13,2026-09-14; partial-target-dates=2026-09-12; dates-with-points=2026-09-12,2026-09-13,2026-09-14 — [Iowa State API](#)
 - MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KECP; actual-station=KECP; fetched-at=2026-09-12T22:20:08.692338+00:00; observed-or-issued-at=2026-09-12T12:00:00+00:00; valid-from=2026-09-13T12:00:00+00:00; valid-through=2026-09-20T12:00:00+00:00; target-dates=2026-09-13,2026-09-14; dates-with-points=2026-09-13,2026-09-14 — [Iowa State API](#)
 - MOS effective date selection — state=partial; rows=18; requested-station=KECP; actual-station=KECP; fetched-at=2026-09-12T22:20:07.528194+00:00; observed-or-issued-at=2026-09-12T18:00:00+00:00; valid-from=2026-09-13T00:00:00+00:00; valid-through=2026-09-15T18:00:00+00:00; target-dates=2026-09-13,2026-09-14; partial-target-dates=2026-09-12; dates-with-points=2026-09-12,2026-09-13,2026-09-14; selected-by-date=2026-09-12=GFS, 2026-09-13=GFS, 2026-09-14=GFS
 - Extended outlook and hazard-feed states are reported in the source stamp.
 - Runway data + Chart Supplement — [FAA Chart Supplement \(current cycle\)](#) — see AirNav link above

#16

KPNS Pensacola Intl, FL, US · Gulf East · Pensacola (Class C)

⌵

OBS - VFR

ETE

1h51

DIST

267 nm

SAT 12 SEP 16:35 ET OBSERVED

Current observation

OBS - VFR

OBSER

METAR

few 3,600 ft, few 9,000 ft



WINDSE (150°) 3 kt




TEMPERATURE26 °C



VISIBILITY10 sm



DEWPOINT24 °C



Wind favours RWY 17

150° true · 152° magnetic · 3 kt · NOTAM-affected: 08 and 26

Evidence & limitations

- METAR source state: ok; observed Sep 12 16:35 ET; retrieved Sep 12 18:19 ET; 104 min before this run.
- Measured values read from the KPNS METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.99 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KPNS runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 17/35, 08/26. Wind from 150 degrees true, 152 degrees magnetic, at 3 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 17. NOTAM-affected runway ends, hatched separately from the wind highlight: 08 and 26. The hatch marks only that a NOTAM names the runway; it does not decode the NOTAM's effective times, so confirm the closure window in the NOTAM text below. Wind source: KPNS METAR 122035Z.

DESTINATION OUTLOOK

SAT 12 SEP 18:00–00:00 ET HIGH

Forecast

TA
F

TAF · IFR

FORECAST



Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · IFR
 - Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.
- Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sat Sep 12

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

SUN 13 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 13 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 13 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 13 SEP 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND5–7 kt

TEMPERATURE88 °F

DEWPOINT75–76 °F

PRECIP CHANCE15%

Evidence & limitations

• GFS MAV MOS · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 13

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND3–6 kt

TEMPERATURE82–84 °F

DEWPOINT76–77 °F

PRECIP CHANCE15%

Evidence & limitations

- GFS MAV MOS · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND3 kt

TEMPERATURE79–80 °F

DEWPOINT77 °F

PRECIP CHANCE5%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND3–5 kt



TEMPERATURE78–88 °F



DEWPOINT76 °F



PRECIP CHANCE5%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND7–8 kt



TEMPERATURE92–93 °F



DEWPOINT74–75 °F



PRECIP CHANCE9%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 14

00:00–06:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+048 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+054 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

now

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

29°C dep KLZU → 26°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

rwY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

17/35 (170/350°M · 168/348°T) · 08/26 (080/260°M · 078/258°T) — designators and °M headings are magnetic; °T are true; variation 2°W (NOAA WMM2025)

info

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

15 Act on5 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

ed 2026-09-12T22:19:46.400841Z.			
FRI SEP 11	SAT SEP 12	SUN SEP 13	MON SEP 14

04/047				
A0477/26				
A0478/26				
65 additional normalized NOTAM records omitted from this view.				

Raw NOTAM data · NOTAMs as of 22:19 Z

NOTAMs as of 22:19 Z — advisory only; verify an official briefing.

5/9591	NOTAM text not available in this projection.
04/046	NOTAM text not available in this projection.
04/047	NOTAM text not available in this projection.
A0477/26	NOTAM text not available in this projection.
A0478/26	NOTAM text not available in this projection.
04/048	NOTAM text not available in this projection.
A0479/26	NOTAM text not available in this projection.
04/049	NOTAM text not available in this projection.
A0480/26	NOTAM text not available in this projection.
06/011	NOTAM text not available in this projection.
A0665/26	NOTAM text not available in this projection.
07/040	NOTAM text not available in this projection.
07/041	NOTAM text not available in this projection.

6/7052

NOTAM text not available in this projection.

07/067

NOTAM text not available in this projection.

A0859/26

NOTAM text not available in this projection.

07/073

NOTAM text not available in this projection.

07/075

NOTAM text not available in this projection.

07/082

NOTAM text not available in this projection.

08/033

NOTAM text not available in this projection.

08/078

NOTAM text not available in this projection.

A1007/26

NOTAM text not available in this projection.

09/005

NOTAM text not available in this projection.

09/006

NOTAM text not available in this projection.

09/007

NOTAM text not available in this projection.

A1014/26

NOTAM text not available in this projection.

A1015/26

NOTAM text not available in this projection.

09/008

NOTAM text not available in this projection.

12/025

NOTAM text not available in this projection.

A1113/25

NOTAM text not available in this projection.

05/004

NOTAM text not available in this projection.

A0495/26

NOTAM text not available in this projection.

05/065

NOTAM text not available in this projection.

A0605/26

NOTAM text not available in this projection.

07/058

NOTAM text not available in this projection.

07/059

NOTAM text not available in this projection.

07/061

NOTAM text not available in this projection.

A0855/26

NOTAM text not available in this projection.

07/066

NOTAM text not available in this projection.

07/071

NOTAM text not available in this projection.

A0863/26

NOTAM text not available in this projection.

07/083

NOTAM text not available in this projection.

07/084

NOTAM text not available in this projection.

07/085

NOTAM text not available in this projection.

A0882/26

NOTAM text not available in this projection.

A0883/26

NOTAM text not available in this projection.

08/077

NOTAM text not available in this projection.

08/079

NOTAM text not available in this projection.

08/080

NOTAM text not available in this projection.

08/081

NOTAM text not available in this projection.

08/082

NOTAM text not available in this projection.

A0797/25

NOTAM text not available in this projection.

01/160

NOTAM text not available in this projection.

A0199/26

NOTAM text not available in this projection.

6/3336

NOTAM text not available in this projection.

A0624/26

NOTAM text not available in this projection.

A0826/26

NOTAM text not available in this projection.

6/7054

NOTAM text not available in this projection.

A0828/26

NOTAM text not available in this projection.

6/8258

NOTAM text not available in this projection.

A0849/26

NOTAM text not available in this projection.

6/8259

NOTAM text not available in this projection.

A0850/26

NOTAM text not available in this projection.

08/034

NOTAM text not available in this projection.

08/044

NOTAM text not available in this projection.

08/045

NOTAM text not available in this projection.

08/066

NOTAM text not available in this projection.

08/053

NOTAM text not available in this projection.

A0967/26

NOTAM text not available in this projection.

09/004

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2026-09-12T22:19:46.400841Z

Source provenance — FAA NMS: Production
source per owner decision 2026-08-09;
technical transport environment remains
preprod. Limited 2026-07-30 spot check
covered KLZU, KAVL, and KSGJ (3 of 30
airports). NOTAMs were read from this source
and used on this card this run. Typed state:
OK. The dot colour reports whether this
source was read this run; technical
environment: preprod.

Effective 2025-09-08T16:19:00Z → 2027-09-08T16:19:00Z

FAA NOTAM text was truncated in this preview; verify the complete official record.

RUNWAY 04/046 — RWY 08 RWY END ID LGT U/S

Effective 2026-04-24T22:11:00Z → 2027-01-29T20:00:00Z

RUNWAY 04/047 — RWY 26 PAPI U/S

Effective 2026-04-24T22:11:00Z → 2027-01-29T20:00:00Z

RUNWAY A0477/26 — RWY 26 PAPI U/S

Effective 2026-04-24T22:11:00Z → 2027-01-29T20:00:00Z

RUNWAY A0478/26 — RWY 08 RWY END ID LGT UIS

Effective 2026-04-24T22:11:00Z → 2027-01-29T20:00:00Z

RUNWAY 08/078 — RWY 08/26 CLSD EXC XNG AND TAX

Effective 2026-08-31T22:40:00Z → 2026-09-28T23:00:00Z

RUNWAY A1007/26 — RWY 08/26 CLSD EXC XNG AND TAX

Effective 2026-08-31T22:40:00Z → 2026-09-28T23:00:00Z

63 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics,
the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KPNS this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

• Mon, Sep 14 • 06:00–12:00 ET: GFS MAV MOS • 06:00–12:00 ET ET • VFR

• Mon, Sep 14 • 12:00–18:00 ET: GFS MAV MOS • 12:00–18:00 ET ET • VFR

• Mon, Sep 14 · 18:00–00:00 ET: GFS MAV MOS · 18:00–00:00 ET ET · VFR

- + MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-12=GFS, 2026-09-13=GFS, 2026-09-14=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-13 00:00	80	Ovc	220/6kt	—	>10kft	>6SM
GFS	2026-09-13 03:00	78	Bkn	250/3kt	—	>10kft	>6SM
GFS	2026-09-13 06:00	77	Few	190/3kt	12.0	>10kft	>6SM
GFS	2026-09-13 09:00	77	Few	270/2kt	—	>10kft	>6SM
GFS	2026-09-13 12:00	77	Sct	330/2kt	19.0	>10kft	>6SM
GFS	2026-09-13 15:00	85	Clear	340/4kt	—	>10kft	>6SM
GFS	2026-09-13 18:00	88	Sct	170/5kt	15.0	>10kft	>6SM
GFS	2026-09-13 21:00	88	Sct	200/7kt	—	>10kft	>6SM
GFS	2026-09-14 00:00	84	Few	240/6kt	15.0	>10kft	>6SM
GFS	2026-09-14 03:00	82	Clear	270/3kt	—	>10kft	>6SM
GFS	2026-09-14 06:00	80	Few	290/3kt	5.0	>10kft	>6SM
GFS	2026-09-14 09:00	79	Clear	320/3kt	—	>10kft	>6SM
GFS	2026-09-14 12:00	78	Clear	330/3kt	5.0	>10kft	>6SM
GFS	2026-09-14 15:00	88	Clear	350/5kt	—	>10kft	>6SM
GFS	2026-09-14 18:00	93	Clear	160/7kt	9.0	>10kft	>6SM
GFS	2026-09-14 21:00	92	Clear	190/8kt	—	>10kft	>6SM
GFS	2026-09-15 00:00	86	Clear	230/7kt	5.0	>10kft	>6SM
GFS	2026-09-15 03:00	83	Clear	270/4kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

SPECI KPNS 122035Z 15003KT 10SM TS FEW036 FEW090 26/24 A2999 RMK A02 LTG DSNT W RAB04E24 TSE09B29 P0001 T02610239

TAF KPNS 121727Z 1218/1318 17008KT P6SM VCSH SCT025 BKN150 PROB30 1218/1223 2SM TSRA BKN020CB FM122300 22006KT P6SM SCT025 BKN200 FM130200 00000KT P6SM BKN250

+ Data sources used

• METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KPNS; actual-station=KPNS; fetched-at=2026-09-12T22:19:40.465940+00:00; observed-or-issued-at=2026-09-12T20:35:00+00:00 — AWC API

• TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KPNS; actual-station=KPNS; fetched-at=2026-09-12T22:19:40.815131+00:00; observed-or-issued-at=2026-09-12T17:27:00+00:00; valid-from=2026-09-12T18:00:00+00:00; valid-through=2026-09-13T18:00:00+00:00; partial-target-dates=2026-09-12,2026-09-13 — AWC API

TAF proxy · KPNS

• FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KPNS; actual-station=KPNS; fetched-at=2026-09-12T22:19:41.583699+00:00

- FAA NMS NOTAM — state=OK; requested-station=KPNS; actual-station=KPNS; fetched-at=2026-09-12T22:19:46.400841Z — [FAA NMS overview](#)
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KPNS; actual-station=KPNS; fetched-at=2026-09-12T22:20:07.532406+00:00; observed-or-issued-at=2026-09-12T18:00:00+00:00; valid-from=2026-09-13T00:00:00+00:00; valid-through=2026-09-15T18:00:00+00:00; target-dates=2026-09-13,2026-09-14; partial-target-dates=2026-09-12; dates-with-points=2026-09-12,2026-09-13,2026-09-14 — [Iowa State API](#)
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KPNS; actual-station=KPNS; fetched-at=2026-09-12T22:20:08.594575+00:00; observed-or-issued-at=2026-09-12T12:00:00+00:00; valid-from=2026-09-13T12:00:00+00:00; valid-through=2026-09-20T12:00:00+00:00; target-dates=2026-09-13,2026-09-14; dates-with-points=2026-09-13,2026-09-14 — [Iowa State API](#)
- MOS effective date selection — state=partial; rows=18; requested-station=KPNS; actual-station=KPNS; fetched-at=2026-09-12T22:20:07.532406+00:00; observed-or-issued-at=2026-09-12T18:00:00+00:00; valid-from=2026-09-13T00:00:00+00:00; valid-through=2026-09-15T18:00:00+00:00; target-dates=2026-09-13,2026-09-14; partial-target-dates=2026-09-12; dates-with-points=2026-09-12,2026-09-13,2026-09-14; selected-by-date=2026-09-12=GFS, 2026-09-13=GFS, 2026-09-14=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#17

KDAB

Daytona Beach Intl, FL, US

· Gulf East · Daytona Beach (Class C)

⏮

OBS - VFR

⏭

ETE

2h13

DIST

324 nm

SAT 12 SEP 16:26 ET OBSERVED

Current observation

METAR

OBS - VFR

OBSERVED



few 2,000 ft, scattered 5,000 ft, broken 11,000 ft, overcast 20,000 ft



WINDSE (140°) 4 kt




TEMPERATURE27 °C



VISIBILITY10 sm



DEWPOINT23 °C



Wind favours RWY 16

140° true · 147° magnetic · 4 kt

- Evidence & limitations
- METAR source state: ok; observed Sep 12 16:26 ET; retrieved Sep 12 18:19 ET; 113 min before this run.
 - Measured values read from the KDAB METAR. This is a current surface observation only; it is not a forecast.
 - Only fields decoded from this METAR are shown; every missing field remains unavailable.
 - Altimeter: 30.01 inHg.
 - The complete raw METAR remains in this airport's Raw products disclosure.

• KDAB runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 07L/25R, 16/34, 07R/25L. Wind from 140 degrees true, 147 degrees magnetic, at 4 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 16. Wind source: KDAB METAR 122026Z.

DESTINATION OUTLOOK

SAT, SEP 12

SAT 12 SEP 18:00–00:00 ET HIGH

Forecast

TA
F

TAF ·
MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

TAF · 18:00–00:00 ET ET · MVFR

Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sat Sep 12

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

SUN 13 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 13 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 13 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 13 SEP 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND5–6 kt

TEMPERATURE84–88 °F

DEWPOINT77–78 °F

PRECIP CHANCE25%

Evidence & limitations

• GFS MAV MOS · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 13

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND3 kt



TEMPERATURE78–80 °F



DEWPOINT77 °F



PRECIP CHANCE52%

Evidence & limitations

- GFS MAV MOS · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND1–2 kt



TEMPERATURE75–76 °F



DEWPOINT75–76 °F



PRECIP CHANCE47%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND2–4 kt

TEMPERATURE76–87 °F

DEWPOINT76–78 °F

PRECIP CHANCE16%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND5–6 kt

TEMPERATURE86–89 °F

DEWPOINT78 °F

PRECIP CHANCE22%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 14

00:00–06:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+048 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+054 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

now

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

29°C dep KLZU → 27°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

rwY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

07L/25R (070/250°M · 063/243°T) · 16/34 (160/340°M · 153/333°T) · 07R/25L (070/250°M · 063/243°T) — designators and °M headings are magnetic; °T are true; variation 7°W (NOAA WMM2025)

info

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

16 Act on2 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

ed 2026-09-12T22:19:46.415357Z.

oritative)

FRI SEP 11

SAT SEP 12

SUN SEP 13

MON SEP 14

6/8811	
6/8814	
6/8816	
25 additional normalized NOTAM records omitted from this view.	

Raw NOTAM data · NOTAMs as of 22:19 Z

NOTAMs as of 22:19 Z — advisory only; verify an official briefing.

09/034	NOTAM text not available in this projection.
6/8810	NOTAM text not available in this projection.
6/8811	NOTAM text not available in this projection.
6/8814	NOTAM text not available in this projection.
6/8816	NOTAM text not available in this projection.
A0825/26	NOTAM text not available in this projection.
A0828/26	NOTAM text not available in this projection.
A0829/26	NOTAM text not available in this projection.
A0830/26	NOTAM text not available in this projection.
6/3056	NOTAM text not available in this projection.
A0972/26	NOTAM text not available in this projection.
6/0752	NOTAM text not available in this projection.
A1405/26	NOTAM text not available in this projection.

6/0885

NOTAM text not available in this projection.

A1425/26

NOTAM text not available in this projection.

08/067

NOTAM text not available in this projection.

08/069

NOTAM text not available in this projection.

08/070

NOTAM text not available in this projection.

08/071

NOTAM text not available in this projection.

02/081

NOTAM text not available in this projection.

A0203/26

NOTAM text not available in this projection.

06/126

NOTAM text not available in this projection.

A0894/26

NOTAM text not available in this projection.

07/052

NOTAM text not available in this projection.

A1038/26

NOTAM text not available in this projection.

07/089

NOTAM text not available in this projection.

09/043

NOTAM text not available in this projection.

A1469/26

NOTAM text not available in this projection.

09/051

NOTAM text not available in this projection.

A1487/26

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

NAV_APPROACH

00014 — IAP DAYTONA BEACH INTL, DAYTONA BEACH, FL, ILS OR LOC RWY 25R, AMDT 1, . BANNER FIX MINIMUMS (DUAL VOR RECEIVERS OR DME REQUIRED); CIRCLING CAT A/B MDA 500HAA 526; TEMPORARY CRANE 250 MSL 3607FT NE OF DAB AIRPORT (2026-ASD-269-0E). 2606171000-2612150429EST

Effective 2026-06-17T10:00:00Z → 2026-12-15T04:29:00Z

NAV_APPROACH

00016 — IAP DAYTONA BEACH INTL, DAYTONA BEACH, FL, RNAV (GPS) RWY 7L, AMDT 1C, . LNAV MDA 400HAT 410 ALL CATS; CIRCLING CAT A/B MDA 500HAA 526; TEMPORARY CRANE 250 MSL 3711FT NW OF RWY 7L (2026-ASD-15771-0E); TEMPORARY CRANE 250 MSL 3607FT NE OF DAB AIRPORT (2026-ASD-269-0E). 2606171000-2612150429EST

Effective 2026-06-17T10:00:00Z → 2026-12-15T04:29:00Z

25 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight

category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

00 ET ET · MVFR

00 ET ET · VFR

00 ET ET · VFR

category. NOTAMs were read for KDAB this run.

Issuing once and valid time. It is displayed, never interpreted.

2026-09-13 00:00 ET ET · VFR

2026-09-13 03:00 ET ET · VFR

2026-09-13 06:00 ET ET · VFR

2026-09-13 09:00 ET ET · VFR

2026-09-13 12:00 ET ET · VFR

2026-09-13 15:00 ET ET · VFR

2026-09-13 18:00 ET ET · VFR

2026-09-14 00:00 ET ET · VFR

2026-09-14 03:00 ET ET · VFR

2026-09-14 06:00 ET ET · VFR

2026-09-14 09:00 ET ET · VFR

2026-09-14 12:00 ET ET · VFR

2026-09-14 15:00 ET ET · VFR

2026-09-14 18:00 ET ET · VFR

2026-09-15 00:00 ET ET · VFR

2026-09-15 03:00 ET ET · VFR

• Mon, Sep 14 · 06:00–12:00 ET: GFS MAV MOS · 06:00–12:00 ET ET · VFR

• Mon, Sep 14 · 12:00–18:00 ET: GFS MAV MOS · 12:00–18:00 ET ET · VFR

• Mon, Sep 14 · 18:00–00:00 ET: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-12=GFS, 2026-09-13=GFS, 2026-09-14=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-13 00:00	78	Ovc	160/3kt	—	>10kft	>6SM
GFS	2026-09-13 03:00	77	Ovc	190/1kt	—	>10kft	>6SM
GFS	2026-09-13 06:00	76	Bkn	200/2kt	38.0	>10kft	>6SM
GFS	2026-09-13 09:00	76	Bkn	210/2kt	—	>10kft	>6SM
GFS	2026-09-13 12:00	76	Bkn	260/2kt	17.0	>10kft	>6SM
GFS	2026-09-13 15:00	86	Bkn	290/4kt	—	>10kft	>6SM
GFS	2026-09-13 18:00	88	Ovc	60/6kt	25.0	>10kft	>6SM
GFS	2026-09-13 21:00	84	Ovc	90/5kt	—	>10kft	>6SM
GFS	2026-09-14 00:00	80	Ovc	180/3kt	52.0	>10kft	>6SM
GFS	2026-09-14 03:00	78	Ovc	260/3kt	—	>10kft	>6SM
GFS	2026-09-14 06:00	76	Bkn	270/1kt	47.0	>10kft	>6SM
GFS	2026-09-14 09:00	75	Bkn	260/2kt	—	>10kft	>6SM
GFS	2026-09-14 12:00	76	Bkn	290/2kt	16.0	>10kft	>6SM
GFS	2026-09-14 15:00	87	Bkn	310/4kt	—	>10kft	>6SM
GFS	2026-09-14 18:00	89	Bkn	50/6kt	22.0	>10kft	>6SM
GFS	2026-09-14 21:00	86	Bkn	70/5kt	—	>10kft	>6SM
GFS	2026-09-15 00:00	81	Bkn	120/4kt	48.0	>10kft	>6SM
GFS	2026-09-15 03:00	79	Sct	140/3kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

SPECI KDAB 122026Z 14004KT 10SM -RA FEW020 SCT050 BKN110 OVC200 27/23 A3001 RMK A02 TSE20 TS MOVD NE CB DSNT N E SE-S SW P0000 T02670233 \$

TAF KDAB 121738Z 1218/1318 11006KT P6SM VCTS SCT040CB BKN150 TEMPO 1218/1222 3SM TSRA BKN030CB FM130100 VRB04KT P6SM SCT060 BKN120 BKN200 FM131400 27005KT P6SM FEW025 BKN150 BKN200

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KDAB; actual-station=KDAB; fetched-at=2026-09-12T22:19:40.465940+00:00; observed-or-issued-at=2026-09-12T20:26:00+00:00 — [AWC API](#)
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KDAB; actual-station=KDAB; fetched-at=2026-09-12T22:19:40.815131+00:00; observed-or-issued-at=2026-09-12T17:38:00+00:00; valid-from=2026-09-12T18:00:00+00:00; valid-through=2026-09-13T18:00:00+00:00; partial-target-dates=2026-09-12,2026-09-13 — [AWC API](#)
- TAF proxy · KDAB
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KDAB; actual-station=KDAB; fetched-at=2026-09-12T22:19:42.198115+00:00
- FAA NMS NOTAM — state=OK; requested-station=KDAB; actual-station=KDAB; fetched-at=2026-09-12T22:19:46.415357Z — [FAA NMS overview](#)
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KDAB; actual-station=KDAB; fetched-at=2026-09-12T22:20:07.548672+00:00; observed-or-issued-at=2026-09-12T18:00:00+00:00; valid-from=2026-09-13T00:00:00+00:00; valid-through=2026-09-15T18:00:00+00:00; target-dates=2026-09-13,2026-09-14; partial-target-dates=2026-09-12; dates-with-points=2026-09-12,2026-09-13,2026-09-14 — [Iowa State API](#)
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KDAB; actual-station=KDAB; fetched-at=2026-09-12T22:20:08.544091+00:00; observed-or-issued-at=2026-09-12T12:00:00+00:00; valid-from=2026-09-13T12:00:00+00:00; valid-through=2026-09-20T12:00:00+00:00; target-dates=2026-09-13,2026-09-14; dates-with-points=2026-09-13,2026-09-14 — [Iowa State API](#)
- MOS effective date selection — state=partial; rows=18; requested-station=KDAB; actual-station=KDAB; fetched-at=2026-09-12T22:20:07.548672+00:00; observed-or-issued-at=2026-09-12T18:00:00+00:00; valid-from=2026-09-13T00:00:00+00:00; valid-through=2026-09-15T18:00:00+00:00; target-dates=2026-09-13,2026-09-14; partial-target-dates=2026-09-12; dates-with-points=2026-09-12,2026-09-13,2026-09-14; selected-by-date=2026-09-12=GFS, 2026-09-13=GFS, 2026-09-14=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#18

KJKA

Gulf Shores/Edwards Arpt, AL, US

· Gulf West · Gulf Shores AL

⌵ OBS - VFR

ETE

2h01

DIST

291 nm

SAT 12 SEP 16:56 ET OBSERVED

Current observation

⌵ OBS - VFR

META

R

OBSER

few 2,900 ft

WINDSW (210°) 7 kt

⌵
TEMPERATURE31 °C



VISIBILITY10 sm



DEWPOINT25 °C



Wind favours RWY 17

210° true · 212° magnetic · 7 kt

Evidence & limitations

- METAR source state: ok; observed Sep 12 16:56 ET; retrieved Sep 12 18:19 ET; 83 min before this run.
- Measured values read from the KJKA METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.97 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KJKA runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 09/27, 17/35. Wind from 210 degrees true, 212 degrees magnetic, at 7 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 17. Wind source: KJKA METAR 122056Z.

DESTINATION OUTLOOK

SAT, SEP 12

SAT 12 SEP 18:00–00:00 ET HIGH

Forecast



Flight-category guidance



FORECAST

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sat Sep 12

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

SUN 13 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 13 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 13 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 13 SEP 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND4–6 kt

TEMPERATURE87–88 °F

DEWPOINT76–77 °F

PRECIP CHANCE15%

Evidence & limitations

• GFS MAV MOS · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 13

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND1–3 kt

TEMPERATURE77–82 °F

DEWPOINT76 °F

PRECIP CHANCE14%

Evidence & limitations

- GFS MAV MOS · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND1–2 kt

TEMPERATURE74–76 °F

DEWPOINT74–75 °F

PRECIP CHANCE5%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND2–3 kt



TEMPERATURE74–87 °F



DEWPOINT74–76 °F



PRECIP CHANCE4%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND5–6 kt



TEMPERATURE90–91 °F



DEWPOINT76 °F



PRECIP CHANCE10%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 14

00:00–06:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+048 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+054 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

29°C dep KLZU → 31°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

09/27 (090/270°M · 088/268°T) · 17/35 (170/350°M · 168/348°T) — designators and °M headings are magnetic; °T are true; variation 2°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

8 Act on

1 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

ed 2026-09-12T22:19:46.417272Z.			
(oritative)			
FRI SEP 11	SAT SEP 12	SUN SEP 13	MON SEP 14

5/1161	
5/1162	
6/6821	
6 additional normalized NOTAM records omitted from this view.	

Raw NOTAM data · NOTAMs as of 22:19 Z

NOTAMs as of 22:19 Z — advisory only; verify an official briefing.

05/473	NOTAM text not available in this projection.
08/415	NOTAM text not available in this projection.
5/1161	NOTAM text not available in this projection.
5/1162	NOTAM text not available in this projection.
6/6821	NOTAM text not available in this projection.
6/6822	NOTAM text not available in this projection.
6/6824	NOTAM text not available in this projection.
6/3337	NOTAM text not available in this projection.
6/2179	NOTAM text not available in this projection.
03/876	NOTAM text not available in this projection.
03/884	NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

source per owner decision 2026-08-09;	26-09-12T22:19:46.417272Z.
---------------------------------------	----------------------------

technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

26-09-12T22:19:46.417272Z.

:00Z

:00Z

05:00Z

NAV_APPROACH

Effective 2025-09-10T15:59:00Z → 2027-09-10T15:59:00Z

NAV_APPROACH

Effective 2026-04-29T15:01:00Z → 2026-10-16T15:01:00Z

6 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics,
the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KJKA this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

• Mon, Sep 14 • 06:00–12:00 ET: GFS MAV MOS • 06:00–12:00 ET ET • VFR

• Mon, Sep 14 • 12:00–18:00 ET: GFS MAV MOS • 12:00–18:00 ET ET • VFR

• Mon, Sep 14 · 18:00–00:00 ET: GFS MAV MOS · 18:00–00:00 ET ET · VFR

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-12=GFS, 2026-09-13=GFS, 2026-09-14=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-13 00:00	82	Ovc	230/4kt	—	>10kft	>6SM
GFS	2026-09-13 03:00	77	Sct	210/1kt	—	>10kft	>6SM
GFS	2026-09-13 06:00	76	Few	130/1kt	10.0	>10kft	>6SM
GFS	2026-09-13 09:00	75	Clear	70/2kt	—	>10kft	>6SM
GFS	2026-09-13 12:00	75	Few	350/2kt	13.0	>10kft	>6SM
GFS	2026-09-13 15:00	85	Few	300/3kt	—	>10kft	>6SM
GFS	2026-09-13 18:00	88	Sct	230/4kt	15.0	>10kft	>6SM
GFS	2026-09-13 21:00	87	Sct	210/6kt	—	>10kft	>6SM
GFS	2026-09-14 00:00	82	Sct	240/3kt	14.0	>10kft	>6SM
GFS	2026-09-14 03:00	77	Clear	320/1kt	—	>10kft	>6SM
GFS	2026-09-14 06:00	76	Few	80/1kt	5.0	>10kft	>6SM
GFS	2026-09-14 09:00	74	Clear	320/2kt	—	>10kft	>6SM
GFS	2026-09-14 12:00	74	Clear	350/2kt	4.0	>10kft	>6SM
GFS	2026-09-14 15:00	87	Clear	310/3kt	—	>10kft	>6SM
GFS	2026-09-14 18:00	91	Few	210/5kt	10.0	>10kft	>6SM
GFS	2026-09-14 21:00	90	Few	210/6kt	—	>10kft	>6SM
GFS	2026-09-15 00:00	84	Clear	230/5kt	7.0	>10kft	>6SM
GFS	2026-09-15 03:00	79	Clear	320/2kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KJKA 122056Z 21007KT 10SM FEW029 31/25 A2997 RMK LTG DSNT N AND NE

TAF KJKA 121726Z 1218/1318 23006KT P6SM SCT025 BKN150 PROB30 1220/1223 3SM TSRA BR BKN025CB FM122300 24004KT P6SM SCT025 BKN200 FM130200 00000KT P6SM BKN250

+ Data sources used

• METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KJKA; actual-station=KJKA; fetched-at=2026-09-12T22:19:40.465940+00:00; observed-or-issued-at=2026-09-12T20:56:00+00:00 — AWC API

- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KJKA; actual-station=KJKA; fetched-at=2026-09-12T22:19:40.815131+00:00; observed-or-issued-at=2026-09-12T17:26:00+00:00; valid-from=2026-09-12T18:00:00+00:00; valid-through=2026-09-13T18:00:00+00:00; partial-target-dates=2026-09-12,2026-09-13 — [AWC API](#)

TAF proxy · KJKA
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KJKA; actual-station=KJKA; fetched-at=2026-09-12T22:19:42.445594+00:00
- FAA NMS NOTAM — state=OK; requested-station=KJKA; actual-station=KJKA; fetched-at=2026-09-12T22:19:46.417272Z — [FAA NMS overview](#)
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KJKA; actual-station=KJKA; fetched-at=2026-09-12T22:20:07.737320+00:00; observed-or-issued-at=2026-09-12T18:00:00+00:00; valid-from=2026-09-13T00:00:00+00:00; valid-through=2026-09-15T18:00:00+00:00; target-dates=2026-09-13,2026-09-14; partial-target-dates=2026-09-12; dates-with-points=2026-09-12,2026-09-13,2026-09-14 — [Iowa State API](#)
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KJKA; actual-station=KJKA; fetched-at=2026-09-12T22:20:08.661435+00:00; observed-or-issued-at=2026-09-12T12:00:00+00:00; valid-from=2026-09-13T12:00:00+00:00; valid-through=2026-09-20T12:00:00+00:00; target-dates=2026-09-13,2026-09-14; dates-with-points=2026-09-13,2026-09-14 — [Iowa State API](#)
- MOS effective date selection — state=partial; rows=18; requested-station=KJKA; actual-station=KJKA; fetched-at=2026-09-12T22:20:07.737320+00:00; observed-or-issued-at=2026-09-12T18:00:00+00:00; valid-from=2026-09-13T00:00:00+00:00; valid-through=2026-09-15T18:00:00+00:00; target-dates=2026-09-13,2026-09-14; partial-target-dates=2026-09-12; dates-with-points=2026-09-12,2026-09-13,2026-09-14; selected-by-date=2026-09-12=GFS, 2026-09-13=GFS, 2026-09-14=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — [FAA Chart Supplement \(current cycle\)](#) — see AirNav link above

#19

KBFM

Mobile/Downtown Arpt, AL, US

· Gulf West · Mobile Downtown

▮ OBS - VFR

ETE

2h00

DIST

290 nm

SAT 12 SEP 16:53 ET OBSERVED

Current observation

▮ OBS - VFR

OBSER

META

R


 few 4,000 ft

WINDSE (150°) 10 kt gust 15 kt

 TEMPERATURE31 °C

 VISIBILITY10 sm

 DEWPOINT25 °C



Wind favours RWY 14

150° true · 152° magnetic · 10G15 kt

Evidence & limitations

- METAR source state: ok; observed Sep 12 16:53 ET; retrieved Sep 12 18:19 ET; 86 min before this run.

- Measured values read from the KBFM METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.97 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KBFM runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 14/32, 18/36. Wind from 150 degrees true, 152 degrees magnetic, at 10 knots gusting 15 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 14. Wind source: KBFM METAR 122053Z.

DESTINATION OUTLOOK

SAT, SEP 12

SAT 12 SEP 18:00–00:00 ET HIGH

Forecast

TA

F

Flight-category guidance

Additional source fields unavailable for this card.

TAF · MVFR

FORECAST

Evidence & limitations

TAF · 18:00–00:00 ET ET · MVFR

Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sat Sep 12

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

SUN 13 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 13 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 13 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 13 SEP 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND5 kt

TEMPERATURE90–91 °F

DEWPOINT77 °F

PRECIP CHANCE9%

Evidence & limitations

• GFS MAV MOS · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 13

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND2 kt

TEMPERATURE81–85 °F

DEWPOINT77–78 °F

PRECIP CHANCE15%

Evidence & limitations

- GFS MAV MOS · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND2 kt

TEMPERATURE78–79 °F

DEWPOINT76–77 °F

PRECIP CHANCE5%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND2–4 kt



TEMPERATURE77–88 °F



DEWPOINT76–77 °F



PRECIP CHANCE3%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND5–6 kt



TEMPERATURE93 °F



DEWPOINT76 °F



PRECIP CHANCE8%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 14

00:00–06:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+048 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+054 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

now

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

29°C dep KLZU → 31°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

rwY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

14/32 (140/320°M · 138/318°T) · 18/36 (180/000°M · 178/358°T) — designators and °M headings are magnetic; °T are true; variation 2°W (NOAA WMM2025)

info

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

12 Act on3 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

ed 2026-09-12T22:19:46.495980Z.			
oritative)			
FRI SEP 11	SAT SEP 12	SUN SEP 13	MON SEP 14

08/020				
A0373/26				
08/024				
32 additional normalized NOTAM records omitted from this view.				

Raw NOTAM data · NOTAMs as of 22:19 Z

NOTAMs as of 22:19 Z — advisory only; verify an official briefing.

08/004	NOTAM text not available in this projection.
A0354/26	NOTAM text not available in this projection.
08/020	NOTAM text not available in this projection.
A0373/26	NOTAM text not available in this projection.
08/024	NOTAM text not available in this projection.
A0377/26	NOTAM text not available in this projection.
6/1287	NOTAM text not available in this projection.
6/1289	NOTAM text not available in this projection.
A0106/26	NOTAM text not available in this projection.
A0108/26	NOTAM text not available in this projection.
6/3379	NOTAM text not available in this projection.
A0284/26	NOTAM text not available in this projection.
6/2188	NOTAM text not available in this projection.

A0356/26

NOTAM text not available in this projection.

6/4898

NOTAM text not available in this projection.

A0364/26

NOTAM text not available in this projection.

6/9973

NOTAM text not available in this projection.

A0382/26

NOTAM text not available in this projection.

05/009

NOTAM text not available in this projection.

A0240/26

NOTAM text not available in this projection.

06/026

NOTAM text not available in this projection.

06/027

NOTAM text not available in this projection.

06/028

NOTAM text not available in this projection.

06/029

NOTAM text not available in this projection.

06/030

NOTAM text not available in this projection.

06/031

NOTAM text not available in this projection.

06/032

NOTAM text not available in this projection.

06/033

NOTAM text not available in this projection.

06/049

NOTAM text not available in this projection.

07/009

NOTAM text not available in this projection.

A0326/26

NOTAM text not available in this projection.

08/021

NOTAM text not available in this projection.

09/002

NOTAM text not available in this projection.

09/003

NOTAM text not available in this projection.

09/009

NOTAM text not available in this projection.

08/027

NOTAM text not available in this projection.

09/011

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2026-09-12T22:19:46.495980Z.

000000

:00Z

000000

:00Z

0000

:00Z

000000

:00Z

TAXIWAY

000024 → T00Y A LTT RTN T00Y A2 AND T00Y A3 L00

Effective 2026-08-26T15:11:00Z → 2026-09-30T23:59:00Z

32 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation

issued hourly by the reporting station, with SPECI reports off-cycle, carrying ceiling, visibility, wind, temperature and altimeter. Issued by the observing station and distributed by aviationweather.gov. This is measured fact, not a forecast, and on this page it describes conditions right now, not this day. A current KBFM observation was read this run. It describes conditions now, not this trip day.

SPS extended MOS (IMEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KBFM this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

• Mon, Sep 14 • 06:00–12:00 ET: GFS MAV MOS • 06:00–12:00 ET ET • VFR

• **Mon, Sep 14** · 12:00–18:00 ET: GFS MAV MOS · 12:00–18:00 ET ET · VFR

• Mon, Sep 14 · 18:00–00:00 ET: GFS MAV MOS · 18:00–00:00 ET ET · VFR

- + MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-12=GFS, 2026-09-13=GFS, 2026-09-14=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-13 00:00	84	Bkn	190/4kt	—	>10kft	>6SM
GFS	2026-09-13 03:00	80	Clear	200/2kt	—	>10kft	>6SM
GFS	2026-09-13 06:00	79	Clear	180/2kt	6.0	>10kft	>6SM
GFS	2026-09-13 09:00	78	Clear	280/2kt	—	>10kft	>6SM
GFS	2026-09-13 12:00	77	Clear	330/1kt	8.0	>10kft	>6SM
GFS	2026-09-13 15:00	87	Clear	20/3kt	—	>10kft	>6SM
GFS	2026-09-13 18:00	91	Sct	110/5kt	9.0	>10kft	>6SM
GFS	2026-09-13 21:00	90	Sct	170/5kt	—	>10kft	>6SM
GFS	2026-09-14 00:00	85	Few	220/2kt	15.0	>10kft	>6SM
GFS	2026-09-14 03:00	81	Clear	240/2kt	—	>10kft	>6SM
GFS	2026-09-14 06:00	79	Few	280/2kt	5.0	>10kft	>6SM

GFS	2026-09-14 09:00	78	Clear	300/2kt	—	>10kft	>6SM
GFS	2026-09-14 12:00	77	Clear	320/2kt	3.0	>10kft	>6SM
GFS	2026-09-14 15:00	88	Clear	20/4kt	—	>10kft	>6SM
GFS	2026-09-14 18:00	93	Few	110/5kt	8.0	>10kft	>6SM
GFS	2026-09-14 21:00	93	Few	140/6kt	—	>10kft	>6SM
GFS	2026-09-15 00:00	88	Clear	200/4kt	7.0	>10kft	>6SM
GFS	2026-09-15 03:00	82	Clear	280/1kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KBFM 122053Z 15010G15KT 10SM FEW040 31/25 A2997 RMK A02 SLP149 T03110250 58017

TAF KBFM 121726Z 1218/1318 14007KT P6SM VCSH SCT030 BKN150 PROB30 1220/1223 3SM TSRA BR BKN025CB FM130000 VRB03KT P6SM BKN250

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KBFM; actual-station=KBFM; fetched-at=2026-09-12T22:19:40.465940+00:00; observed-or-issued-at=2026-09-12T20:53:00+00:00 — [AWC API](#)
 - TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KBFM; actual-station=KBFM; fetched-at=2026-09-12T22:19:40.815131+00:00; observed-or-issued-at=2026-09-12T17:26:00+00:00; valid-from=2026-09-12T18:00:00+00:00; valid-through=2026-09-13T18:00:00+00:00; partial-target-dates=2026-09-12,2026-09-13 — [AWC API](#)
- TAF proxy · KBFM
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KBFM; actual-station=KBFM; fetched-at=2026-09-12T22:19:42.340660+00:00
 - FAA NMS NOTAM — state=OK; requested-station=KBFM; actual-station=KBFM; fetched-at=2026-09-12T22:19:46.495980Z — [FAA NMS overview](#)
 - MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KBFM; actual-station=KBFM; fetched-at=2026-09-12T22:20:07.847504+00:00; observed-or-issued-at=2026-09-12T18:00:00+00:00; valid-from=2026-09-13T00:00:00+00:00; valid-through=2026-09-15T18:00:00+00:00; target-dates=2026-09-13,2026-09-14; partial-target-dates=2026-09-12; dates-with-points=2026-09-12,2026-09-13,2026-09-14 — [Iowa State API](#)
 - MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KBFM; actual-station=KBFM; fetched-at=2026-09-12T22:20:08.677698+00:00; observed-or-issued-at=2026-09-12T12:00:00+00:00; valid-from=2026-09-13T12:00:00+00:00; valid-through=2026-09-20T12:00:00+00:00; target-dates=2026-09-13,2026-09-14; dates-with-points=2026-09-13,2026-09-14 — [Iowa State API](#)
 - MOS effective date selection — state=partial; rows=18; requested-station=KBFM; actual-station=KBFM; fetched-at=2026-09-12T22:20:07.847504+00:00; observed-or-issued-at=2026-09-12T18:00:00+00:00; valid-from=2026-09-13T00:00:00+00:00; valid-through=2026-09-15T18:00:00+00:00; target-dates=2026-09-13,2026-09-14; partial-target-dates=2026-09-12; dates-with-points=2026-09-12,2026-09-13,2026-09-14; selected-by-date=2026-09-12=GFS, 2026-09-13=GFS, 2026-09-14=GFS
 - Extended outlook and hazard-feed states are reported in the source stamp.
 - Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

Current observation

OBS - VFR

OBSER



few 1,800 ft



WINDSW (220°) 6 kt



TEMPERATURE29 °C



VISIBILITY10 sm



DEWPOINT25 °C



Wind favours RWY 18

220° true · 221° magnetic · 6 kt

Evidence & limitations

- METAR source state: ok; observed Sep 12 16:53 ET; retrieved Sep 12 18:19 ET; 86 min before this run.
- Measured values read from the KGPT METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.95 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KGPT runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 14/32, 18/36. Wind from 220 degrees true, 221 degrees magnetic, at 6 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 18. Wind source: KGPT METAR 122053Z.

DESTINATION OUTLOOK

SAT 12 SEP 18:00–00:00 ET HIGH

Forecast

TA
F

TAF · VFR

FORECAST



Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sat Sep 12

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

SUN 13 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 13 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 13 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 13 SEP 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND5 kt

TEMPERATURE89–91 °F

DEWPOINT75 °F

PRECIP CHANCE8%

Evidence & limitations

• GFS MAV MOS · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 13

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND1–3 kt

TEMPERATURE80–85 °F

DEWPOINT75 °F

PRECIP CHANCE26%

Evidence & limitations

- GFS MAV MOS · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND1 kt

TEMPERATURE77–78 °F

DEWPOINT74–75 °F

PRECIP CHANCE6%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND1–5 kt



TEMPERATURE76–88 °F



DEWPOINT74–75 °F



PRECIP CHANCE7%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND6 kt



TEMPERATURE93–94 °F



DEWPOINT74–75 °F



PRECIP CHANCE9%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 14

00:00–06:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+048 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+054 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

now

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

29°C dep KLZU → 29°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

rwY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

14/32 (140/320°M · 139/319°T) · 18/36 (180/000°M · 179/359°T) — designators and °M headings are magnetic; °T are true; variation 1°W (NOAA WMM2025)

info

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

8 Act on

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

ed 2026-09-12T22:19:46.644566Z.			
oritative)			
FRI SEP 11	SAT SEP 12	SUN SEP 13	MON SEP 14

09/008					
A0675/26					
09/058					
20 additional normalized NOTAM records omitted from this view.					

Raw NOTAM data · NOTAMs as of 22:19 Z

NOTAMs as of 22:19 Z — advisory only; verify an official briefing.

06/071 NOTAM text not available in this projection.
06/072 NOTAM text not available in this projection.
09/008 NOTAM text not available in this projection.
A0675/26 NOTAM text not available in this projection.
09/058 NOTAM text not available in this projection.
A0789/25 NOTAM text not available in this projection.
6/5422 NOTAM text not available in this projection.
A0386/26 NOTAM text not available in this projection.
06/065 NOTAM text not available in this projection.
6/9967 NOTAM text not available in this projection.
A0597/26 NOTAM text not available in this projection.
09/013 NOTAM text not available in this projection.
A0678/26 NOTAM text not available in this projection.

06/056

NOTAM text not available in this projection.

06/060

NOTAM text not available in this projection.

07/001

NOTAM text not available in this projection.

07/031

NOTAM text not available in this projection.

08/003

NOTAM text not available in this projection.

08/023

NOTAM text not available in this projection.

08/040

NOTAM text not available in this projection.

08/041

NOTAM text not available in this projection.

08/042

NOTAM text not available in this projection.

08/045

NOTAM text not available in this projection.

09/007

NOTAM text not available in this projection.

09/010

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state:

2026-09-12T22:19:46.644566Z.

08/045:00Z

00Z

IFP MARKING AT TWY E, TWY D, AND TWY A OBSC

00Z

:00Z

Effective 2025-09-29T08:58:00Z → 2026-09-25T21:11:00Z

20 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics,
the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KGPT this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

000 ET ET · VFR

6:00 ET ET · VFR

2:00 ET ET · VFR

8:00 ET ET · VFR

6 · 18:00–00:00 ET ET · VFR

S · 00:00–06:00 ET ET · VFR

• Mon, Sep 14 • 06:00–12:00 ET: GFS MAV MOS • 06:00–12:00 ET ET • VFR

• Mon, Sep 14 • 12:00–18:00 ET: GFS MAV MOS • 12:00–18:00 ET ET • VFR

• Mon, Sep 14 • 18:00–00:00 ET: GFS MAV MOS • 18:00–00:00 ET ET • VFR

- + MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-12=GFS, 2026-09-13=GFS, 2026-09-14=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-13 00:00	83	Bkn	210/3kt	—	>10kft	>6SM
GFS	2026-09-13 03:00	80	Clear	230/1kt	—	>10kft	>6SM
GFS	2026-09-13 06:00	79	Clear	0/0kt	3.0	>10kft	>6SM
GFS	2026-09-13 09:00	77	Clear	280/1kt	—	>10kft	>6SM

GFS	2026-09-13 12:00	77	Clear	0/0kt	9.0	>10kft	>6SM
GFS	2026-09-13 15:00	86	Clear	330/3kt	—	>10kft	>6SM
GFS	2026-09-13 18:00	91	Sct	180/5kt	8.0	>10kft	>6SM
GFS	2026-09-13 21:00	89	Sct	180/5kt	—	>10kft	>6SM
GFS	2026-09-14 00:00	85	Sct	220/3kt	26.0	>10kft	>6SM
GFS	2026-09-14 03:00	80	Clear	260/1kt	—	>10kft	>6SM
GFS	2026-09-14 06:00	78	Few	300/1kt	6.0	>10kft	>6SM
GFS	2026-09-14 09:00	77	Clear	300/1kt	—	>10kft	>6SM
GFS	2026-09-14 12:00	76	Clear	330/1kt	7.0	>10kft	>6SM
GFS	2026-09-14 15:00	88	Clear	350/5kt	—	>10kft	>6SM
GFS	2026-09-14 18:00	94	Few	160/6kt	9.0	>10kft	>6SM
GFS	2026-09-14 21:00	93	Few	180/6kt	—	>10kft	>6SM
GFS	2026-09-15 00:00	88	Clear	200/3kt	11.0	>10kft	>6SM
GFS	2026-09-15 03:00	82	Clear	210/2kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KGPT 122053Z 22006KT 10SM FEW018 29/25 A2995 RMK A02 SLP142 T02940250 58016

TAF KGPT 122135Z 1222/1318 22004KT P6SM SCT020 FM122300 VRB03KT P6SM SKC FM131500 25008KT P6SM FEW025

+ Data sources used

• METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KGPT; actual-station=KGPT; fetched-at=2026-09-12T22:19:40.465940+00:00; observed-or-issued-at=2026-09-12T20:53:00+00:00 — AWC API

• TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KGPT; actual-station=KGPT; fetched-at=2026-09-12T22:19:40.815131+00:00; observed-or-issued-at=2026-09-12T21:35:00+00:00; valid-from=2026-09-12T22:00:00+00:00; valid-through=2026-09-13T18:00:00+00:00; partial-target-dates=2026-09-12,2026-09-13 — AWC API

TAF proxy · KGPT

• FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KGPT; actual-station=KGPT; fetched-at=2026-09-12T22:19:42.462334+00:00

• FAA NMS NOTAM — state=OK; requested-station=KGPT; actual-station=KGPT; fetched-at=2026-09-12T22:19:46.644566Z — FAA NMS overview

• MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KGPT; actual-station=KGPT; fetched-at=2026-09-12T22:20:07.848360+00:00; observed-or-issued-at=2026-09-12T18:00:00+00:00; valid-from=2026-09-13T00:00:00+00:00; valid-through=2026-09-15T18:00:00+00:00; target-dates=2026-09-13,2026-09-14; partial-target-dates=2026-09-12; dates-with-points=2026-09-12,2026-09-13,2026-09-14 — Iowa State API

• MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KGPT; actual-station=KGPT; fetched-at=2026-09-12T22:20:08.683541+00:00; observed-or-issued-at=2026-09-12T12:00:00+00:00; valid-from=2026-09-13T12:00:00+00:00; valid-through=2026-09-20T12:00:00+00:00; target-dates=2026-09-13,2026-09-14; dates-with-points=2026-09-13,2026-09-14 — Iowa State API

• MOS effective date selection — state=partial; rows=18; requested-station=KGPT; actual-station=KGPT; fetched-at=2026-09-12T22:20:07.848360+00:00; observed-or-issued-at=2026-09-12T18:00:00+00:00; valid-from=2026-09-13T00:00:00+00:00; valid-through=2026-09-15T18:00:00+00:00; target-dates=2026-09-13,2026-09-14; partial-target-dates=2026-09-12; dates-with-points=2026-09-12,2026-09-13,2026-09-14; selected-by-date=2026-09-12=GFS, 2026-09-13=GFS, 2026-09-14=GFS

- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#21

KSPG

St Petersburg/Whitted Arpt, FL, US

· Gulf East · St Petersburg

▮

OBS - VFR

ETE

2h35

DIST

379 nm

SAT

12 SEP

16:53 ET

OBSERVED

Current observation

▮

OBS - VFR

OBSER

META

R

clear below 12,000 ft (CLR)

WINDN (340°) 5 kt

TEMPERATURE


29 °C

VISIBILITY

10 sm

DEWPOINT

25 °C



Wind favours RWY 36

340° true · 346° magnetic · 5 kt

Evidence & limitations

- METAR source state: ok; observed Sep 12 16:53 ET; retrieved Sep 12 18:19 ET; 86 min before this run.
- Measured values read from the KSPG METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.98 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KSPG runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 07/25, 18/36. Wind from 340 degrees true, 346 degrees magnetic, at 5 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 36. Wind source: KSPG METAR 122053Z.

DESTINATION OUTLOOK

Forecast

TA
F

TAF · VFR

FORECAST



Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
 - Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.
- Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sat Sep 12

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

SUN 13 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 13 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 13 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 13 SEP 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND6 kt

TEMPERATURE88–89 °F

DEWPOINT76–77 °F

PRECIP CHANCE28%

Evidence & limitations

• GFS MAV MOS · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 13

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND4–6 kt

TEMPERATURE84–85 °F

DEWPOINT77 °F

PRECIP CHANCE33%

Evidence & limitations

- GFS MAV MOS · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND4 kt

TEMPERATURE82–83 °F

DEWPOINT77 °F

PRECIP CHANCE26%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND5 kt

TEMPERATURE83–86 °F

DEWPOINT78–79 °F

PRECIP CHANCE14%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND5–7 kt

TEMPERATURE88–89 °F

DEWPOINT76–78 °F

PRECIP CHANCE33%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 14

00:00–06:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+048 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+054 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

now

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

29°C dep KLZU → 29°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

rwY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

07/25 (070/250°M · 064/244°T) · 18/36 (180/000°M · 174/354°T) — designators and °M headings are magnetic; °T are true; variation 6°W (NOAA WMM2025)

info

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

6 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

ed 2026-09-12T22:19:46.664530Z.

(oritative)

FRI SEP 11	SAT SEP 12	SUN SEP 13	MON SEP 14

07/003				
07/004				
07/005				
5 additional normalized NOTAM records omitted from this view.				

Raw NOTAM data · NOTAMs as of 22:19 Z

NOTAMs as of 22:19 Z — advisory only; verify an official briefing.

6/3728	NOTAM text not available in this projection.
07/002	NOTAM text not available in this projection.
07/003	NOTAM text not available in this projection.
07/004	NOTAM text not available in this projection.
07/005	NOTAM text not available in this projection.
07/006	NOTAM text not available in this projection.
07/007	NOTAM text not available in this projection.
07/010	NOTAM text not available in this projection.
08/001	NOTAM text not available in this projection.
08/002	NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains

2026-09-12T22:19:46.664530Z.
TBD, ST PETERSBURG, FL, TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 4L, ADD TAKEOFF OBSTACLE NOTE, RWY 25, BUILDING CENTERLINE, 19FT AGL/ 80FT MSL (2026-ADD-3172-DE-PERM), ALL OTHER DATA REMAINS AS PUBLISHED, 200417020-200417020EST

```

C:\Users\user> cd C:\Program Files\Microsoft Office\Office16
C:\Program Files\Microsoft Office\Office16

```

© 2010 Blackwell Publishing Ltd *Journal of Internal Medicine* 267: 101–110

0 ET ET · VFR

00 ET ET · VFR

00 ET ET · VFR

-09-12=GFS, 2026-09-13=GFS, 2026-09-14=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

WIND	POP%	CEIL	VIS
60/7kt	—	>10kft	>6SM

GFS	2026-09-13 03:00	83	Ovc	120/6kt	—	>10kft	>6SM
GFS	2026-09-13 06:00	83	Bkn	140/4kt	26.0	>10kft	>6SM
GFS	2026-09-13 09:00	82	Sct	160/3kt	—	>10kft	>6SM
GFS	2026-09-13 12:00	83	Clear	150/2kt	14.0	>10kft	>6SM
GFS	2026-09-13 15:00	86	Clear	60/5kt	—	>10kft	>6SM
GFS	2026-09-13 18:00	88	Few	320/6kt	28.0	>10kft	>6SM
GFS	2026-09-13 21:00	89	Ovc	280/6kt	—	>10kft	>6SM
GFS	2026-09-14 00:00	85	Bkn	330/6kt	33.0	>10kft	>6SM
GFS	2026-09-14 03:00	84	Ovc	360/4kt	—	>10kft	>6SM
GFS	2026-09-14 06:00	83	Bkn	80/4kt	26.0	>10kft	>6SM
GFS	2026-09-14 09:00	82	Few	80/4kt	—	>10kft	>6SM
GFS	2026-09-14 12:00	83	Bkn	40/5kt	14.0	>10kft	>6SM
GFS	2026-09-14 15:00	86	Clear	40/5kt	—	>10kft	>6SM
GFS	2026-09-14 18:00	89	Ovc	40/5kt	33.0	>10kft	>6SM
GFS	2026-09-14 21:00	88	Ovc	320/7kt	—	>10kft	>6SM
GFS	2026-09-15 00:00	83	Ovc	40/9kt	50.0	>10kft	>6SM
GFS	2026-09-15 03:00	81	Ovc	90/8kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KSPG 122053Z 34005KT 10SM CLR 29/25 A2998 RMK A02 LTG DSNT NW RAB1954E04 SLP150 P0000 60000 T02940250 56012

TAF KPIE 122031Z 1221/1318 31006KT P6SM VCTS SCT035CB SCT120 BKN250 TEMPO 1221/1222 VRB15G25KT 3SM TSRA BKN030CB FM122200 31007KT P6SM SCT030 SCT090 SCT250 FM130100 VRB03KT P6SM FEW030 SCT250 FM131600 30008KT P6SM VCTS SCT030CB SCT100 BKN250

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KSPG; actual-station=KSPG; fetched-at=2026-09-12T22:19:40.465940+00:00; observed-or-issued-at=2026-09-12T20:53:00+00:00 — [AWC API](#)
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KSPG; actual-station=KPIE; fetched-at=2026-09-12T22:19:40.815131+00:00; observed-or-issued-at=2026-09-12T20:31:00+00:00; valid-from=2026-09-12T21:00:00+00:00; valid-through=2026-09-13T18:00:00+00:00; partial-target-dates=2026-09-12,2026-09-13 — [AWC API](#)

TAF proxy · KPIE
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KSPG; actual-station=KSPG; fetched-at=2026-09-12T22:19:42.784472+00:00
- FAA NMS NOTAM — state=OK; requested-station=KSPG; actual-station=KSPG; fetched-at=2026-09-12T22:19:46.664530Z — [FAA NMS overview](#)

- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KSPG; actual-station=KSPG; fetched-at=2026-09-12T22:20:07.831434+00:00; observed-or-issued-at=2026-09-12T18:00:00+00:00; valid-from=2026-09-13T00:00:00+00:00; valid-through=2026-09-15T18:00:00+00:00; target-dates=2026-09-13,2026-09-14; partial-target-dates=2026-09-12; dates-with-points=2026-09-12,2026-09-13,2026-09-14 — [Iowa State API](#)
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KSPG; actual-station=KSPG; fetched-at=2026-09-12T22:20:08.743062+00:00; observed-or-issued-at=2026-09-12T12:00:00+00:00; valid-from=2026-09-13T12:00:00+00:00; valid-through=2026-09-20T12:00:00+00:00; target-dates=2026-09-13,2026-09-14; dates-with-points=2026-09-13,2026-09-14 — [Iowa State API](#)
- MOS effective date selection — state=partial; rows=18; requested-station=KSPG; actual-station=KSPG; fetched-at=2026-09-12T22:20:07.831434+00:00; observed-or-issued-at=2026-09-12T18:00:00+00:00; valid-from=2026-09-13T00:00:00+00:00; valid-through=2026-09-15T18:00:00+00:00; target-dates=2026-09-13,2026-09-14; partial-target-dates=2026-09-12; dates-with-points=2026-09-12,2026-09-13,2026-09-14; selected-by-date=2026-09-12=GFS, 2026-09-13=GFS, 2026-09-14=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#22 **KTPF** Tampa/Knight Arpt, FL, US · Gulf East · Tampa Peter O Knight

OBS - VFR

EFE
2h32

DIST
372 nm

SAT 12 SEP 16:35 ET OBSERVED

Current observation

OBS - VFR

OBSERVATIONS



clear below 12,000 ft (CLR)

WINDNW (310°) 4 kt

TEMPERATURE 30 °C

VISIBILITY 10 sm

DEWPOINT 24 °C



Wind favours RWY 36
310° true · 316° magnetic · 4 kt

Evidence & limitations

- METAR source state: ok; observed Sep 12 16:35 ET; retrieved Sep 12 18:19 ET; 104 min before this run.
- Measured values read from the KTPF METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.96 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.

• KTPF runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 04/22, 18/36. Wind from 310 degrees true, 316 degrees magnetic, at 4 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 36. Wind source: KTPF METAR 122035Z.

DESTINATION OUTLOOK

SAT, SEP 12

SAT 12 SEP 18:00–00:00 ET HIGH

Forecast

TA
F

TAF
VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sat Sep 12

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

SUN 13 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 13 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 13 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 13 SEP 18:00–00:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 13

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

GFS
MEX

Overcast

WIND3–5 kt

TEMPERATURE80–84 °F

PRECIP CHANCE34%

TS CHANCE51%

GFS MEX - IFR
(Predicted)

PREDICTED · NOT A FLIGHT CATEGORY

Evidence & limitations

- GFS extended MOS (MEX) · 2 published point(s) for this ET day · 08:00 ET sky ovc · PoP12 34% · TS12 51% · wind 3 kt · 80°F; 20:00 ET sky ovc · PoP12 54% · TS12 26% · wind 5 kt · 84°F. The single value shown is the least favourable of those points; it is not a flight category because MEX published no ceiling or visibility for them.
- Predicted IFR from sky cover ovc, 12 h thunderstorm probability 51%, 12 h precipitation probability 34%. This is a conservative prediction from the extended GFS MEX outlook, not a flight category: MEX publishes no ceiling or visibility. Verify day-of against a TAF or short-range MOS.
- Rough outlook — a single value for the whole day from the GFS extended MOS (MEX), which steps in twelve-hour intervals. MEX published no ceiling or visibility here, so this is sky cover, precipitation probability, wind and temperature only: it is not a flight category, is not a resolved forecast, and is never shown with the weight of one. Where those fields are usable a conservative "(Predicted)" value is shown alongside — still a prediction, not a flight category.

Surface prog · Whole day · available

Surface prog evidence · Mon Sep 14

00:00–06:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+048 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+054 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

29°C dep KLZU → 30°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

04/22 (040/220°M · 034/214°T) · 18/36 (180/000°M · 174/354°T) — designators and °M headings are magnetic; °T are true; variation 6°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 Act on

3 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state:

2 · What

3 · Where

ed 2026-09-12T22:19:46.699613Z.

pritative)

OK. The dot colour reports whether this source was read this run; technical environment: preprod.

	FRI SEP 11	SAT SEP 12	SUN SEP 13	MON SEP 14
05/005				
06/014				
6/0956				
6/8311				
11 additional normalized NOTAM records omitted from this view.				

Raw NOTAM data · NOTAMs as of 22:19 Z

NOTAMs as of 22:19 Z — advisory only; verify an official briefing.

04/019 NOTAM text not available in this projection.
05/005 NOTAM text not available in this projection.
06/014 NOTAM text not available in this projection.
6/0956 NOTAM text not available in this projection.
6/8311 NOTAM text not available in this projection.
4/6304 NOTAM text not available in this projection.
6/8312 NOTAM text not available in this projection.
09/025 NOTAM text not available in this projection.
12/007 NOTAM text not available in this projection.
02/001 NOTAM text not available in this projection.
06/005 NOTAM text not available in this projection.
07/008

NOTAM text not available in this projection.

07/015

NOTAM text not available in this projection.

07/016

NOTAM text not available in this projection.

09/004

NOTAM text not available in this projection.

06/015

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2026-09-12T22:19:46.699613Z.

1 SIGN AT RWY A4 RIGHT SIDE MISSING

:00Z

10 LOST US

:00Z

:00Z

RIGHT TAMPA, FL TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 7A... ADD TAKEOFF OBSTACLE NOTE: RWY 22, BUILDING HOME CENTERLINE, 40FT AGL 48FT MSL (2025 ASD 12076 DE PERM). ALL OTHER DATA REMAINS AS PUBLISHED. 2606261555-2606261555EST

Effective 2026-06-26T15:55:00Z → 2028-06-26T15:55:00Z

RUNWAY

88311 --- ODP PETER O KNIGHT, TAMPA, FL TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 7A... TAKEOFF MINIMUMS: RWY 18, STANDARD WITH A MINIMUM CLimb OF 300 FT PER NM TO 600. TEMPORARY CRANES 420 MSL BEGINNING 1.1NM SE OF RWY 18 (2026 ASD 6500551 DE). ALL OTHER DATA REMAINS AS PUBLISHED.

2606261555-2606261555EST

Effective 2026-08-28T10:00:00Z → 2028-01-29T16:33:00Z

11 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-

range MOS product, issued twice a day in twelve-hourly steps out to about 192 hours. Coarse, but the only station-calibrated numeric guidance that reaches the far end of a long weekend. This card shows it only as a labelled rough outlook and never as a resolved forecast. A station-calibrated MEX MOS product was read for this airport this run (state: partial).

valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KTPF this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

00 ET ET · VFR

00 ET ET · VFR

00 ET ET · VFR

00 ET ET · VFR

00 ET ET · VFR

rough outlook — a single value for the whole day from the GFS extended MOS (MEX), which steps in twelve-hour intervals. MEX published no ceiling or visibility here, so this is sky cover, precipitation probability, wind and temperature only. It is not a flight category, is not a resolved forecast, and is never shown with the weight of one. Where those fields are usable a conservative “(Predicted)” value is shown alongside — still a prediction, not a flight category.

• GFS extended MOS (MEX) · 2 published point(s) for this ET day · 08:00 ET sky ovc · PoP12 34% · TS12 51% · wind 3 kt · 80°F; 20:00 ET sky ovc · PoP12 54% · TS12 26% · wind 5 kt · 84°F. The single value shown is the least favourable of those points; it is not a flight category because MEX published no ceiling or visibility for them.

• Predicted IFR from sky cover ovc, 12 h thunderstorm probability 51%, 12 h precipitation probability 34%. This is a conservative prediction from the extended GFS MEX outlook, not a flight category: MEX publishes no ceiling or visibility. Verify day-of against a TAF or short-range MOS.

+ MOS target-window outlook (GFS / GFS Extended (MEX))

Source state: partial; selected by target date: 2026-09-12=GFS, 2026-09-13=GFS, 2026-09-14=MEX. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-12 18:00	89	Bkn	230/4kt	—	>10kft	>6SM
GFS	2026-09-12 21:00	88	Bkn	270/5kt	—	>10kft	>6SM
GFS	2026-09-13 00:00	82	Bkn	340/3kt	44.0	>10kft	>6SM
GFS	2026-09-13 03:00	81	Ovc	90/3kt	—	>10kft	>6SM
GFS	2026-09-13 06:00	80	Bkn	140/2kt	33.0	>10kft	>6SM
GFS	2026-09-13 09:00	80	Sct	180/1kt	—	>10kft	>6SM
GFS	2026-09-13 12:00	81	Sct	90/1kt	11.0	>10kft	>6SM
GFS	2026-09-13 15:00	87	Bkn	290/2kt	—	>10kft	>6SM
GFS	2026-09-13 18:00	89	Bkn	260/4kt	23.0	>10kft	>6SM
GFS	2026-09-13 21:00	88	Ovc	280/5kt	—	>10kft	>6SM
GFS	2026-09-14 00:00	84	Ovc	330/3kt	39.0	>10kft	>6SM
GFS	2026-09-14 03:00	82	Ovc	110/2kt	—	>10kft	>6SM
MEX	2026-09-14 12:00	80	Ovc	—	34	—	—

+ Raw products

+ Raw METAR / TAF

METAR KTPF 122035Z AUTO 31004KT 10SM VCTS CLR 30/24 A2996 RMK A02 TSB1954E2009 T02980244 \$

TAF KTPA 122109Z 1221/1324 28010KT P6SM VCTS SCT040CB SCT100 BKN250 FM122200 30006KT P6SM FEW040 SCT100 BKN250 FM130000 VRB03KT P6SM FEW030 BKN250 FM131600 29008KT P6SM VCTS SCT030CB SCT100 BKN250 FM132200 31005KT P6SM SCT040 OVC250

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KTPF; actual-station=KTPF; fetched-at=2026-09-12T22:19:40.465940+00:00; observed-or-issued-at=2026-09-12T20:35:00+00:00 — [AWC API](#)
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KTPF; actual-station=KTPA; fetched-at=2026-09-12T22:19:40.815131+00:00; observed-or-issued-at=2026-09-12T21:09:00+00:00; valid-from=2026-09-12T21:00:00+00:00; valid-through=2026-09-14T00:00:00+00:00; partial-target-dates=2026-09-12,2026-09-13 — [AWC API](#)

TAF proxy · KTPA
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KTPF; actual-station=KTPF; fetched-at=2026-09-12T22:19:42.799107+00:00
- FAA NMS NOTAM — state=OK; requested-station=KTPF; actual-station=KTPF; fetched-at=2026-09-12T22:19:46.699613Z — [FAA NMS overview](#)
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KTPF; actual-station=KTPF; fetched-at=2026-09-12T22:20:07.772576+00:00; observed-or-issued-at=2026-09-12T12:00:00+00:00; valid-from=2026-09-12T18:00:00+00:00; valid-through=2026-09-15T12:00:00+00:00; target-dates=2026-09-13; partial-target-dates=2026-09-12,2026-09-14; dates-with-points=2026-09-12,2026-09-13,2026-09-14 — [Iowa State API](#)
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KTPF; actual-station=KTPF; fetched-at=2026-09-12T22:20:08.725728+00:00; observed-or-issued-at=2026-09-12T12:00:00+00:00; valid-from=2026-09-13T12:00:00+00:00; valid-through=2026-09-20T12:00:00+00:00; target-dates=2026-09-13,2026-09-14; dates-with-points=2026-09-13,2026-09-14 — [Iowa State API](#)
- MOS effective date selection — state=partial; rows=14; requested-station=KTPF; actual-station=KTPF; fetched-at=2026-09-12T22:20:08.725728+00:00; valid-from=2026-09-12T18:00:00+00:00; valid-through=2026-09-20T12:00:00+00:00; target-dates=2026-09-13,2026-09-14; partial-target-dates=2026-09-12; dates-with-points=2026-09-12,2026-09-13,2026-09-14; selected-by-date=2026-09-12=GFS, 2026-09-13=GFS, 2026-09-14=MEX
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#23

KSRQ Sarasota-Bradenton Intl, FL, US

· Gulf East · Sarasota-Bradenton

OBS - MVFR

ETE

2h43

DIST

402 nm

SAT 12 SEP 16:45 ET OBSERVED

Current observation

METAR

broken 2,700 ft



WINDE (110°) 8 kt



OBS - MVFR

OBSE

TEMPERATURE30 °C

VISIBILITY10 sm

DEWPOINT24 °C

From 110°M · 8 kt

110° · 116° magnetic · 8 kt

110°M · 8 kt

110° · 116° magnetic · 8 kt

110°M · 8 kt

110° · 116° magnetic · 8 kt

110°M · 8 kt

110° · 116° magnetic · 8 kt

Wind favours RWY 14

110° true · 116° magnetic · 8 kt

Evidence & limitations

• METAR source state: ok; observed Sep 12 16:45 ET; retrieved Sep 12 18:19 ET; 94 min before this run.

• Measured values read from the KSRQ METAR. This is a current surface observation only; it is not a forecast.

• Only fields decoded from this METAR are shown; every missing field remains unavailable.

• Altimeter: 29.99 inHg.

• The complete raw METAR remains in this airport's Raw products disclosure.

• KSRQ runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 14/32, 04/22. Wind from 110 degrees true, 116 degrees magnetic, at 8 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 14. Wind source: KSRQ METAR 122045Z.

DESTINATION OUTLOOK

SAT, SEP 12

SAT 12 SEP 18:00–00:00 ET HIGH

Forecast

TA

F

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

TAF · VFR

FORECAST

Surface prog evidence · Sat Sep 12

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

SUN 13 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 13 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 13 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 13 SEP 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND7–9 kt

TEMPERATURE89 °F

DEWPOINT77–78 °F

PRECIP CHANCE28%

Evidence & limitations

• GFS MAV MOS · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 13

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND3–4 kt

TEMPERATURE82–84 °F

DEWPOINT77 °F

PRECIP CHANCE34%

Evidence & limitations

- GFS MAV MOS · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND2–3 kt

TEMPERATURE80–81 °F

DEWPOINT77–78 °F

PRECIP CHANCE28%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND3–4 kt



TEMPERATURE81–88 °F



DEWPOINT77 °F



PRECIP CHANCE19%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND8 kt



TEMPERATURE87–90 °F



DEWPOINT76–77 °F



PRECIP CHANCE35%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 14

00:00–06:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+048 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+054 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

now

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

29°C dep KLZU → 30°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

rwY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

14/32 (140/320°M · 134/314°T) · 04/22 (040/220°M · 034/214°T) — designators and °M headings are magnetic; °T are true; variation 6°W (NOAA WMM2025)

info

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		
Verify the current FAA Chart Supplement and provider before flight.			

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

6 Act on

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

ed 2026-09-12T22:19:46.706185Z.			
(oritative)			
FRI SEP 11	SAT SEP 12	SUN SEP 13	MON SEP 14

05/096				
A0516/26				
08/050				
20 additional normalized NOTAM records omitted from this view.				

Raw NOTAM data · NOTAMs as of 22:19 Z

NOTAMs as of 22:19 Z — advisory only; verify an official briefing.

09/009	NOTAM text not available in this projection.			
A0954/26	NOTAM text not available in this projection.			
05/096	NOTAM text not available in this projection.			
A0516/26	NOTAM text not available in this projection.			
08/050	NOTAM text not available in this projection.			
A0891/26	NOTAM text not available in this projection.			
08/070	NOTAM text not available in this projection.			
A0920/26	NOTAM text not available in this projection.			
5/0499	NOTAM text not available in this projection.			
A1001/25	NOTAM text not available in this projection.			
6/4825	NOTAM text not available in this projection.			
A0754/26	NOTAM text not available in this projection.			
06/005	NOTAM text not available in this projection.			

A0527/26

NOTAM text not available in this projection.

06/146

NOTAM text not available in this projection.

A0706/26

NOTAM text not available in this projection.

06/147

NOTAM text not available in this projection.

07/029

NOTAM text not available in this projection.

07/033

NOTAM text not available in this projection.

08/060

NOTAM text not available in this projection.

08/074

NOTAM text not available in this projection.

A0926/26

NOTAM text not available in this projection.

08/075

NOTAM text not available in this projection.

09/001

NOTAM text not available in this projection.

09/010

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state:

2026-09-12T22:19:46.706185Z.

08/09

00Z

00Z

00Z

:00Z

TAXIWAY

:00Z

rom t

Forecast evidence

METAR

and

O ET

00 ET

00 ET

00 ET

18:0

00:

06:

12:

18:

- + MOS target-window outlook (GFS)

-09-1

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-13 00:00	82	Ovc	70/4kt	—	5-10kft	>6SM
GFS	2026-09-13 03:00	80	Ovc	100/3kt	—	>10kft	>6SM
GFS	2026-09-13 06:00	79	Bkn	120/2kt	25.0	>10kft	>6SM
GFS	2026-09-13 09:00	78	Few	130/2kt	—	>10kft	>6SM

GFS	2026-09-13 12:00	78	Sct	110/2kt	16.0	>10kft	>6SM
GFS	2026-09-13 15:00	87	Clear	280/4kt	—	>10kft	>6SM
GFS	2026-09-13 18:00	89	Bkn	290/9kt	28.0	>10kft	>6SM
GFS	2026-09-13 21:00	89	Bkn	300/7kt	—	>10kft	>6SM
GFS	2026-09-14 00:00	84	Bkn	330/4kt	34.0	>10kft	>6SM
GFS	2026-09-14 03:00	82	Ovc	350/3kt	—	>10kft	>6SM
GFS	2026-09-14 06:00	81	Bkn	60/2kt	28.0	>10kft	>6SM
GFS	2026-09-14 09:00	80	Few	40/3kt	—	>10kft	>6SM
GFS	2026-09-14 12:00	81	Bkn	40/3kt	19.0	>10kft	>6SM
GFS	2026-09-14 15:00	88	Ovc	350/4kt	—	>10kft	>6SM
GFS	2026-09-14 18:00	90	Ovc	280/8kt	35.0	>10kft	>6SM
GFS	2026-09-14 21:00	87	Ovc	300/8kt	—	>10kft	>6SM
GFS	2026-09-15 00:00	82	Ovc	340/6kt	49.0	>10kft	>6SM
GFS	2026-09-15 03:00	79	Ovc	100/5kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

SPECI KSRQ 122045Z 11008KT 10SM BKN027 30/24 A2999 RMK A02 T03000239

TAF KSRQ 121720Z 1218/1318 25006KT P6SM VCTS SCT030CB SCT100 BKN250 FM122100 29008KT P6SM SCT040 SCT080 BKN250 FM130100 VRB03KT P6SM BKN250 FM131600 28007KT P6SM VCTS SCT030CB SCT100 BKN250

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KSRQ; actual-station=KSRQ; fetched-at=2026-09-12T22:19:40.465940+00:00; observed-or-issued-at=2026-09-12T20:45:00+00:00 — [AWC API](#)
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KSRQ; actual-station=KSRQ; fetched-at=2026-09-12T22:19:40.815131+00:00; observed-or-issued-at=2026-09-12T17:20:00+00:00; valid-from=2026-09-12T18:00:00+00:00; valid-through=2026-09-13T18:00:00+00:00; partial-target-dates=2026-09-12,2026-09-13 — [AWC API](#)

TAF proxy · KSRQ
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KSRQ; actual-station=KSRQ; fetched-at=2026-09-12T22:19:42.597343+00:00
- FAA NMS NOTAM — state=OK; requested-station=KSRQ; actual-station=KSRQ; fetched-at=2026-09-12T22:19:46.706185Z — [FAA NMS overview](#)
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KSRQ; actual-station=KSRQ; fetched-at=2026-09-12T22:20:07.851893+00:00; observed-or-issued-at=2026-09-12T18:00:00+00:00; valid-from=2026-09-13T00:00:00+00:00; valid-through=2026-09-15T18:00:00+00:00; target-dates=2026-09-13,2026-09-14; partial-target-dates=2026-09-12; dates-with-points=2026-09-12,2026-09-13,2026-09-14 — [Iowa State API](#)
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KSRQ; actual-station=KSRQ; fetched-at=2026-09-12T22:20:08.730614+00:00; observed-or-issued-at=2026-09-12T12:00:00+00:00; valid-from=2026-09-13T12:00:00+00:00; valid-through=2026-09-20T12:00:00+00:00; target-dates=2026-09-13,2026-09-14; dates-with-points=2026-09-13,2026-09-14 — [Iowa State API](#)
- MOS effective date selection — state=partial; rows=18; requested-station=KSRQ; actual-station=KSRQ; fetched-at=2026-09-12T22:20:07.851893+00:00; observed-or-issued-at=2026-09-12T18:00:00+00:00; valid-from=2026-09-13T00:00:00+00:00; valid-through=2026-09-15T18:00:00+00:00; target-dates=2026-09-13,2026-09-14; partial-target-dates=2026-09-12; dates-with-points=2026-09-12,2026-09-13,2026-09-14; selected-by-date=2026-09-12=GFS, 2026-09-13=GFS, 2026-09-14=GFS

- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#24

KVNC

Venice Muni, FL, US

· Gulf East · Venice FL

⏮

OBS - VFR

⏭

ETE

2h51

DIST

422 nm

SAT

12 SEP

16:35 ET

OBSERVED

Current observation

⏮

OBS - VFR

⏭

OBSER

META

R


few 2,500 ft

WINDW (260°) 5 kt

TEMPERATURE32 °C

VISIBILITY10 sm

DEWPOINT26 °C



Wind favours RWY 23

260° true · 266° magnetic · 5 kt

Evidence & limitations

- METAR source state: ok; observed Sep 12 16:35 ET; retrieved Sep 12 18:19 ET; 104 min before this run.
- Measured values read from the KVNC METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.97 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KVNC runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 13/31, 05/23. Wind from 260 degrees true, 266 degrees magnetic, at 5 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 23. Wind source: KVNC METAR 122035Z.

DESTINATION OUTLOOK

SAT 12 SEP 18:00–00:00 ET HIGH

Forecast

TA
F

TAF · VFR

FORECAST



Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
 - Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.
- Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sat Sep 12

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

SUN 13 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 13 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 13 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 13 SEP 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND8 kt

TEMPERATURE89–90 °F

DEWPOINT77–78 °F

PRECIP CHANCE28%

Evidence & limitations

• GFS MAV MOS · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 13

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND4–5 kt

TEMPERATURE82–84 °F

DEWPOINT77–78 °F

PRECIP CHANCE39%

Evidence & limitations

- GFS MAV MOS · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND3–4 kt

TEMPERATURE80–81 °F

DEWPOINT78 °F

PRECIP CHANCE30%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND4–5 kt



TEMPERATURE80–87 °F



DEWPOINT78 °F



PRECIP CHANCE23%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND7–8 kt



TEMPERATURE86–88 °F



DEWPOINT77 °F



PRECIP CHANCE36%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 14

00:00–06:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+048 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+054 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

now

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — source state: not_queried

CURRENT METAR TEMP DEP / DEST

29°C dep KLZU → 32°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

rwY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

13/31 (130/310°M · 124/304°T) · 05/23 (050/230°M · 044/224°T) — designators and °M headings are magnetic; °T are true; variation 6°W (NOAA WMM2025)

info

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		
Verify the current FAA Chart Supplement and provider before flight.			

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

1 Act on

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

07/031	
08/096	
09/006	

Raw NOTAM data · NOTAMs as of 22:19 Z

6/8218

NOTAM text not available in this projection.

6/8216

NOTAM text not available in this projection.

07/031

NOTAM text not available in this projection.

08/096

NOTAM text not available in this projection.

09/006

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production
source per owner decision 2026-08-09;
technical transport environment remains
preprod. Limited 2026-07-30 spot check
covered KLZU, KAVL, and KSGJ (3 of 30
airports). NOTAMs were read from this source
and used on this card this run. Typed state:
OK. The dot colour reports whether this
source was read this run; technical
environment: preprod.

26-09-12T22:19:46.879197Z.

OBSTRUCTION 2026-08-07T11:23:00Z → 2026-10-06T04:00:00Z
Effective 2026-08-07T11:23:00Z → 2026-10-06T04:00:00Z

OBSOLETE Effective 2026-09-01T16:48:00Z → 2026-12-01T23:59:00Z

+ Forecast evidence

METAR — the routine surface observation

issued hourly by the reporting station, with SPECI reports off-cycle, carrying ceiling, visibility, wind, temperature and altimeter. Issued by the observing station and distributed by aviationweather.gov. This is measured fact, not a forecast, and on this page it describes conditions right now, not this day. A current KVNC observation was read this run. It describes conditions now, not this trip day.

SBS extended MOS (EMEX)—the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KVNC this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

• Mon, Sep 14 • 06:00–12:00 ET: GFS MAV MOS • 06:00–12:00 ET ET • VFR

• **Mon, Sep 14** · 12:00–18:00 ET: GFS MAV MOS · 12:00–18:00 ET ET · VFR

• Mon, Sep 14 • 18:00–00:00 ET: GFS MAV MOS • 18:00–00:00 ET ET • VFR

- + MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-12=GFS, 2026-09-13=GFS, 2026-09-14=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-13 00:00	84	Ovc	350/4kt	—	>10kft	>6SM
GFS	2026-09-13 03:00	82	Ovc	90/3kt	—	>10kft	>6SM
GFS	2026-09-13 06:00	80	Sct	120/3kt	25.0	>10kft	>6SM
GFS	2026-09-13 09:00	79	Clear	150/3kt	—	>10kft	>6SM
GFS	2026-09-13 12:00	80	Clear	90/2kt	19.0	>10kft	>6SM
GFS	2026-09-13 15:00	88	Clear	270/4kt	—	>10kft	>6SM
GFS	2026-09-13 18:00	90	Bkn	280/8kt	28.0	>10kft	>6SM
GFS	2026-09-13 21:00	89	Ovc	290/8kt	—	>10kft	>6SM
GFS	2026-09-14 00:00	84	Ovc	330/5kt	39.0	>10kft	>6SM
GFS	2026-09-14 03:00	82	Ovc	360/4kt	—	>10kft	>6SM
GFS	2026-09-14 06:00	81	Bkn	60/3kt	30.0	>10kft	>6SM

GFS	2026-09-14 09:00	80	Few	30/4kt	—	>10kft	>6SM
GFS	2026-09-14 12:00	80	Ovc	40/4kt	23.0	>10kft	>6SM
GFS	2026-09-14 15:00	87	Ovc	330/5kt	—	>10kft	>6SM
GFS	2026-09-14 18:00	88	Ovc	270/7kt	36.0	>10kft	>6SM
GFS	2026-09-14 21:00	86	Ovc	300/8kt	—	>10kft	>6SM
GFS	2026-09-15 00:00	81	Ovc	360/6kt	51.0	>10kft	>6SM
GFS	2026-09-15 03:00	79	Ovc	70/6kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KVNC 122035Z AUTO 26005KT 10SM FEW025 32/26 A2997 RMK A02 LTG DSNT NE AND E T03170260 \$

TAF KSRQ 121720Z 1218/1318 25006KT P6SM VCTS SCT030CB SCT100 BKN250 FM122100 29008KT P6SM SCT040 SCT080 BKN250 FM130100 VRB03KT P6SM BKN250 FM131600 28007KT P6SM VCTS SCT030CB SCT100 BKN250

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KVNC; actual-station=KVNC; fetched-at=2026-09-12T22:19:40.465940+00:00; observed-or-issued-at=2026-09-12T20:35:00+00:00 — [AWC API](#)
 - TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KVNC; actual-station=KSRQ; fetched-at=2026-09-12T22:19:40.815131+00:00; observed-or-issued-at=2026-09-12T17:20:00+00:00; valid-from=2026-09-12T18:00:00+00:00; valid-through=2026-09-13T18:00:00+00:00; partial-target-dates=2026-09-12,2026-09-13 — [AWC API](#)
- TAF proxy · KSRQ
- FAA airport status — state=not_queried; fetch-state=not_attempted; payload-state=not_attempted; requested-station=KVNC
 - FAA NMS NOTAM — state=OK; requested-station=KVNC; actual-station=KVNC; fetched-at=2026-09-12T22:19:46.879197Z — [FAA NMS overview](#)
 - MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KVNC; actual-station=KVNC; fetched-at=2026-09-12T22:20:07.855273+00:00; observed-or-issued-at=2026-09-12T18:00:00+00:00; valid-from=2026-09-13T00:00:00+00:00; valid-through=2026-09-15T18:00:00+00:00; target-dates=2026-09-13,2026-09-14; partial-target-dates=2026-09-12; dates-with-points=2026-09-12,2026-09-13,2026-09-14 — [Iowa State API](#)
 - MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KVNC; actual-station=KVNC; fetched-at=2026-09-12T22:20:08.783524+00:00; observed-or-issued-at=2026-09-12T12:00:00+00:00; valid-from=2026-09-13T12:00:00+00:00; valid-through=2026-09-20T12:00:00+00:00; target-dates=2026-09-13,2026-09-14; dates-with-points=2026-09-13,2026-09-14 — [Iowa State API](#)
 - MOS effective date selection — state=partial; rows=18; requested-station=KVNC; actual-station=KVNC; fetched-at=2026-09-12T22:20:07.855273+00:00; observed-or-issued-at=2026-09-12T18:00:00+00:00; valid-from=2026-09-13T00:00:00+00:00; valid-through=2026-09-15T18:00:00+00:00; target-dates=2026-09-13,2026-09-14; partial-target-dates=2026-09-12; dates-with-points=2026-09-12,2026-09-13,2026-09-14; selected-by-date=2026-09-12=GFS, 2026-09-13=GFS, 2026-09-14=GFS
 - Extended outlook and hazard-feed states are reported in the source stamp.
 - Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#25

KHSA

Bay St Louis/Stennis Intl, MS, US

· Gulf West · Stennis MS

OBS - VFR

ETE

2h25

DIST

353 nm

SAT 12 SEP 16:50 ET OBSERVED

Current observation

OBS - VFR

OBSER



clear below 12,000 ft (CLR)



WINDS (190°) 5 kt



TEMPERATURE29 °C



VISIBILITY10 sm



DEWPOINT24 °C



Wind favours RWY 18

190° true · 191° magnetic · 5 kt

Evidence & limitations

- METAR source state: ok; observed Sep 12 16:50 ET; retrieved Sep 12 18:19 ET; 89 min before this run.
- Measured values read from the KHSa METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.96 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KHSa runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 18/36. Wind from 190 degrees true, 191 degrees magnetic, at 5 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 18. Wind source: KHSa METAR 122050Z.

DESTINATION OUTLOOK

Forecast

TA
F

TAF · VFR

FORECAST



Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
 - Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.
- Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sat Sep 12

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

SUN 13 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 13 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 13 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 13 SEP 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND3–5 kt

TEMPERATURE90–92 °F

DEWPOINT75 °F

PRECIP CHANCE7%

Evidence & limitations

• GFS MAV MOS · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 13

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND2–99 kt



TEMPERATURE84–999 °F



DEWPOINT76–999 °F



PRECIP CHANCE26%

Evidence & limitations

- GFS MAV MOS · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND99 kt



TEMPERATURE999 °F



DEWPOINT999 °F



PRECIP CHANCE6%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND0–3 kt



TEMPERATURE73–86 °F



DEWPOINT73–77 °F



PRECIP CHANCE7%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND4–6 kt



TEMPERATURE93 °F



DEWPOINT73–74 °F



PRECIP CHANCE8%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 14

00:00–06:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+048 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+054 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

now

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — source state: not_queried

CURRENT METAR TEMP DEP / DEST

29°C dep KLZU → 29°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

rwY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

18/36 (180/000°M · 179/359°T) — designators and °M headings are magnetic; °T are true; variation 1°W (NOAA WMM2025)

info

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 Act on1 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

ed 2026-09-12T22:19:46.888370Z.			
FRI SEP 11	SAT SEP 12	SUN SEP 13	MON SEP 14

09/006				
07/008				
07/018				
7 additional normalized NOTAM records omitted from this view.				

Raw NOTAM data · NOTAMs as of 22:19 Z

NOTAMs as of 22:19 Z — advisory only; verify an official briefing.

08/010	NOTAM text not available in this projection.
08/016	NOTAM text not available in this projection.
09/006	NOTAM text not available in this projection.
07/008	NOTAM text not available in this projection.
07/018	NOTAM text not available in this projection.
07/033	NOTAM text not available in this projection.
09/005	NOTAM text not available in this projection.
12/015	NOTAM text not available in this projection.
6/5656	NOTAM text not available in this projection.
07/002	NOTAM text not available in this projection.
08/013	NOTAM text not available in this projection.
02/005	NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2026-09-12T22:19:46.888370Z.
UNRECORDED
:00Z
TAXIWAY NOT SET
:00Z
TAXIWAY NOT SET
:00Z
AND NORTH APN CLOSED EXCEPT WINDSPAN LESS THAN 50FT
:00Z

TAXIWAY 070016 — TAXI F, LOC ATION SIGN BTN TAXI A AND NORTH APN MISSING

Effective 2026-07-23T13:13:00Z → 2026-09-30T16:00:00Z

7 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KHSA this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

- 00 ET ET · VFR
- 00 ET ET · VFR
- 00 ET ET · VFR
- 00 ET ET · VFR
- S · 18:00–00:00 ET ET · VFR
- S · 00:00–06:00 ET ET · VFR
- Mon, Sep 14 · 06:00–12:00 ET: GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Mon, Sep 14 · 12:00–18:00 ET: GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Mon, Sep 14 · 18:00–00:00 ET: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-12=GFS, 2026-09-13=GFS, 2026-09-14=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-13 00:00	82	Bkn	200/3kt	—	>10kft	>6SM
GFS	2026-09-13 03:00	999	Clear	990/99kt	—	>10kft	>6SM
GFS	2026-09-13 06:00	999	Clear	990/99kt	3.0	>10kft	>6SM
GFS	2026-09-13 09:00	999	Clear	990/99kt	—	>10kft	>6SM
GFS	2026-09-13 12:00	73	Clear	0/0kt	7.0	>10kft	>6SM
GFS	2026-09-13 15:00	86	Clear	330/1kt	—	>10kft	>6SM
GFS	2026-09-13 18:00	92	Sct	160/3kt	7.0	>10kft	>6SM
GFS	2026-09-13 21:00	90	Sct	180/5kt	—	>10kft	>6SM
GFS	2026-09-14 00:00	84	Sct	200/2kt	26.0	>10kft	>6SM
GFS	2026-09-14 03:00	999	Clear	990/99kt	—	>10kft	>6SM
GFS	2026-09-14 06:00	999	Few	990/99kt	6.0	>10kft	>6SM
GFS	2026-09-14 09:00	999	Clear	990/99kt	—	>10kft	>6SM
GFS	2026-09-14 12:00	73	Clear	0/0kt	7.0	>10kft	>6SM
GFS	2026-09-14 15:00	86	Clear	360/3kt	—	>10kft	>6SM
GFS	2026-09-14 18:00	93	Few	110/4kt	8.0	>10kft	>6SM
GFS	2026-09-14 21:00	93	Few	170/6kt	—	>10kft	>6SM
GFS	2026-09-15 00:00	85	Few	190/3kt	11.0	>10kft	>6SM
GFS	2026-09-15 03:00	999	Clear	990/99kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KHSA 122050Z 19005KT 10SM CLR 29/24 A2996
TAF KGPT 122135Z 1222/1318 22004KT P6SM SCT020 FM122300 VRB03KT P6SM SKC FM131500 25008KT P6SM FEW025

+ Data sources used

• METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KHSA; actual-station=KHSA; fetched-at=2026-09-12T22:19:40.465940+00:00; observed-or-issued-at=2026-09-12T20:50:00+00:00 — AWC API

- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KHSA; actual-station=KGPT; fetched-at=2026-09-12T22:19:40.815131+00:00; observed-or-issued-at=2026-09-12T21:35:00+00:00; valid-from=2026-09-12T22:00:00+00:00; valid-through=2026-09-13T18:00:00+00:00; partial-target-dates=2026-09-12,2026-09-13 — [AWC API](#)

TAF proxy · KGPT
- FAA airport status — state=not_queried; fetch-state=not_attempted; payload-state=not_attempted; requested-station=KHSA
- FAA NMS NOTAM — state=OK; requested-station=KHSA; actual-station=KHSA; fetched-at=2026-09-12T22:19:46.888370Z — [FAA NMS overview](#)
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KHSA; actual-station=KHSA; fetched-at=2026-09-12T22:20:08.003561+00:00; observed-or-issued-at=2026-09-12T18:00:00+00:00; valid-from=2026-09-13T00:00:00+00:00; valid-through=2026-09-15T18:00:00+00:00; target-dates=2026-09-13,2026-09-14; partial-target-dates=2026-09-12; dates-with-points=2026-09-12,2026-09-13,2026-09-14 — [Iowa State API](#)
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KHSA; actual-station=KHSA; fetched-at=2026-09-12T22:20:08.797996+00:00; observed-or-issued-at=2026-09-12T12:00:00+00:00; valid-from=2026-09-13T12:00:00+00:00; valid-through=2026-09-20T12:00:00+00:00; target-dates=2026-09-13,2026-09-14; dates-with-points=2026-09-13,2026-09-14 — [Iowa State API](#)
- MOS effective date selection — state=partial; rows=18; requested-station=KHSA; actual-station=KHSA; fetched-at=2026-09-12T22:20:08.003561+00:00; observed-or-issued-at=2026-09-12T18:00:00+00:00; valid-from=2026-09-13T00:00:00+00:00; valid-through=2026-09-15T18:00:00+00:00; target-dates=2026-09-13,2026-09-14; partial-target-dates=2026-09-12; dates-with-points=2026-09-12,2026-09-13,2026-09-14; selected-by-date=2026-09-12=GFS, 2026-09-13=GFS, 2026-09-14=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — [FAA Chart Supplement \(current cycle\)](#) — see AirNav link above

#26

KNEW

New Orleans/Lakefront Arpt, LA, US

· Gulf West · New Orleans Lakefront

▮ OBS - VFR

ETE

2h38

DIST

389 nm

SAT 12 SEP 16:53 ET OBSERVED

Current observation

▮ OBS - VFR

OBSER

METAR

clear below 12,000 ft (CLR)



WINDS (190°) 8 kt




TEMPERATURE28 °C



VISIBILITY10 sm



DEWPOINT24 °C



Wind equally favours RWY 18R and 18L

190° true · 191° magnetic · 8 kt

Evidence & limitations

- METAR source state: ok; observed Sep 12 16:53 ET; retrieved Sep 12 18:19 ET; 86 min before this run.

- Measured values read from the KNEW METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.97 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KNEW runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 18R/36L, 18L/36R, 09/27. Wind from 190 degrees true, 191 degrees magnetic, at 8 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Equally wind-favoured runway ends, highlighted: 18R and 18L. Wind source: KNEW METAR 122053Z.

DESTINATION OUTLOOK

SAT, SEP 12

SAT 12 SEP 18:00–00:00 ET HIGH

Forecast

TA

F

Flight-category guidance

Additional source fields unavailable for this card.

TAF · VFR

FORECAST

Evidence & limitations

• TAF · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sat Sep 12

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

SUN 13 SEP 00:00–06:00 ET HIGH

Forecast

TA
F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

TAF · 00:00–06:00 ET ET · VFR

Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 13 SEP 12:00–18:00 ET HIGH

Forecast

TA
F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

TAF · 12:00–18:00 ET ET · VFR

Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 13 SEP 06:00–12:00 ET HIGH

Forecast

TA
F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

TAF · 06:00–12:00 ET ET · VFR

Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 13 SEP 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND5–6 kt

TEMPERATURE89–90 °F

DEWPOINT74–76 °F

PRECIP CHANCE10%

Evidence & limitations

GFS MAV MOS · 18:00–00:00 ET ET · VFR

Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 13

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND5 kt

TEMPERATURE84–86 °F

DEWPOINT75–76 °F

PRECIP CHANCE20%

Evidence & limitations

- GFS MAV MOS · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND4 kt

TEMPERATURE82–83 °F

DEWPOINT76 °F

PRECIP CHANCE7%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND5 kt

TEMPERATURE82–86 °F

DEWPOINT76–77 °F

PRECIP CHANCE6%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND6 kt

TEMPERATURE90–91 °F

DEWPOINT74–76 °F

PRECIP CHANCE7%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 14

00:00–06:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+048 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+054 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

now

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

29°C dep KLZU → 28°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

rwY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

18R/36L (180/000°M · 179/359°T) · 18L/36R (180/000°M · 179/359°T) · 09/27 (090/270°M · 089/269°T) — designators and °M headings are magnetic; °T are true; variation 1°W (NOAA WMM2025)

info

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

6 Act on1 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

ed 2026-09-12T22:19:46.897125Z.

(oritative)

FRI SEP 11	SAT SEP 12	SUN SEP 13	MON SEP 14

6/7961	
6/6847	
09/010	
13 additional normalized NOTAM records omitted from this view.	

Raw NOTAM data · NOTAMs as of 22:19 Z

NOTAMs as of 22:19 Z — advisory only; verify an official briefing.

6/1269	NOTAM text not available in this projection.
6/1270	NOTAM text not available in this projection.
6/7961	NOTAM text not available in this projection.
6/6847	NOTAM text not available in this projection.
09/010	NOTAM text not available in this projection.
09/008	NOTAM text not available in this projection.
07/007	NOTAM text not available in this projection.
07/014	NOTAM text not available in this projection.
08/002	NOTAM text not available in this projection.
08/005	NOTAM text not available in this projection.
08/015	NOTAM text not available in this projection.
08/016	NOTAM text not available in this projection.
08/020	NOTAM text not available in this projection.

09/002

NOTAM text not available in this projection.

09/006

NOTAM text not available in this projection.

09/007

NOTAM text not available in this projection.

09/011

NOTAM text not available in this projection.

09/003

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

026-09-12T22:19:46.897125Z.
INT, NEW ORLEANS, LA, ILS OR LOC RWY 18R, AMDT 1A... VOR/DME RWY 36L, AMDT 9A... CIRCLING CATS A/B MDA 560HAA 563, TEMPORARY CRANE, 201 MSL, 1640FT EAST OF KNEW AIRPORT (2025 ASDW-9013-NRA), 2605191300 2605292300EST
:00Z
INT, NEW ORLEANS, LA, RNAV (GPS) RWY 36L, ORIG-B... LPV DA 370HAT 365, TEMPORARY CRANE, 201 MSL, 1161FT SOUTHEAST OF RWY 36L
:00Z
INT, NEW ORLEANS, LA, ILS OR LOC RWY 18R, AMDT 1A... PROCEDURE NA EXCEPT FOR ACFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, HRV
147-2001616ATEST

Effective 2026-06-12T16:47:00Z → 2026-09-16T16:47:00Z

NAV_APPROACH 165547 — IAP LAKEFRONT, NEW ORLEANS, LA, ILS OR LOC RWY 18R, AMDT 1A... VOR/DME RWY 36L, AMDT 9A... PROCEDURE NA EXCEPT FOR ACFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, HRV VOR/DME OUT OF SERVICE, 2006201708 2610291708EST

Effective 2026-08-20T17:08:00Z → 2026-10-29T17:08:00Z

NAV_APPROACH 199010 — RNAV ILS RWY 18R LOC LOC

Effective 2026-09-08T19:11:00Z → 2026-09-15T20:00:00Z

13 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics,

the GFS model bias-corrected against decades of observations at this station. Issued four times a day in three-hourly steps out to about 72 hours. It carries an explicit ceiling and visibility category, so this card uses it to resolve a day the TAF cannot reach. A station-calibrated GFS MOS product was read for this airport this run (state: partial).

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KNEW this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

• Mon, Sep 14 • 06:00–12:00 ET: GFS MAV MOS • 06:00–12:00 ET ET • VFR

• Mon, Sep 14 • 12:00–18:00 ET: GFS MAV MOS • 12:00–18:00 ET ET • VFR

• Mon, Sep 14 • 18:00–00:00 ET: GFS MAV MOS • 18:00–00:00 ET ET • VFR

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

000 ET ET · VFR

6:00 ET ET · VFR

2:00 ET ET · VFR

8:00 ET ET · VFR

18:00–00:00 ET ET · VFR

S · 00:00–06:00 ET ET · VFR

- + MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-12=GFS, 2026-09-13=GFS, 2026-09-14=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-13 00:00	83	Bkn	190/6kt	—	>10kft	>6SM
GFS	2026-09-13 03:00	82	Clear	190/5kt	—	>10kft	>6SM
GFS	2026-09-13 06:00	81	Clear	210/4kt	3.0	>10kft	>6SM
GFS	2026-09-13 09:00	81	Clear	250/4kt	—	>10kft	>6SM
GFS	2026-09-13 12:00	81	Clear	270/4kt	6.0	>10kft	>6SM
GFS	2026-09-13 15:00	85	Clear	340/4kt	—	>10kft	>6SM
GFS	2026-09-13 18:00	89	Few	360/5kt	10.0	>10kft	>6SM
GFS	2026-09-13 21:00	90	Sct	180/6kt	—	>10kft	>6SM
GFS	2026-09-14 00:00	86	Few	180/5kt	20.0	>10kft	>6SM
GFS	2026-09-14 03:00	84	Clear	190/5kt	—	>10kft	>6SM
GFS	2026-09-14 06:00	83	Few	220/4kt	7.0	>10kft	>6SM
GFS	2026-09-14 09:00	82	Clear	270/4kt	—	>10kft	>6SM
GFS	2026-09-14 12:00	82	Clear	310/5kt	6.0	>10kft	>6SM

GFS	2026-09-14 15:00	86	Clear	350/5kt	—	>10kft	>6SM
GFS	2026-09-14 18:00	90	Sct	10/6kt	7.0	>10kft	>6SM
GFS	2026-09-14 21:00	91	Few	120/6kt	—	>10kft	>6SM
GFS	2026-09-15 00:00	88	Clear	170/6kt	16.0	>10kft	>6SM
GFS	2026-09-15 03:00	85	Clear	190/6kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KNEW 122053Z 19008KT 10SM CLR 28/24 A2997 RMK A01 SLP141 T02780239 58015 \$

TAF KNEW 122138Z 1222/1318 19006KT P6SM FEW020 OVC250 FM122300 VRB03KT P6SM BKN250 FM131500 25008KT P6SM FEW025

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KNEW; actual-station=KNEW; fetched-at=2026-09-12T22:19:40.465940+00:00; observed-or-issued-at=2026-09-12T20:53:00+00:00 — [AWC API](#)
 - TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KNEW; actual-station=KNEW; fetched-at=2026-09-12T22:19:40.815131+00:00; observed-or-issued-at=2026-09-12T21:38:00+00:00; valid-from=2026-09-12T22:00:00+00:00; valid-through=2026-09-13T18:00:00+00:00; partial-target-dates=2026-09-12,2026-09-13 — [AWC API](#)
- TAF proxy · KNEW
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KNEW; actual-station=KNEW; fetched-at=2026-09-12T22:19:42.866579+00:00
 - FAA NMS NOTAM — state=OK; requested-station=KNEW; actual-station=KNEW; fetched-at=2026-09-12T22:19:46.897125Z — [FAA NMS overview](#)
 - MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KNEW; actual-station=KNEW; fetched-at=2026-09-12T22:20:08.009263+00:00; observed-or-issued-at=2026-09-12T18:00:00+00:00; valid-from=2026-09-13T00:00:00+00:00; valid-through=2026-09-15T18:00:00+00:00; target-dates=2026-09-13,2026-09-14; partial-target-dates=2026-09-12; dates-with-points=2026-09-12,2026-09-13,2026-09-14 — [Iowa State API](#)
 - MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KNEW; actual-station=KNEW; fetched-at=2026-09-12T22:20:08.898073+00:00; observed-or-issued-at=2026-09-12T12:00:00+00:00; valid-from=2026-09-13T12:00:00+00:00; valid-through=2026-09-20T12:00:00+00:00; target-dates=2026-09-13,2026-09-14; dates-with-points=2026-09-13,2026-09-14 — [Iowa State API](#)
 - MOS effective date selection — state=partial; rows=18; requested-station=KNEW; actual-station=KNEW; fetched-at=2026-09-12T22:20:08.009263+00:00; observed-or-issued-at=2026-09-12T18:00:00+00:00; valid-from=2026-09-13T00:00:00+00:00; valid-through=2026-09-15T18:00:00+00:00; target-dates=2026-09-13,2026-09-14; partial-target-dates=2026-09-12; dates-with-points=2026-09-12,2026-09-13,2026-09-14; selected-by-date=2026-09-12=GFS, 2026-09-13=GFS, 2026-09-14=GFS
 - Extended outlook and hazard-feed states are reported in the source stamp.
 - Runway data + Chart Supplement — [FAA Chart Supplement \(current cycle\)](#) — see AirNav link above

#27

KOPF

Miami/Opa Locka Arpt, FL, US

· Long-range · Miami-Opa Locka

OBS - VFR

ETE

3h30

DIST

521 nm

SAT 12 SEP 16:33 ET OBSERVED

Current observation

OBS - VFR

OBSER



few 7,500 ft



WINDN (350°) 12 kt




TEMPERATURE26 °C



VISIBILITY10 sm



DEWPOINT23 °C



Wind favours RWY 30

350° true · 357° magnetic · 12 kt

Evidence & limitations

- METAR source state: ok; observed Sep 12 16:33 ET; retrieved Sep 12 18:19 ET; 106 min before this run.
- Measured values read from the KOPF METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.03 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KOPF runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 09L/27R, 12/30, 09R/27L. Wind from 350 degrees true, 357 degrees magnetic, at 12 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 30. Wind source: KOPF METAR 122033Z.

DESTINATION OUTLOOK

SAT 12 SEP 18:00–00:00 ET HIGH

Forecast

TA
F

TAF · VFR

FORECAST



Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
 - Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.
- Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sat Sep 12

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

SUN 13 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 13 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 13 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 13 SEP 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND6 kt

TEMPERATURE87–88 °F

DEWPOINT76 °F

PRECIP CHANCE30%

Evidence & limitations

• GFS MAV MOS · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 13

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND3–5 kt

TEMPERATURE82–84 °F

DEWPOINT76–77 °F

PRECIP CHANCE55%

Evidence & limitations

- GFS MAV MOS · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND2 kt

TEMPERATURE80–81 °F

DEWPOINT77 °F

PRECIP CHANCE20%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND2–4 kt



TEMPERATURE81–88 °F



DEWPOINT77–78 °F



PRECIP CHANCE10%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND6–7 kt



TEMPERATURE87–89 °F



DEWPOINT76 °F



PRECIP CHANCE18%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 14

00:00–06:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+048 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+054 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

29°C dep KLZU → 26°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

09L/27R (090/270°M · 083/263°T) · 12/30 (120/300°M · 113/293°T) · 09R/27L (090/270°M · 083/263°T) — designators and °M headings are magnetic; °T are true; variation 7°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

12 Act on

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

08/051	
5/7064	
5/0554	
86 additional normalized NOTAM records omitted from this view.	

Raw NOTAM data · NOTAMs as of 22:19 Z

NOTAMs as of 22:19 Z — advisory only; verify an official briefing.

6/2604	NOTAM text not available in this projection.
08/050	NOTAM text not available in this projection.
08/051	NOTAM text not available in this projection.
5/7064	NOTAM text not available in this projection.
5/0554	NOTAM text not available in this projection.
6/2599	NOTAM text not available in this projection.
6/2236	NOTAM text not available in this projection.
6/1259	NOTAM text not available in this projection.
6/8187	NOTAM text not available in this projection.
6/8903	NOTAM text not available in this projection.
6/8910	NOTAM text not available in this projection.
6/8914	NOTAM text not available in this projection.
6/8915	NOTAM text not available in this projection.

6/8918

NOTAM text not available in this projection.

6/8919

NOTAM text not available in this projection.

6/8921

NOTAM text not available in this projection.

05/045

NOTAM text not available in this projection.

07/090

NOTAM text not available in this projection.

07/091

NOTAM text not available in this projection.

07/092

NOTAM text not available in this projection.

07/093

NOTAM text not available in this projection.

07/094

NOTAM text not available in this projection.

07/095

NOTAM text not available in this projection.

07/096

NOTAM text not available in this projection.

07/097

NOTAM text not available in this projection.

07/098

NOTAM text not available in this projection.

07/102

NOTAM text not available in this projection.

07/103

NOTAM text not available in this projection.

07/104

NOTAM text not available in this projection.

07/109

NOTAM text not available in this projection.

07/110

NOTAM text not available in this projection.

07/111

NOTAM text not available in this projection.

07/112

NOTAM text not available in this projection.

07/113

NOTAM text not available in this projection.

07/114

NOTAM text not available in this projection.

07/115

NOTAM text not available in this projection.

07/116

NOTAM text not available in this projection.

07/117

NOTAM text not available in this projection.

07/118

NOTAM text not available in this projection.

07/119

NOTAM text not available in this projection.

07/120

NOTAM text not available in this projection.

07/121

NOTAM text not available in this projection.

07/124

NOTAM text not available in this projection.

07/125

NOTAM text not available in this projection.

07/126

NOTAM text not available in this projection.

07/130

NOTAM text not available in this projection.

07/131

NOTAM text not available in this projection.

07/132

NOTAM text not available in this projection.

07/133

NOTAM text not available in this projection.

07/134

NOTAM text not available in this projection.

10/001

NOTAM text not available in this projection.

10/002

NOTAM text not available in this projection.

10/044

NOTAM text not available in this projection.

10/045

NOTAM text not available in this projection.

10/050

NOTAM text not available in this projection.

10/051

NOTAM text not available in this projection.

10/046

NOTAM text not available in this projection.

10/047

NOTAM text not available in this projection.

10/048

NOTAM text not available in this projection.

10/049

NOTAM text not available in this projection.

11/013

NOTAM text not available in this projection.

11/014

NOTAM text not available in this projection.

11/015

NOTAM text not available in this projection.

11/016

NOTAM text not available in this projection.

11/025

NOTAM text not available in this projection.

11/026

NOTAM text not available in this projection.

11/027

NOTAM text not available in this projection.

11/028

NOTAM text not available in this projection.

02/017

NOTAM text not available in this projection.

02/018

NOTAM text not available in this projection.

03/037

NOTAM text not available in this projection.

03/038

NOTAM text not available in this projection.

03/044

NOTAM text not available in this projection.

05/068

NOTAM text not available in this projection.

05/069

NOTAM text not available in this projection.

05/070

NOTAM text not available in this projection.

05/071

NOTAM text not available in this projection.

05/073

NOTAM text not available in this projection.

05/074

NOTAM text not available in this projection.

06/061

NOTAM text not available in this projection.

06/062

NOTAM text not available in this projection.

06/063

NOTAM text not available in this projection.

08/030

NOTAM text not available in this projection.

08/033

NOTAM text not available in this projection.

08/034

NOTAM text not available in this projection.

08/035

NOTAM text not available in this projection.

08/036

NOTAM text not available in this projection.

08/039

NOTAM text not available in this projection.

08/040

NOTAM text not available in this projection.

08/041

NOTAM text not available in this projection.

08/042

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2026-09-12T22:19:46.906212Z.
LOCKA EXEC. MIAMI, FL. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 9A... TAKEOFF MINIMUMS: RWY 27L 300-1. TAKEOFF PART CRANES BEGINNING 1200FT FROM DER, 454FT RIGHT OF CENTERLINE, UP TO 34FT AGL/42FT MSL (2017-ASD-74175-NRA). TEMPORARY CRANES 1700FT LEFT OF CENTERLINE, UP TO 34FT AGL/42FT MSL (2017-ASD-74180-NRA). TEMPORARY CRANE 2021FT FROM DER, 85FT RIGHT OF CENTERLINE, 79FT AGL/117FT LEFT OF CENTERLINE, UP TO 34FT AGL/42FT MSL (2017-ASD-74180-NRA). TEMPORARY CRANE 2021FT FROM DER, 85FT RIGHT OF CENTERLINE, 79FT AGL/117FT LEFT OF CENTERLINE, UP TO 34FT AGL/42FT MSL (2017-ASD-74175-NRA). TEMPORARY CRANE 1670FT FROM DER, 601FT LEFT OF CENTERLINE, 110FT RIGHT OF CENTERLINE, UP TO 34FT AGL/42FT MSL (2017-ASD-74175-NRA). TEMPORARY CRANE 1670FT FROM DER, 601FT LEFT OF CENTERLINE, 110FT RIGHT OF CENTERLINE, UP TO 34FT AGL/42FT MSL (2017-ASD-74175-NRA). TEMPORARY CRANE 3466FT FROM DER, 1404FT RIGHT OF CENTERLINE, 120FT AGL/120FT MSL (2022-ASD-32474-DE). RWY 27L, TEMPORARY CRANES BEGINNING 467 FT RIGHT OF CENTERLINE, 167 AGL/177 MSL (2020-ASD-1933/1934-NRA). TEMPORARY CRANES BEGINNING 3250FT FROM DER, BEGINNING 614FT RIGHT OF CENTERLINE, 100FT AGL/107FT MSL (2023-ASD-27044/27046/27050/27052-DE). RWY 30, TEMPORARY CONSTRUCTION EQUIPMENT 33FT FROM DER, 227FT RIGHT OF CENTERLINE, PUBLISHED. END PART 1 OF 2 ODP MIAMI-OPA LOCKA EXEC. MIAMI, FL. 22FT AGL/27FT MSL (2022-ASD-7484-NRA). ALL OTHER DATA REMAINS AS PUBLISHED. END PART 2 OF 2

Effective 2026-03-03T15:34:00Z → 2026-11-16T15:34:00Z

RUNWAY

00050 → RWY 27R 1000FT DIST REMAINING SIGN MISSING

Effective 2026-08-20T11:42:00Z → 2027-08-01T04:00:00Z

RUNWAY

00051 → RWY 09L 7000FT DIST REMAINING SIGN MISSING

Effective 2026-08-20T11:43:00Z → 2027-08-01T04:00:00Z

NAV_APPROACH

07061 → IAP MIAMI-OPA LOCKA EXEC, MIAMI, FL. ILS OR LOC RWY 12, AMDT 2C... AUTOPILOT COUPLED APPROACH NA BELOW 550 MSL. 2500071214-2700071210EST

Effective 2025-05-07T12:14:00Z → 2027-05-07T12:13:00Z

NAV_APPROACH

00054 → IAP MIAMI-OPA LOCKA EXEC, MIAMI, FL. ILS OR LOC RWY 09, AMDT 6... AUTOPILOT COUPLED APPROACH NA BELOW 770. 2500251859-2700251859EST

Effective 2025-09-25T18:59:00Z → 2027-09-25T18:59:00Z

86 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KOPF this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

• Mon, Sep 14 • 06:00–12:00 ET: GFS MAV MOS • 06:00–12:00 ET ET • VFR

• Mon, Sep 14 · 12:00–18:00 ET: GFS MAV MOS · 12:00–18:00 ET ET · VFR

• Mon, Sep 14 · 18:00–00:00 ET: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-12=GFS, 2026-09-13=GFS, 2026-09-14=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-13 00:00	79	Ovc	110/6kt	—	>10kft	>6SM
GFS	2026-09-13 03:00	78	Ovc	100/2kt	—	>10kft	>6SM
GFS	2026-09-13 06:00	78	Bkn	160/4kt	32.0	>10kft	>6SM
GFS	2026-09-13 09:00	78	Sct	190/2kt	—	>10kft	>6SM
GFS	2026-09-13 12:00	79	Sct	230/2kt	10.0	>10kft	>6SM
GFS	2026-09-13 15:00	87	Sct	250/3kt	—	>10kft	>6SM
GFS	2026-09-13 18:00	88	Ovc	160/6kt	30.0	>10kft	>6SM
GFS	2026-09-13 21:00	87	Ovc	150/6kt	—	>10kft	>6SM
GFS	2026-09-14 00:00	84	Ovc	150/5kt	55.0	>10kft	>6SM
GFS	2026-09-14 03:00	82	Sct	160/3kt	—	>10kft	>6SM
GFS	2026-09-14 06:00	81	Sct	190/2kt	20.0	>10kft	>6SM
GFS	2026-09-14 09:00	80	Clear	220/2kt	—	>10kft	>6SM
GFS	2026-09-14 12:00	81	Clear	220/2kt	10.0	>10kft	>6SM
GFS	2026-09-14 15:00	88	Sct	190/4kt	—	>10kft	>6SM
GFS	2026-09-14 18:00	89	Bkn	150/6kt	18.0	>10kft	>6SM
GFS	2026-09-14 21:00	87	Ovc	120/7kt	—	>10kft	>6SM
GFS	2026-09-15 00:00	83	Ovc	120/6kt	38.0	>10kft	>6SM
GFS	2026-09-15 03:00	82	Ovc	120/2kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

SPECI KOPF 122033Z 35012KT 10SM VCTS FEW075 26/23 A3003 RMK A02 LTG DSNT W-N RAE22 TSE1957 T02560228 PNO \$

TAF KOPF 122153Z 1222/1318 34007KT P6SM VCSH SCT030 SCT050 FM130200 VRB04KT P6SM FEW050 SCT250

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KOPF; actual-station=KOPF; fetched-at=2026-09-12T22:19:40.465940+00:00; observed-or-issued-at=2026-09-12T20:33:00+00:00 — [AWC API](#)
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KOPF; actual-station=KOPF; fetched-at=2026-09-12T22:19:40.815131+00:00; observed-or-issued-at=2026-09-12T21:53:00+00:00; valid-from=2026-09-12T22:00:00+00:00; valid-through=2026-09-13T18:00:00+00:00; partial-target-dates=2026-09-12,2026-09-13 — [AWC API](#)
- TAF proxy · KOPF
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KOPF; actual-station=KOPF; fetched-at=2026-09-12T22:19:42.780336+00:00
- FAA NMS NOTAM — state=OK; requested-station=KOPF; actual-station=KOPF; fetched-at=2026-09-12T22:19:46.906212Z — [FAA NMS overview](#)
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KOPF; actual-station=KOPF; fetched-at=2026-09-12T22:20:08.048583+00:00; observed-or-issued-at=2026-09-12T18:00:00+00:00; valid-from=2026-09-13T00:00:00+00:00; valid-through=2026-09-15T18:00:00+00:00; target-dates=2026-09-13,2026-09-14; partial-target-dates=2026-09-12; dates-with-points=2026-09-12,2026-09-13,2026-09-14 — [Iowa State API](#)
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KOPF; actual-station=KOPF; fetched-at=2026-09-12T22:20:08.912942+00:00; observed-or-issued-at=2026-09-12T12:00:00+00:00; valid-from=2026-09-13T12:00:00+00:00; valid-through=2026-09-20T12:00:00+00:00; target-dates=2026-09-13,2026-09-14; dates-with-points=2026-09-13,2026-09-14 — [Iowa State API](#)
- MOS effective date selection — state=partial; rows=18; requested-station=KOPF; actual-station=KOPF; fetched-at=2026-09-12T22:20:08.048583+00:00; observed-or-issued-at=2026-09-12T18:00:00+00:00; valid-from=2026-09-13T00:00:00+00:00; valid-through=2026-09-15T18:00:00+00:00; target-dates=2026-09-13,2026-09-14; partial-target-dates=2026-09-12; dates-with-points=2026-09-12,2026-09-13,2026-09-14; selected-by-date=2026-09-12=GFS, 2026-09-13=GFS, 2026-09-14=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — [FAA Chart Supplement \(current cycle\)](#) — see AirNav link above

#28

KHPN White Plains/Westchester Cnty, NY, US

· Long-range · White Plains NY

OBS - VFR

ETE

4h18

DIST

647 nm

SAT 12 SEP 16:56 ET OBSERVED

Current observation

OBS - VFR

OBSER

METAR

R


scattered 3,600 ft

WINDSE (150°) 6 kt

TEMPERATURE23 °C

VISIBILITY10 sm

DEWPOINT17 °C



Wind favours RWY 16

150° true · 163° magnetic · 6 kt · also NOTAM-affected: 16 and 34

Evidence & limitations

- METAR source state: ok; observed Sep 12 16:56 ET; retrieved Sep 12 18:19 ET; 83 min before this run.
- Measured values read from the KHPN METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.08 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KHPN runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 16/34, 11/29. Wind from 150 degrees true, 163 degrees magnetic, at 6 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 16. NOTAM-affected runway ends, hatched separately from the wind highlight: 16 and 34. The wind-favoured end 16 is also NOTAM-affected: the wind does favour it, but a NOTAM on this card names it, so the highlight is not a statement that the runway is usable. The hatch marks only that a NOTAM names the runway; it does not decode the NOTAM's effective times, so confirm the closure window in the NOTAM text below. Wind source: KHPN METAR 122056Z.

DESTINATION OUTLOOK

SAT, SEP 12

SAT 12 SEP 18:00–00:00 ET HIGH

Forecast



Flight-category guidance



FORECAST

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sat Sep 12

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

SUN 13 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · LIFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · LIFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 13 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · MVFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 13 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · LIFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · LIFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 13 SEP 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND4–5 kt

TEMPERATURE75–77 °F

DEWPOINT69 °F

PRECIP CHANCE60%

Evidence & limitations

• GFS MAV MOS · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 13

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND3 kt



TEMPERATURE70–71 °F



DEWPOINT66–69 °F



PRECIP CHANCE1%

Evidence & limitations

- GFS MAV MOS · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND6–14 kt



TEMPERATURE65–68 °F



DEWPOINT58–62 °F



PRECIP CHANCE5%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND11–15 kt



TEMPERATURE65–67 °F



DEWPOINT52–55 °F



PRECIP CHANCE34%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND14–15 kt



TEMPERATURE71 °F



DEWPOINT44–47 °F



PRECIP CHANCE9%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 14

00:00–06:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+048 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+054 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

now

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

29°C dep KLZU → 23°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

rwY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

16/34 (160/340°M · 147/327°T) · 11/29 (110/290°M · 097/277°T) — designators and °M headings are magnetic; °T are true; variation 13°W (NOAA WMM2025)

info

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

8 Act on1 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

ed 2026-09-12T22:19:47.063275Z.			
WS			
FRI SEP 11	SAT SEP 12	SUN SEP 13	MON SEP 14

A3675/26				
09/062				
A3797/26				
23 additional normalized NOTAM records omitted from this view.				

Raw NOTAM data · NOTAMs as of 22:19 Z

NOTAMs as of 22:19 Z — advisory only; verify an official briefing.

08/243	NOTAM text not available in this projection.
08/245	NOTAM text not available in this projection.
A3675/26	NOTAM text not available in this projection.
09/062	NOTAM text not available in this projection.
A3797/26	NOTAM text not available in this projection.
03/058	NOTAM text not available in this projection.
A1006/26	NOTAM text not available in this projection.
03/062	NOTAM text not available in this projection.
A1019/26	NOTAM text not available in this projection.
04/112	NOTAM text not available in this projection.
A1392/26	NOTAM text not available in this projection.
07/120	NOTAM text not available in this projection.
A2868/26	NOTAM text not available in this projection.

08/016

NOTAM text not available in this projection.

A3278/26

NOTAM text not available in this projection.

08/204

NOTAM text not available in this projection.

A3585/26

NOTAM text not available in this projection.

09/053

NOTAM text not available in this projection.

A3791/26

NOTAM text not available in this projection.

6/4747

NOTAM text not available in this projection.

6/4758

NOTAM text not available in this projection.

A0678/26

NOTAM text not available in this projection.

A0679/26

NOTAM text not available in this projection.

03/045

NOTAM text not available in this projection.

6/5381

NOTAM text not available in this projection.

A1014/26

NOTAM text not available in this projection.

6/9015

NOTAM text not available in this projection.

A1738/26

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2026-09-12T22:19:47.063275Z.
2026-09-14T04:00:00Z
2026-09-15T09:30:00Z
2026-09-15T09:30:00Z
2026-09-15T09:30:00Z
2026-09-15T09:30:00Z

RUNWAY CLOSURE — KAVL

Effective 2026-09-14T04:00:00Z → 2026-09-15T09:30:00Z

23 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KHPN this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

- Mon, Sep 14 • 00:00–06:00 ET ET • VFR
- Mon, Sep 14 • 06:00–12:00 ET ET • LIFR
- Mon, Sep 14 • 12:00–18:00 ET ET • LIFR
- Mon, Sep 14 • 18:00–00:00 ET ET • MVFR
- Mon, Sep 14 • 00:00–06:00 ET ET • VFR
- Mon, Sep 14 • 06:00–12:00 ET ET • VFR
- Mon, Sep 14 • 12:00–18:00 ET ET • VFR
- Mon, Sep 14 • 18:00–00:00 ET ET • VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-12=GFS, 2026-09-13=GFS, 2026-09-14=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-13 00:00	69	Bkn	140/5kt	—	>10kft	>6SM
GFS	2026-09-13 03:00	66	Bkn	140/3kt	—	>10kft	>6SM
GFS	2026-09-13 06:00	67	Ovc	130/3kt	7.0	5-10kft	>6SM
GFS	2026-09-13 09:00	67	Ovc	110/3kt	—	500-1kft	3-5SM
GFS	2026-09-13 12:00	67	Ovc	70/4kt	95.0	500-1kft	½-1SM
GFS	2026-09-13 15:00	70	Ovc	340/6kt	—	200-500ft	3-5SM
GFS	2026-09-13 18:00	75	Ovc	320/5kt	60.0	3-5kft	>6SM
GFS	2026-09-13 21:00	77	Bkn	320/4kt	—	5-10kft	>6SM
GFS	2026-09-14 00:00	71	Sct	200/3kt	1.0	>10kft	>6SM
GFS	2026-09-14 03:00	70	Bkn	210/3kt	—	>10kft	>6SM
GFS	2026-09-14 06:00	68	Ovc	310/6kt	5.0	>10kft	>6SM
GFS	2026-09-14 09:00	65	Ovc	330/14kt	—	>10kft	>6SM
GFS	2026-09-14 12:00	65	Bkn	330/11kt	34.0	>10kft	>6SM
GFS	2026-09-14 15:00	67	Sct	330/15kt	—	>10kft	>6SM
GFS	2026-09-14 18:00	71	Few	330/15kt	9.0	>10kft	>6SM
GFS	2026-09-14 21:00	71	Clear	330/14kt	—	>10kft	>6SM
GFS	2026-09-15 00:00	63	Clear	330/10kt	0.0	>10kft	>6SM
GFS	2026-09-15 03:00	56	Clear	330/8kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KHPN 122056Z 15006KT 10SM SCT036 23/17 A3008 RMK A02 SLP182 T02330167 58013

TAF KHPN 121738Z 1218/1318 14007KT P6SM SCT080 SCT150 BKN250 FM122000 15010KT P6SM SCT050 BKN100 BKN250 FM130100 15007KT P6SM SCT030 BKN050 OVC100 FM130700 12005KT 3SM SHRA BKN006 PROB30 1309/1314 1SM +TSRA BKN004CB FM131400 26008KT 6SM -SHRA BR BKN006 PROB30 1314/1316 4SM -TSRA BKN006CB FM131600 32008KT P6SM BKN020 AMD NOT SKED

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KHPN; actual-station=KHPN; fetched-at=2026-09-12T22:19:40.465940+00:00; observed-or-issued-at=2026-09-12T20:56:00+00:00 — [AWC API](#)
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KHPN; actual-station=KHPN; fetched-at=2026-09-12T22:19:40.815131+00:00; observed-or-issued-at=2026-09-12T17:38:00+00:00; valid-from=2026-09-12T18:00:00+00:00; valid-through=2026-09-13T18:00:00+00:00; partial-target-dates=2026-09-12,2026-09-13 — [AWC API](#)
- TAF proxy · KHPN
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KHPN; actual-station=KHPN; fetched-at=2026-09-12T22:19:42.756582+00:00
- FAA NMS NOTAM — state=OK; requested-station=KHPN; actual-station=KHPN; fetched-at=2026-09-12T22:19:47.063275Z — [FAA NMS overview](#)
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KHPN; actual-station=KHPN; fetched-at=2026-09-12T22:20:08.057377+00:00; observed-or-issued-at=2026-09-12T18:00:00+00:00; valid-from=2026-09-13T00:00:00+00:00; valid-through=2026-09-15T18:00:00+00:00; target-dates=2026-09-13,2026-09-14; partial-target-dates=2026-09-12; dates-with-points=2026-09-12,2026-09-13,2026-09-14 — [Iowa State API](#)
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KHPN; actual-station=KHPN; fetched-at=2026-09-12T22:20:08.905671+00:00; observed-or-issued-at=2026-09-12T12:00:00+00:00; valid-from=2026-09-13T12:00:00+00:00; valid-through=2026-09-20T12:00:00+00:00; target-dates=2026-09-13,2026-09-14; dates-with-points=2026-09-13,2026-09-14 — [Iowa State API](#)
- MOS effective date selection — state=partial; rows=18; requested-station=KHPN; actual-station=KHPN; fetched-at=2026-09-12T22:20:08.057377+00:00; observed-or-issued-at=2026-09-12T18:00:00+00:00; valid-from=2026-09-13T00:00:00+00:00; valid-through=2026-09-15T18:00:00+00:00; target-dates=2026-09-13,2026-09-14; partial-target-dates=2026-09-12; dates-with-points=2026-09-12,2026-09-13,2026-09-14; selected-by-date=2026-09-12=GFS, 2026-09-13=GFS, 2026-09-14=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#29

KBED Bedford/Hanscom Fld, MA, US

· Long-range · Boston-Bedford MA

OBS - VFR

ETE

5h11

DIST

784 nm

SAT 12 SEP 16:51 ET OBSERVED

Current observation

OBS - VFR

OBSER

METAR

R

clear below 12,000 ft (CLR)

WINDSE (120°) 10 kt

TEMPERATURE23 °C

VISIBILITY10 sm

DEWPOINT12 °C



Wind favours RWY 11
120° true · 134° magnetic · 10 kt

Evidence & limitations

- METAR source state: ok; observed Sep 12 16:51 ET; retrieved Sep 12 18:19 ET; 88 min before this run.
- Measured values read from the KBED METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.09 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KBED runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 11/29, 05/23. Wind from 120 degrees true, 134 degrees magnetic, at 10 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 11. Wind source: KBED METAR 122051Z.

DESTINATION OUTLOOK

SAT, SEP 12

SAT 12 SEP 18:00–00:00 ET HIGH

Forecast

TAF
F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

TAF · 18:00–00:00 ET ET · VFR

Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sat Sep 12

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

SUN 13 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

TAF · 00:00–06:00 ET ET · MVFR

Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 13 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · IFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

TAF · 12:00–18:00 ET ET · IFR

Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 13 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · IFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

TAF · 06:00–12:00 ET ET · IFR

Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 13 SEP 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · LIFR

FORECAST

Flight-category guidance

WIND4–6 kt

TEMPERATURE69–70 °F

DEWPOINT65 °F

PRECIP CHANCE87%

Evidence & limitations

GFS MAV MOS · 18:00–00:00 ET ET · LIFR

Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 13

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

Forecast

GFS MAV MOS

GFS MAV MOS · LIFR

FORECAST

Flight-category guidance



WIND2 kt

TEMPERATURE65 °F

DEWPOINT63–64 °F

PRECIP CHANCE32%

Evidence & limitations

- GFS MAV MOS · 00:00–06:00 ET ET · LIFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND4–8 kt

TEMPERATURE64–65 °F

DEWPOINT58–60 °F

PRECIP CHANCE6%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND7–13 kt



TEMPERATURE63–69 °F



DEWPOINT52–54 °F



PRECIP CHANCE42%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance



WIND11–12 kt



TEMPERATURE71–73 °F



DEWPOINT47–49 °F



PRECIP CHANCE8%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 14

00:00–06:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+048 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+054 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

now

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

29°C dep KLZU → 23°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

rwY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

11/29 (110/290°M · 096/276°T) · 05/23 (050/230°M · 036/216°T) — designators and °M headings are magnetic; °T are true; variation 14°W (NOAA WMM2025)

info

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

4 Act on

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

ed 2026-09-12T22:19:47.067992Z.			
oritative)			
FRI SEP 11	SAT SEP 12	SUN SEP 13	MON SEP 14

A2225/26				
09/005				
09/006				
14 additional normalized NOTAM records omitted from this view.				

Raw NOTAM data · NOTAMs as of 22:19 Z

NOTAMs as of 22:19 Z — advisory only; verify an official briefing.

5/0511	NOTAM text not available in this projection.
06/013	NOTAM text not available in this projection.
A2225/26	NOTAM text not available in this projection.
09/005	NOTAM text not available in this projection.
09/006	NOTAM text not available in this projection.
08/020	NOTAM text not available in this projection.
A2431/26	NOTAM text not available in this projection.
08/088	NOTAM text not available in this projection.
A1392/25	NOTAM text not available in this projection.
5/0197	NOTAM text not available in this projection.
A2784/25	NOTAM text not available in this projection.
6/8189	NOTAM text not available in this projection.
A2533/26	NOTAM text not available in this projection.

06/012

NOTAM text not available in this projection.

06/054

NOTAM text not available in this projection.

07/034

NOTAM text not available in this projection.

A2378/26

NOTAM text not available in this projection.

08/093

NOTAM text not available in this projection.

09/008

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2026-09-12T22:19:47.067992Z.

HANSCOM FLD, BEDFORD, MA, TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 6A, . IN ADDITION TO EXISTING TAKEOFF OBSTACLE DATA, THE FOLLOWING TAKEOFF OBSTACLE DATA: 1. 155 FT AGL/282 FT MSL, ANTENNA 5027 FT FROM DER, 1882 FT LEFT OF CENTERLINE, 285 FT MSL. ALL OTHER OBSTACLES ARE LOWER THAN THE FOLLOWING:

0000Z

FOR RWP 29 LOT US

0000Z

WE FOR RWP 29 LOT US

0000Z

RUNWAY

000000 — RWP 29 HOLD FOR MARKINGS AT RWP 0503 0000

Effective 2026-09-02T16:47:00Z → 2026-11-13T22:00:00Z

RUNWAY

000000 — RWP 11 HOLD FOR MARKINGS AT RWP 0503 0000

Effective 2026-09-02T16:47:00Z → 2026-11-12T22:00:00Z

14 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MVA) — Model Output Statistics

the GFS model bias-corrected against decades of observations at this station. Issued four times a day in three-hourly steps out to about 72 hours. It carries an explicit ceiling and visibility category, so this card uses it to resolve a day the TAF cannot reach. A station-calibrated GFS MOS product was read for this airport this run (state: partial).

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KBED this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

Source state: partial; selected by target date: 2026-09-12=GFS, 2026-09-13=GFS, 2026-09-14=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

00:00 ET ET · VFR
03:00 ET ET · MVFR
06:00 ET ET · IFR
09:00 ET ET · IFR
12:00–18:00 ET ET · LIFR
18:00–00:00 ET ET · LIFR

- Mon, Sep 14 · 06:00–12:00 ET: GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Mon, Sep 14 · 12:00–18:00 ET: GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Mon, Sep 14 · 18:00–00:00 ET: GFS MAV MOS · 18:00–00:00 ET ET · VFR

[+ MOS target-window outlook \(GFS\)](#)

Source state: partial; selected by target date: 2026-09-12=GFS, 2026-09-13=GFS, 2026-09-14=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-13 00:00	66	Clear	150/6kt	—	>10kft	>6SM
GFS	2026-09-13 03:00	63	Sct	180/4kt	—	>10kft	>6SM
GFS	2026-09-13 06:00	63	Ovc	180/3kt	0.0	>10kft	>6SM
GFS	2026-09-13 09:00	63	Ovc	180/3kt	—	>10kft	>6SM
GFS	2026-09-13 12:00	63	Ovc	160/4kt	29.0	5-10kft	>6SM
GFS	2026-09-13 15:00	66	Ovc	130/4kt	—	500-1kft	1-2SM
GFS	2026-09-13 18:00	70	Ovc	80/6kt	87.0	200-500ft	½-1SM
GFS	2026-09-13 21:00	69	Ovc	90/4kt	—	200-500ft	½-1SM
GFS	2026-09-14 00:00	65	Ovc	260/2kt	32.0	200-500ft	3-5SM
GFS	2026-09-14 03:00	65	Ovc	230/2kt	—	200-500ft	3-5SM
GFS	2026-09-14 06:00	65	Ovc	230/4kt	6.0	500-1kft	½-1SM
GFS	2026-09-14 09:00	64	Ovc	300/8kt	—	5-10kft	>6SM
GFS	2026-09-14 12:00	63	Ovc	290/7kt	42.0	>10kft	>6SM

GFS	2026-09-14 15:00	69	Clear	320/13kt	—	>10kft	>6SM
GFS	2026-09-14 18:00	73	Few	320/12kt	8.0	>10kft	>6SM
GFS	2026-09-14 21:00	71	Clear	330/11kt	—	>10kft	>6SM
GFS	2026-09-15 00:00	62	Clear	340/6kt	0.0	>10kft	>6SM
GFS	2026-09-15 03:00	54	Clear	350/3kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KBED 122051Z 12010KT 10SM CLR 23/12 A3009 RMK A02 SLP201 T02280122 56010 \$

TAF KBED 121758Z 1218/1318 16007KT P6SM FEW250 FM130300 19004KT P6SM SCT120 FM130900 18004KT P6SM BKN040 TEMPO 1309/1313 4SM -SHRA OVC015 FM131300 12006KT P6SM -SHRA OVC008

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KBED; actual-station=KBED; fetched-at=2026-09-12T22:19:40.465940+00:00; observed-or-issued-at=2026-09-12T20:51:00+00:00 — [AWC API](#)
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KBED; actual-station=KBED; fetched-at=2026-09-12T22:19:40.815131+00:00; observed-or-issued-at=2026-09-12T17:58:00+00:00; valid-from=2026-09-12T18:00:00+00:00; valid-through=2026-09-13T18:00:00+00:00; partial-target-dates=2026-09-12,2026-09-13 — [AWC API](#)

TAF proxy · KBED

- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KBED; actual-station=KBED; fetched-at=2026-09-12T22:19:42.909839+00:00
- FAA NMS NOTAM — state=OK; requested-station=KBED; actual-station=KBED; fetched-at=2026-09-12T22:19:47.067992Z — [FAA NMS overview](#)
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KBED; actual-station=KBED; fetched-at=2026-09-12T22:20:08.092678+00:00; observed-or-issued-at=2026-09-12T18:00:00+00:00; valid-from=2026-09-13T00:00:00+00:00; valid-through=2026-09-15T18:00:00+00:00; target-dates=2026-09-13,2026-09-14; partial-target-dates=2026-09-12; dates-with-points=2026-09-12,2026-09-13,2026-09-14 — [Iowa State API](#)
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KBED; actual-station=KBED; fetched-at=2026-09-12T22:20:08.885594+00:00; observed-or-issued-at=2026-09-12T12:00:00+00:00; valid-from=2026-09-13T12:00:00+00:00; valid-through=2026-09-20T12:00:00+00:00; target-dates=2026-09-13,2026-09-14; dates-with-points=2026-09-13,2026-09-14 — [Iowa State API](#)
- MOS effective date selection — state=partial; rows=18; requested-station=KBED; actual-station=KBED; fetched-at=2026-09-12T22:20:08.092678+00:00; observed-or-issued-at=2026-09-12T18:00:00+00:00; valid-from=2026-09-13T00:00:00+00:00; valid-through=2026-09-15T18:00:00+00:00; target-dates=2026-09-13,2026-09-14; partial-target-dates=2026-09-12; dates-with-points=2026-09-12,2026-09-13,2026-09-14; selected-by-date=2026-09-12=GFS, 2026-09-13=GFS, 2026-09-14=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

3 · Hazard feeds & regional observations

Unfiltered hazard feeds (not route-geometry screened): 26 SIGMET records, 20 G-AIRMET records, 3 CWA records. Regional current observations (not corridor forecasts): Mountain: MVFR at KAVL, KGKT; Atlantic South: IFR/LIFR at KSGJ; Gulf East: MVFR at KSRQ.

Scope: Hazard counts are raw feed totals and have not been filtered against a proposed route, altitude, or time. Airport flight categories are current point observations, not corridor forecasts.

4 · Planning gates

- **Evidence gate:** an unavailable, stale, or out-of-horizon source is unknown — never treat it as favorable.
- **Weather gate:** compare current observations and valid-period forecasts with personal ceiling, visibility, convection, wind, and crosswind minimums.
- **Route gate:** screen the actual route, altitude, and time against official hazard products; feed totals on this page are not route-filtered.
- **Operations gate:** verify NOTAMs, TFRs, runway conditions, fuel, aircraft performance, daylight, and alternates.

5 · ForeFlight manual cross-check (before flight)

- Official briefing matches these go/no-go windows
- Prog charts / radar / satellite trend agrees with convection timing
- Winds & temps aloft along actual route (may shift ETE)
- **NOTAMs & TFRs** — airport-scoped NMS records may be shown, but route-wide/TFR coverage is not included; pull a fresh official briefing for departure, destination, and alternates
- Runway condition / length / closures at destination & alternate
- Weight & balance + performance at forecast density altitude (heat!)
- File & brief in ForeFlight; confirm fuel stops if long-range

6 · Source stamp

Show source stamp and evidence inventory

KLZU METAR excerpt: METAR KLZU 122056Z 27005. AWC METAR state OK for 30/30 airports; TAF target coverage for 0/30; MOS fetch health GFS 30/30, MEX 30/30; target coverage 60/90 airport-days; planned-window board coverage 3/3; combined target forecast coverage for 0/30; FAA status known for 0/30. Hazard feeds: state=ok; SIGMET=26, G-AIRMET=20, CWA=3; counts are unfiltered and are not a route assessment.
NWS AFD state: ok · FAA NMS NOTAM states: OK=30; normalized records=730; unnormalized records=0; environment=preprod; sandbox-public-preview=true · Fuel: best-effort (verify) · FAA chart cycle: VFR Sectional Ed. 98 (eff. 09/03/2026); Chart Supplement Ed. 5 (eff. 09/03/2026).

Executive summary (DETERMINISTIC · RESTATES PAGE EVIDENCE · NO MODEL CALLED)

A plain restatement of evidence shown in full below, computed from that evidence with no model call. It reports what the sources say; it does not rank the days, rate them, or make a go/no-go call. It follows the order the owner asked for: feasibility evidence, KLZU, destinations, weather by area or region, then new KLZU NOTAMs.

1 · Feasibility evidence for the trip window

This part is a derivation, not an observation: it states how much of the trip window carries a forecast flight category, and nothing more. It is not a go/no-go call, not a recommendation, and not a flight category. Its inputs and its gaps are listed in the tooltip on the line below.

- Trip window: Fri Sep 11 – Mon Sep 14, 2026. “This weekend” is taken to mean exactly this window; no other date range is assessed.
- Trip-window feasibility evidence (Derived): assessable for every active trip day — 3 of 3 active trip days in Fri Sep 11 – Mon Sep 14, 2026 carry a forecast flight category and 0 carry none. This is a derived statement about how much evidence exists, it is not a flight category, and it says nothing about whether a flight is advisable. Every input and every gap is named in this line's tooltip.

2 · KLZU home-base status

The KLZU observation and the per-day board categories, taken from the same helpers the board itself renders from, so the two cannot disagree.

- KLZU current observation: MVFR — from the surface observation read this run; it describes conditions now, not a trip day.
- Sat Sep 12, 18:00–22:00 ET: MVFR — most restrictive forecast flight category; high confidence; from TAF, MOS.
- Sun Sep 13, 06:00–22:00 ET: MVFR — most restrictive forecast flight category; medium confidence; from TAF, MOS.
- Mon Sep 14, 06:00–22:00 ET: VFR — most restrictive forecast flight category; medium confidence; from MOS.
- A forecast flight category is available for 3 of 3 active trip days; 0 reach no category-capable product at this lead time.

• Data quality: DEGRADED — as reported by the badge in the page header; it gates publication, it is not a weather statement.

3 • Destination coverage

Coverage, not a pick: this counts which destinations a product permitted to state a flight category actually reaches. It is not a ranking, not a recommendation, and the editorial order of the destination list is not a flyability score.

- Destinations: 29 of 29 covered airports resolve a forecast flight category on at least one active trip day; 0 resolve none at this lead time. Counted from the same per-day outlook the destination cards render, with outlook-grade blocks excluded.
- Most restrictive resolved category per covered airport, across the active trip days: KAVL LIFR (3/3 d), KBED LIFR (3/3 d), KBFM MVFR (3/3 d), KCRE MVFR (3/3 d), KCRG VFR (3/3 d), KDAB MVFR (3/3 d), KECP MVFR (3/3 d), KFIN MVFR (3/3 d), KGKT MVFR (3/3 d), KGPT VFR (3/3 d), KHPN LIFR (3/3 d), KHSA VFR (3/3 d); 17 further airports in section 2.
- NOTAMs: 29 of 29 destinations report an active NOTAM. KLZU departure NOTAM state: OK.

4 • Weather events by area or region

Weather events by area or region, from products that carry an area. Per-airport categories are never clustered into a region here: an area inferred that way would be a spatial claim no source made.

- 49 hazard areas retained with their own coordinate rings. Each is related to an airport only by point-in-polygon (ray casting) against the product's own coordinate ring, or by great-circle distance from the airport to the nearest point on the product's boundary within 100 NM — tested against 30 airports that reported a position this run. No area name is inferred: the only names stated are the ones a product supplies itself. Per-airport categories are never clustered into a region.
- 49 of 49 retained hazard areas are valid at some point inside the planned trip window; the rest describe conditions before it.
- G-AIRMET SIERRA — IFR: contains KGKT, KSHD, KAVL, KROA, KTRI (point-in-polygon (ray casting) against the product's own coordinate ring); boundary within 100 NM of KLZU 69 NM. valid 2026-09-12 20:45Z to 2026-09-13 03:00Z.
- G-AIRMET SIERRA — MT_OBSC: contains KLZU, KSHD, KROA, KAVL, KGKT, KTRI (point-in-polygon (ray casting) against the product's own coordinate ring). valid 2026-09-12 20:45Z to 2026-09-13 03:00Z.
- SIGMET 58E — CONVECTIVE: contains KDAB, KHXD, KFIN, KCRG, KSAV, KSGJ, KSSI (point-in-polygon (ray casting) against the product's own coordinate ring); boundary within 100 NM of KJZI 23 NM, KLZU 53 NM, KTPF 72 NM, KAVL 76 NM, KMYR 81 NM, KSPG 84 NM, KCRE 94 NM. valid 2026-09-12 21:55Z to 2026-09-12 23:55Z.
- SIGMET 60E — CONVECTIVE: contains KOPF (point-in-polygon (ray casting) against the product's own coordinate ring); boundary within 100 NM of KDAB 9 NM, KVNC 19 NM, KTPF 24 NM, KFIN 27 NM, KSRQ 27 NM, KSPG 33 NM, KSGJ 56 NM, KCRG 79 NM. valid 2026-09-12 21:55Z to 2026-09-12 23:55Z.
- SIGMET 29C — CONVECTIVE: contains KPNS, KECP (point-in-polygon (ray casting) against the product's own coordinate ring); boundary within 100 NM of KJKA 12 NM, KBFM 13 NM, KLZU 55 NM, KGPT 66 NM, KHSA 85 NM, KSAV 95 NM, KSSI 100 NM. valid 2026-09-12 21:55Z to 2026-09-12 23:55Z.
- SIGMET 33C — CONVECTIVE: contains KNEW (point-in-polygon (ray casting) against the product's own coordinate ring); boundary within 100 NM of KHSA 1 NM, KGPT 19 NM, KBFM 70 NM, KJKA 77 NM. valid 2026-09-12 21:55Z to 2026-09-12 23:55Z.
- SIGMET 63E — CONVECTIVE: contains KAVL, KTRI, KGKT (point-in-polygon (ray casting) against the product's own coordinate ring); boundary within 100 NM of KLZU 25 NM, KROA 26 NM, KMYR 78 NM, KCRE 79 NM, KSHD 94 NM. valid 2026-09-12 21:55Z to 2026-09-12 23:55Z.
- G-AIRMET ZULU — FZLVL: boundary within 100 NM of KMYR 1 NM, KSSI 1 NM, KCRE 15 NM, KLZU 38 NM, KCRG 45 NM, KAVL 48 NM, KHXD 55 NM, KSAV 56 NM, KJZI 63 NM, KBFM 65 NM, KNEW 65 NM, KHSA 68 NM, KSGJ 69 NM, KPNS 74 NM, KGKT 74 NM, KGPT 75 NM, KJKA 85 NM, KECP 92 NM, KFIN 99 NM; published as a line, not an enclosed area, so no containment test is made against it. valid 2026-09-12 20:45Z to 2026-09-13 03:00Z.
- G-AIRMET ZULU — FZLVL: boundary within 100 NM of KECP 64 NM; published as a line, not an enclosed area, so no containment test is made against it. valid 2026-09-12 20:45Z to 2026-09-13 03:00Z.
- G-AIRMET ZULU — FZLVL: boundary within 100 NM of KBED 97 NM; published as a line, not an enclosed area, so no containment test is made against it. valid 2026-09-12 20:45Z to 2026-09-13 03:00Z.
- SIGMET 55E — CONVECTIVE: boundary within 100 NM of KROA 25 NM, KSHD 31 NM, KTRI 74 NM. valid 2026-09-12 21:55Z to 2026-09-12 23:55Z.
- SIGMET 56E — CONVECTIVE: boundary within 100 NM of KROA 38 NM, KSHD 58 NM, KCRE 79 NM, KMYR 89 NM. valid 2026-09-12 21:55Z to 2026-09-12 23:55Z.
- SIGMET 57E — CONVECTIVE: boundary within 100 NM of KTRI 85 NM. valid 2026-09-12 21:55Z to 2026-09-12 23:55Z.
- SIGMET 61E — CONVECTIVE: boundary within 100 NM of KSRQ 31 NM, KVNC 33 NM, KSPG 33 NM, KTPF 44 NM, KECP 56 NM, KPNS 87 NM, KJKA 99 NM. valid 2026-09-12 21:55Z to 2026-09-12 23:55Z.
- SIGMET 62E — CONVECTIVE: boundary within 100 NM of KCRE 14 NM, KMYR 20 NM, KJZI 46 NM, KHXD 66 NM, KSSI 78 NM, KSAV 88 NM, KCRG 96 NM. valid 2026-09-12 21:55Z to 2026-09-12 23:55Z.
- SIGMET 32C — CONVECTIVE: boundary within 100 NM of KBFM 44 NM, KPNS 56 NM, KJKA 62 NM, KGPT 63 NM, KHSA 67 NM, KNEW 90 NM. valid 2026-09-12 21:55Z to 2026-09-12 23:55Z.
- 33 of 49 retained hazard areas could not be related to any airport this page covers, by either test. They remain national-unfiltered: their geography is real but lies outside 100 NM of every airport tested, and nothing is claimed about where they are.
- Hazard feed record counts this run, unfiltered and national: SIGMET 26, G-AIRMET 20, CWA 3; overall feed state ok; feed states — CWA: ok, G-AIRMET: ok, SIGMET: ok. These are totals over the whole feed, not a count near KLZU, not a count along any route, and not a route assessment.

5 • New KLZU NOTAMs

This run keeps no snapshot of the previous run, so “new” cannot mean “changed since last time”. It is defined below as an FAA-published timestamp window, and the service-status scan reads the published text of every KLZU record so a status embedded inside a record of another category is not missed.

- Baseline for “new”: a KLZU NOTAM whose own FAA-published timestamp (last update, else issue, else effective start) falls within the 72 hours before this run's generation time (2026-09-12T22:19:37.318889+00:00). This run holds no copy of the previous run's NOTAM set, so this is a source-timestamp window and not a difference against an earlier run.
- KLZU: none of the 17 current NOTAMs carries an FAA-published timestamp inside that window, so no NOTAM is new by that baseline. The existing records are unchanged, not absent.
- Service-status wording found in the published text of KLZU records, whatever their category — 6/6851 (NAV_APPROACH) states: “LZU AWOS OUT OF SERVICE.”; 6/6854 (NAV_APPROACH) states: “LZU AWOS OUT OF SERVICE.”; 6/6855 (NAV_APPROACH) states: “LZU AWOS OUT OF SERVICE.”; A0318/26 (NAV_APPROACH) states: “LZU AWOS OUT OF SERVICE.”; A0319/26 (NAV_APPROACH) states: “LZU AWOS OUT OF SERVICE.”; A0320/26 (NAV_APPROACH) states: “LZU AWOS OUT OF SERVICE.”; 09/014 (OTHER) states: “SVC AUTOMATED WX BCST SYSTEM NOT AVBL”. These are verbatim quotations from the record named beside each one; they are text matches inside those records, not NOTAMs of their own, and they are reported whether or not the carrying record is new.

This restates evidence; it is not a recommendation, not an all-clear, and not a data outage. The decision surfaces are the planning gates and the ForeFlight cross-check below, read against the KLZU board and destination cards. Every line above restates a value shown elsewhere on this page.

⚠ **Pre-planning only — not an official weather briefing.** Verify an official briefing, METAR/TAF/GFA/SIGMET/CWA, NOTAMs, TFRs, runway conditions, fuel, W&B, performance, and personal minimums before flight.

Shared planning page for N201MD & flying partners · static snapshot of the latest scheduled run · the scheduler checks hourly and republishes once at least 6 h have passed since the last publish, so the refresh lands about 4x a day at times that drift
Last updated Saturday Sep 12, 2026 · 6:19 PM ET · Next scheduled run: not before Sunday Sep 13 · 12:17 AM ET · Have a suggestion? Use the **Feedback** button.