KLZU · HOME STATION / AVIATION OPERATIONS

Flight Planning Desk

Performance profile: Mooney M20J · Lawrenceville, GA · **Fri Oct 9 – Mon Oct 12, 2026**

Data quality · DEGRADED

Live verification · Checking

Published snapshot · Generated · Saturday Oct 10, 2026 · 10:48 PM ET · Next run · not before Sunday Oct 11 · 5:17 AM ET

1 · KLZU departure / return board

KLZU Lawrenceville/Gwinnett Cnty, GA, US

Home base · timed forecast changes · source detail retained

OBS - LIFR

PLANNING HORIZON
Sat 10 → Mon 12 · 3 days

RIGHT NOW · METAR

SAT 10 OCT 20:56 ET OBSERVED

Current observation

OBS - LIFR

OBSER

METAR

overcast 200 ft

WIND E (70°) 9 kt

TEMPERATURE Unavailable

VISIBILITY 2 sm

DEWPOINT Unavailable



Wind favours RWY 07

070° true · 076° magnetic · 9 kt

Evidence & limitations

- METAR source state: ok; observed Oct 10 20:56 ET; retrieved Oct 10 22:48 ET; 112 min before this run.
- Measured values read from the KLZU METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.91 inHg.
- Raw METAR: `METAR KLZU 110056Z AUTO 07009KT 2SM BR OVC002 17/ A2991 RMK AO2 SLP135 T0172 PNO $`

• KLZU runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 07/25. Wind from 070 degrees true, 076 degrees magnetic, at 9 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 07. Wind source: KLZU METAR 110056Z.

Important planning / evidence detail (1 warning)

LEGEND VFR MVFR IFR LIFR Unknown Solid = source-interval category guidance Dashed = lower-confidence outlook Weather icon = surface forecastAll times Eastern (ET), 24-hour clock · “around/after” preserves source precision.

⚠ KLZU has no TAF station. Every KLZU TAF-derived value on this page is taken from the nearby **KPDK** proxy station, not from KLZU itself — treat it as regional, and confirm KLZU conditions in an official briefing.

A raster chart may be displayed with its issuing office and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

Sat
Oct 10

OUTBOUND DAY

CONFIDENCE UNAVAILABLE

OCT 10 · OPERATING DAY ENDED

METAR TAF NWS-hr NWS-day MAV MEX GFA NOTAM

METAR — issued hou… SPECI rep… visibility, w… Issued by … by aviation… not a forec… conditions… KLZU obs… describes…

TAF — highes… The N… times … FM an… TAF st… the str… page … forecas… no product could contribute.

NWS hour… Weather S… cell contai… and reachi… by-hour sk… and it is th… this board. forecast ev… no product…

NWS day/ni… Weather Se… and night ha… Coarser thai… one day furt… describe spa… reach. This … evidence in … product coul…

GFS M… the GF… decade… by the … day in … hours. … categ… the flig… timed f… ended)

GFA ai… Foreca… Predic… Nation… surfac… are ras… pressu… This pa… office and valid time and never interprets them: no category, wind, ceiling, ranking or go/no-go here is derived from an image. A published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

GFS e… range … twelve-… Coarse… numeri… a long … flagged… short-r… timed f… ended)

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KLZU this run.

…dance.

No operational note is available for this date.

SOURCES & LIMITATIONS — HOUR-BY-HOUR SOURC…

No per-hour KLZU forecast periods were retained for this date — source state: ended. Nothing has been withheld or summarised away; there is no hourly evidence to show.

WIND / WIND-FAVORED RUNWAY · ONE ENTRY PER DISPLAY BLOCK

06:00–22:00 ET

Wind guidance unavailable

Source state: ended

Runway guidance is approximate wind alignment only; verify ATIS, NOTAMs and actual runway use.

Day operations

WEATHER

TAF and radar cross-check.

PERFORMANCE

Temperature / performance check.

RUNWAY
Verify ATIS, NOTAMs and actual use.

Sun
Oct 11

RETURN DAY

HIGH CONFIDENCE

OCT 11 · 06:00–22:00 ET

METAR TAF NWS-hr NWS-day MAV MEX GFA NOTAM

METAR — issued ho… SPECI rep… visibility, w… Issued by … by aviation… not a forec… conditions… KLZU obs… describes conditions now, not this trip day.

TAF — highes… The N… times … FM an… TAF st… the str… page … covers part of this …

NWS hour… Weather S… cell contai… and reachi… by-hour sk… and it is th… this board. reaches th…

NWS day/ni… Weather Se… and night ha… Coarser thar… one day furt… describe spa… reach. Not n… by the finer-… forecast.

GFS M… the GF… decade… by the … day in … categ… the flig… corrob…

GFS e… range … twelve-… Coarse… numeri… a long … flagged… short-r… covere…

GFA a… Foreca… Predic… Nation… surfac… are ras… pressu… This pa… office and valid time and never interprets them: no category, wind, ceiling, ranking or go/no-go here is derived from an image. A published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KLZU this run.

…s · LIFR → MVFR

KPDK TAF - IFR | GFS OUTLOOK - LIFR | GFS MOS - LIFR

CLOUD 88%

FORECAST

WIND **SW (~225° true) · 9 kt**

PRECIP CHANCE **7–18%**

TS CHANCE **0–3%**

SKY COVER **77–88%**

Wind favors RWY 25
SW (~225° true) · 9 kt · full datum in the day evidence

Evidence & limitations

- The visible badge names the contributing product. Exact issuance, retrieval, and member-period provenance remains in Day evidence & planning note below.
- The hour-by-hour source evidence below retains every original period and its detailed wind line.

Surface prog · 06:00–10:00 ET · available

SUN 11 OCT 10:00–15:00 ET HIGH

Forecast KPDK TAF proxy

Cloudy → Mostly Cloudy → Slight Chance Rain Showers

KPDK TAF - IFR

GFS OUTLOOK - LIFR → IFR

GFS MOS - LIFR → IFR

CLOUD 89%

FORECAST

WIND SW–W · 9–13 kt

PRECIP CHANCE 7–16%

TS CHANCE 0%

SKY COVER 74–89%

Evidence & limitations

- The visible badge names the contributing product. Exact issuance, retrieval, and member-period provenance remains in Day evidence & planning note below.
- Flight category changes within this box: LIFR → IFR. The most restrictive displayed value is LIFR.
- The hour-by-hour source evidence below retains every original period and its detailed wind line.

Surface prog · 10:00–15:00 ET · available

SUN 11 OCT 15:00–18:00 ET HIGH

Forecast KPDK TAF proxy

Partly Sunny → Slight Chance Rain Showers

KPDK TAF - MVFR

GFS OUTLOOK - MVFR

GFS MOS - MVFR

FORECAST

WIND W (~270° true) · 9–13 kt

PRECIP CHANCE 14–16%

TS CHANCE 0%

SKY COVER 49–54%

Wind favors RWY 25

W (~270° true) · 9–13 kt · full datum in the day evidence

Evidence & limitations

- The visible badge names the contributing product. Exact issuance, retrieval, and member-period provenance remains in Day evidence & planning note below.
- The hour-by-hour source evidence below retains every original period and its detailed wind line.

Surface prog · 15:00–18:00 ET · available

SUN 11 OCT 18:00–22:00 ET HIGH

Forecast KPDK TAF proxy

Partly Cloudy → Mostly Cloudy

KPDK TAF - MVFR

GFS OUTLOOK - VFR

GFS MOS - VFR

FORECAST

WIND W (~270° true) · 9 kt

PRECIP CHANCE 2–4%

TS CHANCE 0%

SKY COVER 38–53%

Wind favors RWY 25

W (~270° true) · 9 kt · full datum in the day evidence

Evidence & limitations

- The visible badge names the contributing product. Exact issuance, retrieval, and member-period provenance remains in Day evidence & planning note below.
- Flight category changes within this box: MVFR → VFR. The most restrictive displayed value is MVFR.
- The hour-by-hour source evidence below retains every original period and its detailed wind line.

Surface prog · 18:00–22:00 ET · available

Day evidence & planning note

NWS surface forecast mentions convection/showers (18% precipitation probability); compare timed periods with TAF and current radar

SOURCES & LIMITATIONS — HOUR-BY-HOUR SOURCE EVIDENCE (15 FORECAST PERIODS)

06:00–08:00 ET

KPDK TAF - IFR

GFS OUTLOOK - LIFR

CLOUD 85%

Mostly Cloudy

Precipitation probability (PoP) 7–8%

Conditions only — not a flight category; states nothing about ceiling or visibility.

NWS + TAF + MOS · NWS ISSUED OCT 10 18:26 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 10 22:49 ET

08:00–09:00 ET

KPDK TAF - IFR

GFS MOS - LIFR

CLOUD 88%

Slight Chance Rain Showers

Precipitation probability (PoP) 18%

Conditions only — not a flight category; states nothing about ceiling or visibility.

NWS + TAF + MOS · NWS ISSUED OCT 10 18:26 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 10 22:49 ET

09:00–10:00 ET

KPDK TAF - IFR

GFS OUTLOOK - LIFR

CLOUD 87%

Mostly Cloudy

Precipitation probability (PoP) 11%

Conditions only — not a flight category; states nothing about ceiling or visibility.

NWS + TAF + MOS · NWS ISSUED OCT 10 18:26 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 10 22:49 ET

10:00–11:00 ET

KPDK TAF - IFR

GFS OUTLOOK - LIFR

CLOUD 89%

Cloudy

Precipitation probability (PoP) 9%

Conditions only — not a flight category; states nothing about ceiling or visibility.

NWS + TAF + MOS · NWS ISSUED OCT 10 18:26 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 10 22:49 ET

11:00–12:00 ET

KPDK TAF - IFR

GFS MOS - LIFR

CLOUD 87%

Mostly Cloudy

Precipitation probability (PoP) 9%

Conditions only — not a flight category; states nothing about ceiling or visibility.

NWS + TAF + MOS · NWS ISSUED OCT 10 18:26 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 10 22:49 ET

12:00–13:00 ET

KPDK TAF - IFR

GFS OUTLOOK - LIFR → IFR

CLOUD 84%

Mostly Cloudy

Precipitation probability (PoP) 7%

Conditions only — not a flight category; states nothing about ceiling or visibility.

NWS + TAF + MOS · NWS ISSUED OCT 10 18:26 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 10 22:49 ET

13:00–14:00 ET

KPDK TAF - IFR

GFS OUTLOOK - IFR

CLOUD 77%

Mostly Cloudy

Precipitation probability (PoP) 7%

Conditions only — not a flight category; states nothing about ceiling or visibility.

NWS + TAF + MOS · NWS ISSUED OCT 10 18:26 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 10 22:49 ET

14:00–15:00 ET

KPDK TAF - IFR

GFS MOS - IFR

CLOUD 74%

Slight Chance Rain Showers

Precipitation probability (PoP) 16%

Conditions only — not a flight category; states nothing about ceiling or visibility.

NWS + TAF + MOS · NWS ISSUED OCT 10 18:26 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 10 22:49 ET

15:00–16:00 ET

KPDK TAF - MVFR

GFS OUTLOOK - IFR → MVFR

Partly Sunny

Precipitation probability (PoP) 14%

NWS + TAF + MOS · NWS ISSUED OCT 10 18:26 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 10 22:49 ET

16:00–17:00 ET

KPDK TAF - MVFR

GFS OUTLOOK - MVFR

Slight Chance Rain Showers

Precipitation probability (PoP) 16%

NWS + TAF + MOS · NWS ISSUED OCT 10 18:26 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 10 22:49 ET

17:00–18:00 ET

KPDK TAF - MVFR

GFS MOS - MVFR

Partly Sunny

Precipitation probability (PoP) 14%

NWS + TAF + MOS · NWS ISSUED OCT 10 18:26 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 10 22:49 ET

18:00–19:00 ET

KPDK TAF - MVFR

GFS OUTLOOK - MVFR → VFR

Partly Cloudy

Precipitation probability (PoP) 2%

NWS + TAF + MOS · NWS ISSUED OCT 10 18:26 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 10 22:49 ET

19:00–20:00 ET

KPDK TAF - MVFR

GFS OUTLOOK - VFR

Partly Cloudy

Precipitation probability (PoP) 4%

NWS + TAF + MOS · NWS ISSUED OCT 10 18:26 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 10 22:49 ET

20:00–21:00 ET

GFS MOS - VFR

Mostly Cloudy

Precipitation probability (PoP) 2%

NWS + MOS · NWS ISSUED OCT 10 18:26 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 10 22:49 ET

21:00–22:00 ET

GFS OUTLOOK - VFR

Partly Cloudy

Precipitation probability (PoP) 2%

Beyond the 72 h short-range GFS MOS horizon at this lead time. The product published normally; this day is simply past its reach, which is expected and is not a fault. Expected to be covered from about Thu Oct 8 · 12:00 AM ET.

NWS + MOS · NWS ISSUED OCT 10 18:26 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 10 22:49 ET

WIND / WIND-FAVORED RUNWAY · ONE ENTRY PER DISPLAY BLOCK

06:00–08:00 ET
SW (~225° true) 9 kt
Approx. wind-favored RWY 25
NWS hourly surface forecast

08:00–09:00 ET
SW (~225° true) 9 kt
Approx. wind-favored RWY 25
NWS hourly surface forecast

09:00–10:00 ET
SW (~225° true) 9 kt
Approx. wind-favored RWY 25
NWS hourly surface forecast

10:00–11:00 ET
SW (~225° true) 9 kt
Approx. wind-favored RWY 25
NWS hourly surface forecast

11:00–12:00 ET
SW (~225° true) 9 kt
Approx. wind-favored RWY 25
NWS hourly surface forecast

12:00–13:00 ET
SW (~225° true) 13 kt
Approx. wind-favored RWY 25
NWS hourly surface forecast

13:00–14:00 ET
W (~270° true) 13 kt
Approx. wind-favored RWY 25
NWS hourly surface forecast

14:00–15:00 ET
W (~270° true) 13 kt
Approx. wind-favored RWY 25
NWS hourly surface forecast

15:00–16:00 ET
W (~270° true) 13 kt
Approx. wind-favored RWY 25
NWS hourly surface forecast

16:00–17:00 ET
W (~270° true) 13 kt
Approx. wind-favored RWY 25
NWS hourly surface forecast

17:00–18:00 ET
W (~270° true) 9 kt
Approx. wind-favored RWY 25
NWS hourly surface forecast

18:00–19:00 ET
W (~270° true) 9 kt
Approx. wind-favored RWY 25
NWS hourly surface forecast

19:00–20:00 ET
W (~270° true) 9 kt
Approx. wind-favored RWY 25
NWS hourly surface forecast

20:00–21:00 ET
W (~270° true) 9 kt
Approx. wind-favored RWY 25
NWS hourly surface forecast

21:00–22:00 ET
W (~270° true) 9 kt
Approx. wind-favored RWY 25
NWS hourly surface forecast

Surface prog evidence · Sun Oct 11

06:00–10:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

10:00–15:00 ET ET · 15:00–18:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–22:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

Runway guidance is approximate wind alignment only; verify ATIS, NOTAMs and actual runway use.

RWY numbers magnetic; wind converted from true using 6°W variation (NOAA WMM2025)

Day operations

WEATHER
TAF and radar cross-check.

PERFORMANCE

Temperature / performance check.

RUNWAY
Verify ATIS, NOTAMs and actual use.

Mon
Oct 12

RETURN DAY

MEDIUM CONFIDENCE

OCT 12 · 06:00–22:00 ET

METAR TAF NWS-hr NWS-day MAV MEX GFA NOTAM

METAR — issued ho… SPECI rep… visibility, w… Issued by … by aviation… not a fore… conditions… KLZU obs… describes…

TAF — highes… The N… times … FM an… TAF st… the str… page … about 30 hours, ho… any station.

NWS hour… Weather S… cell contain… and reachi… by-hour sk… and it is th… this board. … reaches th… by the finer-… forecast.

NWS day/ni… Weather Se… and night ha… Coarser than… one day furt… describe spa… reach. Not n…

GFS M… the GF… decade… by the … day in … hours. … categ… the flig… corrob…

GFS e… range … twelve-… Coarse… numeri… a long … flagged… short-r… covere…

GFA a… Foreca… Predic… Nation… surfac… are ras… pressu… This pa… office and valid time and never interprets them: no category, wind, ceiling, ranking or go/no-go here is derived from an image. A published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KLZU this run.

GFS OUTLOOK - VFR

GFS MOS - VFR

FORECAST

WIND **NW (~315° true) · 9 kt**

PRECIP CHANCE **0%**

TS CHANCE **0%**

SKY COVER **19–45%**

Wind favors RWY 25
NW (~315° true) · 9 kt · full datum in the day evidence

Evidence & limitations

- The visible badge names the contributing product. Exact issuance, retrieval, and member-period provenance remains in Day evidence & planning note below.
- The hour-by-hour source evidence below retains every original period and its detailed wind line.

Surface prog · 06:00–10:00 ET · available

MON 12 OCT 10:00–15:00 ET MEDIUM

Forecast

GFS MAV

GFS OUTLOOK - VFR

GFS MOS - VFR

Sunny

FORECAST

WIND NW (~315° true) · 9 kt

PRECIP CHANCE 0%

TS CHANCE 0%

SKY COVER 5–13%

Wind favors RWY 25

NW (~315° true) · 9 kt · full datum in the day evidence

Evidence & limitations

- The visible badge names the contributing product. Exact issuance, retrieval, and member-period provenance remains in Day evidence & planning note below.
- The hour-by-hour source evidence below retains every original period and its detailed wind line.

Surface prog · 10:00–15:00 ET · available

MON 12 OCT 15:00–18:00 ET MEDIUM

Forecast

GFS MAV

GFS OUTLOOK - VFR

GFS MOS - VFR

Sunny

FORECAST

WIND NW (~315° true) · 9 kt

PRECIP CHANCE 0%

TS CHANCE 0%

SKY COVER 3–4%

Wind favors RWY 25

NW (~315° true) · 9 kt · full datum in the day evidence

Evidence & limitations

- The visible badge names the contributing product. Exact issuance, retrieval, and member-period provenance remains in Day evidence & planning note below.
- The hour-by-hour source evidence below retains every original period and its detailed wind line.

Surface prog · 15:00–18:00 ET · available

MON 12 OCT 18:00–22:00 ET MEDIUM

Forecast

GFS MAV

GFS OUTLOOK - VFR

GFS MOS - VFR

FORECAST

Clear

WIND NW (~315° true) · 4–9 kt

PRECIP CHANCE 0%

TS CHANCE 0%

SKY COVER 2–3%

Wind favors RWY 25

NW (~315° true) · 4–9 kt · full datum in the day evidence

Evidence & limitations

- The visible badge names the contributing product. Exact issuance, retrieval, and member-period provenance remains in Day evidence & planning note below.
- The hour-by-hour source evidence below retains every original period and its detailed wind line.

Surface prog · 18:00–22:00 ET · available

Day evidence & planning note

No aviation-category inference — verify METAR/TAF

SOURCES & LIMITATIONS — HOUR-BY-HOUR SOURCE EVIDENCE (15 FORECAST PERIODS)

06:00–08:00 ET

GFS OUTLOOK - VFR

Mostly Sunny

Precipitation probability (PoP) 0%

Beyond the 72 h short-range GFS MOS horizon at this lead time. The product published normally; this day is simply past its reach, which is expected and is not a fault. Expected to be covered from about Fri Oct 9 · 12:00 AM ET.

NWS + MOS · NWS ISSUED OCT 10 18:26 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 10 22:49 ET

08:00–09:00 ET

GFS MOS - VFR

Sunny

Precipitation probability (PoP) 0%

NWS + MOS · NWS ISSUED OCT 10 18:26 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 10 22:49 ET

09:00–10:00 ET

GFS OUTLOOK - VFR

Sunny

Precipitation probability (PoP) 0%

Beyond the 72 h short-range GFS MOS horizon at this lead time. The product published normally; this day is simply past its reach, which is expected and is not a fault. Expected to be covered from about Fri Oct 9 · 12:00 AM ET.

NWS + MOS · NWS ISSUED OCT 10 18:26 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 10 22:49 ET

10:00–11:00 ET

GFS OUTLOOK - VFR

Sunny

Precipitation probability (PoP) 0%

Beyond the 72 h short-range GFS MOS horizon at this lead time. The product published normally; this day is simply past its reach, which is expected and is not a fault. Expected to be covered from about Fri Oct 9 · 12:00 AM ET.

NWS + MOS · NWS ISSUED OCT 10 18:26 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 10 22:49 ET

11:00–12:00 ET

GFS MOS - VFR

Sunny

Precipitation probability (PoP) 0%

NWS + MOS · NWS ISSUED OCT 10 18:26 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 10 22:49 ET

12:00–13:00 ET

GFS OUTLOOK - VFR

Sunny

Precipitation probability (PoP) 0%

Beyond the 72 h short-range GFS MOS horizon at this lead time. The product published normally; this day is simply past its reach, which is expected and is not a fault. Expected to be covered from about Fri Oct 9 · 12:00 AM ET.

NWS + MOS · NWS ISSUED OCT 10 18:26 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 10 22:49 ET

13:00–14:00 ET

GFS OUTLOOK - VFR

Sunny

Precipitation probability (PoP) 0%

Beyond the 72 h short-range GFS MOS horizon at this lead time. The product published normally; this day is simply past its reach, which is expected and is not a fault. Expected to be covered from about Fri Oct 9 · 12:00 AM ET.

NWS + MOS · NWS ISSUED OCT 10 18:26 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 10 22:49 ET

14:00–15:00 ET

GFS MOS - VFR

Sunny

Precipitation probability (PoP) 0%

NWS + MOS · NWS ISSUED OCT 10 18:26 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 10 22:49 ET

15:00–16:00 ET

GFS OUTLOOK - VFR

Sunny

Precipitation probability (PoP) 0%

Beyond the 72 h short-range GFS MOS horizon at this lead time. The product published normally; this day is simply past its reach, which is expected and is not a fault. Expected to be covered from about Fri Oct 9 · 12:00 AM ET.

NWS + MOS · NWS ISSUED OCT 10 18:26 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 10 22:49 ET

16:00–17:00 ET

GFS OUTLOOK - VFR

Sunny

Precipitation probability (PoP) 0%

Beyond the 72 h short-range GFS MOS horizon at this lead time. The product published normally; this day is simply past its reach, which is expected and is not a fault. Expected to be covered from about Fri Oct 9 · 12:00 AM ET.

NWS + MOS · NWS ISSUED OCT 10 18:26 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 10 22:49 ET

17:00–18:00 ET

GFS MOS - VFR

Sunny

Precipitation probability (PoP) 0%

NWS + MOS · NWS ISSUED OCT 10 18:26 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 10 22:49 ET

18:00–19:00 ET

GFS OUTLOOK - VFR

Clear

Precipitation probability (PoP) 0%

Beyond the 72 h short-range GFS MOS horizon at this lead time. The product published normally; this day is simply past its reach, which is expected and is not a fault. Expected to be covered from about Fri Oct 9 · 12:00 AM ET.

NWS + MOS · NWS ISSUED OCT 10 18:26 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 10 22:49 ET

19:00–20:00 ET

GFS OUTLOOK - VFR

Clear

Precipitation probability (PoP) 0%

Beyond the 72 h short-range GFS MOS horizon at this lead time. The product published normally; this day is simply past its reach, which is expected and is not a fault. Expected to be covered from about Fri Oct 9 · 12:00 AM ET.

NWS + MOS · NWS ISSUED OCT 10 18:26 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 10 22:49 ET

20:00–21:00 ET

GFS MOS - VFR

Clear

Precipitation probability (PoP) 0%

NWS + MOS · NWS ISSUED OCT 10 18:26 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 10 22:49 ET

21:00–22:00 ET

GFS OUTLOOK - VFR

Clear

Precipitation probability (PoP) 0%

Beyond the 72 h short-range GFS MOS horizon at this lead time. The product published normally; this day is simply past its reach, which is expected and is not a fault. Expected to be covered from about Fri Oct 9 · 12:00 AM ET.

NWS + MOS · NWS ISSUED OCT 10 18:26 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 10 22:49 ET

WIND / WIND-FAVORED RUNWAY · ONE ENTRY PER DISPLAY BLOCK

06:00–08:00 ET
NW (~315° true) 9 kt
Approx. wind-favored RWY 25 · crosswind 9 kt
NWS hourly surface forecast

08:00–09:00 ET
NW (~315° true) 9 kt
Approx. wind-favored RWY 25 · crosswind 9 kt
NWS hourly surface forecast

09:00–10:00 ET
NW (~315° true) 9 kt
Approx. wind-favored RWY 25 · crosswind 9 kt
NWS hourly surface forecast

10:00–11:00 ET
NW (~315° true) 9 kt
Approx. wind-favored RWY 25 · crosswind 9 kt
NWS hourly surface forecast

11:00–12:00 ET
NW (~315° true) 9 kt
Approx. wind-favored RWY 25 · crosswind 9 kt
NWS hourly surface forecast

12:00–13:00 ET
NW (~315° true) 9 kt
Approx. wind-favored RWY 25 · crosswind 9 kt
NWS hourly surface forecast

13:00–14:00 ET
NW (~315° true) 9 kt
Approx. wind-favored RWY 25 · crosswind 9 kt
NWS hourly surface forecast

14:00–15:00 ET
NW (~315° true) 9 kt
Approx. wind-favored RWY 25 · crosswind 9 kt
NWS hourly surface forecast

15:00–16:00 ET
NW (~315° true) 9 kt
Approx. wind-favored RWY 25 · crosswind 9 kt
NWS hourly surface forecast

16:00–17:00 ET
NW (~315° true) 9 kt
Approx. wind-favored RWY 25 · crosswind 9 kt
NWS hourly surface forecast

17:00–18:00 ET
NW (~315° true) 9 kt
Approx. wind-favored RWY 25 · crosswind 9 kt
NWS hourly surface forecast

18:00–19:00 ET
NW (~315° true) 9 kt
Approx. wind-favored RWY 25 · crosswind 9 kt
NWS hourly surface forecast

19:00–20:00 ET
NW (~315° true) 4 kt
Approx. wind-favored RWY 25
NWS hourly surface forecast

20:00–21:00 ET
NW (~315° true) 4 kt
Approx. wind-favored RWY 25
NWS hourly surface forecast

21:00–22:00 ET

NW (~315° true) 4 kt

Approx. wind-favored RWY 25

NWS hourly surface forecast

Surface prog evidence · Mon Oct 12

06:00–10:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

10:00–15:00 ET ET · 15:00–18:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–22:00 ET ET

WPC surface prog raster chart for F+048 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

Runway guidance is approximate wind alignment only; verify ATIS, NOTAMs and actual runway use.

RWY numbers magnetic; wind converted from true using 6°W variation (NOAA WMM2025)

Day operations

WEATHER
TAF and radar cross-check.

PERFORMANCE
Temperature / performance check.

RUNWAY
Verify ATIS, NOTAMs and actual use.

Pattern summary: .. (This afternoon through Sunday) Issued at 243 PM EDT Sat Oct 10 2026 Post Tropical Cyclone Isaias continues to push northward into northern Alabama and Tennessee with lingering effects continuing over portions of Georgia. — .. (Monday morning through next Friday) Issued at 243 PM EDT Sat Oct 10 2026 No changes were made to the longterm forecast.

NWS FFC Area Forecast Discussion · regional context, not a KLZU category or exact timing forecast

Extended outlook ▾

EXTENDED OUTLOOK SUMMARY

.. (This afternoon through Sunday)
Issued at 243 PM EDT Sat Oct 10 2026

Post Tropical Cyclone Isaias continues to push northward into northern Alabama and Tennessee with lingering effects continuing over portions of Georgia. — .. (Monday morning through next Friday)
Issued at 243 PM EDT Sat Oct 10 2026

No changes were made to the longterm forecast.

SHORT TERM

..
(This afternoon through Sunday)
Issued at 243 PM EDT Sat Oct 10 2026

Post Tropical Cyclone Isaias continues to push northward into northern Alabama and Tennessee with lingering effects continuing over portions of Georgia. The main area we are watching is the

southeast Georgia area where there is a tornado watch in effect for Emmanuel, Toombs, and Jefferson counties. There is a lingering band oriented from north to south through this area into south Georgia that is an area of enhanced CAPE (3000J/kg) and shear south of the warm front. There are multiple circulations we will continue to watch along this band for tornado potential through the next couple of hours. Further west and north, we can see the warm front boundary draped along I-20 that has steadily pushed north through the late morning/early afternoon. Areas east of I-75 and south of I-20 will be where we will be watching for the potential redevelopment of banding. All the ingredients are there to give us an elevated tornado and heavy rain threat BUT it will be a matter of IF this band can redevelop. With clearing ongoing, leaning towards at least some redevelopment here in the next couple of hours and lasting through late evening.

Winds have begun to diminish as Isaias has moved northward which has resulted in the cancellation of portions of the High wind warning and areas of the wind advisory. Wind gusts should remain in the 20-30mph range through the remainder of the evening with gusts in the higher elevations up to 40 to 50mph still possible.
Will continue to evaluate and potentially cancel early if needed.

The flood watch remains in effect through 8am tomorrow for eastern Georgia but will also likely be cancelled early. Areas south and east of I-85 in the south metro did receive anywhere from 2-4inches of rainfall through this morning and areas of east Georgia will continue to see heavy rainfall within these bands that could produce additional amounts of 1-3".

Isaias quickly moves northward with rain bands exiting the area around midnight tonight with clearing skies by tomorrow.

LONG TERM

..
(Monday morning through next Friday)
Issued at 243 PM EDT Sat Oct 10 2026

No changes were made to the longterm forecast.

The long term picks up after the remnants of Isaias are not but a memory. Dry air will settle in across the southeast and bring back a little bit of summer on the backside. Highs in the mid to upper 80s are expected as high pressure keeps winds out of the west. Drier conditions will start off the long term, but as the high slowly meanders to the east, we'll start to see a moisture return by the middle part of the work week brining afternoon heat index values back into the 90s.

Expect overnight lows to be comfortably in the 50s and 60s for much of the area with winds becoming light and variable during the overnight hours. By next weekend, some of the model runs are beginning to indicate the possibility for a strong cold front to push down from the north that will bring fall back into the region. But for the meantime, enjoy a little bit more late summer and plenty of sunshine.

+ Raw NWS AFD text

```
000
FXUS62 KFFC 102331
AFDFFC

Area Forecast Discussion
National Weather Service Peachtree City GA
731 PM EDT Sat Oct 10 2026

...New 00Z Aviation Discussion...

.KEY MESSAGES...

  - Post Tropical Cyclone Isaias continues to bring isolated to
    scattered impacts to the area through early Sunday, with gusty
    winds, heavy rain with isolated flooding, and the potential
    for a brief spin-up tornado or two.

  - With wet soils and high winds, falling trees and power outages
    will continue to be a threat through the day and into the
    overnight.

  - More tranquil weather will return by Monday.


&&

.SHORT TERM...
(This afternoon through Sunday)
Issued at 243 PM EDT Sat Oct 10 2026

Post Tropical Cyclone Isaias continues to push northward into
northern Alabama and Tennessee with lingering effects continuing
over portions of Georgia. The main area we are watching is the
southeast Georgia area where there is a tornado watch in effect for
Emmanuel, Toombs, and Jefferson counties. There is a lingering band
oriented from north to south through this area into south Georgia
that is an area of enhanced CAPE (3000J/kg) and shear south of the
warm front. There are multiple circulations we will continue to
watch along this band for tornado potential through the next couple
of hours. Further west and north, we can see the warm front boundary
draped along I-20 that has steadily pushed north through the late
morning/early afternoon. Areas east of I-75 and south of I-20 will
be where we will be watching for the potential redevelopment of
banding. All the ingredients are there to give us an elevated
tornado and heavy rain threat BUT it will be a matter of IF this
band can redevelop. With clearing ongoing, leaning towards at least
some redevelopment here in the next couple of hours and lasting
through late evening.

Winds have begun to diminish as Isaias has moved northward which has
resulted in the cancellation of portions of the High wind warning
and areas of the wind advisory. Wind gusts should remain in the 20-
30mph range through the remainder of the evening with gusts in the
higher elevations up to 40 to 50mph still possible.
Will continue to evaluate and potentially cancel early if needed.
```

```
The flood watch remains in effect through 8am tomorrow for eastern
Georgia but will also likely be cancelled early. Areas south and
east of I-85 in the south metro did receive anywhere from 2-4inches
of rainfall through this morning and areas of east Georgia will
continue to see heavy rainfall within these bands that could produce
additional amounts of 1-3".

Isaias quickly moves northward with rain bands exiting the area
around midnight tonight with clearing skies by tomorrow.

&&

.LONG TERM...
(Monday morning through next Friday)
Issued at 243 PM EDT Sat Oct 10 2026

No changes were made to the longterm forecast.

The long term picks up after the remnants of Isaias are not but a
memory. Dry air will settle in across the southeast and bring back a
little bit of summer on the backside. Highs in the mid to upper 80s
are expected as high pressure keeps winds out of the west. Drier
conditions will start off the long term, but as the high slowly
meanders to the east, we'll start to see a moisture return by the
middle part of the work week brining afternoon heat index values
back into the 90s.

Expect overnight lows to be comfortably in the 50s and 60s for much
of the area with winds becoming light and variable during the
overnight hours. By next weekend, some of the model runs are
beginning to indicate the possibility for a strong cold front to
push down from the north that will bring fall back into the region.
But for the meantime, enjoy a little bit more late summer and plenty
of sunshine.

&&

.AVIATION...
(00Z TAFS)
Issued at 725 PM EDT Sat Oct 10 2026

BKN to OVC IFR conds abound across northern TAF sites. Isold to
sct -SHRA will be psbl for the next several hours, ocnl
accompanied by low-VFR vs
```

1.1 · KLZU departure-airport NOTAM state

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 1 Act on 1 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

ed 2026-10-11T02:48:50.708477Z.

oritative)



6 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 02:48 Z

NOTAMs as of 02:48 Z — advisory only; verify an official briefing.

04/013

NOTAM text not available in this projection.

A0166/26

NOTAM text not available in this projection.

6/5419

NOTAM text not available in this projection.

A0178/26

NOTAM text not available in this projection.

07/011

NOTAM text not available in this projection.

07/030

NOTAM text not available in this projection.

07/034

NOTAM text not available in this projection.

08/001

NOTAM text not available in this projection.

08/024

NOTAM text not available in this projection.

10/001

NOTAM text not available in this projection.

A0381/26

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

Effective 2026-04-23T14:33:00Z → 2028-04-23T14:33:00Z

OBSTRUCTION

Effective 2026-07-13T11:11:00Z → 2026-10-12T04:00:00Z

6 additional normalized FAA NOTAM records omitted from this view.

2 · All 29 destinations — existing editorial RANK order

#1 **KAVL** **Asheville Muni, NC, US** · Mountain · cool mountain escape

OBS - MVFR

ETE 0h49

DIST 112 nm

SAT 10 OCT 20:54 ET OBSERVED

Current observation

OBS - MVFR

METAR

few 600 ft, overcast 1,700 ft

WIND calm

TEMPERATURE 15 °C

VISIBILITY 5 sm

DEWPOINT14 °C

Evidence & limitations

- METAR source state: ok; observed Oct 10 20:54 ET; retrieved Oct 10 22:48 ET; 114 min before this run.
- Measured values read from the KAVL METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.06 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.

DESTINATION OUTLOOK

SAT, OCT 10

SAT 10 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · IFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · IFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sat Oct 10

18:00–00:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

SUN, OCT 11

SUN 11 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · LIFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · LIFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 11 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · LIFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · LIFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 11 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · LIFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · LIFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 11 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 11

00:00–06:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 12

MON 12 OCT 00:00–06:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · LIFR

FORECAST

Flight-category guidance

WIND 8–11 kt

TEMPERATURE 58–59 °F

DEWPOINT 58–59 °F

PRECIP CHANCE 33%

Evidence & limitations

- GFS MAV MOS · 00:00–06:00 ET ET · LIFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 12 OCT 06:00–12:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · LIFR

FORECAST

Flight-category guidance

WIND 11–13 kt

TEMPERATURE 58 °F

DEWPOINT 58 °F

PRECIP CHANCE 33%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · LIFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 12 OCT 12:00–18:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 13–18 kt

TEMPERATURE 58–67 °F

DEWPOINT 57–58 °F

PRECIP CHANCE 13%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 12 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 12–18 kt

TEMPERATURE 76–78 °F

DEWPOINT 52–54 °F

PRECIP CHANCE 4%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 12

00:00–06:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+048 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
6000 ft

CURRENT METAR TEMP DEP / DEST
17°C dep KLZU → 15°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
17/35 (170/350°M · 163/343°T) — designators and °M headings are magnetic; °T are true; variation 7°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 13 Act on 1 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What

3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

ed 2026-10-11T02:48:50.708833Z.

FRI OCT 9 | SAT OCT 10 | SUN OCT 11 | MON OCT 12

A1217/26	[redacted]	
A1219/26	[redacted]	
A1225/26	[redacted]	

55 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 02:48 Z

NOTAMs as of 02:48 Z — advisory only; verify an official briefing.

09/117

NOTAM text not available in this projection.

A1215/26

NOTAM text not available in this projection.

A1217/26

NOTAM text not available in this projection.

A1219/26

NOTAM text not available in this projection.

A1225/26

NOTAM text not available in this projection.

A1226/26

NOTAM text not available in this projection.

A1230/26

NOTAM text not available in this projection.

A1235/26

NOTAM text not available in this projection.

A1239/26

NOTAM text not available in this projection.

10/030

NOTAM text not available in this projection.

A1227/26

NOTAM text not available in this projection.

10/032

NOTAM text not available in this projection.

A1232/26

NOTAM text not available in this projection.

10/019

NOTAM text not available in this projection.

A1203/26

NOTAM text not available in this projection.

10/035

NOTAM text not available in this projection.

A1237/26

NOTAM text not available in this projection.

01/023

NOTAM text not available in this projection.

A0040/26

NOTAM text not available in this projection.

09/116

NOTAM text not available in this projection.

A1158/26

NOTAM text not available in this projection.

A1216/26

NOTAM text not available in this projection.

A1218/26

NOTAM text not available in this projection.

A1220/26

NOTAM text not available in this projection.

A1228/26

NOTAM text not available in this projection.

A1231/26

NOTAM text not available in this projection.

A1234/26

NOTAM text not available in this projection.

10/031

NOTAM text not available in this projection.

A1229/26

NOTAM text not available in this projection.

10/033

NOTAM text not available in this projection.

A1233/26

NOTAM text not available in this projection.

10/020

NOTAM text not available in this projection.

A1204/26

NOTAM text not available in this projection.

10/034

NOTAM text not available in this projection.

A1236/26

NOTAM text not available in this projection.

4/1431

NOTAM text not available in this projection.

A0991/24

NOTAM text not available in this projection.

5/9960

NOTAM text not available in this projection.

A0285/25

NOTAM text not available in this projection.

06/067

NOTAM text not available in this projection.

A0730/26

NOTAM text not available in this projection.

09/118

NOTAM text not available in this projection.

09/119

NOTAM text not available in this projection.

A1161/26

NOTAM text not available in this projection.

A1162/26

NOTAM text not available in this projection.

10/036

NOTAM text not available in this projection.

A1238/26

NOTAM text not available in this projection.

10/037

NOTAM text not available in this projection.

A1240/26

NOTAM text not available in this projection.

12/023

NOTAM text not available in this projection.

A1148/25

NOTAM text not available in this projection.

07/051

NOTAM text not available in this projection.

08/090

NOTAM text not available in this projection.

09/025

NOTAM text not available in this projection.

09/026

NOTAM text not available in this projection.

09/120

NOTAM text not available in this projection.

10/007

NOTAM text not available in this projection.

10/013

NOTAM text not available in this projection.

10/014

NOTAM text not available in this projection.

A1241/26

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

026-10-11T02:48:50.708833Z.

RUNWAY
Effective 2026-10-08T13:35:00Z → 2026-10-11T13:35:00Z

RUNWAY
Effective 2026-10-11T04:00:00Z → 2026-10-11T09:15:00Z

RUNWAY
Effective 2026-10-11T04:00:00Z → 2026-10-11T09:15:00Z

RUNWAY
Effective 2026-10-12T04:00:00Z → 2026-10-12T09:15:00Z

RUNWAY
Effective 2026-10-12T04:00:00Z → 2026-10-12T09:15:00Z

RUNWAY
Effective 2026-10-13T04:00:00Z → 2026-10-13T09:30:00Z

RUNWAY
Effective 2026-10-13T04:00:00Z → 2026-10-13T09:30:00Z

RUNWAY
Effective 2026-10-14T04:00:00Z → 2026-10-14T09:15:00Z

RUNWAY
Effective 2026-10-14T04:00:00Z → 2026-10-14T09:15:00Z

47 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical

Forecast for Aviation and the Weather Prediction Center surface progs, issued by the National Weather Service through the day; the surface prog series reaches 144 hours. They are raster images a pilot reads for fronts, pressure systems and precipitation shields. This page displays them with their issuing office and valid time and never interprets them: no category, wind, ceiling, ranking or go/no-go here is derived from an image. A published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

00 ET ET · IFR
:00 ET ET · LIFR
:00 ET ET · LIFR
:00 ET ET · LIFR
:00 ET ET · MVFR

- **Mon, Oct 12 · 00:00–06:00 ET**: GFS MAV MOS · 00:00–06:00 ET ET · LIFR
- **Mon, Oct 12 · 06:00–12:00 ET**: GFS MAV MOS · 06:00–12:00 ET ET · LIFR
- **Mon, Oct 12 · 12:00–18:00 ET**: GFS MAV MOS · 12:00–18:00 ET ET · VFR
- **Mon, Oct 12 · 18:00–00:00 ET**: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-10=GFS, 2026-10-11=GFS, 2026-10-12=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-11 00:00	63	Ovc	20/8kt	—	500-1kft	3-5SM
GFS	2026-10-11 03:00	63	Ovc	130/6kt	—	500-1kft	3-5SM
GFS	2026-10-11 06:00	63	Ovc	170/5kt	100.0	200-500ft	1-2SM
GFS	2026-10-11 09:00	64	Ovc	170/4kt	—	<200ft	<¼SM
GFS	2026-10-11 12:00	63	Ovc	170/7kt	96.0	<200ft	<¼SM
GFS	2026-10-11 15:00	63	Ovc	330/8kt	—	1-3kft	>6SM
GFS	2026-10-11 18:00	62	Ovc	250/8kt	30.0	1-3kft	>6SM
GFS	2026-10-11 21:00	60	Ovc	320/10kt	—	3-5kft	>6SM
GFS	2026-10-12 00:00	59	Ovc	330/11kt	33.0	5-10kft	>6SM
GFS	2026-10-12 03:00	58	Ovc	330/8kt	—	5-10kft	3-5SM
GFS	2026-10-12 06:00	58	Bkn	340/11kt	33.0	5-10kft	½-1SM
GFS	2026-10-12 09:00	58	Bkn	340/13kt	—	<200ft	<¼SM
GFS	2026-10-12 12:00	58	Ovc	340/13kt	13.0	<200ft	<¼SM
GFS	2026-10-12 15:00	67	Clear	350/18kt	—	>10kft	>6SM
GFS	2026-10-12 18:00	76	Clear	350/18kt	4.0	>10kft	>6SM
GFS	2026-10-12 21:00	78	Clear	350/12kt	—	>10kft	>6SM

GFS	2026-10-13 00:00	69	Clear	340/5kt	0.0	>10kft	>6SM
GFS	2026-10-13 03:00	62	Clear	340/1kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KAVL 110054Z 00000KT 5SM BR FEW006 OVC017 15/14 A3006 RMK AO1 SLP165 P0021 T01500144 $

TAF KAVL 102320Z 1100/1124 17009KT 3SM SHRA BR BKN009 OVC011 PROB30 1100/1103 1SM TSRA BR BKN006CB OVC010 FM110400 16011KT 2SM +SHRA BR OVC007 FM110900 15010KT 1SM SHRA BR OVC003 FM111700
20009KT 4SM BR BKN012 FM112300 31004KT P6SM SCT014
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KAVL; actual-station=KAVL; fetched-at=2026-10-11T02:48:45.335441+00:00; observed-or-issued-at=2026-10-11T00:54:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KAVL; actual-station=KAVL; fetched-at=2026-10-11T02:48:45.531036+00:00; observed-or-issued-at=2026-10-10T23:20:00+00:00; valid-from=2026-10-11T00:00:00+00:00; valid-through=2026-10-12T00:00:00+00:00; partial-target-dates=2026-10-10,2026-10-11 — AWC API

  TAF proxy · KAVL
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KAVL; actual-station=KAVL; fetched-at=2026-10-11T02:48:46.137241+00:00
- FAA NMS NOTAM — state=OK; requested-station=KAVL; actual-station=KAVL; fetched-at=2026-10-11T02:48:50.708833Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KAVL; actual-station=KAVL; fetched-at=2026-10-11T02:49:09.569553+00:00; observed-or-issued-at=2026-10-10T18:00:00+00:00; valid-from=2026-10-11T00:00:00+00:00; valid-through=2026-10-13T18:00:00+00:00; target-dates=2026-10-11,2026-10-12; partial-target-dates=2026-10-10; dates-with-points=2026-10-10,2026-10-11,2026-10-12 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KAVL; actual-station=KAVL; fetched-at=2026-10-11T02:49:10.491425+00:00; observed-or-issued-at=2026-10-10T12:00:00+00:00; valid-from=2026-10-11T12:00:00+00:00; valid-through=2026-10-18T12:00:00+00:00; target-dates=2026-10-11,2026-10-12; dates-with-points=2026-10-11,2026-10-12 — Iowa State API
- MOS effective date selection — state=partial; rows=18; requested-station=KAVL; actual-station=KAVL; fetched-at=2026-10-11T02:49:09.569553+00:00; observed-or-issued-at=2026-10-10T18:00:00+00:00; valid-from=2026-10-11T00:00:00+00:00; valid-through=2026-10-13T18:00:00+00:00; target-dates=2026-10-11,2026-10-12; partial-target-dates=2026-10-10; dates-with-points=2026-10-10,2026-10-11,2026-10-12; selected-by-date=2026-10-10=GFS, 2026-10-11=GFS, 2026-10-12=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#2 **KSAV** **Savannah Intl, GA, US** · Atlantic South · historic coast

OBS - VFR

ETE 1h15

DIST 178 nm

SAT 10 OCT 20:53 ET OBSERVED

Current observation METAR

OBS - VFR

OBSER

few 1,200 ft, scattered 5,500 ft, overcast 7,000 ft

WINDS (160°) 7 kt

TEMPERATURE 26 °C

VISIBILITY 10 sm

DEWPOINT 25 °C



Wind favours RWY 19

160° true · 167° magnetic · 7 kt

Evidence & limitations

- METAR source state: ok; observed Oct 10 20:53 ET; retrieved Oct 10 22:48 ET; 115 min before this run.
- Measured values read from the KSAV METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.99 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KSAV runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 10/28, 01/19. Wind from 160 degrees true, 167 degrees magnetic, at 7 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 19. Wind source: KSAV METAR 110053Z.

DESTINATION OUTLOOK

SAT, OCT 10

SAT 10 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sat Oct 10

18:00–00:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

SUN, OCT 11

SUN 11 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 11 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 11 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 11 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 11

00:00–06:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 12

MON 12 OCT 00:00–06:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 7 kt

TEMPERATURE 70–73 °F

DEWPOINT 64–65 °F

PRECIP CHANCE 7%

Evidence & limitations

- GFS MAV MOS · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 12 OCT 06:00–12:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 7–8 kt

TEMPERATURE 67–68 °F

DEWPOINT 62–63 °F

PRECIP CHANCE 0%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 12 OCT 12:00–18:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 6–11 kt

TEMPERATURE 67–77 °F

DEWPOINT 62–63 °F

PRECIP CHANCE 4%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 12 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 8–12 kt

TEMPERATURE 85–86 °F

DEWPOINT 62–63 °F

PRECIP CHANCE 1%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 12

00:00–06:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+048 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
6000 ft

CURRENT METAR TEMP DEP / DEST
17°C dep KLZU → 26°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
10/28 (100/280°M · 093/273°T) · 01/19 (010/190°M · 003/183°T) — designators and °M headings are magnetic; °T are true; variation 7°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs
FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 14 Act on 3 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What
3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

ed 2026-10-11T02:48:50.709303Z.

FRI OCT 9 | SAT OCT 10 | SUN OCT 11 | MON OCT 12

A1055/26	
09/025	
A0416/24	

36 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 02:48 Z

NOTAMs as of 02:48 Z — advisory only; verify an official briefing.

A1049/26

NOTAM text not available in this projection.

A1053/26

NOTAM text not available in this projection.

A1055/26

NOTAM text not available in this projection.

09/025

NOTAM text not available in this projection.

A0416/24

NOTAM text not available in this projection.

M0022/26

NOTAM text not available in this projection.

M0022/26

NOTAM text not available in this projection.

M0023/26

NOTAM text not available in this projection.

09/111

NOTAM text not available in this projection.

A1016/26

NOTAM text not available in this projection.

5/5965

NOTAM text not available in this projection.

A0799/25

NOTAM text not available in this projection.

5/5767

NOTAM text not available in this projection.

5/5768

NOTAM text not available in this projection.

A0796/25

NOTAM text not available in this projection.

A0797/25

NOTAM text not available in this projection.

05/093

NOTAM text not available in this projection.

A0523/26

NOTAM text not available in this projection.

A1045/26

NOTAM text not available in this projection.

6/8138

NOTAM text not available in this projection.

6/8148

NOTAM text not available in this projection.

A1044/26

NOTAM text not available in this projection.

A1046/26

NOTAM text not available in this projection.

A1035/26

NOTAM text not available in this projection.

12/023

NOTAM text not available in this projection.

A0801/25

NOTAM text not available in this projection.

08/003

NOTAM text not available in this projection.

08/017

NOTAM text not available in this projection.

08/025

NOTAM text not available in this projection.

08/058

NOTAM text not available in this projection.

08/080

NOTAM text not available in this projection.

08/107

NOTAM text not available in this projection.

09/020

NOTAM text not available in this projection.

09/030

NOTAM text not available in this projection.

10/001

NOTAM text not available in this projection.

10/010

NOTAM text not available in this projection.

10/012

NOTAM text not available in this projection.

10/037

NOTAM text not available in this projection.

10/030

NOTAM text not available in this projection.

A1052/26

NOTAM text not available in this projection.

10/023

NOTAM text not available in this projection.

10/026

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state:

OK. The dot colour reports whether this source was read this run; technical environment: preprod.

:00Z

:00Z

TAXIWAY

Effective 2024-09-10T15:00:00Z → 2026-12-31T22:00:00Z

36 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KSAV this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · MVFR

:00 ET ET · VFR

:00 ET ET · VFR

S · 00:00–06:00 ET ET · VFR

• **Mon, Oct 12 · 06:00–12:00 ET**: GFS MAV MOS · 06:00–12:00 ET ET · VFR

• **Mon, Oct 12 · 12:00–18:00 ET**: GFS MAV MOS · 12:00–18:00 ET ET · VFR

• **Mon, Oct 12 · 18:00–00:00 ET**: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-10=GFS, 2026-10-11=GFS, 2026-10-12=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-11 00:00	79	Ovc	150/9kt	—	>10kft	>6SM
GFS	2026-10-11 03:00	78	Ovc	160/9kt	—	>10kft	>6SM
GFS	2026-10-11 06:00	78	Ovc	180/8kt	76.0	5-10kft	>6SM
GFS	2026-10-11 09:00	76	Ovc	220/8kt	—	500-1kft	>6SM

GFS	2026-10-11 12:00	73	Ovc	230/10kt	60.0	1-3kft	>6SM
GFS	2026-10-11 15:00	75	Bkn	260/13kt	—	>10kft	>6SM
GFS	2026-10-11 18:00	78	Sct	260/16kt	26.0	>10kft	>6SM
GFS	2026-10-11 21:00	79	Sct	260/14kt	—	>10kft	>6SM
GFS	2026-10-12 00:00	73	Clear	260/7kt	7.0	>10kft	>6SM
GFS	2026-10-12 03:00	70	Clear	260/7kt	—	>10kft	>6SM
GFS	2026-10-12 06:00	68	Clear	270/7kt	0.0	>10kft	>6SM
GFS	2026-10-12 09:00	67	Clear	270/8kt	—	>10kft	>6SM
GFS	2026-10-12 12:00	67	Clear	280/6kt	4.0	>10kft	>6SM
GFS	2026-10-12 15:00	77	Clear	310/11kt	—	>10kft	>6SM
GFS	2026-10-12 18:00	85	Clear	320/12kt	1.0	>10kft	>6SM
GFS	2026-10-12 21:00	86	Clear	320/8kt	—	>10kft	>6SM
GFS	2026-10-13 00:00	76	Clear	330/4kt	0.0	>10kft	>6SM
GFS	2026-10-13 03:00	71	Clear	0/0kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KSAV 110053Z 16007KT 10SM FEW012 SCT055 OVC070 26/25 A2999 RMK AO2 SLP153 CB DSNT S AND NW MOV NE T02610250

TAF KSAV 102321Z 1100/1124 16010KT P6SM VCSH SCT040 BKN080 FM110300 18008KT P6SM SCT020 BKN050 FM111000 19007KT P6SM VCSH BKN025 FM111300 21013G20KT P6SM SCT020 BKN060 FM111700 23015G25KT P6SM
FEW025 SCT060
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KSAV; actual-station=KSAV; fetched-at=2026-10-11T02:48:45.335441+00:00; observed-or-issued-at=2026-10-11T00:53:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KSAV; actual-station=KSAV; fetched-at=2026-10-11T02:48:45.531036+00:00; observed-or-issued-at=2026-10-10T23:21:00+00:00; valid-from=2026-10-11T00:00:00+00:00; valid-through=2026-10-12T00:00:00+00:00; partial-target-dates=2026-10-10,2026-10-11 — AWC API

  TAF proxy · KSAV
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KSAV; actual-station=KSAV; fetched-at=2026-10-11T02:48:46.319561+00:00
- FAA NMS NOTAM — state=OK; requested-station=KSAV; actual-station=KSAV; fetched-at=2026-10-11T02:48:50.709303Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KSAV; actual-station=KSAV; fetched-at=2026-10-11T02:49:09.556786+00:00; observed-or-issued-at=2026-10-10T18:00:00+00:00; valid-from=2026-10-11T00:00:00+00:00; valid-through=2026-10-13T18:00:00+00:00; target-dates=2026-10-11,2026-10-12; partial-target-dates=2026-10-10; dates-with-points=2026-10-10,2026-10-11,2026-10-12 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KSAV; actual-station=KSAV; fetched-at=2026-10-11T02:49:10.506461+00:00; observed-or-issued-at=2026-10-10T12:00:00+00:00; valid-from=2026-10-11T12:00:00+00:00; valid-through=2026-10-18T12:00:00+00:00; target-dates=2026-10-11,2026-10-12; dates-with-points=2026-10-11,2026-10-12 — Iowa State API
- MOS effective date selection — state=partial; rows=18; requested-station=KSAV; actual-station=KSAV; fetched-at=2026-10-11T02:49:09.556786+00:00; observed-or-issued-at=2026-10-10T18:00:00+00:00; valid-from=2026-10-11T00:00:00+00:00; valid-through=2026-10-13T18:00:00+00:00; target-dates=2026-10-11,2026-10-12; partial-target-dates=2026-10-10; dates-with-points=2026-10-10,2026-10-11,2026-10-12; selected-by-date=2026-10-10=GFS, 2026-10-11=GFS, 2026-10-12=GFS

• Extended outlook and hazard-feed states are reported in the source stamp.
• Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#3 **KSSI** **Brunswick/McKinnon St Simons Arpt, GA, US** · Atlantic South · St Simons beach

OBS - IFR

ETE 1h29

DIST 214 nm

SAT 10 OCT 20:55 ET OBSERVED

Current observation METAR

OBS - IFR

OBSERV

few 200 ft, broken 700 ft, overcast 5,500 ft

WIND **S (160°) 15 kt gust 21 kt**

TEMPERATURE **25 °C**

VISIBILITY **10 sm**

DEWPOINT **25 °C**



Wind favours RWY 16

160° true · 167° magnetic · 15G21 kt

Evidence & limitations

• METAR source state: ok; observed Oct 10 20:55 ET; retrieved Oct 10 22:48 ET; 113 min before this run.
• Measured values read from the KSSI METAR. This is a current surface observation only; it is not a forecast.
• Only fields decoded from this METAR are shown; every missing field remains unavailable.
• Altimeter: 29.99 inHg.
• The complete raw METAR remains in this airport's Raw products disclosure.
• KSSI runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 04/22, 16/34. Wind from 160 degrees true, 167 degrees magnetic, at 15 knots gusting 21 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 16. Wind source: KSSI METAR 110055Z.

DESTINATION OUTLOOK

SAT, OCT 10

SAT 10 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sat Oct 10

18:00–00:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

SUN, OCT 11

SUN 11 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 11 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · IFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · IFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 11 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 11 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 11

00:00–06:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 12

MON 12 OCT 00:00–06:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 4 kt

TEMPERATURE 73–75 °F

DEWPOINT 64 °F

PRECIP CHANCE 6%

Evidence & limitations

- GFS MAV MOS · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 12 OCT 06:00–12:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 6 kt

TEMPERATURE 70–72 °F

DEWPOINT 63–64 °F

PRECIP CHANCE 0%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 12 OCT 12:00–18:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 6–10 kt

TEMPERATURE 69–79 °F

DEWPOINT 63–65 °F

PRECIP CHANCE 3%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 12 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 8–12 kt

TEMPERATURE 84–85 °F

DEWPOINT 65 °F

PRECIP CHANCE 2%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 12

00:00–06:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+048 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
6000 ft

CURRENT METAR TEMP DEP / DEST
17°C dep KLZU → 25°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — source state: not_queried

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
04/22 (040/220°M · 033/213°T) · 16/34 (160/340°M · 153/333°T) — designators and °M headings are magnetic; °T are true; variation 7°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs
FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 1 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What
3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

d 2026-10-11T02:48:50.709615Z.

FRI OCT 9 | SAT OCT 10 | SUN OCT 11 | MON OCT 12

A0047/26	
10/001	
07/001	

Raw NOTAM data · NOTAMs as of 02:48 Z

NOTAMs as of 02:48 Z — advisory only; verify an official briefing.

10/002

NOTAM text not available in this projection.

A0059/26

NOTAM text not available in this projection.

A0047/26

NOTAM text not available in this projection.

10/001

NOTAM text not available in this projection.

07/001

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

OTHER

Effective 2026-07-13T11:00:00Z → 2026-12-11T23:00:00Z

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the

highest-resolution aviation forecast available. The National Weather Service issues it four times a day, valid 24 to 30 hours, with explicit FM and TEMPO change groups. Airports without their own TAF station use a nearby proxy, which is a normal condition and not a fault. A TAF was read for this airport this run (state: partial).

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KSSI this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

00 ET ET · VFR
:00 ET ET · MVFR
:00 ET ET · IFR
:00 ET ET · MVFR
:00 ET ET · MVFR
S · 00:00–06:00 ET ET · VFR

- **Mon, Oct 12 · 06:00–12:00 ET**: GFS MAV MOS · 06:00–12:00 ET ET · VFR
- **Mon, Oct 12 · 12:00–18:00 ET**: GFS MAV MOS · 12:00–18:00 ET ET · VFR
- **Mon, Oct 12 · 18:00–00:00 ET**: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-10=GFS, 2026-10-11=GFS, 2026-10-12=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-11 00:00	79	Ovc	160/6kt	—	>10kft	>6SM
GFS	2026-10-11 03:00	80	Ovc	170/8kt	—	>10kft	6SM
GFS	2026-10-11 06:00	79	Ovc	200/7kt	54.0	>10kft	>6SM
GFS	2026-10-11 09:00	77	Ovc	220/7kt	—	500-1kft	1-2SM
GFS	2026-10-11 12:00	75	Ovc	230/8kt	51.0	1-3kft	1-2SM
GFS	2026-10-11 15:00	75	Ovc	250/9kt	—	5-10kft	>6SM
GFS	2026-10-11 18:00	80	Sct	250/10kt	23.0	>10kft	>6SM
GFS	2026-10-11 21:00	80	Clear	250/9kt	—	>10kft	>6SM
GFS	2026-10-12 00:00	75	Clear	260/4kt	6.0	>10kft	>6SM
GFS	2026-10-12 03:00	73	Clear	250/4kt	—	>10kft	>6SM
GFS	2026-10-12 06:00	72	Clear	270/6kt	0.0	>10kft	>6SM
GFS	2026-10-12 09:00	70	Clear	270/6kt	—	>10kft	>6SM

GFS	2026-10-12 12:00	69	Clear	270/6kt	3.0	>10kft	>6SM
GFS	2026-10-12 15:00	79	Clear	300/10kt	—	>10kft	>6SM
GFS	2026-10-12 18:00	85	Clear	300/12kt	2.0	>10kft	>6SM
GFS	2026-10-12 21:00	84	Clear	290/8kt	—	>10kft	>6SM
GFS	2026-10-13 00:00	76	Clear	240/3kt	0.0	>10kft	>6SM
GFS	2026-10-13 03:00	74	Clear	280/1kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KSSI 110055Z AUTO 16015G21KT 10SM FEW002 BKN007 OVC055 25/25 A2999 RMK AO2

TAF KSSI 110128Z 1101/1124 16012G20KT P6SM VCSH SCT006 BKN060 BKN100 FM110900 20011KT P6SM SCT015 BKN025 PROB30 1109/1112 4SM SHRA BKN015 FM111200 22011KT P6SM BKN015 PROB30 1112/1114 4SM SHRA
OVC009 FM111500 24012KT P6SM BKN025 BKN050
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KSSI; actual-station=KSSI; fetched-at=2026-10-11T02:48:45.335441+00:00; observed-or-issued-at=2026-10-11T00:55:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KSSI; actual-station=KSSI; fetched-at=2026-10-11T02:48:45.531036+00:00; observed-or-issued-at=2026-10-11T01:28:00+00:00; valid-from=2026-10-11T01:00:00+00:00; valid-through=2026-10-12T00:00:00+00:00; partial-target-dates=2026-10-10,2026-10-11 — AWC API

  TAF proxy · KSSI
- FAA airport status — state=not_queried; fetch-state=not_attempted; payload-state=not_attempted; requested-station=KSSI
- FAA NMS NOTAM — state=OK; requested-station=KSSI; actual-station=KSSI; fetched-at=2026-10-11T02:48:50.709615Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KSSI; actual-station=KSSI; fetched-at=2026-10-11T02:49:09.550965+00:00; observed-or-issued-at=2026-10-10T18:00:00+00:00; valid-from=2026-10-11T00:00:00+00:00; valid-through=2026-10-13T18:00:00+00:00; target-dates=2026-10-11,2026-10-12; partial-target-dates=2026-10-10; dates-with-points=2026-10-10,2026-10-11,2026-10-12 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KSSI; actual-station=KSSI; fetched-at=2026-10-11T02:49:10.505515+00:00; observed-or-issued-at=2026-10-10T12:00:00+00:00; valid-from=2026-10-11T12:00:00+00:00; valid-through=2026-10-18T12:00:00+00:00; target-dates=2026-10-11,2026-10-12; dates-with-points=2026-10-11,2026-10-12 — Iowa State API
- MOS effective date selection — state=partial; rows=18; requested-station=KSSI; actual-station=KSSI; fetched-at=2026-10-11T02:49:09.550965+00:00; observed-or-issued-at=2026-10-10T18:00:00+00:00; valid-from=2026-10-11T00:00:00+00:00; valid-through=2026-10-13T18:00:00+00:00; target-dates=2026-10-11,2026-10-12; partial-target-dates=2026-10-10; dates-with-points=2026-10-10,2026-10-11,2026-10-12; selected-by-date=2026-10-10=GFS, 2026-10-11=GFS, 2026-10-12=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#4 **KJZI** **Charleston Exec, SC, US** · Atlantic South · Charleston Exec

OBS - VFR

ETE 1h28

DIST 213 nm

SAT 10 OCT 20:55 ET OBSERVED

Current observation

METAR

OBS - VFR

OBSER

clear below 12,000 ft (CLR)

WIND **calm**

TEMPERATURE **26 °C**

VISIBILITY **10 sm**

DEWPOINT **26 °C**

Evidence & limitations

- METAR source state: ok; observed Oct 10 20:55 ET; retrieved Oct 10 22:48 ET; 113 min before this run.
- Measured values read from the KJZI METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.01 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.

DESTINATION OUTLOOK

SAT, OCT 10

SAT 10 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sat Oct 10

18:00–00:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

SUN, OCT 11

SUN 11 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 11 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 11 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 11 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 11

00:00–06:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 12

MON 12 OCT 00:00–06:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 6 kt

TEMPERATURE 71–74 °F

DEWPOINT 66–67 °F

PRECIP CHANCE 9%

Evidence & limitations

- GFS MAV MOS · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 12 OCT 06:00–12:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 6–7 kt

TEMPERATURE 69–70 °F

DEWPOINT 65 °F

PRECIP CHANCE 0%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 12 OCT 12:00–18:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 5–9 kt

TEMPERATURE 68–76 °F

DEWPOINT 64–65 °F

PRECIP CHANCE 5%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 12 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 7–8 kt

TEMPERATURE 83 °F

DEWPOINT 65 °F

PRECIP CHANCE 2%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 12

00:00–06:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+048 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
6000 ft

CURRENT METAR TEMP DEP / DEST
17°C dep KLZU → 26°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed (proxy KCHS)

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
09/27 (090/270°M · 082/262°T) · 04/22 (040/220°M · 032/212°T) — designators and °M headings are magnetic; °T are true; variation 8°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs
FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)
2 Act on

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What
3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

d 2026-10-11T02:48:50.974031Z.
oritative)

FRI OCT 9 | SAT OCT 10 | SUN OCT 11 | MON OCT 12

08/354	
10/062	
09/426	

Raw NOTAM data · NOTAMs as of 02:48 Z

NOTAMs as of 02:48 Z — advisory only; verify an official briefing.

5/3307

NOTAM text not available in this projection.

07/354

NOTAM text not available in this projection.

08/354

NOTAM text not available in this projection.

10/062

NOTAM text not available in this projection.

09/426

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

26-10-11T02:48:50.974031Z.

OBSTRUCTION

Effective 2026-10-05T06:39:00Z → 2027-01-03T07:39:00Z

OTHER

Effective 2026-09-30T11:40:00Z → 2026-10-31T18:00:00Z

+ Forecast evidence

METAR

METAR — the routine surface observation

issued hourly by the reporting station, with SPECI reports off-cycle, carrying ceiling, visibility, wind, temperature and altimeter. Issued by the observing station and distributed by aviationweather.gov. This is measured fact, not a forecast, and on this page it describes conditions right now, not this day. A current KJZI observation was read this run. It describes conditions now, not this trip day.

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KJZI this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

00 ET ET · MVFR
:00 ET ET · MVFR
:00 ET ET · MVFR
:00 ET ET · VFR
:00 ET ET · VFR
S · 00:00–06:00 ET ET · VFR
• **Mon, Oct 12 · 06:00–12:00 ET**: GFS MAV MOS · 06:00–12:00 ET ET · VFR
• **Mon, Oct 12 · 12:00–18:00 ET**: GFS MAV MOS · 12:00–18:00 ET ET · VFR
• **Mon, Oct 12 · 18:00–00:00 ET**: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-10=GFS, 2026-10-11=GFS, 2026-10-12=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-11 00:00	78	Ovc	110/5kt	—	1-3kft	>6SM
GFS	2026-10-11 03:00	79	Ovc	140/8kt	—	5-10kft	>6SM
GFS	2026-10-11 06:00	79	Ovc	170/8kt	83.0	5-10kft	>6SM
GFS	2026-10-11 09:00	78	Ovc	180/7kt	—	3-5kft	>6SM
GFS	2026-10-11 12:00	76	Ovc	210/8kt	80.0	500-1kft	>6SM
GFS	2026-10-11 15:00	77	Ovc	230/10kt	—	500-1kft	>6SM
GFS	2026-10-11 18:00	80	Bkn	230/14kt	49.0	>10kft	>6SM
GFS	2026-10-11 21:00	80	Sct	230/11kt	—	>10kft	>6SM
GFS	2026-10-12 00:00	74	Clear	240/6kt	9.0	>10kft	>6SM
GFS	2026-10-12 03:00	71	Clear	240/6kt	—	>10kft	>6SM
GFS	2026-10-12 06:00	70	Clear	260/7kt	0.0	>10kft	>6SM

GFS	2026-10-12 09:00	69	Clear	270/6kt	—	>10kft	>6SM
GFS	2026-10-12 12:00	68	Clear	270/5kt	5.0	>10kft	>6SM
GFS	2026-10-12 15:00	76	Clear	300/9kt	—	>10kft	>6SM
GFS	2026-10-12 18:00	83	Sct	310/8kt	2.0	>10kft	>6SM
GFS	2026-10-12 21:00	83	Few	300/7kt	—	>10kft	>6SM
GFS	2026-10-13 00:00	74	Clear	330/1kt	0.0	>10kft	>6SM
GFS	2026-10-13 03:00	71	Clear	360/1kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KJZI 110055Z AUTO 00000KT 10SM CLR 26/26 A3001 RMK AO2

TAF KJZI 102321Z 1100/1124 12008KT P6SM VCSH SCT025 BKN040 TEMPO 1100/1103 16007KT 5SM -SHRA BR BKN025 FM110500 18006KT P6SM SCT020 BKN040 FM111000 20005KT P6SM BKN020 FM111400 21010G18KT P6SM
VCSH SCT025 BKN050 FM111700 24013G20KT P6SM FEW025 SCT060
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KJZI; actual-station=KJZI; fetched-at=2026-10-11T02:48:45.335441+00:00; observed-or-issued-at=2026-10-11T00:55:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KJZI; actual-station=KJZI; fetched-at=2026-10-11T02:48:45.531036+00:00; observed-or-issued-at=2026-10-10T23:21:00+00:00; valid-from=2026-10-11T00:00:00+00:00; valid-through=2026-10-12T00:00:00+00:00; partial-target-dates=2026-10-10,2026-10-11 — AWC API

  TAF proxy · KJZI
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KJZI; actual-station=KCHS; fetched-at=2026-10-11T02:48:46.456333+00:00
- FAA NMS NOTAM — state=OK; requested-station=KJZI; actual-station=KJZI; fetched-at=2026-10-11T02:48:50.974031Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KJZI; actual-station=KJZI; fetched-at=2026-10-11T02:49:09.608842+00:00; observed-or-issued-at=2026-10-10T18:00:00+00:00; valid-from=2026-10-11T00:00:00+00:00; valid-through=2026-10-13T18:00:00+00:00; target-dates=2026-10-11,2026-10-12; partial-target-dates=2026-10-10; dates-with-points=2026-10-10,2026-10-11,2026-10-12 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KJZI; actual-station=KJZI; fetched-at=2026-10-11T02:49:10.504033+00:00; observed-or-issued-at=2026-10-10T12:00:00+00:00; valid-from=2026-10-11T12:00:00+00:00; valid-through=2026-10-18T12:00:00+00:00; target-dates=2026-10-11,2026-10-12; dates-with-points=2026-10-11,2026-10-12 — Iowa State API
- MOS effective date selection — state=partial; rows=18; requested-station=KJZI; actual-station=KJZI; fetched-at=2026-10-11T02:49:09.608842+00:00; observed-or-issued-at=2026-10-10T18:00:00+00:00; valid-from=2026-10-11T00:00:00+00:00; valid-through=2026-10-13T18:00:00+00:00; target-dates=2026-10-11,2026-10-12; partial-target-dates=2026-10-10; dates-with-points=2026-10-10,2026-10-11,2026-10-12; selected-by-date=2026-10-10=GFS, 2026-10-11=GFS, 2026-10-12=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#5 **KMYR** **Myrtle Beach Intl, SC, US** · Atlantic North · Myrtle Beach (Class C)

OBS - IFR

ETE 1h45

DIST 251 nm

SAT 10 OCT 20:53 ET OBSERVED

Current observation

OBS - IFR

OBSERV

METAR

overcast 600 ft

WIND **NE (60°) 10 kt**

TEMPERATURE **24 °C**

VISIBILITY **10 sm**

DEWPOINT **24 °C**

Wind favours RWY 36

060° true · 069° magnetic · 10 kt · also NOTAM-affected: 18 and 36

Evidence & limitations

- METAR source state: ok; observed Oct 10 20:53 ET; retrieved Oct 10 22:48 ET; 115 min before this run.
- Measured values read from the KMYR METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.06 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KMYR runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 18/36. Wind from 060 degrees true, 069 degrees magnetic, at 10 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 36. NOTAM-affected runway ends, hatched separately from the wind highlight: 18 and 36. The wind-favoured end 36 is also NOTAM-affected: the wind does favour it, but a NOTAM on this card names it, so the highlight is not a statement that the runway is usable. The hatch marks only that a NOTAM names the runway; it does not decode the NOTAM's effective times, so confirm the closure window in the NOTAM text below. Wind source: KMYR METAR 110053Z.

DESTINATION OUTLOOK

SAT, OCT 10

SAT 10 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · IFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · IFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sat Oct 10

18:00–00:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

SUN, OCT 11

SUN 11 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · IFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · IFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 11 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 11 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 11 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 11

00:00–06:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 12

MON 12 OCT 00:00–06:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 8–10 kt

TEMPERATURE 72–73 °F

DEWPOINT 65–68 °F

PRECIP CHANCE 19%

Evidence & limitations

- GFS MAV MOS · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 12 OCT 06:00–12:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 7–9 kt

TEMPERATURE 70–72 °F

DEWPOINT 64–65 °F

PRECIP CHANCE 1%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 12 OCT 12:00–18:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 7–11 kt

TEMPERATURE 69–75 °F

DEWPOINT 63 °F

PRECIP CHANCE 5%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 12 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 8–11 kt

TEMPERATURE 79–80 °F

DEWPOINT 64 °F

PRECIP CHANCE 2%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 12

00:00–06:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+048 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
17°C dep KLZU → 24°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
18/36 (180/000°M · 171/351°T) — designators and °M headings are magnetic; °T are true; variation 9°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 17 Act on 4 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What 3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

ed 2026-10-11T02:48:51.042948Z.

oritative) Narrow bars = daily schedule sub-windows

FRI OCT 9 | SAT OCT 10 | SUN OCT 11 | MON OCT 12

A0639/26				
A0647/26				
08/053				

43 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 02:48 Z

NOTAMs as of 02:48 Z — advisory only; verify an official briefing.

08/036

NOTAM text not available in this projection.

08/038

NOTAM text not available in this projection.

A0639/26

NOTAM text not available in this projection.

A0647/26

NOTAM text not available in this projection.

08/053

NOTAM text not available in this projection.

A0660/26

NOTAM text not available in this projection.

6/8172

NOTAM text not available in this projection.

09/037

NOTAM text not available in this projection.

09/050

NOTAM text not available in this projection.

A0761/26

NOTAM text not available in this projection.

10/004

NOTAM text not available in this projection.

A0776/26

NOTAM text not available in this projection.

10/007

NOTAM text not available in this projection.

A0777/26

NOTAM text not available in this projection.

10/013

NOTAM text not available in this projection.

A0782/26

NOTAM text not available in this projection.

A0785/26

NOTAM text not available in this projection.

09/035

NOTAM text not available in this projection.

A0739/26

NOTAM text not available in this projection.

09/036

NOTAM text not available in this projection.

A0741/26

NOTAM text not available in this projection.

09/038

NOTAM text not available in this projection.

A0743/26

NOTAM text not available in this projection.

09/039

NOTAM text not available in this projection.

A0746/26

NOTAM text not available in this projection.

09/040

NOTAM text not available in this projection.

A0747/26

NOTAM text not available in this projection.

09/041

NOTAM text not available in this projection.

09/042

NOTAM text not available in this projection.

09/043

NOTAM text not available in this projection.

A0750/26

NOTAM text not available in this projection.

09/048

NOTAM text not available in this projection.

A0757/26

NOTAM text not available in this projection.

09/051

NOTAM text not available in this projection.

09/052

NOTAM text not available in this projection.

A0762/26

NOTAM text not available in this projection.

09/058

NOTAM text not available in this projection.

A0768/26

NOTAM text not available in this projection.

A0684/26

NOTAM text not available in this projection.

10/014

NOTAM text not available in this projection.

A0783/26

NOTAM text not available in this projection.

07/032

NOTAM text not available in this projection.

09/034

NOTAM text not available in this projection.

09/053

NOTAM text not available in this projection.

08/005

NOTAM text not available in this projection.

A0600/26

NOTAM text not available in this projection.

10/015

NOTAM text not available in this projection.

A0784/26

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

026-10-11T02:48:51.042948Z.

:00Z

:00Z

:00Z

:00Z

RUNWAY

Effective 2026-08-20T10:17:00Z → 2027-04-30T20:00:00Z

RUNWAY

Effective 2026-09-26T04:00:00Z → 2026-10-31T10:00:00Z

RUNWAY

Effective 2026-09-26T04:00:00Z → 2026-10-31T10:00:00Z

41 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air

Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KMYR this run.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

no-go here is derived from an image. A published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

00 ET ET · IFR
00 ET ET · IFR
00 ET ET · MVFR
00 ET ET · MVFR
00 ET ET · VFR
- **Mon, Oct 12 · 00:00–06:00 ET**: GFS MAV MOS · 00:00–06:00 ET ET · VFR
- **Mon, Oct 12 · 06:00–12:00 ET**: GFS MAV MOS · 06:00–12:00 ET ET · VFR
- **Mon, Oct 12 · 12:00–18:00 ET**: GFS MAV MOS · 12:00–18:00 ET ET · VFR
- **Mon, Oct 12 · 18:00–00:00 ET**: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-10=GFS, 2026-10-11=GFS, 2026-10-12=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-11 00:00	76	Ovc	80/14kt	—	500-1kft	>6SM
GFS	2026-10-11 03:00	77	Ovc	110/9kt	—	1-3kft	>6SM
GFS	2026-10-11 06:00	77	Ovc	160/8kt	86.0	5-10kft	>6SM
GFS	2026-10-11 09:00	77	Ovc	170/9kt	—	1-3kft	>6SM
GFS	2026-10-11 12:00	77	Ovc	170/11kt	98.0	500-1kft	>6SM
GFS	2026-10-11 15:00	80	Ovc	210/12kt	—	500-1kft	>6SM
GFS	2026-10-11 18:00	80	Ovc	210/14kt	76.0	1-3kft	>6SM
GFS	2026-10-11 21:00	78	Sct	220/16kt	—	>10kft	>6SM
GFS	2026-10-12 00:00	73	Clear	240/10kt	19.0	>10kft	>6SM
GFS	2026-10-12 03:00	72	Clear	240/8kt	—	>10kft	>6SM
GFS	2026-10-12 06:00	72	Clear	260/9kt	1.0	>10kft	>6SM
GFS	2026-10-12 09:00	70	Clear	260/7kt	—	>10kft	>6SM
GFS	2026-10-12 12:00	69	Clear	270/7kt	5.0	>10kft	>6SM
GFS	2026-10-12 15:00	75	Clear	310/11kt	—	>10kft	>6SM
GFS	2026-10-12 18:00	79	Sct	300/11kt	2.0	>10kft	>6SM
GFS	2026-10-12 21:00	80	Sct	290/8kt	—	>10kft	>6SM
GFS	2026-10-13 00:00	74	Clear	300/3kt	0.0	>10kft	>6SM

GFS	2026-10-13 03:00	72	Clear	350/4kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KMYR 110053Z 06010KT 10SM OVC006 24/24 A3006 RMK AO2 RAE2354 SLP179 T02440239 $

TAF KMYR 110032Z 1101/1124 09011G18KT 4SM SHRA BKN009 FM110200 13006G13KT 5SM -SHRA BKN009 FM110900 17009G15KT 4SM -SHRA BKN010 FM111600 20015G22KT 6SM -SHRA BKN020 PROB30 1116/1119 3SM TSRA
BKN017CB FM111900 22015G21KT P6SM SCT030
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KMYR; actual-station=KMYR; fetched-at=2026-10-11T02:48:45.335441+00:00; observed-or-issued-at=2026-10-11T00:53:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KMYR; actual-station=KMYR; fetched-at=2026-10-11T02:48:45.531036+00:00; observed-or-issued-at=2026-10-11T00:32:00+00:00; valid-from=2026-10-11T01:00:00+00:00; valid-through=2026-10-12T00:00:00+00:00; partial-target-dates=2026-10-10,2026-10-11 — AWC API

  TAF proxy · KMYR
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KMYR; actual-station=KMYR; fetched-at=2026-10-11T02:48:46.559492+00:00
- FAA NMS NOTAM — state=OK; requested-station=KMYR; actual-station=KMYR; fetched-at=2026-10-11T02:48:51.042948Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KMYR; actual-station=KMYR; fetched-at=2026-10-11T02:49:09.580646+00:00; observed-or-issued-at=2026-10-10T18:00:00+00:00; valid-from=2026-10-11T00:00:00+00:00; valid-through=2026-10-13T18:00:00+00:00; target-dates=2026-10-11,2026-10-12; partial-target-dates=2026-10-10; dates-with-points=2026-10-10,2026-10-11,2026-10-12 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KMYR; actual-station=KMYR; fetched-at=2026-10-11T02:49:10.646232+00:00; observed-or-issued-at=2026-10-10T12:00:00+00:00; valid-from=2026-10-11T12:00:00+00:00; valid-through=2026-10-18T12:00:00+00:00; target-dates=2026-10-11,2026-10-12; dates-with-points=2026-10-11,2026-10-12 — Iowa State API
- MOS effective date selection — state=partial; rows=18; requested-station=KMYR; actual-station=KMYR; fetched-at=2026-10-11T02:49:09.580646+00:00; observed-or-issued-at=2026-10-10T18:00:00+00:00; valid-from=2026-10-11T00:00:00+00:00; valid-through=2026-10-13T18:00:00+00:00; target-dates=2026-10-11,2026-10-12; partial-target-dates=2026-10-10; dates-with-points=2026-10-10,2026-10-11,2026-10-12; selected-by-date=2026-10-10=GFS, 2026-10-11=GFS, 2026-10-12=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#6 **KCRE** **North Myrtle Beach/Grand Strand Arpt, SC, US** · Atlantic North · N Myrtle Beach

OBS - IFR

ETE 1h49

DIST 261 nm

SAT 10 OCT 20:53 ET OBSERVED

Current observation

OBS - IFR

OBSERV

METAR

overcast 700 ft

WIND E (80°) 13 kt gust 26 kt

TEMPERATURE 24 °C

VISIBILITY 10 sm

DEWPOINT 23 °C



Wind favours RWY 05

080° true · 089° magnetic · 13G26 kt

Evidence & limitations

- METAR source state: ok; observed Oct 10 20:53 ET; retrieved Oct 10 22:48 ET; 115 min before this run.
- Measured values read from the KCRE METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.05 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KCRE runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 05/23. Wind from 080 degrees true, 089 degrees magnetic, at 13 knots gusting 26 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 05. Wind source: KCRE METAR 110053Z.

DESTINATION OUTLOOK

SAT, OCT 10

SAT 10 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · IFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · IFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sat Oct 10

18:00–00:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

SUN, OCT 11

SUN 11 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · IFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · IFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 11 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 11 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 11 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 11

00:00–06:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 12

MON 12 OCT 00:00–06:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 7–9 kt

TEMPERATURE 72 °F

DEWPOINT 65–67 °F

PRECIP CHANCE 22%

Evidence & limitations

- GFS MAV MOS · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 12 OCT 06:00–12:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 6–7 kt

TEMPERATURE 70–71 °F

DEWPOINT 64–65 °F

PRECIP CHANCE 1%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 12 OCT 12:00–18:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 5–8 kt

TEMPERATURE 69–75 °F

DEWPOINT 63 °F

PRECIP CHANCE 6%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 12 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 7–8 kt

TEMPERATURE 79 °F

DEWPOINT 63–65 °F

PRECIP CHANCE 2%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 12

00:00–06:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+048 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
17°C dep KLZU → 24°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — source state: not_queried

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
05/23 (050/230°M · 041/221°T) — designators and °M headings are magnetic; °T are true; variation 9°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs
FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)
3 Act on

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What
3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

d 2026-10-11T02:48:51.043887Z.
oritative)

FRI OCT 9 | SAT OCT 10 | SUN OCT 11 | MON OCT 12



Raw NOTAM data · NOTAMs as of 02:48 Z

NOTAMs as of 02:48 Z — advisory only; verify an official briefing.

5/9932

NOTAM text not available in this projection.

5/9933

NOTAM text not available in this projection.

10/007

NOTAM text not available in this projection.

10/006

NOTAM text not available in this projection.

08/002

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

AIRSPACE_FDC

Effective 2026-10-10T22:30:00Z → 2026-10-11T03:55:00Z

OTHER

Effective 2026-08-05T21:13:00Z → 2026-11-18T13:00:00Z

+ Forecast evidence

METAR

METAR — the routine surface observation

issued hourly by the reporting station, with SPECI reports off-cycle, carrying ceiling, visibility, wind, temperature and altimeter. Issued by the observing station and distributed by aviationweather.gov. This is measured fact, not a forecast, and on this page it describes conditions right now, not this day. A current KCRE observation was read this run. It describes conditions now, not this trip day.

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KCRE this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

00 ET ET · IFR
:00 ET ET · IFR
:00 ET ET · MVFR
:00 ET ET · MVFR
:00 ET ET · VFR
S · 00:00–06:00 ET ET · VFR
• **Mon, Oct 12 · 06:00–12:00 ET**: GFS MAV MOS · 06:00–12:00 ET ET · VFR
• **Mon, Oct 12 · 12:00–18:00 ET**: GFS MAV MOS · 12:00–18:00 ET ET · VFR
• **Mon, Oct 12 · 18:00–00:00 ET**: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-10=GFS, 2026-10-11=GFS, 2026-10-12=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-11 00:00	76	Ovc	70/15kt	—	500-1kft	6SM
GFS	2026-10-11 03:00	77	Ovc	110/10kt	—	500-1kft	3-5SM
GFS	2026-10-11 06:00	79	Ovc	140/10kt	88.0	5-10kft	>6SM
GFS	2026-10-11 09:00	80	Ovc	180/12kt	—	500-1kft	>6SM
GFS	2026-10-11 12:00	81	Ovc	190/11kt	100.0	500-1kft	6SM
GFS	2026-10-11 15:00	78	Ovc	210/12kt	—	500-1kft	>6SM
GFS	2026-10-11 18:00	78	Ovc	210/14kt	81.0	1-3kft	>6SM
GFS	2026-10-11 21:00	77	Sct	220/15kt	—	>10kft	>6SM
GFS	2026-10-12 00:00	72	Clear	230/9kt	22.0	>10kft	>6SM
GFS	2026-10-12 03:00	72	Clear	230/7kt	—	>10kft	>6SM
GFS	2026-10-12 06:00	71	Clear	240/7kt	1.0	>10kft	>6SM

GFS	2026-10-12 09:00	70	Few	250/6kt	—	>10kft	>6SM
GFS	2026-10-12 12:00	69	Clear	250/5kt	6.0	>10kft	>6SM
GFS	2026-10-12 15:00	75	Clear	300/8kt	—	>10kft	>6SM
GFS	2026-10-12 18:00	79	Sct	310/8kt	2.0	>10kft	>6SM
GFS	2026-10-12 21:00	79	Sct	290/7kt	—	>10kft	>6SM
GFS	2026-10-13 00:00	72	Clear	300/3kt	0.0	>10kft	>6SM
GFS	2026-10-13 03:00	70	Clear	20/2kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KCRE 110053Z AUTO 08013G26KT 10SM OVC007 24/23 A3005 RMK AO2 PK WND 07032/0025 RAE2355B17E28 SLP178 P0000 T02440233

TAF KMYR 110032Z 1101/1124 09011G18KT 4SM SHRA BKN009 FM110200 13006G13KT 5SM -SHRA BKN009 FM110900 17009G15KT 4SM -SHRA BKN010 FM111600 20015G22KT 6SM -SHRA BKN020 PROB30 1116/1119 3SM TSRA
BKN017CB FM111900 22015G21KT P6SM SCT030
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KCRE; actual-station=KCRE; fetched-at=2026-10-11T02:48:45.335441+00:00; observed-or-issued-at=2026-10-11T00:53:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KCRE; actual-station=KMYR; fetched-at=2026-10-11T02:48:45.531036+00:00; observed-or-issued-at=2026-10-11T00:32:00+00:00; valid-from=2026-10-11T01:00:00+00:00; valid-through=2026-10-12T00:00:00+00:00; partial-target-dates=2026-10-10,2026-10-11 — AWC API

  TAF proxy · KMYR
- FAA airport status — state=not_queried; fetch-state=not_attempted; payload-state=not_attempted; requested-station=KCRE
- FAA NMS NOTAM — state=OK; requested-station=KCRE; actual-station=KCRE; fetched-at=2026-10-11T02:48:51.043887Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KCRE; actual-station=KCRE; fetched-at=2026-10-11T02:49:09.573523+00:00; observed-or-issued-at=2026-10-10T18:00:00+00:00; valid-from=2026-10-11T00:00:00+00:00; valid-through=2026-10-13T18:00:00+00:00; target-dates=2026-10-11,2026-10-12; partial-target-dates=2026-10-10; dates-with-points=2026-10-10,2026-10-11,2026-10-12 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KCRE; actual-station=KCRE; fetched-at=2026-10-11T02:49:10.466291+00:00; observed-or-issued-at=2026-10-10T12:00:00+00:00; valid-from=2026-10-11T12:00:00+00:00; valid-through=2026-10-18T12:00:00+00:00; target-dates=2026-10-11,2026-10-12; dates-with-points=2026-10-11,2026-10-12 — Iowa State API
- MOS effective date selection — state=partial; rows=18; requested-station=KCRE; actual-station=KCRE; fetched-at=2026-10-11T02:49:09.573523+00:00; observed-or-issued-at=2026-10-10T18:00:00+00:00; valid-from=2026-10-11T00:00:00+00:00; valid-through=2026-10-13T18:00:00+00:00; target-dates=2026-10-11,2026-10-12; partial-target-dates=2026-10-10; dates-with-points=2026-10-10,2026-10-11,2026-10-12; selected-by-date=2026-10-10=GFS, 2026-10-11=GFS, 2026-10-12=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#7 **KHXD** **Hilton Head Arpt, SC, US** · Atlantic South · Hilton Head

OBS - VFR

ETE 1h21

DIST 195 nm

SAT 10 OCT 20:50 ET OBSERVED

Current observation

OBS - VFR

OBSER

METAR

few 5,500 ft

WIND S (180°) 5 kt gust 10 kt

TEMPERATURE 26 °C

VISIBILITY 8 sm

DEWPOINT 26 °C



Wind favours RWY 21

180° true · 188° magnetic · 5G10 kt

Evidence & limitations

- METAR source state: ok; observed Oct 10 20:50 ET; retrieved Oct 10 22:48 ET; 118 min before this run.
- Measured values read from the KHXD METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.00 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KHXD runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 03/21. Wind from 180 degrees true, 188 degrees magnetic, at 5 knots gusting 10 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 21. Wind source: KHXD METAR 110050Z.

DESTINATION OUTLOOK

SAT, OCT 10

SAT 10 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sat Oct 10

18:00–00:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

SUN, OCT 11

SUN 11 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 11 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 11 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 11 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 11

00:00–06:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 12

MON 12 OCT 00:00–06:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 5 kt

TEMPERATURE 72–76 °F

DEWPOINT 64 °F

PRECIP CHANCE 8%

Evidence & limitations

- GFS MAV MOS · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 12 OCT 06:00–12:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 6 kt

TEMPERATURE 70–71 °F

DEWPOINT 64 °F

PRECIP CHANCE 0%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 12 OCT 12:00–18:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 8–10 kt

TEMPERATURE 69–75 °F

DEWPOINT 64 °F

PRECIP CHANCE 5%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 12 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 6–8 kt

TEMPERATURE 82–84 °F

DEWPOINT 63 °F

PRECIP CHANCE 1%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 12

00:00–06:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+048 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
6000 ft

CURRENT METAR TEMP DEP / DEST
17°C dep KLZU → 26°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
03/21 (030/210°M · 022/202°T) — designators and °M headings are magnetic; °T are true; variation 8°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs
FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)
6 Act on

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What
3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

ed 2026-10-11T02:48:51.208431Z.
oritative)

FRI OCT 9 | SAT OCT 10 | SUN OCT 11 | MON OCT 12



5 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 02:48 Z

NOTAMs as of 02:48 Z — advisory only; verify an official briefing.

07/013

NOTAM text not available in this projection.

A0238/26

NOTAM text not available in this projection.

A0369/26

NOTAM text not available in this projection.

5/3292

NOTAM text not available in this projection.

A0137/25

NOTAM text not available in this projection.

6/8144

NOTAM text not available in this projection.

6/8146

NOTAM text not available in this projection.

A0365/26

NOTAM text not available in this projection.

A0366/26

NOTAM text not available in this projection.

09/029

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains

026-10-11T02:48:51.208431Z.

AREA IRREGULAR SFC

:00Z

preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

Effective 2025-04-29T20:01:00Z → 2027-04-29T20:01:00Z

NAV_APPROACH

Effective 2025-04-29T20:01:00Z → 2027-04-29T20:01:00Z

5 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KHXD this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

00 ET ET · VFR
00 ET ET · VFR
00 ET ET · MVFR
00 ET ET · VFR
00 ET ET · VFR
· 00:00–06:00 ET ET · VFR
• **Mon, Oct 12 · 06:00–12:00 ET**: GFS MAV MOS · 06:00–12:00 ET ET · VFR
• **Mon, Oct 12 · 12:00–18:00 ET**: GFS MAV MOS · 12:00–18:00 ET ET · VFR
• **Mon, Oct 12 · 18:00–00:00 ET**: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-10=GFS, 2026-10-11=GFS, 2026-10-12=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-11 00:00	79	Ovc	160/6kt	—	>10kft	>6SM

GFS	2026-10-11 03:00	78	Ovc	180/8kt	—	>10kft	>6SM
GFS	2026-10-11 06:00	77	Ovc	190/8kt	78.0	>10kft	>6SM
GFS	2026-10-11 09:00	76	Ovc	200/8kt	—	3-5kft	>6SM
GFS	2026-10-11 12:00	74	Ovc	210/8kt	68.0	1-3kft	>6SM
GFS	2026-10-11 15:00	74	Ovc	240/11kt	—	3-5kft	>6SM
GFS	2026-10-11 18:00	80	Sct	240/11kt	34.0	>10kft	>6SM
GFS	2026-10-11 21:00	80	Sct	240/11kt	—	>10kft	>6SM
GFS	2026-10-12 00:00	76	Clear	240/5kt	8.0	>10kft	>6SM
GFS	2026-10-12 03:00	72	Clear	240/5kt	—	>10kft	>6SM
GFS	2026-10-12 06:00	71	Clear	260/6kt	0.0	>10kft	>6SM
GFS	2026-10-12 09:00	70	Clear	260/6kt	—	>10kft	>6SM
GFS	2026-10-12 12:00	69	Clear	260/8kt	5.0	>10kft	>6SM
GFS	2026-10-12 15:00	75	Clear	320/10kt	—	>10kft	>6SM
GFS	2026-10-12 18:00	82	Few	340/8kt	1.0	>10kft	>6SM
GFS	2026-10-12 21:00	84	Clear	350/6kt	—	>10kft	>6SM
GFS	2026-10-13 00:00	77	Clear	20/4kt	0.0	>10kft	>6SM
GFS	2026-10-13 03:00	73	Clear	30/1kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KHXD 110050Z AUTO 18005G10KT 8SM FEW055 26/26 A3000

TAF KSAV 102321Z 1100/1124 16010KT P6SM VCSH SCT040 BKN080 FM110300 18008KT P6SM SCT020 BKN050 FM111000 19007KT P6SM VCSH BKN025 FM111300 21013G20KT P6SM SCT020 BKN060 FM111700 23015G25KT P6SM
FEW025 SCT060
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KHXD; actual-station=KHXD; fetched-at=2026-10-11T02:48:45.335441+00:00; observed-or-issued-at=2026-10-11T00:50:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KHXD; actual-station=KSAV; fetched-at=2026-10-11T02:48:45.531036+00:00; observed-or-issued-at=2026-10-10T23:21:00+00:00; valid-from=2026-10-11T00:00:00+00:00; valid-through=2026-10-12T00:00:00+00:00; partial-target-dates=2026-10-10,2026-10-11 — AWC API

  TAF proxy · KSAV
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KHXD; actual-station=KHXD; fetched-at=2026-10-11T02:48:47.490519+00:00
- FAA NMS NOTAM — state=OK; requested-station=KHXD; actual-station=KHXD; fetched-at=2026-10-11T02:48:51.208431Z — FAA NMS overview

- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KHXD; actual-station=KHXD; fetched-at=2026-10-11T02:49:09.576448+00:00; observed-or-issued-at=2026-10-10T18:00:00+00:00; valid-from=2026-10-11T00:00:00+00:00; valid-through=2026-10-13T18:00:00+00:00; target-dates=2026-10-11,2026-10-12; partial-target-dates=2026-10-10; dates-with-points=2026-10-10,2026-10-11,2026-10-12 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KHXD; actual-station=KHXD; fetched-at=2026-10-11T02:49:10.490719+00:00; observed-or-issued-at=2026-10-10T12:00:00+00:00; valid-from=2026-10-11T12:00:00+00:00; valid-through=2026-10-18T12:00:00+00:00; target-dates=2026-10-11,2026-10-12; dates-with-points=2026-10-11,2026-10-12 — Iowa State API
- MOS effective date selection — state=partial; rows=18; requested-station=KHXD; actual-station=KHXD; fetched-at=2026-10-11T02:49:09.576448+00:00; observed-or-issued-at=2026-10-10T18:00:00+00:00; valid-from=2026-10-11T00:00:00+00:00; valid-through=2026-10-13T18:00:00+00:00; target-dates=2026-10-11,2026-10-12; partial-target-dates=2026-10-10; dates-with-points=2026-10-10,2026-10-11,2026-10-12; selected-by-date=2026-10-10=GFS, 2026-10-11=GFS, 2026-10-12=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#8 **KTRI** **Bristol/Tri-Cities Arpt, TN, US** · Mountain · Tri-Cities TN/VA

OBS - VFR

ETE 1h11

DIST 168 nm

SAT 10 OCT 20:53 ET OBSERVED

Current observation METAR

OBS - VFR

OBSER

scattered 3,300 ft, broken 6,000 ft, overcast 7,500 ft

WIND **NE (50°) 4 kt**

TEMPERATURE **16 °C**

VISIBILITY **9 sm**

DEWPOINT **16 °C**



Wind favours RWY 05

050° true · 058° magnetic · 4 kt · also NOTAM-affected: 05, 23, 09 and 27

Evidence & limitations

- METAR source state: ok; observed Oct 10 20:53 ET; retrieved Oct 10 22:48 ET; 115 min before this run.
- Measured values read from the KTRI METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.04 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.

• KTRI runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 05/23, 09/27. Wind from 050 degrees true, 058 degrees magnetic, at 4 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 05. NOTAM-affected runway ends, hatched separately from the wind highlight: 05, 23, 09 and 27. The wind-favoured end 05 is also NOTAM-affected: the wind does favour it, but a NOTAM on this card names it, so the highlight is not a statement that the runway is usable. The hatch marks only that a NOTAM names the runway; it does not decode the NOTAM's effective times, so confirm the closure window in the NOTAM text below. Wind source: KTRI METAR 110053Z.

DESTINATION OUTLOOK

SAT, OCT 10

SAT 10 OCT 18:00–00:00 ET HIGH

Forecast TAF

Flight-category guidance

TAF · MVFR

FORECAST

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 18:00–00:00 ET ET · MVFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sat Oct 10

18:00–00:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

SUN, OCT 11

SUN 11 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 11 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 11 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 11 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 11

00:00–06:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 12

MON 12 OCT 00:00–06:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · LIFR

FORECAST

Flight-category guidance

WIND 6–7 kt

TEMPERATURE 60–61 °F

DEWPOINT 59–61 °F

PRECIP CHANCE 51%

Evidence & limitations

- GFS MAV MOS · 00:00–06:00 ET ET · LIFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 12 OCT 06:00–12:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · LIFR

FORECAST

Flight-category guidance

WIND 6–7 kt

TEMPERATURE 60 °F

DEWPOINT 59 °F

PRECIP CHANCE 57%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · LIFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 12 OCT 12:00–18:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 6 kt

TEMPERATURE 59–67 °F

DEWPOINT 59–61 °F

PRECIP CHANCE 25%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 12 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 6–7 kt

TEMPERATURE 76–78 °F

DEWPOINT 59–60 °F

PRECIP CHANCE 3%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 12

00:00–06:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+048 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
6000 ft

CURRENT METAR TEMP DEP / DEST
17°C dep KLZU → 16°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
05/23 (050/230°M · 042/222°T) · 09/27 (090/270°M · 082/262°T) — designators and °M headings are magnetic; °T are true; variation 8°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs
FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 23 Act on 1 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What 3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

ed 2026-10-11T02:48:51.215381Z.
oritative)

FRI OCT 9 | SAT OCT 10 | SUN OCT 11 | MON OCT 12

09/068	
09/069	
09/070	

59 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 02:48 Z

NOTAMs as of 02:48 Z — advisory only; verify an official briefing.

5/8343

NOTAM text not available in this projection.

5/8558

NOTAM text not available in this projection.

09/068

NOTAM text not available in this projection.

09/069

NOTAM text not available in this projection.

09/070

NOTAM text not available in this projection.

09/071

NOTAM text not available in this projection.

09/072

NOTAM text not available in this projection.

09/078

NOTAM text not available in this projection.

A1280/26

NOTAM text not available in this projection.

A1306/26

NOTAM text not available in this projection.

A1308/26

NOTAM text not available in this projection.

A1310/26

NOTAM text not available in this projection.

A1312/26

NOTAM text not available in this projection.

A1315/26

NOTAM text not available in this projection.

10/024

NOTAM text not available in this projection.

10/026

NOTAM text not available in this projection.

A1309/26

NOTAM text not available in this projection.

A1314/26

NOTAM text not available in this projection.

10/027

NOTAM text not available in this projection.

10/029

NOTAM text not available in this projection.

A1317/26

NOTAM text not available in this projection.

A1318/26

NOTAM text not available in this projection.

10/008

NOTAM text not available in this projection.

A1307/26

NOTAM text not available in this projection.

A1313/26

NOTAM text not available in this projection.

10/025

NOTAM text not available in this projection.

A1311/26

NOTAM text not available in this projection.

10/028

NOTAM text not available in this projection.

A1316/26

NOTAM text not available in this projection.

5/1221

NOTAM text not available in this projection.

A1144/25

NOTAM text not available in this projection.

A1251/25

NOTAM text not available in this projection.

A1252/25

NOTAM text not available in this projection.

5/8404

NOTAM text not available in this projection.

5/8405

NOTAM text not available in this projection.

5/8406

NOTAM text not available in this projection.

5/8407

NOTAM text not available in this projection.

A1367/25

NOTAM text not available in this projection.

A1368/25

NOTAM text not available in this projection.

A1369/25

NOTAM text not available in this projection.

A1370/25

NOTAM text not available in this projection.

5/8409

NOTAM text not available in this projection.

A1373/25

NOTAM text not available in this projection.

5/8411

NOTAM text not available in this projection.

A1374/25

NOTAM text not available in this projection.

06/034

NOTAM text not available in this projection.

A0975/26

NOTAM text not available in this projection.

06/042

NOTAM text not available in this projection.

A0980/26

NOTAM text not available in this projection.

06/043

NOTAM text not available in this projection.

A0981/26

NOTAM text not available in this projection.

07/054

NOTAM text not available in this projection.

08/034

NOTAM text not available in this projection.

08/053

NOTAM text not available in this projection.

09/017

NOTAM text not available in this projection.

09/055

NOTAM text not available in this projection.

09/064

NOTAM text not available in this projection.

10/001

NOTAM text not available in this projection.

10/004

NOTAM text not available in this projection.

10/006

NOTAM text not available in this projection.

10/008

NOTAM text not available in this projection.

10/010

NOTAM text not available in this projection.

10/030

NOTAM text not available in this projection.

A1319/26

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

026-10-11T02:48:51.215381Z.

RUNWAY
Effective 2026-09-29T11:56:00Z → 2026-10-31T22:00:00Z

RUNWAY
Effective 2026-09-29T11:57:00Z → 2026-10-31T22:00:00Z

RUNWAY
Effective 2026-10-13T04:15:00Z → 2026-10-13T09:45:00Z

RUNWAY
Effective 2026-10-13T04:15:00Z → 2026-10-13T09:45:00Z

RUNWAY
Effective 2026-10-13T04:15:00Z → 2026-10-13T09:45:00Z

RUNWAY
Effective 2026-10-13T04:15:00Z → 2026-10-13T09:45:00Z

RUNWAY
Effective 2026-10-14T04:15:00Z → 2026-10-16T08:45:00Z

RUNWAY
Effective 2026-10-14T04:15:00Z → 2026-10-16T08:45:00Z

RUNWAY
Effective 2026-10-14T04:15:00Z → 2026-10-16T08:45:00Z

RUNWAY
Effective 2026-10-14T04:15:00Z → 2026-10-16T08:45:00Z

51 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KTRI this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

00 ET ET · MVFR
00 ET ET · MVFR
00 ET ET · MVFR
00 ET ET · MVFR
00 ET ET · MVFR
S · 00:00–06:00 ET ET · LIFR

- **Mon, Oct 12 · 06:00–12:00 ET**: GFS MAV MOS · 06:00–12:00 ET ET · LIFR
- **Mon, Oct 12 · 12:00–18:00 ET**: GFS MAV MOS · 12:00–18:00 ET ET · VFR
- **Mon, Oct 12 · 18:00–00:00 ET**: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-10=GFS, 2026-10-11=GFS, 2026-10-12=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-11 00:00	65	Ovc	80/6kt	—	5-10kft	>6SM
GFS	2026-10-11 03:00	67	Ovc	60/6kt	—	3-5kft	>6SM
GFS	2026-10-11 06:00	67	Ovc	90/6kt	100.0	3-5kft	>6SM
GFS	2026-10-11 09:00	67	Ovc	50/1kt	—	500-1kft	3-5SM
GFS	2026-10-11 12:00	67	Ovc	210/4kt	80.0	200-500ft	1-2SM
GFS	2026-10-11 15:00	66	Ovc	230/6kt	—	3-5kft	>6SM
GFS	2026-10-11 18:00	67	Ovc	240/10kt	62.0	1-3kft	>6SM
GFS	2026-10-11 21:00	64	Ovc	250/8kt	—	1-3kft	3-5SM

GFS	2026-10-12 00:00	61	Ovc	230/6kt	51.0	1-3kft	3-5SM
GFS	2026-10-12 03:00	60	Ovc	250/7kt	—	500-1kft	3-5SM
GFS	2026-10-12 06:00	60	Ovc	260/7kt	57.0	200-500ft	½-1SM
GFS	2026-10-12 09:00	60	Ovc	270/6kt	—	200-500ft	¼-½SM
GFS	2026-10-12 12:00	59	Ovc	270/6kt	25.0	200-500ft	¼-½SM
GFS	2026-10-12 15:00	67	Ovc	280/6kt	—	5-10kft	>6SM
GFS	2026-10-12 18:00	76	Few	280/6kt	3.0	>10kft	>6SM
GFS	2026-10-12 21:00	78	Clear	270/7kt	—	>10kft	>6SM
GFS	2026-10-13 00:00	67	Clear	240/1kt	1.0	>10kft	>6SM
GFS	2026-10-13 03:00	59	Clear	0/0kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KTRI 110053Z 05004KT 9SM SCT033 BKN060 OVC075 16/16 A3004 RMK AO2 RAE14B49E52 SLP158 P0006 T01610156 $

TAF KTRI 110154Z 1102/1124 06008KT 6SM -SHRA BKN035 OVC050 WS020/14045KT TEMPO 1102/1106 3SM -SHRA BR FM110600 09008KT P6SM BKN050 FM111000 11007KT P6SM VCSH BKN015 FM111500 20008KT P6SM VCSH
BKN015
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KTRI; actual-station=KTRI; fetched-at=2026-10-11T02:48:45.335441+00:00; observed-or-issued-at=2026-10-11T00:53:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KTRI; actual-station=KTRI; fetched-at=2026-10-11T02:48:45.531036+00:00; observed-or-issued-at=2026-10-11T01:54:00+00:00; valid-from=2026-10-11T02:00:00+00:00; valid-through=2026-10-12T00:00:00+00:00; partial-target-dates=2026-10-10,2026-10-11 — AWC API

  TAF proxy · KTRI
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KTRI; actual-station=KTRI; fetched-at=2026-10-11T02:48:46.271977+00:00
- FAA NMS NOTAM — state=OK; requested-station=KTRI; actual-station=KTRI; fetched-at=2026-10-11T02:48:51.215381Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KTRI; actual-station=KTRI; fetched-at=2026-10-11T02:49:09.571507+00:00; observed-or-issued-at=2026-10-10T18:00:00+00:00; valid-from=2026-10-11T00:00:00+00:00; valid-through=2026-10-13T18:00:00+00:00; target-dates=2026-10-11,2026-10-12; partial-target-dates=2026-10-10; dates-with-points=2026-10-10,2026-10-11,2026-10-12 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KTRI; actual-station=KTRI; fetched-at=2026-10-11T02:49:10.486387+00:00; observed-or-issued-at=2026-10-10T12:00:00+00:00; valid-from=2026-10-11T12:00:00+00:00; valid-through=2026-10-18T12:00:00+00:00; target-dates=2026-10-11,2026-10-12; dates-with-points=2026-10-11,2026-10-12 — Iowa State API
- MOS effective date selection — state=partial; rows=18; requested-station=KTRI; actual-station=KTRI; fetched-at=2026-10-11T02:49:09.571507+00:00; observed-or-issued-at=2026-10-10T18:00:00+00:00; valid-from=2026-10-11T00:00:00+00:00; valid-through=2026-10-13T18:00:00+00:00; target-dates=2026-10-11,2026-10-12; partial-target-dates=2026-10-10; dates-with-points=2026-10-10,2026-10-11,2026-10-12; selected-by-date=2026-10-10=GFS, 2026-10-11=GFS, 2026-10-12=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#9 **KROA** **Roanoke Rgnl, VA, US** · Mountain · Roanoke valley

OBS - IFR

ETE 1h56

DIST 279 nm

SAT 10 OCT 20:54 ET OBSERVED

Current observation

OBS - IFR

OBSERV

METAR

broken 900 ft, overcast 1,400 ft

WINDE (90°) 3 kt

TEMPERATURE15 °C

VISIBILITY1 1/2 sm

DEWPOINT14 °C

Wind favours RWY 06

090° true · 099° magnetic · 3 kt

Evidence & limitations

- METAR source state: ok; observed Oct 10 20:54 ET; retrieved Oct 10 22:48 ET; 114 min before this run.
- Measured values read from the KROA METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.27 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KROA runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 06/24, 16/34. Wind from 090 degrees true, 099 degrees magnetic, at 3 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 06. Wind source: KROA METAR 110054Z.

DESTINATION OUTLOOK

SAT, OCT 10

SAT 10 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · IFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · IFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sat Oct 10

18:00–00:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

SUN, OCT 11

SUN 11 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · LIFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · LIFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 11 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · LIFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · LIFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 11 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · LIFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · LIFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 11 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 11

00:00–06:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 12

MON 12 OCT 00:00–06:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · MVFR

FORECAST

Flight-category guidance

WIND 5 kt

TEMPERATURE 60 °F

DEWPOINT 60 °F

PRECIP CHANCE 65%

Evidence & limitations

- GFS MAV MOS · 00:00–06:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 12 OCT 06:00–12:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · IFR

FORECAST

Flight-category guidance

WIND 8–11 kt

TEMPERATURE 63 °F

DEWPOINT 59 °F

PRECIP CHANCE 45%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · IFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 12 OCT 12:00–18:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · MVFR

FORECAST

Flight-category guidance

WIND 13 kt

TEMPERATURE 64–69 °F

DEWPOINT 58–59 °F

PRECIP CHANCE 36%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 12 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 11 kt

TEMPERATURE 71–72 °F

DEWPOINT 57–58 °F

PRECIP CHANCE 7%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 12

00:00–06:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+048 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
17°C dep KLZU → 15°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
06/24 (060/240°M · 051/231°T) · 16/34 (160/340°M · 151/331°T) — designators and °M headings are magnetic; °T are true; variation 9°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs
FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 3 Act on 3 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.


2 · What

3 · Where

ed 2026-10-11T02:48:51.243629Z.

tes whether it is permanent or simply not supplied) — continues past this window

FRI OCT 9 | SAT OCT 10 | SUN OCT 11 | MON OCT 12

10/015	
A1222/26	
09/077	

25 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 02:48 Z

NOTAMs as of 02:48 Z — advisory only; verify an official briefing.

10/013

NOTAM text not available in this projection.

A1219/26

NOTAM text not available in this projection.

10/015

NOTAM text not available in this projection.

A1222/26

NOTAM text not available in this projection.

09/077

NOTAM text not available in this projection.

09/078

NOTAM text not available in this projection.

09/078

NOTAM text not available in this projection.

09/079

NOTAM text not available in this projection.

09/080

NOTAM text not available in this projection.

09/081

NOTAM text not available in this projection.

09/082

NOTAM text not available in this projection.

09/083

NOTAM text not available in this projection.

09/084

NOTAM text not available in this projection.

09/085

NOTAM text not available in this projection.

A1224/26

NOTAM text not available in this projection.

A1226/26

NOTAM text not available in this projection.

5/6949

NOTAM text not available in this projection.

A0691/25

NOTAM text not available in this projection.

09/074

NOTAM text not available in this projection.

A1193/26

NOTAM text not available in this projection.

08/074

NOTAM text not available in this projection.

08/075

NOTAM text not available in this projection.

08/076

NOTAM text not available in this projection.

09/088

NOTAM text not available in this projection.

A1201/26

NOTAM text not available in this projection.

10/002

NOTAM text not available in this projection.

10/008

NOTAM text not available in this projection.

10/009

NOTAM text not available in this projection.

A1214/26

NOTAM text not available in this projection.

09/056

NOTAM text not available in this projection.

A1162/26

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2026-10-11T02:48:51.243629Z.

COMMISSIONED

expiry published

COMMISSIONED

expiry published

MISSIONED

expiry published

MMISSIONED

expiry published

TAXIWAY 03/077 — TWY S1 OL MARKINGS NOT STD

Effective 2026-09-29T18:49:00Z → 2026-10-31T23:59:00Z

25 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KROA this run.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

00 ET ET · IFR

00 ET ET · LIFR

00 ET ET · LIFR

00 ET ET · LIFR

00 ET ET · VFR

S · 00:00–06:00 ET ET · MVFR

• **Mon, Oct 12 · 06:00–12:00 ET**: GFS MAV MOS · 06:00–12:00 ET ET · IFR

• **Mon, Oct 12 · 12:00–18:00 ET**: GFS MAV MOS · 12:00–18:00 ET ET · MVFR
• **Mon, Oct 12 · 18:00–00:00 ET**: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-10=GFS, 2026-10-11=GFS, 2026-10-12=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-11 00:00	58	Ovc	80/10kt	—	1-3kft	1-2SM
GFS	2026-10-11 03:00	59	Ovc	80/11kt	—	500-1kft	1-2SM
GFS	2026-10-11 06:00	58	Ovc	80/11kt	100.0	200-500ft	1-2SM
GFS	2026-10-11 09:00	59	Ovc	80/6kt	—	200-500ft	1-2SM
GFS	2026-10-11 12:00	60	Ovc	60/7kt	100.0	200-500ft	½-1SM
GFS	2026-10-11 15:00	59	Ovc	60/6kt	—	200-500ft	½-1SM
GFS	2026-10-11 18:00	62	Ovc	70/4kt	100.0	200-500ft	3-5SM
GFS	2026-10-11 21:00	62	Ovc	120/5kt	—	500-1kft	6SM
GFS	2026-10-12 00:00	60	Ovc	280/5kt	65.0	500-1kft	6SM
GFS	2026-10-12 03:00	60	Ovc	290/5kt	—	500-1kft	3-5SM
GFS	2026-10-12 06:00	63	Ovc	290/8kt	45.0	1-3kft	3-5SM
GFS	2026-10-12 09:00	63	Ovc	310/11kt	—	1-3kft	3-5SM
GFS	2026-10-12 12:00	64	Ovc	310/13kt	36.0	1-3kft	>6SM
GFS	2026-10-12 15:00	69	Ovc	300/13kt	—	500-1kft	>6SM
GFS	2026-10-12 18:00	72	Bkn	310/11kt	7.0	1-3kft	>6SM
GFS	2026-10-12 21:00	71	Clear	310/11kt	—	>10kft	>6SM
GFS	2026-10-13 00:00	66	Clear	310/6kt	4.0	>10kft	>6SM
GFS	2026-10-13 03:00	63	Clear	310/2kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KROA 110054Z 09003KT 1 1/2SM RA BR BKN009 OVC014 15/14 A3027 RMK AO2 TWR VIS 3 SLP245 P0028 T01500144

TAF KROA 110026Z 1100/1124 02006KT 2SM -RA BR OVC012 WS020/09030KT FM110900 06006G16KT 2SM -RA BR OVC003 WS020/14035KT FM111500 05006KT 2SM -TSRA BR OVC004CB FM112100 19005KT P6SM OVC040
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KROA; actual-station=KROA; fetched-at=2026-10-11T02:48:45.335441+00:00; observed-or-issued-at=2026-10-11T00:54:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KROA; actual-station=KROA; fetched-at=2026-10-11T02:48:45.531036+00:00; observed-or-issued-at=2026-10-11T00:26:00+00:00; valid-from=2026-10-11T00:00:00+00:00; valid-through=2026-10-12T00:00:00+00:00; partial-target-dates=2026-10-10,2026-10-11 — AWC API

  TAF proxy · KROA
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KROA; actual-station=KROA; fetched-at=2026-10-11T02:48:46.081521+00:00
- FAA NMS NOTAM — state=OK; requested-station=KROA; actual-station=KROA; fetched-at=2026-10-11T02:48:51.243629Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KROA; actual-station=KROA; fetched-at=2026-10-11T02:49:09.511712+00:00; observed-or-issued-at=2026-10-10T18:00:00+00:00; valid-from=2026-10-11T00:00:00+00:00; valid-through=2026-10-13T18:00:00+00:00; target-dates=2026-10-11,2026-10-12; partial-target-dates=2026-10-10; dates-with-points=2026-10-10,2026-10-11,2026-10-12 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KROA; actual-station=KROA; fetched-at=2026-10-11T02:49:10.532328+00:00; observed-or-issued-at=2026-10-10T12:00:00+00:00; valid-from=2026-10-11T12:00:00+00:00; valid-through=2026-10-18T12:00:00+00:00; target-dates=2026-10-11,2026-10-12; dates-with-points=2026-10-11,2026-10-12 — Iowa State API
- MOS effective date selection — state=partial; rows=18; requested-station=KROA; actual-station=KROA; fetched-at=2026-10-11T02:49:09.511712+00:00; observed-or-issued-at=2026-10-10T18:00:00+00:00; valid-from=2026-10-11T00:00:00+00:00; valid-through=2026-10-13T18:00:00+00:00; target-dates=2026-10-11,2026-10-12; partial-target-dates=2026-10-10; dates-with-points=2026-10-10,2026-10-11,2026-10-12; selected-by-date=2026-10-10=GFS, 2026-10-11=GFS, 2026-10-12=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#10 **KSGJ** — · Atlantic South · St Augustine FL

OBS - UNKNOWN

ETE 1h55

DIST 276 nm

SAT 10 OCT Time unavailable UNAVAILABLE

Current observation

OBS - UNKNOWN

UNAVA

METAR

Current observation unavailable

WIND Unavailable

TEMPERATURE Unavailable

VISIBILITY Unavailable

DEWPOINT Unavailable

Evidence & limitations

- Source state: unavailable.
- No usable current KSGJ observation was available this run.

• This is a current surface observation only. It is not a forecast. No forecast value is substituted for a missing observation.

DESTINATION OUTLOOK

SAT, OCT 10

SAT 10 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sat Oct 10

18:00–00:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

SUN, OCT 11

SUN 11 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 11 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 11 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 11 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 11

00:00–06:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 12

MON 12 OCT 00:00–06:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 2–4 kt

TEMPERATURE 72–75 °F

DEWPOINT 65–67 °F

PRECIP CHANCE 8%

Evidence & limitations

- GFS MAV MOS · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 12 OCT 06:00–12:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 5–6 kt

TEMPERATURE 68–71 °F

DEWPOINT 61–63 °F

PRECIP CHANCE 5%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 12 OCT 12:00–18:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 6–10 kt

TEMPERATURE 67–79 °F

DEWPOINT 61–65 °F

PRECIP CHANCE 5%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 12 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 8–12 kt

TEMPERATURE 84 °F

DEWPOINT 65 °F

PRECIP CHANCE 0%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 12

00:00–06:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+048 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
17°C dep KLZU → Unavailable at destination

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
13/31 (130/310°M · 123/303°T) · 06/24 (060/240°M · 053/233°T) · 02/20 (020/200°M · 013/193°T) · 17W/35W (170/350°M · 163/343°T · water lane, not wind-favored) · 18W/36W (180/000°M · 173/353°T · water lane, not wind-favored) · 12W/30W (120/300°M · 113/293°T · water lane, not wind-favored) — designators and °M headings are magnetic; °T are true; variation 7°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs
FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 6 Act on 2 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What 3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this

ed 2026-10-11T02:48:51.363434Z.

oritative) » = no published end (each row states whether it is permanent or simply not supplied) — continues past this window

FRI OCT 9 | SAT OCT 10 | SUN OCT 11 | MON OCT 12

source was read this run; technical environment: preprod.



10 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 02:48 Z

NOTAMs as of 02:48 Z — advisory only; verify an official briefing.

10/001

NOTAM text not available in this projection.

10/007

NOTAM text not available in this projection.

5/0380

NOTAM text not available in this projection.

12/004

NOTAM text not available in this projection.

6/6168

NOTAM text not available in this projection.

06/017

NOTAM text not available in this projection.

09/027

NOTAM text not available in this projection.

08/008

NOTAM text not available in this projection.

09/001

NOTAM text not available in this projection.

09/004

NOTAM text not available in this projection.

09/005

NOTAM text not available in this projection.

10/003

NOTAM text not available in this projection.

10/005

NOTAM text not available in this projection.

10/006

NOTAM text not available in this projection.

09/024

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

…026-10-11T02:48:51.363434Z.

…:00Z

…:00Z

…AST FLORIDA RGNL, ST AUGUSTINE, FL. RNAV (GPS) RWY 13, ORIG-F … LNAV/VNAV DA 369/HAT 300 ALL CATS. CIRCLING CAT C MDA 600/HAA 570. LNAV CAT C …RWY 13 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. STRAIGHT-IN MINIMUMS NA AT NIGHT. CIRCLING RWY 2, 6 NA AT NIGHT.

…:00Z

NAV_APPROACH 12/004 — NAV VOR/DME DECOMMISSIONED

Effective 2025-12-04T15:30:00Z → Permanent — no expiry published

NAV_APPROACH 06/008 — IAP ST AUGUSTINE, ST AUGUSTINE, FL. RNAV (GPS) RWY 31, AMDT 2A … LPV DA 258/HAT 250 ALL CATS. 2500RVR 2610026SEST

Effective 2026-03-31T12:37:00Z → 2026-11-10T12:36:00Z

10 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not

…ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

weather, and they never change a flight category. NOTAMs were read for KSGJ this run.

no-go here is derived from an image. A published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

00 ET ET · VFR
:00 ET ET · MVFR
:00 ET ET · MVFR
:00 ET ET · MVFR

- **Sun, Oct 11 · 18:00–00:00 ET**: TAF · 18:00–00:00 ET ET · MVFR
- **Mon, Oct 12 · 00:00–06:00 ET**: GFS MAV MOS · 00:00–06:00 ET ET · VFR
- **Mon, Oct 12 · 06:00–12:00 ET**: GFS MAV MOS · 06:00–12:00 ET ET · VFR
- **Mon, Oct 12 · 12:00–18:00 ET**: GFS MAV MOS · 12:00–18:00 ET ET · VFR
- **Mon, Oct 12 · 18:00–00:00 ET**: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-10=GFS, 2026-10-11=GFS, 2026-10-12=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-11 00:00	78	Ovc	210/4kt	—	5-10kft	3-5SM
GFS	2026-10-11 03:00	80	Ovc	210/4kt	—	>10kft	>6SM
GFS	2026-10-11 06:00	80	Ovc	200/5kt	55.0	>10kft	>6SM
GFS	2026-10-11 09:00	78	Ovc	220/5kt	—	500-1kft	>6SM
GFS	2026-10-11 12:00	77	Ovc	220/7kt	36.0	500-1kft	>6SM
GFS	2026-10-11 15:00	80	Ovc	260/8kt	—	1-3kft	>6SM
GFS	2026-10-11 18:00	83	Ovc	260/9kt	29.0	5-10kft	>6SM
GFS	2026-10-11 21:00	82	Bkn	280/6kt	—	>10kft	>6SM
GFS	2026-10-12 00:00	75	Clear	260/2kt	8.0	>10kft	>6SM
GFS	2026-10-12 03:00	72	Clear	270/4kt	—	>10kft	>6SM
GFS	2026-10-12 06:00	71	Clear	290/5kt	5.0	>10kft	>6SM
GFS	2026-10-12 09:00	68	Clear	300/6kt	—	>10kft	>6SM
GFS	2026-10-12 12:00	67	Clear	300/6kt	5.0	>10kft	>6SM
GFS	2026-10-12 15:00	79	Clear	330/10kt	—	>10kft	>6SM
GFS	2026-10-12 18:00	84	Clear	360/12kt	0.0	>10kft	>6SM
GFS	2026-10-12 21:00	84	Clear	360/8kt	—	>10kft	>6SM
GFS	2026-10-13 00:00	76	Clear	80/3kt	0.0	>10kft	>6SM
GFS	2026-10-13 03:00	73	Clear	150/3kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR unavailable

TAF KSGJ 110133Z 1102/1124 17010KT 6SM BR VCSH SCT008 BKN060 FM110900 20009KT P6SM VCSH BKN015 BKN050 PROB30 1112/1116 4SM TSRA BR BKN015CB FM111600 25011KT P6SM VCSH BKN025
```

+ Data sources used

- METAR — state=unavailable; fetch-state=ok; payload-state=valid; requested-station=KSGJ; actual-station=KSGJ; fetched-at=2026-10-11T02:48:45.335441+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KSGJ; actual-station=KSGJ; fetched-at=2026-10-11T02:48:45.531036+00:00; observed-or-issued-at=2026-10-11T01:33:00+00:00; valid-from=2026-10-11T02:00:00+00:00; valid-through=2026-10-12T00:00:00+00:00; partial-target-dates=2026-10-10,2026-10-11 — AWC API

  TAF proxy · KSGJ
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KSGJ; actual-station=KSGJ; fetched-at=2026-10-11T02:48:46.437274+00:00
- FAA NMS NOTAM — state=OK; requested-station=KSGJ; actual-station=KSGJ; fetched-at=2026-10-11T02:48:51.363434Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KSGJ; actual-station=KSGJ; fetched-at=2026-10-11T02:49:09.839832+00:00; observed-or-issued-at=2026-10-10T18:00:00+00:00; valid-from=2026-10-11T00:00:00+00:00; valid-through=2026-10-13T18:00:00+00:00; target-dates=2026-10-11,2026-10-12; partial-target-dates=2026-10-10; dates-with-points=2026-10-10,2026-10-11,2026-10-12 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KSGJ; actual-station=KSGJ; fetched-at=2026-10-11T02:49:10.693694+00:00; observed-or-issued-at=2026-10-10T12:00:00+00:00; valid-from=2026-10-11T12:00:00+00:00; valid-through=2026-10-18T12:00:00+00:00; target-dates=2026-10-11,2026-10-12; dates-with-points=2026-10-11,2026-10-12 — Iowa State API
- MOS effective date selection — state=partial; rows=18; requested-station=KSGJ; actual-station=KSGJ; fetched-at=2026-10-11T02:49:09.839832+00:00; observed-or-issued-at=2026-10-10T18:00:00+00:00; valid-from=2026-10-11T00:00:00+00:00; valid-through=2026-10-13T18:00:00+00:00; target-dates=2026-10-11,2026-10-12; partial-target-dates=2026-10-10; dates-with-points=2026-10-10,2026-10-11,2026-10-12; selected-by-date=2026-10-10=GFS, 2026-10-11=GFS, 2026-10-12=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#11 **KCRG** **Jacksonville/Executive at Craig Arpt, FL, US** · Atlantic North · Jacksonville Exec

OBS - VFR

ETE 1h45

DIST 252 nm

SAT 10 OCT 20:51 ET OBSERVED

Current observation

OBS - VFR

METAR

OBSER

few 6,000 ft, scattered 11,000 ft

WIND calm

TEMPERATURE 25 °C

VISIBILITY **10 sm**

DEWPOINT **24 °C**

Evidence & limitations

- METAR source state: ok; observed Oct 10 20:51 ET; retrieved Oct 10 22:48 ET; 117 min before this run.
- Measured values read from the KCRG METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.98 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.

DESTINATION OUTLOOK

SAT, OCT 10

SAT 10 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sat Oct 10

18:00–00:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

SUN, OCT 11

SUN 11 OCT 00:00–06:00 ET HIGH

Forecast TAF

Flight-category guidance

TAF · IFR

FORECAST

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · IFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 11 OCT 06:00–12:00 ET HIGH

Forecast TAF

Flight-category guidance

TAF · IFR

FORECAST

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · IFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 11 OCT 12:00–18:00 ET HIGH

Forecast TAF

Flight-category guidance

TAF · MVFR

FORECAST

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 11 OCT 18:00–00:00 ET HIGH

Forecast TAF

Flight-category guidance

TAF · VFR

FORECAST

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 11

00:00–06:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 12

MON 12 OCT 00:00–06:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 4 kt

TEMPERATURE 71–74 °F

DEWPOINT 64–65 °F

PRECIP CHANCE 3%

Evidence & limitations

- GFS MAV MOS · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 12 OCT 06:00–12:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 5 kt

TEMPERATURE 67–70 °F

DEWPOINT 61–63 °F

PRECIP CHANCE 2%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 12 OCT 12:00–18:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 6–10 kt

TEMPERATURE 67–79 °F

DEWPOINT 62–64 °F

PRECIP CHANCE 5%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 12 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 8–12 kt

TEMPERATURE 86–87 °F

DEWPOINT 62 °F

PRECIP CHANCE 0%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 12

00:00–06:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+048 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
17°C dep KLZU → 25°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
14/32 (140/320°M · 133/313°T) · 05/23 (050/230°M · 043/223°T) — designators and °M headings are magnetic; °T are true; variation 7°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs
FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 3 Act on 1 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

ed 2026-10-11T02:48:51.439808Z.

oritative)

FRI OCT 9 | SAT OCT 10 | SUN OCT 11 | MON OCT 12



15 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 02:48 Z

NOTAMs as of 02:48 Z — advisory only; verify an official briefing.

A0313/26

NOTAM text not available in this projection.

10/004

NOTAM text not available in this projection.

A0314/26

NOTAM text not available in this projection.

6/8452

NOTAM text not available in this projection.

A0170/26

NOTAM text not available in this projection.

6/9357

NOTAM text not available in this projection.

6/9358

NOTAM text not available in this projection.

A0189/26

NOTAM text not available in this projection.

A0190/26

NOTAM text not available in this projection.

12/015

NOTAM text not available in this projection.

A0332/25

NOTAM text not available in this projection.

02/057

NOTAM text not available in this projection.

07/012

NOTAM text not available in this projection.

08/030

NOTAM text not available in this projection.

09/004

NOTAM text not available in this projection.

09/011

NOTAM text not available in this projection.

09/013

NOTAM text not available in this projection.

09/014

NOTAM text not available in this projection.

09/016

NOTAM text not available in this projection.

09/019

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

Effective 2026-05-06T18:55:00Z → 2028-05-06T18:55:00Z

NAV_APPROACH

Effective 2026-05-06T18:55:00Z → 2028-05-06T18:55:00Z

15 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

highest-resolution aviation forecast available. The National Weather Service issues it four times a day, valid 24 to 30 hours, with explicit FM and TEMPO change groups. Airports without their own TAF station use a nearby proxy, which is a normal condition and not a fault. A TAF was read for this airport this run (state: partial).

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KCRG this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

[redacted]

[redacted]

[redacted]

[redacted]

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

00 ET ET · VFR
:00 ET ET · IFR
:00 ET ET · IFR
:00 ET ET · MVFR
:00 ET ET · VFR
S · 00:00–06:00 ET ET · VFR
• **Mon, Oct 12 · 06:00–12:00 ET**: GFS MAV MOS · 06:00–12:00 ET ET · VFR
• **Mon, Oct 12 · 12:00–18:00 ET**: GFS MAV MOS · 12:00–18:00 ET ET · VFR
• **Mon, Oct 12 · 18:00–00:00 ET**: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-10=GFS, 2026-10-11=GFS, 2026-10-12=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-11 00:00	78	Ovc	170/6kt	—	>10kft	>6SM
GFS	2026-10-11 03:00	80	Ovc	190/7kt	—	>10kft	>6SM
GFS	2026-10-11 06:00	80	Ovc	200/8kt	51.0	>10kft	>6SM
GFS	2026-10-11 09:00	79	Ovc	220/6kt	—	200-500ft	>6SM
GFS	2026-10-11 12:00	77	Ovc	240/9kt	37.0	500-1kft	>6SM
GFS	2026-10-11 15:00	76	Ovc	260/10kt	—	1-3kft	>6SM
GFS	2026-10-11 18:00	82	Bkn	270/11kt	24.0	>10kft	>6SM
GFS	2026-10-11 21:00	83	Few	270/8kt	—	>10kft	>6SM
GFS	2026-10-12 00:00	74	Clear	270/4kt	3.0	>10kft	>6SM
GFS	2026-10-12 03:00	71	Clear	280/4kt	—	>10kft	>6SM
GFS	2026-10-12 06:00	70	Clear	290/5kt	2.0	>10kft	>6SM
GFS	2026-10-12 09:00	67	Clear	310/5kt	—	>10kft	>6SM

GFS	2026-10-12 12:00	67	Clear	300/6kt	5.0	>10kft	>6SM
GFS	2026-10-12 15:00	79	Clear	320/10kt	—	>10kft	>6SM
GFS	2026-10-12 18:00	86	Clear	330/12kt	0.0	>10kft	>6SM
GFS	2026-10-12 21:00	87	Clear	340/8kt	—	>10kft	>6SM
GFS	2026-10-13 00:00	76	Clear	330/2kt	0.0	>10kft	>6SM
GFS	2026-10-13 03:00	72	Clear	290/1kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
SPECI KCRG 110051Z 00000KT 10SM -RA FEW060 SCT110 25/24 A2998 RMK AO2 LTG DSNT NW TSE20 P0035

TAF KCRG 110115Z 1101/1124 15006KT P6SM VCSH SCT012 BKN070 OVC120 FM110800 20008KT P6SM VCSH BKN015 PROB30 1108/1113 3SM SHRA BR OVC008 FM111500 25010KT P6SM BKN015 FM111700 26010KT P6SM FEW035
BKN050
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KCRG; actual-station=KCRG; fetched-at=2026-10-11T02:48:45.335441+00:00; observed-or-issued-at=2026-10-11T00:51:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KCRG; actual-station=KCRG; fetched-at=2026-10-11T02:48:45.531036+00:00; observed-or-issued-at=2026-10-11T01:15:00+00:00; valid-from=2026-10-11T01:00:00+00:00; valid-through=2026-10-12T00:00:00+00:00; partial-target-dates=2026-10-10,2026-10-11 — AWC API

  TAF proxy · KCRG
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KCRG; actual-station=KCRG; fetched-at=2026-10-11T02:48:46.515144+00:00
- FAA NMS NOTAM — state=OK; requested-station=KCRG; actual-station=KCRG; fetched-at=2026-10-11T02:48:51.439808Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KCRG; actual-station=KCRG; fetched-at=2026-10-11T02:49:09.840680+00:00; observed-or-issued-at=2026-10-10T18:00:00+00:00; valid-from=2026-10-11T00:00:00+00:00; valid-through=2026-10-13T18:00:00+00:00; target-dates=2026-10-11,2026-10-12; partial-target-dates=2026-10-10; dates-with-points=2026-10-10,2026-10-11,2026-10-12 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KCRG; actual-station=KCRG; fetched-at=2026-10-11T02:49:10.707373+00:00; observed-or-issued-at=2026-10-10T12:00:00+00:00; valid-from=2026-10-11T12:00:00+00:00; valid-through=2026-10-18T12:00:00+00:00; target-dates=2026-10-11,2026-10-12; dates-with-points=2026-10-11,2026-10-12 — Iowa State API
- MOS effective date selection — state=partial; rows=18; requested-station=KCRG; actual-station=KCRG; fetched-at=2026-10-11T02:49:09.840680+00:00; observed-or-issued-at=2026-10-10T18:00:00+00:00; valid-from=2026-10-11T00:00:00+00:00; valid-through=2026-10-13T18:00:00+00:00; target-dates=2026-10-11,2026-10-12; partial-target-dates=2026-10-10; dates-with-points=2026-10-10,2026-10-11,2026-10-12; selected-by-date=2026-10-10=GFS, 2026-10-11=GFS, 2026-10-12=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#12 **KFIN** **Palm Coast/Flagler Exec, FL, US** · Atlantic South · Flagler Exec FL

OBS - VFR

ETE 2h03

DIST 295 nm

SAT 10 OCT 21:55 ET OBSERVED

Current observation

METAR

OBS - VFR

OBSER

clear below 12,000 ft (CLR)

WIND calm

TEMPERATURE 25 °C

VISIBILITY 10 sm

DEWPOINT 25 °C

Evidence & limitations

- METAR source state: ok; observed Oct 10 21:55 ET; retrieved Oct 10 22:48 ET; 53 min before this run.
- Measured values read from the KFIN METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.02 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.

DESTINATION OUTLOOK

SAT, OCT 10

SAT 10 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sat Oct 10

18:00–00:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

SUN, OCT 11

SUN 11 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 11 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 11 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 11 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 11

00:00–06:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 12

MON 12 OCT 00:00–06:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 0–2 kt

TEMPERATURE 70–74 °F

DEWPOINT 66–69 °F

PRECIP CHANCE 22%

Evidence & limitations

- GFS MAV MOS · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 12 OCT 06:00–12:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 3–4 kt

TEMPERATURE 65–68 °F

DEWPOINT 61–64 °F

PRECIP CHANCE 12%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 12 OCT 12:00–18:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 3–7 kt

TEMPERATURE 65–78 °F

DEWPOINT 60–64 °F

PRECIP CHANCE 6%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 12 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 7–9 kt

TEMPERATURE 83 °F

DEWPOINT 62–63 °F

PRECIP CHANCE 0%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 12

00:00–06:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+048 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
17°C dep KLZU → 25°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — source state: not_queried

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
11/29 (110/290°M · 103/283°T) · 06/24 (060/240°M · 053/233°T) · 18W/36W (180/000°M · 173/353°T · water lane, not wind-favored) — designators and °M headings are magnetic; °T are true; variation 7°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs
FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 8 Act on 1 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What 3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

ed 2026-10-11T02:48:51.490680Z.
oritative)

FRI OCT 9 | SAT OCT 10 | SUN OCT 11 | MON OCT 12



18 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 02:48 Z

NOTAMs as of 02:48 Z — advisory only; verify an official briefing.

6/4977

NOTAM text not available in this projection.

6/4978

NOTAM text not available in this projection.

6/4982

NOTAM text not available in this projection.

6/4983

NOTAM text not available in this projection.

A0039/26

NOTAM text not available in this projection.

A0040/26

NOTAM text not available in this projection.

A0041/26

NOTAM text not available in this projection.

A0042/26

NOTAM text not available in this projection.

06/004

NOTAM text not available in this projection.

07/008

NOTAM text not available in this projection.

A0036/26

NOTAM text not available in this projection.

08/004

NOTAM text not available in this projection.

08/007

NOTAM text not available in this projection.

10/001

NOTAM text not available in this projection.

10/002

NOTAM text not available in this projection.

10/003

NOTAM text not available in this projection.

A0048/26

NOTAM text not available in this projection.

10/002

NOTAM text not available in this projection.

10/003

NOTAM text not available in this projection.

10/004

NOTAM text not available in this projection.

09/008

NOTAM text not available in this projection.

09/011

NOTAM text not available in this projection.

A0046/26

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

Effective 2026-09-23T04:36:00Z → 2026-10-22T04:36:00Z

NAV_APPROACH 8/4998 — IAP FLAGLER EXEC, PALM COAST, FL, RNAV (GPS) RWY 26, AMDT 1C... WHEN LOCAL ALTIMETER SETTING NOT RECEIVED USE GAB ALTIMETER SETTING AND INCREASE ALL MDAS 80 FEET. INCREASE ALL VISIBILITIES CATS C/D 1/4 SM. VDP NA WHEN USING GAB ALTIMETER SETTING. FIN AWOS OUT OF SERVICE. 2609230836-2610202359EST

Effective 2026-09-23T04:36:00Z → 2026-10-22T04:36:00Z

NAV_APPROACH 4/0939/26 — IAP FLAGLER EXEC, PALM COAST, FL, RNAV (GPS) RWY 13, AMDT 2B... WHEN LOCAL ALTIMETER SETTING NOT AVAILABLE USE GAB ALTIMETER SETTING AND INCREASE ALL MDAS 80 FEET. INCREASE ALL VISIBILITIES CATS C/D 1/4 SM. FIN AWOS OUT OF SERVICE.

Effective 2026-09-23T04:36:00Z → 2026-10-22T04:36:00Z

18 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KFIN this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · MVFR
:00 ET ET · MVFR
:00 ET ET · VFR
S · 00:00–06:00 ET ET · VFR
• **Mon, Oct 12 · 06:00–12:00 ET**: GFS MAV MOS · 06:00–12:00 ET ET · VFR
• **Mon, Oct 12 · 12:00–18:00 ET**: GFS MAV MOS · 12:00–18:00 ET ET · VFR
• **Mon, Oct 12 · 18:00–00:00 ET**: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-10=GFS, 2026-10-11=GFS, 2026-10-12=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-11 00:00	80	Ovc	170/5kt	—	5-10kft	>6SM
GFS	2026-10-11 03:00	79	Ovc	180/6kt	—	>10kft	>6SM
GFS	2026-10-11 06:00	78	Ovc	180/5kt	58.0	>10kft	>6SM

GFS	2026-10-11 09:00	77	Ovc	210/5kt	—	3-5kft	>6SM
GFS	2026-10-11 12:00	76	Ovc	210/5kt	35.0	1-3kft	>6SM
GFS	2026-10-11 15:00	80	Ovc	240/6kt	—	1-3kft	>6SM
GFS	2026-10-11 18:00	84	Ovc	270/9kt	32.0	5-10kft	>6SM
GFS	2026-10-11 21:00	82	Ovc	290/6kt	—	>10kft	>6SM
GFS	2026-10-12 00:00	74	Bkn	0/0kt	22.0	>10kft	>6SM
GFS	2026-10-12 03:00	70	Sct	290/2kt	—	>10kft	>6SM
GFS	2026-10-12 06:00	68	Clear	310/3kt	12.0	>10kft	>6SM
GFS	2026-10-12 09:00	65	Clear	330/4kt	—	>10kft	>6SM
GFS	2026-10-12 12:00	65	Clear	330/3kt	6.0	>10kft	>6SM
GFS	2026-10-12 15:00	78	Clear	330/7kt	—	>10kft	>6SM
GFS	2026-10-12 18:00	83	Clear	340/9kt	0.0	>10kft	>6SM
GFS	2026-10-12 21:00	83	Clear	350/7kt	—	>10kft	>6SM
GFS	2026-10-13 00:00	74	Clear	0/0kt	0.0	>10kft	>6SM
GFS	2026-10-13 03:00	69	Clear	0/0kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KFIN 110155Z AUTO 00000KT 10SM CLR 25/25 A3002 RMK AO2 LTG DSNT NE AND W T02510245

TAF KDAB 102322Z 1100/1124 16006KT P6SM VCSH SCT035 BKN050 BKN090 FM110600 19005KT P6SM SCT040 BKN120 FM111400 22010KT P6SM VCSH SCT015 BKN030 TEMPO 1114/1117 4SM SHRA BKN025 BKN035 FM111800
25009KT P6SM VCSH SCT025 SCT035 BKN050 FM112000 28009KT P6SM SCT030 BKN060
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KFIN; actual-station=KFIN; fetched-at=2026-10-11T02:48:45.335441+00:00; observed-or-issued-at=2026-10-11T01:55:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KFIN; actual-station=KDAB; fetched-at=2026-10-11T02:48:45.531036+00:00; observed-or-issued-at=2026-10-10T23:22:00+00:00; valid-from=2026-10-11T00:00:00+00:00; valid-through=2026-10-12T00:00:00+00:00; partial-target-dates=2026-10-10,2026-10-11 — AWC API
  TAF proxy · KDAB
- FAA airport status — state=not_queried; fetch-state=not_attempted; payload-state=not_attempted; requested-station=KFIN
- FAA NMS NOTAM — state=OK; requested-station=KFIN; actual-station=KFIN; fetched-at=2026-10-11T02:48:51.490680Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KFIN; actual-station=KFIN; fetched-at=2026-10-11T02:49:09.874717+00:00; observed-or-issued-at=2026-10-10T18:00:00+00:00; valid-from=2026-10-11T00:00:00+00:00; valid-through=2026-10-13T18:00:00+00:00; target-dates=2026-10-11,2026-10-12; partial-target-dates=2026-10-10; dates-with-points=2026-10-10,2026-10-11,2026-10-12 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KFIN; actual-station=KFIN; fetched-at=2026-10-11T02:49:10.803583+00:00; observed-or-issued-at=2026-10-10T12:00:00+00:00; valid-from=2026-10-11T12:00:00+00:00; valid-through=2026-10-18T12:00:00+00:00; target-dates=2026-10-11,2026-10-12; dates-with-points=2026-10-11,2026-10-12 — Iowa State API

- MOS effective date selection — state=partial; rows=18; requested-station=KFIN; actual-station=KFIN; fetched-at=2026-10-11T02:49:09.874717+00:00; observed-or-issued-at=2026-10-10T18:00:00+00:00; valid-from=2026-10-11T00:00:00+00:00; valid-through=2026-10-13T18:00:00+00:00; target-dates=2026-10-11,2026-10-12; partial-target-dates=2026-10-10; dates-with-points=2026-10-10,2026-10-11,2026-10-12; selected-by-date=2026-10-10=GFS, 2026-10-11=GFS, 2026-10-12=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#13 **KGKT** **Gatlinburg-Pigeon Forge Arpt, TN, US** · Mountain · Smokies/Gatlinburg

OBS - VFR

ETE 0h50

DIST 114 nm

SAT 10 OCT 20:56 ET OBSERVED

Current observation

OBS - VFR

METAR

OBSER

few 6,000 ft, few 9,000 ft

WIND N (20°) 5 kt

TEMPERATURE 20 °C

VISIBILITY 10 sm

DEWPOINT 16 °C



Wind favours RWY 10

020° true · 027° magnetic · 5 kt

Evidence & limitations

- METAR source state: ok; observed Oct 10 20:56 ET; retrieved Oct 10 22:48 ET; 112 min before this run.
- Measured values read from the KGKT METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.92 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KGKT runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 10/28. Wind from 020 degrees true, 027 degrees magnetic, at 5 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 10. Wind source: KGKT METAR 110056Z.

DESTINATION OUTLOOK

SAT, OCT 10

SAT 10 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sat Oct 10

18:00–00:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

SUN, OCT 11

SUN 11 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 11 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · IFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · IFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 11 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · IFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · IFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 11 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · IFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · IFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 11

00:00–06:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 12

MON 12 OCT 00:00–06:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · IFR

FORECAST

Flight-category guidance

WIND 6 kt

TEMPERATURE 62–63 °F

DEWPOINT 62 °F

PRECIP CHANCE 47%

Evidence & limitations

- GFS MAV MOS · 00:00–06:00 ET ET · IFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 12 OCT 06:00–12:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · LIFR

FORECAST

Flight-category guidance

WIND 3–5 kt

TEMPERATURE 59–61 °F

DEWPOINT 59–60 °F

PRECIP CHANCE 38%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · LIFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 12 OCT 12:00–18:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 1–4 kt

TEMPERATURE 58–69 °F

DEWPOINT 58–61 °F

PRECIP CHANCE 12%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 12 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 4 kt

TEMPERATURE 79–82 °F

DEWPOINT 57–58 °F

PRECIP CHANCE 0%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 12

00:00–06:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+048 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
6000 ft

CURRENT METAR TEMP DEP / DEST
17°C dep KLZU → 20°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — source state: not_queried

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
10/28 (100/280°M · 093/273°T) — designators and °M headings are magnetic; °T are true; variation 7°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 4 Act on 2 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

ed 2026-10-11T02:48:51.548372Z.

oritative) » = no published end (each row states whether it is permanent or simply not supplied) — continues past this window

FRI OCT 9 | SAT OCT 10 | SUN OCT 11 | MON OCT 12



14 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 02:48 Z

NOTAMs as of 02:48 Z — advisory only; verify an official briefing.

5/5737

NOTAM text not available in this projection.

04/104

NOTAM text not available in this projection.

04/122

NOTAM text not available in this projection.

04/123

NOTAM text not available in this projection.

5/0055

NOTAM text not available in this projection.

5/0067

NOTAM text not available in this projection.

6/4578

NOTAM text not available in this projection.

07/681

NOTAM text not available in this projection.

07/682

NOTAM text not available in this projection.

07/683

NOTAM text not available in this projection.

08/632

NOTAM text not available in this projection.

09/026

NOTAM text not available in this projection.

09/050

NOTAM text not available in this projection.

09/491

NOTAM text not available in this projection.

09/537

NOTAM text not available in this projection.

10/039

NOTAM text not available in this projection.

10/084

NOTAM text not available in this projection.

10/113

NOTAM text not available in this projection.

09/688

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

RUNWAY

Effective 2026-04-07T10:24:00Z → 2027-11-30T19:00:00Z

RUNWAY

Effective 2026-04-07T10:26:00Z → Permanent — no expiry published

NAV_APPROACH

Effective 2025-09-24T20:31:00Z → 2027-09-24T20:31:00Z

14 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the

highest-resolution aviation forecast available. The National Weather Service issues it four times a day, valid 24 to 30 hours, with explicit FM and TEMPO change groups. Airports without their own TAF station use a nearby proxy, which is a normal condition and not a fault. A TAF was read for this airport this run (state: partial). This airport has no TAF station of its own, so KTYS is used as a proxy; that is a normal condition, not a failure.

Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KGKT this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

00 ET ET · VFR
:00 ET ET · MVFR
:00 ET ET · IFR
:00 ET ET · IFR
:00 ET ET · IFR
S · 00:00–06:00 ET ET · IFR

- **Mon, Oct 12 · 06:00–12:00 ET**: GFS MAV MOS · 06:00–12:00 ET ET · LIFR
- **Mon, Oct 12 · 12:00–18:00 ET**: GFS MAV MOS · 12:00–18:00 ET ET · VFR
- **Mon, Oct 12 · 18:00–00:00 ET**: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-10=GFS, 2026-10-11=GFS, 2026-10-12=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-11 00:00	68	Ovc	240/8kt	—	5-10kft	>6SM
GFS	2026-10-11 03:00	68	Ovc	60/2kt	—	5-10kft	3-5SM
GFS	2026-10-11 06:00	67	Ovc	150/2kt	97.0	3-5kft	3-5SM
GFS	2026-10-11 09:00	64	Ovc	270/3kt	—	500-1kft	3-5SM
GFS	2026-10-11 12:00	63	Ovc	260/5kt	73.0	1-3kft	½-1SM
GFS	2026-10-11 15:00	63	Ovc	250/4kt	—	1-3kft	>6SM
GFS	2026-10-11 18:00	66	Ovc	250/8kt	43.0	500-1kft	3-5SM
GFS	2026-10-11 21:00	65	Ovc	250/6kt	—	1-3kft	3-5SM
GFS	2026-10-12 00:00	62	Ovc	240/6kt	47.0	500-1kft	3-5SM
GFS	2026-10-12 03:00	63	Ovc	240/6kt	—	<200ft	½-1SM
GFS	2026-10-12 06:00	61	Ovc	240/5kt	38.0	3-5kft	1-2SM
GFS	2026-10-12 09:00	59	Bkn	240/3kt	—	5-10kft	1-2SM

GFS	2026-10-12 12:00	58	Sct	210/1kt	12.0	>10kft	<¼SM
GFS	2026-10-12 15:00	69	Sct	250/4kt	—	>10kft	>6SM
GFS	2026-10-12 18:00	79	Clear	290/4kt	0.0	>10kft	>6SM
GFS	2026-10-12 21:00	82	Clear	320/4kt	—	>10kft	>6SM
GFS	2026-10-13 00:00	71	Clear	210/1kt	0.0	>10kft	>6SM
GFS	2026-10-13 03:00	63	Clear	0/0kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KGKT 110056Z AUTO 02005KT 10SM FEW060 FEW090 20/16 A2992 RMK A01

TAF KTYS 102336Z 1100/1124 06011KT P6SM -RA OVC050 TEMPO 1100/1104 6SM -SHRA BR FM110900 24007KT P6SM -RA BKN015 FM111500 23012G20KT P6SM VCSH BKN009
```

+ Data sources used

• METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KGKT; actual-station=KGKT; fetched-at=2026-10-11T02:48:45.335441+00:00; observed-or-issued-at=2026-10-11T00:56:00+00:00 — AWC API
• TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KGKT; actual-station=KTYS; fetched-at=2026-10-11T02:48:45.531036+00:00; observed-or-issued-at=2026-10-10T23:36:00+00:00; valid-from=2026-10-11T00:00:00+00:00; valid-through=2026-10-12T00:00:00+00:00; partial-target-dates=2026-10-10,2026-10-11 — AWC API

TAF proxy · KTYS

• FAA airport status — state=not_queried; fetch-state=not_attempted; payload-state=not_attempted; requested-station=KGKT
• FAA NMS NOTAM — state=OK; requested-station=KGKT; actual-station=KGKT; fetched-at=2026-10-11T02:48:51.548372Z — FAA NMS overview
• MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KGKT; actual-station=KGKT; fetched-at=2026-10-11T02:49:09.842724+00:00; observed-or-issued-at=2026-10-10T18:00:00+00:00; valid-from=2026-10-11T00:00:00+00:00; valid-through=2026-10-13T18:00:00+00:00; target-dates=2026-10-11,2026-10-12; partial-target-dates=2026-10-10; dates-with-points=2026-10-10,2026-10-11,2026-10-12 — Iowa State API
• MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KGKT; actual-station=KGKT; fetched-at=2026-10-11T02:49:10.732417+00:00; observed-or-issued-at=2026-10-10T12:00:00+00:00; valid-from=2026-10-11T12:00:00+00:00; valid-through=2026-10-18T12:00:00+00:00; target-dates=2026-10-11,2026-10-12; dates-with-points=2026-10-11,2026-10-12 — Iowa State API
• MOS effective date selection — state=partial; rows=18; requested-station=KGKT; actual-station=KGKT; fetched-at=2026-10-11T02:49:09.842724+00:00; observed-or-issued-at=2026-10-10T18:00:00+00:00; valid-from=2026-10-11T00:00:00+00:00; valid-through=2026-10-13T18:00:00+00:00; target-dates=2026-10-11,2026-10-12; partial-target-dates=2026-10-10; dates-with-points=2026-10-10,2026-10-11,2026-10-12; selected-by-date=2026-10-10=GFS, 2026-10-11=GFS, 2026-10-12=GFS
• Extended outlook and hazard-feed states are reported in the source stamp.
• Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#14 **KSHD** **Staunton/Shenandoah Valley Rgnl, VA, US** · Mountain · Shenandoah valley

OBS - VFR

ETE 2h25

DIST 355 nm

SAT 10 OCT 20:55 ET OBSERVED

Current observation

METAR

OBS - VFR

OBSER

broken 3,300 ft, broken 4,400 ft, overcast 5,500 ft

WIND **E (80°) 5 kt**

TEMPERATURE **17 °C**

VISIBILITY **10 sm**

DEWPOINT **11 °C**



Wind favours RWY 05

080° true · 090° magnetic · 5 kt

Evidence & limitations

- METAR source state: ok; observed Oct 10 20:55 ET; retrieved Oct 10 22:48 ET; 113 min before this run.
- Measured values read from the KSHD METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.34 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KSHD runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 05/23. Wind from 080 degrees true, 090 degrees magnetic, at 5 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 05. Wind source: KSHD METAR 110055Z.

DESTINATION OUTLOOK

SAT, OCT 10

SAT 10 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sat Oct 10

18:00–00:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

SUN, OCT 11

SUN 11 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · IFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · IFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 11 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · LIFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · LIFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 11 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · LIFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · LIFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 11 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · LIFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · LIFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 11

00:00–06:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 12

MON 12 OCT 00:00–06:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · LIFR

FORECAST

Flight-category guidance

WIND 1–2 kt

TEMPERATURE 58 °F

DEWPOINT 58 °F

PRECIP CHANCE 80%

Evidence & limitations

- GFS MAV MOS · 00:00–06:00 ET ET · LIFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 12 OCT 06:00–12:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · LIFR

FORECAST

Flight-category guidance

WIND 1–2 kt

TEMPERATURE 59 °F

DEWPOINT 59 °F

PRECIP CHANCE 70%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · LIFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 12 OCT 12:00–18:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 2–5 kt

TEMPERATURE 58–64 °F

DEWPOINT 58–60 °F

PRECIP CHANCE 61%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 12 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 6 kt

TEMPERATURE 71 °F

DEWPOINT 59–60 °F

PRECIP CHANCE 18%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 12

00:00–06:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+048 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
17°C dep KLZU → 17°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — source state: not_queried

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
05/23 (050/230°M · 040/220°T) — designators and °M headings are magnetic; °T are true; variation 10°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs
FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 3 Act on 2 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

d 2026-10-11T02:48:51.550414Z.

oritative)

FRI OCT 9 | SAT OCT 10 | SUN OCT 11 | MON OCT 12

A0134/26	
5/3811	
A0196/25	

3 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 02:48 Z

NOTAMs as of 02:48 Z — advisory only; verify an official briefing.

03/004

NOTAM text not available in this projection.

A0068/26

NOTAM text not available in this projection.

A0134/26

NOTAM text not available in this projection.

5/3811

NOTAM text not available in this projection.

A0196/25

NOTAM text not available in this projection.

07/006

NOTAM text not available in this projection.

A0111/26

NOTAM text not available in this projection.

10/002

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

26-10-11T02:48:51.550414Z.

:00Z

:00Z

:00Z

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

Effective 2025-09-15T15:42:00Z → 2027-09-15T15:41:00Z

NAV_APPROACH 10/08/25 — SHD IAP SHENANDOAH VALLEY RGNL, STAUNTON/WAYNESBORO/HARRISONBURG, V4. ILS OR LOC RWY 5. AMDT 6B. ADDITIONAL COUPLED APPROACHES RA BELOW 1000 FEET.

Effective 2025-09-15T15:42:00Z → 2027-09-15T15:41:00Z

3 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KSHD this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

00 ET ET · MVFR

:00 ET ET · IFR

:00 ET ET · LIFR

:00 ET ET · LIFR

:00 ET ET · LIFR

S · 00:00–06:00 ET ET · LIFR

• **Mon, Oct 12 · 06:00–12:00 ET**: GFS MAV MOS · 06:00–12:00 ET ET · LIFR

• **Mon, Oct 12 · 12:00–18:00 ET**: GFS MAV MOS · 12:00–18:00 ET ET · VFR

• **Mon, Oct 12 · 18:00–00:00 ET**: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-10=GFS, 2026-10-11=GFS, 2026-10-12=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-11 00:00	61	Ovc	40/4kt	—	5-10kft	>6SM
GFS	2026-10-11 03:00	60	Ovc	30/7kt	—	5-10kft	>6SM
GFS	2026-10-11 06:00	62	Ovc	10/7kt	91.0	500-1kft	½-1SM
GFS	2026-10-11 09:00	63	Ovc	20/8kt	—	500-1kft	½-1SM

GFS	2026-10-11 12:00	64	Ovc	20/8kt	100.0	500-1kft	¼-½SM
GFS	2026-10-11 15:00	59	Ovc	10/4kt	—	200-500ft	½-1SM
GFS	2026-10-11 18:00	59	Ovc	10/4kt	100.0	200-500ft	1-2SM
GFS	2026-10-11 21:00	59	Ovc	10/3kt	—	200-500ft	1-2SM
GFS	2026-10-12 00:00	58	Ovc	320/2kt	80.0	200-500ft	1-2SM
GFS	2026-10-12 03:00	58	Ovc	350/1kt	—	200-500ft	<¼SM
GFS	2026-10-12 06:00	59	Ovc	290/2kt	70.0	500-1kft	¼-½SM
GFS	2026-10-12 09:00	59	Ovc	310/1kt	—	500-1kft	1-2SM
GFS	2026-10-12 12:00	58	Ovc	320/2kt	61.0	500-1kft	½-1SM
GFS	2026-10-12 15:00	64	Ovc	350/5kt	—	500-1kft	>6SM
GFS	2026-10-12 18:00	71	Ovc	340/6kt	18.0	3-5kft	>6SM
GFS	2026-10-12 21:00	71	Few	330/6kt	—	>10kft	>6SM
GFS	2026-10-13 00:00	61	Clear	330/1kt	2.0	>10kft	>6SM
GFS	2026-10-13 03:00	56	Clear	0/0kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KSHD 110055Z AUTO 08005KT 10SM BKN033 BKN044 OVC055 17/11 A3034 RMK AO2 T01700105

TAF KCHO 102332Z 1100/1124 04007KT P6SM BKN030 OVC080 FM110200 06008KT 6SM -RA SCT010 OVC030 FM110300 05009KT 4SM RA OVC010 FM110600 05012G20KT 2SM RA SCT004 OVC007 FM111500 04010KT 3SM RA
OVC004 FM112000 03005KT 4SM -DZ BR OVC004 PROB30 1120/1122 4SM -TSRA OVC004CB
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KSHD; actual-station=KSHD; fetched-at=2026-10-11T02:48:45.335441+00:00; observed-or-issued-at=2026-10-11T00:55:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KSHD; actual-station=KCHO; fetched-at=2026-10-11T02:48:45.531036+00:00; observed-or-issued-at=2026-10-10T23:32:00+00:00; valid-from=2026-10-11T00:00:00+00:00; valid-through=2026-10-12T00:00:00+00:00; partial-target-dates=2026-10-10,2026-10-11 — AWC API
  TAF proxy · KCHO
- FAA airport status — state=not_queried; fetch-state=not_attempted; payload-state=not_attempted; requested-station=KSHD
- FAA NMS NOTAM — state=OK; requested-station=KSHD; actual-station=KSHD; fetched-at=2026-10-11T02:48:51.550414Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KSHD; actual-station=KSHD; fetched-at=2026-10-11T02:49:09.911148+00:00; observed-or-issued-at=2026-10-10T18:00:00+00:00; valid-from=2026-10-11T00:00:00+00:00; valid-through=2026-10-13T18:00:00+00:00; target-dates=2026-10-11,2026-10-12; partial-target-dates=2026-10-10; dates-with-points=2026-10-10,2026-10-11,2026-10-12 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KSHD; actual-station=KSHD; fetched-at=2026-10-11T02:49:10.772625+00:00; observed-or-issued-at=2026-10-10T12:00:00+00:00; valid-from=2026-10-11T12:00:00+00:00; valid-through=2026-10-18T12:00:00+00:00; target-dates=2026-10-11,2026-10-12; dates-with-points=2026-10-11,2026-10-12 — Iowa State API
- MOS effective date selection — state=partial; rows=18; requested-station=KSHD; actual-station=KSHD; fetched-at=2026-10-11T02:49:09.911148+00:00; observed-or-issued-at=2026-10-10T18:00:00+00:00; valid-from=2026-10-11T00:00:00+00:00; valid-through=2026-10-13T18:00:00+00:00; target-dates=2026-10-11,2026-10-12; partial-target-dates=2026-10-10; dates-with-points=2026-10-10,2026-10-11,2026-10-12; selected-by-date=2026-10-10=GFS, 2026-10-11=GFS, 2026-10-12=GFS

• Extended outlook and hazard-feed states are reported in the source stamp.
• Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#15 **KECP** **Panama City/NW Florida Beaches Intl, FL, US** · Gulf East · Panama City Beach

OBS - VFR

ETE 1h38

DIST 237 nm

SAT 10 OCT 20:53 ET OBSERVED

Current observation

OBS - VFR

OBSER

METAR

overcast 3,900 ft

WIND calm

TEMPERATURE 22 °C

VISIBILITY 10 sm

DEWPOINT 18 °C

Evidence & limitations

• METAR source state: ok; observed Oct 10 20:53 ET; retrieved Oct 10 22:48 ET; 115 min before this run.
• Measured values read from the KECP METAR. This is a current surface observation only; it is not a forecast.
• Only fields decoded from this METAR are shown; every missing field remains unavailable.
• Altimeter: 29.94 inHg.
• The complete raw METAR remains in this airport's Raw products disclosure.

DESTINATION OUTLOOK

SAT, OCT 10

SAT 10 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sat Oct 10

18:00–00:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

SUN, OCT 11

SUN 11 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 11 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 11 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 11 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 11

00:00–06:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 12

MON 12 OCT 00:00–06:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 0–2 kt

TEMPERATURE 66–71 °F

DEWPOINT 65–66 °F

PRECIP CHANCE 0%

Evidence & limitations

- GFS MAV MOS · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 12 OCT 06:00–12:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 0–1 kt

TEMPERATURE 62–63 °F

DEWPOINT 60–62 °F

PRECIP CHANCE 1%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 12 OCT 12:00–18:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 1–5 kt

TEMPERATURE 61–79 °F

DEWPOINT 60–65 °F

PRECIP CHANCE 1%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 12 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 8 kt

TEMPERATURE 88 °F

DEWPOINT 63–65 °F

PRECIP CHANCE 0%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 12

00:00–06:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+048 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
6000 ft

CURRENT METAR TEMP DEP / DEST
17°C dep KLZU → 22°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
16/34 (160/340°M · 157/337°T) — designators and °M headings are magnetic; °T are true; variation 3°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 3 Act on 1 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

ed 2026-10-11T02:48:51.721631Z.

oritative)

FRI OCT 9 | SAT OCT 10 | SUN OCT 11 | MON OCT 12



9 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 02:48 Z

NOTAMs as of 02:48 Z — advisory only; verify an official briefing.

07/022

NOTAM text not available in this projection.

A0129/26

NOTAM text not available in this projection.

6/0313

NOTAM text not available in this projection.

A0153/26

NOTAM text not available in this projection.

08/033

NOTAM text not available in this projection.

09/003

NOTAM text not available in this projection.

A0152/26

NOTAM text not available in this projection.

09/004

NOTAM text not available in this projection.

09/027

NOTAM text not available in this projection.

09/035

NOTAM text not available in this projection.

10/004

NOTAM text not available in this projection.

10/008

NOTAM text not available in this projection.

10/006

NOTAM text not available in this projection.

A0176/26

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

1 …026-10-11T02:48:51.721631Z.

… RAMP WIP CONST ADJ W EDGE BARRICADED

…:00Z

… RAMP WIP CONST ADJ W EDGE BARRICADED

…:00Z

…EST FLORIDA BEACHES INTL PANAMA CITY FL ILS OR LOC RWY 16 AMDT 2E... RNAV (GPS) RWY 16 AMDT 2A... RNAV (GPS) RWY 34 AMDT 2B... CIRCLING

…TEMP CRANE 289 MSL 1513FT SW OF ECP AIRPORT (2025-ASO-11517-NRA) 2510161700-2510311700EST

…:00Z

…NWEST FLORIDA BEACHES INTL PANAMA CITY FL ILS OR LOC RWY 16 AMDT 2E... RNAV (GPS) RWY 16 AMDT 2A... RNAV (GPS) RWY 34 AMDT 2B... CIRCLING

…CAT A/B/C/D WDA 640HAA 5710 TEMP CRANE 289 MSL 1513FT SW OF ECP AIRPORT (2025-ASO-11517-NRA)

Effective 2026-09-02T17:00:00Z → 2027-01-15T16:23:00Z

OBSTRUCTION …08/033 … CREST TOWER LGT (ASR 1021207) 300056.00N0853014.00W (15.66NM SSE ECP) 273FT (240FT AGL) LIS

Effective 2026-08-31T20:54:00Z → 2026-12-31T23:59:00Z

9 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KECP this run.

published WPC surface chart matches this period and is shown in the dropdown with its

…ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

…00 ET ET · VFR

…:00 ET ET · VFR

…:00 ET ET · VFR

…:00 ET ET · VFR

…:00 ET ET · VFR

issuing office and valid time. It is displayed, never interpreted.

S · 00:00–06:00 ET ET · VFR

S · 06:00–12:00 ET ET · VFR

- **Mon, Oct 12 · 12:00–18:00 ET**: GFS MAV MOS · 12:00–18:00 ET ET · VFR
- **Mon, Oct 12 · 18:00–00:00 ET**: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-10=GFS, 2026-10-11=GFS, 2026-10-12=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-11 00:00	70	Bkn	250/8kt	—	5-10kft	>6SM
GFS	2026-10-11 03:00	65	Bkn	270/5kt	—	>10kft	>6SM
GFS	2026-10-11 06:00	62	Sct	270/4kt	2.0	>10kft	>6SM
GFS	2026-10-11 09:00	60	Clear	0/0kt	—	>10kft	>6SM
GFS	2026-10-11 12:00	60	Clear	270/3kt	3.0	>10kft	>6SM
GFS	2026-10-11 15:00	73	Clear	270/8kt	—	>10kft	>6SM
GFS	2026-10-11 18:00	80	Clear	270/11kt	2.0	>10kft	>6SM
GFS	2026-10-11 21:00	81	Clear	250/9kt	—	>10kft	>6SM
GFS	2026-10-12 00:00	71	Clear	240/2kt	0.0	>10kft	>6SM
GFS	2026-10-12 03:00	66	Clear	0/0kt	—	>10kft	>6SM
GFS	2026-10-12 06:00	63	Clear	270/1kt	1.0	>10kft	>6SM
GFS	2026-10-12 09:00	62	Clear	0/0kt	—	>10kft	>6SM
GFS	2026-10-12 12:00	61	Clear	270/1kt	1.0	>10kft	>6SM
GFS	2026-10-12 15:00	79	Clear	330/5kt	—	>10kft	>6SM
GFS	2026-10-12 18:00	88	Clear	300/8kt	0.0	>10kft	>6SM
GFS	2026-10-12 21:00	88	Clear	280/8kt	—	>10kft	>6SM
GFS	2026-10-13 00:00	76	Clear	260/2kt	0.0	>10kft	>6SM
GFS	2026-10-13 03:00	69	Clear	0/0kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KECP 110053Z 00000KT 10SM OVC039 22/18 A2994 RMK AO2 SLPNO T02170178

TAF KECP 102320Z 1100/1124 23010G18KT P6SM SCT025 BKN040 FM111600 27010G16KT P6SM SCT250
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KECP; actual-station=KECP; fetched-at=2026-10-11T02:48:45.335441+00:00; observed-or-issued-at=2026-10-11T00:53:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KECP; actual-station=KECP; fetched-at=2026-10-11T02:48:45.531036+00:00; observed-or-issued-at=2026-10-10T23:20:00+00:00; valid-from=2026-10-11T00:00:00+00:00; valid-through=2026-10-12T00:00:00+00:00; partial-target-dates=2026-10-10,2026-10-11 — AWC API

  TAF proxy · KECP
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KECP; actual-station=KECP; fetched-at=2026-10-11T02:48:46.330586+00:00
- FAA NMS NOTAM — state=OK; requested-station=KECP; actual-station=KECP; fetched-at=2026-10-11T02:48:51.721631Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KECP; actual-station=KECP; fetched-at=2026-10-11T02:49:09.883368+00:00; observed-or-issued-at=2026-10-10T18:00:00+00:00; valid-from=2026-10-11T00:00:00+00:00; valid-through=2026-10-13T18:00:00+00:00; target-dates=2026-10-11,2026-10-12; partial-target-dates=2026-10-10; dates-with-points=2026-10-10,2026-10-11,2026-10-12 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KECP; actual-station=KECP; fetched-at=2026-10-11T02:49:10.751339+00:00; observed-or-issued-at=2026-10-10T12:00:00+00:00; valid-from=2026-10-11T12:00:00+00:00; valid-through=2026-10-18T12:00:00+00:00; target-dates=2026-10-11,2026-10-12; dates-with-points=2026-10-11,2026-10-12 — Iowa State API
- MOS effective date selection — state=partial; rows=18; requested-station=KECP; actual-station=KECP; fetched-at=2026-10-11T02:49:09.883368+00:00; observed-or-issued-at=2026-10-10T18:00:00+00:00; valid-from=2026-10-11T00:00:00+00:00; valid-through=2026-10-13T18:00:00+00:00; target-dates=2026-10-11,2026-10-12; partial-target-dates=2026-10-10; dates-with-points=2026-10-10,2026-10-11,2026-10-12; selected-by-date=2026-10-10=GFS, 2026-10-11=GFS, 2026-10-12=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#16 **KPNS** **Pensacola Intl, FL, US** · Gulf East · Pensacola (Class C)

OBS - VFR

ETE 1h51

DIST 267 nm

SAT 10 OCT 20:53 ET OBSERVED

Current observation

OBS - VFR

METAR

OBSER

clear below 12,000 ft (CLR)

WIND **NW (310°) 11 kt**

TEMPERATURE **19 °C**

VISIBILITY **10 sm**

DEWPOINT **15 °C**



Wind favours RWY 35

310° true · 312° magnetic · 11 kt · NOTAM-affected: 08 and 26

Evidence & limitations

- METAR source state: ok; observed Oct 10 20:53 ET; retrieved Oct 10 22:48 ET; 115 min before this run.
- Measured values read from the KPNS METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.96 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KPNS runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 17/35, 08/26. Wind from 310 degrees true, 312 degrees magnetic, at 11 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 35. NOTAM-affected runway ends, hatched separately from the wind highlight: 08 and 26. The hatch marks only that a NOTAM names the runway; it does not decode the NOTAM's effective times, so confirm the closure window in the NOTAM text below. Wind source: KPNS METAR 110053Z.

DESTINATION OUTLOOK

SAT, OCT 10

SAT 10 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sat Oct 10

18:00–00:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

SUN, OCT 11

SUN 11 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 11 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 11 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 11 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 11

00:00–06:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 12

MON 12 OCT 00:00–06:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 2–4 kt

TEMPERATURE 72–75 °F

DEWPOINT 65–66 °F

PRECIP CHANCE 0%

Evidence & limitations

- GFS MAV MOS · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 12 OCT 06:00–12:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 2–3 kt

TEMPERATURE 68–70 °F

DEWPOINT 65 °F

PRECIP CHANCE 1%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 12 OCT 12:00–18:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 3–4 kt

TEMPERATURE 68–79 °F

DEWPOINT 65–66 °F

PRECIP CHANCE 1%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 12 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 6 kt

TEMPERATURE 88 °F

DEWPOINT 64 °F

PRECIP CHANCE 0%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 12

00:00–06:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+048 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
17°C dep KLZU → 19°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
17/35 (170/350°M · 168/348°T) · 08/26 (080/260°M · 078/258°T) — designators and °M headings are magnetic; °T are true; variation 2°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs
FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 18 Act on 6 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What
3 · Where

ed 2026-10-11T02:48:51.763427Z.

FRI OCT 9 | SAT OCT 10 | SUN OCT 11 | MON OCT 12

04/047	
A0477/26	
A0478/26	

81 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 02:48 Z

NOTAMs as of 02:48 Z — advisory only; verify an official briefing.

5/9591

NOTAM text not available in this projection.

04/046

NOTAM text not available in this projection.

04/047

NOTAM text not available in this projection.

A0477/26

NOTAM text not available in this projection.

A0478/26

NOTAM text not available in this projection.

04/048

NOTAM text not available in this projection.

A0479/26

NOTAM text not available in this projection.

04/049

NOTAM text not available in this projection.

A0480/26

NOTAM text not available in this projection.

6/7052

NOTAM text not available in this projection.

09/005

NOTAM text not available in this projection.

09/006

NOTAM text not available in this projection.

09/007

NOTAM text not available in this projection.

A1014/26

NOTAM text not available in this projection.

A1015/26

NOTAM text not available in this projection.

09/008

NOTAM text not available in this projection.

09/074

NOTAM text not available in this projection.

A1113/26

NOTAM text not available in this projection.

09/080

NOTAM text not available in this projection.

A1116/26

NOTAM text not available in this projection.

09/082

NOTAM text not available in this projection.

09/085

NOTAM text not available in this projection.

10/005

NOTAM text not available in this projection.

10/006

NOTAM text not available in this projection.

10/012

NOTAM text not available in this projection.

A1134/26

NOTAM text not available in this projection.

10/013

NOTAM text not available in this projection.

A1135/26

NOTAM text not available in this projection.

10/026

NOTAM text not available in this projection.

A1150/26

NOTAM text not available in this projection.

10/031

NOTAM text not available in this projection.

A1158/26

NOTAM text not available in this projection.

10/038

NOTAM text not available in this projection.

A1169/26

NOTAM text not available in this projection.

A1170/26

NOTAM text not available in this projection.

12/025

NOTAM text not available in this projection.

A1113/25

NOTAM text not available in this projection.

05/004

NOTAM text not available in this projection.

A0495/26

NOTAM text not available in this projection.

05/065

NOTAM text not available in this projection.

A0605/26

NOTAM text not available in this projection.

08/079

NOTAM text not available in this projection.

08/082

NOTAM text not available in this projection.

09/075

NOTAM text not available in this projection.

A1115/26

NOTAM text not available in this projection.

09/076

NOTAM text not available in this projection.

09/077

NOTAM text not available in this projection.

A1114/26

NOTAM text not available in this projection.

09/078

NOTAM text not available in this projection.

09/079

NOTAM text not available in this projection.

09/081

NOTAM text not available in this projection.

10/004

NOTAM text not available in this projection.

A1127/26

NOTAM text not available in this projection.

10/007

NOTAM text not available in this projection.

A1129/26

NOTAM text not available in this projection.

10/023

NOTAM text not available in this projection.

A1148/26

NOTAM text not available in this projection.

10/024

NOTAM text not available in this projection.

10/025

NOTAM text not available in this projection.

A1149/26

NOTAM text not available in this projection.

10/027

NOTAM text not available in this projection.

A1153/26

NOTAM text not available in this projection.

10/028

NOTAM text not available in this projection.

A1154/26

NOTAM text not available in this projection.

A0797/25

NOTAM text not available in this projection.

01/160

NOTAM text not available in this projection.

A0199/26

NOTAM text not available in this projection.

6/3336

NOTAM text not available in this projection.

A0624/26

NOTAM text not available in this projection.

A0826/26

NOTAM text not available in this projection.

A0826/26

NOTAM text not available in this projection.

6/7054

NOTAM text not available in this projection.

A0828/26

NOTAM text not available in this projection.

6/8258

NOTAM text not available in this projection.

A0849/26

NOTAM text not available in this projection.

6/8259

NOTAM text not available in this projection.

A0850/26

NOTAM text not available in this projection.

A1173/26

NOTAM text not available in this projection.

08/044

NOTAM text not available in this projection.

08/045

NOTAM text not available in this projection.

08/066

NOTAM text not available in this projection.

08/053

NOTAM text not available in this projection.

A0967/26

NOTAM text not available in this projection.

09/066

NOTAM text not available in this projection.

09/087

NOTAM text not available in this projection.

A1165/26

NOTAM text not available in this projection.

10/041

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

Effective 2025-09-08T16:19:00Z → 2027-09-08T16:19:00Z

FAA NOTAM text was truncated in this preview; verify the complete official record.

RUNWAY
Effective 2026-04-24T22:11:00Z → 2027-01-29T20:00:00Z

RUNWAY
Effective 2026-04-24T22:11:00Z → 2027-01-29T20:00:00Z

RUNWAY
Effective 2026-04-24T22:11:00Z → 2027-01-29T20:00:00Z

RUNWAY
Effective 2026-04-24T22:11:00Z → 2027-01-29T20:00:00Z

RUNWAY
Effective 2026-09-29T12:42:00Z → 2026-12-28T23:00:00Z

RUNWAY
Effective 2026-09-29T12:42:00Z → 2026-12-28T23:00:00Z

79 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KPNS this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
S · 00:00–06:00 ET ET · VFR
• **Mon, Oct 12 · 06:00–12:00 ET**: GFS MAV MOS · 06:00–12:00 ET ET · VFR
• **Mon, Oct 12 · 12:00–18:00 ET**: GFS MAV MOS · 12:00–18:00 ET ET · VFR
• **Mon, Oct 12 · 18:00–00:00 ET**: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-10=GFS, 2026-10-11=GFS, 2026-10-12=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-11 00:00	67	Sct	300/6kt	—	>10kft	>6SM
GFS	2026-10-11 03:00	64	Clear	290/4kt	—	>10kft	>6SM
GFS	2026-10-11 06:00	61	Clear	230/1kt	0.0	>10kft	>6SM
GFS	2026-10-11 09:00	60	Clear	260/1kt	—	>10kft	>6SM
GFS	2026-10-11 12:00	61	Clear	260/3kt	0.0	>10kft	>6SM
GFS	2026-10-11 15:00	74	Clear	280/8kt	—	>10kft	>6SM
GFS	2026-10-11 18:00	82	Clear	290/9kt	2.0	>10kft	>6SM
GFS	2026-10-11 21:00	83	Clear	240/8kt	—	>10kft	>6SM
GFS	2026-10-12 00:00	75	Clear	220/4kt	0.0	>10kft	>6SM
GFS	2026-10-12 03:00	72	Clear	250/2kt	—	>10kft	>6SM
GFS	2026-10-12 06:00	70	Clear	270/2kt	1.0	>10kft	>6SM
GFS	2026-10-12 09:00	68	Clear	320/3kt	—	>10kft	>6SM
GFS	2026-10-12 12:00	68	Clear	340/3kt	1.0	>10kft	>6SM
GFS	2026-10-12 15:00	79	Clear	350/4kt	—	>10kft	>6SM
GFS	2026-10-12 18:00	88	Clear	260/6kt	0.0	>10kft	>6SM
GFS	2026-10-12 21:00	88	Clear	200/6kt	—	>10kft	>6SM
GFS	2026-10-13 00:00	77	Clear	240/3kt	0.0	>10kft	>6SM
GFS	2026-10-13 03:00	73	Clear	270/3kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KPNS 110053Z AUTO 31011KT 10SM CLR 19/15 A2996 RMK AO2 SLP148 T01890150

TAF KPNS 102325Z 1100/1124 30010KT P6SM BKN045 FM110300 27004KT P6SM SKC FM111400 27009KT P6SM SKC
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KPNS; actual-station=KPNS; fetched-at=2026-10-11T02:48:45.335441+00:00; observed-or-issued-at=2026-10-11T00:53:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KPNS; actual-station=KPNS; fetched-at=2026-10-11T02:48:45.531036+00:00; observed-or-issued-at=2026-10-10T23:25:00+00:00; valid-from=2026-10-11T00:00:00+00:00; valid-through=2026-10-12T00:00:00+00:00; partial-target-dates=2026-10-10,2026-10-11 — AWC API
  TAF proxy · KPNS
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KPNS; actual-station=KPNS; fetched-at=2026-10-11T02:48:46.739648+00:00

- FAA NMS NOTAM — state=OK; requested-station=KPNS; actual-station=KPNS; fetched-at=2026-10-11T02:48:51.763427Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KPNS; actual-station=KPNS; fetched-at=2026-10-11T02:49:09.878566+00:00; observed-or-issued-at=2026-10-10T18:00:00+00:00; valid-from=2026-10-11T00:00:00+00:00; valid-through=2026-10-13T18:00:00+00:00; target-dates=2026-10-11,2026-10-12; partial-target-dates=2026-10-10; dates-with-points=2026-10-10,2026-10-11,2026-10-12 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KPNS; actual-station=KPNS; fetched-at=2026-10-11T02:49:10.780206+00:00; observed-or-issued-at=2026-10-10T12:00:00+00:00; valid-from=2026-10-11T12:00:00+00:00; valid-through=2026-10-18T12:00:00+00:00; target-dates=2026-10-11,2026-10-12; dates-with-points=2026-10-11,2026-10-12 — Iowa State API
- MOS effective date selection — state=partial; rows=18; requested-station=KPNS; actual-station=KPNS; fetched-at=2026-10-11T02:49:09.878566+00:00; observed-or-issued-at=2026-10-10T18:00:00+00:00; valid-from=2026-10-11T00:00:00+00:00; valid-through=2026-10-13T18:00:00+00:00; target-dates=2026-10-11,2026-10-12; partial-target-dates=2026-10-10; dates-with-points=2026-10-10,2026-10-11,2026-10-12; selected-by-date=2026-10-10=GFS, 2026-10-11=GFS, 2026-10-12=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#17 **KDAB** **Daytona Beach Intl, FL, US** · Gulf East · Daytona Beach (Class C)

OBS - VFR

ETE 2h13

DIST 324 nm

SAT 10 OCT 20:53 ET OBSERVED

Current observation

METAR

OBS - VFR

OBSER

clear below 12,000 ft (CLR)

WIND calm

TEMPERATURE 26 °C

VISIBILITY 10 sm

DEWPOINT 24 °C

Evidence & limitations

- METAR source state: ok; observed Oct 10 20:53 ET; retrieved Oct 10 22:48 ET; 115 min before this run.
- Measured values read from the KDAB METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.00 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.

DESTINATION OUTLOOK

SAT, OCT 10

SAT 10 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sat Oct 10

18:00–00:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

SUN, OCT 11

SUN 11 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 11 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 11 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 11 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 11

00:00–06:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 12

MON 12 OCT 00:00–06:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 2–3 kt

TEMPERATURE 73–75 °F

DEWPOINT 70–72 °F

PRECIP CHANCE 34%

Evidence & limitations

- GFS MAV MOS · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 12 OCT 06:00–12:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 4–6 kt

TEMPERATURE 68–71 °F

DEWPOINT 64–68 °F

PRECIP CHANCE 19%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 12 OCT 12:00–18:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 5–10 kt

TEMPERATURE 67–79 °F

DEWPOINT 63–65 °F

PRECIP CHANCE 7%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 12 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 9–12 kt

TEMPERATURE 83–84 °F

DEWPOINT 65 °F

PRECIP CHANCE 0%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 12

00:00–06:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+048 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
17°C dep KLZU → 26°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
07L/25R (070/250°M · 063/243°T) · 16/34 (160/340°M · 153/333°T) · 07R/25L (070/250°M · 063/243°T) — designators and °M headings are magnetic; °T are true; variation 7°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs
FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 13 Act on 2 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What 3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

ed 2026-10-11T02:48:51.861085Z.

oritative)

FRI OCT 9 | SAT OCT 10 | SUN OCT 11 | MON OCT 12



37 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 02:48 Z

NOTAMs as of 02:48 Z — advisory only; verify an official briefing.

09/140

NOTAM text not available in this projection.

09/144

NOTAM text not available in this projection.

A1640/26

NOTAM text not available in this projection.

10/049

NOTAM text not available in this projection.

A1732/26

NOTAM text not available in this projection.

A1733/26

NOTAM text not available in this projection.

A1733/26

NOTAM text not available in this projection.

10/050

NOTAM text not available in this projection.

A1734/26

NOTAM text not available in this projection.

A1735/26

NOTAM text not available in this projection.

A1736/26

NOTAM text not available in this projection.

A1737/26

NOTAM text not available in this projection.

A1738/26

NOTAM text not available in this projection.

10/023

NOTAM text not available in this projection.

A1739/26

NOTAM text not available in this projection.

A1740/26

NOTAM text not available in this projection.

6/8810

NOTAM text not available in this projection.

6/8811

NOTAM text not available in this projection.

6/8814

NOTAM text not available in this projection.

6/8816

NOTAM text not available in this projection.

A0825/26

NOTAM text not available in this projection.

A0828/26

NOTAM text not available in this projection.

A0829/26

NOTAM text not available in this projection.

A0830/26

NOTAM text not available in this projection.

6/3056

NOTAM text not available in this projection.

A0972/26

NOTAM text not available in this projection.

6/0752

NOTAM text not available in this projection.

A1405/26

NOTAM text not available in this projection.

08/067

NOTAM text not available in this projection.

08/069

NOTAM text not available in this projection.

08/070

NOTAM text not available in this projection.

08/071

NOTAM text not available in this projection.

02/081

NOTAM text not available in this projection.

A0203/26

NOTAM text not available in this projection.

09/149

NOTAM text not available in this projection.

A1643/26

NOTAM text not available in this projection.

10/031

NOTAM text not available in this projection.

A1704/26

NOTAM text not available in this projection.

10/032

NOTAM text not available in this projection.

A1705/26

NOTAM text not available in this projection.

10/033

NOTAM text not available in this projection.

A1706/26

NOTAM text not available in this projection.

10/051

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

026-10-11T02:48:51.861085Z.

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains

:00Z

preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

RUNWAY

Effective 2026-10-09T11:18:00Z → 2026-10-12T11:18:00Z

37 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KDAB this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

00 ET ET · VFR
00 ET ET · VFR
00 ET ET · MVFR
00 ET ET · MVFR
00 ET ET · VFR
· 00:00–06:00 ET ET · VFR
• **Mon, Oct 12 · 06:00–12:00 ET**: GFS MAV MOS · 06:00–12:00 ET ET · VFR
• **Mon, Oct 12 · 12:00–18:00 ET**: GFS MAV MOS · 12:00–18:00 ET ET · VFR
• **Mon, Oct 12 · 18:00–00:00 ET**: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-10=GFS, 2026-10-11=GFS, 2026-10-12=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-11 00:00	80	Ovc	180/4kt	—	>10kft	>6SM
GFS	2026-10-11 03:00	80	Ovc	200/5kt	—	>10kft	>6SM

GFS	2026-10-11 06:00	79	Ovc	190/5kt	61.0	>10kft	>6SM
GFS	2026-10-11 09:00	78	Bkn	190/5kt	—	>10kft	>6SM
GFS	2026-10-11 12:00	77	Ovc	220/4kt	36.0	5-10kft	>6SM
GFS	2026-10-11 15:00	82	Ovc	230/7kt	—	1-3kft	>6SM
GFS	2026-10-11 18:00	84	Ovc	250/9kt	36.0	3-5kft	>6SM
GFS	2026-10-11 21:00	82	Ovc	280/8kt	—	5-10kft	>6SM
GFS	2026-10-12 00:00	75	Ovc	280/2kt	34.0	>10kft	>6SM
GFS	2026-10-12 03:00	73	Bkn	280/3kt	—	>10kft	>6SM
GFS	2026-10-12 06:00	71	Few	300/4kt	19.0	>10kft	>6SM
GFS	2026-10-12 09:00	68	Clear	320/6kt	—	>10kft	>6SM
GFS	2026-10-12 12:00	67	Clear	310/5kt	7.0	>10kft	>6SM
GFS	2026-10-12 15:00	79	Clear	330/10kt	—	>10kft	>6SM
GFS	2026-10-12 18:00	84	Clear	350/12kt	0.0	>10kft	>6SM
GFS	2026-10-12 21:00	83	Clear	10/9kt	—	>10kft	>6SM
GFS	2026-10-13 00:00	77	Clear	70/3kt	0.0	>10kft	>6SM
GFS	2026-10-13 03:00	73	Clear	60/2kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KDAB 110053Z AUTO 00000KT 10SM CLR 26/24 A3000 RMK AO2 SLP158 T02610244

TAF KDAB 102322Z 1100/1124 16006KT P6SM VCSH SCT035 BKN050 BKN090 FM110600 19005KT P6SM SCT040 BKN120 FM111400 22010KT P6SM VCSH SCT015 BKN030 TEMPO 1114/1117 4SM SHRA BKN025 BKN035 FM111800
25009KT P6SM VCSH SCT025 SCT035 BKN050 FM112000 28009KT P6SM SCT030 BKN060
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KDAB; actual-station=KDAB; fetched-at=2026-10-11T02:48:45.335441+00:00; observed-or-issued-at=2026-10-11T00:53:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KDAB; actual-station=KDAB; fetched-at=2026-10-11T02:48:45.531036+00:00; observed-or-issued-at=2026-10-10T23:22:00+00:00; valid-from=2026-10-11T00:00:00+00:00; valid-through=2026-10-12T00:00:00+00:00; partial-target-dates=2026-10-10,2026-10-11 — AWC API

  TAF proxy · KDAB
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KDAB; actual-station=KDAB; fetched-at=2026-10-11T02:48:46.689220+00:00
- FAA NMS NOTAM — state=OK; requested-station=KDAB; actual-station=KDAB; fetched-at=2026-10-11T02:48:51.861085Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KDAB; actual-station=KDAB; fetched-at=2026-10-11T02:49:09.871324+00:00; observed-or-issued-at=2026-10-10T18:00:00+00:00; valid-from=2026-10-11T00:00:00+00:00; valid-through=2026-10-13T18:00:00+00:00; target-dates=2026-10-11,2026-10-12; partial-target-dates=2026-10-10; dates-with-points=2026-10-10,2026-10-11,2026-10-12 — Iowa State API

- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KDAB; actual-station=KDAB; fetched-at=2026-10-11T02:49:10.797896+00:00; observed-or-issued-at=2026-10-10T12:00:00+00:00; valid-from=2026-10-11T12:00:00+00:00; valid-through=2026-10-18T12:00:00+00:00; target-dates=2026-10-11,2026-10-12; dates-with-points=2026-10-11,2026-10-12 — Iowa State API
- MOS effective date selection — state=partial; rows=18; requested-station=KDAB; actual-station=KDAB; fetched-at=2026-10-11T02:49:09.871324+00:00; observed-or-issued-at=2026-10-10T18:00:00+00:00; valid-from=2026-10-11T00:00:00+00:00; valid-through=2026-10-13T18:00:00+00:00; target-dates=2026-10-11,2026-10-12; partial-target-dates=2026-10-10; dates-with-points=2026-10-10,2026-10-11,2026-10-12; selected-by-date=2026-10-10=GFS, 2026-10-11=GFS, 2026-10-12=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#18 **KJKA** **Gulf Shores/Edwards Arpt, AL, US** · Gulf West · Gulf Shores AL

OBS - VFR

ETE 2h01

DIST 291 nm

SAT 10 OCT 20:55 ET OBSERVED

Current observation

OBS - VFR

METAR

OBSER

clear below 12,000 ft (CLR)

WIND **NW (330°) 7 kt gust 14 kt**

TEMPERATURE **19 °C**

VISIBILITY **10 sm**

DEWPOINT **16 °C**



Wind favours RWY 35

330° true · 332° magnetic · 7G14 kt

Evidence & limitations

- METAR source state: ok; observed Oct 10 20:55 ET; retrieved Oct 10 22:48 ET; 113 min before this run.
- Measured values read from the KJKA METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.98 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KJKA runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 09/27, 17/35. Wind from 330 degrees true, 332 degrees magnetic, at 7 knots gusting 14 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 35. Wind source: KJKA METAR 110055Z.

DESTINATION OUTLOOK

SAT, OCT 10

SAT 10 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sat Oct 10

18:00–00:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

SUN, OCT 11

SUN 11 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 11 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 11 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 11 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 11

00:00–06:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 12

MON 12 OCT 00:00–06:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 1 kt

TEMPERATURE 66–73 °F

DEWPOINT 64–65 °F

PRECIP CHANCE 0%

Evidence & limitations

- GFS MAV MOS · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 12 OCT 06:00–12:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 0 kt

TEMPERATURE 62–64 °F

DEWPOINT 62–64 °F

PRECIP CHANCE 1%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 12 OCT 12:00–18:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 1–3 kt

TEMPERATURE 61–79 °F

DEWPOINT 61–67 °F

PRECIP CHANCE 1%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 12 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 5–6 kt

TEMPERATURE 85 °F

DEWPOINT 65–66 °F

PRECIP CHANCE 0%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 12

00:00–06:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+048 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
17°C dep KLZU → 19°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
09/27 (090/270°M · 088/268°T) · 17/35 (170/350°M · 168/348°T) — designators and °M headings are magnetic; °T are true; variation 2°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs
FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 8 Act on 1 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

ed 2026-10-11T02:48:51.913776Z.

oritative)

FRI OCT 9 | SAT OCT 10 | SUN OCT 11 | MON OCT 12



8 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 02:48 Z

NOTAMs as of 02:48 Z — advisory only; verify an official briefing.

05/473

NOTAM text not available in this projection.

10/182

NOTAM text not available in this projection.

5/1161

NOTAM text not available in this projection.

5/1162

NOTAM text not available in this projection.

6/3337

NOTAM text not available in this projection.

6/2179

NOTAM text not available in this projection.

6/8649

NOTAM text not available in this projection.

6/8650

NOTAM text not available in this projection.

6/8651

NOTAM text not available in this projection.

10/183

NOTAM text not available in this projection.

09/693

NOTAM text not available in this projection.

10/074

NOTAM text not available in this projection.

10/083

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

026-10-11T02:48:51.913776Z.

:00Z

:00Z

:00Z

Effective 2025-09-10T15:59:00Z → 2027-09-10T15:59:00Z

NAV_APPROACH

Effective 2026-05-27T18:27:00Z → 2027-01-06T18:27:00Z

8 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KJKA this run.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · VFR

S · 00:00–06:00 ET ET · VFR

• **Mon, Oct 12 · 06:00–12:00 ET**: GFS MAV MOS · 06:00–12:00 ET ET · VFR

• **Mon, Oct 12 · 12:00–18:00 ET**: GFS MAV MOS · 12:00–18:00 ET ET · VFR

• **Mon, Oct 12 · 18:00–00:00 ET**: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-10=GFS, 2026-10-11=GFS, 2026-10-12=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-11 00:00	63	Sct	300/3kt	—	>10kft	>6SM
GFS	2026-10-11 03:00	61	Clear	320/2kt	—	>10kft	>6SM
GFS	2026-10-11 06:00	59	Clear	260/1kt	1.0	>10kft	>6SM
GFS	2026-10-11 09:00	59	Clear	0/0kt	—	>10kft	>6SM
GFS	2026-10-11 12:00	58	Clear	230/1kt	0.0	>10kft	>6SM
GFS	2026-10-11 15:00	73	Clear	270/6kt	—	>10kft	>6SM
GFS	2026-10-11 18:00	81	Clear	260/7kt	2.0	>10kft	>6SM
GFS	2026-10-11 21:00	82	Clear	230/7kt	—	>10kft	>6SM
GFS	2026-10-12 00:00	73	Clear	220/1kt	0.0	>10kft	>6SM
GFS	2026-10-12 03:00	66	Clear	230/1kt	—	>10kft	>6SM
GFS	2026-10-12 06:00	64	Clear	0/0kt	1.0	>10kft	>6SM
GFS	2026-10-12 09:00	62	Clear	0/0kt	—	>10kft	>6SM
GFS	2026-10-12 12:00	61	Clear	330/1kt	1.0	>10kft	>6SM
GFS	2026-10-12 15:00	79	Clear	350/3kt	—	>10kft	>6SM
GFS	2026-10-12 18:00	85	Clear	250/5kt	0.0	>10kft	>6SM
GFS	2026-10-12 21:00	85	Clear	210/6kt	—	>10kft	>6SM
GFS	2026-10-13 00:00	75	Clear	230/2kt	0.0	>10kft	>6SM
GFS	2026-10-13 03:00	67	Clear	270/1kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KJKA 110055Z AUTO 33007G14KT 10SM CLR 19/16 A2998 RMK AO2

TAF KJKA 102325Z 1100/1124 33009KT P6SM SCT050 FM110200 VRB03KT P6SM SKC FM111400 28008KT P6SM SKC FM112000 25008KT P6SM SKC
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KJKA; actual-station=KJKA; fetched-at=2026-10-11T02:48:45.335441+00:00; observed-or-issued-at=2026-10-11T00:55:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KJKA; actual-station=KJKA; fetched-at=2026-10-11T02:48:45.531036+00:00; observed-or-issued-at=2026-10-10T23:25:00+00:00; valid-from=2026-10-11T00:00:00+00:00; valid-through=2026-10-12T00:00:00+00:00; partial-target-dates=2026-10-10,2026-10-11 — AWC API

  TAF proxy · KJKA
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KJKA; actual-station=KJKA; fetched-at=2026-10-11T02:48:46.830402+00:00
- FAA NMS NOTAM — state=OK; requested-station=KJKA; actual-station=KJKA; fetched-at=2026-10-11T02:48:51.913776Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KJKA; actual-station=KJKA; fetched-at=2026-10-11T02:49:09.886718+00:00; observed-or-issued-at=2026-10-10T18:00:00+00:00; valid-from=2026-10-11T00:00:00+00:00; valid-through=2026-10-13T18:00:00+00:00; target-dates=2026-10-11,2026-10-12; partial-target-dates=2026-10-10; dates-with-points=2026-10-10,2026-10-11,2026-10-12 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KJKA; actual-station=KJKA; fetched-at=2026-10-11T02:49:11.813087+00:00; observed-or-issued-at=2026-10-10T12:00:00+00:00; valid-from=2026-10-11T12:00:00+00:00; valid-through=2026-10-18T12:00:00+00:00; target-dates=2026-10-11,2026-10-12; dates-with-points=2026-10-11,2026-10-12 — Iowa State API
- MOS effective date selection — state=partial; rows=18; requested-station=KJKA; actual-station=KJKA; fetched-at=2026-10-11T02:49:09.886718+00:00; observed-or-issued-at=2026-10-10T18:00:00+00:00; valid-from=2026-10-11T00:00:00+00:00; valid-through=2026-10-13T18:00:00+00:00; target-dates=2026-10-11,2026-10-12; partial-target-dates=2026-10-10; dates-with-points=2026-10-10,2026-10-11,2026-10-12; selected-by-date=2026-10-10=GFS, 2026-10-11=GFS, 2026-10-12=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#19 **KBFM** **Mobile/Downtown Arpt, AL, US** · Gulf West · Mobile Downtown

OBS - VFR

ETE 2h00

DIST 290 nm

SAT 10 OCT 20:53 ET OBSERVED

Current observation

OBS - VFR

OBSER

METAR

clear below 12,000 ft (CLR)

WIND **N (340°) 8 kt**

TEMPERATURE **18 °C**

VISIBILITY **10 sm**

DEWPOINT **15 °C**



Wind favours RWY 36

340° true · 342° magnetic · 8 kt

Evidence & limitations

- METAR source state: ok; observed Oct 10 20:53 ET; retrieved Oct 10 22:48 ET; 115 min before this run.
- Measured values read from the KBFM METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.00 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KBFM runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 14/32, 18/36. Wind from 340 degrees true, 342 degrees magnetic, at 8 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 36. Wind source: KBFM METAR 110053Z.

DESTINATION OUTLOOK

SAT, OCT 10

SAT 10 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sat Oct 10

18:00–00:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

SUN, OCT 11

SUN 11 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 11 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 11 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 11 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 11

00:00–06:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 12

MON 12 OCT 00:00–06:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 2–3 kt

TEMPERATURE 70–75 °F

DEWPOINT 66 °F

PRECIP CHANCE 0%

Evidence & limitations

- GFS MAV MOS · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 12 OCT 06:00–12:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 1 kt

TEMPERATURE 66–68 °F

DEWPOINT 65–66 °F

PRECIP CHANCE 1%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 12 OCT 12:00–18:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 2–3 kt

TEMPERATURE 65–80 °F

DEWPOINT 64–67 °F

PRECIP CHANCE 1%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 12 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 4–5 kt

TEMPERATURE 87 °F

DEWPOINT 65 °F

PRECIP CHANCE 0%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 12

00:00–06:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+048 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
17°C dep KLZU → 18°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
14/32 (140/320°M · 138/318°T) · 18/36 (180/000°M · 178/358°T) — designators and °M headings are magnetic; °T are true; variation 2°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs
FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 15 Act on 4 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What
3 · Where

ved 2026-10-11T02:48:52.019356Z.

FRI OCT 9 | SAT OCT 10 | SUN OCT 11 | MON OCT 12

08/020	
A0373/26	
10/010	

180 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 02:48 Z

NOTAMs as of 02:48 Z — advisory only; verify an official briefing.

08/004

NOTAM text not available in this projection.

A0354/26

NOTAM text not available in this projection.

08/020

NOTAM text not available in this projection.

A0373/26

NOTAM text not available in this projection.

10/010

NOTAM text not available in this projection.

A0483/26

NOTAM text not available in this projection.

A0485/26

NOTAM text not available in this projection.

A0487/26

NOTAM text not available in this projection.

10/013

NOTAM text not available in this projection.

A0488/26

NOTAM text not available in this projection.

10/014

NOTAM text not available in this projection.

A0489/26

NOTAM text not available in this projection.

09/083

NOTAM text not available in this projection.

09/089

NOTAM text not available in this projection.

A0514/26

NOTAM text not available in this projection.

A0520/26

NOTAM text not available in this projection.

09/123

NOTAM text not available in this projection.

A0558/26

NOTAM text not available in this projection.

09/288

NOTAM text not available in this projection.

A0884/26

NOTAM text not available in this projection.

09/334

NOTAM text not available in this projection.

09/340

NOTAM text not available in this projection.

A0937/26

NOTAM text not available in this projection.

A0944/26

NOTAM text not available in this projection.

09/345

NOTAM text not available in this projection.

09/348

NOTAM text not available in this projection.

A0950/26

NOTAM text not available in this projection.

A0953/26

NOTAM text not available in this projection.

09/359

NOTAM text not available in this projection.

09/365

NOTAM text not available in this projection.

A0965/26

NOTAM text not available in this projection.

A0972/26

NOTAM text not available in this projection.

09/372

NOTAM text not available in this projection.

A0980/26

NOTAM text not available in this projection.

09/379

NOTAM text not available in this projection.

09/386

NOTAM text not available in this projection.

09/391

NOTAM text not available in this projection.

A0988/26

NOTAM text not available in this projection.

A0996/26

NOTAM text not available in this projection.

A1001/26

NOTAM text not available in this projection.

09/401

NOTAM text not available in this projection.

09/404

NOTAM text not available in this projection.

09/406

NOTAM text not available in this projection.

09/407

NOTAM text not available in this projection.

A1012/26

NOTAM text not available in this projection.

A1015/26

NOTAM text not available in this projection.

A1018/26

NOTAM text not available in this projection.

A1019/26

NOTAM text not available in this projection.

09/422

NOTAM text not available in this projection.

09/431

NOTAM text not available in this projection.

A1036/26

NOTAM text not available in this projection.

A1046/26

NOTAM text not available in this projection.

09/436

NOTAM text not available in this projection.

A1051/26

NOTAM text not available in this projection.

09/456

NOTAM text not available in this projection.

A1074/26

NOTAM text not available in this projection.

09/463

NOTAM text not available in this projection.

09/472

NOTAM text not available in this projection.

A1081/26

NOTAM text not available in this projection.

A1091/26

NOTAM text not available in this projection.

09/493

NOTAM text not available in this projection.

A1116/26

NOTAM text not available in this projection.

09/529

NOTAM text not available in this projection.

09/530

NOTAM text not available in this projection.

A1156/26

NOTAM text not available in this projection.

A1157/26

NOTAM text not available in this projection.

09/540

NOTAM text not available in this projection.

A1170/26

NOTAM text not available in this projection.

09/543

NOTAM text not available in this projection.

09/548

NOTAM text not available in this projection.

09/549

NOTAM text not available in this projection.

A1173/26

NOTAM text not available in this projection.

A1178/26

NOTAM text not available in this projection.

A1179/26

NOTAM text not available in this projection.

09/569

NOTAM text not available in this projection.

A1203/26

NOTAM text not available in this projection.

09/584

NOTAM text not available in this projection.

A1220/26

NOTAM text not available in this projection.

09/601

NOTAM text not available in this projection.

09/604

NOTAM text not available in this projection.

A1239/26

NOTAM text not available in this projection.

A1243/26

NOTAM text not available in this projection.

09/610

NOTAM text not available in this projection.

A1249/26

NOTAM text not available in this projection.

09/627

NOTAM text not available in this projection.

09/630

NOTAM text not available in this projection.

A1268/26

NOTAM text not available in this projection.

A1271/26

NOTAM text not available in this projection.

09/669

NOTAM text not available in this projection.

09/672

NOTAM text not available in this projection.

A1315/26

NOTAM text not available in this projection.

A1318/26

NOTAM text not available in this projection.

09/698

NOTAM text not available in this projection.

09/709

NOTAM text not available in this projection.

A1348/26

NOTAM text not available in this projection.

A1360/26

NOTAM text not available in this projection.

09/726

NOTAM text not available in this projection.

09/727

NOTAM text not available in this projection.

09/733

NOTAM text not available in this projection.

A1379/26

NOTAM text not available in this projection.

A1381/26

NOTAM text not available in this projection.

A1387/26

NOTAM text not available in this projection.

09/763

NOTAM text not available in this projection.

A1420/26

NOTAM text not available in this projection.

09/769

NOTAM text not available in this projection.

A1426/26

NOTAM text not available in this projection.

09/791

NOTAM text not available in this projection.

09/796

NOTAM text not available in this projection.

A1448/26

NOTAM text not available in this projection.

A1453/26

NOTAM text not available in this projection.

09/813

NOTAM text not available in this projection.

A1470/26

NOTAM text not available in this projection.

09/821

NOTAM text not available in this projection.

09/822

NOTAM text not available in this projection.

09/833

NOTAM text not available in this projection.

A1478/26

NOTAM text not available in this projection.

A1479/26

NOTAM text not available in this projection.

A1490/26

NOTAM text not available in this projection.

09/847

NOTAM text not available in this projection.

09/848

NOTAM text not available in this projection.

A1504/26

NOTAM text not available in this projection.

A1505/26

NOTAM text not available in this projection.

09/860

NOTAM text not available in this projection.

A1517/26

NOTAM text not available in this projection.

09/871

NOTAM text not available in this projection.

09/877

NOTAM text not available in this projection.

A1528/26

NOTAM text not available in this projection.

A1534/26

NOTAM text not available in this projection.

09/887

NOTAM text not available in this projection.

09/888

NOTAM text not available in this projection.

A1544/26

NOTAM text not available in this projection.

A1545/26

NOTAM text not available in this projection.

09/910

NOTAM text not available in this projection.

A1567/26

NOTAM text not available in this projection.

09/921

NOTAM text not available in this projection.

A1578/26

NOTAM text not available in this projection.

09/936

NOTAM text not available in this projection.

A1593/26

NOTAM text not available in this projection.

09/945

NOTAM text not available in this projection.

A1602/26

NOTAM text not available in this projection.

09/959

NOTAM text not available in this projection.

A1616/26

NOTAM text not available in this projection.

09/971

NOTAM text not available in this projection.

A1628/26

NOTAM text not available in this projection.

09/980

NOTAM text not available in this projection.

09/984

NOTAM text not available in this projection.

A1637/26

NOTAM text not available in this projection.

A1641/26

NOTAM text not available in this projection.

09/001

NOTAM text not available in this projection.

09/005

NOTAM text not available in this projection.

09/993

NOTAM text not available in this projection.

A1650/26

NOTAM text not available in this projection.

A1657/26

NOTAM text not available in this projection.

A1660/26

NOTAM text not available in this projection.

09/013

NOTAM text not available in this projection.

A1667/26

NOTAM text not available in this projection.

6/2188

NOTAM text not available in this projection.

A0356/26

NOTAM text not available in this projection.

6/4898

NOTAM text not available in this projection.

A0364/26

NOTAM text not available in this projection.

6/9973

NOTAM text not available in this projection.

A0382/26

NOTAM text not available in this projection.

6/6897

NOTAM text not available in this projection.

6/6898

NOTAM text not available in this projection.

6/6899

NOTAM text not available in this projection.

A0478/26

NOTAM text not available in this projection.

A0479/26

NOTAM text not available in this projection.

A0480/26

NOTAM text not available in this projection.

05/009

NOTAM text not available in this projection.

A0240/26

NOTAM text not available in this projection.

06/026

NOTAM text not available in this projection.

06/027

NOTAM text not available in this projection.

06/028

NOTAM text not available in this projection.

06/029

NOTAM text not available in this projection.

06/030

NOTAM text not available in this projection.

06/031

NOTAM text not available in this projection.

06/032

NOTAM text not available in this projection.

06/033

NOTAM text not available in this projection.

08/021

NOTAM text not available in this projection.

09/002

NOTAM text not available in this projection.

09/057

NOTAM text not available in this projection.

10/007

NOTAM text not available in this projection.

08/027

NOTAM text not available in this projection.

10/017

NOTAM text not available in this projection.

A0491/26

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2026-10-11T02:48:52.019356Z.

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state:

OK. The dot colour reports whether this source was read this run; technical environment: preprod.

RUNWAY

Effective 2026-10-05T13:49:00Z → 2026-10-30T22:00:00Z

180 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KBFM this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

00 ET ET · VFR

00 ET ET · VFR

00 ET ET · VFR

00 ET ET · VFR

00 ET ET · VFR

S · 00:00–06:00 ET ET · VFR

• **Mon, Oct 12 · 06:00–12:00 ET**: GFS MAV MOS · 06:00–12:00 ET ET · VFR

• **Mon, Oct 12 · 12:00–18:00 ET**: GFS MAV MOS · 12:00–18:00 ET ET · VFR

• **Mon, Oct 12 · 18:00–00:00 ET**: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-10=GFS, 2026-10-11=GFS, 2026-10-12=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-11 00:00	66	Sct	330/6kt	—	>10kft	>6SM
GFS	2026-10-11 03:00	62	Clear	270/3kt	—	>10kft	>6SM
GFS	2026-10-11 06:00	61	Clear	220/1kt	1.0	>10kft	>6SM
GFS	2026-10-11 09:00	60	Clear	220/1kt	—	>10kft	>6SM

GFS	2026-10-11 12:00	60	Clear	240/2kt	1.0	>10kft	>6SM
GFS	2026-10-11 15:00	73	Clear	280/5kt	—	>10kft	>6SM
GFS	2026-10-11 18:00	82	Clear	280/7kt	2.0	>10kft	>6SM
GFS	2026-10-11 21:00	84	Clear	190/6kt	—	>10kft	>6SM
GFS	2026-10-12 00:00	75	Clear	200/3kt	0.0	>10kft	>6SM
GFS	2026-10-12 03:00	70	Clear	210/2kt	—	>10kft	>6SM
GFS	2026-10-12 06:00	68	Clear	240/1kt	1.0	>10kft	>6SM
GFS	2026-10-12 09:00	66	Clear	280/1kt	—	>10kft	>6SM
GFS	2026-10-12 12:00	65	Clear	300/2kt	1.0	>10kft	>6SM
GFS	2026-10-12 15:00	80	Clear	360/3kt	—	>10kft	>6SM
GFS	2026-10-12 18:00	87	Clear	110/4kt	0.0	>10kft	>6SM
GFS	2026-10-12 21:00	87	Clear	140/5kt	—	>10kft	>6SM
GFS	2026-10-13 00:00	78	Clear	210/3kt	0.0	>10kft	>6SM
GFS	2026-10-13 03:00	73	Clear	230/1kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KBFM 110053Z AUTO 34008KT 10SM CLR 18/15 A3000 RMK AO2 SLP157 T01830150

TAF KBFM 102325Z 1100/1124 32010KT P6SM SCT025 FM110200 VRB03KT P6SM SKC FM111400 27008KT P6SM SKC
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KBFM; actual-station=KBFM; fetched-at=2026-10-11T02:48:45.335441+00:00; observed-or-issued-at=2026-10-11T00:53:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KBFM; actual-station=KBFM; fetched-at=2026-10-11T02:48:45.531036+00:00; observed-or-issued-at=2026-10-10T23:25:00+00:00; valid-from=2026-10-11T00:00:00+00:00; valid-through=2026-10-12T00:00:00+00:00; partial-target-dates=2026-10-10,2026-10-11 — AWC API
  TAF proxy · KBFM
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KBFM; actual-station=KBFM; fetched-at=2026-10-11T02:48:46.820087+00:00
- FAA NMS NOTAM — state=OK; requested-station=KBFM; actual-station=KBFM; fetched-at=2026-10-11T02:48:52.019356Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KBFM; actual-station=KBFM; fetched-at=2026-10-11T02:49:09.887441+00:00; observed-or-issued-at=2026-10-10T18:00:00+00:00; valid-from=2026-10-11T00:00:00+00:00; valid-through=2026-10-13T18:00:00+00:00; target-dates=2026-10-11,2026-10-12; partial-target-dates=2026-10-10; dates-with-points=2026-10-10,2026-10-11,2026-10-12 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KBFM; actual-station=KBFM; fetched-at=2026-10-11T02:49:10.905624+00:00; observed-or-issued-at=2026-10-10T12:00:00+00:00; valid-from=2026-10-11T12:00:00+00:00; valid-through=2026-10-18T12:00:00+00:00; target-dates=2026-10-11,2026-10-12; dates-with-points=2026-10-11,2026-10-12 — Iowa State API
- MOS effective date selection — state=partial; rows=18; requested-station=KBFM; actual-station=KBFM; fetched-at=2026-10-11T02:49:09.887441+00:00; observed-or-issued-at=2026-10-10T18:00:00+00:00; valid-from=2026-10-11T00:00:00+00:00; valid-through=2026-10-13T18:00:00+00:00; target-dates=2026-10-11,2026-10-12; partial-target-dates=2026-10-10; dates-with-points=2026-10-10,2026-10-11,2026-10-12; selected-by-date=2026-10-10=GFS, 2026-10-11=GFS, 2026-10-12=GFS

• Extended outlook and hazard-feed states are reported in the source stamp.
• Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#20 **KGPT** **Gulfport-Biloxi Intl, MS, US** · Gulf West · Gulfport-Biloxi

OBS - VFR

ETE 2h18

DIST 337 nm

SAT 10 OCT 20:53 ET OBSERVED

Current observation

OBS - VFR

OBSER

METAR

clear below 12,000 ft (CLR)

WIND **calm**

TEMPERATURE **19 °C**

VISIBILITY **10 sm**

DEWPOINT **16 °C**

Evidence & limitations

• METAR source state: ok; observed Oct 10 20:53 ET; retrieved Oct 10 22:48 ET; 115 min before this run.
• Measured values read from the KGPT METAR. This is a current surface observation only; it is not a forecast.
• Only fields decoded from this METAR are shown; every missing field remains unavailable.
• Altimeter: 29.97 inHg.
• The complete raw METAR remains in this airport's Raw products disclosure.

DESTINATION OUTLOOK

SAT, OCT 10

SAT 10 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sat Oct 10

18:00–00:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

SUN, OCT 11

SUN 11 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 11 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 11 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 11 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 11

00:00–06:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 12

MON 12 OCT 00:00–06:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 1–2 kt

TEMPERATURE 70–75 °F

DEWPOINT 63 °F

PRECIP CHANCE 0%

Evidence & limitations

- GFS MAV MOS · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 12 OCT 06:00–12:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 0 kt

TEMPERATURE 66–68 °F

DEWPOINT 62–63 °F

PRECIP CHANCE 1%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 12 OCT 12:00–18:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 0–2 kt

TEMPERATURE 65–80 °F

DEWPOINT 62–65 °F

PRECIP CHANCE 1%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 12 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 5–7 kt

TEMPERATURE 87 °F

DEWPOINT 63 °F

PRECIP CHANCE 0%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 12

00:00–06:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+048 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
17°C dep KLZU → 19°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
14/32 (140/320°M · 139/319°T) · 18/36 (180/000°M · 179/359°T) — designators and °M headings are magnetic; °T are true; variation 1°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs
FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 10 Act on 1 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What
3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

ed 2026-10-11T02:48:52.069146Z.
oritative)

FRI OCT 9 | SAT OCT 10 | SUN OCT 11 | MON OCT 12



25 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 02:48 Z

NOTAMs as of 02:48 Z — advisory only; verify an official briefing.

09/057

NOTAM text not available in this projection.

6/5422

NOTAM text not available in this projection.

A0386/26

NOTAM text not available in this projection.

06/065

NOTAM text not available in this projection.

6/9967

NOTAM text not available in this projection.

A0597/26

NOTAM text not available in this projection.

09/048

NOTAM text not available in this projection.

A0727/26

NOTAM text not available in this projection.

09/054

NOTAM text not available in this projection.

A0732/26

NOTAM text not available in this projection.

A0742/26

NOTAM text not available in this projection.

A0743/26

NOTAM text not available in this projection.

A0744/26

NOTAM text not available in this projection.

07/031

NOTAM text not available in this projection.

08/003

NOTAM text not available in this projection.

08/023

NOTAM text not available in this projection.

08/040

NOTAM text not available in this projection.

08/041

NOTAM text not available in this projection.

09/007

NOTAM text not available in this projection.

09/050

NOTAM text not available in this projection.

09/051

NOTAM text not available in this projection.

09/055

NOTAM text not available in this projection.

10/003

NOTAM text not available in this projection.

10/004

NOTAM text not available in this projection.

10/006

NOTAM text not available in this projection.

10/007

NOTAM text not available in this projection.

09/053

NOTAM text not available in this projection.

A0731/26

NOTAM text not available in this projection.

A0737/26

NOTAM text not available in this projection.

A0748/26

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

…026-10-11T02:48:52.069146Z.

…FF MARKING AT TWY E, RWY D AND TWY A 08SC …

…:00Z

…T BILOXI INTL, GULFPORT MS. ILS Z OR LOC Z RWY 33 AMDT 5A. RNAV (GPS) RWY 18 AMDT 3. RNAV (GPS) RWY 32 AMDT 2A. LOCBC/GPS RWY 36 AMDT …

…Z OR TACAN Z RWY 14 AMDT 4A. VOR Z RWY 32 AMDT 5A. CIRCLING CAT A MDA 540(HAA 512) CAT B MDA 540(HAA 512) CAT C MDA 620(HAA 592) CAT D MDA 620(HAA 592) …

…:00Z

…PORT BILOXI INTL, GULFPORT MS. ILS Z OR LOC Z RWY 33 AMDT 5A. RNAV (GPS) RWY 18 AMDT 3. RNAV (GPS) RWY 32 AMDT 2A. RNAV (GPS) RWY 36 …

…VOR Z OR TACAN Z RWY 14 AMDT 4A. VOR Z RWY 32 AMDT 5A. CIRCLING CAT A MDA 540(HAA 512) CAT B MDA 540(HAA 512) CAT C MDA 620(HAA 592) CAT D MDA 620(HAA 592) …

…:00Z

NAV_APPROACH 06/065 — NAV VOR GND REC CHECKPOINT U/S

Effective 2026-06-23T11:42:00Z → 2026-12-23T21:11:00Z

NAV_APPROACH 06/067 — IAP GULFPORT BILOXI INTL, GULFPORT MS. VOR-A RWY 32 AMDT 21D. PROCEDURE NA. 2606230257-2606231057EST

Effective 2026-06-23T12:17:00Z → 2028-06-23T12:17:00Z

25 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KGPT this run.

published WPC surface chart matches this period and is shown in the dropdown with its

…ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

…00 ET ET · VFR

…:00 ET ET · VFR

…:00 ET ET · VFR

…:00 ET ET · VFR

…:00 ET ET · VFR

issuing office and valid time. It is displayed, never interpreted.

S · 00:00–06:00 ET ET · VFR

S · 06:00–12:00 ET ET · VFR

- **Mon, Oct 12 · 12:00–18:00 ET**: GFS MAV MOS · 12:00–18:00 ET ET · VFR
- **Mon, Oct 12 · 18:00–00:00 ET**: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-10=GFS, 2026-10-11=GFS, 2026-10-12=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-11 00:00	68	Clear	30/3kt	—	>10kft	>6SM
GFS	2026-10-11 03:00	64	Clear	0/0kt	—	>10kft	>6SM
GFS	2026-10-11 06:00	61	Clear	170/1kt	1.0	>10kft	>6SM
GFS	2026-10-11 09:00	60	Clear	200/1kt	—	>10kft	>6SM
GFS	2026-10-11 12:00	60	Clear	250/1kt	1.0	>10kft	>6SM
GFS	2026-10-11 15:00	74	Clear	280/4kt	—	>10kft	>6SM
GFS	2026-10-11 18:00	83	Clear	280/6kt	2.0	>10kft	>6SM
GFS	2026-10-11 21:00	84	Clear	200/5kt	—	>10kft	>6SM
GFS	2026-10-12 00:00	75	Clear	190/2kt	0.0	>10kft	>6SM
GFS	2026-10-12 03:00	70	Clear	200/1kt	—	>10kft	>6SM
GFS	2026-10-12 06:00	68	Clear	0/0kt	1.0	>10kft	>6SM
GFS	2026-10-12 09:00	66	Clear	0/0kt	—	>10kft	>6SM
GFS	2026-10-12 12:00	65	Clear	0/0kt	1.0	>10kft	>6SM
GFS	2026-10-12 15:00	80	Clear	330/2kt	—	>10kft	>6SM
GFS	2026-10-12 18:00	87	Clear	150/5kt	0.0	>10kft	>6SM
GFS	2026-10-12 21:00	87	Clear	170/7kt	—	>10kft	>6SM
GFS	2026-10-13 00:00	79	Clear	190/3kt	0.0	>10kft	>6SM
GFS	2026-10-13 03:00	74	Clear	210/1kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KGPT 110053Z 00000KT 10SM CLR 19/16 A2997 RMK AO2 SLP149 T01890161

TAF KGPT 102321Z 1100/1124 36006KT P6SM FEW050 FM110200 VRB04KT P6SM SKC FM111400 25007KT P6SM SKC FM111900 20007KT P6SM SKC
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KGPT; actual-station=KGPT; fetched-at=2026-10-11T02:48:45.335441+00:00; observed-or-issued-at=2026-10-11T00:53:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KGPT; actual-station=KGPT; fetched-at=2026-10-11T02:48:45.531036+00:00; observed-or-issued-at=2026-10-10T23:21:00+00:00; valid-from=2026-10-11T00:00:00+00:00; valid-through=2026-10-12T00:00:00+00:00; partial-target-dates=2026-10-10,2026-10-11 — AWC API

  TAF proxy · KGPT
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KGPT; actual-station=KGPT; fetched-at=2026-10-11T02:48:46.734194+00:00
- FAA NMS NOTAM — state=OK; requested-station=KGPT; actual-station=KGPT; fetched-at=2026-10-11T02:48:52.069146Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KGPT; actual-station=KGPT; fetched-at=2026-10-11T02:49:10.128509+00:00; observed-or-issued-at=2026-10-10T18:00:00+00:00; valid-from=2026-10-11T00:00:00+00:00; valid-through=2026-10-13T18:00:00+00:00; target-dates=2026-10-11,2026-10-12; partial-target-dates=2026-10-10; dates-with-points=2026-10-10,2026-10-11,2026-10-12 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KGPT; actual-station=KGPT; fetched-at=2026-10-11T02:49:10.920694+00:00; observed-or-issued-at=2026-10-10T12:00:00+00:00; valid-from=2026-10-11T12:00:00+00:00; valid-through=2026-10-18T12:00:00+00:00; target-dates=2026-10-11,2026-10-12; dates-with-points=2026-10-11,2026-10-12 — Iowa State API
- MOS effective date selection — state=partial; rows=18; requested-station=KGPT; actual-station=KGPT; fetched-at=2026-10-11T02:49:10.128509+00:00; observed-or-issued-at=2026-10-10T18:00:00+00:00; valid-from=2026-10-11T00:00:00+00:00; valid-through=2026-10-13T18:00:00+00:00; target-dates=2026-10-11,2026-10-12; partial-target-dates=2026-10-10; dates-with-points=2026-10-10,2026-10-11,2026-10-12; selected-by-date=2026-10-10=GFS, 2026-10-11=GFS, 2026-10-12=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#21 **KSPG** **St Petersburg/Whitted Arpt, FL, US** · Gulf East · St Petersburg

OBS - VFR

ETE 2h35

DIST 379 nm

SAT 10 OCT 20:53 ET OBSERVED

Current observation

OBS - VFR

OBSER

METAR

clear below 12,000 ft (CLR)

WIND S (180°) 9 kt

TEMPERATURE 28 °C

VISIBILITY **10 sm**

DEWPOINT **27 °C**



Wind favours RWY 18

180° true · 186° magnetic · 9 kt

Evidence & limitations

- METAR source state: ok; observed Oct 10 20:53 ET; retrieved Oct 10 22:48 ET; 115 min before this run.
- Measured values read from the KSPG METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.98 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KSPG runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 07/25, 18/36. Wind from 180 degrees true, 186 degrees magnetic, at 9 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 18. Wind source: KSPG METAR 110053Z.

DESTINATION OUTLOOK

SAT, OCT 10

SAT 10 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sat Oct 10

18:00–00:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

SUN, OCT 11

SUN 11 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 11 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 11 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 11 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 11

00:00–06:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 12

MON 12 OCT 00:00–06:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 7 kt

TEMPERATURE 79–81 °F

DEWPOINT 71–72 °F

PRECIP CHANCE 21%

Evidence & limitations

- GFS MAV MOS · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 12 OCT 06:00–12:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 7–8 kt

TEMPERATURE 77–78 °F

DEWPOINT 70–72 °F

PRECIP CHANCE 16%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 12 OCT 12:00–18:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 10–11 kt

TEMPERATURE 75–80 °F

DEWPOINT 68–69 °F

PRECIP CHANCE 7%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 12 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 7–8 kt

TEMPERATURE 86–87 °F

DEWPOINT 66–68 °F

PRECIP CHANCE 2%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 12

00:00–06:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+048 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
17°C dep KLZU → 28°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
07/25 (070/250°M · 064/244°T) · 18/36 (180/000°M · 174/354°T) — designators and °M headings are magnetic; °T are true; variation 6°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs
FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What
3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

d 2026-10-11T02:48:52.122838Z.
oritative)

FRI OCT 9 | SAT OCT 10 | SUN OCT 11 | MON OCT 12

08/001

Raw NOTAM data · NOTAMs as of 02:48 Z

NOTAMs as of 02:48 Z — advisory only; verify an official briefing.

6/3728

NOTAM text not available in this projection.

07/010

NOTAM text not available in this projection.

08/001

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

26-10-11T02:48:52.122838Z.

:00Z

:00Z

:00Z

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KSPG this run.

no-go here is derived from an image. A published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR

- **Mon, Oct 12 · 00:00–06:00 ET**: GFS MAV MOS · 00:00–06:00 ET ET · VFR
- **Mon, Oct 12 · 06:00–12:00 ET**: GFS MAV MOS · 06:00–12:00 ET ET · VFR
- **Mon, Oct 12 · 12:00–18:00 ET**: GFS MAV MOS · 12:00–18:00 ET ET · VFR
- **Mon, Oct 12 · 18:00–00:00 ET**: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-10=GFS, 2026-10-11=GFS, 2026-10-12=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-11 00:00	83	Bkn	200/10kt	—	>10kft	>6SM
GFS	2026-10-11 03:00	81	Bkn	180/9kt	—	>10kft	>6SM
GFS	2026-10-11 06:00	81	Bkn	180/7kt	49.0	>10kft	>6SM
GFS	2026-10-11 09:00	80	Bkn	200/5kt	—	>10kft	>6SM
GFS	2026-10-11 12:00	79	Ovc	210/5kt	66.0	>10kft	>6SM
GFS	2026-10-11 15:00	82	Ovc	340/7kt	—	1-3kft	>6SM
GFS	2026-10-11 18:00	85	Ovc	340/7kt	41.0	3-5kft	>6SM
GFS	2026-10-11 21:00	84	Ovc	330/7kt	—	>10kft	>6SM
GFS	2026-10-12 00:00	81	Bkn	350/7kt	21.0	>10kft	>6SM
GFS	2026-10-12 03:00	79	Clear	20/7kt	—	>10kft	>6SM
GFS	2026-10-12 06:00	78	Clear	20/7kt	16.0	>10kft	>6SM
GFS	2026-10-12 09:00	77	Clear	20/8kt	—	>10kft	>6SM
GFS	2026-10-12 12:00	75	Clear	30/10kt	7.0	>10kft	>6SM
GFS	2026-10-12 15:00	80	Clear	40/11kt	—	>10kft	>6SM
GFS	2026-10-12 18:00	86	Clear	40/8kt	2.0	>10kft	>6SM
GFS	2026-10-12 21:00	87	Clear	20/7kt	—	>10kft	>6SM
GFS	2026-10-13 00:00	82	Clear	360/6kt	1.0	>10kft	>6SM
GFS	2026-10-13 03:00	79	Clear	20/6kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KSPG 110053Z AUTO 18009KT 10SM CLR 28/27 A2998 RMK AO2 SLP150 T02830267

TAF KPIE 102323Z 1100/1124 19009KT P6SM VCSH SCT030 SCT100 BKN250 FM111200 23008KT P6SM VCSH SCT030 SCT100 BKN250 FM111500 27008KT P6SM VCTS SCT030CB SCT100 BKN250 FM111700 32008KT P6SM VCTS
SCT030CB SCT100 BKN250 FM112100 33008KT P6SM SCT030 BKN250
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KSPG; actual-station=KSPG; fetched-at=2026-10-11T02:48:45.335441+00:00; observed-or-issued-at=2026-10-11T00:53:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KSPG; actual-station=KPIE; fetched-at=2026-10-11T02:48:45.531036+00:00; observed-or-issued-at=2026-10-10T23:23:00+00:00; valid-from=2026-10-11T00:00:00+00:00; valid-through=2026-10-12T00:00:00+00:00; partial-target-dates=2026-10-10,2026-10-11 — AWC API

  TAF proxy · KPIE
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KSPG; actual-station=KSPG; fetched-at=2026-10-11T02:48:47.445766+00:00
- FAA NMS NOTAM — state=OK; requested-station=KSPG; actual-station=KSPG; fetched-at=2026-10-11T02:48:52.122838Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KSPG; actual-station=KSPG; fetched-at=2026-10-11T02:49:10.132158+00:00; observed-or-issued-at=2026-10-10T18:00:00+00:00; valid-from=2026-10-11T00:00:00+00:00; valid-through=2026-10-13T18:00:00+00:00; target-dates=2026-10-11,2026-10-12; partial-target-dates=2026-10-10; dates-with-points=2026-10-10,2026-10-11,2026-10-12 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KSPG; actual-station=KSPG; fetched-at=2026-10-11T02:49:10.940660+00:00; observed-or-issued-at=2026-10-10T12:00:00+00:00; valid-from=2026-10-11T12:00:00+00:00; valid-through=2026-10-18T12:00:00+00:00; target-dates=2026-10-11,2026-10-12; dates-with-points=2026-10-11,2026-10-12 — Iowa State API
- MOS effective date selection — state=partial; rows=18; requested-station=KSPG; actual-station=KSPG; fetched-at=2026-10-11T02:49:10.132158+00:00; observed-or-issued-at=2026-10-10T18:00:00+00:00; valid-from=2026-10-11T00:00:00+00:00; valid-through=2026-10-13T18:00:00+00:00; target-dates=2026-10-11,2026-10-12; partial-target-dates=2026-10-10; dates-with-points=2026-10-10,2026-10-11,2026-10-12; selected-by-date=2026-10-10=GFS, 2026-10-11=GFS, 2026-10-12=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#22 **KTPF** **Tampa/Knight Arpt, FL, US** · Gulf East · Tampa Peter O Knight

OBS - VFR

ETE 2h32

DIST 372 nm

SAT 10 OCT 22:35 ET OBSERVED

Current observation

OBS - VFR

OBSER

METAR

clear below 12,000 ft (CLR)

WIND S (170°) 9 kt

TEMPERATURE 28 °C

VISIBILITY **10 sm**

DEWPOINT **26 °C**



Wind favours RWY 18

170° true · 176° magnetic · 9 kt

Evidence & limitations

- METAR source state: ok; observed Oct 10 22:35 ET; retrieved Oct 10 22:48 ET; 13 min before this run.
- Measured values read from the KTPF METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.00 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KTPF runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 04/22, 18/36. Wind from 170 degrees true, 176 degrees magnetic, at 9 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 18. Wind source: KTPF METAR 110235Z.

DESTINATION OUTLOOK

SAT, OCT 10

SAT 10 OCT 18:00–00:00 ET HIGH

Forecast TAF

Flight-category guidance

TAF · VFR

FORECAST

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sat Oct 10

18:00–00:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

SUN, OCT 11

SUN 11 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 11 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 11 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 11 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 11

00:00–06:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 12

MON 12 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 12 OCT 06:00–12:00 ET MEDIUM

Forecast GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 4–5 kt

TEMPERATURE 72–75 °F

DEWPOINT 66–69 °F

PRECIP CHANCE 17%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 12 OCT 12:00–18:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 6–8 kt

TEMPERATURE 70–81 °F

DEWPOINT 64–65 °F

PRECIP CHANCE 6%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 12 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 5–7 kt

TEMPERATURE 87 °F

DEWPOINT 62 °F

PRECIP CHANCE 2%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 12

00:00–06:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+048 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
17°C dep KLZU → 28°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
04/22 (040/220°M · 034/214°T) · 18/36 (180/000°M · 174/354°T) — designators and °M headings are magnetic; °T are true; variation 6°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs
FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 2 Act on 2 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

ed 2026-10-11T02:48:52.129771Z.

oritative)

FRI OCT 9 | SAT OCT 10 | SUN OCT 11 | MON OCT 12



9 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 02:48 Z

NOTAMs as of 02:48 Z — advisory only; verify an official briefing.

06/014

NOTAM text not available in this projection.

6/0956

NOTAM text not available in this projection.

6/8311

NOTAM text not available in this projection.

10/003

NOTAM text not available in this projection.

4/6304

NOTAM text not available in this projection.

6/8312

NOTAM text not available in this projection.

09/025

NOTAM text not available in this projection.

12/007

NOTAM text not available in this projection.

02/001

NOTAM text not available in this projection.

06/005

NOTAM text not available in this projection.

07/015

NOTAM text not available in this projection.

07/016

NOTAM text not available in this projection.

10/002

NOTAM text not available in this projection.

06/015

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

1 …026-10-11T02:48:52.129771Z.

…:00Z

…GHT, TAMPA, FL. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 7A. ADD TAKEOFF OBSTACLE NOTES: RWY 22, SUBJ SIKS ROME …CENTERLINE: 42FT AGL/43FT MSL (2025 ASD 12076-OE-PERM). ALL OTHER DATA REMAINS AS PUBLISHED. 2508061940-2508061940EST

…:00Z

…GHT, TAMPA, FL. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURES PROCEDURES AMDT 7A. TAKEOFF MINIMUMS: RWY 10, STANDARD WITH A MINIMUM …MPORARY CRANES 420 MSL BEGINNING 1.0NM SE OF RWY 18 (2026 ASO-[illegible]-OE). ALL OTHER DATA REMAINS AS PUBLISHED.

Effective 2026-08-28T10:00:00Z → 2028-01-29T16:33:00Z

TAXIWAY …10/003 — TWY A1 HLDG PSN SIGN NORTHEAST SIDE 6 TN RWY 04/22 AND TWY A NOT STD

Effective 2026-10-09T14:27:00Z → 2026-11-30T22:00:00Z

NAV_APPROACH …W6304 — TAP PETER O KNIGHT, TAMPA, FL. RNAV (GPS) RWY 36, AMDT 2E. VDSI AND DESCENT ANGLES NOT COINCIDENT (VDSI ANGLE 3.00°TCH 45.2). 2511082027-2601082027EST

Effective 2024-11-19T21:27:00Z → 2026-11-19T21:27:00Z

9 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KTPF this run.

…ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

…00 ET ET · VFR

…:00 ET ET · VFR

…:00 ET ET · VFR

…:00 ET ET · VFR

published WPC surface chart matches this

period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

:00 ET ET · VFR

:00 ET ET · VFR

S · 06:00–12:00 ET ET · VFR

• **Mon, Oct 12 · 12:00–18:00 ET**: GFS MAV MOS · 12:00–18:00 ET ET · VFR

• **Mon, Oct 12 · 18:00–00:00 ET**: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-10=GFS, 2026-10-11=GFS, 2026-10-12=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-11 00:00	83	Bkn	210/8kt	—	>10kft	>6SM
GFS	2026-10-11 03:00	81	Bkn	190/6kt	—	>10kft	>6SM
GFS	2026-10-11 06:00	80	Bkn	190/5kt	49.0	>10kft	>6SM
GFS	2026-10-11 09:00	80	Bkn	200/4kt	—	>10kft	>6SM
GFS	2026-10-11 12:00	81	Ovc	230/2kt	60.0	>10kft	>6SM
GFS	2026-10-11 15:00	84	Ovc	290/4kt	—	3-5kft	>6SM
GFS	2026-10-11 18:00	87	Ovc	290/5kt	38.0	3-5kft	>6SM
GFS	2026-10-11 21:00	86	Ovc	310/4kt	—	>10kft	>6SM
GFS	2026-10-12 00:00	80	Bkn	360/4kt	23.0	>10kft	>6SM
GFS	2026-10-12 03:00	77	Sct	20/3kt	—	>10kft	>6SM
GFS	2026-10-12 06:00	75	Clear	20/4kt	17.0	>10kft	>6SM
GFS	2026-10-12 09:00	72	Clear	30/5kt	—	>10kft	>6SM
GFS	2026-10-12 12:00	70	Clear	30/6kt	6.0	>10kft	>6SM
GFS	2026-10-12 15:00	81	Clear	40/8kt	—	>10kft	>6SM
GFS	2026-10-12 18:00	87	Clear	40/7kt	2.0	>10kft	>6SM
GFS	2026-10-12 21:00	87	Clear	40/5kt	—	>10kft	>6SM
GFS	2026-10-13 00:00	80	Clear	350/3kt	1.0	>10kft	>6SM
GFS	2026-10-13 03:00	76	Clear	10/2kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KTPF 110235Z AUTO 17009KT 10SM CLR 28/26 A3000 RMK AO2 T02780264 $
```

```
TAF KTPA 102323Z 1100/1206 18008KT P6SM VCSH SCT030 SCT100 BKN250 FM111200 23007KT P6SM VCSH SCT030 SCT100 BKN250 FM111500 26007KT P6SM VCTS SCT030CB SCT100 BKN250 FM111700 29007KT P6SM VCTS
SCT030CB SCT100 BKN250 FM112200 32007KT P6SM SCT030 BKN250
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KTPF; actual-station=KTPF; fetched-at=2026-10-11T02:48:45.335441+00:00; observed-or-issued-at=2026-10-11T02:35:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KTPF; actual-station=KTPA; fetched-at=2026-10-11T02:48:45.531036+00:00; observed-or-issued-at=2026-10-10T23:23:00+00:00; valid-from=2026-10-11T00:00:00+00:00; valid-through=2026-10-12T06:00:00+00:00; target-dates=2026-10-11; partial-target-dates=2026-10-10,2026-10-12 — AWC API

  TAF proxy · KTPA
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KTPF; actual-station=KTPF; fetched-at=2026-10-11T02:48:46.952076+00:00
- FAA NMS NOTAM — state=OK; requested-station=KTPF; actual-station=KTPF; fetched-at=2026-10-11T02:48:52.129771Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KTPF; actual-station=KTPF; fetched-at=2026-10-11T02:49:10.140248+00:00; observed-or-issued-at=2026-10-10T18:00:00+00:00; valid-from=2026-10-11T00:00:00+00:00; valid-through=2026-10-13T18:00:00+00:00; target-dates=2026-10-11,2026-10-12; partial-target-dates=2026-10-10; dates-with-points=2026-10-10,2026-10-11,2026-10-12 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KTPF; actual-station=KTPF; fetched-at=2026-10-11T02:49:10.967192+00:00; observed-or-issued-at=2026-10-10T12:00:00+00:00; valid-from=2026-10-11T12:00:00+00:00; valid-through=2026-10-18T12:00:00+00:00; target-dates=2026-10-11,2026-10-12; dates-with-points=2026-10-11,2026-10-12 — Iowa State API
- MOS effective date selection — state=partial; rows=18; requested-station=KTPF; actual-station=KTPF; fetched-at=2026-10-11T02:49:10.140248+00:00; observed-or-issued-at=2026-10-10T18:00:00+00:00; valid-from=2026-10-11T00:00:00+00:00; valid-through=2026-10-13T18:00:00+00:00; target-dates=2026-10-11,2026-10-12; partial-target-dates=2026-10-10; dates-with-points=2026-10-10,2026-10-11,2026-10-12; selected-by-date=2026-10-10=GFS, 2026-10-11=GFS, 2026-10-12=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#23 **KSRQ** **Sarasota-Bradenton Intl, FL, US** · Gulf East · Sarasota-Bradenton

OBS - VFR

ETE 2h43

DIST 402 nm

SAT 10 OCT 20:53 ET OBSERVED

Current observation METAR

OBS - VFR

OBSER

few 2,100 ft, few 3,200 ft, broken 11,000 ft

WIND variable 6 kt gust 19 kt

TEMPERATURE 27 °C

VISIBILITY 10 sm

DEWPOINT 23 °C

Evidence & limitations

- METAR source state: ok; observed Oct 10 20:53 ET; retrieved Oct 10 22:48 ET; 115 min before this run.

• Measured values read from the KSRQ METAR. This is a current surface observation only; it is not a forecast.
• Only fields decoded from this METAR are shown; every missing field remains unavailable.
• Altimeter: 30.00 inHg.
• The complete raw METAR remains in this airport's Raw products disclosure.

DESTINATION OUTLOOK

SAT, OCT 10

SAT 10 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 18:00–00:00 ET ET · VFR
• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sat Oct 10

18:00–00:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

SUN, OCT 11

SUN 11 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 11 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 11 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 11 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 11

00:00–06:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 12

MON 12 OCT 00:00–06:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 4–5 kt

TEMPERATURE 79–80 °F

DEWPOINT 73–74 °F

PRECIP CHANCE 32%

Evidence & limitations

- GFS MAV MOS · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 12 OCT 06:00–12:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 4–5 kt

TEMPERATURE 74–76 °F

DEWPOINT 69–71 °F

PRECIP CHANCE 25%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 12 OCT 12:00–18:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 6–9 kt

TEMPERATURE 72–81 °F

DEWPOINT 64–67 °F

PRECIP CHANCE 11%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 12 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 9 kt

TEMPERATURE 88–90 °F

DEWPOINT 62–65 °F

PRECIP CHANCE 3%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 12

00:00–06:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+048 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
17°C dep KLZU → 27°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
14/32 (140/320°M · 134/314°T) · 04/22 (040/220°M · 034/214°T) — designators and °M headings are magnetic; °T are true; variation 6°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs
FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)
5 Act on

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What
3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

ed 2026-10-11T02:48:52.288730Z.

FRI OCT 9 | SAT OCT 10 | SUN OCT 11 | MON OCT 12

05/096	
A0516/26	
08/070	

15 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 02:48 Z

NOTAMs as of 02:48 Z — advisory only; verify an official briefing.

A1057/26

NOTAM text not available in this projection.

A1058/26

NOTAM text not available in this projection.

05/096

NOTAM text not available in this projection.

A0516/26

NOTAM text not available in this projection.

08/070

NOTAM text not available in this projection.

A0920/26

NOTAM text not available in this projection.

5/0499

NOTAM text not available in this projection.

A1001/25

NOTAM text not available in this projection.

6/4825

NOTAM text not available in this projection.

A0754/26

NOTAM text not available in this projection.

06/005

NOTAM text not available in this projection.

A0527/26

NOTAM text not available in this projection.

09/080

NOTAM text not available in this projection.

09/081

NOTAM text not available in this projection.

10/002

NOTAM text not available in this projection.

10/003

NOTAM text not available in this projection.

A1049/26

NOTAM text not available in this projection.

10/012

NOTAM text not available in this projection.

10/013

NOTAM text not available in this projection.

09/069

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

026-10-11T02:48:52.288730Z.

TAXIWAY

Effective 2026-08-25T11:00:00Z → 2026-10-30T22:00:00Z

15 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

the GFS model bias-corrected against decades of observations at this station. Issued four times a day in three-hourly steps out to about 72 hours. It carries an explicit ceiling and visibility category, so this card uses it to resolve a day the TAF cannot reach. A station-calibrated GFS MOS product was read for this airport this run (state: partial).

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KSRQ this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

00 ET ET · VFR
00 ET ET · VFR
00 ET ET · VFR
00 ET ET · VFR
00 ET ET · VFR
S · 00:00–06:00 ET ET · VFR
• **Mon, Oct 12 · 06:00–12:00 ET**: GFS MAV MOS · 06:00–12:00 ET ET · VFR
• **Mon, Oct 12 · 12:00–18:00 ET**: GFS MAV MOS · 12:00–18:00 ET ET · VFR
• **Mon, Oct 12 · 18:00–00:00 ET**: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-10=GFS, 2026-10-11=GFS, 2026-10-12=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-11 00:00	84	Bkn	190/12kt	—	5-10kft	>6SM
GFS	2026-10-11 03:00	82	Ovc	180/10kt	—	5-10kft	>6SM
GFS	2026-10-11 06:00	82	Bkn	180/8kt	49.0	>10kft	>6SM
GFS	2026-10-11 09:00	81	Bkn	190/8kt	—	>10kft	>6SM
GFS	2026-10-11 12:00	81	Ovc	240/4kt	62.0	>10kft	>6SM
GFS	2026-10-11 15:00	85	Ovc	250/6kt	—	3-5kft	>6SM
GFS	2026-10-11 18:00	85	Ovc	280/8kt	46.0	3-5kft	>6SM
GFS	2026-10-11 21:00	83	Ovc	320/7kt	—	>10kft	>6SM
GFS	2026-10-12 00:00	80	Ovc	350/5kt	32.0	>10kft	>6SM
GFS	2026-10-12 03:00	79	Bkn	20/4kt	—	>10kft	>6SM
GFS	2026-10-12 06:00	76	Bkn	20/4kt	25.0	>10kft	>6SM
GFS	2026-10-12 09:00	74	Clear	30/5kt	—	>10kft	>6SM
GFS	2026-10-12 12:00	72	Clear	30/6kt	11.0	>10kft	>6SM

GFS	2026-10-12 15:00	81	Clear	40/9kt	—	>10kft	>6SM
GFS	2026-10-12 18:00	88	Clear	30/9kt	3.0	>10kft	>6SM
GFS	2026-10-12 21:00	90	Clear	360/9kt	—	>10kft	>6SM
GFS	2026-10-13 00:00	80	Clear	360/4kt	2.0	>10kft	>6SM
GFS	2026-10-13 03:00	76	Clear	20/3kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KSRQ 110053Z VRB06G19KT 10SM -RA FEW021 FEW032 BKN110 27/23 A3000 RMK AO2 PK WND 19027/0041 RAB46 SLP157 P0000 T02720233

TAF KSRQ 102323Z 1100/1124 18009KT P6SM VCSH SCT030 SCT100 BKN250 FM111200 22006KT P6SM VCSH SCT030 SCT100 BKN250 FM111500 24008KT P6SM VCTS SCT030CB SCT100 BKN250 FM111700 27008KT P6SM VCTS
SCT030CB SCT100 BKN250 FM112200 31008KT P6SM SCT030 BKN250
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KSRQ; actual-station=KSRQ; fetched-at=2026-10-11T02:48:45.335441+00:00; observed-or-issued-at=2026-10-11T00:53:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KSRQ; actual-station=KSRQ; fetched-at=2026-10-11T02:48:45.531036+00:00; observed-or-issued-at=2026-10-10T23:23:00+00:00; valid-from=2026-10-11T00:00:00+00:00; valid-through=2026-10-12T00:00:00+00:00; partial-target-dates=2026-10-10,2026-10-11 — AWC API

TAF proxy · KSRQ

- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KSRQ; actual-station=KSRQ; fetched-at=2026-10-11T02:48:46.938989+00:00
- FAA NMS NOTAM — state=OK; requested-station=KSRQ; actual-station=KSRQ; fetched-at=2026-10-11T02:48:52.288730Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KSRQ; actual-station=KSRQ; fetched-at=2026-10-11T02:49:10.153389+00:00; observed-or-issued-at=2026-10-10T18:00:00+00:00; valid-from=2026-10-11T00:00:00+00:00; valid-through=2026-10-13T18:00:00+00:00; target-dates=2026-10-11,2026-10-12; partial-target-dates=2026-10-10; dates-with-points=2026-10-10,2026-10-11,2026-10-12 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KSRQ; actual-station=KSRQ; fetched-at=2026-10-11T02:49:11.035015+00:00; observed-or-issued-at=2026-10-10T12:00:00+00:00; valid-from=2026-10-11T12:00:00+00:00; valid-through=2026-10-18T12:00:00+00:00; target-dates=2026-10-11,2026-10-12; dates-with-points=2026-10-11,2026-10-12 — Iowa State API
- MOS effective date selection — state=partial; rows=18; requested-station=KSRQ; actual-station=KSRQ; fetched-at=2026-10-11T02:49:10.153389+00:00; observed-or-issued-at=2026-10-10T18:00:00+00:00; valid-from=2026-10-11T00:00:00+00:00; valid-through=2026-10-13T18:00:00+00:00; target-dates=2026-10-11,2026-10-12; partial-target-dates=2026-10-10; dates-with-points=2026-10-10,2026-10-11,2026-10-12; selected-by-date=2026-10-10=GFS, 2026-10-11=GFS, 2026-10-12=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#24 **KVNC** — · Gulf East · Venice FL

OBS - UNKNOWN

ETE 2h51

DIST 422 nm

SAT 10 OCT Time unavailable UNAVAILABLE

Current observation

META R

OBS - UNKNOWN

UNAVA

Current observation unavailable

WIND Unavailable

TEMPERATURE Unavailable

VISIBILITY Unavailable

DEWPOINT Unavailable

Evidence & limitations

- Source state: unavailable.
- No usable current KVNC observation was available this run.
- This is a current surface observation only. It is not a forecast. No forecast value is substituted for a missing observation.

DESTINATION OUTLOOK

SAT, OCT 10

SAT 10 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sat Oct 10

18:00–00:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

SUN, OCT 11

SUN 11 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 11 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 11 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 11 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 11

00:00–06:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 12

MON 12 OCT 00:00–06:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 5 kt

TEMPERATURE 79–80 °F

DEWPOINT 75–76 °F

PRECIP CHANCE 40%

Evidence & limitations

- GFS MAV MOS · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 12 OCT 06:00–12:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 5–6 kt

TEMPERATURE 74–76 °F

DEWPOINT 73–75 °F

PRECIP CHANCE 35%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 12 OCT 12:00–18:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 7–11 kt

TEMPERATURE 73–81 °F

DEWPOINT 66–70 °F

PRECIP CHANCE 19%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 12 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 10 kt

TEMPERATURE 87 °F

DEWPOINT 65–68 °F

PRECIP CHANCE 9%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 12

00:00–06:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+048 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
17°C dep KLZU → Unavailable at destination

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — source state: not_queried

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
13/31 (130/310°M · 124/304°T) · 05/23 (050/230°M · 044/224°T) — designators and °M headings are magnetic; °T are true; variation 6°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs
FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)
1 Act on

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What
3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

d 2026-10-11T02:48:52.298994Z.
oritative)

FRI OCT 9 | SAT OCT 10 | SUN OCT 11 | MON OCT 12



Raw NOTAM data · NOTAMs as of 02:48 Z

NOTAMs as of 02:48 Z — advisory only; verify an official briefing.

6/5337

NOTAM text not available in this projection.

6/5336

NOTAM text not available in this projection.

10/039

NOTAM text not available in this projection.

10/040

NOTAM text not available in this projection.

10/046

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

26-10-11T02:48:52.298994Z.

OBSTRUCTION

Effective 2026-10-05T13:02:00Z → 2027-01-03T04:00:00Z

OBSTRUCTION

Effective 2026-10-05T15:40:00.000Z → 2026-11-19T21:38:00.000Z

+ Forecast evidence

METAR

METAR — the routine surface observation

issued hourly by the reporting station, with SPECI reports off-cycle, carrying ceiling, visibility, wind, temperature and altimeter. Issued by the observing station and distributed by aviationweather.gov. This is measured fact, not a forecast, and on this page it describes conditions right now, not this day. No usable current KVNC observation was available this run (state: unavailable). That says nothing about the forecast for this day.

range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KVNC this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
S · 00:00–06:00 ET ET · VFR
• **Mon, Oct 12 · 06:00–12:00 ET**: GFS MAV MOS · 06:00–12:00 ET ET · VFR
• **Mon, Oct 12 · 12:00–18:00 ET**: GFS MAV MOS · 12:00–18:00 ET ET · VFR
• **Mon, Oct 12 · 18:00–00:00 ET**: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-10=GFS, 2026-10-11=GFS, 2026-10-12=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-11 00:00	82	Bkn	180/8kt	—	>10kft	>6SM
GFS	2026-10-11 03:00	82	Bkn	170/7kt	—	>10kft	>6SM
GFS	2026-10-11 06:00	82	Bkn	170/7kt	52.0	>10kft	>6SM
GFS	2026-10-11 09:00	81	Bkn	180/6kt	—	>10kft	>6SM
GFS	2026-10-11 12:00	81	Ovc	220/4kt	62.0	>10kft	>6SM
GFS	2026-10-11 15:00	85	Ovc	220/5kt	—	>10kft	>6SM
GFS	2026-10-11 18:00	86	Ovc	260/8kt	56.0	>10kft	>6SM
GFS	2026-10-11 21:00	85	Ovc	310/7kt	—	>10kft	>6SM
GFS	2026-10-12 00:00	80	Ovc	350/5kt	40.0	>10kft	>6SM
GFS	2026-10-12 03:00	79	Ovc	30/5kt	—	>10kft	>6SM
GFS	2026-10-12 06:00	76	Bkn	20/5kt	35.0	>10kft	>6SM

GFS	2026-10-12 09:00	74	Clear	30/6kt	—	>10kft	>6SM
GFS	2026-10-12 12:00	73	Clear	30/7kt	19.0	>10kft	>6SM
GFS	2026-10-12 15:00	81	Clear	40/11kt	—	>10kft	>6SM
GFS	2026-10-12 18:00	87	Clear	20/10kt	9.0	>10kft	>6SM
GFS	2026-10-12 21:00	87	Clear	350/10kt	—	>10kft	>6SM
GFS	2026-10-13 00:00	80	Clear	360/5kt	2.0	>10kft	>6SM
GFS	2026-10-13 03:00	76	Clear	20/4kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR unavailable

TAF KSRQ 102323Z 1100/1124 18009KT P6SM VCSH SCT030 SCT100 BKN250 FM111200 22006KT P6SM VCSH SCT030 SCT100 BKN250 FM111500 24008KT P6SM VCTS SCT030CB SCT100 BKN250 FM111700 27008KT P6SM VCTS
SCT030CB SCT100 BKN250 FM112200 31008KT P6SM SCT030 BKN250
```

+ Data sources used

- METAR — state=unavailable; fetch-state=ok; payload-state=valid; requested-station=KVNC; actual-station=KVNC; fetched-at=2026-10-11T02:48:45.335441+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KVNC; actual-station=KSRQ; fetched-at=2026-10-11T02:48:45.531036+00:00; observed-or-issued-at=2026-10-10T23:23:00+00:00; valid-from=2026-10-11T00:00:00+00:00; valid-through=2026-10-12T00:00:00+00:00; partial-target-dates=2026-10-10,2026-10-11 — AWC API

  TAF proxy · KSRQ
- FAA airport status — state=not_queried; fetch-state=not_attempted; payload-state=not_attempted; requested-station=KVNC
- FAA NMS NOTAM — state=OK; requested-station=KVNC; actual-station=KVNC; fetched-at=2026-10-11T02:48:52.298994Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KVNC; actual-station=KVNC; fetched-at=2026-10-11T02:49:10.192724+00:00; observed-or-issued-at=2026-10-10T18:00:00+00:00; valid-from=2026-10-11T00:00:00+00:00; valid-through=2026-10-13T18:00:00+00:00; target-dates=2026-10-11,2026-10-12; partial-target-dates=2026-10-10; dates-with-points=2026-10-10,2026-10-11,2026-10-12 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KVNC; actual-station=KVNC; fetched-at=2026-10-11T02:49:10.996200+00:00; observed-or-issued-at=2026-10-10T12:00:00+00:00; valid-from=2026-10-11T12:00:00+00:00; valid-through=2026-10-18T12:00:00+00:00; target-dates=2026-10-11,2026-10-12; dates-with-points=2026-10-11,2026-10-12 — Iowa State API
- MOS effective date selection — state=partial; rows=18; requested-station=KVNC; actual-station=KVNC; fetched-at=2026-10-11T02:49:10.192724+00:00; observed-or-issued-at=2026-10-10T18:00:00+00:00; valid-from=2026-10-11T00:00:00+00:00; valid-through=2026-10-13T18:00:00+00:00; target-dates=2026-10-11,2026-10-12; partial-target-dates=2026-10-10; dates-with-points=2026-10-10,2026-10-11,2026-10-12; selected-by-date=2026-10-10=GFS, 2026-10-11=GFS, 2026-10-12=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#25 **KHSA** **Bay St Louis/Stennis Intl, MS, US** · Gulf West · Stennis MS

OBS - VFR

ETE 2h25

DIST 353 nm

SAT 10 OCT 20:50 ET OBSERVED

Current observation

METAR

OBS - VFR

OBSER

scattered 5,000 ft

WIND calm

TEMPERATURE 21 °C

VISIBILITY 10 sm

DEWPOINT 15 °C

Evidence & limitations

- METAR source state: ok; observed Oct 10 20:50 ET; retrieved Oct 10 22:48 ET; 118 min before this run.
- Measured values read from the KHSA METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.97 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.

DESTINATION OUTLOOK

SAT, OCT 10

SAT 10 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sat Oct 10

18:00–00:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

SUN, OCT 11

SUN 11 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 11 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 11 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 11 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 11

00:00–06:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 12

MON 12 OCT 00:00–06:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 0–2 kt

TEMPERATURE 999 °F

DEWPOINT 999 °F

PRECIP CHANCE 0%

Evidence & limitations

- GFS MAV MOS · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 12 OCT 06:00–12:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 99 kt

TEMPERATURE 999 °F

DEWPOINT 999 °F

PRECIP CHANCE 1%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 12 OCT 12:00–18:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 0–1 kt

TEMPERATURE 999 °F

DEWPOINT 999 °F

PRECIP CHANCE 1%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 12 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 5–7 kt

TEMPERATURE 999 °F

DEWPOINT 999 °F

PRECIP CHANCE 0%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 12

00:00–06:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+048 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
17°C dep KLZU → 21°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — source state: not_queried

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
18/36 (180/000°M · 179/359°T) — designators and °M headings are magnetic; °T are true; variation 1°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs
FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 2 Act on 1 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

d 2026-10-11T02:48:52.376934Z.

oritative)

FRI OCT 9 | SAT OCT 10 | SUN OCT 11 | MON OCT 12

09/005	
12/015	
6/5656	

4 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 02:48 Z

NOTAMs as of 02:48 Z — advisory only; verify an official briefing.

09/011

NOTAM text not available in this projection.

09/015

NOTAM text not available in this projection.

09/005

NOTAM text not available in this projection.

12/015

NOTAM text not available in this projection.

6/5656

NOTAM text not available in this projection.

09/013

NOTAM text not available in this projection.

10/002

NOTAM text not available in this projection.

10/003

NOTAM text not available in this projection.

02/005

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state:

26-10-11T02:48:52.376934Z.

D LST NOT STD

:00Z

AREA NOT STD

:00Z

OK. The dot colour reports whether this source was read this run; technical environment: preprod.

:00Z

:00Z

NAV_APPROACH

Effective 2026-08-17T16:57:00Z → 2028-08-17T16:57:00Z

4 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KHSA this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · VFR

S · 00:00–06:00 ET ET · VFR

• **Mon, Oct 12 · 06:00–12:00 ET**: GFS MAV MOS · 06:00–12:00 ET ET · VFR

• **Mon, Oct 12 · 12:00–18:00 ET**: GFS MAV MOS · 12:00–18:00 ET ET · VFR

• **Mon, Oct 12 · 18:00–00:00 ET**: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-10=GFS, 2026-10-11=GFS, 2026-10-12=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-11 00:00	65	Clear	20/4kt	—	>10kft	>6SM
GFS	2026-10-11 03:00	58	Clear	0/0kt	—	>10kft	>6SM
GFS	2026-10-11 06:00	999	Clear	990/99kt	1.0	>10kft	>6SM

GFS	2026-10-11 09:00	999	Clear	990/99kt	—	>10kft	>6SM
GFS	2026-10-11 12:00	999	Clear	0/0kt	1.0	>10kft	>6SM
GFS	2026-10-11 15:00	999	Clear	290/3kt	—	>10kft	>6SM
GFS	2026-10-11 18:00	999	Clear	280/5kt	2.0	>10kft	>6SM
GFS	2026-10-11 21:00	999	Clear	190/6kt	—	>10kft	>6SM
GFS	2026-10-12 00:00	999	Clear	190/2kt	0.0	>10kft	>6SM
GFS	2026-10-12 03:00	999	Clear	0/0kt	—	>10kft	>6SM
GFS	2026-10-12 06:00	999	Clear	990/99kt	1.0	>10kft	>6SM
GFS	2026-10-12 09:00	999	Clear	990/99kt	—	>10kft	>6SM
GFS	2026-10-12 12:00	999	Clear	0/0kt	1.0	>10kft	>6SM
GFS	2026-10-12 15:00	999	Clear	60/1kt	—	>10kft	>6SM
GFS	2026-10-12 18:00	999	Clear	130/5kt	0.0	>10kft	>6SM
GFS	2026-10-12 21:00	999	Clear	170/7kt	—	>10kft	>6SM
GFS	2026-10-13 00:00	999	Clear	180/3kt	0.0	>10kft	>6SM
GFS	2026-10-13 03:00	999	Clear	0/0kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KHSA 110050Z 00000KT 10SM SCT050 21/15 A2997

TAF KGPT 102321Z 1100/1124 36006KT P6SM FEW050 FM110200 VRB04KT P6SM SKC FM111400 25007KT P6SM SKC FM111900 20007KT P6SM SKC
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KHSA; actual-station=KHSA; fetched-at=2026-10-11T02:48:45.335441+00:00; observed-or-issued-at=2026-10-11T00:50:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KHSA; actual-station=KGPT; fetched-at=2026-10-11T02:48:45.531036+00:00; observed-or-issued-at=2026-10-10T23:21:00+00:00; valid-from=2026-10-11T00:00:00+00:00; valid-through=2026-10-12T00:00:00+00:00; partial-target-dates=2026-10-10,2026-10-11 — AWC API
  TAF proxy · KGPT
- FAA airport status — state=not_queried; fetch-state=not_attempted; payload-state=not_attempted; requested-station=KHSA
- FAA NMS NOTAM — state=OK; requested-station=KHSA; actual-station=KHSA; fetched-at=2026-10-11T02:48:52.376934Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KHSA; actual-station=KHSA; fetched-at=2026-10-11T02:49:10.167493+00:00; observed-or-issued-at=2026-10-10T18:00:00+00:00; valid-from=2026-10-11T00:00:00+00:00; valid-through=2026-10-13T18:00:00+00:00; target-dates=2026-10-11,2026-10-12; partial-target-dates=2026-10-10; dates-with-points=2026-10-10,2026-10-11,2026-10-12 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KHSA; actual-station=KHSA; fetched-at=2026-10-11T02:49:11.071823+00:00; observed-or-issued-at=2026-10-10T12:00:00+00:00; valid-from=2026-10-11T12:00:00+00:00; valid-through=2026-10-18T12:00:00+00:00; target-dates=2026-10-11,2026-10-12; dates-with-points=2026-10-11,2026-10-12 — Iowa State API

- MOS effective date selection — state=partial; rows=18; requested-station=KHSA; actual-station=KHSA; fetched-at=2026-10-11T02:49:10.167493+00:00; observed-or-issued-at=2026-10-10T18:00:00+00:00; valid-from=2026-10-11T00:00:00+00:00; valid-through=2026-10-13T18:00:00+00:00; target-dates=2026-10-11,2026-10-12; partial-target-dates=2026-10-10; dates-with-points=2026-10-10,2026-10-11,2026-10-12; selected-by-date=2026-10-10=GFS, 2026-10-11=GFS, 2026-10-12=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#26 **KNEW** **New Orleans/Lakefront Arpt, LA, US** · Gulf West · New Orleans Lakefront

OBS - VFR

ETE 2h38

DIST 389 nm

SAT 10 OCT 20:53 ET OBSERVED

Current observation

OBS - VFR

OBSER

METAR

clear below 12,000 ft (CLR)

WIND **NE (60°) 10 kt**

TEMPERATURE **25 °C**

VISIBILITY **10 sm**

DEWPOINT **15 °C**



Wind favours RWY 09

060° true · 061° magnetic · 10 kt

Evidence & limitations

- METAR source state: ok; observed Oct 10 20:53 ET; retrieved Oct 10 22:48 ET; 115 min before this run.
- Measured values read from the KNEW METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.99 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KNEW runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 18R/36L, 18L/36R, 09/27. Wind from 060 degrees true, 061 degrees magnetic, at 10 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 09. Wind source: KNEW METAR 110053Z.

DESTINATION OUTLOOK

SAT, OCT 10

SAT 10 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sat Oct 10

18:00–00:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

SUN, OCT 11

SUN 11 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 11 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 11 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 11 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 11

00:00–06:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 12

MON 12 OCT 00:00–06:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 5–6 kt

TEMPERATURE 77–80 °F

DEWPOINT 62–64 °F

PRECIP CHANCE 0%

Evidence & limitations

- GFS MAV MOS · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 12 OCT 06:00–12:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 3–4 kt

TEMPERATURE 74–75 °F

DEWPOINT 65 °F

PRECIP CHANCE 2%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 12 OCT 12:00–18:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 3–5 kt

TEMPERATURE 73–79 °F

DEWPOINT 65–66 °F

PRECIP CHANCE 1%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 12 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 6–8 kt

TEMPERATURE 85–87 °F

DEWPOINT 65 °F

PRECIP CHANCE 0%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 12

00:00–06:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+048 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
17°C dep KLZU → 25°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
18R/36L (180/000°M · 179/359°T) · 18L/36R (180/000°M · 179/359°T) · 09/27 (090/270°M · 089/269°T) — designators and °M headings are magnetic; °T are true; variation 1°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs
FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 3 Act on 3 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

ed 2026-10-11T02:48:52.395035Z.

oritative)

FRI OCT 9 | SAT OCT 10 | SUN OCT 11 | MON OCT 12



8 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 02:48 Z

NOTAMs as of 02:48 Z — advisory only; verify an official briefing.

10/004

NOTAM text not available in this projection.

10/005

NOTAM text not available in this projection.

6/5292

NOTAM text not available in this projection.

6/5293

NOTAM text not available in this projection.

10/010

NOTAM text not available in this projection.

07/007

NOTAM text not available in this projection.

07/014

NOTAM text not available in this projection.

08/020

NOTAM text not available in this projection.

09/002

NOTAM text not available in this projection.

10/004

NOTAM text not available in this projection.

10/006

NOTAM text not available in this projection.

10/009

NOTAM text not available in this projection.

09/003

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

Effective 2026-09-24T15:07:00Z → 2027-05-06T15:07:00Z

NAV_APPROACH

Effective 2026-10-09T09:16:00Z → 2026-10-16T20:00:00Z

8 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KNEW this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

00 ET ET · VFR
00 ET ET · VFR
00 ET ET · VFR
00 ET ET · VFR
00 ET ET · VFR
S · 00:00–06:00 ET ET · VFR
• **Mon, Oct 12 · 06:00–12:00 ET**: GFS MAV MOS · 06:00–12:00 ET ET · VFR
• **Mon, Oct 12 · 12:00–18:00 ET**: GFS MAV MOS · 12:00–18:00 ET ET · VFR
• **Mon, Oct 12 · 18:00–00:00 ET**: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-10=GFS, 2026-10-11=GFS, 2026-10-12=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-11 00:00	76	Clear	30/10kt	—	>10kft	>6SM
GFS	2026-10-11 03:00	72	Clear	110/6kt	—	>10kft	>6SM
GFS	2026-10-11 06:00	71	Clear	200/7kt	1.0	>10kft	>6SM
GFS	2026-10-11 09:00	70	Clear	240/6kt	—	>10kft	>6SM
GFS	2026-10-11 12:00	71	Clear	250/5kt	1.0	>10kft	>6SM
GFS	2026-10-11 15:00	76	Clear	270/5kt	—	>10kft	>6SM
GFS	2026-10-11 18:00	82	Clear	300/4kt	1.0	>10kft	>6SM
GFS	2026-10-11 21:00	84	Clear	210/4kt	—	>10kft	>6SM
GFS	2026-10-12 00:00	80	Clear	170/6kt	0.0	>10kft	>6SM
GFS	2026-10-12 03:00	77	Clear	180/5kt	—	>10kft	>6SM
GFS	2026-10-12 06:00	75	Clear	200/4kt	2.0	>10kft	>6SM
GFS	2026-10-12 09:00	74	Clear	190/3kt	—	>10kft	>6SM
GFS	2026-10-12 12:00	73	Clear	100/3kt	1.0	>10kft	>6SM
GFS	2026-10-12 15:00	79	Clear	90/5kt	—	>10kft	>6SM
GFS	2026-10-12 18:00	85	Clear	100/6kt	0.0	>10kft	>6SM
GFS	2026-10-12 21:00	87	Clear	130/8kt	—	>10kft	>6SM
GFS	2026-10-13 00:00	82	Clear	160/7kt	0.0	>10kft	>6SM
GFS	2026-10-13 03:00	78	Clear	170/6kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KNEW 110053Z 06010KT 10SM CLR 25/15 A2999 RMK AO1 SLP148 T02500150

TAF KNEW 102321Z 1100/1124 02015KT P6SM SKC FM110100 VRB05KT P6SM SKC
```

+ Data sources used

• METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KNEW; actual-station=KNEW; fetched-at=2026-10-11T02:48:45.335441+00:00; observed-or-issued-at=2026-10-11T00:53:00+00:00 — AWC API

- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KNEW; actual-station=KNEW; fetched-at=2026-10-11T02:48:45.531036+00:00; observed-or-issued-at=2026-10-10T23:21:00+00:00; valid-from=2026-10-11T00:00:00+00:00; valid-through=2026-10-12T00:00:00+00:00; partial-target-dates=2026-10-10,2026-10-11 — AWC API

TAF proxy · KNEW

- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KNEW; actual-station=KNEW; fetched-at=2026-10-11T02:48:47.052306+00:00
- FAA NMS NOTAM — state=OK; requested-station=KNEW; actual-station=KNEW; fetched-at=2026-10-11T02:48:52.395035Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KNEW; actual-station=KNEW; fetched-at=2026-10-11T02:49:10.176574+00:00; observed-or-issued-at=2026-10-10T18:00:00+00:00; valid-from=2026-10-11T00:00:00+00:00; valid-through=2026-10-13T18:00:00+00:00; target-dates=2026-10-11,2026-10-12; partial-target-dates=2026-10-10; dates-with-points=2026-10-10,2026-10-11,2026-10-12 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KNEW; actual-station=KNEW; fetched-at=2026-10-11T02:49:11.414264+00:00; observed-or-issued-at=2026-10-10T12:00:00+00:00; valid-from=2026-10-11T12:00:00+00:00; valid-through=2026-10-18T12:00:00+00:00; target-dates=2026-10-11,2026-10-12; dates-with-points=2026-10-11,2026-10-12 — Iowa State API
- MOS effective date selection — state=partial; rows=18; requested-station=KNEW; actual-station=KNEW; fetched-at=2026-10-11T02:49:10.176574+00:00; observed-or-issued-at=2026-10-10T18:00:00+00:00; valid-from=2026-10-11T00:00:00+00:00; valid-through=2026-10-13T18:00:00+00:00; target-dates=2026-10-11,2026-10-12; partial-target-dates=2026-10-10; dates-with-points=2026-10-10,2026-10-11,2026-10-12; selected-by-date=2026-10-10=GFS, 2026-10-11=GFS, 2026-10-12=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#27 **KOPF** **Miami/Opa Locka Arpt, FL, US** · Long-range · Miami-Opa Locka

OBS - VFR

ETE **3h30**

DIST **521 nm**

SAT 10 OCT 20:53 ET OBSERVED

Current observation

METAR

OBS - VFR

OBSER


clear below 12,000 ft (CLR)

WIND **SE (140°) 10 kt**

TEMPERATURE **29 °C**

VISIBILITY **10 sm**

DEWPOINT **26 °C**



Wind favours RWY 12

140° true · 147° magnetic · 10 kt

Evidence & limitations

- METAR source state: ok; observed Oct 10 20:53 ET; retrieved Oct 10 22:48 ET; 115 min before this run.

- Measured values read from the KOPF METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.05 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KOPF runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 09L/27R, 12/30, 09R/27L. Wind from 140 degrees true, 147 degrees magnetic, at 10 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 12. Wind source: KOPF METAR 110053Z.

DESTINATION OUTLOOK

SAT, OCT 10

SAT 10 OCT 18:00–00:00 ET HIGH

Forecast TAF

Flight-category guidance

TAF · VFR

FORECAST

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sat Oct 10

18:00–00:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

SUN, OCT 11

SUN 11 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 11 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 11 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 11 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 11

00:00–06:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 12

MON 12 OCT 00:00–06:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 4–6 kt

TEMPERATURE 82–84 °F

DEWPOINT 76–77 °F

PRECIP CHANCE 15%

Evidence & limitations

- GFS MAV MOS · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 12 OCT 06:00–12:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 1–2 kt

TEMPERATURE 79–80 °F

DEWPOINT 76–77 °F

PRECIP CHANCE 6%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 12 OCT 12:00–18:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 2–5 kt

TEMPERATURE 79–86 °F

DEWPOINT 76–77 °F

PRECIP CHANCE 14%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 12 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 9–10 kt

TEMPERATURE 86–88 °F

DEWPOINT 73–74 °F

PRECIP CHANCE 14%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 12

00:00–06:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+048 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
17°C dep KLZU → 29°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
09L/27R (090/270°M · 083/263°T) · 12/30 (120/300°M · 113/293°T) · 09R/27L (090/270°M · 083/263°T) — designators and °M headings are magnetic; °T are true; variation 7°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs
FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)
12 Act on

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What
3 · Where

ed 2026-10-11T02:48:52.458235Z.
oritative)

FRI OCT 9 | SAT OCT 10 | SUN OCT 11 | MON OCT 12



94 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 02:48 Z

NOTAMs as of 02:48 Z — advisory only; verify an official briefing.

6/2604

NOTAM text not available in this projection.

08/050

NOTAM text not available in this projection.

08/051

NOTAM text not available in this projection.

5/7064

NOTAM text not available in this projection.

5/0554

NOTAM text not available in this projection.

6/2599

NOTAM text not available in this projection.

6/2236

NOTAM text not available in this projection.

6/1259

NOTAM text not available in this projection.

6/8187

NOTAM text not available in this projection.

6/8903

NOTAM text not available in this projection.

6/8910

NOTAM text not available in this projection.

6/8914

NOTAM text not available in this projection.

6/8915

NOTAM text not available in this projection.

6/8918

NOTAM text not available in this projection.

6/8919

NOTAM text not available in this projection.

6/8921

NOTAM text not available in this projection.

05/045

NOTAM text not available in this projection.

07/090

NOTAM text not available in this projection.

07/091

NOTAM text not available in this projection.

07/092

NOTAM text not available in this projection.

07/093

NOTAM text not available in this projection.

07/094

NOTAM text not available in this projection.

07/095

NOTAM text not available in this projection.

07/096

NOTAM text not available in this projection.

07/097

NOTAM text not available in this projection.

07/098

NOTAM text not available in this projection.

07/102

NOTAM text not available in this projection.

07/103

NOTAM text not available in this projection.

07/104

NOTAM text not available in this projection.

07/109

NOTAM text not available in this projection.

07/110

NOTAM text not available in this projection.

07/111

NOTAM text not available in this projection.

07/112

NOTAM text not available in this projection.

07/113

NOTAM text not available in this projection.

07/114

NOTAM text not available in this projection.

07/115

NOTAM text not available in this projection.

07/116

NOTAM text not available in this projection.

07/117

NOTAM text not available in this projection.

07/118

NOTAM text not available in this projection.

07/119

NOTAM text not available in this projection.

07/120

NOTAM text not available in this projection.

07/121

NOTAM text not available in this projection.

07/124

NOTAM text not available in this projection.

07/125

NOTAM text not available in this projection.

07/126

NOTAM text not available in this projection.

07/130

NOTAM text not available in this projection.

07/131

NOTAM text not available in this projection.

07/132

NOTAM text not available in this projection.

07/133

NOTAM text not available in this projection.

07/134

NOTAM text not available in this projection.

10/001

NOTAM text not available in this projection.

10/002

NOTAM text not available in this projection.

10/044

NOTAM text not available in this projection.

10/045

NOTAM text not available in this projection.

10/050

NOTAM text not available in this projection.

10/051

NOTAM text not available in this projection.

10/046

NOTAM text not available in this projection.

10/047

NOTAM text not available in this projection.

10/048

NOTAM text not available in this projection.

10/049

NOTAM text not available in this projection.

11/013

NOTAM text not available in this projection.

11/014

NOTAM text not available in this projection.

11/015

NOTAM text not available in this projection.

11/016

NOTAM text not available in this projection.

11/025

NOTAM text not available in this projection.

11/026

NOTAM text not available in this projection.

11/027

NOTAM text not available in this projection.

11/028

NOTAM text not available in this projection.

02/017

NOTAM text not available in this projection.

02/018

NOTAM text not available in this projection.

03/037

NOTAM text not available in this projection.

03/038

NOTAM text not available in this projection.

05/068

NOTAM text not available in this projection.

05/069

NOTAM text not available in this projection.

05/070

NOTAM text not available in this projection.

05/071

NOTAM text not available in this projection.

05/073

NOTAM text not available in this projection.

05/074

NOTAM text not available in this projection.

06/061

NOTAM text not available in this projection.

06/062

NOTAM text not available in this projection.

06/063

NOTAM text not available in this projection.

08/030

NOTAM text not available in this projection.

08/033

NOTAM text not available in this projection.

08/034

NOTAM text not available in this projection.

08/035

NOTAM text not available in this projection.

08/036

NOTAM text not available in this projection.

08/039

NOTAM text not available in this projection.

08/040

NOTAM text not available in this projection.

08/041

NOTAM text not available in this projection.

08/042

NOTAM text not available in this projection.

10/007

NOTAM text not available in this projection.

10/008

NOTAM text not available in this projection.

10/009

NOTAM text not available in this projection.

10/010

NOTAM text not available in this projection.

10/013

NOTAM text not available in this projection.

10/014

NOTAM text not available in this projection.

10/036

NOTAM text not available in this projection.

10/034

NOTAM text not available in this projection.

10/035

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

026-10-11T02:48:52.458235Z.

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

Effective 2026-03-03T15:34:00Z → 2026-11-16T15:34:00Z

RUNWAY

Effective 2026-08-20T11:42:00Z → 2027-08-01T04:00:00Z

RUNWAY

Effective 2026-08-20T11:43:00Z → 2027-08-01T04:00:00Z

NAV_APPROACH

Effective 2025-05-07T12:14:00Z → 2027-05-07T12:13:00Z

NAV_APPROACH

Effective 2025-09-25T18:59:00Z → 2027-09-25T18:59:00Z

94 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KOPF this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
S · 00:00–06:00 ET ET · VFR
• **Mon, Oct 12 · 06:00–12:00 ET**: GFS MAV MOS · 06:00–12:00 ET ET · VFR
• **Mon, Oct 12 · 12:00–18:00 ET**: GFS MAV MOS · 12:00–18:00 ET ET · VFR
• **Mon, Oct 12 · 18:00–00:00 ET**: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-10=GFS, 2026-10-11=GFS, 2026-10-12=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-11 00:00	84	Bkn	160/9kt	—	>10kft	>6SM
GFS	2026-10-11 03:00	83	Bkn	140/6kt	—	>10kft	>6SM
GFS	2026-10-11 06:00	83	Bkn	140/7kt	44.0	>10kft	>6SM
GFS	2026-10-11 09:00	82	Sct	140/7kt	—	>10kft	>6SM
GFS	2026-10-11 12:00	82	Few	150/5kt	30.0	>10kft	>6SM
GFS	2026-10-11 15:00	89	Sct	150/11kt	—	>10kft	>6SM
GFS	2026-10-11 18:00	91	Sct	150/9kt	8.0	>10kft	>6SM
GFS	2026-10-11 21:00	89	Few	130/8kt	—	>10kft	>6SM

GFS	2026-10-12 00:00	84	Sct	120/6kt	15.0	>10kft	>6SM
GFS	2026-10-12 03:00	82	Few	120/4kt	—	>10kft	>6SM
GFS	2026-10-12 06:00	80	Bkn	70/2kt	6.0	>10kft	>6SM
GFS	2026-10-12 09:00	79	Sct	340/1kt	—	>10kft	>6SM
GFS	2026-10-12 12:00	79	Bkn	350/2kt	14.0	>10kft	>6SM
GFS	2026-10-12 15:00	86	Bkn	10/5kt	—	>10kft	>6SM
GFS	2026-10-12 18:00	88	Bkn	30/9kt	14.0	>10kft	>6SM
GFS	2026-10-12 21:00	86	Bkn	40/10kt	—	>10kft	>6SM
GFS	2026-10-13 00:00	81	Ovc	40/8kt	10.0	>10kft	>6SM
GFS	2026-10-13 03:00	78	Sct	20/6kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KOPF 110053Z 14010KT 10SM CLR 29/26 A3005 RMK AO2 SLP176 T02940261

TAF KOPF 102320Z 1100/1124 14008KT P6SM FEW030 SCT050 FM111200 15009KT P6SM FEW025 SCT050
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KOPF; actual-station=KOPF; fetched-at=2026-10-11T02:48:45.335441+00:00; observed-or-issued-at=2026-10-11T00:53:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KOPF; actual-station=KOPF; fetched-at=2026-10-11T02:48:45.531036+00:00; observed-or-issued-at=2026-10-10T23:20:00+00:00; valid-from=2026-10-11T00:00:00+00:00; valid-through=2026-10-12T00:00:00+00:00; partial-target-dates=2026-10-10,2026-10-11 — AWC API
  TAF proxy · KOPF
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KOPF; actual-station=KOPF; fetched-at=2026-10-11T02:48:47.045193+00:00
- FAA NMS NOTAM — state=OK; requested-station=KOPF; actual-station=KOPF; fetched-at=2026-10-11T02:48:52.458235Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KOPF; actual-station=KOPF; fetched-at=2026-10-11T02:49:10.191665+00:00; observed-or-issued-at=2026-10-10T18:00:00+00:00; valid-from=2026-10-11T00:00:00+00:00; valid-through=2026-10-13T18:00:00+00:00; target-dates=2026-10-11,2026-10-12; partial-target-dates=2026-10-10; dates-with-points=2026-10-10,2026-10-11,2026-10-12 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KOPF; actual-station=KOPF; fetched-at=2026-10-11T02:49:11.093892+00:00; observed-or-issued-at=2026-10-10T12:00:00+00:00; valid-from=2026-10-11T12:00:00+00:00; valid-through=2026-10-18T12:00:00+00:00; target-dates=2026-10-11,2026-10-12; dates-with-points=2026-10-11,2026-10-12 — Iowa State API
- MOS effective date selection — state=partial; rows=18; requested-station=KOPF; actual-station=KOPF; fetched-at=2026-10-11T02:49:10.191665+00:00; observed-or-issued-at=2026-10-10T18:00:00+00:00; valid-from=2026-10-11T00:00:00+00:00; valid-through=2026-10-13T18:00:00+00:00; target-dates=2026-10-11,2026-10-12; partial-target-dates=2026-10-10; dates-with-points=2026-10-10,2026-10-11,2026-10-12; selected-by-date=2026-10-10=GFS, 2026-10-11=GFS, 2026-10-12=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#28 **KHPN** **White Plains/Westchester Cnty, NY, US** · Long-range · White Plains NY

OBS - VFR

ETE 4h18

DIST 647 nm

SAT 10 OCT 20:56 ET OBSERVED

Current observation

METAR

OBS - VFR

OBSER

clear below 12,000 ft (CLR)

WIND calm

TEMPERATURE 12 °C

VISIBILITY 10 sm

DEWPOINT 10 °C

Evidence & limitations

- METAR source state: ok; observed Oct 10 20:56 ET; retrieved Oct 10 22:48 ET; 112 min before this run.
- Measured values read from the KHPN METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.45 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.

DESTINATION OUTLOOK

SAT, OCT 10

SAT 10 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sat Oct 10

18:00–00:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

SUN, OCT 11

SUN 11 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 11 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 11 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · IFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · IFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 11 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · IFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · IFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 11

00:00–06:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 12

MON 12 OCT 00:00–06:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · LIFR

FORECAST

Flight-category guidance

WIND 13 kt

TEMPERATURE 56 °F

DEWPOINT 56 °F

PRECIP CHANCE 99%

Evidence & limitations

- GFS MAV MOS · 00:00–06:00 ET ET · LIFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 12 OCT 06:00–12:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · LIFR

FORECAST

Flight-category guidance

WIND 10–13 kt

TEMPERATURE 56 °F

DEWPOINT 56 °F

PRECIP CHANCE 92%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · LIFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 12 OCT 12:00–18:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 11–12 kt

TEMPERATURE 57–61 °F

DEWPOINT 56 °F

PRECIP CHANCE 55%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 12 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 10–11 kt

TEMPERATURE 68–69 °F

DEWPOINT 57 °F

PRECIP CHANCE 23%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 12

00:00–06:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+048 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
17°C dep KLZU → 12°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
16/34 (160/340°M · 147/327°T) · 11/29 (110/290°M · 097/277°T) — designators and °M headings are magnetic; °T are true; variation 13°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs
FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 8 Act on 1 Brief


FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What
3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

ed 2026-10-11T02:48:52.593894Z.

FRI OCT 9 | SAT OCT 10 | SUN OCT 11 | MON OCT 12



55 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 02:48 Z

NOTAMs as of 02:48 Z — advisory only; verify an official briefing.

10/020

NOTAM text not available in this projection.

A4296/26

NOTAM text not available in this projection.

10/039

NOTAM text not available in this projection.

10/094

NOTAM text not available in this projection.

A4456/26

NOTAM text not available in this projection.

A4457/26

NOTAM text not available in this projection.

A4462/26

NOTAM text not available in this projection.

A4463/26

NOTAM text not available in this projection.

A4464/26

NOTAM text not available in this projection.

A4491/26

NOTAM text not available in this projection.

A4492/26

NOTAM text not available in this projection.

10/098

NOTAM text not available in this projection.

A4430/26

NOTAM text not available in this projection.

03/058

NOTAM text not available in this projection.

A1006/26

NOTAM text not available in this projection.

03/062

NOTAM text not available in this projection.

A1019/26

NOTAM text not available in this projection.

04/112

NOTAM text not available in this projection.

A1392/26

NOTAM text not available in this projection.

07/120

NOTAM text not available in this projection.

A2868/26

NOTAM text not available in this projection.

08/016

NOTAM text not available in this projection.

A3278/26

NOTAM text not available in this projection.

10/096

NOTAM text not available in this projection.

A4425/26

NOTAM text not available in this projection.

A4445/26

NOTAM text not available in this projection.

A4446/26

NOTAM text not available in this projection.

A4447/26

NOTAM text not available in this projection.

A4448/26

NOTAM text not available in this projection.

A4449/26

NOTAM text not available in this projection.

A4450/26

NOTAM text not available in this projection.

A4451/26

NOTAM text not available in this projection.

A4452/26

NOTAM text not available in this projection.

A4453/26

NOTAM text not available in this projection.

A4454/26

NOTAM text not available in this projection.

A4455/26

NOTAM text not available in this projection.

10/116

NOTAM text not available in this projection.

A4461/26

NOTAM text not available in this projection.

A4480/26

NOTAM text not available in this projection.

A4481/26

NOTAM text not available in this projection.

A4482/26

NOTAM text not available in this projection.

A4483/26

NOTAM text not available in this projection.

A4484/26

NOTAM text not available in this projection.

A4485/26

NOTAM text not available in this projection.

A4486/26

NOTAM text not available in this projection.

A4487/26

NOTAM text not available in this projection.

A4488/26

NOTAM text not available in this projection.

A4489/26

NOTAM text not available in this projection.

A4490/26

NOTAM text not available in this projection.

03/045

NOTAM text not available in this projection.

6/5381

NOTAM text not available in this projection.

A1014/26

NOTAM text not available in this projection.

6/9015

NOTAM text not available in this projection.

A1738/26

NOTAM text not available in this projection.

6/5296

NOTAM text not available in this projection.

6/5312

NOTAM text not available in this projection.

A4160/26

NOTAM text not available in this projection.

A4161/26

NOTAM text not available in this projection.

09/238

NOTAM text not available in this projection.

A4497/26

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

026-10-11T02:48:52.593894Z.

RUNWAY
Effective 2026-10-08T10:43:00Z → 2026-10-11T10:43:00Z

RUNWAY
Effective 2026-10-14T04:00:00Z → 2026-10-16T09:30:00Z

RUNWAY
Effective 2026-10-14T04:00:00Z → 2026-10-16T09:30:00Z

53 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KHPN this run.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

00 ET ET · VFR
00 ET ET · VFR
00 ET ET · MVFR
00 ET ET · IFR
00 ET ET · IFR
S · 00:00–06:00 ET ET · LIFR
• **Mon, Oct 12 · 06:00–12:00 ET**: GFS MAV MOS · 06:00–12:00 ET ET · LIFR

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

• **Mon, Oct 12 · 12:00–18:00 ET**: GFS MAV MOS · 12:00–18:00 ET ET · VFR
• **Mon, Oct 12 · 18:00–00:00 ET**: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-10=GFS, 2026-10-11=GFS, 2026-10-12=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-11 00:00	58	Clear	110/2kt	—	>10kft	>6SM
GFS	2026-10-11 03:00	55	Clear	100/2kt	—	>10kft	>6SM
GFS	2026-10-11 06:00	54	Few	100/2kt	0.0	>10kft	>6SM
GFS	2026-10-11 09:00	53	Ovc	90/3kt	—	>10kft	>6SM
GFS	2026-10-11 12:00	54	Ovc	80/5kt	5.0	>10kft	>6SM
GFS	2026-10-11 15:00	57	Ovc	110/6kt	—	1-3kft	>6SM
GFS	2026-10-11 18:00	58	Ovc	90/8kt	62.0	500-1kft	3-5SM
GFS	2026-10-11 21:00	57	Ovc	90/11kt	—	500-1kft	¼-½SM
GFS	2026-10-12 00:00	56	Ovc	70/13kt	99.0	200-500ft	¼-½SM
GFS	2026-10-12 03:00	56	Ovc	60/13kt	—	200-500ft	½-1SM
GFS	2026-10-12 06:00	56	Ovc	20/10kt	92.0	200-500ft	½-1SM
GFS	2026-10-12 09:00	56	Ovc	10/13kt	—	200-500ft	½-1SM
GFS	2026-10-12 12:00	57	Ovc	360/11kt	55.0	200-500ft	½-1SM
GFS	2026-10-12 15:00	61	Ovc	350/12kt	—	1-3kft	>6SM
GFS	2026-10-12 18:00	68	Bkn	340/11kt	23.0	5-10kft	>6SM
GFS	2026-10-12 21:00	69	Bkn	320/10kt	—	>10kft	>6SM
GFS	2026-10-13 00:00	64	Few	330/7kt	4.0	>10kft	>6SM
GFS	2026-10-13 03:00	61	Few	340/7kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KHPN 110056Z 00000KT 10SM CLR 12/10 A3045 RMK AO2 SLP312 T01220100

TAF KHPN 110237Z 1103/1124 VRB03KT P6SM FEW150 BKN250 FM111100 09006KT P6SM -SHRA BKN035 FM111400 10008G18KT P6SM -RA OVC020 FM111700 09010G23KT 4SM RA BR OVC015 FM112000 08013G26KT 1SM RA BR
SCT006 OVC008 TEMPO 1121/1124 BKN006 AMD NOT SKED
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KHPN; actual-station=KHPN; fetched-at=2026-10-11T02:48:45.335441+00:00; observed-or-issued-at=2026-10-11T00:56:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KHPN; actual-station=KHPN; fetched-at=2026-10-11T02:48:45.531036+00:00; observed-or-issued-at=2026-10-11T02:37:00+00:00; valid-from=2026-10-11T03:00:00+00:00; valid-through=2026-10-12T00:00:00+00:00; partial-target-dates=2026-10-10,2026-10-11 — AWC API

  TAF proxy · KHPN
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KHPN; actual-station=KHPN; fetched-at=2026-10-11T02:48:47.312790+00:00
- FAA NMS NOTAM — state=OK; requested-station=KHPN; actual-station=KHPN; fetched-at=2026-10-11T02:48:52.593894Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KHPN; actual-station=KHPN; fetched-at=2026-10-11T02:49:10.172221+00:00; observed-or-issued-at=2026-10-10T18:00:00+00:00; valid-from=2026-10-11T00:00:00+00:00; valid-through=2026-10-13T18:00:00+00:00; target-dates=2026-10-11,2026-10-12; partial-target-dates=2026-10-10; dates-with-points=2026-10-10,2026-10-11,2026-10-12 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KHPN; actual-station=KHPN; fetched-at=2026-10-11T02:49:11.129581+00:00; observed-or-issued-at=2026-10-10T12:00:00+00:00; valid-from=2026-10-11T12:00:00+00:00; valid-through=2026-10-18T12:00:00+00:00; target-dates=2026-10-11,2026-10-12; dates-with-points=2026-10-11,2026-10-12 — Iowa State API
- MOS effective date selection — state=partial; rows=18; requested-station=KHPN; actual-station=KHPN; fetched-at=2026-10-11T02:49:10.172221+00:00; observed-or-issued-at=2026-10-10T18:00:00+00:00; valid-from=2026-10-11T00:00:00+00:00; valid-through=2026-10-13T18:00:00+00:00; target-dates=2026-10-11,2026-10-12; partial-target-dates=2026-10-10; dates-with-points=2026-10-10,2026-10-11,2026-10-12; selected-by-date=2026-10-10=GFS, 2026-10-11=GFS, 2026-10-12=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#29 **KBED** **Bedford/Hanscom Fld, MA, US** · Long-range · Boston-Bedford MA

OBS - VFR

ETE 5h11

DIST 784 nm

SAT 10 OCT 20:51 ET OBSERVED

Current observation

OBS - VFR

OBSER

META R

clear below 12,000 ft (CLR)

WIND calm

TEMPERATURE 7 °C

VISIBILITY 10 sm

DEWPOINT 4 °C

Evidence & limitations

- METAR source state: ok; observed Oct 10 20:51 ET; retrieved Oct 10 22:48 ET; 117 min before this run.
- Measured values read from the KBED METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.

• Altimeter: 30.47 inHg.

• The complete raw METAR remains in this airport's Raw products disclosure.

DESTINATION OUTLOOK

SAT, OCT 10

SAT 10 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sat Oct 10

18:00–00:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

SUN, OCT 11

SUN 11 OCT 00:00–06:00 ET HIGH

Forecast TAF

Flight-category guidance

TAF · VFR

FORECAST

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 11 OCT 06:00–12:00 ET HIGH

Forecast TAF

Flight-category guidance

TAF · VFR

FORECAST

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 11 OCT 12:00–18:00 ET HIGH

Forecast TAF

Flight-category guidance

TAF · VFR

FORECAST

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 11 OCT 18:00–00:00 ET HIGH

Forecast TAF

Flight-category guidance

TAF · MVFR

FORECAST

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 11

00:00–06:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 12

MON 12 OCT 00:00–06:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · LIFR

FORECAST

Flight-category guidance

WIND 3–4 kt

TEMPERATURE 55–56 °F

DEWPOINT 50–52 °F

PRECIP CHANCE 27%

Evidence & limitations

- GFS MAV MOS · 00:00–06:00 ET ET · LIFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 12 OCT 06:00–12:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · LIFR

FORECAST

Flight-category guidance

WIND 4 kt

TEMPERATURE 55–56 °F

DEWPOINT 53 °F

PRECIP CHANCE 92%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · LIFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 12 OCT 12:00–18:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 3–5 kt

TEMPERATURE 57–62 °F

DEWPOINT 54–55 °F

PRECIP CHANCE 80%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 12 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 5–7 kt

TEMPERATURE 65–67 °F

DEWPOINT 56 °F

PRECIP CHANCE 15%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 12

00:00–06:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+048 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
17°C dep KLZU → 7°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
11/29 (110/290°M · 096/276°T) · 05/23 (050/230°M · 036/216°T) — designators and °M headings are magnetic; °T are true; variation 14°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs
FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 5 Act on 1 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What 3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

ed 2026-10-11T02:48:52.661819Z.
oritative)

FRI OCT 9 | SAT OCT 10 | SUN OCT 11 | MON OCT 12

A2729/26	
08/020	
A2431/26	

33 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 02:48 Z

NOTAMs as of 02:48 Z — advisory only; verify an official briefing.

5/0511

NOTAM text not available in this projection.

10/035

NOTAM text not available in this projection.

A2729/26

NOTAM text not available in this projection.

08/020

NOTAM text not available in this projection.

A2431/26

NOTAM text not available in this projection.

09/072

NOTAM text not available in this projection.

09/074

NOTAM text not available in this projection.

A2667/26

NOTAM text not available in this projection.

09/075

NOTAM text not available in this projection.

09/076

NOTAM text not available in this projection.

10/006

NOTAM text not available in this projection.

A2689/26

NOTAM text not available in this projection.

10/033

NOTAM text not available in this projection.

A2728/26

NOTAM text not available in this projection.

10/034

NOTAM text not available in this projection.

10/036

NOTAM text not available in this projection.

A2730/26

NOTAM text not available in this projection.

10/042

NOTAM text not available in this projection.

A2737/26

NOTAM text not available in this projection.

A2743/26

NOTAM text not available in this projection.

A2744/26

NOTAM text not available in this projection.

A2746/26

NOTAM text not available in this projection.

A2747/26

NOTAM text not available in this projection.

A1392/25

NOTAM text not available in this projection.

5/0197

NOTAM text not available in this projection.

A2784/25

NOTAM text not available in this projection.

6/8189

NOTAM text not available in this projection.

A2533/26

NOTAM text not available in this projection.

07/034

NOTAM text not available in this projection.

A2378/26

NOTAM text not available in this projection.

08/093

NOTAM text not available in this projection.

10/015

NOTAM text not available in this projection.

10/016

NOTAM text not available in this projection.

10/017

NOTAM text not available in this projection.

A2698/26

NOTAM text not available in this projection.

A2699/26

NOTAM text not available in this projection.

A2700/26

NOTAM text not available in this projection.

10/037

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2026-10-11T02:48:52.661819Z.

HANSCOM FLD, BEDFORD, MA. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 6A. IN ADDITION TO EXISTING TAKEOFF OBSTACLE

FT FROM DER. 1089 FT LEFT OF CENTERLINE. 195 FT AGL/282 FT MSL ANTENNA 027 FT FROM DER. 1082 FT LEFT OF CENTERLINE. 268 FT MSL. ALL OTHER

DTA SAS 2703051830957

:00Z

:00Z

:00Z

TAXIWAY

Effective 2026-08-10T16:47:00Z → 2026-12-31T22:00:00Z

TAXIWAY

Effective 2026-08-10T16:47:00Z → 2026-12-31T22:00:00Z

33 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KBED this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · MVFR
S · 00:00–06:00 ET ET · LIFR

- **Mon, Oct 12 · 06:00–12:00 ET**: GFS MAV MOS · 06:00–12:00 ET ET · LIFR
- **Mon, Oct 12 · 12:00–18:00 ET**: GFS MAV MOS · 12:00–18:00 ET ET · VFR
- **Mon, Oct 12 · 18:00–00:00 ET**: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-10=GFS, 2026-10-11=GFS, 2026-10-12=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-11 00:00	50	Clear	90/1kt	—	>10kft	>6SM
GFS	2026-10-11 03:00	44	Clear	0/0kt	—	>10kft	>6SM
GFS	2026-10-11 06:00	41	Clear	0/0kt	0.0	>10kft	>6SM
GFS	2026-10-11 09:00	41	Clear	0/0kt	—	>10kft	>6SM
GFS	2026-10-11 12:00	43	Clear	0/0kt	0.0	>10kft	>6SM
GFS	2026-10-11 15:00	56	Bkn	160/5kt	—	>10kft	>6SM
GFS	2026-10-11 18:00	62	Ovc	180/6kt	1.0	>10kft	>6SM
GFS	2026-10-11 21:00	60	Ovc	160/4kt	—	>10kft	>6SM

GFS	2026-10-12 00:00	56	Ovc	140/3kt	27.0	3-5kft	>6SM
GFS	2026-10-12 03:00	55	Ovc	90/4kt	—	200-500ft	1-2SM
GFS	2026-10-12 06:00	55	Ovc	40/4kt	92.0	200-500ft	½-1SM
GFS	2026-10-12 09:00	56	Ovc	30/4kt	—	<200ft	¼-½SM
GFS	2026-10-12 12:00	57	Ovc	20/3kt	80.0	200-500ft	3-5SM
GFS	2026-10-12 15:00	62	Ovc	350/5kt	—	500-1kft	>6SM
GFS	2026-10-12 18:00	67	Bkn	330/7kt	15.0	>10kft	>6SM
GFS	2026-10-12 21:00	65	Clear	340/5kt	—	>10kft	>6SM
GFS	2026-10-13 00:00	61	Bkn	360/2kt	0.0	>10kft	>6SM
GFS	2026-10-13 03:00	58	Ovc	20/5kt	—	5-10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KBED 110051Z 00000KT 10SM CLR 07/04 A3047 RMK AO2 SLP332 T00670044 $
TAF KBED 102328Z 1100/1124 00000KT P6SM BKN250 FM111400 18005KT P6SM BKN250 FM112200 16003KT P6SM OVC030 PROB30 1122/1124 4SM -SHRA OVC015
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KBED; actual-station=KBED; fetched-at=2026-10-11T02:48:45.335441+00:00; observed-or-issued-at=2026-10-11T00:51:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KBED; actual-station=KBED; fetched-at=2026-10-11T02:48:45.531036+00:00; observed-or-issued-at=2026-10-10T23:28:00+00:00; valid-from=2026-10-11T00:00:00+00:00; valid-through=2026-10-12T00:00:00+00:00; partial-target-dates=2026-10-10,2026-10-11 — AWC API

  TAF proxy · KBED
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KBED; actual-station=KBED; fetched-at=2026-10-11T02:48:47.066285+00:00
- FAA NMS NOTAM — state=OK; requested-station=KBED; actual-station=KBED; fetched-at=2026-10-11T02:48:52.661819Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KBED; actual-station=KBED; fetched-at=2026-10-11T02:49:10.199379+00:00; observed-or-issued-at=2026-10-10T18:00:00+00:00; valid-from=2026-10-11T00:00:00+00:00; valid-through=2026-10-13T18:00:00+00:00; target-dates=2026-10-11,2026-10-12; partial-target-dates=2026-10-10; dates-with-points=2026-10-10,2026-10-11,2026-10-12 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KBED; actual-station=KBED; fetched-at=2026-10-11T02:49:12.217262+00:00; observed-or-issued-at=2026-10-10T12:00:00+00:00; valid-from=2026-10-11T12:00:00+00:00; valid-through=2026-10-18T12:00:00+00:00; target-dates=2026-10-11,2026-10-12; dates-with-points=2026-10-11,2026-10-12 — Iowa State API
- MOS effective date selection — state=partial; rows=18; requested-station=KBED; actual-station=KBED; fetched-at=2026-10-11T02:49:10.199379+00:00; observed-or-issued-at=2026-10-10T18:00:00+00:00; valid-from=2026-10-11T00:00:00+00:00; valid-through=2026-10-13T18:00:00+00:00; target-dates=2026-10-11,2026-10-12; partial-target-dates=2026-10-10; dates-with-points=2026-10-10,2026-10-11,2026-10-12; selected-by-date=2026-10-10=GFS, 2026-10-11=GFS, 2026-10-12=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

3 · Hazard feeds & regional observations

Unfiltered hazard feeds (not route-geometry screened): 12 SIGMET records, 40 G-AIRMET records, 1 CWA records. Regional current observations (not corridor forecasts): Mountain: IFR/LIFR at KROA; Mountain: MVFR at KAVL; Atlantic South: IFR/LIFR at KSSI; Atlantic South: category unavailable at KSGJ.

Scope: Hazard counts are raw feed totals and have not been filtered against a proposed route, altitude, or time. Airport flight categories are current point observations, not corridor forecasts.

4 · Planning gates

- **Evidence gate:** an unavailable, stale, or out-of-horizon source is unknown — never treat it as favorable.
- **Weather gate:** compare current observations and valid-period forecasts with personal ceiling, visibility, convection, wind, and crosswind minimums.
- **Route gate:** screen the actual route, altitude, and time against official hazard products; feed totals on this page are not route-filtered.
- **Operations gate:** verify NOTAMs, TFRs, runway conditions, fuel, aircraft performance, daylight, and alternates.

5 · ForeFlight manual cross-check (before flight)

- Official briefing matches these go/no-go windows
- Prog charts / radar / satellite trend agrees with convection timing
- Winds & temps aloft along actual route (may shift ETE)
- **NOTAMs & TFRs** — airport-scoped NMS records may be shown, but route-wide/TFR coverage is not included; pull a fresh official briefing for departure, destination, and alternates
- Runway condition / length / closures at destination & alternate
- Weight & balance + performance at forecast density altitude (heat!)
- File & brief in ForeFlight; confirm fuel stops if long-range

6 · Source stamp

Show source stamp and evidence inventory

KLZU METAR excerpt: METAR KLZU 110056Z AUTO . AWC METAR state OK for 28/30 airports; TAF target coverage for 0/30; MOS fetch health GFS 30/30, MEX 30/30; target coverage 60/90 airport-days; planned-window board coverage 2/2; combined target forecast coverage for 0/30; FAA status known for 0/30. Hazard feeds: state=ok; SIGMET=12, G-AIRMET=40, CWA=1; counts are unfiltered and are not a route assessment.
NWS AFD state: ok · FAA NMS NOTAM states: OK=30; normalized records=995; unnormalized records=0; environment=preprod; sandbox-public-preview=true · Fuel: best-effort (verify) · FAA chart cycle: VFR Sectional Ed. 98 (eff. 09/03/2026); Chart Supplement Ed. 5 (eff. 09/03/2026).

Executive summary

DETERMINISTIC · RESTATES PAGE EVIDENCE · NO MODEL CALLED

A plain restatement of evidence shown in full below, computed from that evidence with no model call. It reports what the sources say; it does not rank the days, rate them, or make a go/no-go call. It follows the order the owner asked for: feasibility evidence, KLZU, destinations, weather by area or region, then new KLZU NOTAMs.

1 · Feasibility evidence for the trip window

This part is a derivation, not an observation: it states how much of the trip window carries a forecast flight category, and nothing more. It is not a go/no-go call, not a recommendation, and not a flight category. Its inputs and its gaps are listed in the tooltip on the line below.

- Trip window: Fri Oct 9 – Mon Oct 12, 2026. “This weekend” is taken to mean exactly this window; no other date range is assessed.
- Trip-window feasibility evidence (Derived): assessable for every active trip day — 2 of 2 active trip days in Fri Oct 9 – Mon Oct 12, 2026 carry a forecast flight category and 0 carry none. This is a derived statement about how much evidence exists, it is not a flight category, and it says nothing about whether a flight is advisable. Every input and every gap is named in this line's tooltip.

2 · KLZU home-base status

The KLZU observation and the per-day board categories, taken from the same helpers the board itself renders from, so the two cannot disagree.

- KLZU current observation: LIFR — from the surface observation read this run; it describes conditions now, not a trip day.
- Sat Oct 10, operating day ended: not evaluated — this date has elapsed or is in progress for this run (source state: ended).
- Sun Oct 11, 06:00–22:00 ET: LIFR — most restrictive forecast flight category; high confidence; from TAF, MOS.
- Mon Oct 12, 06:00–22:00 ET: VFR — most restrictive forecast flight category; medium confidence; from MOS.
- A forecast flight category is available for 2 of 2 active trip days; 0 reach no category-capable product at this lead time.
- Data quality: DEGRADED — as reported by the badge in the page header; it gates publication, it is not a weather statement.

3 · Destination coverage

Coverage, not a pick: this counts which destinations a product permitted to state a flight category actually reaches. It is not a ranking, not a recommendation, and the editorial order of the destination list is not a flyability score.

- Destinations: 29 of 29 covered airports resolve a forecast flight category on at least one active trip day; 0 resolve none at this lead time. Counted from the same per-day outlook the destination cards render, with outlook-grade blocks excluded.
- Most restrictive resolved category per covered airport, across the active trip days: KAVL LIFR (3/3 d), KBED LIFR (3/3 d), KBFM VFR (3/3 d), KCRE IFR (3/3 d), KCRG IFR (3/3 d), KDAB MVFR (3/3 d), KECP VFR (3/3 d), KFIN MVFR (3/3 d), KGKT LIFR (3/3 d), KGPT VFR (3/3 d), KHPN LIFR (3/3 d), KHSA VFR (3/3 d); 17 further airports in section 2.
- NOTAMs: 29 of 29 destinations report an active NOTAM. KLZU departure NOTAM state: OK.

4 · Weather events by area or region

Weather events by area or region, from products that carry an area. Per-airport categories are never clustered into a region here: an area inferred that way would be a spatial claim no source made.

- 53 hazard areas retained with their own coordinate rings. Each is related to an airport only by point-in-polygon (ray casting) against the product's own coordinate ring, or by great-circle distance from the airport to the nearest point on the product's boundary within 100 NM — tested against 28 airports that reported a position this run. No area name is inferred: the only names stated are the ones a product supplies itself. Per-airport categories are never clustered into a region.
- 53 of 53 retained hazard areas are valid at some point inside the planned trip window; the rest describe conditions before it.
- G-AIRMET SIERRA — IFR: contains KGKT, KSAV, KMYR, KCRE, KTRI, KROA, KAVL, KLZU (point-in-polygon (ray casting) against the product's own coordinate ring); boundary within 100 NM of KSSI 2 NM, KHXD 3 NM, KJZI 8 NM, KSHD 22 NM, KCRG 37 NM, KFIN 91 NM. valid 2026-10-11 02:45Z to 2026-10-11 09:00Z.
- G-AIRMET TANGO — LLWS: contains KSHD, KAVL, KROA, KGKT, KTRI (point-in-polygon (ray casting) against the product's own coordinate ring); boundary within 100 NM of KLZU 38 NM. valid 2026-10-10 20:45Z to 2026-10-11 03:00Z.
- G-AIRMET SIERRA — MT_OBSC: contains KLZU, KSHD, KROA, KAVL, KGKT, KTRI (point-in-polygon (ray casting) against the product's own coordinate ring). valid 2026-10-11 02:45Z to 2026-10-11 09:00Z.
- G-AIRMET TANGO — TURB-HI: contains KTRI (point-in-polygon (ray casting) against the product's own coordinate ring); boundary within 100 NM of KAVL 3 NM, KGKT 3 NM, KSHD 34 NM, KROA 38 NM, KLZU 91 NM. valid 2026-10-10 20:45Z to 2026-10-11 03:00Z.
- G-AIRMET TANGO — TURB-LO: contains KCRG (point-in-polygon (ray casting) against the product's own coordinate ring); boundary within 100 NM of KAVL 2 NM, KSSI 5 NM, KSAV 6 NM, KROA 21 NM, KCRE 26 NM, KSHD 26 NM, KHXD 30 NM, KLZU 38 NM, KMYR 38 NM, KTRI 45 NM, KFIN 52 NM, KGKT 53 NM, KJZI 58 NM, KDAB 71 NM. valid 2026-10-10 20:45Z to 2026-10-11 03:00Z.
- G-AIRMET TANGO — TURB-LO: contains KAVL, KROA, KSHD, KTRI, KGKT (point-in-polygon (ray casting) against the product's own coordinate ring); boundary within 100 NM of KLZU 33 NM. valid 2026-10-10 20:45Z to 2026-10-11 03:00Z.
- SIGMET 6E — CONVECTIVE: contains KHXD, KCRG, KSSI, KFIN, KDAB (point-in-polygon (ray casting) against the product's own coordinate ring); boundary within 100 NM of KJZI 1 NM, KSAV 10 NM, KTPF 61 NM, KMYR 65 NM, KSPG 71 NM, KSRQ 71 NM, KOPF 78 NM, KCRE 78 NM. valid 2026-10-11 01:55Z to 2026-10-11 03:55Z.
- SIGMET 8E — CONVECTIVE: contains KAVL (point-in-polygon (ray casting) against the product's own coordinate ring); boundary within 100 NM of KTRI 12 NM, KGKT 26 NM, KCRE 58 NM, KMYR 59 NM, KSAV 67 NM, KLZU 68 NM, KJZI 74 NM, KROA 76 NM, KHXD 77 NM. valid 2026-10-11 01:55Z to 2026-10-11 03:55Z.
- SIGMET 9E — CONVECTIVE: contains KLZU (point-in-polygon (ray casting) against the product's own coordinate ring); boundary within 100 NM of KAVL 74 NM, KGKT 89 NM. valid 2026-10-11 01:55Z to 2026-10-11 03:55Z.
- G-AIRMET ZULU — FZLVL: boundary within 100 NM of KECP 8 NM, KJZI 20 NM, KHXD 24 NM, KSAV 44 NM, KLZU 49 NM, KPNS 61 NM, KJKA 79 NM, KSSI 97 NM, KMYR 99 NM; published as a line, not an enclosed area, so no containment test is made against it. valid 2026-10-10 21:57Z to 2026-10-11 03:00Z.
- G-AIRMET ZULU — FZLVL: boundary within 100 NM of KCRE 68 NM, KMYR 81 NM; published as a line, not an enclosed area, so no containment test is made against it. valid 2026-10-10 21:57Z to 2026-10-11 03:00Z.
- G-AIRMET ZULU — FZLVL: boundary within 100 NM of KBED 83 NM; published as a line, not an enclosed area, so no containment test is made against it. valid 2026-10-10 21:57Z to 2026-10-11 03:00Z.
- G-AIRMET ZULU — ICE: boundary within 100 NM of KSHD 26 NM, KHPN 89 NM, KROA 99 NM. valid 2026-10-10 21:57Z to 2026-10-11 03:00Z.
- SIGMET 7E — CONVECTIVE: boundary within 100 NM of KCRG 6 NM, KFIN 8 NM, KSPG 11 NM, KTPF 12 NM, KDAB 12 NM, KSSI 25 NM, KSRQ 29 NM, KSAV 77 NM, KECP 90 NM, KHXD 96 NM. valid 2026-10-11 01:55Z to 2026-10-11 03:55Z.
- SIGMET 10E — CONVECTIVE: boundary within 100 NM of KCRE 9 NM, KMYR 11 NM, KJZI 86 NM. valid 2026-10-11 01:55Z to 2026-10-11 03:55Z.
- 38 of 53 retained hazard areas could not be related to any airport this page covers, by either test. They remain national-unfiltered: their geography is real but lies outside 100 NM of every airport tested, and nothing is claimed about where they are.
- Hazard feed record counts this run, unfiltered and national: SIGMET 12, G-AIRMET 40, CWA 1; overall feed state ok; feed states — CWA: ok, G-AIRMET: ok, SIGMET: ok. These are totals over the whole feed, not a count near KLZU, not a count along any route, and not a route assessment.

5 · New KLZU NOTAMs

This run keeps no snapshot of the previous run, so “new” cannot mean “changed since last time”. It is defined below as an FAA-published timestamp window, and the service-status scan reads the published text of every KLZU record so a status embedded inside a record of another category is not missed.

- Baseline for “new”: a KLZU NOTAM whose own FAA-published timestamp (last update, else issue, else effective start) falls within the 72 hours before this run's generation time (2026-10-11T02:48:45.013007+00:00). This run holds no copy of the previous run's NOTAM set, so this is a source-timestamp window and not a difference against an earlier run.
- KLZU: 1 of 11 current NOTAMs are new by that baseline — A0381/26 (OTHER, last_updated_at 2026-10-08T11:41:00+00:00).
- No service-status wording was found in the published text of the 11 current KLZU records. The scan reads every record's full published text rather than its category, so a status stated inside a record of another category would still be reported.

This restates evidence; it is not a recommendation, not an all-clear, and not a data outage. The decision surfaces are the planning gates and the ForeFlight cross-check below, read against the KLZU board and destination cards. Every line above restates a value shown elsewhere on this page.

⚠ **Pre-planning only — not an official weather briefing.** Verify an official briefing, METAR/TAF/GFA/SIGMET/CWA, NOTAMs, TFRs, runway conditions, fuel, W&B, performance, and personal minimums before flight.