Flight Planning Desk

Data quality · DEGRADED

Live verification · Checking

Published snapshot · Generated · Sunday Oct 18, 2026 · 12:28 PM ET · Next run · not before Sunday Oct 18 · 6:17 PM ET

1 · KLZU departure / return board

KLZU Lawrenceville/Gwinnett Cnty, GA, US

Home base · timed forecast changes · source detail retained

OBS - VFR

PLANNING HORIZON
Sun 18 → Mon 19 · 2 days

RIGHT NOW · METAR

SUN 18 OCT 10:56 ET OBSERVED

Current observation

OBS - VFR

OBSER

METAR

clear below 12,000 ft (CLR)

WIND **E (80°) 15 kt gust 18 kt**

TEMPERATURE **13 °C**

VISIBILITY **10 sm**

DEWPOINT **1 °C**



Wind favours RWY 07

080° true · 086° magnetic · 15G18 kt

Evidence & limitations

- METAR source state: ok; observed Oct 18 10:56 ET; retrieved Oct 18 12:28 ET; 92 min before this run.
- Measured values read from the KLZU METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.51 inHg.
- Raw METAR: `METAR KLZU 181456Z 08015G18KT 10SM CLR 13/01 A3051 RMK AO2 SLP342 T01280006 51016 $`
- KLZU runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 07/25. Wind from 080 degrees true, 086 degrees magnetic,

at 15 knots gusting 18 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 07. Wind source: KLZU METAR 181456Z.

Important planning / evidence detail (1 warning)

LEGEND VFR MVFR IFR LIFR Unknown Solid = source-interval category guidance Dashed = lower-confidence outlook Weather icon = surface forecastAll times Eastern (ET), 24-hour clock · “around/after” preserves source precision.

⚠ KLZU has no TAF station. Every KLZU TAF-derived value on this page is taken from the nearby **KPDK** proxy station, not from KLZU itself — treat it as regional, and confirm KLZU conditions in an official briefing.

A raster chart may be displayed with its issuing office and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

Sun
Oct 18

RETURN DAY

HIGH CONFIDENCE

OCT 18 · 10:00–22:00 ET

METAR TAF NWS-hr NWS-day MAV MEX GFA NOTAM

METAR — issued hou SPECI rep visibility, w Issued by by aviatio not a fore conditions KLZU obs describes conditions now, not this trip day.

TAF — highes The N times FM an TAF st the str page covers part of this

NWS hour Weather S cell contai and reachi by-hour sk and it is th this board. reaches th

NWS day/ni Weather Se and night ha Coarser tha one day furt describe spa reach. Not by the finer- forecast.

GFS M the GF decade by the day in hours. categ the flig corrob

GFS e range twelve- Coarse numeri a long flagge short-r covere

GFA a Foreca Predic Nation surfac are ras pressu This pa office and valid time and never interprets them: no category, wind, ceiling, ranking or go/no-go here is derived from an image. A published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KLZU this run.

KPDK TAF - VFR

GFS OUTLOOK - VFR

GFS MOS - VFR

FORECAST

Sunny

WINDE (~90° true) · 13 kt

PRECIP CHANCE0%

TS CHANCE0%

SKY COVER2–3%

Wind favors RWY 07
E (~90° true) · 13 kt · full datum in the day evidence

Evidence & limitations

- The visible badge names the contributing product. Exact issuance, retrieval, and member-period provenance remains in Day evidence & planning note below.
- The hour-by-hour source evidence below retains every original period and its detailed wind line.

Surface prog · 10:00–15:00 ET · available

SUN 18 OCT 15:00–18:00 ET HIGH

Forecast

KPDK TAF proxy

KPDK TAF - VFR

GFS OUTLOOK - VFR

GFS MOS - VFR

Sunny

FORECAST

WIND E–NE · 9 kt

PRECIP CHANCE 0%

TS CHANCE 0%

SKY COVER 2%

Evidence & limitations

- The visible badge names the contributing product. Exact issuance, retrieval, and member-period provenance remains in Day evidence & planning note below.
- The hour-by-hour source evidence below retains every original period and its detailed wind line.

Surface prog · 15:00–18:00 ET · available

SUN 18 OCT 18:00–22:00 ET HIGH

Forecast

KPDK TAF proxy

KPDK TAF - VFR

GFS OUTLOOK - VFR

GFS MOS - VFR

Clear

FORECAST

WIND NE–E · 9 kt

PRECIP CHANCE 0%

TS CHANCE 0%

SKY COVER1–2%

Evidence & limitations

- The visible badge names the contributing product. Exact issuance, retrieval, and member-period provenance remains in Day evidence & planning note below.
- The hour-by-hour source evidence below retains every original period and its detailed wind line.

Surface prog · 18:00–22:00 ET · available

Day evidence & planning note

No aviation-category inference — verify METAR/TAF

SOURCES & LIMITATIONS — HOUR-BY-HOUR SOURCE EVIDENCE (9 FORECAST PERIODS)

12:00–14:00 ET

KPDK TAF - VFR

GFS OUTLOOK - VFR

Sunny

Precipitation probability (PoP) 0%

NWS + TAF + MOS · NWS ISSUED OCT 18 02:26 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 18 12:28 ET

14:00–15:00 ET

KPDK TAF - VFR

GFS MOS - VFR

Sunny

Precipitation probability (PoP) 0%

NWS + TAF + MOS · NWS ISSUED OCT 18 02:26 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 18 12:28 ET

15:00–16:00 ET

KPDK TAF - VFR

GFS OUTLOOK - VFR

Sunny

Precipitation probability (PoP) 0%

NWS + TAF + MOS · NWS ISSUED OCT 18 02:26 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 18 12:28 ET

16:00–17:00 ET

KPDK TAF - VFR

GFS OUTLOOK - VFR

Sunny

Precipitation probability (PoP) 0%

NWS + TAF + MOS · NWS ISSUED OCT 18 02:26 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 18 12:28 ET

17:00–18:00 ET

KPDK TAF - VFR

GFS MOS - VFR

Sunny

Precipitation probability (PoP) 0%

NWS + TAF + MOS · NWS ISSUED OCT 18 02:26 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 18 12:28 ET

18:00–19:00 ET

KPDK TAF - VFR

GFS OUTLOOK - VFR

Clear

Precipitation probability (PoP) 0%

NWS + TAF + MOS · NWS ISSUED OCT 18 02:26 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 18 12:28 ET

19:00–20:00 ET

KPDK TAF - VFR

GFS OUTLOOK - VFR

Clear

Precipitation probability (PoP) 0%

NWS + TAF + MOS · NWS ISSUED OCT 18 02:26 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 18 12:28 ET

20:00–21:00 ET

KPDK TAF - VFR

GFS MOS - VFR

Clear

Precipitation probability (PoP) 0%

NWS + TAF + MOS · NWS ISSUED OCT 18 02:26 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 18 12:28 ET

21:00–22:00 ET

KPDK TAF - VFR

GFS OUTLOOK - VFR

Clear

Precipitation probability (PoP) 0%

NWS + TAF + MOS · NWS ISSUED OCT 18 02:26 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 18 12:28 ET

WIND / WIND-FAVORED RUNWAY · ONE ENTRY PER DISPLAY BLOCK

12:00–14:00 ET
E (~90° true) 13 kt
Approx. wind-favored RWY 07
NWS hourly surface forecast

14:00–15:00 ET
E (~90° true) 13 kt
Approx. wind-favored RWY 07
NWS hourly surface forecast

15:00–16:00 ET
E (~90° true) 9 kt
Approx. wind-favored RWY 07
NWS hourly surface forecast

16:00–17:00 ET
E (~90° true) 9 kt
Approx. wind-favored RWY 07
NWS hourly surface forecast

17:00–18:00 ET
NE (~45° true) 9 kt
Approx. wind-favored RWY 07
NWS hourly surface forecast

18:00–19:00 ET
NE (~45° true) 9 kt
Approx. wind-favored RWY 07
NWS hourly surface forecast

19:00–20:00 ET
NE (~45° true) 9 kt
Approx. wind-favored RWY 07
NWS hourly surface forecast

20:00–21:00 ET
E (~90° true) 9 kt
Approx. wind-favored RWY 07
NWS hourly surface forecast

21:00–22:00 ET
E (~90° true) 9 kt
Approx. wind-favored RWY 07
NWS hourly surface forecast

Surface prog evidence · Sun Oct 18

10:00–15:00 ET ET · 15:00–18:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–22:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

Runway guidance is approximate wind alignment only; verify ATIS, NOTAMs and actual runway use.

RWY numbers magnetic; wind converted from true using 6°W variation (NOAA WMM2025)

Day operations

WEATHER
TAF and radar cross-check.

PERFORMANCE
Temperature / performance check.

RUNWAY
Verify ATIS, NOTAMs and actual use.

Mon
Oct 19
RETURN DAY
MEDIUM CONFIDENCE
OCT 19 · 06:00–22:00 ET

METAR TAF NWS-hr NWS-day MAV MEX GFA NOTAM

METAR — issued hou… SPECI rep… visibility, w… Issued by … by aviation… not a forec… conditions… KLZU obs… describes conditions now, not this trip day.

TAF — highes… The N… times … FM an… TAF st… the str… page … covers part of this …

NWS hour… Weather S… cell contai… and reachi… by-hour sk… and it is th… this board. reaches th…

NWS day/ni… Weather Se… and night ha… Coarser thai… one day furt… describe spa… reach. Not n… by the finer-… forecast.

GFS M… the GF… decade… by the … day in … hours. … catego… the flig… corrobo…

GFS e… range l… twelve-… Coarse… numeri… a long … flagged… short-r… covere…

GFA a… Foreca… Predic… Nation… surface… are ras… pressu… This pa… office and valid time and never interprets them: no category, wind, ceiling, ranking or go/no-go here is derived from an image. A published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KLZU this run.

KPDK TAF - VFR
GFS OUTLOOK - VFR
GFS MOS - VFR

FORECAST

Sunny

WIND NE (~45° true) · 9 kt

PRECIP CHANCE 0%

TS CHANCE 0%

SKY COVER 1–4%

Wind favors RWY 07
NE (~45° true) · 9 kt · full datum in the day evidence

Evidence & limitations

- The visible badge names the contributing product. Exact issuance, retrieval, and member-period provenance remains in Day evidence & planning note below.
- The hour-by-hour source evidence below retains every original period and its detailed wind line.

Surface prog · 06:00–10:00 ET · available

MON 19 OCT 10:00–15:00 ET MEDIUM

Forecast

GFS MAV

Sunny

GFS OUTLOOK - VFR
GFS MOS - VFR

FORECAST

WIND NE (~45° true) · 4–9 kt

PRECIP CHANCE 0%

TS CHANCE 0%

SKY COVER 2–3%

Wind favors RWY 07
NE (~45° true) · 4–9 kt · full datum in the day evidence

Evidence & limitations

- The visible badge names the contributing product. Exact issuance, retrieval, and member-period provenance remains in Day evidence & planning note below.
- The hour-by-hour source evidence below retains every original period and its detailed wind line.

Surface prog · 10:00–15:00 ET · available

MON 19 OCT 15:00–18:00 ET MEDIUM

Forecast

GFS MAV

GFS OUTLOOK - VFR

GFS MOS - VFR

Sunny

FORECAST

WIND NE–N · 0–4 kt

PRECIP CHANCE 0%

TS CHANCE 0%

SKY COVER 2–3%

Evidence & limitations

- The visible badge names the contributing product. Exact issuance, retrieval, and member-period provenance remains in Day evidence & planning note below.
- The hour-by-hour source evidence below retains every original period and its detailed wind line.

Surface prog · 15:00–18:00 ET · available

MON 19 OCT 18:00–22:00 ET MEDIUM

Forecast

GFS MAV

GFS OUTLOOK - VFR

GFS MOS - VFR

Clear

FORECAST

WIND **CALM · 0 kt**

PRECIP CHANCE **0%**

TS CHANCE **0%**

SKY COVER **0–2%**

Evidence & limitations

- The visible badge names the contributing product. Exact issuance, retrieval, and member-period provenance remains in Day evidence & planning note below.
- The hour-by-hour source evidence below retains every original period and its detailed wind line.

Surface prog · 18:00–22:00 ET · available

Day evidence & planning note

No aviation-category inference — verify METAR/TAF

SOURCES & LIMITATIONS — HOUR-BY-HOUR SOURCE EVIDENCE (15 FORECAST PERIODS)

06:00–08:00 ET

KPDK TAF - VFR

GFS OUTLOOK - VFR

Sunny

Precipitation probability (PoP) 0%

NWS + TAF + MOS · NWS ISSUED OCT 18 02:26 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 18 12:28 ET

08:00–09:00 ET

GFS MOS - VFR

Sunny

Precipitation probability (PoP) 0%

NWS + MOS · NWS ISSUED OCT 18 02:26 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 18 12:28 ET

09:00–10:00 ET



GFS OUTLOOK - VFR

Sunny

Precipitation probability (PoP) 0%

Beyond the 72 h short-range GFS MOS horizon at this lead time. The product published normally; this day is simply past its reach, which is expected and is not a fault. Expected to be covered from about Fri Oct 16 · 12:00 AM ET.

NWS + MOS · NWS ISSUED OCT 18 02:26 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 18 12:28 ET

10:00–11:00 ET



GFS OUTLOOK - VFR

Sunny

Precipitation probability (PoP) 0%

Beyond the 72 h short-range GFS MOS horizon at this lead time. The product published normally; this day is simply past its reach, which is expected and is not a fault. Expected to be covered from about Fri Oct 16 · 12:00 AM ET.

NWS + MOS · NWS ISSUED OCT 18 02:26 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 18 12:28 ET

11:00–12:00 ET



GFS MOS - VFR

Sunny

Precipitation probability (PoP) 0%

NWS + MOS · NWS ISSUED OCT 18 02:26 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 18 12:28 ET

12:00–13:00 ET



GFS OUTLOOK - VFR

Sunny

Precipitation probability (PoP) 0%

Beyond the 72 h short-range GFS MOS horizon at this lead time. The product published normally; this day is simply past its reach, which is expected and is not a fault. Expected to be covered from about Fri Oct 16 · 12:00 AM ET.

NWS + MOS · NWS ISSUED OCT 18 02:26 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 18 12:28 ET

13:00–14:00 ET



GFS OUTLOOK - VFR

Sunny

Precipitation probability (PoP) 0%

Beyond the 72 h short-range GFS MOS horizon at this lead time. The product published normally; this day is simply past its reach, which is expected and is not a fault. Expected to be covered from about Fri Oct 16 · 12:00 AM ET.

NWS + MOS · NWS ISSUED OCT 18 02:26 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 18 12:28 ET

14:00–15:00 ET



GFS MOS - VFR

Sunny

Precipitation probability (PoP) 0%

NWS + MOS · NWS ISSUED OCT 18 02:26 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 18 12:28 ET

15:00–16:00 ET



GFS OUTLOOK - VFR

Sunny

Precipitation probability (PoP) 0%

Beyond the 72 h short-range GFS MOS horizon at this lead time. The product published normally; this day is simply past its reach, which is expected and is not a fault. Expected to be covered from about Fri Oct 16 · 12:00 AM ET.

NWS + MOS · NWS ISSUED OCT 18 02:26 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 18 12:28 ET

16:00–17:00 ET



GFS OUTLOOK - VFR

Sunny

Precipitation probability (PoP) 0%

Beyond the 72 h short-range GFS MOS horizon at this lead time. The product published normally; this day is simply past its reach, which is expected and is not a fault. Expected to be covered from about Fri Oct 16 · 12:00 AM ET.

NWS + MOS · NWS ISSUED OCT 18 02:26 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 18 12:28 ET

17:00–18:00 ET



GFS MOS - VFR

Sunny

Precipitation probability (PoP) 0%

NWS + MOS · NWS ISSUED OCT 18 02:26 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 18 12:28 ET

18:00–19:00 ET



GFS OUTLOOK - VFR

Clear

Precipitation probability (PoP) 0%

Beyond the 72 h short-range GFS MOS horizon at this lead time. The product published normally; this day is simply past its reach, which is expected and is not a fault. Expected to be covered from about Fri Oct 16 · 12:00 AM ET.

NWS + MOS · NWS ISSUED OCT 18 02:26 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 18 12:28 ET

19:00–20:00 ET



GFS OUTLOOK - VFR

Clear

Precipitation probability (PoP) 0%

Beyond the 72 h short-range GFS MOS horizon at this lead time. The product published normally; this day is simply past its reach, which is expected and is not a fault. Expected to be covered from about Fri Oct 16 · 12:00 AM ET.

NWS + MOS · NWS ISSUED OCT 18 02:26 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 18 12:28 ET

20:00–21:00 ET



GFS MOS - VFR

Clear

Precipitation probability (PoP) 0%

NWS + MOS · NWS ISSUED OCT 18 02:26 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 18 12:28 ET

21:00–22:00 ET

GFS OUTLOOK - VFR

Clear

Precipitation probability (PoP) 0%

Beyond the 72 h short-range GFS MOS horizon at this lead time. The product published normally; this day is simply past its reach, which is expected and is not a fault. Expected to be covered from about Fri Oct 16 · 12:00 AM ET.

NWS + MOS · NWS ISSUED OCT 18 02:26 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 18 12:28 ET

WIND / WIND-FAVORED RUNWAY · ONE ENTRY PER DISPLAY BLOCK

06:00–08:00 ET
NE (~45° true) 9 kt
Approx. wind-favored RWY 07
NWS hourly surface forecast

08:00–09:00 ET
NE (~45° true) 9 kt
Approx. wind-favored RWY 07
NWS hourly surface forecast

09:00–10:00 ET
NE (~45° true) 9 kt
Approx. wind-favored RWY 07
NWS hourly surface forecast

10:00–11:00 ET
NE (~45° true) 9 kt
Approx. wind-favored RWY 07
NWS hourly surface forecast

11:00–12:00 ET
NE (~45° true) 9 kt
Approx. wind-favored RWY 07
NWS hourly surface forecast

12:00–13:00 ET
NE (~45° true) 9 kt
Approx. wind-favored RWY 07
NWS hourly surface forecast

13:00–14:00 ET
NE (~45° true) 9 kt
Approx. wind-favored RWY 07
NWS hourly surface forecast

14:00–15:00 ET
NE (~45° true) 4 kt
Approx. wind-favored RWY 07
NWS hourly surface forecast

15:00–16:00 ET
NE (~45° true) 4 kt
Approx. wind-favored RWY 07
NWS hourly surface forecast

16:00–17:00 ET
N (~360° true) 4 kt
Approx. wind-favored RWY 07
NWS hourly surface forecast

17:00–18:00 ET
CALM 0 kt
Runway alignment unavailable
NWS hourly surface forecast

18:00–19:00 ET
CALM 0 kt
Runway alignment unavailable
NWS hourly surface forecast

19:00–20:00 ET
CALM 0 kt
Runway alignment unavailable
NWS hourly surface forecast

20:00–21:00 ET
CALM 0 kt
Runway alignment unavailable
NWS hourly surface forecast

21:00–22:00 ET
CALM 0 kt
Runway alignment unavailable
NWS hourly surface forecast

Surface prog evidence · Mon Oct 19

06:00–10:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

10:00–15:00 ET ET · 15:00–18:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–22:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

Runway guidance is approximate wind alignment only; verify ATIS, NOTAMs and actual runway use.

RWY numbers magnetic; wind converted from true using 6°W variation (NOAA WMM2025)

Day operations

WEATHER
TAF and radar cross-check.

PERFORMANCE
Temperature / performance check.

RUNWAY
Verify ATIS, NOTAMs and actual use.

≡

Pattern summary: .. (Today through Monday) Issued at 246 AM EDT Sun Oct 18 2026 Cool and dry conditions will continue to be reinforced by Northeast flow around the coastal low to the northeast. — .. (Monday night through Saturday) Issued at 246 AM EDT Sun Oct 18 2026 The long term period begins on Monday night with upper level ridging extending from the central Gulf Coast towards the Gre…

NWS FFC Area Forecast Discussion · regional context, not a KLZU category or exact timing forecast

Extended outlook ▾

EXTENDED OUTLOOK SUMMARY

.. (Today through Monday)
Issued at 246 AM EDT Sun Oct 18 2026

Cool and dry conditions will continue to be reinforced by Northeast
flow around the coastal low to the northeast. — .. (Monday night through Saturday)
Issued at 246 AM EDT Sun Oct 18 2026

The long term period begins on Monday night with upper level ridging
extending from the central Gulf Coast towards the Gre…

SHORT TERM

..
(Today through Monday)
Issued at 246 AM EDT Sun Oct 18 2026

Cool and dry conditions will continue to be reinforced by Northeast
flow around the coastal low to the northeast. Winds will remain
models at 5 to 10 mph with gusts up to 15 mph, at least outside
of the northeast mountains where the sfc pressure gradient will be
weaker. Dry air will hold through the period with PWATs of 0.4"
or less. RH values will fall each day, however cooler temperatures
will keep the fire danger from being too high.

Clear and dry conditions, especially with light winds at night, will
result in frost formation for the northeast GA mountains.
Temperatures there will fall into the low to mid 30s, with
potentially the first freezing temps for the highest ridgelines.
Elsewhere, lows will fall into the upper 30s and 40s Sunday morning
and Monday morning. Ample sun will mean highs still climb back into
the mid to upper 60s to start the week. Enjoy the beautiful fall
conditions while you can!&&

LONG TERM

..
(Monday night through Saturday)
Issued at 246 AM EDT Sun Oct 18 2026

The long term period begins on Monday night with upper level ridging extending from the central Gulf Coast towards the Great Lakes region, with an associated broad surface high pressure positioned over much of the eastern CONUS. This high pressure regime will keep a vertically stacked low pressure system just east of the Mid-Atlantic and Northeast coast. It will also keep conditions dry, with precipitable water values at or below 0.5 inches and rain chances near 0% across Georgia for the majority of the week. Strong radiational cooling overnight will lead to low temperatures in the low to mid 40s on Tuesday morning. With plenty of sunshine and increasing 1000-500 mb thicknesses, temperatures will be on the rise through midweek. High temperatures on Tuesday will rise into the upper 60s to low 70s mid 70s across the majority of the forecast area. In spite of the gradual warming trend, morning lows will remain brisk each morning, in the 40s with some low 50s creeping in by the end of the week. By Thursday and Friday, highs are forecast to be in the upper 70s in north Georgia and low 80s in central Georgia. The lack of rain and plenty of sunshine will help dry out finer fuels, so the development of fire danger concerns will need to be monitored as the week goes on.

+ Raw NWS AFD text

```
000
FXUS62 KFFC 181034
AFDFFC

Area Forecast Discussion
National Weather Service Peachtree City GA
634 AM EDT Sun Oct 18 2026



...New 12Z Aviation Discussion...

.KEY MESSAGES...

  - Breezy winds will linger into the evening.

  - A Frost Advisory is in effect for the mountains of northeast
    Georgia. Near-freezing temperatures and the first frost of the
    season are likely along ridgelines, in valleys, and other
    sheltered areas.

  - Mostly clear and dry conditions will persist for the next 7
    days.

&&

.SHORT TERM...
(Today through Monday)
Issued at 246 AM EDT Sun Oct 18 2026

Cool and dry conditions will continue to be reinforced by Northeast
flow around the coastal low to the northeast. Winds will remain
models at 5 to 10 mph with gusts up to 15 mph, at least outside
of the northeast mountains where the sfc pressure gradient will be
```

weaker. Dry air will hold through the period with PWATs of 0.4"
or less. RH values will fall each day, however cooler temperatures
will keep the fire danger from being too high.

Clear and dry conditions, especially with light winds at night, will
result in frost formation for the northeast GA mountains.
Temperatures there will fall into the low to mid 30s, with
potentially the first freezing temps for the highest ridgelines.
Elsewhere, lows will fall into the upper 30s and 40s Sunday morning
and Monday morning. Ample sun will mean highs still climb back into
the mid to upper 60s to start the week. Enjoy the beautiful fall
conditions while you can!&&

.LONG TERM...
(Monday night through Saturday)
Issued at 246 AM EDT Sun Oct 18 2026

The long term period begins on Monday night with upper level ridging
extending from the central Gulf Coast towards the Great Lakes
region, with an associated broad surface high pressure positioned
over much of the eastern CONUS. This high pressure regime will keep
a vertically stacked low pressure system just east of the Mid-
Atlantic and Northeast coast. It will also keep conditions dry, with
precipitable water values at or below 0.5 inches and rain chances
near 0% across Georgia for the majority of the week. Strong
radiational cooling overnight will lead to low temperatures in the
low to mid 40s on Tuesday morning. With plenty of sunshine and
increasing 1000-500 mb thicknesses, temperatures will be on the rise
through midweek. High temperatures on Tuesday will rise into the
upper 60s to low 70s mid 70s across the majority of the forecast
area. In spite of the gradual warming trend, morning lows will
remain brisk each morning, in the 40s with some low 50s creeping in
by the end of the week. By Thursday and Friday, highs are forecast
to be in the upper 70s in north Georgia and low 80s in central
Georgia. The lack of rain and plenty of sunshine will help dry out
finer fuels, so the development of fire danger concerns will need to
be monitored as the week goes on.

&&

.LONG TERM...
(Monday night through Saturday)
Issued at 246 AM EDT Sun Oct 18 2026

The long term period begins on Monday night with upper level ridging
extending from the central Gulf Coast towards the Great Lakes
region, with an associated broad surface high pressure positioned
over much of the eastern CONUS. This high pressure regime will keep
a vertically stacked low pressure system just east of the Mid-
Atlantic and Northeast coast. It will also keep conditions dry, with
precipitable water values at or below 0.5 inches and rain chances
near 0% across Georgia for the majority of the week. Strong
radiational cooling overnight will lead to low temperatures in the
low to mid 40s on Tuesday morning. With plenty of sunshine and
increasing 1000-500 mb thicknesses, temperatures will be on the rise
through midweek. High temperatures on Tuesday will rise into the
upper 60s to low 70s mid 70s across the majority of the forecast

```
area. In spite of the gradual warming trend, morning lows will
remain brisk each morning, in the 40s with some low 50s cree
```

1.1 · KLZU departure-airport NOTAM state

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 1 Act on 1 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

ed 2026-10-18T16:28:22.884153Z.

oritative)



7 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 16:28 Z

NOTAMs as of 16:28 Z — advisory only; verify an official briefing.

A0397/26

NOTAM text not available in this projection.

A0399/26

NOTAM text not available in this projection.

04/013

NOTAM text not available in this projection.

A0166/26

NOTAM text not available in this projection.

6/5419

NOTAM text not available in this projection.

A0178/26

NOTAM text not available in this projection.

07/030

NOTAM text not available in this projection.

07/034

NOTAM text not available in this projection.

08/001

NOTAM text not available in this projection.

08/024

NOTAM text not available in this projection.

10/023

NOTAM text not available in this projection.

A0395/26

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

026-10-18T16:28:22.884153Z.

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

:00Z

:00Z

:00Z

:00Z

NAV_APPROACH

Effective 2026-04-23T14:33:00Z → 2028-04-23T14:33:00Z

7 additional normalized FAA NOTAM records omitted from this view.

2 · All 29 destinations — existing editorial RANK order

#1 **KAVL** **Asheville Muni, NC, US** · Mountain · cool mountain escape

OBS - VFR

ETE 0h49

DIST 112 nm

SUN 18 OCT 10:54 ET OBSERVED

Current observation

OBS - VFR

OBSER

METAR

clear below 12,000 ft (CLR)

WIND **calm**

TEMPERATURE **10 °C**

VISIBILITY **10 sm**

DEWPOINT **-3 °C**

Evidence & limitations

- METAR source state: ok; observed Oct 18 10:54 ET; retrieved Oct 18 12:28 ET; 94 min before this run.
- Measured values read from the KAVL METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.55 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.

DESTINATION OUTLOOK

SUN, OCT 18

SUN 18 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 18 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 18

12:00–18:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 19

MON 19 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 19 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 19 OCT 12:00–18:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 4–10 kt

TEMPERATURE 33–51 °F

DEWPOINT 26–30 °F

PRECIP CHANCE 0%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 19 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 8–11 kt

TEMPERATURE 64–67 °F

DEWPOINT 30–31 °F

PRECIP CHANCE 0%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 19

00:00–06:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
6000 ft

CURRENT METAR TEMP DEP / DEST
13°C dep KLZU → 10°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
17/35 (170/350°M · 163/343°T) — designators and °M headings are magnetic; °T are true; variation 7°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) | 9 Act on | 1 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What | 3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

ed 2026-10-18T16:28:22.884746Z.



39 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 16:28 Z

NOTAMs as of 16:28 Z — advisory only; verify an official briefing.

10/054

NOTAM text not available in this projection.

A1277/26

NOTAM text not available in this projection.

A1278/26

NOTAM text not available in this projection.

A1279/26

NOTAM text not available in this projection.

A1280/26

NOTAM text not available in this projection.

A1284/26

NOTAM text not available in this projection.

01/023

NOTAM text not available in this projection.

A0040/26

NOTAM text not available in this projection.

10/056

NOTAM text not available in this projection.

A1271/26

NOTAM text not available in this projection.

A1281/26

NOTAM text not available in this projection.

A1282/26

NOTAM text not available in this projection.

A1283/26

NOTAM text not available in this projection.

A1285/26

NOTAM text not available in this projection.

10/062

NOTAM text not available in this projection.

A1286/26

NOTAM text not available in this projection.

10/064

NOTAM text not available in this projection.

A1287/26

NOTAM text not available in this projection.

10/052

NOTAM text not available in this projection.

A1265/26

NOTAM text not available in this projection.

4/1431

NOTAM text not available in this projection.

A0991/24

NOTAM text not available in this projection.

5/9960

NOTAM text not available in this projection.

A0285/25

NOTAM text not available in this projection.

06/067

NOTAM text not available in this projection.

A0730/26

NOTAM text not available in this projection.

09/118

NOTAM text not available in this projection.

09/119

NOTAM text not available in this projection.

A1161/26

NOTAM text not available in this projection.

A1162/26

NOTAM text not available in this projection.

10/036

NOTAM text not available in this projection.

A1238/26

NOTAM text not available in this projection.

10/037

NOTAM text not available in this projection.

A1240/26

NOTAM text not available in this projection.

12/023

NOTAM text not available in this projection.

A1148/25

NOTAM text not available in this projection.

07/051

NOTAM text not available in this projection.

08/090

NOTAM text not available in this projection.

09/026

NOTAM text not available in this projection.

09/120

NOTAM text not available in this projection.

10/007

NOTAM text not available in this projection.

10/014

NOTAM text not available in this projection.

10/063

NOTAM text not available in this projection.

A1276/26

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

RUNWAY

Effective 2026-10-16T22:23:00Z → 2026-10-19T22:23:00Z

39 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical

Forecast for Aviation and the Weather Prediction Center surface progs, issued by the National Weather Service through the day; the surface prog series reaches 144 hours. They are raster images a pilot reads for fronts, pressure systems and precipitation shields. This page displays them with their issuing office and valid time and never interprets them: no category, wind, ceiling, ranking or go/no-go here is derived from an image. A published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
· 12:00–18:00 ET ET · VFR
• **Mon, Oct 19 · 18:00–00:00 ET**: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-18=GFS, 2026-10-19=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-18 18:00	59	Clear	150/7kt	—	>10kft	>6SM
GFS	2026-10-18 21:00	60	Clear	100/7kt	—	>10kft	>6SM
GFS	2026-10-19 00:00	51	Clear	360/4kt	0.0	>10kft	>6SM
GFS	2026-10-19 03:00	45	Clear	180/2kt	—	>10kft	>6SM
GFS	2026-10-19 06:00	39	Clear	360/2kt	0.0	>10kft	>6SM
GFS	2026-10-19 09:00	35	Clear	350/2kt	—	>10kft	>6SM
GFS	2026-10-19 12:00	33	Clear	350/4kt	0.0	>10kft	>6SM
GFS	2026-10-19 15:00	51	Clear	350/10kt	—	>10kft	>6SM
GFS	2026-10-19 18:00	64	Clear	350/11kt	0.0	>10kft	>6SM
GFS	2026-10-19 21:00	67	Clear	360/8kt	—	>10kft	>6SM
GFS	2026-10-20 00:00	56	Clear	340/4kt	0.0	>10kft	>6SM
GFS	2026-10-20 03:00	48	Clear	350/1kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KAVL 181454Z 00000KT 10SM CLR 10/M03 A3055 RMK AO2 SLP341 T01001033 51016 $

TAF KAVL 181120Z 1812/1912 04003KT P6SM SKC FM181500 06007G15KT P6SM SKC FM182100 01003KT P6SM SKC
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KAVL; actual-station=KAVL; fetched-at=2026-10-18T16:28:18.261128+00:00; observed-or-issued-at=2026-10-18T14:54:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KAVL; actual-station=KAVL; fetched-at=2026-10-18T16:28:18.840002+00:00; observed-or-issued-at=2026-10-18T11:20:00+00:00; valid-from=2026-10-18T12:00:00+00:00; valid-through=2026-10-19T12:00:00+00:00; partial-target-dates=2026-10-18,2026-10-19 — AWC API

  TAF proxy · KAVL
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KAVL; actual-station=KAVL; fetched-at=2026-10-18T16:28:19.465740+00:00
- FAA NMS NOTAM — state=OK; requested-station=KAVL; actual-station=KAVL; fetched-at=2026-10-18T16:28:22.884746Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KAVL; actual-station=KAVL; fetched-at=2026-10-18T16:28:42.358478+00:00; observed-or-issued-at=2026-10-18T12:00:00+00:00; valid-from=2026-10-18T18:00:00+00:00; valid-through=2026-10-21T12:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KAVL; actual-station=KAVL; fetched-at=2026-10-18T16:28:43.068783+00:00; observed-or-issued-at=2026-10-18T00:00:00+00:00; valid-from=2026-10-19T00:00:00+00:00; valid-through=2026-10-26T00:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19 — Iowa State API
- MOS effective date selection — state=partial; rows=12; requested-station=KAVL; actual-station=KAVL; fetched-at=2026-10-18T16:28:42.358478+00:00; observed-or-issued-at=2026-10-18T12:00:00+00:00; valid-from=2026-10-18T18:00:00+00:00; valid-through=2026-10-21T12:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19; selected-by-date=2026-10-18=GFS, 2026-10-19=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#2 **KSAV** **Savannah Intl, GA, US** · Atlantic South · historic coast

OBS - VFR

ETE **1h15**

DIST **178 nm**

SUN 18 OCT 10:53 ET OBSERVED

Current observation

OBS - VFR

OBSER

METAR

few 4,500 ft

WIND **N (20°) 13 kt gust 20 kt**

TEMPERATURE **14 °C**

VISIBILITY **10 sm**

DEWPOINT **4 °C**



Wind favours RWY 01

020° true · 027° magnetic · 13G20 kt · NOTAM-affected: 10 and 28

Evidence & limitations

- METAR source state: ok; observed Oct 18 10:53 ET; retrieved Oct 18 12:28 ET; 95 min before this run.
- Measured values read from the KSAV METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.42 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KSAV runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 10/28, 01/19. Wind from 020 degrees true, 027 degrees magnetic, at 13 knots gusting 20 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 01. NOTAM-affected runway ends, hatched separately from the wind highlight: 10 and 28. The hatch marks only that a NOTAM names the runway; it does not decode the NOTAM's effective times, so confirm the closure window in the NOTAM text below. Wind source: KSAV METAR 181453Z.

DESTINATION OUTLOOK

SUN, OCT 18

SUN 18 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 18 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 18

12:00–18:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 19

MON 19 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 19 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 19 OCT 12:00–18:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 9–11 kt

TEMPERATURE 51–61 °F

DEWPOINT 45–48 °F

PRECIP CHANCE 5%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 19 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 9–10 kt

TEMPERATURE 68–70 °F

DEWPOINT 44–47 °F

PRECIP CHANCE 1%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 19

00:00–06:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
6000 ft

CURRENT METAR TEMP DEP / DEST
13°C dep KLZU → 14°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
10/28 (100/280°M · 093/273°T) · 01/19 (010/190°M · 003/183°T) — designators and °M headings are magnetic; °T are true; variation 7°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) | 17 Act on | 3 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What | 3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

ed 2026-10-18T16:28:22.885471Z.

	RI OCT 16	SAT OCT 17	SUN OCT 18	MON OCT 19
A1073/26				
A1074/26				
10/059	*Outside trip window*			

43 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 16:28 Z

NOTAMs as of 16:28 Z — advisory only; verify an official briefing.

10/064

NOTAM text not available in this projection.

10/065

NOTAM text not available in this projection.

A1073/26

NOTAM text not available in this projection.

A1074/26

NOTAM text not available in this projection.

10/059

NOTAM text not available in this projection.

A1067/26

NOTAM text not available in this projection.

09/025

NOTAM text not available in this projection.

A0416/24

NOTAM text not available in this projection.

M0022/26

NOTAM text not available in this projection.

M0023/26

NOTAM text not available in this projection.

09/111

NOTAM text not available in this projection.

A1016/26

NOTAM text not available in this projection.

10/070

NOTAM text not available in this projection.

A1079/26

NOTAM text not available in this projection.

5/5965

NOTAM text not available in this projection.

A0799/25

NOTAM text not available in this projection.

5/5767

NOTAM text not available in this projection.

5/5768

NOTAM text not available in this projection.

A0796/25

NOTAM text not available in this projection.

A0797/25

NOTAM text not available in this projection.

6/8138

NOTAM text not available in this projection.

6/8148

NOTAM text not available in this projection.

A1044/26

NOTAM text not available in this projection.

A1046/26

NOTAM text not available in this projection.

10/062

NOTAM text not available in this projection.

A1072/26

NOTAM text not available in this projection.

A1080/26

NOTAM text not available in this projection.

6/9994

NOTAM text not available in this projection.

A1081/26

NOTAM text not available in this projection.

12/023

NOTAM text not available in this projection.

A0801/25

NOTAM text not available in this projection.

08/003

NOTAM text not available in this projection.

08/003

NOTAM text not available in this projection.

08/017

NOTAM text not available in this projection.

08/025

NOTAM text not available in this projection.

08/058

NOTAM text not available in this projection.

08/080

NOTAM text not available in this projection.

08/107

NOTAM text not available in this projection.

09/030

NOTAM text not available in this projection.

10/010

NOTAM text not available in this projection.

10/012

NOTAM text not available in this projection.

10/037

NOTAM text not available in this projection.

10/047

NOTAM text not available in this projection.

10/054

NOTAM text not available in this projection.

10/056

NOTAM text not available in this projection.

10/066

NOTAM text not available in this projection.

10/069

NOTAM text not available in this projection.

10/072

NOTAM text not available in this projection.

10/071

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

…026-10-18T16:28:22.885471Z.

…:00Z

…:00Z

…:00Z

…:00Z

RUNWAY

Effective 2026-10-20T12:00:00Z → 2026-10-20T13:30:00Z

RUNWAY

Effective 2026-10-20T12:00:00Z → 2026-10-20T13:30:00Z

42 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KSAV this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
· 12:00–18:00 ET ET · VFR
· 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-18=GFS, 2026-10-19=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-18 18:00	65	Few	30/13kt	—	>10kft	>6SM
GFS	2026-10-18 21:00	68	Few	40/14kt	—	>10kft	>6SM
GFS	2026-10-19 00:00	60	Clear	30/9kt	4.0	>10kft	>6SM
GFS	2026-10-19 03:00	57	Clear	20/9kt	—	>10kft	>6SM
GFS	2026-10-19 06:00	54	Clear	10/10kt	5.0	>10kft	>6SM
GFS	2026-10-19 09:00	52	Clear	10/11kt	—	>10kft	>6SM
GFS	2026-10-19 12:00	51	Clear	10/9kt	5.0	>10kft	>6SM
GFS	2026-10-19 15:00	61	Clear	20/11kt	—	>10kft	>6SM
GFS	2026-10-19 18:00	68	Clear	10/10kt	1.0	>10kft	>6SM
GFS	2026-10-19 21:00	70	Clear	360/9kt	—	>10kft	>6SM

GFS	2026-10-20 00:00	60	Clear	10/5kt	0.0	>10kft	>6SM
GFS	2026-10-20 03:00	55	Clear	10/4kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KSAV 181453Z 02013G20KT 10SM FEW045 14/04 A3042 RMK AO2 SLP301 T01390039 51019

TAF KSAV 181123Z 1812/1912 03010G18KT P6SM SKC FM181400 02014G22KT P6SM SKC FM182100 03010G17KT P6SM SKC FM190200 02008KT P6SM SKC
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KSAV; actual-station=KSAV; fetched-at=2026-10-18T16:28:18.261128+00:00; observed-or-issued-at=2026-10-18T14:53:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KSAV; actual-station=KSAV; fetched-at=2026-10-18T16:28:18.840002+00:00; observed-or-issued-at=2026-10-18T11:23:00+00:00; valid-from=2026-10-18T12:00:00+00:00; valid-through=2026-10-19T12:00:00+00:00; partial-target-dates=2026-10-18,2026-10-19 — AWC API

  TAF proxy · KSAV
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KSAV; actual-station=KSAV; fetched-at=2026-10-18T16:28:19.375231+00:00
- FAA NMS NOTAM — state=OK; requested-station=KSAV; actual-station=KSAV; fetched-at=2026-10-18T16:28:22.885471Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KSAV; actual-station=KSAV; fetched-at=2026-10-18T16:28:42.362790+00:00; observed-or-issued-at=2026-10-18T12:00:00+00:00; valid-from=2026-10-18T18:00:00+00:00; valid-through=2026-10-21T12:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KSAV; actual-station=KSAV; fetched-at=2026-10-18T16:28:43.013261+00:00; observed-or-issued-at=2026-10-18T00:00:00+00:00; valid-from=2026-10-19T00:00:00+00:00; valid-through=2026-10-26T00:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19 — Iowa State API
- MOS effective date selection — state=partial; rows=12; requested-station=KSAV; actual-station=KSAV; fetched-at=2026-10-18T16:28:42.362790+00:00; observed-or-issued-at=2026-10-18T12:00:00+00:00; valid-from=2026-10-18T18:00:00+00:00; valid-through=2026-10-21T12:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19; selected-by-date=2026-10-18=GFS, 2026-10-19=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#3 **KSSI** **Brunswick/McKinnon St Simons Arpt, GA, US** · Atlantic South · St Simons beach

OBS - VFR

ETE 1h29

DIST 214 nm

SUN 18 OCT 10:35 ET OBSERVED

Current observation

OBS - VFR

OBSER

METAR

broken 3,600 ft

WIND N (10°) 14 kt gust 22 kt

TEMPERATURE **15 °C**

VISIBILITY **10 sm**

DEWPOINT **8 °C**



Wind favours RWY 04

010° true · 017° magnetic · 14G22 kt

Evidence & limitations

- METAR source state: ok; observed Oct 18 10:35 ET; retrieved Oct 18 12:28 ET; 113 min before this run.
- Measured values read from the KSSI METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.35 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KSSI runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 04/22, 16/34. Wind from 010 degrees true, 017 degrees magnetic, at 14 knots gusting 22 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 04. Wind source: KSSI METAR 181435Z.

DESTINATION OUTLOOK

SUN, OCT 18

SUN 18 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 18 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 18

12:00–18:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 19

MON 19 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 19 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 19 OCT 12:00–18:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 12–15 kt

TEMPERATURE 58–65 °F

DEWPOINT 53–54 °F

PRECIP CHANCE 15%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 19 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 12–15 kt

TEMPERATURE 69–70 °F

DEWPOINT 50–51 °F

PRECIP CHANCE 11%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 19

00:00–06:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

6000 ft

CURRENT METAR TEMP DEP / DEST

13°C dep KLZU → 15°C

CURRENT WIND (FAA)

Unavailable

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS

FAA status unavailable — source state: not_queried

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

04/22 (040/220°M · 033/213°T) · 16/34 (160/340°M · 153/333°T) — designators and °M headings are magnetic; °T are true; variation 7°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 1 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What

3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

d 2026-10-18T16:28:22.886087Z.

RI OCT 16 | SAT OCT 17 | SUN OCT 18 | MON OCT 19

07/001

Raw NOTAM data · NOTAMs as of 16:28 Z

NOTAMs as of 16:28 Z — advisory only; verify an official briefing.

A0047/26

NOTAM text not available in this projection.

10/001

NOTAM text not available in this projection.

07/001

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

26-10-18T16:28:22.886087Z.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KSSI this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
· 12:00–18:00 ET ET · VFR
· 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-18=GFS, 2026-10-19=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-18 18:00	63	Sct	20/18kt	—	>10kft	>6SM
GFS	2026-10-18 21:00	65	Bkn	30/17kt	—	5-10kft	>6SM

GFS	2026-10-19 00:00	63	Sct	30/15kt	17.0	5-10kft	>6SM
GFS	2026-10-19 03:00	63	Sct	30/15kt	—	>10kft	>6SM
GFS	2026-10-19 06:00	61	Few	20/15kt	16.0	5-10kft	>6SM
GFS	2026-10-19 09:00	60	Sct	10/14kt	—	5-10kft	>6SM
GFS	2026-10-19 12:00	58	Few	10/12kt	15.0	>10kft	>6SM
GFS	2026-10-19 15:00	65	Few	20/15kt	—	>10kft	>6SM
GFS	2026-10-19 18:00	69	Clear	20/15kt	11.0	>10kft	>6SM
GFS	2026-10-19 21:00	70	Clear	30/12kt	—	>10kft	>6SM
GFS	2026-10-20 00:00	63	Clear	20/7kt	0.0	>10kft	>6SM
GFS	2026-10-20 03:00	60	Clear	20/6kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KSSI 181435Z AUTO 01014G22KT 10SM BKN036 15/08 A3035 RMK AO2
TAF KSSI 181120Z 1812/1912 01016G22KT P6SM SCT045 FM181800 03020G29KT P6SM FEW035 BKN050 FM190000 02021G23KT P6SM FEW045
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KSSI; actual-station=KSSI; fetched-at=2026-10-18T16:28:18.261128+00:00; observed-or-issued-at=2026-10-18T14:35:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KSSI; actual-station=KSSI; fetched-at=2026-10-18T16:28:18.840002+00:00; observed-or-issued-at=2026-10-18T11:20:00+00:00; valid-from=2026-10-18T12:00:00+00:00; valid-through=2026-10-19T12:00:00+00:00; partial-target-dates=2026-10-18,2026-10-19 — AWC API

  TAF proxy · KSSI
- FAA airport status — state=not_queried; fetch-state=not_attempted; payload-state=not_attempted; requested-station=KSSI
- FAA NMS NOTAM — state=OK; requested-station=KSSI; actual-station=KSSI; fetched-at=2026-10-18T16:28:22.886087Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KSSI; actual-station=KSSI; fetched-at=2026-10-18T16:28:42.326019+00:00; observed-or-issued-at=2026-10-18T12:00:00+00:00; valid-from=2026-10-18T18:00:00+00:00; valid-through=2026-10-21T12:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KSSI; actual-station=KSSI; fetched-at=2026-10-18T16:28:43.001257+00:00; observed-or-issued-at=2026-10-18T00:00:00+00:00; valid-from=2026-10-19T00:00:00+00:00; valid-through=2026-10-26T00:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19 — Iowa State API
- MOS effective date selection — state=partial; rows=12; requested-station=KSSI; actual-station=KSSI; fetched-at=2026-10-18T16:28:42.326019+00:00; observed-or-issued-at=2026-10-18T12:00:00+00:00; valid-from=2026-10-18T18:00:00+00:00; valid-through=2026-10-21T12:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19; selected-by-date=2026-10-18=GFS, 2026-10-19=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#4 **KJZI** **Charleston Exec, SC, US** · Atlantic South · Charleston Exec

OBS - VFR

ETE 1h28

DIST 213 nm

SUN 18 OCT 10:35 ET OBSERVED

Current observation

OBS - VFR

OBSER

METAR

clear below 12,000 ft (CLR)

WIND N (20°) 13 kt gust 19 kt

TEMPERATURE 13 °C

VISIBILITY 10 sm

DEWPOINT 5 °C

Wind favours RWY 04

020° true · 028° magnetic · 13G19 kt

Evidence & limitations

- METAR source state: ok; observed Oct 18 10:35 ET; retrieved Oct 18 12:28 ET; 113 min before this run.
- Measured values read from the KJZI METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.41 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KJZI runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 09/27, 04/22. Wind from 020 degrees true, 028 degrees magnetic, at 13 knots gusting 19 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 04. Wind source: KJZI METAR 181435Z.

DESTINATION OUTLOOK

SUN, OCT 18

SUN 18 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 18 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 18

12:00–18:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 19

MON 19 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 19 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 19 OCT 12:00–18:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 10–12 kt

TEMPERATURE 52–61 °F

DEWPOINT 45–48 °F

PRECIP CHANCE 9%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 19 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 9–10 kt

TEMPERATURE 69 °F

DEWPOINT 47 °F

PRECIP CHANCE 4%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 19

00:00–06:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
6000 ft

CURRENT METAR TEMP DEP / DEST
13°C dep KLZU → 13°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed (proxy KCHS)

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
09/27 (090/270°M · 082/262°T) · 04/22 (040/220°M · 032/212°T) — designators and °M headings are magnetic; °T are true; variation 8°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 Act on

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What

3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

d 2026-10-18T16:28:23.213292Z.

oritative)

RI OCT 16 | SAT OCT 17 | SUN OCT 18 | MON OCT 19

08/354

10/062

09/426

Raw NOTAM data · NOTAMs as of 16:28 Z

NOTAMs as of 16:28 Z — advisory only; verify an official briefing.

5/3307

NOTAM text not available in this projection.

07/354

NOTAM text not available in this projection.

08/354

NOTAM text not available in this projection.

10/062

NOTAM text not available in this projection.

09/426

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production

source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

26-10-18T16:28:23.213292Z.

:00Z

:00Z

OBSTRUCTION
Effective 2026-08-21T08:30:00Z → 2026-11-19T09:30:00Z

OBSTRUCTION
Effective 2026-10-05T06:39:00Z → 2027-01-03T07:39:00Z

OTHER
Effective 2026-09-30T11:40:00Z → 2026-10-31T18:00:00Z

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KJZI this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
· 12:00–18:00 ET ET · VFR
· 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-18=GFS, 2026-10-19=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-18 18:00	66	Clear	20/13kt	—	>10kft	>6SM

GFS	2026-10-18 21:00	67	Clear	30/13kt	—	>10kft	>6SM
GFS	2026-10-19 00:00	61	Clear	20/10kt	9.0	>10kft	>6SM
GFS	2026-10-19 03:00	59	Clear	10/10kt	—	>10kft	>6SM
GFS	2026-10-19 06:00	55	Clear	360/10kt	8.0	>10kft	>6SM
GFS	2026-10-19 09:00	54	Clear	350/9kt	—	>10kft	>6SM
GFS	2026-10-19 12:00	52	Clear	350/10kt	9.0	>10kft	>6SM
GFS	2026-10-19 15:00	61	Clear	360/12kt	—	>10kft	>6SM
GFS	2026-10-19 18:00	69	Clear	360/10kt	4.0	>10kft	>6SM
GFS	2026-10-19 21:00	69	Clear	360/9kt	—	>10kft	>6SM
GFS	2026-10-20 00:00	60	Clear	10/4kt	0.0	>10kft	>6SM
GFS	2026-10-20 03:00	56	Clear	360/3kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KJZI 181435Z AUTO 02013G19KT 10SM CLR 13/05 A3041 RMK AO2

TAF KJZI 181123Z 1812/1912 02013G22KT P6SM SKC FM181500 02016G26KT P6SM FEW040 FM182200 02012G22KT P6SM SKC FM190300 01010G17KT P6SM SKC
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KJZI; actual-station=KJZI; fetched-at=2026-10-18T16:28:18.261128+00:00; observed-or-issued-at=2026-10-18T14:35:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KJZI; actual-station=KJZI; fetched-at=2026-10-18T16:28:18.840002+00:00; observed-or-issued-at=2026-10-18T11:23:00+00:00; valid-from=2026-10-18T12:00:00+00:00; valid-through=2026-10-19T12:00:00+00:00; partial-target-dates=2026-10-18,2026-10-19 — AWC API

  TAF proxy · KJZI
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KJZI; actual-station=KCHS; fetched-at=2026-10-18T16:28:19.277241+00:00
- FAA NMS NOTAM — state=OK; requested-station=KJZI; actual-station=KJZI; fetched-at=2026-10-18T16:28:23.213292Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KJZI; actual-station=KJZI; fetched-at=2026-10-18T16:28:42.331402+00:00; observed-or-issued-at=2026-10-18T12:00:00+00:00; valid-from=2026-10-18T18:00:00+00:00; valid-through=2026-10-21T12:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KJZI; actual-station=KJZI; fetched-at=2026-10-18T16:28:43.000581+00:00; observed-or-issued-at=2026-10-18T00:00:00+00:00; valid-from=2026-10-19T00:00:00+00:00; valid-through=2026-10-26T00:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19 — Iowa State API
- MOS effective date selection — state=partial; rows=12; requested-station=KJZI; actual-station=KJZI; fetched-at=2026-10-18T16:28:42.331402+00:00; observed-or-issued-at=2026-10-18T12:00:00+00:00; valid-from=2026-10-18T18:00:00+00:00; valid-through=2026-10-21T12:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19; selected-by-date=2026-10-18=GFS, 2026-10-19=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#5 **KMYR** **Myrtle Beach Intl, SC, US** · Atlantic North · Myrtle Beach (Class C)

OBS - VFR

ETE 1h45

DIST 251 nm

SUN 18 OCT 10:53 ET OBSERVED

Current observation

OBS - VFR

OBSER

METAR

clear below 12,000 ft (CLR)

WIND **N (360°) 15 kt gust 23 kt**

TEMPERATURE **14 °C**

VISIBILITY **10 sm**

DEWPOINT **6 °C**

Wind favours RWY 36

360° true · 009° magnetic · 15G23 kt · also NOTAM-affected: 18 and 36

Evidence & limitations

- METAR source state: ok; observed Oct 18 10:53 ET; retrieved Oct 18 12:28 ET; 95 min before this run.
- Measured values read from the KMYR METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.42 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KMYR runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 18/36. Wind from 360 degrees true, 009 degrees magnetic, at 15 knots gusting 23 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 36. NOTAM-affected runway ends, hatched separately from the wind highlight: 18 and 36. The wind-favoured end 36 is also NOTAM-affected: the wind does favour it, but a NOTAM on this card names it, so the highlight is not a statement that the runway is usable. The hatch marks only that a NOTAM names the runway; it does not decode the NOTAM's effective times, so confirm the closure window in the NOTAM text below. Wind source: KMYR METAR 181453Z.

DESTINATION OUTLOOK

SUN, OCT 18

SUN 18 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 18 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 18

12:00–18:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 19

MON 19 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 19 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 19 OCT 12:00–18:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 11–14 kt

TEMPERATURE 51–59 °F

DEWPOINT 43–45 °F

PRECIP CHANCE 7%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 19 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 12–15 kt

TEMPERATURE 65–67 °F

DEWPOINT 47 °F

PRECIP CHANCE 3%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 19

00:00–06:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
13°C dep KLZU → 14°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
18/36 (180/000°M · 171/351°T) — designators and °M headings are magnetic; °T are true; variation 9°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) | 17 Act on | 4 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What | 3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

ed 2026-10-18T16:28:23.273387Z.

oritative) Narrow bars = daily schedule sub-windows



54 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 16:28 Z

NOTAMs as of 16:28 Z — advisory only; verify an official briefing.

08/053

NOTAM text not available in this projection.

A0660/26

NOTAM text not available in this projection.

6/8172

NOTAM text not available in this projection.

09/037

NOTAM text not available in this projection.

09/050

NOTAM text not available in this projection.

A0761/26

NOTAM text not available in this projection.

10/004

NOTAM text not available in this projection.

A0776/26

NOTAM text not available in this projection.

10/007

NOTAM text not available in this projection.

A0777/26

NOTAM text not available in this projection.

A0801/26

NOTAM text not available in this projection.

A0802/26

NOTAM text not available in this projection.

A0803/26

NOTAM text not available in this projection.

A0804/26

NOTAM text not available in this projection.

A0805/26

NOTAM text not available in this projection.

A0806/26

NOTAM text not available in this projection.

A0807/26

NOTAM text not available in this projection.

A0809/26

NOTAM text not available in this projection.

A0810/26

NOTAM text not available in this projection.

A0811/26

NOTAM text not available in this projection.

A0812/26

NOTAM text not available in this projection.

A0813/26

NOTAM text not available in this projection.

A0818/26

NOTAM text not available in this projection.

A0821/26

NOTAM text not available in this projection.

10/037

NOTAM text not available in this projection.

A0823/26

NOTAM text not available in this projection.

10/036

NOTAM text not available in this projection.

A0822/26

NOTAM text not available in this projection.

09/035

NOTAM text not available in this projection.

A0739/26

NOTAM text not available in this projection.

09/036

NOTAM text not available in this projection.

A0741/26

NOTAM text not available in this projection.

09/038

NOTAM text not available in this projection.

A0743/26

NOTAM text not available in this projection.

09/039

NOTAM text not available in this projection.

A0746/26

NOTAM text not available in this projection.

09/040

NOTAM text not available in this projection.

A0747/26

NOTAM text not available in this projection.

09/041

NOTAM text not available in this projection.

09/042

NOTAM text not available in this projection.

09/043

NOTAM text not available in this projection.

A0750/26

NOTAM text not available in this projection.

09/048

NOTAM text not available in this projection.

A0757/26

NOTAM text not available in this projection.

09/051

NOTAM text not available in this projection.

09/052

NOTAM text not available in this projection.

A0762/26

NOTAM text not available in this projection.

09/058

NOTAM text not available in this projection.

A0768/26

NOTAM text not available in this projection.

A0684/26

NOTAM text not available in this projection.

07/032

NOTAM text not available in this projection.

09/034

NOTAM text not available in this projection.

10/038

NOTAM text not available in this projection.

08/005

NOTAM text not available in this projection.

A0600/26

NOTAM text not available in this projection.

10/025

NOTAM text not available in this projection.

10/027

NOTAM text not available in this projection.

10/028

NOTAM text not available in this projection.

A0800/26

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

026-10-18T16:28:23.273387Z.

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

Effective 2026-09-24T11:30:00Z → 2027-01-04T11:00:00Z

RUNWAY

Effective 2026-09-26T04:00:00Z → 2026-10-31T10:00:00Z

RUNWAY

Effective 2026-09-26T04:00:00Z → 2026-10-31T10:00:00Z

RUNWAY

Effective 2026-10-18T03:00:00Z → 2026-10-31T04:59:00Z

RUNWAY

Effective 2026-10-18T03:00:00Z → 2026-10-31T04:59:00Z

RUNWAY

Effective 2026-10-18T05:00:00Z → 2026-10-31T09:00:00Z

RUNWAY

Effective 2026-10-18T05:00:00Z → 2026-10-31T09:00:00Z

49 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

highest-resolution aviation forecast available. The National Weather Service issues it four times a day, valid 24 to 30 hours, with explicit FM and TEMPO change groups. Airports without their own TAF station use a nearby proxy, which is a normal condition and not a fault. A TAF was read for this airport this run (state: partial).

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KMYR this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
S · 12:00–18:00 ET ET · VFR
S · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-18=GFS, 2026-10-19=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-18 18:00	66	Clear	10/15kt	—	>10kft	>6SM
GFS	2026-10-18 21:00	65	Clear	10/17kt	—	>10kft	>6SM
GFS	2026-10-19 00:00	61	Clear	20/11kt	5.0	>10kft	>6SM
GFS	2026-10-19 03:00	58	Clear	20/11kt	—	>10kft	>6SM
GFS	2026-10-19 06:00	54	Clear	10/11kt	9.0	>10kft	>6SM
GFS	2026-10-19 09:00	52	Clear	360/11kt	—	>10kft	>6SM
GFS	2026-10-19 12:00	51	Clear	360/11kt	7.0	>10kft	>6SM
GFS	2026-10-19 15:00	59	Clear	360/14kt	—	>10kft	>6SM
GFS	2026-10-19 18:00	65	Clear	350/15kt	3.0	>10kft	>6SM
GFS	2026-10-19 21:00	67	Clear	350/12kt	—	>10kft	>6SM
GFS	2026-10-20 00:00	61	Clear	360/6kt	0.0	>10kft	>6SM
GFS	2026-10-20 03:00	58	Clear	350/6kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KMYR 181453Z 36015G23KT 10SM CLR 14/06 A3042 RMK AO2 SLP299 T01390061 51013 $

TAF KMYR 181132Z 1812/1912 36012KT P6SM FEW060 WS016/03050KT FM181300 01016G24KT P6SM SCT040 FM190200 01011KT P6SM SKC WS015/05045KT
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KMYR; actual-station=KMYR; fetched-at=2026-10-18T16:28:18.261128+00:00; observed-or-issued-at=2026-10-18T14:53:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KMYR; actual-station=KMYR; fetched-at=2026-10-18T16:28:18.840002+00:00; observed-or-issued-at=2026-10-18T11:32:00+00:00; valid-from=2026-10-18T12:00:00+00:00; valid-through=2026-10-19T12:00:00+00:00; partial-target-dates=2026-10-18,2026-10-19 — AWC API

  TAF proxy · KMYR
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KMYR; actual-station=KMYR; fetched-at=2026-10-18T16:28:19.376668+00:00
- FAA NMS NOTAM — state=OK; requested-station=KMYR; actual-station=KMYR; fetched-at=2026-10-18T16:28:23.273387Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KMYR; actual-station=KMYR; fetched-at=2026-10-18T16:28:42.338199+00:00; observed-or-issued-at=2026-10-18T12:00:00+00:00; valid-from=2026-10-18T18:00:00+00:00; valid-through=2026-10-21T12:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KMYR; actual-station=KMYR; fetched-at=2026-10-18T16:28:42.997581+00:00; observed-or-issued-at=2026-10-18T00:00:00+00:00; valid-from=2026-10-19T00:00:00+00:00; valid-through=2026-10-26T00:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19 — Iowa State API
- MOS effective date selection — state=partial; rows=12; requested-station=KMYR; actual-station=KMYR; fetched-at=2026-10-18T16:28:42.338199+00:00; observed-or-issued-at=2026-10-18T12:00:00+00:00; valid-from=2026-10-18T18:00:00+00:00; valid-through=2026-10-21T12:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19; selected-by-date=2026-10-18=GFS, 2026-10-19=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#6 **KCRE** **North Myrtle Beach/Grand Strand Arpt, SC, US** · Atlantic North · N Myrtle Beach

OBS - VFR

ETE 1h49

DIST 261 nm

SUN 18 OCT 10:53 ET OBSERVED

Current observation

OBS - VFR

METAR

OBSER

clear below 12,000 ft (CLR)

WIND **NE (30°) 15 kt gust 26 kt**

TEMPERATURE **13 °C**

VISIBILITY **10 sm**

DEWPOINT6 °C



Wind favours RWY 05

030° true · 039° magnetic · 15G26 kt

Evidence & limitations

- METAR source state: ok; observed Oct 18 10:53 ET; retrieved Oct 18 12:28 ET; 95 min before this run.
- Measured values read from the KCRE METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.40 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KCRE runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 05/23. Wind from 030 degrees true, 039 degrees magnetic, at 15 knots gusting 26 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 05. Wind source: KCRE METAR 181453Z.

DESTINATION OUTLOOK

SUN, OCT 18

SUN 18 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 18 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 18

12:00–18:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 19

MON 19 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 19 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 19 OCT 12:00–18:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 9–13 kt

TEMPERATURE 51–60 °F

DEWPOINT 43–45 °F

PRECIP CHANCE 7%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 19 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 10–12 kt

TEMPERATURE 66–68 °F

DEWPOINT 45–46 °F

PRECIP CHANCE 3%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 19

00:00–06:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
13°C dep KLZU → 13°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — source state: not_queried

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
05/23 (050/230°M · 041/221°T) — designators and °M headings are magnetic; °T are true; variation 9°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

3 Act on

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What

3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

d 2026-10-18T16:28:23.288752Z.

oritative)

RI OCT 16 | SAT OCT 17 | SUN OCT 18 | MON OCT 19

10/007

08/002

Raw NOTAM data · NOTAMs as of 16:28 Z

NOTAMs as of 16:28 Z — advisory only; verify an official briefing.

5/9932

NOTAM text not available in this projection.

5/9933

NOTAM text not available in this projection.

10/007

NOTAM text not available in this projection.

08/002

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source

26-10-18T16:28:23.288752Z.

STRAND, NORTH MYRTLE BEACH, SC. VOR RWY 23, AMDT 2UE. , DISREGARD WAGPA FIX MINIMUMS. S-23 HDA 630-1 ALT 630 ALL CATS. VISIBILITY CAT C/D 1 1/4

TEMPORARY CRANE 252FT MSL 886FT SOUTHEAST OF RWY 23 (2026-ASO-10695-OE) 2612162107-2612212107EST

:00Z

and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

OBSTRUCTION
Effective 2026-10-09T01:30:00Z → 2027-01-10T23:59:00Z

OTHER
Effective 2026-08-05T21:13:00Z → 2026-11-18T13:00:00Z

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KCRE this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
· 12:00–18:00 ET ET · VFR
· 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-18=GFS, 2026-10-19=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-18 18:00	68	Clear	30/15kt	—	>10kft	>6SM
GFS	2026-10-18 21:00	68	Clear	30/13kt	—	>10kft	>6SM
GFS	2026-10-19 00:00	61	Clear	30/8kt	5.0	>10kft	>6SM
GFS	2026-10-19 03:00	58	Clear	30/9kt	—	>10kft	>6SM
GFS	2026-10-19 06:00	55	Clear	20/9kt	10.0	>10kft	>6SM

GFS	2026-10-19 09:00	52	Clear	10/9kt	—	>10kft	>6SM
GFS	2026-10-19 12:00	51	Clear	10/9kt	7.0	>10kft	>6SM
GFS	2026-10-19 15:00	60	Clear	10/13kt	—	>10kft	>6SM
GFS	2026-10-19 18:00	66	Clear	10/12kt	3.0	>10kft	>6SM
GFS	2026-10-19 21:00	68	Clear	10/10kt	—	>10kft	>6SM
GFS	2026-10-20 00:00	60	Clear	10/5kt	0.0	>10kft	>6SM
GFS	2026-10-20 03:00	57	Clear	20/5kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KCRE 181453Z 03015G26KT 10SM CLR 13/06 A3040 RMK AO2 PK WND 02026/1448 SLP295 T01330056 51013

TAF KMYR 181132Z 1812/1912 36012KT P6SM FEW060 WS016/03050KT FM181300 01016G24KT P6SM SCT040 FM190200 01011KT P6SM SKC WS015/05045KT
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KCRE; actual-station=KCRE; fetched-at=2026-10-18T16:28:18.261128+00:00; observed-or-issued-at=2026-10-18T14:53:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KCRE; actual-station=KMYR; fetched-at=2026-10-18T16:28:18.840002+00:00; observed-or-issued-at=2026-10-18T11:32:00+00:00; valid-from=2026-10-18T12:00:00+00:00; valid-through=2026-10-19T12:00:00+00:00; partial-target-dates=2026-10-18,2026-10-19 — AWC API

  TAF proxy · KMYR
- FAA airport status — state=not_queried; fetch-state=not_attempted; payload-state=not_attempted; requested-station=KCRE
- FAA NMS NOTAM — state=OK; requested-station=KCRE; actual-station=KCRE; fetched-at=2026-10-18T16:28:23.288752Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KCRE; actual-station=KCRE; fetched-at=2026-10-18T16:28:42.402844+00:00; observed-or-issued-at=2026-10-18T12:00:00+00:00; valid-from=2026-10-18T18:00:00+00:00; valid-through=2026-10-21T12:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KCRE; actual-station=KCRE; fetched-at=2026-10-18T16:28:43.062289+00:00; observed-or-issued-at=2026-10-18T00:00:00+00:00; valid-from=2026-10-19T00:00:00+00:00; valid-through=2026-10-26T00:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19 — Iowa State API
- MOS effective date selection — state=partial; rows=12; requested-station=KCRE; actual-station=KCRE; fetched-at=2026-10-18T16:28:42.402844+00:00; observed-or-issued-at=2026-10-18T12:00:00+00:00; valid-from=2026-10-18T18:00:00+00:00; valid-through=2026-10-21T12:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19; selected-by-date=2026-10-18=GFS, 2026-10-19=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#7 **KHXD** **Hilton Head Arpt, SC, US** · Atlantic South · Hilton Head

OBS - MVFR

ETE 1h21

DIST 195 nm

SUN 18 OCT 10:50 ET OBSERVED

Current observation

METAR

OBS - MVFR

OBSE

broken 2,900 ft

WIND **NE (40°) 13 kt gust 21 kt**

TEMPERATURE **13 °C**

VISIBILITY **10 sm**

DEWPOINT **6 °C**



Wind favours RWY 03

040° true · 048° magnetic · 13G21 kt

Evidence & limitations

- METAR source state: ok; observed Oct 18 10:50 ET; retrieved Oct 18 12:28 ET; 98 min before this run.
- Measured values read from the KHXD METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.42 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KHXD runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 03/21. Wind from 040 degrees true, 048 degrees magnetic, at 13 knots gusting 21 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 03. Wind source: KHXD METAR 181450Z.

DESTINATION OUTLOOK

SUN, OCT 18

SUN 18 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 18 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 18

12:00–18:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 19

MON 19 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 19 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 19 OCT 12:00–18:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 13 kt

TEMPERATURE 55–60 °F

DEWPOINT 46–48 °F

PRECIP CHANCE 8%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 19 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 9–11 kt

TEMPERATURE 67–69 °F

DEWPOINT 46–47 °F

PRECIP CHANCE 4%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 19

00:00–06:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
6000 ft

CURRENT METAR TEMP DEP / DEST
13°C dep KLZU → 13°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
03/21 (030/210°M · 022/202°T) — designators and °M headings are magnetic; °T are true; variation 8°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) | 6 Act on | 1 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What | 3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

ed 2026-10-18T16:28:23.304506Z.

oritative)

RI OCT 16 | SAT OCT 17 | SUN OCT 18 | MON OCT 19

A0380/26

5/3292

A0137/25

6 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 16:28 Z

NOTAMs as of 16:28 Z — advisory only; verify an official briefing.

07/013

NOTAM text not available in this projection.

A0238/26

NOTAM text not available in this projection.

A0380/26

NOTAM text not available in this projection.

5/3292

NOTAM text not available in this projection.

A0137/25

NOTAM text not available in this projection.

6/8144

NOTAM text not available in this projection.

6/8146

NOTAM text not available in this projection.

A0365/26

NOTAM text not available in this projection.

A0366/26

NOTAM text not available in this projection.

09/029

NOTAM text not available in this projection.

10/010

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

Effective 2025-04-29T20:01:00Z → 2027-04-29T20:01:00Z

NAV_APPROACH

Effective 2025-04-29T20:01:00Z → 2027-04-29T20:01:00Z

6 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air

Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KHXD this run.

…ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

…:00 ET ET · VFR
…:00 ET ET · VFR
…:00 ET ET · VFR
…:00 ET ET · VFR
… · 12:00–18:00 ET ET · VFR
… · 18:00–00:00 ET ET · VFR

…go here is derived from an image. A published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-18=GFS, 2026-10-19=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-18 18:00	64	Sct	30/15kt	—	>10kft	>6SM
GFS	2026-10-18 21:00	66	Few	30/15kt	—	>10kft	>6SM
GFS	2026-10-19 00:00	63	Clear	30/13kt	9.0	>10kft	>6SM
GFS	2026-10-19 03:00	61	Clear	30/12kt	—	>10kft	>6SM
GFS	2026-10-19 06:00	58	Clear	20/13kt	8.0	>10kft	>6SM
GFS	2026-10-19 09:00	56	Clear	20/14kt	—	>10kft	>6SM
GFS	2026-10-19 12:00	55	Clear	10/13kt	8.0	>10kft	>6SM
GFS	2026-10-19 15:00	60	Clear	20/13kt	—	>10kft	>6SM
GFS	2026-10-19 18:00	67	Clear	20/11kt	4.0	>10kft	>6SM
GFS	2026-10-19 21:00	69	Clear	10/9kt	—	>10kft	>6SM
GFS	2026-10-20 00:00	62	Clear	20/6kt	0.0	>10kft	>6SM
GFS	2026-10-20 03:00	59	Clear	20/5kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KHXD 181450Z 04013G21KT 10SM BKN029 13/06 A3042

TAF KSAV 181123Z 1812/1912 03010G18KT P6SM SKC FM181400 02014G22KT P6SM SKC FM182100 03010G17KT P6SM SKC FM190200 02008KT P6SM SKC
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KHXD; actual-station=KHXD; fetched-at=2026-10-18T16:28:18.261128+00:00; observed-or-issued-at=2026-10-18T14:50:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KHXD; actual-station=KSAV; fetched-at=2026-10-18T16:28:18.840002+00:00; observed-or-issued-at=2026-10-18T11:23:00+00:00; valid-from=2026-10-18T12:00:00+00:00; valid-through=2026-10-19T12:00:00+00:00; partial-target-dates=2026-10-18,2026-10-19 — AWC API

  TAF proxy · KSAV
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KHXD; actual-station=KHXD; fetched-at=2026-10-18T16:28:19.461823+00:00
- FAA NMS NOTAM — state=OK; requested-station=KHXD; actual-station=KHXD; fetched-at=2026-10-18T16:28:23.304506Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KHXD; actual-station=KHXD; fetched-at=2026-10-18T16:28:42.332516+00:00; observed-or-issued-at=2026-10-18T12:00:00+00:00; valid-from=2026-10-18T18:00:00+00:00; valid-through=2026-10-21T12:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KHXD; actual-station=KHXD; fetched-at=2026-10-18T16:28:42.948819+00:00; observed-or-issued-at=2026-10-18T00:00:00+00:00; valid-from=2026-10-19T00:00:00+00:00; valid-through=2026-10-26T00:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19 — Iowa State API
- MOS effective date selection — state=partial; rows=12; requested-station=KHXD; actual-station=KHXD; fetched-at=2026-10-18T16:28:42.332516+00:00; observed-or-issued-at=2026-10-18T12:00:00+00:00; valid-from=2026-10-18T18:00:00+00:00; valid-through=2026-10-21T12:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19; selected-by-date=2026-10-18=GFS, 2026-10-19=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#8 **KTRI** **Bristol/Tri-Cities Arpt, TN, US** · Mountain · Tri-Cities TN/VA

OBS - VFR

ETE **1h11**

DIST **168 nm**

SUN 18 OCT 10:53 ET OBSERVED

Current observation

OBS - VFR

METAR

OBSER


clear below 12,000 ft (CLR)

WIND **E (80°) 5 kt**

TEMPERATURE **11 °C**

VISIBILITY **10 sm**

DEWPOINT **2 °C**



Wind favours RWY 09

080° true · 088° magnetic · 5 kt

Evidence & limitations

- METAR source state: ok; observed Oct 18 10:53 ET; retrieved Oct 18 12:28 ET; 95 min before this run.
- Measured values read from the KTRI METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.54 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KTRI runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 05/23, 09/27. Wind from 080 degrees true, 088 degrees magnetic, at 5 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 09. Wind source: KTRI METAR 181453Z.

DESTINATION OUTLOOK

SUN, OCT 18

SUN 18 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 18 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 18

12:00–18:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 19

MON 19 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 19 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 19 OCT 12:00–18:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 0–1 kt

TEMPERATURE 30–49 °F

DEWPOINT 25–33 °F

PRECIP CHANCE 1%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 19 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 3–4 kt

TEMPERATURE 61–67 °F

DEWPOINT 34 °F

PRECIP CHANCE 0%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 19

00:00–06:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
6000 ft

CURRENT METAR TEMP DEP / DEST
13°C dep KLZU → 11°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
05/23 (050/230°M · 042/222°T) · 09/27 (090/270°M · 082/262°T) — designators and °M headings are magnetic; °T are true; variation 8°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) | 19 Act on | 1 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

ed 2026-10-18T16:28:23.431181Z.

oritative)

RI OCT 16 | SAT OCT 17 | SUN OCT 18 | MON OCT 19

09/068

09/069

09/070

37 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 16:28 Z

NOTAMs as of 16:28 Z — advisory only; verify an official briefing.

5/8343

NOTAM text not available in this projection.

5/8558

NOTAM text not available in this projection.

09/068

NOTAM text not available in this projection.

09/069

NOTAM text not available in this projection.

09/070

NOTAM text not available in this projection.

09/071

NOTAM text not available in this projection.

09/072

NOTAM text not available in this projection.

09/078

NOTAM text not available in this projection.

A1280/26

NOTAM text not available in this projection.

5/1221

NOTAM text not available in this projection.

A1144/25

NOTAM text not available in this projection.

A1251/25

NOTAM text not available in this projection.

A1252/25

NOTAM text not available in this projection.

5/8404

NOTAM text not available in this projection.

5/8405

NOTAM text not available in this projection.

5/8406

NOTAM text not available in this projection.

5/8407

NOTAM text not available in this projection.

A1367/25

NOTAM text not available in this projection.

A1368/25

NOTAM text not available in this projection.

A1369/25

NOTAM text not available in this projection.

A1370/25

NOTAM text not available in this projection.

5/8409

NOTAM text not available in this projection.

A1373/25

NOTAM text not available in this projection.

5/8411

NOTAM text not available in this projection.

A1374/25

NOTAM text not available in this projection.

06/034

NOTAM text not available in this projection.

A0975/26

NOTAM text not available in this projection.

06/042

NOTAM text not available in this projection.

A0980/26

NOTAM text not available in this projection.

06/043

NOTAM text not available in this projection.

A0981/26

NOTAM text not available in this projection.

07/054

NOTAM text not available in this projection.

08/034

NOTAM text not available in this projection.

08/053

NOTAM text not available in this projection.

09/017

NOTAM text not available in this projection.

09/055

NOTAM text not available in this projection.

09/064

NOTAM text not available in this projection.

10/001

NOTAM text not available in this projection.

10/004

NOTAM text not available in this projection.

10/008

NOTAM text not available in this projection.

10/010

NOTAM text not available in this projection.

10/035

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

026-10-18T16:28:23.431181Z.

RUNWAY

Effective 2026-09-29T11:56:00Z → 2026-10-31T22:00:00Z

RUNWAY

Effective 2026-09-29T11:57:00Z → 2026-10-31T22:00:00Z

37 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KTRI this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

:00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · VFR

· 12:00–18:00 ET ET · VFR

• **Mon, Oct 19 · 18:00–00:00 ET**: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-18=GFS, 2026-10-19=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-18 18:00	62	Clear	80/3kt	—	>10kft	>6SM
GFS	2026-10-18 21:00	65	Clear	70/4kt	—	>10kft	>6SM
GFS	2026-10-19 00:00	52	Clear	60/1kt	0.0	>10kft	>6SM
GFS	2026-10-19 03:00	42	Clear	0/0kt	—	>10kft	>6SM
GFS	2026-10-19 06:00	36	Clear	0/0kt	1.0	>10kft	>6SM
GFS	2026-10-19 09:00	32	Clear	0/0kt	—	>10kft	>6SM
GFS	2026-10-19 12:00	30	Clear	0/0kt	1.0	>10kft	>6SM
GFS	2026-10-19 15:00	49	Clear	40/1kt	—	>10kft	>6SM
GFS	2026-10-19 18:00	61	Clear	340/3kt	0.0	>10kft	>6SM
GFS	2026-10-19 21:00	67	Clear	340/4kt	—	>10kft	>6SM
GFS	2026-10-20 00:00	53	Clear	350/1kt	1.0	>10kft	>6SM
GFS	2026-10-20 03:00	44	Clear	0/0kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KTRI 181453Z 08005KT 10SM CLR 11/02 A3054 RMK AO2 SLP336 T01060017 51011 $

TAF KTRI 181133Z 1812/1912 VRB03KT P6SM SKC
```

+ Data sources used

• METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KTRI; actual-station=KTRI; fetched-at=2026-10-18T16:28:18.261128+00:00; observed-or-issued-at=2026-10-18T14:53:00+00:00 — AWC API

- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KTRI; actual-station=KTRI; fetched-at=2026-10-18T16:28:18.840002+00:00; observed-or-issued-at=2026-10-18T11:33:00+00:00; valid-from=2026-10-18T12:00:00+00:00; valid-through=2026-10-19T12:00:00+00:00; partial-target-dates=2026-10-18,2026-10-19 — AWC API

TAF proxy · KTRI

- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KTRI; actual-station=KTRI; fetched-at=2026-10-18T16:28:19.348948+00:00
- FAA NMS NOTAM — state=OK; requested-station=KTRI; actual-station=KTRI; fetched-at=2026-10-18T16:28:23.431181Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KTRI; actual-station=KTRI; fetched-at=2026-10-18T16:28:42.339683+00:00; observed-or-issued-at=2026-10-18T12:00:00+00:00; valid-from=2026-10-18T18:00:00+00:00; valid-through=2026-10-21T12:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KTRI; actual-station=KTRI; fetched-at=2026-10-18T16:28:43.066760+00:00; observed-or-issued-at=2026-10-18T00:00:00+00:00; valid-from=2026-10-19T00:00:00+00:00; valid-through=2026-10-26T00:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19 — Iowa State API
- MOS effective date selection — state=partial; rows=12; requested-station=KTRI; actual-station=KTRI; fetched-at=2026-10-18T16:28:42.339683+00:00; observed-or-issued-at=2026-10-18T12:00:00+00:00; valid-from=2026-10-18T18:00:00+00:00; valid-through=2026-10-21T12:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19; selected-by-date=2026-10-18=GFS, 2026-10-19=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#9 **KROA** **Roanoke Rgnl, VA, US** · Mountain · Roanoke valley

OBS - VFR

ETE 1h56

DIST 279 nm

SUN 18 OCT 10:54 ET OBSERVED

Current observation

METAR

OBS - VFR

OBSER

clear below 12,000 ft (CLR)

WIND **N (20°) 6 kt**

TEMPERATURE **11 °C**

VISIBILITY **10 sm**

DEWPOINT **-2 °C**



Wind favours RWY 06

020° true · 029° magnetic · 6 kt

Evidence & limitations

- METAR source state: ok; observed Oct 18 10:54 ET; retrieved Oct 18 12:28 ET; 94 min before this run.
- Measured values read from the KROA METAR. This is a current surface observation only; it is not a forecast.

- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.61 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KROA runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 06/24, 16/34. Wind from 020 degrees true, 029 degrees magnetic, at 6 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 06. Wind source: KROA METAR 181454Z.

DESTINATION OUTLOOK

SUN, OCT 18

SUN 18 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 18 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 18

12:00–18:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 19

MON 19 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 19 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 19 OCT 12:00–18:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 4–6 kt

TEMPERATURE 38–55 °F

DEWPOINT 28–30 °F

PRECIP CHANCE 0%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 19 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 7 kt

TEMPERATURE 68–70 °F

DEWPOINT 30–31 °F

PRECIP CHANCE 0%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 19

00:00–06:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
13°C dep KLZU → 11°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
06/24 (060/240°M · 051/231°T) · 16/34 (160/340°M · 151/331°T) — designators and °M headings are magnetic; °T are true; variation 9°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) | 4 Act on | 5 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

ed 2026-10-18T16:28:23.538776Z.

tes whether it is permanent or simply not supplied) — continues past this window

RI OCT 16 | SAT OCT 17 | SUN OCT 18 | MON OCT 19

10/015

A1222/26

A1254/26

38 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 16:28 Z

NOTAMs as of 16:28 Z — advisory only; verify an official briefing.

10/013

NOTAM text not available in this projection.

A1219/26

NOTAM text not available in this projection.

10/015

NOTAM text not available in this projection.

A1222/26

NOTAM text not available in this projection.

A1254/26

NOTAM text not available in this projection.

A1256/26

NOTAM text not available in this projection.

A1257/26

NOTAM text not available in this projection.

A1260/26

NOTAM text not available in this projection.

A1261/26

NOTAM text not available in this projection.

A1265/26

NOTAM text not available in this projection.

A1266/26

NOTAM text not available in this projection.

10/036

NOTAM text not available in this projection.

A1252/26

NOTAM text not available in this projection.

10/034

NOTAM text not available in this projection.

A1250/26

NOTAM text not available in this projection.

10/035

NOTAM text not available in this projection.

09/077

NOTAM text not available in this projection.

09/078

NOTAM text not available in this projection.

09/079

NOTAM text not available in this projection.

09/080

NOTAM text not available in this projection.

09/081

NOTAM text not available in this projection.

09/082

NOTAM text not available in this projection.

09/083

NOTAM text not available in this projection.

09/084

NOTAM text not available in this projection.

09/085

NOTAM text not available in this projection.

5/6949

NOTAM text not available in this projection.

A0691/25

NOTAM text not available in this projection.

09/074

NOTAM text not available in this projection.

A1193/26

NOTAM text not available in this projection.

A1251/26

NOTAM text not available in this projection.

08/074

NOTAM text not available in this projection.

08/075

NOTAM text not available in this projection.

08/076

NOTAM text not available in this projection.

09/088

NOTAM text not available in this projection.

A1201/26

NOTAM text not available in this projection.

10/008

NOTAM text not available in this projection.

10/009

NOTAM text not available in this projection.

A1214/26

NOTAM text not available in this projection.

10/041

NOTAM text not available in this projection.

10/045

NOTAM text not available in this projection.

A1267/26

NOTAM text not available in this projection.

09/056

NOTAM text not available in this projection.

A1162/26

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

026-10-18T16:28:23.538776Z.

OMMISSIONED

xpiry published

COMMISSIONED

xpiry published

MMISSIONED

xpiry published

MMISSIONED

RUNWAY A1294/26 — A1294/26 NOTAM/C A1253/26 Q) KZDC/QLAXX/IV/NBO/A/000/371/3ND7358W086 A) KRDA B) 2610152020 E) RWY 06 ALS U/S CANCELED

Effective 2026-10-15T20:20:00Z → 2026-10-18T20:20:00Z

38 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KROA this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
S · 12:00–18:00 ET ET · VFR
Mon, Oct 19 · 18:00–00:00 ET. GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-18=GFS, 2026-10-19=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-18 18:00	60	Clear	50/7kt	—	>10kft	>6SM
GFS	2026-10-18 21:00	62	Clear	70/8kt	—	>10kft	>6SM
GFS	2026-10-19 00:00	53	Clear	50/5kt	0.0	>10kft	>6SM
GFS	2026-10-19 03:00	47	Clear	350/2kt	—	>10kft	>6SM
GFS	2026-10-19 06:00	43	Clear	360/4kt	0.0	>10kft	>6SM
GFS	2026-10-19 09:00	39	Clear	330/4kt	—	>10kft	>6SM
GFS	2026-10-19 12:00	38	Clear	320/4kt	0.0	>10kft	>6SM
GFS	2026-10-19 15:00	55	Clear	350/6kt	—	>10kft	>6SM
GFS	2026-10-19 18:00	68	Clear	360/7kt	0.0	>10kft	>6SM
GFS	2026-10-19 21:00	70	Clear	360/7kt	—	>10kft	>6SM
GFS	2026-10-20 00:00	60	Clear	350/4kt	0.0	>10kft	>6SM
GFS	2026-10-20 03:00	52	Clear	320/2kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KROA 181454Z 02006KT 10SM CLR 11/M02 A3061 RMK AO2 SLP367 T01111017 51018 $

TAF KROA 181120Z 1812/1912 VRB03KT P6SM SKC FM181300 05007KT P6SM SKC FM190000 VRB03KT P6SM SKC
```

+ Data sources used

• METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KROA; actual-station=KROA; fetched-at=2026-10-18T16:28:18.261128+00:00; observed-or-issued-at=2026-10-18T14:54:00+00:00 — AWC API

- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KROA; actual-station=KROA; fetched-at=2026-10-18T16:28:18.840002+00:00; observed-or-issued-at=2026-10-18T11:20:00+00:00; valid-from=2026-10-18T12:00:00+00:00; valid-through=2026-10-19T12:00:00+00:00; partial-target-dates=2026-10-18,2026-10-19 — AWC API

TAF proxy · KROA

- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KROA; actual-station=KROA; fetched-at=2026-10-18T16:28:19.356778+00:00
- FAA NMS NOTAM — state=OK; requested-station=KROA; actual-station=KROA; fetched-at=2026-10-18T16:28:23.538776Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KROA; actual-station=KROA; fetched-at=2026-10-18T16:28:42.365410+00:00; observed-or-issued-at=2026-10-18T12:00:00+00:00; valid-from=2026-10-18T18:00:00+00:00; valid-through=2026-10-21T12:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KROA; actual-station=KROA; fetched-at=2026-10-18T16:28:43.067646+00:00; observed-or-issued-at=2026-10-18T00:00:00+00:00; valid-from=2026-10-19T00:00:00+00:00; valid-through=2026-10-26T00:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19 — Iowa State API
- MOS effective date selection — state=partial; rows=12; requested-station=KROA; actual-station=KROA; fetched-at=2026-10-18T16:28:42.365410+00:00; observed-or-issued-at=2026-10-18T12:00:00+00:00; valid-from=2026-10-18T18:00:00+00:00; valid-through=2026-10-21T12:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19; selected-by-date=2026-10-18=GFS, 2026-10-19=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#10 **KSGJ** **St Augustine Arpt, FL, US** · Atlantic South · St Augustine FL

OBS - VFR

ETE 1h55

DIST 276 nm

SUN 18 OCT 10:56 ET OBSERVED

Current observation

OBS - VFR

METAR

OBSER

broken 5,500 ft

WIND NE (30°) 18 kt gust 23 kt

TEMPERATURE 22 °C

VISIBILITY 10 sm

DEWPOINT 14 °C



Wind favours RWY 02

030° true · 037° magnetic · 18G23 kt

Evidence & limitations

- METAR source state: ok; observed Oct 18 10:56 ET; retrieved Oct 18 12:28 ET; 92 min before this run.
- Measured values read from the KSGJ METAR. This is a current surface observation only; it is not a forecast.

• Only fields decoded from this METAR are shown; every missing field remains unavailable.

• Altimeter: 30.28 inHg.

• The complete raw METAR remains in this airport's Raw products disclosure.

• KSGJ runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 13/31, 06/24, 02/20. Seaplane water lanes (17W, 35W, 18W, 36W, 12W and 30W) are excluded from the diagram and are never marked as favoured. Wind from 030 degrees true, 037 degrees magnetic, at 18 knots gusting 23 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 02. Wind source: KSGJ METAR 181456Z.

DESTINATION OUTLOOK

SUN, OCT 18

SUN 18 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 18 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 18

12:00–18:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 19

MON 19 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 19 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 19 OCT 12:00–18:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 17 kt

TEMPERATURE 70–72 °F

DEWPOINT 62–63 °F

PRECIP CHANCE 22%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 19 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 16–17 kt

TEMPERATURE 68–70 °F

DEWPOINT 59–61 °F

PRECIP CHANCE 19%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 19

00:00–06:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
13°C dep KLZU → 22°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
13/31 (130/310°M · 123/303°T) · 06/24 (060/240°M · 053/233°T) · 02/20 (020/200°M · 013/193°T) · 17W/35W (170/350°M · 163/343°T · water lane, not wind-favored) · 18W/36W (180/000°M · 173/353°T · water lane, not wind-favored) · 12W/30W (120/300°M · 113/293°T · water lane, not wind-favored) — designators and °M headings are magnetic; °T are true; variation 7°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) | 4 Act on | 2 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

ed 2026-10-18T16:28:23.548193Z.

oritative) » = no published end (each row states whether it is permanent or simply not supplied) — continues past this window

RI OCT 16 | SAT OCT 17 | SUN OCT 18 | MON OCT 19

5/0380

12/004 »

6/6168

9 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 16:28 Z

NOTAMs as of 16:28 Z — advisory only; verify an official briefing.

10/007

NOTAM text not available in this projection.

10/014

NOTAM text not available in this projection.

5/0380

NOTAM text not available in this projection.

12/004

NOTAM text not available in this projection.

6/6168

NOTAM text not available in this projection.

06/017

NOTAM text not available in this projection.

08/008

NOTAM text not available in this projection.

09/001

NOTAM text not available in this projection.

09/004

NOTAM text not available in this projection.

09/005

NOTAM text not available in this projection.

10/003

NOTAM text not available in this projection.

10/005

NOTAM text not available in this projection.

10/006

NOTAM text not available in this projection.

10/011

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

026-10-18T16:28:23.548193Z.

:00Z

:00Z

:00Z

NAV_APPROACH

Effective 2025-12-04T15:30:00Z → Permanent — no expiry published

NAV_APPROACH

Effective 2026-03-31T12:37:00Z → 2026-11-10T12:36:00Z

9 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

highest-resolution aviation forecast available. The National Weather Service issues it four times a day, valid 24 to 30 hours, with explicit FM and TEMPO change groups. Airports without their own TAF station use a nearby proxy, which is a normal condition and not a fault. A TAF was read for this airport this run (state: partial).

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KSGJ this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
S · 12:00–18:00 ET ET · VFR
S · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-18=GFS, 2026-10-19=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-18 18:00	71	Bkn	10/20kt	—	5-10kft	>6SM
GFS	2026-10-18 21:00	69	Ovc	10/20kt	—	3-5kft	>6SM
GFS	2026-10-19 00:00	69	Ovc	30/22kt	17.0	5-10kft	>6SM
GFS	2026-10-19 03:00	72	Bkn	40/21kt	—	5-10kft	>6SM
GFS	2026-10-19 06:00	72	Bkn	40/18kt	24.0	5-10kft	>6SM
GFS	2026-10-19 09:00	71	Bkn	30/18kt	—	5-10kft	>6SM
GFS	2026-10-19 12:00	70	Bkn	30/17kt	22.0	5-10kft	>6SM
GFS	2026-10-19 15:00	72	Few	20/17kt	—	5-10kft	>6SM
GFS	2026-10-19 18:00	70	Few	20/17kt	19.0	>10kft	>6SM
GFS	2026-10-19 21:00	68	Clear	10/16kt	—	>10kft	>6SM
GFS	2026-10-20 00:00	66	Clear	30/11kt	5.0	>10kft	>6SM
GFS	2026-10-20 03:00	64	Clear	30/10kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KSGJ 181456Z 03018G23KT 10SM BKN055 22/14 A3028 RMK AO2 SLP253 T02220139 51019 $

TAF KSGJ 181120Z 1812/1912 03020G30KT P6SM VCSH BKN045 FM182000 02023G34KT P6SM VCSH BKN030 FM190500 03018G26KT P6SM BKN035
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KSGJ; actual-station=KSGJ; fetched-at=2026-10-18T16:28:18.261128+00:00; observed-or-issued-at=2026-10-18T14:56:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KSGJ; actual-station=KSGJ; fetched-at=2026-10-18T16:28:18.840002+00:00; observed-or-issued-at=2026-10-18T11:20:00+00:00; valid-from=2026-10-18T12:00:00+00:00; valid-through=2026-10-19T12:00:00+00:00; partial-target-dates=2026-10-18,2026-10-19 — AWC API

  TAF proxy · KSGJ
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KSGJ; actual-station=KSGJ; fetched-at=2026-10-18T16:28:19.632553+00:00
- FAA NMS NOTAM — state=OK; requested-station=KSGJ; actual-station=KSGJ; fetched-at=2026-10-18T16:28:23.548193Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KSGJ; actual-station=KSGJ; fetched-at=2026-10-18T16:28:42.579035+00:00; observed-or-issued-at=2026-10-18T12:00:00+00:00; valid-from=2026-10-18T18:00:00+00:00; valid-through=2026-10-21T12:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KSGJ; actual-station=KSGJ; fetched-at=2026-10-18T16:28:43.096408+00:00; observed-or-issued-at=2026-10-18T00:00:00+00:00; valid-from=2026-10-19T00:00:00+00:00; valid-through=2026-10-26T00:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19 — Iowa State API
- MOS effective date selection — state=partial; rows=12; requested-station=KSGJ; actual-station=KSGJ; fetched-at=2026-10-18T16:28:42.579035+00:00; observed-or-issued-at=2026-10-18T12:00:00+00:00; valid-from=2026-10-18T18:00:00+00:00; valid-through=2026-10-21T12:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19; selected-by-date=2026-10-18=GFS, 2026-10-19=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#11 **KCRG** **Jacksonville/Executive at Craig Arpt, FL, US** · Atlantic North · Jacksonville Exec

OBS - VFR

ETE 1h45

DIST 252 nm

SUN 18 OCT 10:53 ET OBSERVED

Current observation METAR

OBS - VFR

OBSER

few 2,700 ft, scattered 3,300 ft, broken 4,300 ft

WIND N (360°) 17 kt gust 24 kt

TEMPERATURE 18 °C

VISIBILITY 10 sm

DEWPOINT **12 °C**



Wind favours RWY 05

360° true · 007° magnetic · 17G24 kt

Evidence & limitations

- METAR source state: ok; observed Oct 18 10:53 ET; retrieved Oct 18 12:28 ET; 95 min before this run.
- Measured values read from the KCRG METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.30 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KCRG runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 14/32, 05/23. Wind from 360 degrees true, 007 degrees magnetic, at 17 knots gusting 24 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 05. Wind source: KCRG METAR 181453Z.

DESTINATION OUTLOOK

SUN, OCT 18

SUN 18 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 18 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 18

12:00–18:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 19

MON 19 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 19 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 19 OCT 12:00–18:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 12–14 kt

TEMPERATURE 68–70 °F

DEWPOINT 59–61 °F

PRECIP CHANCE 17%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 19 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 12–15 kt

TEMPERATURE 70–71 °F

DEWPOINT 56–57 °F

PRECIP CHANCE 15%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 19

00:00–06:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
13°C dep KLZU → 18°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
14/32 (140/320°M · 133/313°T) · 05/23 (050/230°M · 043/223°T) — designators and °M headings are magnetic; °T are true; variation 7°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 3 Act on

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

ed 2026-10-18T16:28:23.682223Z.

oritative)

RI OCT 16 | SAT OCT 17 | SUN OCT 18 | MON OCT 19

6/8452

A0170/26

6/9357

11 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 16:28 Z

NOTAMs as of 16:28 Z — advisory only; verify an official briefing.

10/009

NOTAM text not available in this projection.

A0316/26

NOTAM text not available in this projection.

6/8452

NOTAM text not available in this projection.

A0170/26

NOTAM text not available in this projection.

6/9357

NOTAM text not available in this projection.

6/9358

NOTAM text not available in this projection.

A0189/26

NOTAM text not available in this projection.

A0190/26

NOTAM text not available in this projection.

12/015

NOTAM text not available in this projection.

A0332/25

NOTAM text not available in this projection.

02/057

NOTAM text not available in this projection.

09/013

NOTAM text not available in this projection.

09/014

NOTAM text not available in this projection.

09/016

NOTAM text not available in this projection.

09/019

NOTAM text not available in this projection.

10/008

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

…026-10-18T16:28:23.682223Z.

…:00Z

…:00Z

…:00Z

Effective 2026-05-06T18:55:00Z → 2028-05-06T18:55:00Z

NAV_APPROACH

Effective 2026-05-11T15:08:00Z → 2028-05-11T15:08:00Z

11 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KCRG this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · MVFR
:00 ET ET · MVFR
:00 ET ET · VFR
:00 ET ET · VFR
· 12:00–18:00 ET ET · VFR
· 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-18=GFS, 2026-10-19=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-18 18:00	66	Bkn	20/18kt	—	5-10kft	>6SM
GFS	2026-10-18 21:00	66	Ovc	20/17kt	—	3-5kft	>6SM
GFS	2026-10-19 00:00	65	Ovc	30/15kt	13.0	5-10kft	>6SM
GFS	2026-10-19 03:00	69	Bkn	30/14kt	—	5-10kft	>6SM
GFS	2026-10-19 06:00	70	Bkn	30/13kt	20.0	5-10kft	>6SM
GFS	2026-10-19 09:00	69	Ovc	20/14kt	—	5-10kft	>6SM
GFS	2026-10-19 12:00	68	Ovc	10/12kt	17.0	5-10kft	>6SM
GFS	2026-10-19 15:00	70	Bkn	20/14kt	—	>10kft	>6SM
GFS	2026-10-19 18:00	71	Sct	20/15kt	15.0	>10kft	>6SM

GFS	2026-10-19 21:00	70	Clear	30/12kt	—	>10kft	>6SM
GFS	2026-10-20 00:00	63	Clear	30/7kt	1.0	>10kft	>6SM
GFS	2026-10-20 03:00	61	Clear	20/5kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KCRG 181453Z 36017G24KT 10SM FEW027 SCT033 BKN043 18/12 A3030 RMK AO2 SLP261 T01780122 51022

TAF KCRG 181624Z 1816/1912 03015G26KT P6SM BKN025 FM182000 02018G32KT P6SM BKN025 FM190000 02012G23KT P6SM SCT035 BKN045
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KCRG; actual-station=KCRG; fetched-at=2026-10-18T16:28:18.261128+00:00; observed-or-issued-at=2026-10-18T14:53:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KCRG; actual-station=KCRG; fetched-at=2026-10-18T16:28:18.840002+00:00; observed-or-issued-at=2026-10-18T16:24:00+00:00; valid-from=2026-10-18T16:00:00+00:00; valid-through=2026-10-19T12:00:00+00:00; partial-target-dates=2026-10-18,2026-10-19 — AWC API

  TAF proxy · KCRG
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KCRG; actual-station=KCRG; fetched-at=2026-10-18T16:28:19.420535+00:00
- FAA NMS NOTAM — state=OK; requested-station=KCRG; actual-station=KCRG; fetched-at=2026-10-18T16:28:23.682223Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KCRG; actual-station=KCRG; fetched-at=2026-10-18T16:28:42.508956+00:00; observed-or-issued-at=2026-10-18T12:00:00+00:00; valid-from=2026-10-18T18:00:00+00:00; valid-through=2026-10-21T12:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KCRG; actual-station=KCRG; fetched-at=2026-10-18T16:28:43.121823+00:00; observed-or-issued-at=2026-10-18T00:00:00+00:00; valid-from=2026-10-19T00:00:00+00:00; valid-through=2026-10-26T00:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19 — Iowa State API
- MOS effective date selection — state=partial; rows=12; requested-station=KCRG; actual-station=KCRG; fetched-at=2026-10-18T16:28:42.508956+00:00; observed-or-issued-at=2026-10-18T12:00:00+00:00; valid-from=2026-10-18T18:00:00+00:00; valid-through=2026-10-21T12:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19; selected-by-date=2026-10-18=GFS, 2026-10-19=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#12 **KFIN** **Palm Coast/Flagler Exec, FL, US** · Atlantic South · Flagler Exec FL

OBS - VFR

ETE 2h03

DIST 295 nm

SUN 18 OCT 11:50 ET OBSERVED

Current observation METAR

OBS - VFR

OBSER

scattered 3,700 ft, overcast 5,500 ft

WIND **N (20°) 12 kt gust 20 kt**

TEMPERATURE 22 °C

VISIBILITY 10 sm

DEWPOINT 14 °C



Wind favours RWY 06

020° true · 027° magnetic · 12G20 kt

Evidence & limitations

- METAR source state: ok; observed Oct 18 11:50 ET; retrieved Oct 18 12:28 ET; 38 min before this run.
- Measured values read from the KFIN METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.26 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KFIN runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 11/29, 06/24. Seaplane water lanes (18W and 36W) are excluded from the diagram and are never marked as favoured. Wind from 020 degrees true, 027 degrees magnetic, at 12 knots gusting 20 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 06. Wind source: KFIN METAR 181550Z.

DESTINATION OUTLOOK

SUN, OCT 18

SUN 18 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 18 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 18

12:00–18:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 19

MON 19 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 19 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 19 OCT 12:00–18:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 11–15 kt

TEMPERATURE 71–74 °F

DEWPOINT 64–65 °F

PRECIP CHANCE 24%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 19 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 15–17 kt

TEMPERATURE 71–73 °F

DEWPOINT 60–63 °F

PRECIP CHANCE 23%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 19

00:00–06:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
13°C dep KLZU → 22°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — source state: not_queried

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
11/29 (110/290°M · 103/283°T) · 06/24 (060/240°M · 053/233°T) · 18W/36W (180/000°M · 173/353°T · water lane, not wind-favored) — designators and °M headings are magnetic; °T are true; variation 7°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 8 Act on 1 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What 3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

ed 2026-10-18T16:28:23.763752Z.

oritative)

	RI OCT 16	SAT OCT 17	SUN OCT 18	MON OCT 19
6/4982				
6/4983				
A0039/26				

18 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 16:28 Z

NOTAMs as of 16:28 Z — advisory only; verify an official briefing.

6/4977

NOTAM text not available in this projection.

6/4978

NOTAM text not available in this projection.

6/4982

NOTAM text not available in this projection.

6/4983

NOTAM text not available in this projection.

A0039/26

NOTAM text not available in this projection.

A0040/26

NOTAM text not available in this projection.

A0041/26

NOTAM text not available in this projection.

A0042/26

NOTAM text not available in this projection.

06/004

NOTAM text not available in this projection.

07/008

NOTAM text not available in this projection.

A0036/26

NOTAM text not available in this projection.

08/004

NOTAM text not available in this projection.

08/007

NOTAM text not available in this projection.

10/001

NOTAM text not available in this projection.

10/002

NOTAM text not available in this projection.

10/003

NOTAM text not available in this projection.

A0048/26

NOTAM text not available in this projection.

10/002

NOTAM text not available in this projection.

10/003

NOTAM text not available in this projection.

10/004

NOTAM text not available in this projection.

09/008

NOTAM text not available in this projection.

09/011

NOTAM text not available in this projection.

A0046/26

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

Effective 2026-09-23T04:36:00Z → 2026-10-22T04:36:00Z

NAV_APPROACH

Effective 2026-09-23T04:36:00Z → 2026-10-22T04:36:00Z

NAV_APPROACH

Effective 2026-09-23T04:36:00Z → 2026-10-22T04:36:00Z

18 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

range MOS product, issued twice a day in twelve-hourly steps out to about 192 hours. Coarse, but the only station-calibrated numeric guidance that reaches the far end of a long weekend. This card shows it only as a labelled rough outlook and never as a resolved forecast. A station-calibrated MEX MOS product was read for this airport this run (state: partial).

valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KFIN this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
S · 12:00–18:00 ET ET · VFR
S · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-18=GFS, 2026-10-19=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-18 18:00	72	Ovc	30/19kt	—	5-10kft	>6SM
GFS	2026-10-18 21:00	70	Ovc	20/17kt	—	3-5kft	>6SM
GFS	2026-10-19 00:00	70	Ovc	30/16kt	19.0	5-10kft	>6SM
GFS	2026-10-19 03:00	73	Bkn	50/14kt	—	5-10kft	>6SM
GFS	2026-10-19 06:00	73	Bkn	50/12kt	27.0	5-10kft	>6SM
GFS	2026-10-19 09:00	72	Bkn	40/11kt	—	5-10kft	>6SM
GFS	2026-10-19 12:00	71	Bkn	30/11kt	24.0	5-10kft	>6SM
GFS	2026-10-19 15:00	74	Bkn	30/15kt	—	5-10kft	>6SM
GFS	2026-10-19 18:00	73	Bkn	20/17kt	23.0	5-10kft	>6SM
GFS	2026-10-19 21:00	71	Sct	10/15kt	—	5-10kft	>6SM
GFS	2026-10-20 00:00	67	Few	10/9kt	10.0	>10kft	>6SM
GFS	2026-10-20 03:00	64	Clear	30/6kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KFIN 181550Z 02012G20KT 10SM SCT037 OVC055 22/14 A3026

TAF KDAB 181139Z 1812/1912 02018G28KT P6SM FEW040 BKN050 FM181500 03020G30KT P6SM BKN040 FM181700 04020G30KT P6SM VCSH BKN040 FM190000 03018G26KT P6SM SCT060
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KFIN; actual-station=KFIN; fetched-at=2026-10-18T16:28:18.261128+00:00; observed-or-issued-at=2026-10-18T15:50:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KFIN; actual-station=KDAB; fetched-at=2026-10-18T16:28:18.840002+00:00; observed-or-issued-at=2026-10-18T11:39:00+00:00; valid-from=2026-10-18T12:00:00+00:00; valid-through=2026-10-19T12:00:00+00:00; partial-target-dates=2026-10-18,2026-10-19 — AWC API

  TAF proxy · KDAB
- FAA airport status — state=not_queried; fetch-state=not_attempted; payload-state=not_attempted; requested-station=KFIN
- FAA NMS NOTAM — state=OK; requested-station=KFIN; actual-station=KFIN; fetched-at=2026-10-18T16:28:23.763752Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KFIN; actual-station=KFIN; fetched-at=2026-10-18T16:28:42.521989+00:00; observed-or-issued-at=2026-10-18T12:00:00+00:00; valid-from=2026-10-18T18:00:00+00:00; valid-through=2026-10-21T12:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KFIN; actual-station=KFIN; fetched-at=2026-10-18T16:28:43.163565+00:00; observed-or-issued-at=2026-10-18T00:00:00+00:00; valid-from=2026-10-19T00:00:00+00:00; valid-through=2026-10-26T00:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19 — Iowa State API
- MOS effective date selection — state=partial; rows=12; requested-station=KFIN; actual-station=KFIN; fetched-at=2026-10-18T16:28:42.521989+00:00; observed-or-issued-at=2026-10-18T12:00:00+00:00; valid-from=2026-10-18T18:00:00+00:00; valid-through=2026-10-21T12:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19; selected-by-date=2026-10-18=GFS, 2026-10-19=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#13 **KGKT** **Gatlinburg-Pigeon Forge Arpt, TN, US** · Mountain · Smokies/Gatlinburg

OBS - VFR

ETE 0h50

DIST 114 nm

SUN 18 OCT 10:36 ET OBSERVED

Current observation

OBS - VFR

METAR

OBSER

clear below 12,000 ft (CLR)

WIND **calm**

TEMPERATURE **9 °C**

VISIBILITY **10 sm**

DEWPOINT5 °C

Evidence & limitations

- METAR source state: ok; observed Oct 18 10:36 ET; retrieved Oct 18 12:28 ET; 112 min before this run.
- Measured values read from the KGKT METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.53 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.

DESTINATION OUTLOOK

SUN, OCT 18

SUN 18 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 18 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 18

12:00–18:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 19

MON 19 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 19 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 19 OCT 12:00–18:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND **0 kt**

TEMPERATURE **35–51 °F**

DEWPOINT **34–38 °F**

PRECIP CHANCE **1%**

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 19 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND **3–4 kt**

TEMPERATURE **64–69 °F**

DEWPOINT **36–37 °F**

PRECIP CHANCE **0%**

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 19

00:00–06:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
6000 ft

CURRENT METAR TEMP DEP / DEST
13°C dep KLZU → 9°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — source state: not_queried

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
10/28 (100/280°M · 093/273°T) — designators and °M headings are magnetic; °T are true; variation 7°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) | 4 Act on | 2 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

ed 2026-10-18T16:28:23.781989Z.

oritative) » = no published end (each row states whether it is permanent or simply not supplied) — continues past this window



14 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 16:28 Z

NOTAMs as of 16:28 Z — advisory only; verify an official briefing.

5/5737

NOTAM text not available in this projection.

04/104

NOTAM text not available in this projection.

04/122

NOTAM text not available in this projection.

04/123

NOTAM text not available in this projection.

5/0055

NOTAM text not available in this projection.

5/0067

NOTAM text not available in this projection.

6/4578

NOTAM text not available in this projection.

07/683

NOTAM text not available in this projection.

08/632

NOTAM text not available in this projection.

09/026

NOTAM text not available in this projection.

09/050

NOTAM text not available in this projection.

09/491

NOTAM text not available in this projection.

09/537

NOTAM text not available in this projection.

10/113

NOTAM text not available in this projection.

10/312

NOTAM text not available in this projection.

10/313

NOTAM text not available in this projection.

10/405

NOTAM text not available in this projection.

10/414

NOTAM text not available in this projection.

09/688

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state:

026-10-18T16:28:23.781989Z.

OK. The dot colour reports whether this source was read this run; technical environment: preprod.

:00Z

:00Z

RUNWAY 04R/22 — RWY 10 EACH US

Effective 2026-04-07T10:24:00Z → 2027-11-30T19:00:00Z

RUNWAY 04L/23 — RWY 10/28 SFC MARKINGS NOT STD

Effective 2026-04-07T10:26:00Z → Permanent — no expiry published

NAV_APPROACH 06/055 — IAP GATLINBURG-PIGEON FORGE, SEVIERVILLE, TN, RNAV (GPS) RWY 10, ORIG-C ... HORIZONTAL RWY 10, AMDT 6S ... PROCEDURE NA ...

Effective 2025-09-24T20:31:00Z → 2027-09-24T20:31:00Z

14 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KGKT this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · VFR

· 12:00–18:00 ET ET · VFR

· 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-18=GFS, 2026-10-19=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-18 18:00	62	Clear	20/2kt	—	>10kft	>6SM
GFS	2026-10-18 21:00	67	Clear	40/3kt	—	>10kft	>6SM
GFS	2026-10-19 00:00	53	Clear	0/0kt	0.0	>10kft	>6SM

GFS	2026-10-19 03:00	44	Clear	0/0kt	—	>10kft	>6SM
GFS	2026-10-19 06:00	40	Clear	0/0kt	0.0	>10kft	>6SM
GFS	2026-10-19 09:00	37	Clear	0/0kt	—	>10kft	>6SM
GFS	2026-10-19 12:00	35	Clear	0/0kt	1.0	>10kft	>6SM
GFS	2026-10-19 15:00	51	Clear	0/0kt	—	>10kft	>6SM
GFS	2026-10-19 18:00	64	Clear	10/3kt	0.0	>10kft	>6SM
GFS	2026-10-19 21:00	69	Clear	20/4kt	—	>10kft	>6SM
GFS	2026-10-20 00:00	57	Clear	0/0kt	1.0	>10kft	>6SM
GFS	2026-10-20 03:00	48	Clear	0/0kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KGKT 181436Z AUTO 00000KT 10SM CLR 09/05 A3053 RMK A01

TAF KTYS 181133Z 1812/1912 03006KT P6SM SKC
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KGKT; actual-station=KGKT; fetched-at=2026-10-18T16:28:18.261128+00:00; observed-or-issued-at=2026-10-18T14:36:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KGKT; actual-station=KTYS; fetched-at=2026-10-18T16:28:18.840002+00:00; observed-or-issued-at=2026-10-18T11:33:00+00:00; valid-from=2026-10-18T12:00:00+00:00; valid-through=2026-10-19T12:00:00+00:00; partial-target-dates=2026-10-18,2026-10-19 — AWC API

  TAF proxy · KTYS
- FAA airport status — state=not_queried; fetch-state=not_attempted; payload-state=not_attempted; requested-station=KGKT
- FAA NMS NOTAM — state=OK; requested-station=KGKT; actual-station=KGKT; fetched-at=2026-10-18T16:28:23.781989Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KGKT; actual-station=KGKT; fetched-at=2026-10-18T16:28:42.513625+00:00; observed-or-issued-at=2026-10-18T12:00:00+00:00; valid-from=2026-10-18T18:00:00+00:00; valid-through=2026-10-21T12:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KGKT; actual-station=KGKT; fetched-at=2026-10-18T16:28:43.205426+00:00; observed-or-issued-at=2026-10-18T00:00:00+00:00; valid-from=2026-10-19T00:00:00+00:00; valid-through=2026-10-26T00:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19 — Iowa State API
- MOS effective date selection — state=partial; rows=12; requested-station=KGKT; actual-station=KGKT; fetched-at=2026-10-18T16:28:42.513625+00:00; observed-or-issued-at=2026-10-18T12:00:00+00:00; valid-from=2026-10-18T18:00:00+00:00; valid-through=2026-10-21T12:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19; selected-by-date=2026-10-18=GFS, 2026-10-19=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#14 **KSHD** **Staunton/Shenandoah Valley Rgnl, VA, US** · Mountain · Shenandoah valley

OBS - VFR

ETE 2h25

DIST 355 nm

SUN 18 OCT 10:35 ET OBSERVED

Current observation

OBS - VFR

OBSER

METAR

clear below 12,000 ft (CLR)

WIND **NE (40°) 5 kt**

TEMPERATURE **9 °C**

VISIBILITY **10 sm**

DEWPOINT **1 °C**

Wind favours RWY 05

040° true · 050° magnetic · 5 kt

Evidence & limitations

- METAR source state: ok; observed Oct 18 10:35 ET; retrieved Oct 18 12:28 ET; 113 min before this run.
- Measured values read from the KSHD METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.63 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KSHD runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 05/23. Wind from 040 degrees true, 050 degrees magnetic, at 5 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 05. Wind source: KSHD METAR 181435Z.

DESTINATION OUTLOOK

SUN, OCT 18

SUN 18 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 18 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 18

12:00–18:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 19

MON 19 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 19 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 19 OCT 12:00–18:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 1–4 kt

TEMPERATURE 29–50 °F

DEWPOINT 26–32 °F

PRECIP CHANCE 0%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 19 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 5–6 kt

TEMPERATURE 61–64 °F

DEWPOINT 30 °F

PRECIP CHANCE 0%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 19

00:00–06:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
13°C dep KLZU → 9°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — source state: not_queried

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
05/23 (050/230°M · 040/220°T) — designators and °M headings are magnetic; °T are true; variation 10°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) | 2 Act on | 2 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What | 3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

d 2026-10-18T16:28:23.813205Z.

oritative)

RI OCT 16 | SAT OCT 17 | SUN OCT 18 | MON OCT 19

5/3811

A0196/25

07/006

2 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 16:28 Z

NOTAMs as of 16:28 Z — advisory only; verify an official briefing.

03/004

NOTAM text not available in this projection.

A0068/26

NOTAM text not available in this projection.

5/3811

NOTAM text not available in this projection.

A0196/25

NOTAM text not available in this projection.

07/006

NOTAM text not available in this projection.

A0111/26

NOTAM text not available in this projection.

10/006

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

26-10-18T16:28:23.813205Z.

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

Effective 2025-09-15T15:42:00Z → 2027-09-15T15:41:00Z

NAV_APPROACH

Effective 2026-07-15T17:40:00Z → 2028-02-29T21:11:00Z

2 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KSHD this run.

published WPC surface chart matches this period and is shown in the dropdown with its

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · VFR

· 12:00–18:00 ET ET · VFR

· 18:00–00:00 ET ET · VFR

issuing office and valid time. It is displayed, never interpreted.

Source state: partial; selected by target date: 2026-10-18=GFS, 2026-10-19=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-18 18:00	57	Clear	40/6kt	—	>10kft	>6SM
GFS	2026-10-18 21:00	59	Clear	50/5kt	—	>10kft	>6SM
GFS	2026-10-19 00:00	46	Clear	30/1kt	0.0	>10kft	>6SM
GFS	2026-10-19 03:00	37	Clear	0/0kt	—	>10kft	>6SM
GFS	2026-10-19 06:00	33	Clear	0/0kt	0.0	>10kft	>6SM
GFS	2026-10-19 09:00	30	Clear	10/2kt	—	>10kft	>6SM
GFS	2026-10-19 12:00	29	Clear	20/1kt	0.0	>10kft	>6SM
GFS	2026-10-19 15:00	50	Clear	20/4kt	—	>10kft	>6SM
GFS	2026-10-19 18:00	61	Clear	20/6kt	0.0	>10kft	>6SM
GFS	2026-10-19 21:00	64	Clear	30/5kt	—	>10kft	>6SM
GFS	2026-10-20 00:00	50	Clear	10/1kt	0.0	>10kft	>6SM
GFS	2026-10-20 03:00	41	Clear	0/0kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KSHD 181435Z AUTO 04005KT 10SM CLR 09/01 A3063 RMK AO2 T00900007

TAF KCHO 181501Z 1815/1912 04010G18KT P6SM SKC FM182200 36003KT P6SM SKC
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KSHD; actual-station=KSHD; fetched-at=2026-10-18T16:28:18.261128+00:00; observed-or-issued-at=2026-10-18T14:35:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KSHD; actual-station=KCHO; fetched-at=2026-10-18T16:28:18.840002+00:00; observed-or-issued-at=2026-10-18T15:01:00+00:00; valid-from=2026-10-18T15:00:00+00:00; valid-through=2026-10-19T12:00:00+00:00; partial-target-dates=2026-10-18,2026-10-19 — AWC API

  TAF proxy · KCHO
- FAA airport status — state=not_queried; fetch-state=not_attempted; payload-state=not_attempted; requested-station=KSHD
- FAA NMS NOTAM — state=OK; requested-station=KSHD; actual-station=KSHD; fetched-at=2026-10-18T16:28:23.813205Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KSHD; actual-station=KSHD; fetched-at=2026-10-18T16:28:42.537678+00:00; observed-or-issued-at=2026-10-18T12:00:00+00:00; valid-from=2026-10-18T18:00:00+00:00; valid-through=2026-10-21T12:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KSHD; actual-station=KSHD; fetched-at=2026-10-18T16:28:43.148013+00:00; observed-or-issued-at=2026-10-18T00:00:00+00:00; valid-from=2026-10-19T00:00:00+00:00; valid-through=2026-10-26T00:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19 — Iowa State API

- MOS effective date selection — state=partial; rows=12; requested-station=KSHD; actual-station=KSHD; fetched-at=2026-10-18T16:28:42.537678+00:00; observed-or-issued-at=2026-10-18T12:00:00+00:00; valid-from=2026-10-18T18:00:00+00:00; valid-through=2026-10-21T12:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19; selected-by-date=2026-10-18=GFS, 2026-10-19=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#15 **KECP** **Panama City/NW Florida Beaches Intl, FL, US** · Gulf East · Panama City Beach

OBS - VFR

ETE 1h38

DIST 237 nm

SUN 18 OCT 10:53 ET OBSERVED

Current observation

OBS - VFR

METAR

OBSER

clear below 12,000 ft (CLR)

WIND N (20°) 18 kt gust 22 kt

TEMPERATURE 16 °C

VISIBILITY 10 sm

DEWPOINT 5 °C



Wind favours RWY 34

020° true · 023° magnetic · 18G22 kt

Evidence & limitations

- METAR source state: ok; observed Oct 18 10:53 ET; retrieved Oct 18 12:28 ET; 95 min before this run.
- Measured values read from the KECP METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.35 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KECP runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 16/34. Wind from 020 degrees true, 023 degrees magnetic, at 18 knots gusting 22 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 34. Wind source: KECP METAR 181453Z.

DESTINATION OUTLOOK

SUN, OCT 18

SUN 18 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 18 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 18

12:00–18:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 19

MON 19 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 19 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 19 OCT 12:00–18:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 8–12 kt

TEMPERATURE 52–66 °F

DEWPOINT 45–50 °F

PRECIP CHANCE 3%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 19 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 10 kt

TEMPERATURE 75–77 °F

DEWPOINT 48–50 °F

PRECIP CHANCE 2%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 19

00:00–06:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
6000 ft

CURRENT METAR TEMP DEP / DEST
13°C dep KLZU → 16°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
16/34 (160/340°M · 157/337°T) — designators and °M headings are magnetic; °T are true; variation 3°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) | 4 Act on | 1 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

ed 2026-10-18T16:28:23.992000Z.

oritative)

RI OCT 16 | SAT OCT 17 | SUN OCT 18 | MON OCT 19

A0129/26

6/0313

A0153/26

11 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 16:28 Z

NOTAMs as of 16:28 Z — advisory only; verify an official briefing.

A0202/26

NOTAM text not available in this projection.

07/022

NOTAM text not available in this projection.

A0129/26

NOTAM text not available in this projection.

6/0313

NOTAM text not available in this projection.

A0153/26

NOTAM text not available in this projection.

A0203/26

NOTAM text not available in this projection.

08/033

NOTAM text not available in this projection.

09/003

NOTAM text not available in this projection.

A0152/26

NOTAM text not available in this projection.

09/027

NOTAM text not available in this projection.

09/035

NOTAM text not available in this projection.

10/008

NOTAM text not available in this projection.

10/038

NOTAM text not available in this projection.

10/040

NOTAM text not available in this projection.

10/039

NOTAM text not available in this projection.

A0204/26

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

Effective 2026-09-02T17:00:00Z → 2027-01-15T16:23:00Z

NAV_APPROACH

Effective 2026-09-02T17:00:00Z → 2027-01-15T16:23:00Z

11 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KECP this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
· 12:00–18:00 ET ET · VFR
· 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-18=GFS, 2026-10-19=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-18 18:00	70	Clear	30/14kt	—	>10kft	>6SM
GFS	2026-10-18 21:00	72	Clear	20/12kt	—	>10kft	>6SM
GFS	2026-10-19 00:00	61	Clear	20/6kt	1.0	>10kft	>6SM
GFS	2026-10-19 03:00	55	Clear	30/8kt	—	>10kft	>6SM
GFS	2026-10-19 06:00	53	Clear	20/7kt	0.0	>10kft	>6SM
GFS	2026-10-19 09:00	52	Clear	10/7kt	—	>10kft	>6SM
GFS	2026-10-19 12:00	52	Clear	10/8kt	3.0	>10kft	>6SM
GFS	2026-10-19 15:00	66	Clear	30/12kt	—	>10kft	>6SM
GFS	2026-10-19 18:00	75	Clear	20/10kt	2.0	>10kft	>6SM
GFS	2026-10-19 21:00	77	Clear	360/10kt	—	>10kft	>6SM

GFS	2026-10-20 00:00	65	Clear	360/4kt	1.0	>10kft	>6SM
GFS	2026-10-20 03:00	57	Clear	10/5kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KECP 181453Z 02018G22KT 10SM CLR 16/05 A3035 RMK AO2 SLP288 T01610050 50010 $

TAF KECP 181120Z 1812/1912 03010KT P6SM SKC FM181400 03014G22KT P6SM SKC FM190000 03008KT P6SM SKC
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KECP; actual-station=KECP; fetched-at=2026-10-18T16:28:18.261128+00:00; observed-or-issued-at=2026-10-18T14:53:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KECP; actual-station=KECP; fetched-at=2026-10-18T16:28:18.840002+00:00; observed-or-issued-at=2026-10-18T11:20:00+00:00; valid-from=2026-10-18T12:00:00+00:00; valid-through=2026-10-19T12:00:00+00:00; partial-target-dates=2026-10-18,2026-10-19 — AWC API

  TAF proxy · KECP
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KECP; actual-station=KECP; fetched-at=2026-10-18T16:28:19.389116+00:00
- FAA NMS NOTAM — state=OK; requested-station=KECP; actual-station=KECP; fetched-at=2026-10-18T16:28:23.992000Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KECP; actual-station=KECP; fetched-at=2026-10-18T16:28:42.541280+00:00; observed-or-issued-at=2026-10-18T12:00:00+00:00; valid-from=2026-10-18T18:00:00+00:00; valid-through=2026-10-21T12:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KECP; actual-station=KECP; fetched-at=2026-10-18T16:28:43.182392+00:00; observed-or-issued-at=2026-10-18T00:00:00+00:00; valid-from=2026-10-19T00:00:00+00:00; valid-through=2026-10-26T00:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19 — Iowa State API
- MOS effective date selection — state=partial; rows=12; requested-station=KECP; actual-station=KECP; fetched-at=2026-10-18T16:28:42.541280+00:00; observed-or-issued-at=2026-10-18T12:00:00+00:00; valid-from=2026-10-18T18:00:00+00:00; valid-through=2026-10-21T12:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19; selected-by-date=2026-10-18=GFS, 2026-10-19=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#16 **KPNS** **Pensacola Intl, FL, US** · Gulf East · Pensacola (Class C)

OBS - VFR

ETE 1h51

DIST 267 nm

SUN 18 OCT 10:53 ET OBSERVED

Current observation

OBS - VFR

OBSER

METAR

clear below 12,000 ft (CLR)

WIND **NE (60°) 12 kt gust 21 kt**

TEMPERATURE 17 °C

VISIBILITY 10 sm

DEWPOINT 6 °C



Wind favours RWY 08

060° true · 062° magnetic · 12G21 kt · also NOTAM-affected: 08 and 26

Evidence & limitations

- METAR source state: ok; observed Oct 18 10:53 ET; retrieved Oct 18 12:28 ET; 95 min before this run.
- Measured values read from the KPNS METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.37 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KPNS runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 17/35, 08/26. Wind from 060 degrees true, 062 degrees magnetic, at 12 knots gusting 21 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 08. NOTAM-affected runway ends, hatched separately from the wind highlight: 08 and 26. The wind-favoured end 08 is also NOTAM-affected: the wind does favour it, but a NOTAM on this card names it, so the highlight is not a statement that the runway is usable. The hatch marks only that a NOTAM names the runway; it does not decode the NOTAM's effective times, so confirm the closure window in the NOTAM text below. Wind source: KPNS METAR 181453Z.

DESTINATION OUTLOOK

SUN, OCT 18

SUN 18 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 18 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 18

12:00–18:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 19

MON 19 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 19 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 19 OCT 12:00–18:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 9 kt

TEMPERATURE 56–66 °F

DEWPOINT 47–50 °F

PRECIP CHANCE 1%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 19 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 9–11 kt

TEMPERATURE 74–76 °F

DEWPOINT 51 °F

PRECIP CHANCE 1%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 19

00:00–06:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
13°C dep KLZU → 17°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
17/35 (170/350°M · 168/348°T) · 08/26 (080/260°M · 078/258°T) — designators and °M headings are magnetic; °T are true; variation 2°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 19 Act on 6 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What 3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

ed 2026-10-18T16:28:24.009462Z.

	RI OCT 16	SAT OCT 17	SUN OCT 18	MON OCT 19
04/047				
A0477/26				
A0478/26				

81 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 16:28 Z

NOTAMs as of 16:28 Z — advisory only; verify an official briefing.

5/9591

NOTAM text not available in this projection.

04/046

NOTAM text not available in this projection.

04/047

NOTAM text not available in this projection.

A0477/26

NOTAM text not available in this projection.

A0478/26

NOTAM text not available in this projection.

04/048

NOTAM text not available in this projection.

A0479/26

NOTAM text not available in this projection.

04/049

NOTAM text not available in this projection.

A0480/26

NOTAM text not available in this projection.

6/7052

NOTAM text not available in this projection.

09/005

NOTAM text not available in this projection.

09/006

NOTAM text not available in this projection.

09/007

NOTAM text not available in this projection.

A1014/26

NOTAM text not available in this projection.

A1015/26

NOTAM text not available in this projection.

09/008

NOTAM text not available in this projection.

09/074

NOTAM text not available in this projection.

A1113/26

NOTAM text not available in this projection.

09/080

NOTAM text not available in this projection.

A1116/26

NOTAM text not available in this projection.

09/082

NOTAM text not available in this projection.

09/085

NOTAM text not available in this projection.

10/005

NOTAM text not available in this projection.

10/006

NOTAM text not available in this projection.

10/012

NOTAM text not available in this projection.

A1134/26

NOTAM text not available in this projection.

10/013

NOTAM text not available in this projection.

A1135/26

NOTAM text not available in this projection.

10/026

NOTAM text not available in this projection.

A1150/26

NOTAM text not available in this projection.

10/073

NOTAM text not available in this projection.

A1204/26

NOTAM text not available in this projection.

12/025

NOTAM text not available in this projection.

A1113/25

NOTAM text not available in this projection.

05/004

NOTAM text not available in this projection.

A0495/26

NOTAM text not available in this projection.

05/065

NOTAM text not available in this projection.

A0605/26

NOTAM text not available in this projection.

08/079

NOTAM text not available in this projection.

08/082

NOTAM text not available in this projection.

09/075

NOTAM text not available in this projection.

A1115/26

NOTAM text not available in this projection.

09/076

NOTAM text not available in this projection.

09/077

NOTAM text not available in this projection.

A1114/26

NOTAM text not available in this projection.

09/078

NOTAM text not available in this projection.

09/079

NOTAM text not available in this projection.

09/081

NOTAM text not available in this projection.

10/004

NOTAM text not available in this projection.

A1127/26

NOTAM text not available in this projection.

10/007

NOTAM text not available in this projection.

A1129/26

NOTAM text not available in this projection.

10/023

NOTAM text not available in this projection.

A1148/26

NOTAM text not available in this projection.

10/024

NOTAM text not available in this projection.

10/025

NOTAM text not available in this projection.

A1149/26

NOTAM text not available in this projection.

10/027

NOTAM text not available in this projection.

A1153/26

NOTAM text not available in this projection.

10/028

NOTAM text not available in this projection.

A1154/26

NOTAM text not available in this projection.

A1212/26

NOTAM text not available in this projection.

A0797/25

NOTAM text not available in this projection.

01/160

NOTAM text not available in this projection.

A0199/26

NOTAM text not available in this projection.

6/3336

NOTAM text not available in this projection.

A0624/26

NOTAM text not available in this projection.

A0826/26

NOTAM text not available in this projection.

6/7054

NOTAM text not available in this projection.

A0828/26

NOTAM text not available in this projection.

6/8258

NOTAM text not available in this projection.

A0849/26

NOTAM text not available in this projection.

6/8259

NOTAM text not available in this projection.

A0850/26

NOTAM text not available in this projection.

A1213/26

NOTAM text not available in this projection.

08/044

NOTAM text not available in this projection.

08/045

NOTAM text not available in this projection.

08/053

NOTAM text not available in this projection.

A0967/26

NOTAM text not available in this projection.

09/066

NOTAM text not available in this projection.

09/087

NOTAM text not available in this projection.

10/072

NOTAM text not available in this projection.

10/076

NOTAM text not available in this projection.

10/078

NOTAM text not available in this projection.

10/074

NOTAM text not available in this projection.

A1206/26

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

026-10-18T16:28:24.009462Z.

Effective 2025-09-08T16:19:00Z → 2027-09-08T16:19:00Z

FAA NOTAM text was truncated in this preview; verify the complete official record.

RUNWAY

Effective 2026-04-24T22:11:00Z → 2027-01-29T20:00:00Z

RUNWAY

Effective 2026-04-24T22:11:00Z → 2027-01-29T20:00:00Z

RUNWAY

Effective 2026-04-24T22:11:00Z → 2027-01-29T20:00:00Z

RUNWAY

Effective 2026-04-24T22:11:00Z → 2027-01-29T20:00:00Z

RUNWAY

Effective 2026-09-29T12:42:00Z → 2026-12-28T23:00:00Z

RUNWAY

Effective 2026-09-29T12:42:00Z → 2026-12-28T23:00:00Z

79 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

issued hourly by the reporting station, with SPECI reports off-cycle, carrying ceiling, visibility, wind, temperature and altimeter. Issued by the observing station and distributed by aviationweather.gov. This is measured fact, not a forecast, and on this page it describes conditions right now, not this day. A current KPNS observation was read this run. It describes conditions now, not this trip day.

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KPNS this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
· 12:00–18:00 ET ET · VFR
· 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-18=GFS, 2026-10-19=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-18 18:00	72	Clear	60/14kt	—	>10kft	>6SM
GFS	2026-10-18 21:00	73	Clear	40/12kt	—	>10kft	>6SM
GFS	2026-10-19 00:00	65	Clear	40/7kt	0.0	>10kft	>6SM
GFS	2026-10-19 03:00	60	Clear	50/7kt	—	>10kft	>6SM
GFS	2026-10-19 06:00	57	Clear	50/7kt	0.0	>10kft	>6SM
GFS	2026-10-19 09:00	57	Clear	40/8kt	—	>10kft	>6SM
GFS	2026-10-19 12:00	56	Sct	40/9kt	1.0	>10kft	>6SM
GFS	2026-10-19 15:00	66	Clear	50/9kt	—	>10kft	>6SM
GFS	2026-10-19 18:00	74	Clear	60/11kt	1.0	>10kft	>6SM
GFS	2026-10-19 21:00	76	Clear	50/9kt	—	>10kft	>6SM
GFS	2026-10-20 00:00	69	Clear	30/6kt	1.0	>10kft	>6SM
GFS	2026-10-20 03:00	64	Clear	40/6kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KPNS 181453Z 06012G21KT 10SM CLR 17/06 A3037 RMK AO2 PK WND 07026/1436 SLP285 T01670061 50015

TAF KPNS 181412Z 1814/1912 07012KT P6SM SKC FM190000 04007KT P6SM SKC
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KPNS; actual-station=KPNS; fetched-at=2026-10-18T16:28:18.261128+00:00; observed-or-issued-at=2026-10-18T14:53:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KPNS; actual-station=KPNS; fetched-at=2026-10-18T16:28:18.840002+00:00; observed-or-issued-at=2026-10-18T14:12:00+00:00; valid-from=2026-10-18T14:00:00+00:00; valid-through=2026-10-19T12:00:00+00:00; partial-target-dates=2026-10-18,2026-10-19 — AWC API

  TAF proxy · KPNS
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KPNS; actual-station=KPNS; fetched-at=2026-10-18T16:28:19.812349+00:00
- FAA NMS NOTAM — state=OK; requested-station=KPNS; actual-station=KPNS; fetched-at=2026-10-18T16:28:24.009462Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KPNS; actual-station=KPNS; fetched-at=2026-10-18T16:28:42.587557+00:00; observed-or-issued-at=2026-10-18T12:00:00+00:00; valid-from=2026-10-18T18:00:00+00:00; valid-through=2026-10-21T12:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KPNS; actual-station=KPNS; fetched-at=2026-10-18T16:28:43.262861+00:00; observed-or-issued-at=2026-10-18T00:00:00+00:00; valid-from=2026-10-19T00:00:00+00:00; valid-through=2026-10-26T00:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19 — Iowa State API
- MOS effective date selection — state=partial; rows=12; requested-station=KPNS; actual-station=KPNS; fetched-at=2026-10-18T16:28:42.587557+00:00; observed-or-issued-at=2026-10-18T12:00:00+00:00; valid-from=2026-10-18T18:00:00+00:00; valid-through=2026-10-21T12:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19; selected-by-date=2026-10-18=GFS, 2026-10-19=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#17 **KDAB** **Daytona Beach Intl, FL, US** · Gulf East · Daytona Beach (Class C)

OBS - VFR

ETE 2h13

DIST 324 nm

SUN 18 OCT 10:53 ET OBSERVED

Current observation

OBS - VFR

METAR

OBSER

scattered 3,600 ft, broken 6,000 ft

WIND **NE (40°) 14 kt gust 24 kt**

TEMPERATURE **23 °C**

VISIBILITY **10 sm**

DEWPOINT 14 °C



Wind equally favours RWY 07L and 07R

040° true · 047° magnetic · 14G24 kt

Evidence & limitations

- METAR source state: ok; observed Oct 18 10:53 ET; retrieved Oct 18 12:28 ET; 95 min before this run.
- Measured values read from the KDAB METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.22 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KDAB runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 07L/25R, 16/34, 07R/25L. Wind from 040 degrees true, 047 degrees magnetic, at 14 knots gusting 24 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Equally wind-favoured runway ends, highlighted: 07L and 07R. Wind source: KDAB METAR 181453Z.

DESTINATION OUTLOOK

SUN, OCT 18

SUN 18 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 18 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 18

12:00–18:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 19

MON 19 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 19 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 19 OCT 12:00–18:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 13–17 kt

TEMPERATURE 73–76 °F

DEWPOINT 67 °F

PRECIP CHANCE 24%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 19 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 18–19 kt

TEMPERATURE 73–75 °F

DEWPOINT 62–64 °F

PRECIP CHANCE 27%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 19

00:00–06:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
13°C dep KLZU → 23°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
07L/25R (070/250°M · 063/243°T) · 16/34 (160/340°M · 153/333°T) · 07R/25L (070/250°M · 063/243°T) — designators and °M headings are magnetic; °T are true; variation 7°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) | 13 Act on | 2 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What | 3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

ed 2026-10-18T16:28:24.011180Z.

oritative)

RI OCT 16 | SAT OCT 17 | SUN OCT 18 | MON OCT 19

10/049

A1733/26

10/050

37 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 16:28 Z

NOTAMs as of 16:28 Z — advisory only; verify an official briefing.

09/144

NOTAM text not available in this projection.

A1640/26

NOTAM text not available in this projection.

10/049

NOTAM text not available in this projection.

A1733/26

NOTAM text not available in this projection.

10/050

NOTAM text not available in this projection.

A1735/26

NOTAM text not available in this projection.

10/066

NOTAM text not available in this projection.

A1766/26

NOTAM text not available in this projection.

A1773/26

NOTAM text not available in this projection.

A1774/26

NOTAM text not available in this projection.

A1775/26

NOTAM text not available in this projection.

A1772/26

NOTAM text not available in this projection.

A1776/26

NOTAM text not available in this projection.

10/076

NOTAM text not available in this projection.

6/8810

NOTAM text not available in this projection.

6/8811

NOTAM text not available in this projection.

6/8814

NOTAM text not available in this projection.

6/8816

NOTAM text not available in this projection.

A0825/26

NOTAM text not available in this projection.

A0828/26

NOTAM text not available in this projection.

A0829/26

NOTAM text not available in this projection.

A0830/26

NOTAM text not available in this projection.

6/3056

NOTAM text not available in this projection.

A0972/26

NOTAM text not available in this projection.

6/0752

NOTAM text not available in this projection.

A1405/26

NOTAM text not available in this projection.

08/067

NOTAM text not available in this projection.

08/069

NOTAM text not available in this projection.

08/070

NOTAM text not available in this projection.

08/071

NOTAM text not available in this projection.

02/081

NOTAM text not available in this projection.

A0203/26

NOTAM text not available in this projection.

09/149

NOTAM text not available in this projection.

A1643/26

NOTAM text not available in this projection.

10/031

NOTAM text not available in this projection.

A1704/26

NOTAM text not available in this projection.

10/032

NOTAM text not available in this projection.

A1705/26

NOTAM text not available in this projection.

10/033

NOTAM text not available in this projection.

A1706/26

NOTAM text not available in this projection.

10/074

NOTAM text not available in this projection.

10/075

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

RUNWAY

Effective 2026-10-09T11:19:00Z → 2026-12-04T20:00:00Z

37 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight

category. NOTAMs were read for KDAB this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

:00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · VFR

S · 12:00–18:00 ET ET · VFR

S · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-18=GFS, 2026-10-19=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-18 18:00	74	Bkn	30/19kt	—	5-10kft	>6SM
GFS	2026-10-18 21:00	72	Ovc	20/19kt	—	3-5kft	>6SM
GFS	2026-10-19 00:00	72	Ovc	30/19kt	20.0	5-10kft	>6SM
GFS	2026-10-19 03:00	75	Bkn	40/16kt	—	5-10kft	>6SM
GFS	2026-10-19 06:00	75	Bkn	40/14kt	28.0	5-10kft	>6SM
GFS	2026-10-19 09:00	74	Bkn	40/13kt	—	5-10kft	>6SM
GFS	2026-10-19 12:00	73	Bkn	30/13kt	24.0	5-10kft	>6SM
GFS	2026-10-19 15:00	76	Bkn	30/17kt	—	5-10kft	>6SM
GFS	2026-10-19 18:00	75	Bkn	30/19kt	27.0	5-10kft	>6SM
GFS	2026-10-19 21:00	73	Sct	10/18kt	—	5-10kft	>6SM
GFS	2026-10-20 00:00	69	Few	20/13kt	13.0	>10kft	>6SM
GFS	2026-10-20 03:00	68	Clear	20/9kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KDAB 181453Z 04014G24KT 10SM SCT036 BKN060 23/14 A3022

TAF KDAB 181139Z 1812/1912 02018G28KT P6SM FEW040 BKN050 FM181500 03020G30KT P6SM BKN040 FM181700 04020G30KT P6SM VCSH BKN040 FM190000 03018G26KT P6SM SCT060
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KDAB; actual-station=KDAB; fetched-at=2026-10-18T16:28:18.261128+00:00; observed-or-issued-at=2026-10-18T14:53:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KDAB; actual-station=KDAB; fetched-at=2026-10-18T16:28:18.840002+00:00; observed-or-issued-at=2026-10-18T11:39:00+00:00; valid-from=2026-10-18T12:00:00+00:00; valid-through=2026-10-19T12:00:00+00:00; partial-target-dates=2026-10-18,2026-10-19 — AWC API
  TAF proxy · KDAB
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KDAB; actual-station=KDAB; fetched-at=2026-10-18T16:28:19.690128+00:00

- FAA NMS NOTAM — state=OK; requested-station=KDAB; actual-station=KDAB; fetched-at=2026-10-18T16:28:24.011180Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KDAB; actual-station=KDAB; fetched-at=2026-10-18T16:28:42.546188+00:00; observed-or-issued-at=2026-10-18T12:00:00+00:00; valid-from=2026-10-18T18:00:00+00:00; valid-through=2026-10-21T12:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KDAB; actual-station=KDAB; fetched-at=2026-10-18T16:28:43.212774+00:00; observed-or-issued-at=2026-10-18T00:00:00+00:00; valid-from=2026-10-19T00:00:00+00:00; valid-through=2026-10-26T00:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19 — Iowa State API
- MOS effective date selection — state=partial; rows=12; requested-station=KDAB; actual-station=KDAB; fetched-at=2026-10-18T16:28:42.546188+00:00; observed-or-issued-at=2026-10-18T12:00:00+00:00; valid-from=2026-10-18T18:00:00+00:00; valid-through=2026-10-21T12:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19; selected-by-date=2026-10-18=GFS, 2026-10-19=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#18 **KJKA** **Gulf Shores/Edwards Arpt, AL, US** · Gulf West · Gulf Shores AL

OBS - VFR

ETE 2h01

DIST 291 nm

SUN 18 OCT 10:56 ET OBSERVED

Current observation

OBS - VFR

OBSER

METAR

clear below 12,000 ft (CLR)

WINDE (70°) 15 kt gust 23 kt

TEMPERATURE18 °C

VISIBILITY10 sm

DEWPOINT8 °C



Wind favours RWY 09

070° true · 072° magnetic · 15G23 kt

Evidence & limitations

- METAR source state: ok; observed Oct 18 10:56 ET; retrieved Oct 18 12:28 ET; 92 min before this run.
- Measured values read from the KJKA METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.36 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.

• KJKA runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 09/27, 17/35. Wind from 070 degrees true, 072 degrees magnetic, at 15 knots gusting 23 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 09. Wind source: KJKA METAR 181456Z.

DESTINATION OUTLOOK

SUN, OCT 18

SUN 18 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 18 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 18

12:00–18:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 19

MON 19 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 19 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 19 OCT 12:00–18:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 7–10 kt

TEMPERATURE 51–64 °F

DEWPOINT 45–51 °F

PRECIP CHANCE 0%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 19 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 9–12 kt

TEMPERATURE 72–74 °F

DEWPOINT 49 °F

PRECIP CHANCE 1%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 19

00:00–06:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
13°C dep KLZU → 18°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
09/27 (090/270°M · 088/268°T) · 17/35 (170/350°M · 168/348°T) — designators and °M headings are magnetic; °T are true; variation 2°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) | 7 Act on | 2 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What | 3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

ed 2026-10-18T16:28:24.113708Z.

oritative)

RI OCT 16 | SAT OCT 17 | SUN OCT 18 | MON OCT 19

5/1162

6/3337

6/2179

7 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 16:28 Z

NOTAMs as of 16:28 Z — advisory only; verify an official briefing.

05/473

NOTAM text not available in this projection.

5/1161

NOTAM text not available in this projection.

5/1162

NOTAM text not available in this projection.

6/3337

NOTAM text not available in this projection.

6/2179

NOTAM text not available in this projection.

6/8649

NOTAM text not available in this projection.

6/8650

NOTAM text not available in this projection.

6/8651

NOTAM text not available in this projection.

09/693

NOTAM text not available in this projection.

10/074

NOTAM text not available in this projection.

10/083

NOTAM text not available in this projection.

10/867

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

…026-10-18T16:28:24.113708Z.

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

…:00Z

…ORES INTL/JACK EDWARDS FLD, GULF SHORES, AL. ILS OR LOC RWY 27, AMDT 10... CEVBE FIX MINIMUMS CIRCLING CAT C MDA 940(944)-2¼ SCN

…:00Z

…ORES INTL/JACK EDWARDS FLD, GULF SHORES, AL. RNAV (GPS) RWY 27, AMDT 2B... RNAV (GPS) RWY 9, AMDT 3C... CIRCLING CAT C MDA 940(944)-2¼ SCN

…:00Z

NAV_APPROACH …/3307 — IAP GULF SHORES INTL/JACK EDWARDS FLD, GULF SHORES, AL. ILS OR LOC RWY 27, AMDT 10... ALTERNATE MINIMUMS NA EXCEPT FOR ACFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS. NON-WAAS UNMONITORED. 2608271627-2701080127EST

Effective 2026-05-27T18:27:00Z → 2027-01-06T18:27:00Z

NAV_APPROACH …/2179 — IAP GULF SHORES INTL/JACK EDWARDS FLD, GULF SHORES, AL. ILS OR LOC RWY 27, AMDT 10... ALTERNATE MINIMUMS NA EXCEPT FOR ACFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS. BEN VORTAC UNMONITORED. 2608051628-2611181628EST

Effective 2026-08-05T16:28:00Z → 2026-11-18T16:28:00Z

7 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics,

the GFS model bias-corrected against decades of observations at this station. Issued four times a day in three-hourly steps out to about 72 hours. It carries an explicit ceiling and visibility category, so this card uses it to resolve a day the TAF cannot reach. A station-calibrated GFS MOS product was read for this airport this run (state: partial).

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KJKA this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
· 12:00–18:00 ET ET · VFR
· 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-18=GFS, 2026-10-19=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-18 18:00	70	Clear	70/14kt	—	>10kft	>6SM
GFS	2026-10-18 21:00	72	Clear	60/12kt	—	>10kft	>6SM
GFS	2026-10-19 00:00	62	Clear	70/7kt	0.0	>10kft	>6SM
GFS	2026-10-19 03:00	54	Clear	60/5kt	—	>10kft	>6SM
GFS	2026-10-19 06:00	50	Clear	60/5kt	0.0	>10kft	>6SM
GFS	2026-10-19 09:00	51	Clear	50/5kt	—	>10kft	>6SM
GFS	2026-10-19 12:00	51	Sct	50/7kt	0.0	5-10kft	>6SM
GFS	2026-10-19 15:00	64	Few	60/10kt	—	>10kft	>6SM
GFS	2026-10-19 18:00	72	Sct	70/12kt	1.0	>10kft	>6SM
GFS	2026-10-19 21:00	74	Few	70/9kt	—	>10kft	>6SM
GFS	2026-10-20 00:00	64	Clear	50/5kt	1.0	>10kft	>6SM
GFS	2026-10-20 03:00	60	Clear	50/4kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KJKA 181456Z 07015G23KT 10SM CLR 18/08 A3036

TAF KJKA 181413Z 1814/1912 05011KT P6SM SKC FM190000 06006KT P6SM SKC
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KJKA; actual-station=KJKA; fetched-at=2026-10-18T16:28:18.261128+00:00; observed-or-issued-at=2026-10-18T14:56:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KJKA; actual-station=KJKA; fetched-at=2026-10-18T16:28:18.840002+00:00; observed-or-issued-at=2026-10-18T14:13:00+00:00; valid-from=2026-10-18T14:00:00+00:00; valid-through=2026-10-19T12:00:00+00:00; partial-target-dates=2026-10-18,2026-10-19 — AWC API

  TAF proxy · KJKA
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KJKA; actual-station=KJKA; fetched-at=2026-10-18T16:28:19.622775+00:00
- FAA NMS NOTAM — state=OK; requested-station=KJKA; actual-station=KJKA; fetched-at=2026-10-18T16:28:24.113708Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KJKA; actual-station=KJKA; fetched-at=2026-10-18T16:28:42.582158+00:00; observed-or-issued-at=2026-10-18T12:00:00+00:00; valid-from=2026-10-18T18:00:00+00:00; valid-through=2026-10-21T12:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KJKA; actual-station=KJKA; fetched-at=2026-10-18T16:28:43.242168+00:00; observed-or-issued-at=2026-10-18T00:00:00+00:00; valid-from=2026-10-19T00:00:00+00:00; valid-through=2026-10-26T00:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19 — Iowa State API
- MOS effective date selection — state=partial; rows=12; requested-station=KJKA; actual-station=KJKA; fetched-at=2026-10-18T16:28:42.582158+00:00; observed-or-issued-at=2026-10-18T12:00:00+00:00; valid-from=2026-10-18T18:00:00+00:00; valid-through=2026-10-21T12:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19; selected-by-date=2026-10-18=GFS, 2026-10-19=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#19 **KBFM** **Mobile/Downtown Arpt, AL, US** · Gulf West · Mobile Downtown

OBS - VFR

ETE 2h00

DIST 290 nm

SUN 18 OCT 10:53 ET OBSERVED

Current observation

OBS - VFR

METAR

OBSER

clear below 12,000 ft (CLR)

WIND **E (80°) 13 kt**

TEMPERATURE **17 °C**

VISIBILITY **10 sm**

DEWPOINT **8 °C**



Wind favours RWY 14

080° true · 082° magnetic · 13 kt

Evidence & limitations

- METAR source state: ok; observed Oct 18 10:53 ET; retrieved Oct 18 12:28 ET; 95 min before this run.
- Measured values read from the KBFM METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.39 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KBFM runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 14/32, 18/36. Wind from 080 degrees true, 082 degrees magnetic, at 13 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 14. Wind source: KBFM METAR 181453Z.

DESTINATION OUTLOOK

SUN, OCT 18

SUN 18 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 18 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 18

12:00–18:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 19

MON 19 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 19 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 19 OCT 12:00–18:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 8–10 kt

TEMPERATURE 53–64 °F

DEWPOINT 44–49 °F

PRECIP CHANCE 0%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 19 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 8 kt

TEMPERATURE 74–76 °F

DEWPOINT 50 °F

PRECIP CHANCE 0%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 19

00:00–06:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
13°C dep KLZU → 17°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
14/32 (140/320°M · 138/318°T) · 18/36 (180/000°M · 178/358°T) — designators and °M headings are magnetic; °T are true; variation 2°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) | 14 Act on | 5 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What | 3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

ved 2026-10-18T16:28:24.219580Z.

RI OCT 16 | SAT OCT 17 | SUN OCT 18 | MON OCT 19

08/020

A0373/26

10/010

181 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 16:28 Z

NOTAMs as of 16:28 Z — advisory only; verify an official briefing.

08/004

NOTAM text not available in this projection.

A0354/26

NOTAM text not available in this projection.

08/020

NOTAM text not available in this projection.

A0373/26

NOTAM text not available in this projection.

10/010

NOTAM text not available in this projection.

A0483/26

NOTAM text not available in this projection.

A0505/26

NOTAM text not available in this projection.

A0506/26

NOTAM text not available in this projection.

A0507/26

NOTAM text not available in this projection.

10/014

NOTAM text not available in this projection.

A0489/26

NOTAM text not available in this projection.

09/083

NOTAM text not available in this projection.

09/089

NOTAM text not available in this projection.

A0514/26

NOTAM text not available in this projection.

A0520/26

NOTAM text not available in this projection.

09/123

NOTAM text not available in this projection.

A0558/26

NOTAM text not available in this projection.

09/288

NOTAM text not available in this projection.

A0884/26

NOTAM text not available in this projection.

09/334

NOTAM text not available in this projection.

09/340

NOTAM text not available in this projection.

A0937/26

NOTAM text not available in this projection.

A0944/26

NOTAM text not available in this projection.

09/345

NOTAM text not available in this projection.

09/348

NOTAM text not available in this projection.

A0950/26

NOTAM text not available in this projection.

A0953/26

NOTAM text not available in this projection.

09/359

NOTAM text not available in this projection.

09/365

NOTAM text not available in this projection.

A0965/26

NOTAM text not available in this projection.

A0972/26

NOTAM text not available in this projection.

09/372

NOTAM text not available in this projection.

A0980/26

NOTAM text not available in this projection.

09/379

NOTAM text not available in this projection.

09/386

NOTAM text not available in this projection.

09/391

NOTAM text not available in this projection.

A0988/26

NOTAM text not available in this projection.

A0996/26

NOTAM text not available in this projection.

A1001/26

NOTAM text not available in this projection.

09/401

NOTAM text not available in this projection.

09/404

NOTAM text not available in this projection.

09/406

NOTAM text not available in this projection.

09/407

NOTAM text not available in this projection.

A1012/26

NOTAM text not available in this projection.

A1015/26

NOTAM text not available in this projection.

A1018/26

NOTAM text not available in this projection.

A1019/26

NOTAM text not available in this projection.

09/422

NOTAM text not available in this projection.

09/431

NOTAM text not available in this projection.

A1036/26

NOTAM text not available in this projection.

A1046/26

NOTAM text not available in this projection.

09/436

NOTAM text not available in this projection.

A1051/26

NOTAM text not available in this projection.

09/456

NOTAM text not available in this projection.

A1074/26

NOTAM text not available in this projection.

09/463

NOTAM text not available in this projection.

09/472

NOTAM text not available in this projection.

A1081/26

NOTAM text not available in this projection.

A1091/26

NOTAM text not available in this projection.

09/493

NOTAM text not available in this projection.

A1116/26

NOTAM text not available in this projection.

09/529

NOTAM text not available in this projection.

09/530

NOTAM text not available in this projection.

A1156/26

NOTAM text not available in this projection.

A1157/26

NOTAM text not available in this projection.

09/540

NOTAM text not available in this projection.

A1170/26

NOTAM text not available in this projection.

09/543

NOTAM text not available in this projection.

09/548

NOTAM text not available in this projection.

09/549

NOTAM text not available in this projection.

A1173/26

NOTAM text not available in this projection.

A1178/26

NOTAM text not available in this projection.

A1179/26

NOTAM text not available in this projection.

09/569

NOTAM text not available in this projection.

A1203/26

NOTAM text not available in this projection.

09/584

NOTAM text not available in this projection.

A1220/26

NOTAM text not available in this projection.

09/601

NOTAM text not available in this projection.

09/604

NOTAM text not available in this projection.

A1239/26

NOTAM text not available in this projection.

A1243/26

NOTAM text not available in this projection.

09/610

NOTAM text not available in this projection.

A1249/26

NOTAM text not available in this projection.

09/627

NOTAM text not available in this projection.

09/630

NOTAM text not available in this projection.

A1268/26

NOTAM text not available in this projection.

A1271/26

NOTAM text not available in this projection.

09/669

NOTAM text not available in this projection.

09/672

NOTAM text not available in this projection.

A1315/26

NOTAM text not available in this projection.

A1318/26

NOTAM text not available in this projection.

09/698

NOTAM text not available in this projection.

09/709

NOTAM text not available in this projection.

A1348/26

NOTAM text not available in this projection.

A1360/26

NOTAM text not available in this projection.

09/726

NOTAM text not available in this projection.

09/727

NOTAM text not available in this projection.

09/733

NOTAM text not available in this projection.

A1379/26

NOTAM text not available in this projection.

A1381/26

NOTAM text not available in this projection.

A1387/26

NOTAM text not available in this projection.

09/763

NOTAM text not available in this projection.

A1420/26

NOTAM text not available in this projection.

09/769

NOTAM text not available in this projection.

A1426/26

NOTAM text not available in this projection.

09/791

NOTAM text not available in this projection.

09/796

NOTAM text not available in this projection.

A1448/26

NOTAM text not available in this projection.

A1453/26

NOTAM text not available in this projection.

09/813

NOTAM text not available in this projection.

A1470/26

NOTAM text not available in this projection.

09/821

NOTAM text not available in this projection.

09/822

NOTAM text not available in this projection.

09/833

NOTAM text not available in this projection.

A1478/26

NOTAM text not available in this projection.

A1479/26

NOTAM text not available in this projection.

A1490/26

NOTAM text not available in this projection.

09/847

NOTAM text not available in this projection.

09/848

NOTAM text not available in this projection.

A1504/26

NOTAM text not available in this projection.

A1505/26

NOTAM text not available in this projection.

09/860

NOTAM text not available in this projection.

A1517/26

NOTAM text not available in this projection.

09/871

NOTAM text not available in this projection.

09/877

NOTAM text not available in this projection.

A1528/26

NOTAM text not available in this projection.

A1534/26

NOTAM text not available in this projection.

09/887

NOTAM text not available in this projection.

09/888

NOTAM text not available in this projection.

A1544/26

NOTAM text not available in this projection.

A1545/26

NOTAM text not available in this projection.

09/910

NOTAM text not available in this projection.

A1567/26

NOTAM text not available in this projection.

09/921

NOTAM text not available in this projection.

A1578/26

NOTAM text not available in this projection.

09/936

NOTAM text not available in this projection.

A1593/26

NOTAM text not available in this projection.

09/945

NOTAM text not available in this projection.

A1602/26

NOTAM text not available in this projection.

09/959

NOTAM text not available in this projection.

A1616/26

NOTAM text not available in this projection.

09/971

NOTAM text not available in this projection.

A1628/26

NOTAM text not available in this projection.

09/980

NOTAM text not available in this projection.

09/984

NOTAM text not available in this projection.

A1637/26

NOTAM text not available in this projection.

A1641/26

NOTAM text not available in this projection.

09/001

NOTAM text not available in this projection.

09/005

NOTAM text not available in this projection.

09/993

NOTAM text not available in this projection.

A1650/26

NOTAM text not available in this projection.

A1657/26

NOTAM text not available in this projection.

A1660/26

NOTAM text not available in this projection.

09/013

NOTAM text not available in this projection.

A1667/26

NOTAM text not available in this projection.

A0504/26

NOTAM text not available in this projection.

6/2188

NOTAM text not available in this projection.

A0356/26

NOTAM text not available in this projection.

6/6897

NOTAM text not available in this projection.

6/6898

NOTAM text not available in this projection.

6/6899

NOTAM text not available in this projection.

A0478/26

NOTAM text not available in this projection.

A0479/26

NOTAM text not available in this projection.

A0480/26

NOTAM text not available in this projection.

6/9259

NOTAM text not available in this projection.

A0497/26

NOTAM text not available in this projection.

6/9269

NOTAM text not available in this projection.

A0499/26

NOTAM text not available in this projection.

10/034

NOTAM text not available in this projection.

05/009

NOTAM text not available in this projection.

A0240/26

NOTAM text not available in this projection.

06/026

NOTAM text not available in this projection.

06/027

NOTAM text not available in this projection.

06/028

NOTAM text not available in this projection.

06/029

NOTAM text not available in this projection.

06/030

NOTAM text not available in this projection.

06/031

NOTAM text not available in this projection.

06/032

NOTAM text not available in this projection.

06/033

NOTAM text not available in this projection.

08/021

NOTAM text not available in this projection.

10/007

NOTAM text not available in this projection.

10/024

NOTAM text not available in this projection.

10/030

NOTAM text not available in this projection.

08/027

NOTAM text not available in this projection.

10/035

NOTAM text not available in this projection.

A0508/26

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2026-10-18T16:28:24.219580Z.

RUNWAY

Effective 2026-10-05T13:49:00Z → 2026-10-30T22:00:00Z

181 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight

and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

ET · VFR

category. NOTAMs were read for KBFM this run.

no-go here is derived from an image. A published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

:00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · VFR

S · 12:00–18:00 ET ET · VFR

S · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-18=GFS, 2026-10-19=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-18 18:00	73	Clear	50/11kt	—	>10kft	>6SM
GFS	2026-10-18 21:00	75	Clear	20/12kt	—	>10kft	>6SM
GFS	2026-10-19 00:00	65	Clear	40/10kt	0.0	>10kft	>6SM
GFS	2026-10-19 03:00	59	Clear	50/9kt	—	>10kft	>6SM
GFS	2026-10-19 06:00	56	Clear	40/9kt	0.0	>10kft	>6SM
GFS	2026-10-19 09:00	53	Clear	20/7kt	—	>10kft	>6SM
GFS	2026-10-19 12:00	53	Clear	20/8kt	0.0	>10kft	>6SM
GFS	2026-10-19 15:00	64	Clear	40/10kt	—	>10kft	>6SM
GFS	2026-10-19 18:00	74	Few	40/8kt	0.0	>10kft	>6SM
GFS	2026-10-19 21:00	76	Few	40/8kt	—	>10kft	>6SM
GFS	2026-10-20 00:00	68	Clear	30/8kt	1.0	>10kft	>6SM
GFS	2026-10-20 03:00	63	Clear	40/7kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KBFM 181453Z 08013KT 10SM CLR 17/08 A3039 RMK AO2 SLP291 T01720078 50015

TAF KBFM 181411Z 1814/1912 07015KT P6SM SKC FM190000 04010KT P6SM SKC
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KBFM; actual-station=KBFM; fetched-at=2026-10-18T16:28:18.261128+00:00; observed-or-issued-at=2026-10-18T14:53:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KBFM; actual-station=KBFM; fetched-at=2026-10-18T16:28:18.840002+00:00; observed-or-issued-at=2026-10-18T14:11:00+00:00; valid-from=2026-10-18T14:00:00+00:00; valid-through=2026-10-19T12:00:00+00:00; partial-target-dates=2026-10-18,2026-10-19 — AWC API
  TAF proxy · KBFM
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KBFM; actual-station=KBFM; fetched-at=2026-10-18T16:28:19.946365+00:00

- FAA NMS NOTAM — state=OK; requested-station=KBFM; actual-station=KBFM; fetched-at=2026-10-18T16:28:24.219580Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KBFM; actual-station=KBFM; fetched-at=2026-10-18T16:28:42.583161+00:00; observed-or-issued-at=2026-10-18T12:00:00+00:00; valid-from=2026-10-18T18:00:00+00:00; valid-through=2026-10-21T12:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KBFM; actual-station=KBFM; fetched-at=2026-10-18T16:28:43.247777+00:00; observed-or-issued-at=2026-10-18T00:00:00+00:00; valid-from=2026-10-19T00:00:00+00:00; valid-through=2026-10-26T00:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19 — Iowa State API
- MOS effective date selection — state=partial; rows=12; requested-station=KBFM; actual-station=KBFM; fetched-at=2026-10-18T16:28:42.583161+00:00; observed-or-issued-at=2026-10-18T12:00:00+00:00; valid-from=2026-10-18T18:00:00+00:00; valid-through=2026-10-21T12:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19; selected-by-date=2026-10-18=GFS, 2026-10-19=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#20 **KGPT** **Gulfport-Biloxi Intl, MS, US** · Gulf West · Gulfport-Biloxi

OBS - VFR

ETE 2h18

DIST 337 nm

SUN 18 OCT 10:53 ET OBSERVED

Current observation

OBS - VFR

OBSER

METAR

clear below 12,000 ft (CLR)

WINDE (80°) 13 kt gust 20 kt

TEMPERATURE17 °C

VISIBILITY10 sm

DEWPOINT8 °C



Wind favours RWY 14

080° true · 081° magnetic · 13G20 kt

Evidence & limitations

- METAR source state: ok; observed Oct 18 10:53 ET; retrieved Oct 18 12:28 ET; 95 min before this run.
- Measured values read from the KGPT METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.37 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.

• KGPT runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 14/32, 18/36. Wind from 080 degrees true, 081 degrees magnetic, at 13 knots gusting 20 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 14. Wind source: KGPT METAR 181453Z.

DESTINATION OUTLOOK

SUN, OCT 18

SUN 18 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 18 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 18

12:00–18:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 19

MON 19 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 19 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 19 OCT 12:00–18:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 5–10 kt

TEMPERATURE 51–66 °F

DEWPOINT 43–49 °F

PRECIP CHANCE 1%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 19 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 11 kt

TEMPERATURE 74–75 °F

DEWPOINT 53–55 °F

PRECIP CHANCE 0%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 19

00:00–06:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
13°C dep KLZU → 17°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
14/32 (140/320°M · 139/319°T) · 18/36 (180/000°M · 179/359°T) — designators and °M headings are magnetic; °T are true; variation 1°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 11 Act on

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What

3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

ed 2026-10-18T16:28:24.340043Z.

oritative)

RI OCT 16 | SAT OCT 17 | SUN OCT 18 | MON OCT 19

A0386/26

06/065

6/9967

19 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 16:28 Z

NOTAMs as of 16:28 Z — advisory only; verify an official briefing.

09/057

NOTAM text not available in this projection.

6/5422

NOTAM text not available in this projection.

A0386/26

NOTAM text not available in this projection.

06/065

NOTAM text not available in this projection.

6/9967

NOTAM text not available in this projection.

A0597/26

NOTAM text not available in this projection.

09/048

NOTAM text not available in this projection.

A0727/26

NOTAM text not available in this projection.

6/9277

NOTAM text not available in this projection.

6/9279

NOTAM text not available in this projection.

6/9282

NOTAM text not available in this projection.

A0759/26

NOTAM text not available in this projection.

A0760/26

NOTAM text not available in this projection.

07/031

NOTAM text not available in this projection.

08/023

NOTAM text not available in this projection.

08/040

NOTAM text not available in this projection.

08/041

NOTAM text not available in this projection.

09/007

NOTAM text not available in this projection.

09/050

NOTAM text not available in this projection.

10/003

NOTAM text not available in this projection.

10/004

NOTAM text not available in this projection.

10/006

NOTAM text not available in this projection.

10/007

NOTAM text not available in this projection.

10/026

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2026-10-18T16:28:24.340043Z.

:00Z

:00Z

:00Z

NAV_APPROACH

Effective 2026-06-23T11:42:00Z → 2026-12-23T21:11:00Z

NAV_APPROACH

Effective 2026-06-23T12:17:00Z → 2028-06-23T12:17:00Z

19 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KGPT this run.

published WPC surface chart matches this period and is shown in the dropdown with its

e and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · VFR

· 12:00–18:00 ET ET · VFR

issuing office and valid time. It is displayed, never interpreted.

S · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-18=GFS, 2026-10-19=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-18 18:00	74	Clear	80/16kt	—	>10kft	>6SM
GFS	2026-10-18 21:00	75	Clear	80/15kt	—	>10kft	>6SM
GFS	2026-10-19 00:00	66	Clear	70/8kt	0.0	>10kft	>6SM
GFS	2026-10-19 03:00	59	Clear	80/7kt	—	>10kft	>6SM
GFS	2026-10-19 06:00	56	Clear	70/5kt	1.0	>10kft	>6SM
GFS	2026-10-19 09:00	53	Clear	10/4kt	—	>10kft	>6SM
GFS	2026-10-19 12:00	51	Clear	20/5kt	1.0	>10kft	>6SM
GFS	2026-10-19 15:00	66	Clear	50/10kt	—	>10kft	>6SM
GFS	2026-10-19 18:00	74	Sct	80/11kt	0.0	>10kft	>6SM
GFS	2026-10-19 21:00	75	Sct	110/11kt	—	>10kft	>6SM
GFS	2026-10-20 00:00	70	Clear	70/6kt	1.0	>10kft	>6SM
GFS	2026-10-20 03:00	65	Clear	70/5kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KGPT 181453Z 08013G20KT 10SM CLR 17/08 A3037 RMK AO2 SLP282 T01720078 51016

TAF KGPT 181120Z 1812/1912 03009KT P6SM SKC FM181500 07013KT P6SM SKC
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KGPT; actual-station=KGPT; fetched-at=2026-10-18T16:28:18.261128+00:00; observed-or-issued-at=2026-10-18T14:53:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KGPT; actual-station=KGPT; fetched-at=2026-10-18T16:28:18.840002+00:00; observed-or-issued-at=2026-10-18T11:20:00+00:00; valid-from=2026-10-18T12:00:00+00:00; valid-through=2026-10-19T12:00:00+00:00; partial-target-dates=2026-10-18,2026-10-19 — AWC API

  TAF proxy · KGPT
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KGPT; actual-station=KGPT; fetched-at=2026-10-18T16:28:19.888753+00:00
- FAA NMS NOTAM — state=OK; requested-station=KGPT; actual-station=KGPT; fetched-at=2026-10-18T16:28:24.340043Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KGPT; actual-station=KGPT; fetched-at=2026-10-18T16:28:42.716093+00:00; observed-or-issued-at=2026-10-18T12:00:00+00:00; valid-from=2026-10-18T18:00:00+00:00; valid-through=2026-10-21T12:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19 — Iowa State API

- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KGPT; actual-station=KGPT; fetched-at=2026-10-18T16:28:43.261963+00:00; observed-or-issued-at=2026-10-18T00:00:00+00:00; valid-from=2026-10-19T00:00:00+00:00; valid-through=2026-10-26T00:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19 — Iowa State API
- MOS effective date selection — state=partial; rows=12; requested-station=KGPT; actual-station=KGPT; fetched-at=2026-10-18T16:28:42.716093+00:00; observed-or-issued-at=2026-10-18T12:00:00+00:00; valid-from=2026-10-18T18:00:00+00:00; valid-through=2026-10-21T12:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19; selected-by-date=2026-10-18=GFS, 2026-10-19=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#21 **KSPG** **St Petersburg/Whitted Arpt, FL, US** · Gulf East · St Petersburg

OBS - VFR

ETE 2h35

DIST 379 nm

SUN 18 OCT 10:53 ET OBSERVED

Current observation

OBS - VFR

OBSER

METAR

clear below 12,000 ft (CLR)

WIND **NE (50°) 17 kt**

TEMPERATURE **23 °C**

VISIBILITY **10 sm**

DEWPOINT **17 °C**



Wind favours RWY 07

050° true · 056° magnetic · 17 kt

Evidence & limitations

- METAR source state: ok; observed Oct 18 10:53 ET; retrieved Oct 18 12:28 ET; 95 min before this run.
- Measured values read from the KSPG METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.17 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KSPG runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 07/25, 18/36. Wind from 050 degrees true, 056 degrees magnetic, at 17 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 07. Wind source: KSPG METAR 181453Z.

DESTINATION OUTLOOK

SUN, OCT 18

SUN 18 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 18 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 18

12:00–18:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 19

MON 19 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 19 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 19 OCT 12:00–18:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 15 kt

TEMPERATURE 70–75 °F

DEWPOINT 67–68 °F

PRECIP CHANCE 2%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 19 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 14–16 kt

TEMPERATURE 78–79 °F

DEWPOINT 67–68 °F

PRECIP CHANCE 4%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 19

00:00–06:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
13°C dep KLZU → 23°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
07/25 (070/250°M · 064/244°T) · 18/36 (180/000°M · 174/354°T) — designators and °M headings are magnetic; °T are true; variation 6°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What

3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

d 2026-10-18T16:28:24.405297Z.

oritative)

RI OCT 16 | SAT OCT 17 | SUN OCT 18 | MON OCT 19

08/001

Raw NOTAM data · NOTAMs as of 16:28 Z

NOTAMs as of 16:28 Z — advisory only; verify an official briefing.

6/3728

NOTAM text not available in this projection.

07/010

NOTAM text not available in this projection.

08/001

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

26-10-18T16:28:24.405297Z.

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KSPG this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
· 12:00–18:00 ET ET · VFR
· 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-18=GFS, 2026-10-19=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-18 18:00	76	Clear	60/17kt	—	>10kft	>6SM
GFS	2026-10-18 21:00	77	Few	60/19kt	—	>10kft	>6SM
GFS	2026-10-19 00:00	74	Clear	60/19kt	2.0	5-10kft	>6SM
GFS	2026-10-19 03:00	73	Clear	40/18kt	—	5-10kft	>6SM
GFS	2026-10-19 06:00	71	Clear	40/16kt	5.0	>10kft	>6SM
GFS	2026-10-19 09:00	70	Clear	40/17kt	—	>10kft	>6SM
GFS	2026-10-19 12:00	70	Clear	40/15kt	2.0	>10kft	>6SM
GFS	2026-10-19 15:00	75	Clear	50/15kt	—	>10kft	>6SM
GFS	2026-10-19 18:00	78	Few	60/14kt	4.0	5-10kft	>6SM
GFS	2026-10-19 21:00	79	Bkn	60/16kt	—	5-10kft	>6SM

GFS	2026-10-20 00:00	76	Clear	60/19kt	15.0	>10kft	>6SM
GFS	2026-10-20 03:00	73	Clear	60/18kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KSPG 181453Z 05017KT 10SM CLR 23/17 A3017 RMK AO2 PK WND 04027/1404 SLP214 T02280167 51011

TAF KPIE 181120Z 1812/1912 04014G23KT P6SM FEW050 SCT250
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KSPG; actual-station=KSPG; fetched-at=2026-10-18T16:28:18.261128+00:00; observed-or-issued-at=2026-10-18T14:53:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KSPG; actual-station=KPIE; fetched-at=2026-10-18T16:28:18.840002+00:00; observed-or-issued-at=2026-10-18T11:20:00+00:00; valid-from=2026-10-18T12:00:00+00:00; valid-through=2026-10-19T12:00:00+00:00; partial-target-dates=2026-10-18,2026-10-19 — AWC API

  TAF proxy · KPIE
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KSPG; actual-station=KSPG; fetched-at=2026-10-18T16:28:19.725953+00:00
- FAA NMS NOTAM — state=OK; requested-station=KSPG; actual-station=KSPG; fetched-at=2026-10-18T16:28:24.405297Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KSPG; actual-station=KSPG; fetched-at=2026-10-18T16:28:42.734970+00:00; observed-or-issued-at=2026-10-18T12:00:00+00:00; valid-from=2026-10-18T18:00:00+00:00; valid-through=2026-10-21T12:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KSPG; actual-station=KSPG; fetched-at=2026-10-18T16:28:43.286069+00:00; observed-or-issued-at=2026-10-18T00:00:00+00:00; valid-from=2026-10-19T00:00:00+00:00; valid-through=2026-10-26T00:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19 — Iowa State API
- MOS effective date selection — state=partial; rows=12; requested-station=KSPG; actual-station=KSPG; fetched-at=2026-10-18T16:28:42.734970+00:00; observed-or-issued-at=2026-10-18T12:00:00+00:00; valid-from=2026-10-18T18:00:00+00:00; valid-through=2026-10-21T12:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19; selected-by-date=2026-10-18=GFS, 2026-10-19=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#22 **KTPF** **Tampa/Knight Arpt, FL, US** · Gulf East · Tampa Peter O Knight

OBS - VFR

ETE 2h32

DIST 372 nm

SUN 18 OCT 10:35 ET OBSERVED

Current observation

OBS - VFR

OBSER

METAR

clear below 12,000 ft (CLR)

WIND **NE (50°) 18 kt gust 21 kt**

TEMPERATURE 22 °C

VISIBILITY 10 sm

DEWPOINT 15 °C



Wind favours RWY 04

050° true · 056° magnetic · 18G21 kt

Evidence & limitations

- METAR source state: ok; observed Oct 18 10:35 ET; retrieved Oct 18 12:28 ET; 113 min before this run.
- Measured values read from the KTPF METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.14 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KTPF runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 04/22, 18/36. Wind from 050 degrees true, 056 degrees magnetic, at 18 knots gusting 21 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 04. Wind source: KTPF METAR 181435Z.

DESTINATION OUTLOOK

SUN, OCT 18

SUN 18 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 18 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 18

12:00–18:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 19

MON 19 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 19 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 19 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 19 OCT 18:00–00:00 ET MEDIUM

Forecast GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 13–14 kt

TEMPERATURE 79–81 °F

DEWPOINT 64–65 °F

PRECIP CHANCE 6%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 19

00:00–06:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
13°C dep KLZU → 22°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
04/22 (040/220°M · 034/214°T) · 18/36 (180/000°M · 174/354°T) — designators and °M headings are magnetic; °T are true; variation 6°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 2 Act on 2 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

1 · When 2 · What 3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

ed 2026-10-18T16:28:24.470072Z.

oritative)

	RI OCT 16	SAT OCT 17	SUN OCT 18	MON OCT 19
6/8311				
10/003				
4/6304				

9 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 16:28 Z

NOTAMs as of 16:28 Z — advisory only; verify an official briefing.

06/014

NOTAM text not available in this projection.

6/0956

NOTAM text not available in this projection.

6/8311

NOTAM text not available in this projection.

10/003

NOTAM text not available in this projection.

4/6304

NOTAM text not available in this projection.

6/8312

NOTAM text not available in this projection.

09/025

NOTAM text not available in this projection.

12/007

NOTAM text not available in this projection.

02/001

NOTAM text not available in this projection.

06/005

NOTAM text not available in this projection.

07/015

NOTAM text not available in this projection.

07/016

NOTAM text not available in this projection.

10/002

NOTAM text not available in this projection.

06/015

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

Effective 2026-08-28T10:00:00Z → 2028-01-29T16:33:00Z

TAXIWAY 10/003 — TWY A1 HLDG PSN SIGN NORTHEAST SIDE B TN RWY 04/22 AND TWY A NOT STD

Effective 2026-10-09T14:27:00Z → 2026-11-30T22:00:00Z

NAV_APPROACH 06/004 — IAP PETER O KNIGHT, TAMPA, FL, RNAV (GPS) RWY 36, AMDT 2E... VDSI AND DESCENT ANGLES NOT COINCIDENT (VDSI ANGLE 3.00TCH 55.0) 2610082127/2610082127EST

Effective 2024-11-19T21:27:00Z → 2026-11-19T21:27:00Z

9 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KTPF this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · VFR

S · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-18=GFS, 2026-10-19=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-18 18:00	79	Few	70/17kt	—	>10kft	>6SM
GFS	2026-10-18 21:00	79	Sct	60/15kt	—	>10kft	>6SM
GFS	2026-10-19 00:00	74	Bkn	50/13kt	3.0	5-10kft	>6SM
GFS	2026-10-19 03:00	71	Sct	50/10kt	—	5-10kft	>6SM
GFS	2026-10-19 06:00	69	Clear	40/10kt	7.0	>10kft	>6SM
GFS	2026-10-19 09:00	68	Clear	40/10kt	—	>10kft	>6SM

GFS	2026-10-19 12:00	67	Clear	40/10kt	1.0	>10kft	>6SM
GFS	2026-10-19 15:00	76	Few	50/14kt	—	>10kft	>6SM
GFS	2026-10-19 18:00	81	Bkn	60/14kt	6.0	5-10kft	>6SM
GFS	2026-10-19 21:00	79	Bkn	60/13kt	—	5-10kft	>6SM
GFS	2026-10-20 00:00	74	Few	50/13kt	13.0	>10kft	>6SM
GFS	2026-10-20 03:00	69	Clear	50/11kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KTPF 181435Z AUTO 05018G21KT 10SM CLR 22/15 A3014 RMK AO2 T02250155 $

TAF KTPA 181455Z 1815/1918 03012G20KT P6SM FEW250
```

+ Data sources used

• METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KTPF; actual-station=KTPF; fetched-at=2026-10-18T16:28:18.261128+00:00; observed-or-issued-at=2026-10-18T14:35:00+00:00 — AWC API
• TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KTPF; actual-station=KTPA; fetched-at=2026-10-18T16:28:18.840002+00:00; observed-or-issued-at=2026-10-18T14:55:00+00:00; valid-from=2026-10-18T15:00:00+00:00; valid-through=2026-10-19T18:00:00+00:00; partial-target-dates=2026-10-18,2026-10-19 — AWC API

TAF proxy · KTPA

• FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KTPF; actual-station=KTPF; fetched-at=2026-10-18T16:28:20.021764+00:00
• FAA NMS NOTAM — state=OK; requested-station=KTPF; actual-station=KTPF; fetched-at=2026-10-18T16:28:24.470072Z — FAA NMS overview
• MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KTPF; actual-station=KTPF; fetched-at=2026-10-18T16:28:42.715161+00:00; observed-or-issued-at=2026-10-18T12:00:00+00:00; valid-from=2026-10-18T18:00:00+00:00; valid-through=2026-10-21T12:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19 — Iowa State API
• MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KTPF; actual-station=KTPF; fetched-at=2026-10-18T16:28:43.286456+00:00; observed-or-issued-at=2026-10-18T00:00:00+00:00; valid-from=2026-10-19T00:00:00+00:00; valid-through=2026-10-26T00:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19 — Iowa State API
• MOS effective date selection — state=partial; rows=12; requested-station=KTPF; actual-station=KTPF; fetched-at=2026-10-18T16:28:42.715161+00:00; observed-or-issued-at=2026-10-18T12:00:00+00:00; valid-from=2026-10-18T18:00:00+00:00; valid-through=2026-10-21T12:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19; selected-by-date=2026-10-18=GFS, 2026-10-19=GFS
• Extended outlook and hazard-feed states are reported in the source stamp.
• Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#23 **KSRQ** **Sarasota-Bradenton Intl, FL, US** · Gulf East · Sarasota-Bradenton

OBS - VFR

ETE 2h43

DIST 402 nm

SUN 18 OCT 10:53 ET OBSERVED

Current observation

METAR

OBS - VFR

OBSER

clear below 12,000 ft (CLR)

WIND **NE (60°) 16 kt gust 26 kt**

TEMPERATURE **24 °C**

VISIBILITY **10 sm**

DEWPOINT **16 °C**



Wind favours RWY 04

060° true · 066° magnetic · 16G26 kt

Evidence & limitations

- METAR source state: ok; observed Oct 18 10:53 ET; retrieved Oct 18 12:28 ET; 95 min before this run.
- Measured values read from the KSRQ METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.15 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KSRQ runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 14/32, 04/22. Wind from 060 degrees true, 066 degrees magnetic, at 16 knots gusting 26 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 04. Wind source: KSRQ METAR 181453Z.

DESTINATION OUTLOOK

SUN, OCT 18

SUN 18 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 18 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 18

12:00–18:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 19

MON 19 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 19 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 19 OCT 12:00–18:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 9–13 kt

TEMPERATURE 69–79 °F

DEWPOINT 65–67 °F

PRECIP CHANCE 1%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 19 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 12–13 kt

TEMPERATURE 82–83 °F

DEWPOINT 65 °F

PRECIP CHANCE 3%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 19

00:00–06:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
13°C dep KLZU → 24°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
14/32 (140/320°M · 134/314°T) · 04/22 (040/220°M · 034/214°T) — designators and °M headings are magnetic; °T are true; variation 6°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) | 5 Act on | 1 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What | 3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

ed 2026-10-18T16:28:24.626185Z.

RI OCT 16 | SAT OCT 17 | SUN OCT 18 | MON OCT 19

A0516/26

08/070

A0920/26

17 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 16:28 Z

NOTAMs as of 16:28 Z — advisory only; verify an official briefing.

A1092/26

NOTAM text not available in this projection.

05/096

NOTAM text not available in this projection.

A0516/26

NOTAM text not available in this projection.

08/070

NOTAM text not available in this projection.

A0920/26

NOTAM text not available in this projection.

5/0499

NOTAM text not available in this projection.

A1001/25

NOTAM text not available in this projection.

6/4825

NOTAM text not available in this projection.

A0754/26

NOTAM text not available in this projection.

10/040

NOTAM text not available in this projection.

06/005

NOTAM text not available in this projection.

A0527/26

NOTAM text not available in this projection.

09/080

NOTAM text not available in this projection.

09/081

NOTAM text not available in this projection.

10/002

NOTAM text not available in this projection.

10/003

NOTAM text not available in this projection.

A1049/26

NOTAM text not available in this projection.

10/012

NOTAM text not available in this projection.

10/013

NOTAM text not available in this projection.

09/069

NOTAM text not available in this projection.

A1085/26

NOTAM text not available in this projection.

A1086/26

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

026-10-18T16:28:24.626185Z.

:00Z

:00Z

:00Z

:00Z

TAXIWAY

Effective 2026-08-25T11:00:00Z → 2026-10-30T22:00:00Z

17 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KSRQ this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · VFR

· 12:00–18:00 ET ET · VFR

· 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-18=GFS, 2026-10-19=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-18 18:00	83	Few	70/15kt	—	>10kft	>6SM
GFS	2026-10-18 21:00	83	Sct	70/16kt	—	>10kft	>6SM
GFS	2026-10-19 00:00	77	Clear	50/13kt	1.0	>10kft	>6SM
GFS	2026-10-19 03:00	74	Clear	40/10kt	—	5-10kft	>6SM
GFS	2026-10-19 06:00	71	Clear	40/8kt	4.0	>10kft	>6SM
GFS	2026-10-19 09:00	69	Clear	40/11kt	—	>10kft	>6SM
GFS	2026-10-19 12:00	69	Clear	40/9kt	1.0	>10kft	>6SM
GFS	2026-10-19 15:00	79	Clear	60/13kt	—	>10kft	>6SM
GFS	2026-10-19 18:00	83	Sct	70/12kt	3.0	>10kft	>6SM
GFS	2026-10-19 21:00	82	Bkn	60/13kt	—	5-10kft	>6SM
GFS	2026-10-20 00:00	77	Few	60/12kt	21.0	5-10kft	>6SM
GFS	2026-10-20 03:00	73	Clear	50/11kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KSRQ 181453Z 06016G26KT 10SM CLR 24/16 A3015 RMK AO2 PK WND 02028/1432 SLP207 T02390161 50009

TAF KSRQ 181120Z 1812/1912 03010G18KT P6SM SCT050 SCT250 FM181400 05015G24KT P6SM SCT050 SCT250 FM190300 04010G18KT P6SM FEW050
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KSRQ; actual-station=KSRQ; fetched-at=2026-10-18T16:28:18.261128+00:00; observed-or-issued-at=2026-10-18T14:53:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KSRQ; actual-station=KSRQ; fetched-at=2026-10-18T16:28:18.840002+00:00; observed-or-issued-at=2026-10-18T11:20:00+00:00; valid-from=2026-10-18T12:00:00+00:00; valid-through=2026-10-19T12:00:00+00:00; partial-target-dates=2026-10-18,2026-10-19 — AWC API

  TAF proxy · KSRQ
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KSRQ; actual-station=KSRQ; fetched-at=2026-10-18T16:28:19.948631+00:00
- FAA NMS NOTAM — state=OK; requested-station=KSRQ; actual-station=KSRQ; fetched-at=2026-10-18T16:28:24.626185Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KSRQ; actual-station=KSRQ; fetched-at=2026-10-18T16:28:42.748327+00:00; observed-or-issued-at=2026-10-18T12:00:00+00:00; valid-from=2026-10-18T18:00:00+00:00; valid-through=2026-10-21T12:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KSRQ; actual-station=KSRQ; fetched-at=2026-10-18T16:28:43.306502+00:00; observed-or-issued-at=2026-10-18T00:00:00+00:00; valid-from=2026-10-19T00:00:00+00:00; valid-through=2026-10-26T00:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19 — Iowa State API
- MOS effective date selection — state=partial; rows=12; requested-station=KSRQ; actual-station=KSRQ; fetched-at=2026-10-18T16:28:42.748327+00:00; observed-or-issued-at=2026-10-18T12:00:00+00:00; valid-from=2026-10-18T18:00:00+00:00; valid-through=2026-10-21T12:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19; selected-by-date=2026-10-18=GFS, 2026-10-19=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#24 **KVNC** **Venice Muni, FL, US** · Gulf East · Venice FL

OBS - VFR

ETE 2h51

DIST 422 nm

SUN 18 OCT 10:35 ET OBSERVED

Current observation

OBS - VFR

OBSER

METAR

clear below 12,000 ft (CLR)

WIND **NE (60°) 20 kt gust 26 kt**

TEMPERATURE **24 °C**

VISIBILITY **10 sm**

DEWPOINT **17 °C**



Wind favours RWY 05

060° true · 066° magnetic · 20G26 kt

Evidence & limitations

- METAR source state: ok; observed Oct 18 10:35 ET; retrieved Oct 18 12:28 ET; 113 min before this run.
- Measured values read from the KVNC METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.11 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KVNC runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 13/31, 05/23. Wind from 060 degrees true, 066 degrees magnetic, at 20 knots gusting 26 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 05. Wind source: KVNC METAR 181435Z.

DESTINATION OUTLOOK

SUN, OCT 18

SUN 18 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 18 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 18

12:00–18:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 19

MON 19 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 19 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 19 OCT 12:00–18:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 11–16 kt

TEMPERATURE 70–80 °F

DEWPOINT 66–67 °F

PRECIP CHANCE 1%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 19 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 14–15 kt

TEMPERATURE 85–86 °F

DEWPOINT 65 °F

PRECIP CHANCE 2%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 19

00:00–06:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
13°C dep KLZU → 24°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — source state: not_queried

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
13/31 (130/310°M · 124/304°T) · 05/23 (050/230°M · 044/224°T) — designators and °M headings are magnetic; °T are true; variation 6°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

1 Act on

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What

3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

d 2026-10-18T16:28:24.659128Z.

oritative)

RI OCT 16 | SAT OCT 17 | SUN OCT 18 | MON OCT 19

10/039

10/040

10/046

Raw NOTAM data · NOTAMs as of 16:28 Z

NOTAMs as of 16:28 Z — advisory only; verify an official briefing.

6/5337

NOTAM text not available in this projection.

6/5336

NOTAM text not available in this projection.

10/039

NOTAM text not available in this projection.

10/040

NOTAM text not available in this projection.

10/046

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production

source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

26-10-18T16:28:24.659128Z.

:00Z

:00Z

OBSTRUCTION

Effective 2026-10-05T12:04:00Z → 2026-11-05T17:00:00Z

OBSTRUCTION

Effective 2026-10-05T13:02:00Z → 2027-01-03T04:00:00Z

OBSTRUCTION

Effective 2026-10-05T15:40:00.000Z → 2026-11-19T21:38:00.000Z

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KVNC this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · VFR

· 12:00–18:00 ET ET · VFR

· 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-18=GFS, 2026-10-19=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-18 18:00	84	Few	60/16kt	—	>10kft	>6SM

GFS	2026-10-18 21:00	84	Sct	60/17kt	—	>10kft	>6SM
GFS	2026-10-19 00:00	78	Clear	40/14kt	0.0	>10kft	>6SM
GFS	2026-10-19 03:00	75	Clear	30/12kt	—	5-10kft	>6SM
GFS	2026-10-19 06:00	72	Clear	40/11kt	4.0	>10kft	>6SM
GFS	2026-10-19 09:00	70	Clear	40/12kt	—	>10kft	>6SM
GFS	2026-10-19 12:00	70	Clear	40/11kt	1.0	>10kft	>6SM
GFS	2026-10-19 15:00	80	Clear	50/16kt	—	>10kft	>6SM
GFS	2026-10-19 18:00	86	Sct	60/14kt	2.0	>10kft	>6SM
GFS	2026-10-19 21:00	85	Sct	50/15kt	—	>10kft	>6SM
GFS	2026-10-20 00:00	78	Sct	50/13kt	23.0	5-10kft	>6SM
GFS	2026-10-20 03:00	72	Clear	50/13kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KVNC 181435Z AUTO 06020G26KT 10SM CLR 24/17 A3011 RMK AO2 PK WND 05026/1433 T02410168 $

TAF KSRQ 181120Z 1812/1912 03010G18KT P6SM SCT050 SCT250 FM181400 05015G24KT P6SM SCT050 SCT250 FM190300 04010G18KT P6SM FEW050
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KVNC; actual-station=KVNC; fetched-at=2026-10-18T16:28:18.261128+00:00; observed-or-issued-at=2026-10-18T14:35:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KVNC; actual-station=KSRQ; fetched-at=2026-10-18T16:28:18.840002+00:00; observed-or-issued-at=2026-10-18T11:20:00+00:00; valid-from=2026-10-18T12:00:00+00:00; valid-through=2026-10-19T12:00:00+00:00; partial-target-dates=2026-10-18,2026-10-19 — AWC API

  TAF proxy · KSRQ
- FAA airport status — state=not_queried; fetch-state=not_attempted; payload-state=not_attempted; requested-station=KVNC
- FAA NMS NOTAM — state=OK; requested-station=KVNC; actual-station=KVNC; fetched-at=2026-10-18T16:28:24.659128Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KVNC; actual-station=KVNC; fetched-at=2026-10-18T16:28:42.763727+00:00; observed-or-issued-at=2026-10-18T12:00:00+00:00; valid-from=2026-10-18T18:00:00+00:00; valid-through=2026-10-21T12:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KVNC; actual-station=KVNC; fetched-at=2026-10-18T16:28:43.319578+00:00; observed-or-issued-at=2026-10-18T00:00:00+00:00; valid-from=2026-10-19T00:00:00+00:00; valid-through=2026-10-26T00:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19 — Iowa State API
- MOS effective date selection — state=partial; rows=12; requested-station=KVNC; actual-station=KVNC; fetched-at=2026-10-18T16:28:42.763727+00:00; observed-or-issued-at=2026-10-18T12:00:00+00:00; valid-from=2026-10-18T18:00:00+00:00; valid-through=2026-10-21T12:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19; selected-by-date=2026-10-18=GFS, 2026-10-19=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#25 **KHSA** **Bay St Louis/Stennis Intl, MS, US** · Gulf West · Stennis MS

OBS - VFR

ETE 2h25

DIST 353 nm

SUN 18 OCT 10:47 ET OBSERVED

Current observation

OBS - VFR

OBSER

METAR

clear below 12,000 ft (CLR)

WIND **NE (30°) 10 kt gust 16 kt**

TEMPERATURE **17 °C**

VISIBILITY **10 sm**

DEWPOINT **8 °C**

Wind favours RWY 36

030° true · 031° magnetic · 10G16 kt · also NOTAM-affected: 18 and 36

Evidence & limitations

- METAR source state: ok; observed Oct 18 10:47 ET; retrieved Oct 18 12:28 ET; 101 min before this run.
- Measured values read from the KHSA METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.36 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KHSA runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 18/36. Wind from 030 degrees true, 031 degrees magnetic, at 10 knots gusting 16 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 36. NOTAM-affected runway ends, hatched separately from the wind highlight: 18 and 36. The wind-favoured end 36 is also NOTAM-affected: the wind does favour it, but a NOTAM on this card names it, so the highlight is not a statement that the runway is usable. The hatch marks only that a NOTAM names the runway; it does not decode the NOTAM's effective times, so confirm the closure window in the NOTAM text below. Wind source: KHSA METAR 181447Z.

DESTINATION OUTLOOK

SUN, OCT 18

SUN 18 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 18 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 18

12:00–18:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 19

MON 19 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 19 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 19 OCT 12:00–18:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND4–7 kt

TEMPERATURE999 °F

DEWPOINT999 °F

PRECIP CHANCE1%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 19 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND8–9 kt

TEMPERATURE999 °F

DEWPOINT999 °F

PRECIP CHANCE0%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 19

00:00–06:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
13°C dep KLZU → 17°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — source state: not_queried

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
18/36 (180/000°M · 179/359°T) — designators and °M headings are magnetic; °T are true; variation 1°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) | 4 Act on | 1 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What | 3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

ed 2026-10-18T16:28:24.659885Z.

	RI OCT 16	SAT OCT 17	SUN OCT 18	MON OCT 19
10/007	*Outside trip window*			
10/008	*Outside trip window*			
09/005				

7 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 16:28 Z

NOTAMs as of 16:28 Z — advisory only; verify an official briefing.

09/011

NOTAM text not available in this projection.

09/015

NOTAM text not available in this projection.

10/007

NOTAM text not available in this projection.

10/008

NOTAM text not available in this projection.

09/005

NOTAM text not available in this projection.

10/009

NOTAM text not available in this projection.

12/015

NOTAM text not available in this projection.

6/5656

NOTAM text not available in this projection.

10/002

NOTAM text not available in this projection.

10/003

NOTAM text not available in this projection.

02/005

NOTAM text not available in this projection.

10/006

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

…026-10-18T16:28:24.659885Z.

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

…D LGT NOT STD

…:00Z

…T AREA NOT STD

…:00Z

…:00Z

…:00Z

TAXIWAY …09/005 — TWY G CLSD

Effective 2026-09-08T14:00:00Z → 2026-10-30T23:00:00Z

7 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical

Forecast for Aviation and the Weather Prediction Center surface progs, issued by the National Weather Service through the day; the surface prog series reaches 144 hours. They are raster images a pilot reads for fronts, pressure systems and precipitation shields. This page displays them with their issuing office and valid time and never interprets them: no category, wind, ceiling, ranking or go/no-go here is derived from an image. A published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
· 12:00–18:00 ET ET · VFR
• **Mon, Oct 19 · 18:00–00:00 ET**: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-18=GFS, 2026-10-19=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-18 18:00	74	Clear	80/12kt	—	>10kft	>6SM
GFS	2026-10-18 21:00	77	Clear	80/11kt	—	>10kft	>6SM
GFS	2026-10-19 00:00	63	Clear	80/4kt	0.0	>10kft	>6SM
GFS	2026-10-19 03:00	54	Clear	50/4kt	—	>10kft	>6SM
GFS	2026-10-19 06:00	999	Clear	990/99kt	1.0	>10kft	>6SM
GFS	2026-10-19 09:00	999	Clear	990/99kt	—	>10kft	>6SM
GFS	2026-10-19 12:00	999	Clear	20/4kt	1.0	>10kft	>6SM
GFS	2026-10-19 15:00	999	Clear	60/7kt	—	>10kft	>6SM
GFS	2026-10-19 18:00	999	Few	80/8kt	0.0	>10kft	>6SM
GFS	2026-10-19 21:00	999	Few	100/9kt	—	>10kft	>6SM
GFS	2026-10-20 00:00	999	Clear	80/4kt	2.0	>10kft	>6SM
GFS	2026-10-20 03:00	999	Clear	60/2kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KHSA 181447Z 03010G16KT 10SM CLR 17/08 A3036

TAF KGPT 181120Z 1812/1912 03009KT P6SM SKC FM181500 07013KT P6SM SKC
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KHSA; actual-station=KHSA; fetched-at=2026-10-18T16:28:18.261128+00:00; observed-or-issued-at=2026-10-18T14:47:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KHSA; actual-station=KGPT; fetched-at=2026-10-18T16:28:18.840002+00:00; observed-or-issued-at=2026-10-18T11:20:00+00:00; valid-from=2026-10-18T12:00:00+00:00; valid-through=2026-10-19T12:00:00+00:00; partial-target-dates=2026-10-18,2026-10-19 — AWC API

  TAF proxy · KGPT
- FAA airport status — state=not_queried; fetch-state=not_attempted; payload-state=not_attempted; requested-station=KHSA
- FAA NMS NOTAM — state=OK; requested-station=KHSA; actual-station=KHSA; fetched-at=2026-10-18T16:28:24.659885Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KHSA; actual-station=KHSA; fetched-at=2026-10-18T16:28:42.718289+00:00; observed-or-issued-at=2026-10-18T12:00:00+00:00; valid-from=2026-10-18T18:00:00+00:00; valid-through=2026-10-21T12:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KHSA; actual-station=KHSA; fetched-at=2026-10-18T16:28:43.350841+00:00; observed-or-issued-at=2026-10-18T00:00:00+00:00; valid-from=2026-10-19T00:00:00+00:00; valid-through=2026-10-26T00:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19 — Iowa State API
- MOS effective date selection — state=partial; rows=12; requested-station=KHSA; actual-station=KHSA; fetched-at=2026-10-18T16:28:42.718289+00:00; observed-or-issued-at=2026-10-18T12:00:00+00:00; valid-from=2026-10-18T18:00:00+00:00; valid-through=2026-10-21T12:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19; selected-by-date=2026-10-18=GFS, 2026-10-19=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#26 **KNEW** **New Orleans/Lakefront Arpt, LA, US** · Gulf West · New Orleans Lakefront

OBS - VFR

ETE 2h38

DIST 389 nm

SUN 18 OCT 10:53 ET OBSERVED

Current observation

OBS - VFR

OBSER

METAR

clear below 12,000 ft (CLR)

WIND E (70°) 13 kt

TEMPERATURE 17 °C

VISIBILITY 10 sm

DEWPOINT 11 °C



Wind favours RWY 09

070° true · 071° magnetic · 13 kt

Evidence & limitations

- METAR source state: ok; observed Oct 18 10:53 ET; retrieved Oct 18 12:28 ET; 95 min before this run.
- Measured values read from the KNEW METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.36 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KNEW runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 18R/36L, 18L/36R, 09/27. Wind from 070 degrees true, 071 degrees magnetic, at 13 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 09. Wind source: KNEW METAR 181453Z.

DESTINATION OUTLOOK

SUN, OCT 18

SUN 18 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 18 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 18

12:00–18:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 19

MON 19 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 19 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 19 OCT 12:00–18:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND12 kt

TEMPERATURE62–65 °F

DEWPOINT51–52 °F

PRECIP CHANCE1%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 19 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND10–11 kt

TEMPERATURE71–74 °F

DEWPOINT53–55 °F

PRECIP CHANCE0%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 19

00:00–06:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
13°C dep KLZU → 17°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
18R/36L (180/000°M · 179/359°T) · 18L/36R (180/000°M · 179/359°T) · 09/27 (090/270°M · 089/269°T) — designators and °M headings are magnetic; °T are true; variation 1°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) | 4 Act on | 4 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What | 3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

ed 2026-10-18T16:28:24.811530Z.

oritative)

RI OCT 16 | SAT OCT 17 | SUN OCT 18 | MON OCT 19

6/5292

6/5293

10/014

10 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 16:28 Z

NOTAMs as of 16:28 Z — advisory only; verify an official briefing.

10/004

NOTAM text not available in this projection.

10/005

NOTAM text not available in this projection.

6/5292

NOTAM text not available in this projection.

6/5293

NOTAM text not available in this projection.

10/014

NOTAM text not available in this projection.

10/016

NOTAM text not available in this projection.

07/014

NOTAM text not available in this projection.

08/020

NOTAM text not available in this projection.

09/002

NOTAM text not available in this projection.

10/004

NOTAM text not available in this projection.

10/006

NOTAM text not available in this projection.

10/009

NOTAM text not available in this projection.

10/013

NOTAM text not available in this projection.

09/003

NOTAM text not available in this projection.

10/017

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

Effective 2026-09-24T15:07:00Z → 2027-05-06T15:07:00Z

NAV_APPROACH

Effective 2026-10-15T20:41:00Z → 2026-10-21T20:00:00Z

10 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KNEW this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
· 12:00–18:00 ET ET · VFR
· 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-18=GFS, 2026-10-19=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-18 18:00	72	Clear	80/14kt	—	>10kft	>6SM
GFS	2026-10-18 21:00	74	Clear	70/13kt	—	>10kft	>6SM
GFS	2026-10-19 00:00	70	Clear	80/11kt	0.0	>10kft	>6SM
GFS	2026-10-19 03:00	66	Clear	70/11kt	—	>10kft	>6SM
GFS	2026-10-19 06:00	63	Clear	60/12kt	0.0	>10kft	>6SM
GFS	2026-10-19 09:00	62	Clear	50/12kt	—	>10kft	>6SM
GFS	2026-10-19 12:00	62	Clear	50/12kt	1.0	>10kft	>6SM
GFS	2026-10-19 15:00	65	Clear	50/12kt	—	>10kft	>6SM
GFS	2026-10-19 18:00	71	Few	60/10kt	0.0	>10kft	>6SM
GFS	2026-10-19 21:00	74	Few	70/11kt	—	>10kft	>6SM

GFS	2026-10-20 00:00	71	Clear	80/10kt	3.0	>10kft	>6SM
GFS	2026-10-20 03:00	69	Clear	70/9kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KNEW 181453Z 07013KT 10SM CLR 17/11 A3036 RMK AO1 SLP272 T01720106 51015

TAF KNEW 181120Z 1812/1912 06021KT P6SM SKC FM190000 07006KT P6SM SKC
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KNEW; actual-station=KNEW; fetched-at=2026-10-18T16:28:18.261128+00:00; observed-or-issued-at=2026-10-18T14:53:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KNEW; actual-station=KNEW; fetched-at=2026-10-18T16:28:18.840002+00:00; observed-or-issued-at=2026-10-18T11:20:00+00:00; valid-from=2026-10-18T12:00:00+00:00; valid-through=2026-10-19T12:00:00+00:00; partial-target-dates=2026-10-18,2026-10-19 — AWC API

  TAF proxy · KNEW
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KNEW; actual-station=KNEW; fetched-at=2026-10-18T16:28:19.947499+00:00
- FAA NMS NOTAM — state=OK; requested-station=KNEW; actual-station=KNEW; fetched-at=2026-10-18T16:28:24.811530Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KNEW; actual-station=KNEW; fetched-at=2026-10-18T16:28:42.788023+00:00; observed-or-issued-at=2026-10-18T12:00:00+00:00; valid-from=2026-10-18T18:00:00+00:00; valid-through=2026-10-21T12:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KNEW; actual-station=KNEW; fetched-at=2026-10-18T16:28:43.356980+00:00; observed-or-issued-at=2026-10-18T00:00:00+00:00; valid-from=2026-10-19T00:00:00+00:00; valid-through=2026-10-26T00:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19 — Iowa State API
- MOS effective date selection — state=partial; rows=12; requested-station=KNEW; actual-station=KNEW; fetched-at=2026-10-18T16:28:42.788023+00:00; observed-or-issued-at=2026-10-18T12:00:00+00:00; valid-from=2026-10-18T18:00:00+00:00; valid-through=2026-10-21T12:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19; selected-by-date=2026-10-18=GFS, 2026-10-19=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#27 **KOPF** **Miami/Opa Locka Arpt, FL, US** · Long-range · Miami-Opa Locka

OBS - MVFR

ETE 3h30

DIST 521 nm

SUN 18 OCT 10:53 ET OBSERVED

Current observation

OBS - MVFR

OBSE

METAR

broken 2,900 ft, overcast 3,800 ft

WIND **NE (40°) 13 kt gust 25 kt**

TEMPERATURE 28 °C

VISIBILITY 10 sm

DEWPOINT 22 °C



Wind equally favours RWY 09L and 09R

040° true · 047° magnetic · 13G25 kt · also NOTAM-affected: 09L and 27R

Evidence & limitations

- METAR source state: ok; observed Oct 18 10:53 ET; retrieved Oct 18 12:28 ET; 95 min before this run.
- Measured values read from the KOPF METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.07 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KOPF runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 09L/27R, 12/30, 09R/27L. Wind from 040 degrees true, 047 degrees magnetic, at 13 knots gusting 25 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Equally wind-favoured runway ends, highlighted: 09L and 09R. NOTAM-affected runway ends, hatched separately from the wind highlight: 09L and 27R. The wind-favoured end 09L is also NOTAM-affected: the wind does favour it, but a NOTAM on this card names it, so the highlight is not a statement that the runway is usable. The hatch marks only that a NOTAM names the runway; it does not decode the NOTAM's effective times, so confirm the closure window in the NOTAM text below. Wind source: KOPF METAR 181453Z.

DESTINATION OUTLOOK

SUN, OCT 18

SUN 18 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 18 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 18

12:00–18:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 19

MON 19 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 19 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 19 OCT 12:00–18:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 11–14 kt

TEMPERATURE 77–83 °F

DEWPOINT 68–69 °F

PRECIP CHANCE 22%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 19 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 15–16 kt

TEMPERATURE 82–84 °F

DEWPOINT 66–67 °F

PRECIP CHANCE 7%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 19

00:00–06:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
13°C dep KLZU → 28°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
09L/27R (090/270°M · 083/263°T) · 12/30 (120/300°M · 113/293°T) · 09R/27L (090/270°M · 083/263°T) — designators and °M headings are magnetic; °T are true; variation 7°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 14 Act on

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What

3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

ed 2026-10-18T16:28:24.871211Z.

RI OCT 16 | SAT OCT 17 | SUN OCT 18 | MON OCT 19

08/051

10/057 *Outside trip window*

10/058

92 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 16:28 Z

NOTAMs as of 16:28 Z — advisory only; verify an official briefing.

6/2604

NOTAM text not available in this projection.

08/050

NOTAM text not available in this projection.

08/051

NOTAM text not available in this projection.

10/057

NOTAM text not available in this projection.

10/058

NOTAM text not available in this projection.

5/7064

NOTAM text not available in this projection.

5/0554

NOTAM text not available in this projection.

6/2599

NOTAM text not available in this projection.

6/2236

NOTAM text not available in this projection.

6/1259

NOTAM text not available in this projection.

6/8187

NOTAM text not available in this projection.

6/8903

NOTAM text not available in this projection.

6/8910

NOTAM text not available in this projection.

6/8914

NOTAM text not available in this projection.

6/8915

NOTAM text not available in this projection.

6/8918

NOTAM text not available in this projection.

6/8919

NOTAM text not available in this projection.

6/8921

NOTAM text not available in this projection.

05/045

NOTAM text not available in this projection.

07/090

NOTAM text not available in this projection.

07/091

NOTAM text not available in this projection.

07/092

NOTAM text not available in this projection.

07/093

NOTAM text not available in this projection.

07/094

NOTAM text not available in this projection.

07/095

NOTAM text not available in this projection.

07/096

NOTAM text not available in this projection.

07/097

NOTAM text not available in this projection.

07/098

NOTAM text not available in this projection.

07/102

NOTAM text not available in this projection.

07/103

NOTAM text not available in this projection.

07/104

NOTAM text not available in this projection.

07/110

NOTAM text not available in this projection.

07/111

NOTAM text not available in this projection.

07/112

NOTAM text not available in this projection.

07/113

NOTAM text not available in this projection.

07/114

NOTAM text not available in this projection.

07/115

NOTAM text not available in this projection.

07/116

NOTAM text not available in this projection.

07/117

NOTAM text not available in this projection.

07/118

NOTAM text not available in this projection.

07/119

NOTAM text not available in this projection.

07/120

NOTAM text not available in this projection.

07/121

NOTAM text not available in this projection.

07/124

NOTAM text not available in this projection.

07/125

NOTAM text not available in this projection.

07/126

NOTAM text not available in this projection.

07/130

NOTAM text not available in this projection.

07/131

NOTAM text not available in this projection.

07/132

NOTAM text not available in this projection.

07/133

NOTAM text not available in this projection.

07/134

NOTAM text not available in this projection.

10/001

NOTAM text not available in this projection.

10/002

NOTAM text not available in this projection.

10/046

NOTAM text not available in this projection.

10/047

NOTAM text not available in this projection.

10/048

NOTAM text not available in this projection.

10/049

NOTAM text not available in this projection.

11/025

NOTAM text not available in this projection.

11/026

NOTAM text not available in this projection.

11/027

NOTAM text not available in this projection.

11/028

NOTAM text not available in this projection.

02/017

NOTAM text not available in this projection.

02/018

NOTAM text not available in this projection.

03/037

NOTAM text not available in this projection.

03/038

NOTAM text not available in this projection.

05/068

NOTAM text not available in this projection.

05/069

NOTAM text not available in this projection.

05/070

NOTAM text not available in this projection.

05/071

NOTAM text not available in this projection.

05/073

NOTAM text not available in this projection.

05/074

NOTAM text not available in this projection.

06/061

NOTAM text not available in this projection.

06/062

NOTAM text not available in this projection.

06/063

NOTAM text not available in this projection.

08/030

NOTAM text not available in this projection.

08/033

NOTAM text not available in this projection.

08/034

NOTAM text not available in this projection.

08/035

NOTAM text not available in this projection.

08/036

NOTAM text not available in this projection.

08/039

NOTAM text not available in this projection.

08/040

NOTAM text not available in this projection.

08/041

NOTAM text not available in this projection.

08/042

NOTAM text not available in this projection.

10/007

NOTAM text not available in this projection.

10/008

NOTAM text not available in this projection.

10/009

NOTAM text not available in this projection.

10/010

NOTAM text not available in this projection.

10/013

NOTAM text not available in this projection.

10/014

NOTAM text not available in this projection.

10/036

NOTAM text not available in this projection.

10/034

NOTAM text not available in this projection.

10/035

NOTAM text not available in this projection.

10/045

NOTAM text not available in this projection.

10/052

NOTAM text not available in this projection.

10/053

NOTAM text not available in this projection.

10/054

NOTAM text not available in this projection.

10/055

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

Effective 2026-03-03T15:34:00Z → 2026-11-16T15:34:00Z

RUNWAY

Effective 2026-08-20T11:42:00Z → 2027-08-01T04:00:00Z

RUNWAY 09/051 — RWY 09L 2000FT DIST REMAINING SIGN MISSING

Effective 2026-08-20T11:43:00Z → 2027-08-01T04:00:00Z

RUNWAY 10/057 — RWY 09L/27R CLSD

Effective 2026-10-21T03:00:00Z → 2026-10-21T11:00:00Z

TAXIWAY A0/058 — APRON TXL P CLSD

Effective 2026-10-16T20:47:00Z → 2026-10-19T21:00:00Z

92 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KOPF this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · VFR

S · 12:00–18:00 ET ET · VFR

S · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-18=GFS, 2026-10-19=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-18 18:00	83	Ovc	50/16kt	—	3-5kft	>6SM
GFS	2026-10-18 21:00	80	Ovc	40/13kt	—	5-10kft	>6SM
GFS	2026-10-19 00:00	77	Ovc	40/11kt	41.0	5-10kft	>6SM
GFS	2026-10-19 03:00	78	Ovc	40/11kt	—	5-10kft	>6SM

GFS	2026-10-19 06:00	78	Ovc	50/12kt	23.0	5-10kft	>6SM
GFS	2026-10-19 09:00	77	Ovc	40/11kt	—	5-10kft	>6SM
GFS	2026-10-19 12:00	77	Ovc	40/11kt	22.0	5-10kft	>6SM
GFS	2026-10-19 15:00	83	Bkn	60/14kt	—	5-10kft	>6SM
GFS	2026-10-19 18:00	84	Bkn	60/15kt	7.0	5-10kft	>6SM
GFS	2026-10-19 21:00	82	Bkn	60/16kt	—	>10kft	>6SM
GFS	2026-10-20 00:00	78	Bkn	50/12kt	15.0	5-10kft	>6SM
GFS	2026-10-20 03:00	76	Bkn	40/11kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KOPF 181453Z 04013G25KT 10SM BKN029 OVC038 28/22 A3007 RMK AO2 PK WND 04026/1424 RAB09E51 SLP184 P0000 60000 T02780222 51013

TAF KOPF 181454Z 1815/1912 02011G21KT P6SM VCSH SCT020 BKN030 OVC050 FM181600 04014G24KT P6SM VCSH SCT030 BKN050 BKN250 FM190000 05012G22KT P6SM SCT030 SCT050 BKN250
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KOPF; actual-station=KOPF; fetched-at=2026-10-18T16:28:18.261128+00:00; observed-or-issued-at=2026-10-18T14:53:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KOPF; actual-station=KOPF; fetched-at=2026-10-18T16:28:18.840002+00:00; observed-or-issued-at=2026-10-18T14:54:00+00:00; valid-from=2026-10-18T15:00:00+00:00; valid-through=2026-10-19T12:00:00+00:00; partial-target-dates=2026-10-18,2026-10-19 — AWC API
  TAF proxy · KOPF
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KOPF; actual-station=KOPF; fetched-at=2026-10-18T16:28:20.155012+00:00
- FAA NMS NOTAM — state=OK; requested-station=KOPF; actual-station=KOPF; fetched-at=2026-10-18T16:28:24.871211Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KOPF; actual-station=KOPF; fetched-at=2026-10-18T16:28:42.764188+00:00; observed-or-issued-at=2026-10-18T12:00:00+00:00; valid-from=2026-10-18T18:00:00+00:00; valid-through=2026-10-21T12:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KOPF; actual-station=KOPF; fetched-at=2026-10-18T16:28:43.397438+00:00; observed-or-issued-at=2026-10-18T00:00:00+00:00; valid-from=2026-10-19T00:00:00+00:00; valid-through=2026-10-26T00:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19 — Iowa State API
- MOS effective date selection — state=partial; rows=12; requested-station=KOPF; actual-station=KOPF; fetched-at=2026-10-18T16:28:42.764188+00:00; observed-or-issued-at=2026-10-18T12:00:00+00:00; valid-from=2026-10-18T18:00:00+00:00; valid-through=2026-10-21T12:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19; selected-by-date=2026-10-18=GFS, 2026-10-19=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#28 **KHPN** **White Plains/Westchester Cnty, NY, US** · Long-range · White Plains NY

OBS - VFR

ETE 4h18

DIST 647 nm

SUN 18 OCT 10:56 ET OBSERVED

Current observation

OBS - VFR

OBSER

METAR

clear below 12,000 ft (CLR)

WIND variable 4 kt

TEMPERATURE 11 °C

VISIBILITY 10 sm

DEWPOINT 0 °C

Evidence & limitations

- METAR source state: ok; observed Oct 18 10:56 ET; retrieved Oct 18 12:28 ET; 92 min before this run.
- Measured values read from the KHPN METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.59 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.

DESTINATION OUTLOOK

SUN, OCT 18

SUN 18 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 18 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 18

12:00–18:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 19

MON 19 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 19 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 19 OCT 12:00–18:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 6–8 kt

TEMPERATURE 43–55 °F

DEWPOINT 36–37 °F

PRECIP CHANCE 0%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 19 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 9–11 kt

TEMPERATURE 60–61 °F

DEWPOINT 35–36 °F

PRECIP CHANCE 0%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 19

00:00–06:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
13°C dep KLZU → 11°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
16/34 (160/340°M · 147/327°T) · 11/29 (110/290°M · 097/277°T) — designators and °M headings are magnetic; °T are true; variation 13°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) | 8 Act on | 1 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What | 3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

ed 2026-10-18T16:28:24.880770Z.

	RI OCT 16	SAT OCT 17	SUN OCT 18	MON OCT 19
10/039				
10/094				
A4591/26				

33 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 16:28 Z

NOTAMs as of 16:28 Z — advisory only; verify an official briefing.

10/020

NOTAM text not available in this projection.

A4296/26

NOTAM text not available in this projection.

10/039

NOTAM text not available in this projection.

10/094

NOTAM text not available in this projection.

A4591/26

NOTAM text not available in this projection.

A4592/26

NOTAM text not available in this projection.

A4593/26

NOTAM text not available in this projection.

A4598/26

NOTAM text not available in this projection.

A4602/26

NOTAM text not available in this projection.

10/163

NOTAM text not available in this projection.

A4555/26

NOTAM text not available in this projection.

03/058

NOTAM text not available in this projection.

A1006/26

NOTAM text not available in this projection.

03/062

NOTAM text not available in this projection.

A1019/26

NOTAM text not available in this projection.

04/112

NOTAM text not available in this projection.

A1392/26

NOTAM text not available in this projection.

07/120

NOTAM text not available in this projection.

A2868/26

NOTAM text not available in this projection.

08/016

NOTAM text not available in this projection.

A3278/26

NOTAM text not available in this projection.

10/096

NOTAM text not available in this projection.

A4425/26

NOTAM text not available in this projection.

10/181

NOTAM text not available in this projection.

A4590/26

NOTAM text not available in this projection.

A4596/26

NOTAM text not available in this projection.

10/188

NOTAM text not available in this projection.

A4603/26

NOTAM text not available in this projection.

03/045

NOTAM text not available in this projection.

6/9015

NOTAM text not available in this projection.

A1738/26

NOTAM text not available in this projection.

6/5296

NOTAM text not available in this projection.

6/5312

NOTAM text not available in this projection.

A4160/26

NOTAM text not available in this projection.

A4161/26

NOTAM text not available in this projection.

6/9236

NOTAM text not available in this projection.

A4518/26

NOTAM text not available in this projection.

09/238

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

026-10-18T16:28:24.880770Z.

RUNWAY
Effective 2026-10-15T18:15:00Z → 2026-10-18T18:15:00Z

RUNWAY
Effective 2026-10-19T04:00:00Z → 2026-10-19T09:30:00Z

RUNWAY
Effective 2026-10-19T04:00:00Z → 2026-10-19T09:30:00Z

31 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KHPN this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
· 12:00–18:00 ET ET · VFR
· 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-18=GFS, 2026-10-19=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-18 18:00	55	Clear	360/6kt	—	>10kft	>6SM
GFS	2026-10-18 21:00	55	Clear	50/4kt	—	>10kft	>6SM
GFS	2026-10-19 00:00	48	Clear	70/3kt	0.0	>10kft	>6SM
GFS	2026-10-19 03:00	45	Clear	70/2kt	—	>10kft	>6SM
GFS	2026-10-19 06:00	43	Clear	50/3kt	0.0	>10kft	>6SM
GFS	2026-10-19 09:00	41	Clear	10/5kt	—	>10kft	>6SM
GFS	2026-10-19 12:00	43	Clear	10/6kt	0.0	>10kft	>6SM
GFS	2026-10-19 15:00	55	Clear	40/8kt	—	>10kft	>6SM
GFS	2026-10-19 18:00	61	Clear	20/11kt	0.0	>10kft	>6SM
GFS	2026-10-19 21:00	60	Clear	20/9kt	—	>10kft	>6SM
GFS	2026-10-20 00:00	53	Clear	10/9kt	0.0	>10kft	>6SM
GFS	2026-10-20 03:00	51	Clear	350/11kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KHPN 181456Z VRB04KT 10SM CLR 11/00 A3059 RMK AO2 SLP364 T01060000 51018

TAF KHPN 181432Z 1815/1912 03009KT P6SM SKC FM182200 VRB03KT P6SM SKC FM191000 02006KT P6SM SKC AMD NOT SKED
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KHPN; actual-station=KHPN; fetched-at=2026-10-18T16:28:18.261128+00:00; observed-or-issued-at=2026-10-18T14:56:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KHPN; actual-station=KHPN; fetched-at=2026-10-18T16:28:18.840002+00:00; observed-or-issued-at=2026-10-18T14:32:00+00:00; valid-from=2026-10-18T15:00:00+00:00; valid-through=2026-10-19T12:00:00+00:00; partial-target-dates=2026-10-18,2026-10-19 — AWC API
  TAF proxy · KHPN
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KHPN; actual-station=KHPN; fetched-at=2026-10-18T16:28:19.880951+00:00
- FAA NMS NOTAM — state=OK; requested-station=KHPN; actual-station=KHPN; fetched-at=2026-10-18T16:28:24.880770Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KHPN; actual-station=KHPN; fetched-at=2026-10-18T16:28:42.765168+00:00; observed-or-issued-at=2026-10-18T12:00:00+00:00; valid-from=2026-10-18T18:00:00+00:00; valid-through=2026-10-21T12:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KHPN; actual-station=KHPN; fetched-at=2026-10-18T16:28:43.414876+00:00; observed-or-issued-at=2026-10-18T00:00:00+00:00; valid-from=2026-10-19T00:00:00+00:00; valid-through=2026-10-26T00:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19 — Iowa State API

• MOS effective date selection — state=partial; rows=12; requested-station=KHPN; actual-station=KHPN; fetched-at=2026-10-18T16:28:42.765168+00:00; observed-or-issued-at=2026-10-18T12:00:00+00:00; valid-from=2026-10-18T18:00:00+00:00; valid-through=2026-10-21T12:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19; selected-by-date=2026-10-18=GFS, 2026-10-19=GFS
• Extended outlook and hazard-feed states are reported in the source stamp.
• Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#29 **KBED** **Bedford/Hanscom Fld, MA, US** · Long-range · Boston-Bedford MA

OBS - VFR

ETE 5h11

DIST 784 nm

SUN 18 OCT 10:51 ET OBSERVED

Current observation

OBS - VFR

METAR

OBSER

clear below 12,000 ft (CLR)

WIND variable 4 kt

TEMPERATURE 8 °C

VISIBILITY 10 sm

DEWPOINT -3 °C

Evidence & limitations

• METAR source state: ok; observed Oct 18 10:51 ET; retrieved Oct 18 12:28 ET; 97 min before this run.
• Measured values read from the KBED METAR. This is a current surface observation only; it is not a forecast.
• Only fields decoded from this METAR are shown; every missing field remains unavailable.
• Altimeter: 30.58 inHg.
• The complete raw METAR remains in this airport's Raw products disclosure.

DESTINATION OUTLOOK

SUN, OCT 18

SUN 18 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 18 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 18

12:00–18:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 19

MON 19 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 19 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 19 OCT 12:00–18:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 1–4 kt

TEMPERATURE 40–54 °F

DEWPOINT 34–38 °F

PRECIP CHANCE 0%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 19 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 7 kt

TEMPERATURE 59–60 °F

DEWPOINT 37–38 °F

PRECIP CHANCE 0%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 19

00:00–06:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
13°C dep KLZU → 8°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
11/29 (110/290°M · 096/276°T) · 05/23 (050/230°M · 036/216°T) — designators and °M headings are magnetic; °T are true; variation 14°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 6 Act on

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

ed 2026-10-18T16:28:24.909585Z.

oritative)

RI OCT 16 | SAT OCT 17 | SUN OCT 18 | MON OCT 19

10/076

A2793/26

A2794/26

52 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 16:28 Z

NOTAMs as of 16:28 Z — advisory only; verify an official briefing.

5/0511

NOTAM text not available in this projection.

A2777/26

NOTAM text not available in this projection.

10/076

NOTAM text not available in this projection.

A2793/26

NOTAM text not available in this projection.

A2794/26

NOTAM text not available in this projection.

10/078

NOTAM text not available in this projection.

A2795/26

NOTAM text not available in this projection.

08/020

NOTAM text not available in this projection.

A2431/26

NOTAM text not available in this projection.

09/072

NOTAM text not available in this projection.

09/074

NOTAM text not available in this projection.

A2667/26

NOTAM text not available in this projection.

09/075

NOTAM text not available in this projection.

09/076

NOTAM text not available in this projection.

10/006

NOTAM text not available in this projection.

A2689/26

NOTAM text not available in this projection.

10/034

NOTAM text not available in this projection.

10/036

NOTAM text not available in this projection.

A2730/26

NOTAM text not available in this projection.

10/042

NOTAM text not available in this projection.

A2737/26

NOTAM text not available in this projection.

A2782/26

NOTAM text not available in this projection.

10/070

NOTAM text not available in this projection.

A2784/26

NOTAM text not available in this projection.

10/071

NOTAM text not available in this projection.

A2783/26

NOTAM text not available in this projection.

A2785/26

NOTAM text not available in this projection.

10/079

NOTAM text not available in this projection.

10/080

NOTAM text not available in this projection.

A2796/26

NOTAM text not available in this projection.

A2797/26

NOTAM text not available in this projection.

A2798/26

NOTAM text not available in this projection.

10/081

NOTAM text not available in this projection.

A2799/26

NOTAM text not available in this projection.

10/082

NOTAM text not available in this projection.

A2800/26

NOTAM text not available in this projection.

A1392/25

NOTAM text not available in this projection.

5/0197

NOTAM text not available in this projection.

A2784/25

NOTAM text not available in this projection.

6/8189

NOTAM text not available in this projection.

A2533/26

NOTAM text not available in this projection.

07/034

NOTAM text not available in this projection.

A2378/26

NOTAM text not available in this projection.

08/093

NOTAM text not available in this projection.

10/037

NOTAM text not available in this projection.

10/057

NOTAM text not available in this projection.

A2765/26

NOTAM text not available in this projection.

A2787/26

NOTAM text not available in this projection.

10/073

NOTAM text not available in this projection.

A2788/26

NOTAM text not available in this projection.

A2789/26

NOTAM text not available in this projection.

A2791/26

NOTAM text not available in this projection.

10/074

NOTAM text not available in this projection.

A2790/26

NOTAM text not available in this projection.

10/075

NOTAM text not available in this projection.

A2792/26

NOTAM text not available in this projection.

10/077

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

RUNWAY
Effective 2026-10-17T03:12:00Z → 2026-10-20T03:12:00Z

RUNWAY
Effective 2026-10-17T03:12:00Z → 2026-10-18T23:00:00Z

52 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight

category. NOTAMs were read for KBED this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

:00 ET ET · VFR

:00 ET ET · VFR

· 12:00–18:00 ET ET · VFR

· 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-18=GFS, 2026-10-19=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-18 18:00	55	Clear	280/5kt	—	>10kft	>6SM
GFS	2026-10-18 21:00	53	Clear	130/4kt	—	>10kft	>6SM
GFS	2026-10-19 00:00	44	Clear	130/3kt	0.0	>10kft	>6SM
GFS	2026-10-19 03:00	40	Clear	140/2kt	—	>10kft	>6SM
GFS	2026-10-19 06:00	38	Clear	160/1kt	0.0	>10kft	>6SM
GFS	2026-10-19 09:00	38	Clear	150/1kt	—	>10kft	>6SM
GFS	2026-10-19 12:00	40	Clear	80/1kt	0.0	>10kft	>6SM
GFS	2026-10-19 15:00	54	Clear	60/4kt	—	>10kft	>6SM
GFS	2026-10-19 18:00	60	Clear	60/7kt	0.0	>10kft	>6SM
GFS	2026-10-19 21:00	59	Clear	70/7kt	—	>10kft	>6SM
GFS	2026-10-20 00:00	50	Clear	40/4kt	0.0	>10kft	>6SM
GFS	2026-10-20 03:00	48	Clear	360/6kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KBED 181451Z VRB04KT 10SM CLR 08/M03 A3058 RMK AO2 SLP370 T00831033 51008 $

TAF KBED 181509Z 1815/1912 05005KT P6SM SKC FM181600 28004KT P6SM SKC FM182200 15003KT P6SM SKC FM190000 00000KT P6SM SKC
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KBED; actual-station=KBED; fetched-at=2026-10-18T16:28:18.261128+00:00; observed-or-issued-at=2026-10-18T14:51:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KBED; actual-station=KBED; fetched-at=2026-10-18T16:28:18.840002+00:00; observed-or-issued-at=2026-10-18T15:09:00+00:00; valid-from=2026-10-18T15:00:00+00:00; valid-through=2026-10-19T12:00:00+00:00; partial-target-dates=2026-10-18,2026-10-19 — AWC API

  TAF proxy · KBED
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KBED; actual-station=KBED; fetched-at=2026-10-18T16:28:20.126949+00:00
- FAA NMS NOTAM — state=OK; requested-station=KBED; actual-station=KBED; fetched-at=2026-10-18T16:28:24.909585Z — FAA NMS overview

- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KBED; actual-station=KBED; fetched-at=2026-10-18T16:28:42.759159+00:00; observed-or-issued-at=2026-10-18T12:00:00+00:00; valid-from=2026-10-18T18:00:00+00:00; valid-through=2026-10-21T12:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KBED; actual-station=KBED; fetched-at=2026-10-18T16:28:43.449183+00:00; observed-or-issued-at=2026-10-18T00:00:00+00:00; valid-from=2026-10-19T00:00:00+00:00; valid-through=2026-10-26T00:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19 — Iowa State API
- MOS effective date selection — state=partial; rows=12; requested-station=KBED; actual-station=KBED; fetched-at=2026-10-18T16:28:42.759159+00:00; observed-or-issued-at=2026-10-18T12:00:00+00:00; valid-from=2026-10-18T18:00:00+00:00; valid-through=2026-10-21T12:00:00+00:00; target-dates=2026-10-19; partial-target-dates=2026-10-18; dates-with-points=2026-10-18,2026-10-19; selected-by-date=2026-10-18=GFS, 2026-10-19=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

3 · Hazard feeds & regional observations

Unfiltered hazard feeds (not route-geometry screened): 5 SIGMET records, 35 G-AIRMET records. Regional current observations (not corridor forecasts): Atlantic South: MVFR at KHXD; Long-range: MVFR at KOPF.

Scope: Hazard counts are raw feed totals and have not been filtered against a proposed route, altitude, or time. Airport flight categories are current point observations, not corridor forecasts.

4 · Planning gates

- **Evidence gate:** an unavailable, stale, or out-of-horizon source is unknown — never treat it as favorable.
- **Weather gate:** compare current observations and valid-period forecasts with personal ceiling, visibility, convection, wind, and crosswind minimums.
- **Route gate:** screen the actual route, altitude, and time against official hazard products; feed totals on this page are not route-filtered.
- **Operations gate:** verify NOTAMs, TFRs, runway conditions, fuel, aircraft performance, daylight, and alternates.

5 · ForeFlight manual cross-check (before flight)

- Official briefing matches these go/no-go windows
- Prog charts / radar / satellite trend agrees with convection timing
- Winds & temps aloft along actual route (may shift ETE)
- **NOTAMs & TFRs** — airport-scoped NMS records may be shown, but route-wide/TFR coverage is not included; pull a fresh official briefing for departure, destination, and alternates
- Runway condition / length / closures at destination & alternate
- Weight & balance + performance at forecast density altitude (heat!)
- File & brief in ForeFlight; confirm fuel stops if long-range

6 · Source stamp

Show source stamp and evidence inventory

KLZU METAR excerpt: METAR KLZU 181456Z 08015. AWC METAR state OK for 30/30 airports; TAF target coverage for 0/30; MOS fetch health GFS 30/30, MEX 30/30; target coverage 30/60 airport-days; planned-window board coverage 2/2; combined target forecast coverage for 0/30; FAA status known for 0/30. Hazard feeds: state=ok; SIGMET=5, G-AIRMET=35, CWA=0; counts are unfiltered and are not a route assessment.
NWS AFD state: ok · FAA NMS NOTAM states: OK=30; normalized records=979; unnormalized records=0; environment=preprod; sandbox-public-preview=true · Fuel: best-effort (verify) · FAA chart cycle: VFR Sectional Ed. 98 (eff. 09/03/2026); Chart Supplement Ed. 5 (eff. 09/03/2026).

Executive summary

DETERMINISTIC · RESTATES PAGE EVIDENCE · NO MODEL CALLED

A plain restatement of evidence shown in full below, computed from that evidence with no model call. It reports what the sources say; it does not rank the days, rate them, or make a go/no-go call. It follows the order the owner asked for: feasibility evidence, KLZU, destinations, weather by area or region, then new KLZU NOTAMs.

1 · Feasibility evidence for the trip window

This part is a derivation, not an observation: it states how much of the trip window carries a forecast flight category, and nothing more. It is not a go/no-go call, not a recommendation, and not a flight category. Its inputs and its gaps are listed in the tooltip on the line below.

- Trip window: Fri Oct 16 – Mon Oct 19, 2026. “This weekend” is taken to mean exactly this window; no other date range is assessed.
- Trip-window feasibility evidence (Derived): assessable for every active trip day — 2 of 2 active trip days in Fri Oct 16 – Mon Oct 19, 2026 carry a forecast flight category and 0 carry none. This is a derived statement about how much evidence exists, it is not a flight category, and it says nothing about whether a flight is advisable. Every input and every gap is named in this line's tooltip.

2 · KLZU home-base status

The KLZU observation and the per-day board categories, taken from the same helpers the board itself renders from, so the two cannot disagree.

- KLZU current observation: VFR — from the surface observation read this run; it describes conditions now, not a trip day.
- Sun Oct 18, 10:00–22:00 ET: VFR — most restrictive forecast flight category; high confidence; from TAF, MOS.
- Mon Oct 19, 06:00–22:00 ET: VFR — most restrictive forecast flight category; medium confidence; from TAF, MOS.
- A forecast flight category is available for 2 of 2 active trip days; 0 reach no category-capable product at this lead time.
- Data quality: DEGRADED — as reported by the badge in the page header; it gates publication, it is not a weather statement.

3 · Destination coverage

Coverage, not a pick: this counts which destinations a product permitted to state a flight category actually reaches. It is not a ranking, not a recommendation, and the editorial order of the destination list is not a flyability score.

- Destinations: 29 of 29 covered airports resolve a forecast flight category on at least one active trip day; 0 resolve none at this lead time. Counted from the same per-day outlook the destination cards render, with outlook-grade blocks excluded.
- Most restrictive resolved category per covered airport, across the active trip days: KAVL VFR (2/2 d), KBED VFR (2/2 d), KBFM VFR (2/2 d), KCRE VFR (2/2 d), KCRG MVFR (2/2 d), KDAB VFR (2/2 d), KECP VFR (2/2 d), KFIN VFR (2/2 d), KGKT VFR (2/2 d), KGPT VFR (2/2 d), KHPN VFR (2/2 d), KHSA VFR (2/2 d); 17 further airports in section 2.
- NOTAMs: 29 of 29 destinations report an active NOTAM. KLZU departure NOTAM state: OK.

4 · Weather events by area or region

Weather events by area or region, from products that carry an area. Per-airport categories are never clustered into a region here: an area inferred that way would be a spatial claim no source made.

- 40 hazard areas retained with their own coordinate rings. Each is related to an airport only by point-in-polygon (ray casting) against the product's own coordinate ring, or by great-circle distance from the airport to the nearest point on the product's boundary within 100 NM — tested against 30 airports that reported a position this run. No area name is inferred: the only names stated are the ones a product supplies itself. Per-airport categories are never clustered into a region.
- 40 of 40 retained hazard areas are valid at some point inside the planned trip window; the rest describe conditions before it.
- G-AIRMET ZULU — M_FZLVL: contains KBED (point-in-polygon (ray casting) against the product's own coordinate ring); boundary within 100 NM of KHPN 48 NM. valid 2026-10-18 14:45Z to 2026-10-18 21:00Z.
- G-AIRMET TANGO — TURB-HI: contains KMYR, KCRE (point-in-polygon (ray casting) against the product's own coordinate ring); boundary within 100 NM of KJZI 22 NM, KBED 59 NM, KHXD 65 NM, KHPN 78 NM, KSAV 91 NM. valid 2026-10-18 15:50Z to 2026-10-18 21:00Z.
- G-AIRMET ZULU — FZLVL: boundary within 100 NM of KBED 45 NM, KHPN 65 NM; published as a line, not an enclosed area, so no containment test is made against it. valid 2026-10-18 14:45Z to 2026-10-18 21:00Z.
- G-AIRMET ZULU — FZLVL: boundary within 100 NM of KBED 45 NM; published as a line, not an enclosed area, so no containment test is made against it. valid 2026-10-18 14:45Z to 2026-10-18 21:00Z.
- G-AIRMET ZULU — FZLVL: boundary within 100 NM of KSHD 49 NM, KCRE 71 NM, KMYR 83 NM; published as a line, not an enclosed area, so no containment test is made against it. valid 2026-10-18 14:45Z to 2026-10-18 21:00Z.
- G-AIRMET TANGO — SFC_WND: boundary within 100 NM of KJZI 10 NM, KHXD 10 NM, KCRE 16 NM, KMYR 16 NM, KSAV 30 NM, KSSI 36 NM, KCRG 73 NM, KSGJ 88 NM. valid 2026-10-18 15:50Z to 2026-10-18 21:00Z.
- SIGMET 29E — CONVECTIVE: boundary within 100 NM of KOPF 27 NM. valid 2026-10-18 15:55Z to 2026-10-18 17:55Z.
- 33 of 40 retained hazard areas could not be related to any airport this page covers, by either test. They remain national-unfiltered: their geography is real but lies outside 100 NM of every airport tested, and nothing is claimed about where they are.
- Hazard feed record counts this run, unfiltered and national: SIGMET 5, G-AIRMET 35, CWA 0; overall feed state ok; feed states — CWA: ok, G-AIRMET: ok, SIGMET: ok. These are totals over the whole feed, not a count near KLZU, not a count along any route, and not a route assessment.

5 · New KLZU NOTAMs

This run keeps no snapshot of the previous run, so “new” cannot mean “changed since last time”. It is defined below as an FAA-published timestamp window, and the service-status scan reads the published text of every KLZU record so a status embedded inside a record of another category is not missed.

- Baseline for “new”: a KLZU NOTAM whose own FAA-published timestamp (last update, else issue, else effective start) falls within the 72 hours before this run's generation time (2026-10-18T16:28:17.776911+00:00). This run holds no copy of the previous run's NOTAM set, so this is a source-timestamp window and not a difference against an earlier run.
- KLZU: 3 of 12 current NOTAMs are new by that baseline — A0395/26 (OTHER, last_updated_at 2026-10-15T16:48:00+00:00); A0397/26 (RUNWAY, last_updated_at 2026-10-15T20:17:00+00:00); A0399/26 (RUNWAY, last_updated_at 2026-10-15T22:02:00+00:00).

• No service-status wording was found in the published text of the 12 current KLZU records. The scan reads every record's full published text rather than its category, so a status stated inside a record of another category would still be reported.

This restates evidence; it is not a recommendation, not an all-clear, and not a data outage. The decision surfaces are the planning gates and the ForeFlight cross-check below, read against the KLZU board and destination cards. Every line above restates a value shown elsewhere on this page.

⚠ **Pre-planning only — not an official weather briefing.** Verify an official briefing, METAR/TAF/GFA/SIGMET/CWA, NOTAMs, TFRs, runway conditions, fuel, W&B, performance, and personal minimums before flight.