KLZU · HOME STATION / AVIATION OPERATIONS

Flight Planning Desk

Performance profile: Mooney M20J · Lawrenceville, GA · **Fri Oct 9 – Mon Oct 12, 2026**

Data quality · DEGRADED

Live verification · Checking

Published snapshot · Generated · Sunday Oct 11, 2026 · 10:54 PM ET · Next run · not before Monday Oct 12 · 5:17 AM ET

1 · KLZU departure / return board

KLZU Lawrenceville/Gwinnett Cnty, GA, US

Home base · timed forecast changes · source detail retained

OBS - VFR

PLANNING HORIZON
Sun 11 → Mon 12 · 2 days

RIGHT NOW · METAR

SUN 11 OCT 20:56 ET OBSERVED

Current observation

OBS - VFR

OBSER

METAR

clear below 12,000 ft (CLR)

WIND **W (270°) 7 kt**

TEMPERATURE **Unavailable**

VISIBILITY **10 sm**

DEWPOINT **Unavailable**



Wind favours RWY 25

270° true · 276° magnetic · 7 kt

Evidence & limitations

- METAR source state: ok; observed Oct 11 20:56 ET; retrieved Oct 11 22:54 ET; 118 min before this run.
- Measured values read from the KLZU METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.04 inHg.
- Raw METAR: `METAR KLZU 120056Z AUTO 27007KT 10SM CLR 17/ A3004 RMK AO2 SLP179 T0172 $`

• KLZU runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 07/25. Wind from 270 degrees true, 276 degrees magnetic, at 7 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 25. Wind source: KLZU METAR 120056Z.

Important planning / evidence detail (1 warning)

LEGEND VFR MVFR IFR LIFR Unknown Solid = source-interval category guidance Dashed = lower-confidence outlook Weather icon = surface forecastAll times Eastern (ET), 24-hour clock · “around/after” preserves source precision.

⚠ KLZU has no TAF station. Every KLZU TAF-derived value on this page is taken from the nearby **KPDK** proxy station, not from KLZU itself — treat it as regional, and confirm KLZU conditions in an official briefing.

A raster chart may be displayed with its issuing office and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

Sun

Oct 11

RETURN DAY

CONFIDENCE UNAVAILABLE

OCT 11 · OPERATING DAY ENDED

METAR TAF NWS-hr NWS-day MAV MEX GFA NOTAM

METAR — issued hou SPECI rep visibility, w Issued by by aviation not a forec conditions KLZU obs describes

TAF — highes The N times FM an TAF st the str page forecas no product could contribute.

NWS hour Weather S cell contai and reachi by-hour sk and it is th this board. forecast ev no product

NWS day/ni Weather Se and night ha Coarser tha one day furt describe spa reach. This evidence in product coul

GFS M the GF decade by the day in hours. catego the flig timed f ended)

GFS e: range twelve- Coarse numeri a long flagged short-r timed f ended)

GFA a Foreca Predic Nation surfac are ras pressu This pa office and valid time and never interprets them: no category, wind, ceiling, ranking or go/no-go here is derived from an image. A published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KLZU this run.

dance.

No operational note is available for this date.

SOURCES & LIMITATIONS — HOUR-BY-HOUR SOURC

No per-hour KLZU forecast periods were retained for this date — source state: ended. Nothing has been withheld or summarised away; there is no hourly evidence to show.

WIND / WIND-FAVORED RUNWAY · ONE ENTRY PER DISPLAY BLOCK

06:00–22:00 ET

Wind guidance unavailable

Source state: ended

Runway guidance is approximate wind alignment only; verify ATIS, NOTAMs and actual runway use.

Day operations

WEATHER

TAF and radar cross-check.

PERFORMANCE

Temperature / performance check.

RUNWAY
Verify ATIS, NOTAMs and actual use.

Mon
Oct 12

RETURN DAY

HIGH CONFIDENCE

OCT 12 · 06:00–22:00 ET

METAR TAF NWS-hr NWS-day MAV MEX GFA NOTAM

METAR — issued ho… SPECI rep… visibility, w… Issued by … by aviation… not a forec… conditions… KLZU obs… describes conditions now, not this trip day.

TAF — highes… The N… times … FM an… TAF st… the str… page … covers part of this …

NWS hour… Weather S… cell contai… and reachi… by-hour sk… and it is th… this board. reaches th…

NWS day/ni… Weather Se… and night ha… Coarser thar… one day furt… describe spa… reach. Not n… by the finer-… forecast.

GFS M… the GF… decade… by the … day in … categ… the flig… corrob…

GFS e… range … twelve-… Coarse… numeri… a long … flagged… short-r… covere…

GFA a… Foreca… Predic… Nation… surfac… are ras… pressu… This pa… office and valid time and never interprets them: no category, wind, ceiling, ranking or go/no-go here is derived from an image. A published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KLZU this run.

KPDK TAF - VFR · GFS OUTLOOK - VFR · GFS MOS - VFR

FORECAST

Sunny

WIND **NW (~315° true) · 9 kt**

PRECIP CHANCE **0%**

TS CHANCE Unavailable

SKY COVER Unavailable

Wind favors RWY 25
NW (~315° true) · 9 kt · full datum in the day evidence

Evidence & limitations

- The visible badge names the contributing product. Exact issuance, retrieval, and member-period provenance remains in Day evidence & planning note below.
- The hour-by-hour source evidence below retains every original period and its detailed wind line.

Surface prog · 06:00–10:00 ET · available

MON 12 OCT 10:00–15:00 ET HIGH

Forecast

KPDK TAF proxy

KPDK TAF - VFR

GFS OUTLOOK - VFR

GFS MOS - VFR

Sunny

FORECAST

WIND NW (~315° true) · 9 kt

PRECIP CHANCE 0%

TS CHANCE Unavailable

SKY COVER Unavailable

Wind favors RWY 25

NW (~315° true) · 9 kt · full datum in the day evidence

Evidence & limitations

- The visible badge names the contributing product. Exact issuance, retrieval, and member-period provenance remains in Day evidence & planning note below.
- The hour-by-hour source evidence below retains every original period and its detailed wind line.

Surface prog · 10:00–15:00 ET · available

MON 12 OCT 15:00–18:00 ET HIGH

Forecast

KPDK TAF proxy

KPDK TAF - VFR

GFS OUTLOOK - VFR

GFS MOS - VFR

Sunny

FORECAST

WIND NW (~315° true) · 9 kt

PRECIP CHANCE 0%

TS CHANCE Unavailable

SKY COVER Unavailable

Wind favors RWY 25

NW (~315° true) · 9 kt · full datum in the day evidence

Evidence & limitations

- The visible badge names the contributing product. Exact issuance, retrieval, and member-period provenance remains in Day evidence & planning note below.
- The hour-by-hour source evidence below retains every original period and its detailed wind line.

Surface prog · 15:00–18:00 ET · available

MON 12 OCT 18:00–22:00 ET HIGH

Forecast

KPDK TAF proxy

KPDK TAF - VFR

GFS OUTLOOK - VFR

GFS MOS - VFR

Mostly Clear → Clear

FORECAST

WIND NW (~315° true) · 4 kt

PRECIP CHANCE 0%

TS CHANCE Unavailable

SKY COVER Unavailable

Wind favors RWY 25

NW (~315° true) · 4 kt · full datum in the day evidence

Evidence & limitations

- The visible badge names the contributing product. Exact issuance, retrieval, and member-period provenance remains in Day evidence & planning note below.
- The hour-by-hour source evidence below retains every original period and its detailed wind line.

Surface prog · 18:00–22:00 ET · available

Day evidence & planning note

No aviation-category inference — verify METAR/TAF

SOURCES & LIMITATIONS — HOUR-BY-HOUR SOURCE EVIDENCE (15 FORECAST PERIODS)

06:00–08:00 ET

KPDK TAF - VFR

GFS OUTLOOK - VFR

Sunny

Precipitation probability (PoP) 0%

NWS + TAF + MOS · NWS ISSUED OCT 11 14:27 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 11 22:54 ET

08:00–09:00 ET

KPDK TAF - VFR

GFS MOS - VFR

Sunny

Precipitation probability (PoP) 0%

NWS + TAF + MOS · NWS ISSUED OCT 11 14:27 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 11 22:54 ET

09:00–10:00 ET

KPDK TAF - VFR

GFS OUTLOOK - VFR

Sunny

Precipitation probability (PoP) 0%

NWS + TAF + MOS · NWS ISSUED OCT 11 14:27 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 11 22:54 ET

10:00–11:00 ET

KPDK TAF - VFR

GFS OUTLOOK - VFR

Sunny

Precipitation probability (PoP) 0%

NWS + TAF + MOS · NWS ISSUED OCT 11 14:27 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 11 22:54 ET

11:00–12:00 ET

KPDK TAF - VFR

GFS MOS - VFR

Sunny

Precipitation probability (PoP) 0%

NWS + TAF + MOS · NWS ISSUED OCT 11 14:27 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 11 22:54 ET

12:00–13:00 ET

KPDK TAF - VFR

GFS OUTLOOK - VFR

Sunny

Precipitation probability (PoP) 0%

NWS + TAF + MOS · NWS ISSUED OCT 11 14:27 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 11 22:54 ET

13:00–14:00 ET

KPDK TAF - VFR

GFS OUTLOOK - VFR

Sunny

Precipitation probability (PoP) 0%

NWS + TAF + MOS · NWS ISSUED OCT 11 14:27 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 11 22:54 ET

14:00–15:00 ET

KPDK TAF - VFR

GFS MOS - VFR

Sunny

Precipitation probability (PoP) 0%

NWS + TAF + MOS · NWS ISSUED OCT 11 14:27 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 11 22:54 ET

15:00–16:00 ET

KPDK TAF - VFR

GFS OUTLOOK - VFR

Sunny

Precipitation probability (PoP) 0%

NWS + TAF + MOS · NWS ISSUED OCT 11 14:27 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 11 22:54 ET

16:00–17:00 ET

KPDK TAF - VFR

GFS OUTLOOK - VFR

Sunny

Precipitation probability (PoP) 0%

NWS + TAF + MOS · NWS ISSUED OCT 11 14:27 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 11 22:54 ET

17:00–18:00 ET

KPDK TAF - VFR

GFS MOS - VFR

Sunny

Precipitation probability (PoP) 0%

NWS + TAF + MOS · NWS ISSUED OCT 11 14:27 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 11 22:54 ET

18:00–19:00 ET

KPDK TAF - VFR

GFS OUTLOOK - VFR

Mostly Clear

Precipitation probability (PoP) 0%

NWS + TAF + MOS · NWS ISSUED OCT 11 14:27 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 11 22:54 ET

19:00–20:00 ET

KPDK TAF - VFR

GFS OUTLOOK - VFR

Mostly Clear

Precipitation probability (PoP) 0%

NWS + TAF + MOS · NWS ISSUED OCT 11 14:27 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 11 22:54 ET

20:00–21:00 ET

GFS MOS - VFR

Mostly Clear

Precipitation probability (PoP) 0%

NWS + MOS · NWS ISSUED OCT 11 14:27 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 11 22:54 ET

21:00–22:00 ET

GFS OUTLOOK - VFR

Clear

Precipitation probability (PoP) 0%

Beyond the 72 h short-range GFS MOS horizon at this lead time. The product published normally; this day is simply past its reach, which is expected and is not a fault. Expected to be covered from about Fri Oct 9 · 12:00 AM ET.

NWS + MOS · NWS ISSUED OCT 11 14:27 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 11 22:54 ET

WIND / WIND-FAVORED RUNWAY · ONE ENTRY PER DISPLAY BLOCK

06:00–08:00 ET

NW (~315° true) 9 kt

Approx. wind-favored RWY 25 · crosswind 9 kt

NWS hourly surface forecast

08:00–09:00 ET

NW (~315° true) 9 kt

Approx. wind-favored RWY 25 · crosswind 9 kt

NWS hourly surface forecast

09:00–10:00 ET

NW (~315° true) 9 kt

Approx. wind-favored RWY 25 · crosswind 9 kt

NWS hourly surface forecast

10:00–11:00 ET

NW (~315° true) 9 kt

Approx. wind-favored RWY 25 · crosswind 9 kt

NWS hourly surface forecast

11:00–12:00 ET
NW (~315° true) 9 kt
Approx. wind-favored RWY 25 · crosswind 9 kt
NWS hourly surface forecast

12:00–13:00 ET
NW (~315° true) 9 kt
Approx. wind-favored RWY 25 · crosswind 9 kt
NWS hourly surface forecast

13:00–14:00 ET
NW (~315° true) 9 kt
Approx. wind-favored RWY 25 · crosswind 9 kt
NWS hourly surface forecast

14:00–15:00 ET
NW (~315° true) 9 kt
Approx. wind-favored RWY 25 · crosswind 9 kt
NWS hourly surface forecast

15:00–16:00 ET
NW (~315° true) 9 kt
Approx. wind-favored RWY 25 · crosswind 9 kt
NWS hourly surface forecast

16:00–17:00 ET
NW (~315° true) 9 kt
Approx. wind-favored RWY 25 · crosswind 9 kt
NWS hourly surface forecast

17:00–18:00 ET
NW (~315° true) 9 kt
Approx. wind-favored RWY 25 · crosswind 9 kt
NWS hourly surface forecast

18:00–19:00 ET
NW (~315° true) 4 kt
Approx. wind-favored RWY 25
NWS hourly surface forecast

19:00–20:00 ET
NW (~315° true) 4 kt
Approx. wind-favored RWY 25
NWS hourly surface forecast

20:00–21:00 ET
NW (~315° true) 4 kt
Approx. wind-favored RWY 25
NWS hourly surface forecast

21:00–22:00 ET
NW (~315° true) 4 kt
Approx. wind-favored RWY 25
NWS hourly surface forecast

Surface prog evidence · Mon Oct 12

06:00–10:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

10:00–15:00 ET ET · 15:00–18:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–22:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

Runway guidance is approximate wind alignment only; verify ATIS, NOTAMs and actual runway use.

RWY numbers magnetic; wind converted from true using 6°W variation (NOAA WMM2025)

Day operations

WEATHER
TAF and radar cross-check.

PERFORMANCE
Temperature / performance check.

RUNWAY
Verify ATIS, NOTAMs and actual use.

≡

Pattern summary: .. (This afternoon through Monday) Issued at 226 PM EDT Sun Oct 11 2026 The remnants of Isaias continue to shift up across the Mid- Atlantic, but not before leaving most of North and Central GA with a rather dreary start to the day. — .. (Tuesday morning through next Saturday) Issued at 226 PM EDT Sun Oct 11 2026 A tale of two air masses for the long term forecast.

NWS FFC Area Forecast Discussion · regional context, not a KLZU category or exact timing forecast

Extended outlook ▾

EXTENDED OUTLOOK SUMMARY

.. (This afternoon through Monday)
Issued at 226 PM EDT Sun Oct 11 2026

The remnants of Isaias continue to shift up across the Mid-
Atlantic, but not before leaving most of North and Central GA with
a rather dreary start to the day. — .. (Tuesday morning through next Saturday)
Issued at 226 PM EDT Sun Oct 11 2026

A tale of two air masses for the long term forecast.

SHORT TERM

..
(This afternoon through Monday)
Issued at 226 PM EDT Sun Oct 11 2026

The remnants of Isaias continue to shift up across the Mid-
Atlantic, but not before leaving most of North and Central GA with
a rather dreary start to the day. Low-level moisture trapped
beneath dry air aloft resulted in widespread low clouds and areas
of light rain this morning. Throughout this afternoon, daytime
heating and breezy winds gusting to 20-25 mph will help mix out
the moisture and lead to mostly clear skies by the evening hours.
Temperatures this afternoon will top out in the low to mid 70s for
most.

Overnight into Monday, a mid-level ridge and surface high pressure
over the Gulf will spread across the Southeast US, kickstarting a
week of dry and increasingly warm weather. Monday will likely be
the coolest day of the week, with morning lows in the mid to upper
50s warming to the mid to upper 80s across most of the area. The
exception to these warmer temperatures is in the mountains of
Northeast GA where morning fog and clouds will be slow to clear
and highs will be in the 70s. With a moderate pressure gradient
between the building high pressure to the west and low pressure to
the east, winds will again be a little gusty (up to 20 mph) out of
the northwest. All in all, a pleasant day of weather to start the
work week.

LONG TERM

..
(Tuesday morning through next Saturday)
Issued at 226 PM EDT Sun Oct 11 2026

A tale of two air masses for the long term forecast. Through the
middle of the week into Friday, subtropical ridge will build in
over the CWA that will bring very warm and (for October)
relatively moist air mass to the Southeast. Highs Tuesday through
Friday will be well into the mid to upper 80s and a few 90s may
even creep into parts of central Georgia. Dewpoints will be well
into the 60s area-wide. These highs will be 10 to as much as 20
degrees above average. Depending on the day, we might approach
record highs at a few sites. Overnight lows will be in the upper
50s to low 60s. These are unlikely to approach record minimum
highs, but will still be 5-15 degrees above average for October.

Rain chances look to be near zero through this time period.

Into Friday, some significant changes look to take place over the CWA. Backing up a touch to Thursday, potent system over the 4 corners region should eject into the Great Plains and merge with a potent wave digging into the area within the main polar jet. This becomes a potent wave across the eastern CONUS, driving a cold front through the area into Saturday. Some timing differences exist across ensembles and the various deterministic/AI guidance, but the general consensus seems to have this front through the area by Saturday morning with maybe the exception of far east central Georgia. This brings in much more seasonable air with highs forecast in the 60s and 70s Saturday, and maybe even cooler on Sunday as the cooler air mass continue to push into the region. Given strong moisture convergence along the front, current precip chances may be a bit underdone across especially north Georgia, though timing for something like this will be crucial. An overnight frontal passage will be much more likely to be precip free, for instance. This is still a week out, so worth keeping an eye on.

+ Raw NWS AFD text

```
000
FXUS62 KFFC 112341
AFDFFC

Area Forecast Discussion
National Weather Service Peachtree City GA
741 PM EDT Sun Oct 11 2026



...New 00Z Aviation Discussion...

.KEY MESSAGES...

  - Lingering low clouds and gusty winds to 25 mph across North GA
    this afternoon as Isaias moves away from the area.

  - Dry conditions for much of the week with temperatures warming
    up to well above normal.

  - Confidence is increasing that a much cooler airmass will move
    in for next weekend behind a strong cold front.


&&

.SHORT TERM...
(This afternoon through Monday)
Issued at 226 PM EDT Sun Oct 11 2026

The remnants of Isaias continue to shift up across the Mid-
Atlantic, but not before leaving most of North and Central GA with
a rather dreary start to the day. Low-level moisture trapped
beneath dry air aloft resulted in widespread low clouds and areas
```

of light rain this morning. Throughout this afternoon, daytime heating and breezy winds gusting to 20-25 mph will help mix out the moisture and lead to mostly clear skies by the evening hours. Temperatures this afternoon will top out in the low to mid 70s for most.

Overnight into Monday, a mid-level ridge and surface high pressure over the Gulf will spread across the Southeast US, kickstarting a week of dry and increasingly warm weather. Monday will likely be the coolest day of the week, with morning lows in the mid to upper 50s warming to the mid to upper 80s across most of the area. The exception to these warmer temperatures is in the mountains of Northeast GA where morning fog and clouds will be slow to clear and highs will be in the 70s. With a moderate pressure gradient between the building high pressure to the west and low pressure to the east, winds will again be a little gusty (up to 20 mph) out of the northwest. All in all, a pleasant day of weather to start the work week.

&&

.LONG TERM...
(Tuesday morning through next Saturday)
Issued at 226 PM EDT Sun Oct 11 2026

A tale of two air masses for the long term forecast. Through the middle of the week into Friday, subtropical ridge will build in over the CWA that will bring very warm and (for October) relatively moist air mass to the Southeast. Highs Tuesday through Friday will be well into the mid to upper 80s and a few 90s may even creep into parts of central Georgia. Dewpoints will be well into the 60s area-wide. These highs will be 10 to as much as 20 degrees above average. Depending on the day, we might approach record highs at a few sites. Overnight lows will be in the upper 50s to low 60s. These are unlikely to approach record minimum highs, but will still be 5-15 degrees above average for October. Rain chances look to be near zero through this time period.

Into Friday, some significant changes look to take place over the CWA. Backing up a touch to Thursday, potent system over the 4 corners region should eject into the Great Plains and merge with a potent wave digging into the area within the main polar jet. This becomes a potent wave across the eastern CONUS, driving a cold front through the area into Saturday. Some timing differences exist across ensembles and the various deterministic/AI guidance, but the general consensus seems to have this front through the area by Saturday morning with maybe the exception of far east central Georgia. This brings in much more seasonable air with highs forecast in the 60s and 70s Saturday, and maybe even cooler on Sunday as the cooler air mass continue to push into the region. Given strong moisture convergence along the front, current precip chances may be a bit underdone across especially north Georgia, though timing for something like this will be crucial. An overnight frontal passage will be much more likely to be precip free, for instance. This is still a week out, so worth keeping an eye on.

&&

```
.AVIATION...
(00Z TAFS)
Issued at 732 PM EDT Sun Oct 11 2026

Lingering BKN-OVC MVFR cigs will improve to VFR (and SKC for
many) by 06Z, continui
```

1.1 · KLZU departure-airport NOTAM state

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 1 Act on 1 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What 3 · Where

ed 2026-10-12T02:54:05.908050Z.

oritative)

FRI OCT 9 | SAT OCT 10 | SUN OCT 11 | MON OCT 12

6/5419

A0178/26

07/011

5 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 02:54 Z

NOTAMs as of 02:54 Z — advisory only; verify an official briefing.

04/013

NOTAM text not available in this projection.

A0166/26

NOTAM text not available in this projection.

6/5419

NOTAM text not available in this projection.

A0178/26

NOTAM text not available in this projection.

07/011

NOTAM text not available in this projection.

07/030

NOTAM text not available in this projection.

07/034

NOTAM text not available in this projection.

08/001

NOTAM text not available in this projection.

08/024

NOTAM text not available in this projection.

10/001

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

026-10-12T02:54:05.908050Z.

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

Effective 2026-04-23T14:33:00Z → 2028-04-23T14:33:00Z

OBSTRUCTION

Effective 2026-07-13T11:11:00Z → 2026-10-12T04:00:00Z

5 additional normalized FAA NOTAM records omitted from this view.

2 · All 29 destinations — existing editorial RANK order

#1 **KAVL** **Asheville Muni, NC, US** · Mountain · cool mountain escape

OBS - VFR

ETE 0h49

DIST 112 nm

SUN 11 OCT 21:54 ET OBSERVED

Current observation

METAR

OBS - VFR

OBSER

clear below 12,000 ft (CLR)

WIND variable 4 kt

TEMPERATURE 17 °C

VISIBILITY 10 sm

DEWPOINT 14 °C

Evidence & limitations

- METAR source state: ok; observed Oct 11 21:54 ET; retrieved Oct 11 22:54 ET; 60 min before this run.
- Measured values read from the KAVL METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.97 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.

DESTINATION OUTLOOK

SUN, OCT 11

SUN 11 OCT 18:00–00:00 ET HIGH

Forecast

TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 11

18:00–00:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 12

MON 12 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 12 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 12 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 12 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 12

00:00–06:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
6000 ft

CURRENT METAR TEMP DEP / DEST
17°C dep KLZU → 17°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
17/35 (170/350°M · 163/343°T) — designators and °M headings are magnetic; °T are true; variation 7°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) · 12 Act on · 1 Brief


FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What · 3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state:

ed 2026-10-12T02:54:05.908605Z.

OK. The dot colour reports whether this source was read this run; technical environment: preprod.



38 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 02:54 Z

NOTAMs as of 02:54 Z — advisory only; verify an official briefing.

09/117

NOTAM text not available in this projection.

A1239/26

NOTAM text not available in this projection.

10/032

NOTAM text not available in this projection.

A1232/26

NOTAM text not available in this projection.

10/019

NOTAM text not available in this projection.

A1203/26

NOTAM text not available in this projection.

10/035

NOTAM text not available in this projection.

A1237/26

NOTAM text not available in this projection.

01/023

NOTAM text not available in this projection.

A0040/26

NOTAM text not available in this projection.

09/116

NOTAM text not available in this projection.

A1158/26

NOTAM text not available in this projection.

10/033

NOTAM text not available in this projection.

A1233/26

NOTAM text not available in this projection.

10/020

NOTAM text not available in this projection.

A1204/26

NOTAM text not available in this projection.

10/034

NOTAM text not available in this projection.

A1236/26

NOTAM text not available in this projection.

4/1431

NOTAM text not available in this projection.

A0991/24

NOTAM text not available in this projection.

5/9960

NOTAM text not available in this projection.

A0285/25

NOTAM text not available in this projection.

06/067

NOTAM text not available in this projection.

A0730/26

NOTAM text not available in this projection.

09/118

NOTAM text not available in this projection.

09/119

NOTAM text not available in this projection.

A1161/26

NOTAM text not available in this projection.

A1162/26

NOTAM text not available in this projection.

10/036

NOTAM text not available in this projection.

A1238/26

NOTAM text not available in this projection.

10/037

NOTAM text not available in this projection.

A1240/26

NOTAM text not available in this projection.

12/023

NOTAM text not available in this projection.

A1148/25

NOTAM text not available in this projection.

07/051

NOTAM text not available in this projection.

08/090

NOTAM text not available in this projection.

09/025

NOTAM text not available in this projection.

09/026

NOTAM text not available in this projection.

09/120

NOTAM text not available in this projection.

10/007

NOTAM text not available in this projection.

10/013

NOTAM text not available in this projection.

10/014

NOTAM text not available in this projection.

A1241/26

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

026-10-12T02:54:05.908605Z.

RUNWAY
Effective 2026-10-13T04:00:00Z → 2026-10-13T09:30:00Z

RUNWAY
Effective 2026-10-13T04:00:00Z → 2026-10-13T09:30:00Z

RUNWAY
Effective 2026-10-14T04:00:00Z → 2026-10-14T09:15:00Z

RUNWAY
Effective 2026-10-14T04:00:00Z → 2026-10-14T09:15:00Z

35 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KAVL this run.

published WPC surface chart matches this period and is shown in the dropdown with its

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR

issuing office and valid time. It is displayed, never interpreted.

Source state: partial; selected by target date: 2026-10-11=GFS, 2026-10-12=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-12 00:00	63	Ovc	330/8kt	—	5-10kft	>6SM
GFS	2026-10-12 03:00	60	Ovc	330/4kt	—	5-10kft	>6SM
GFS	2026-10-12 06:00	59	Ovc	340/9kt	24.0	5-10kft	3-5SM
GFS	2026-10-12 09:00	58	Ovc	340/11kt	—	5-10kft	<¼SM
GFS	2026-10-12 12:00	58	Ovc	340/12kt	5.0	200-500ft	<¼SM
GFS	2026-10-12 15:00	67	Clear	350/17kt	—	>10kft	>6SM
GFS	2026-10-12 18:00	77	Clear	350/16kt	6.0	>10kft	>6SM
GFS	2026-10-12 21:00	78	Clear	350/11kt	—	>10kft	>6SM
GFS	2026-10-13 00:00	68	Clear	340/5kt	0.0	>10kft	>6SM
GFS	2026-10-13 03:00	61	Clear	340/1kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KAVL 120154Z VRB04KT 10SM CLR 17/14 A2997 RMK AO1 SLP130 T01670139 $

TAF KAVL 112320Z 1200/1224 35007KT P6SM OVC035 FM120500 34012G20KT P6SM BKN035 FM121500 33017G28KT P6SM FEW200 FM122300 34007KT P6SM FEW250
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KAVL; actual-station=KAVL; fetched-at=2026-10-12T02:54:00.515298+00:00; observed-or-issued-at=2026-10-12T01:54:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KAVL; actual-station=KAVL; fetched-at=2026-10-12T02:54:00.987790+00:00; observed-or-issued-at=2026-10-11T23:20:00+00:00; valid-from=2026-10-12T00:00:00+00:00; valid-through=2026-10-13T00:00:00+00:00; partial-target-dates=2026-10-11,2026-10-12 — AWC API

  TAF proxy · KAVL
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KAVL; actual-station=KAVL; fetched-at=2026-10-12T02:54:01.647847+00:00
- FAA NMS NOTAM — state=OK; requested-station=KAVL; actual-station=KAVL; fetched-at=2026-10-12T02:54:05.908605Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KAVL; actual-station=KAVL; fetched-at=2026-10-12T02:54:25.593627+00:00; observed-or-issued-at=2026-10-11T18:00:00+00:00; valid-from=2026-10-12T00:00:00+00:00; valid-through=2026-10-14T18:00:00+00:00; target-dates=2026-10-12; partial-target-dates=2026-10-11; dates-with-points=2026-10-11,2026-10-12 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KAVL; actual-station=KAVL; fetched-at=2026-10-12T02:54:26.070150+00:00; observed-or-issued-at=2026-10-11T12:00:00+00:00; valid-from=2026-10-12T12:00:00+00:00; valid-through=2026-10-19T12:00:00+00:00; target-dates=2026-10-12; dates-with-points=2026-10-12 — Iowa State API
- MOS effective date selection — state=partial; rows=10; requested-station=KAVL; actual-station=KAVL; fetched-at=2026-10-12T02:54:25.593627+00:00; observed-or-issued-at=2026-10-11T18:00:00+00:00; valid-from=2026-10-12T00:00:00+00:00; valid-through=2026-10-14T18:00:00+00:00; target-dates=2026-10-12; partial-target-dates=2026-10-11; dates-with-points=2026-10-11,2026-10-12; selected-by-date=2026-10-11=GFS, 2026-10-12=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.

• Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#2 **KSAV** **Savannah Intl, GA, US** · Atlantic South · historic coast

OBS - VFR

ETE 1h15

DIST 178 nm

SUN 11 OCT 21:53 ET OBSERVED

Current observation

OBS - VFR

OBSER

METAR

clear below 12,000 ft (CLR)

WIND NW (300°) 5 kt

TEMPERATURE 21 °C

VISIBILITY 10 sm

DEWPOINT 17 °C



Wind favours RWY 28

300° true · 307° magnetic · 5 kt

Evidence & limitations

- METAR source state: ok; observed Oct 11 21:53 ET; retrieved Oct 11 22:54 ET; 61 min before this run.
- Measured values read from the KSAV METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.03 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KSAV runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 10/28, 01/19. Wind from 300 degrees true, 307 degrees magnetic, at 5 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 28. Wind source: KSAV METAR 120153Z.

DESTINATION OUTLOOK

SUN, OCT 11

SUN 11 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.


Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 11

18:00–00:00 ET ET



WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 12

MON 12 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 12 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 12 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 12 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 12

00:00–06:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
6000 ft

CURRENT METAR TEMP DEP / DEST
17°C dep KLZU → 21°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
10/28 (100/280°M · 093/273°T) · 01/19 (010/190°M · 003/183°T) — designators and °M headings are magnetic; °T are true; variation 7°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 14 Act on 3 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What 3 · Where

ed 2026-10-12T02:54:05.909039Z.

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state:

OK. The dot colour reports whether this source was read this run; technical environment: preprod.



32 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 02:54 Z

NOTAMs as of 02:54 Z — advisory only; verify an official briefing.

09/025

NOTAM text not available in this projection.

A0416/24

NOTAM text not available in this projection.

M0022/26

NOTAM text not available in this projection.

M0023/26

NOTAM text not available in this projection.

09/111

NOTAM text not available in this projection.

A1016/26

NOTAM text not available in this projection.

5/5965

NOTAM text not available in this projection.

A0799/25

NOTAM text not available in this projection.

5/5767

NOTAM text not available in this projection.

5/5768

NOTAM text not available in this projection.

A0796/25

NOTAM text not available in this projection.

A0797/25

NOTAM text not available in this projection.

05/093

NOTAM text not available in this projection.

A0523/26

NOTAM text not available in this projection.

A1045/26

NOTAM text not available in this projection.

6/8138

NOTAM text not available in this projection.

6/8148

NOTAM text not available in this projection.

A1044/26

NOTAM text not available in this projection.

A1046/26

NOTAM text not available in this projection.

A1035/26

NOTAM text not available in this projection.

12/023

NOTAM text not available in this projection.

A0801/25

NOTAM text not available in this projection.

08/003

NOTAM text not available in this projection.

08/017

NOTAM text not available in this projection.

08/025

NOTAM text not available in this projection.

08/058

NOTAM text not available in this projection.

08/080

NOTAM text not available in this projection.

08/107

NOTAM text not available in this projection.

09/020

NOTAM text not available in this projection.

09/030

NOTAM text not available in this projection.

10/001

NOTAM text not available in this projection.

10/010

NOTAM text not available in this projection.

10/012

NOTAM text not available in this projection.

10/037

NOTAM text not available in this projection.

10/030

NOTAM text not available in this projection.

10/023

NOTAM text not available in this projection.

10/026

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2026-10-12T02:54:05.909039Z.

:00Z

:00Z

:00Z

:00Z

TAXIWAY

Effective 2026-09-30T18:06:00Z → 2026-12-01T19:00:00Z

32 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KSAV this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR

Source state: partial; selected by target date: 2026-10-11=GFS, 2026-10-12=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-12 00:00	72	Sct	270/7kt	—	>10kft	>6SM
GFS	2026-10-12 03:00	68	Clear	230/5kt	—	>10kft	>6SM
GFS	2026-10-12 06:00	66	Clear	250/7kt	0.0	>10kft	>6SM
GFS	2026-10-12 09:00	64	Clear	270/7kt	—	>10kft	>6SM
GFS	2026-10-12 12:00	64	Clear	300/6kt	2.0	>10kft	>6SM
GFS	2026-10-12 15:00	74	Clear	320/8kt	—	>10kft	>6SM
GFS	2026-10-12 18:00	81	Few	330/8kt	1.0	>10kft	>6SM
GFS	2026-10-12 21:00	83	Few	340/7kt	—	>10kft	>6SM
GFS	2026-10-13 00:00	74	Clear	20/1kt	0.0	>10kft	>6SM
GFS	2026-10-13 03:00	70	Clear	0/0kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KSAV 120153Z 30005KT 10SM CLR 21/17 A3003 RMK AO2 SLP167 T02060167

TAF KSAV 112335Z 1200/1224 27007KT P6SM SKC FM121500 31007KT P6SM SKC
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KSAV; actual-station=KSAV; fetched-at=2026-10-12T02:54:00.515298+00:00; observed-or-issued-at=2026-10-12T01:53:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KSAV; actual-station=KSAV; fetched-at=2026-10-12T02:54:00.987790+00:00; observed-or-issued-at=2026-10-11T23:35:00+00:00; valid-from=2026-10-12T00:00:00+00:00; valid-through=2026-10-13T00:00:00+00:00; partial-target-dates=2026-10-11,2026-10-12 — AWC API

  TAF proxy · KSAV
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KSAV; actual-station=KSAV; fetched-at=2026-10-12T02:54:02.174496+00:00
- FAA NMS NOTAM — state=OK; requested-station=KSAV; actual-station=KSAV; fetched-at=2026-10-12T02:54:05.909039Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KSAV; actual-station=KSAV; fetched-at=2026-10-12T02:54:25.526681+00:00; observed-or-issued-at=2026-10-11T18:00:00+00:00; valid-from=2026-10-12T00:00:00+00:00; valid-through=2026-10-14T18:00:00+00:00; target-dates=2026-10-12; partial-target-dates=2026-10-11; dates-with-points=2026-10-11,2026-10-12 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KSAV; actual-station=KSAV; fetched-at=2026-10-12T02:54:26.001311+00:00; observed-or-issued-at=2026-10-11T12:00:00+00:00; valid-from=2026-10-12T12:00:00+00:00; valid-through=2026-10-19T12:00:00+00:00; target-dates=2026-10-12; dates-with-points=2026-10-12 — Iowa State API
- MOS effective date selection — state=partial; rows=10; requested-station=KSAV; actual-station=KSAV; fetched-at=2026-10-12T02:54:25.526681+00:00; observed-or-issued-at=2026-10-11T18:00:00+00:00; valid-from=2026-10-12T00:00:00+00:00; valid-through=2026-10-14T18:00:00+00:00; target-dates=2026-10-12; partial-target-dates=2026-10-11; dates-with-points=2026-10-11,2026-10-12; selected-by-date=2026-10-11=GFS, 2026-10-12=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#3 **KSSI** **Brunswick/McKinnon St Simons Arpt, GA, US** · Atlantic South · St Simons beach

OBS - VFR

ETE 1h29

DIST 214 nm

SUN 11 OCT 20:55 ET OBSERVED

Current observation

OBS - VFR

OBSER

METAR

clear below 12,000 ft (CLR)

WIND calm

TEMPERATURE 23 °C

VISIBILITY 10 sm

DEWPOINT19 °C

Evidence & limitations

- METAR source state: ok; observed Oct 11 20:55 ET; retrieved Oct 11 22:54 ET; 119 min before this run.
- Measured values read from the KSSI METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.01 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.

DESTINATION OUTLOOK

SUN, OCT 11

SUN 11 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 11

18:00–00:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 12

MON 12 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 12 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 12 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 12 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 12

00:00–06:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
6000 ft

CURRENT METAR TEMP DEP / DEST
17°C dep KLZU → 23°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — source state: not_queried

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
04/22 (040/220°M · 033/213°T) · 16/34 (160/340°M · 153/333°T) — designators and °M headings are magnetic; °T are true; variation 7°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 1 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What

3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state:

d 2026-10-12T02:54:05.909349Z.

OK. The dot colour reports whether this source was read this run; technical environment: preprod.



Raw NOTAM data · NOTAMs as of 02:54 Z

NOTAMs as of 02:54 Z — advisory only; verify an official briefing.

10/002

NOTAM text not available in this projection.

A0059/26

NOTAM text not available in this projection.

A0047/26

NOTAM text not available in this projection.

10/001

NOTAM text not available in this projection.

07/001

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

F…26-10-12T02:54:05.909349Z.

…ID LST UIS

…:00Z

…OR ID LST UIS

…:00Z

…RC UIS

…:00Z

…LST (ASR 1019290) X1/MNS 4UNOR12952 20W IS 5NM W SSH 24U UFT (22S UFT ACG) UIS

…:00Z

…07/001 — NAV VORTAC UIS

OTHER

Effective 2026-07-13T11:00:00Z → 2026-12-11T23:00:00Z

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KSSI this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR

Source state: partial; selected by target date: 2026-10-11=GFS, 2026-10-12=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-12 00:00	77	Clear	260/5kt	—	>10kft	>6SM
GFS	2026-10-12 03:00	74	Clear	250/4kt	—	>10kft	>6SM
GFS	2026-10-12 06:00	72	Clear	250/5kt	1.0	>10kft	>6SM
GFS	2026-10-12 09:00	70	Clear	270/6kt	—	>10kft	>6SM
GFS	2026-10-12 12:00	69	Clear	280/7kt	3.0	>10kft	>6SM
GFS	2026-10-12 15:00	76	Clear	310/10kt	—	>10kft	>6SM
GFS	2026-10-12 18:00	82	Clear	330/10kt	0.0	>10kft	>6SM
GFS	2026-10-12 21:00	80	Clear	350/7kt	—	>10kft	>6SM
GFS	2026-10-13 00:00	74	Clear	120/2kt	0.0	>10kft	>6SM
GFS	2026-10-13 03:00	72	Clear	0/0kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KSSI 120055Z AUTO 00000KT 10SM CLR 23/19 A3001 RMK AO2

TAF KSSI 112320Z 1200/1224 27005KT P6SM FEW250 FM121400 32010G15KT P6SM FEW040 FM122200 32005KT P6SM SKC
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KSSI; actual-station=KSSI; fetched-at=2026-10-12T02:54:00.515298+00:00; observed-or-issued-at=2026-10-12T00:55:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KSSI; actual-station=KSSI; fetched-at=2026-10-12T02:54:00.987790+00:00; observed-or-issued-at=2026-10-11T23:20:00+00:00; valid-from=2026-10-12T00:00:00+00:00; valid-through=2026-10-13T00:00:00+00:00; partial-target-dates=2026-10-11,2026-10-12 — AWC API

  TAF proxy · KSSI
- FAA airport status — state=not_queried; fetch-state=not_attempted; payload-state=not_attempted; requested-station=KSSI
- FAA NMS NOTAM — state=OK; requested-station=KSSI; actual-station=KSSI; fetched-at=2026-10-12T02:54:05.909349Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KSSI; actual-station=KSSI; fetched-at=2026-10-12T02:54:25.504648+00:00; observed-or-issued-at=2026-10-11T18:00:00+00:00; valid-from=2026-10-12T00:00:00+00:00; valid-through=2026-10-14T18:00:00+00:00; target-dates=2026-10-12; partial-target-dates=2026-10-11; dates-with-points=2026-10-11,2026-10-12 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KSSI; actual-station=KSSI; fetched-at=2026-10-12T02:54:26.019618+00:00; observed-or-issued-at=2026-10-11T12:00:00+00:00; valid-from=2026-10-12T12:00:00+00:00; valid-through=2026-10-19T12:00:00+00:00; target-dates=2026-10-12; dates-with-points=2026-10-12 — Iowa State API
- MOS effective date selection — state=partial; rows=10; requested-station=KSSI; actual-station=KSSI; fetched-at=2026-10-12T02:54:25.504648+00:00; observed-or-issued-at=2026-10-11T18:00:00+00:00; valid-from=2026-10-12T00:00:00+00:00; valid-through=2026-10-14T18:00:00+00:00; target-dates=2026-10-12; partial-target-dates=2026-10-11; dates-with-points=2026-10-11,2026-10-12; selected-by-date=2026-10-11=GFS, 2026-10-12=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#4 **KJZI** **Charleston Exec, SC, US** · Atlantic South · Charleston Exec

OBS - VFR

ETE 1h28

DIST 213 nm

SUN 11 OCT 20:55 ET OBSERVED

Current observation

OBS - VFR

METAR

OBSER

clear below 12,000 ft (CLR)

WIND W (250°) 4 kt

TEMPERATURE 20 °C

VISIBILITY 10 sm

DEWPOINT **17 °C**



Wind favours RWY 27

250° true · 258° magnetic · 4 kt

Evidence & limitations

- METAR source state: ok; observed Oct 11 20:55 ET; retrieved Oct 11 22:54 ET; 119 min before this run.
- Measured values read from the KJZI METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.00 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KJZI runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 09/27, 04/22. Wind from 250 degrees true, 258 degrees magnetic, at 4 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 27. Wind source: KJZI METAR 120055Z.

DESTINATION OUTLOOK

SUN, OCT 11

SUN 11 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 11

18:00–00:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 12

MON 12 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 12 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 12 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 12 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 12

00:00–06:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
6000 ft

CURRENT METAR TEMP DEP / DEST
17°C dep KLZU → 20°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed (proxy KCHS)

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
09/27 (090/270°M · 082/262°T) · 04/22 (040/220°M · 032/212°T) — designators and °M headings are magnetic; °T are true; variation 8°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 2 Act on

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)


2 · What 3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state:

d 2026-10-12T02:54:06.227871Z.

oritative)

OK. The dot colour reports whether this source was read this run; technical environment: preprod.



Raw NOTAM data · NOTAMs as of 02:54 Z

NOTAMs as of 02:54 Z — advisory only; verify an official briefing.

5/3307

NOTAM text not available in this projection.

07/354

NOTAM text not available in this projection.

08/354

NOTAM text not available in this projection.

10/062

NOTAM text not available in this projection.

09/426

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

26-10-12T02:54:06.227871Z.

OBSTRUCTION
Effective 2026-10-05T06:39:00Z → 2027-01-03T07:39:00Z

OTHER
Effective 2026-09-30T11:40:00Z → 2026-10-31T18:00:00Z

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KJZI this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR

Source state: partial; selected by target date: 2026-10-11=GFS, 2026-10-12=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-12 00:00	70	Bkn	260/6kt	—	>10kft	>6SM
GFS	2026-10-12 03:00	68	Few	240/5kt	—	>10kft	>6SM
GFS	2026-10-12 06:00	67	Clear	250/6kt	0.0	>10kft	>6SM
GFS	2026-10-12 09:00	66	Clear	260/6kt	—	>10kft	>6SM
GFS	2026-10-12 12:00	65	Few	280/4kt	1.0	>10kft	>6SM
GFS	2026-10-12 15:00	74	Clear	310/6kt	—	>10kft	>6SM
GFS	2026-10-12 18:00	80	Few	320/6kt	1.0	>10kft	>6SM
GFS	2026-10-12 21:00	80	Sct	290/4kt	—	>10kft	>6SM
GFS	2026-10-13 00:00	72	Clear	0/0kt	0.0	>10kft	>6SM
GFS	2026-10-13 03:00	69	Clear	0/0kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KJZI 120055Z AUTO 25004KT 10SM CLR 20/17 A3000 RMK AO2

TAF KJZI 112335Z 1200/1224 26008KT P6SM SCT040 TEMPO 1200/1202 BKN040 FM120300 28005KT P6SM SKC FM121500 32008KT P6SM SKC
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KJZI; actual-station=KJZI; fetched-at=2026-10-12T02:54:00.515298+00:00; observed-or-issued-at=2026-10-12T00:55:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KJZI; actual-station=KJZI; fetched-at=2026-10-12T02:54:00.987790+00:00; observed-or-issued-at=2026-10-11T23:35:00+00:00; valid-from=2026-10-12T00:00:00+00:00; valid-through=2026-10-13T00:00:00+00:00; partial-target-dates=2026-10-11,2026-10-12 — AWC API

  TAF proxy · KJZI
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KJZI; actual-station=KCHS; fetched-at=2026-10-12T02:54:01.577743+00:00
- FAA NMS NOTAM — state=OK; requested-station=KJZI; actual-station=KJZI; fetched-at=2026-10-12T02:54:06.227871Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KJZI; actual-station=KJZI; fetched-at=2026-10-12T02:54:25.480721+00:00; observed-or-issued-at=2026-10-11T18:00:00+00:00; valid-from=2026-10-12T00:00:00+00:00; valid-through=2026-10-14T18:00:00+00:00; target-dates=2026-10-12; partial-target-dates=2026-10-11; dates-with-points=2026-10-11,2026-10-12 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KJZI; actual-station=KJZI; fetched-at=2026-10-12T02:54:26.070881+00:00; observed-or-issued-at=2026-10-11T12:00:00+00:00; valid-from=2026-10-12T12:00:00+00:00; valid-through=2026-10-19T12:00:00+00:00; target-dates=2026-10-12; dates-with-points=2026-10-12 — Iowa State API
- MOS effective date selection — state=partial; rows=10; requested-station=KJZI; actual-station=KJZI; fetched-at=2026-10-12T02:54:25.480721+00:00; observed-or-issued-at=2026-10-11T18:00:00+00:00; valid-from=2026-10-12T00:00:00+00:00; valid-through=2026-10-14T18:00:00+00:00; target-dates=2026-10-12; partial-target-dates=2026-10-11; dates-with-points=2026-10-11,2026-10-12; selected-by-date=2026-10-11=GFS, 2026-10-12=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#5 **KMYR** **Myrtle Beach Intl, SC, US** · Atlantic North · Myrtle Beach (Class C)

OBS - VFR

ETE 1h45

DIST 251 nm

SUN 11 OCT 21:53 ET OBSERVED

Current observation

OBS - VFR

METAR

OBSER

broken 3,400 ft

WIND **SW (240°) 9 kt**

TEMPERATURE **20 °C**

VISIBILITY **10 sm**

DEWPOINT17 °C



Wind favours RWY 18

240° true · 249° magnetic · 9 kt · also NOTAM-affected: 18 and 36

Evidence & limitations

- METAR source state: ok; observed Oct 11 21:53 ET; retrieved Oct 11 22:54 ET; 61 min before this run.
- Measured values read from the KMYR METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.97 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KMYR runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 18/36. Wind from 240 degrees true, 249 degrees magnetic, at 9 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 18. NOTAM-affected runway ends, hatched separately from the wind highlight: 18 and 36. The wind-favoured end 18 is also NOTAM-affected: the wind does favour it, but a NOTAM on this card names it, so the highlight is not a statement that the runway is usable. The hatch marks only that a NOTAM names the runway; it does not decode the NOTAM's effective times, so confirm the closure window in the NOTAM text below. Wind source: KMYR METAR 120153Z.

DESTINATION OUTLOOK

SUN, OCT 11

SUN 11 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 11

18:00–00:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 12

MON 12 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 12 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 12 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 12 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 12

00:00–06:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
17°C dep KLZU → 20°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
18/36 (180/000°M · 171/351°T) — designators and °M headings are magnetic; °T are true; variation 9°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 17 Act on 4 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What 3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state:

ed 2026-10-12T02:54:06.229422Z.

oritative) Narrow bars = daily schedule sub-windows

OK. The dot colour reports whether this source was read this run; technical environment: preprod.

	FRI OCT 9	SAT OCT 10	SUN OCT 11	MON OCT 12
08/038				
A0639/26				
A0647/26				
08/053				

42 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 02:54 Z

NOTAMs as of 02:54 Z — advisory only; verify an official briefing.

08/036

NOTAM text not available in this projection.

08/038

NOTAM text not available in this projection.

A0639/26

NOTAM text not available in this projection.

A0647/26

NOTAM text not available in this projection.

08/053

NOTAM text not available in this projection.

A0660/26

NOTAM text not available in this projection.

6/8172

NOTAM text not available in this projection.

09/037

NOTAM text not available in this projection.

09/050

NOTAM text not available in this projection.

A0761/26

NOTAM text not available in this projection.

10/004

NOTAM text not available in this projection.

A0776/26

NOTAM text not available in this projection.

10/007

NOTAM text not available in this projection.

A0777/26

NOTAM text not available in this projection.

10/013

NOTAM text not available in this projection.

A0782/26

NOTAM text not available in this projection.

09/035

NOTAM text not available in this projection.

A0739/26

NOTAM text not available in this projection.

09/036

NOTAM text not available in this projection.

A0741/26

NOTAM text not available in this projection.

09/038

NOTAM text not available in this projection.

A0743/26

NOTAM text not available in this projection.

09/039

NOTAM text not available in this projection.

A0746/26

NOTAM text not available in this projection.

09/040

NOTAM text not available in this projection.

A0747/26

NOTAM text not available in this projection.

09/041

NOTAM text not available in this projection.

09/042

NOTAM text not available in this projection.

09/043

NOTAM text not available in this projection.

A0750/26

NOTAM text not available in this projection.

09/048

NOTAM text not available in this projection.

A0757/26

NOTAM text not available in this projection.

09/051

NOTAM text not available in this projection.

09/052

NOTAM text not available in this projection.

A0762/26

NOTAM text not available in this projection.

09/058

NOTAM text not available in this projection.

A0768/26

NOTAM text not available in this projection.

A0684/26

NOTAM text not available in this projection.

10/014

NOTAM text not available in this projection.

A0783/26

NOTAM text not available in this projection.

07/032

NOTAM text not available in this projection.

09/034

NOTAM text not available in this projection.

09/053

NOTAM text not available in this projection.

08/005

NOTAM text not available in this projection.

A0600/26

NOTAM text not available in this projection.

10/015

NOTAM text not available in this projection.

A0784/26

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

…026-10-12T02:54:06.229422Z.

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

…:00Z

…:00Z

…:00Z

…:00Z

RUNWAY

Effective 2026-08-20T10:17:00Z → 2027-04-30T20:00:00Z

RUNWAY

Effective 2026-09-26T04:00:00Z → 2026-10-31T10:00:00Z

RUNWAY

Effective 2026-09-26T04:00:00Z → 2026-10-31T10:00:00Z

40 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical

Forecast for Aviation and the Weather Prediction Center surface progs, issued by the National Weather Service through the day; the surface prog series reaches 144 hours. They are raster images a pilot reads for fronts, pressure systems and precipitation shields. This page displays them with their issuing office and valid time and never interprets them: no category, wind, ceiling, ranking or go/no-go here is derived from an image. A published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-11=GFS, 2026-10-12=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-12 00:00	73	Few	240/9kt	—	>10kft	>6SM
GFS	2026-10-12 03:00	71	Clear	240/9kt	—	>10kft	>6SM
GFS	2026-10-12 06:00	70	Clear	250/9kt	0.0	>10kft	>6SM
GFS	2026-10-12 09:00	68	Clear	260/7kt	—	>10kft	>6SM
GFS	2026-10-12 12:00	68	Clear	280/6kt	0.0	>10kft	>6SM
GFS	2026-10-12 15:00	75	Clear	320/10kt	—	>10kft	>6SM
GFS	2026-10-12 18:00	79	Sct	320/10kt	2.0	>10kft	>6SM
GFS	2026-10-12 21:00	80	Sct	310/8kt	—	>10kft	>6SM
GFS	2026-10-13 00:00	74	Clear	340/2kt	0.0	>10kft	>6SM
GFS	2026-10-13 03:00	72	Clear	10/2kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KMYR 120153Z 24009KT 10SM BKN034 20/17 A2997 RMK AO2 SLP150 T02000167 $

TAF KMYR 112320Z 1200/1224 24012KT P6SM SCT035 FM120800 27006KT P6SM FEW045 FM121400 31011KT P6SM FEW040 FM121800 32008KT P6SM FEW040
```

+ Data sources used

• METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KMYR; actual-station=KMYR; fetched-at=2026-10-12T02:54:00.515298+00:00; observed-or-issued-at=2026-10-12T01:53:00+00:00 — AWC API

- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KMYR; actual-station=KMYR; fetched-at=2026-10-12T02:54:00.987790+00:00; observed-or-issued-at=2026-10-11T23:20:00+00:00; valid-from=2026-10-12T00:00:00+00:00; valid-through=2026-10-13T00:00:00+00:00; partial-target-dates=2026-10-11,2026-10-12 — AWC API

TAF proxy · KMYR

- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KMYR; actual-station=KMYR; fetched-at=2026-10-12T02:54:01.981956+00:00
- FAA NMS NOTAM — state=OK; requested-station=KMYR; actual-station=KMYR; fetched-at=2026-10-12T02:54:06.229422Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KMYR; actual-station=KMYR; fetched-at=2026-10-12T02:54:25.507043+00:00; observed-or-issued-at=2026-10-11T18:00:00+00:00; valid-from=2026-10-12T00:00:00+00:00; valid-through=2026-10-14T18:00:00+00:00; target-dates=2026-10-12; partial-target-dates=2026-10-11; dates-with-points=2026-10-11,2026-10-12 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KMYR; actual-station=KMYR; fetched-at=2026-10-12T02:54:26.474289+00:00; observed-or-issued-at=2026-10-11T12:00:00+00:00; valid-from=2026-10-12T12:00:00+00:00; valid-through=2026-10-19T12:00:00+00:00; target-dates=2026-10-12; dates-with-points=2026-10-12 — Iowa State API
- MOS effective date selection — state=partial; rows=10; requested-station=KMYR; actual-station=KMYR; fetched-at=2026-10-12T02:54:25.507043+00:00; observed-or-issued-at=2026-10-11T18:00:00+00:00; valid-from=2026-10-12T00:00:00+00:00; valid-through=2026-10-14T18:00:00+00:00; target-dates=2026-10-12; partial-target-dates=2026-10-11; dates-with-points=2026-10-11,2026-10-12; selected-by-date=2026-10-11=GFS, 2026-10-12=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#6 **KCRE** **North Myrtle Beach/Grand Strand Arpt, SC, US** · Atlantic North · N Myrtle Beach

OBS - VFR

ETE 1h49

DIST 261 nm

SUN 11 OCT 21:53 ET OBSERVED

Current observation

METAR

OBS - VFR

OBSER

few 3,800 ft

WIND W (250°) 9 kt

TEMPERATURE 19 °C

VISIBILITY 10 sm

DEWPOINT 16 °C



Wind favours RWY 23

250° true · 259° magnetic · 9 kt

Evidence & limitations

- METAR source state: ok; observed Oct 11 21:53 ET; retrieved Oct 11 22:54 ET; 61 min before this run.
- Measured values read from the KCRE METAR. This is a current surface observation only; it is not a forecast.

- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.95 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KCRE runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 05/23. Wind from 250 degrees true, 259 degrees magnetic, at 9 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 23. Wind source: KCRE METAR 120153Z.

DESTINATION OUTLOOK

SUN, OCT 11

SUN 11 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 11

18:00–00:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 12

MON 12 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 12 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 12 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 12 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 12

00:00–06:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
17°C dep KLZU → 19°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — source state: not_queried

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
05/23 (050/230°M · 041/221°T) — designators and °M headings are magnetic; °T are true; variation 9°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 3 Act on

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)


2 · What 3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state:

d 2026-10-12T02:54:06.232870Z.

oritative)

OK. The dot colour reports whether this source was read this run; technical environment: preprod.



Raw NOTAM data · NOTAMs as of 02:54 Z

NOTAMs as of 02:54 Z — advisory only; verify an official briefing.

5/9932

NOTAM text not available in this projection.

5/9933

NOTAM text not available in this projection.

10/007

NOTAM text not available in this projection.

08/002

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

OTHER

Effective 2026-08-05T21:13:00Z → 2026-11-18T13:00:00Z

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

highest-resolution aviation forecast available. The National Weather Service issues it four times a day, valid 24 to 30 hours, with explicit FM and TEMPO change groups. Airports without their own TAF station use a nearby proxy, which is a normal condition and not a fault. A TAF was read for this airport this run (state: partial). This airport has no TAF station of its own, so KMYR is used as a proxy; that is a normal condition, not a failure.

Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KCRE this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR

Source state: partial; selected by target date: 2026-10-11=GFS, 2026-10-12=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-12 00:00	73	Sct	220/13kt	—	>10kft	>6SM
GFS	2026-10-12 03:00	71	Sct	230/8kt	—	>10kft	>6SM
GFS	2026-10-12 06:00	70	Clear	240/7kt	0.0	>10kft	>6SM
GFS	2026-10-12 09:00	68	Clear	250/5kt	—	>10kft	>6SM
GFS	2026-10-12 12:00	68	Clear	260/5kt	0.0	>10kft	>6SM
GFS	2026-10-12 15:00	76	Clear	320/7kt	—	>10kft	>6SM
GFS	2026-10-12 18:00	80	Sct	320/9kt	2.0	>10kft	>6SM
GFS	2026-10-12 21:00	80	Sct	330/6kt	—	>10kft	>6SM
GFS	2026-10-13 00:00	73	Clear	360/2kt	0.0	>10kft	>6SM
GFS	2026-10-13 03:00	71	Clear	30/1kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KCRE 120153Z AUTO 25009KT 10SM FEW038 19/16 A2995 RMK AO2 SLP141 T01940161

TAF KMYR 112320Z 1200/1224 24012KT P6SM SCT035 FM120800 27006KT P6SM FEW045 FM121400 31011KT P6SM FEW040 FM121800 32008KT P6SM FEW040
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KCRE; actual-station=KCRE; fetched-at=2026-10-12T02:54:00.515298+00:00; observed-or-issued-at=2026-10-12T01:53:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KCRE; actual-station=KMYR; fetched-at=2026-10-12T02:54:00.987790+00:00; observed-or-issued-at=2026-10-11T23:20:00+00:00; valid-from=2026-10-12T00:00:00+00:00; valid-through=2026-10-13T00:00:00+00:00; partial-target-dates=2026-10-11,2026-10-12 — AWC API

  TAF proxy · KMYR
- FAA airport status — state=not_queried; fetch-state=not_attempted; payload-state=not_attempted; requested-station=KCRE
- FAA NMS NOTAM — state=OK; requested-station=KCRE; actual-station=KCRE; fetched-at=2026-10-12T02:54:06.232870Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KCRE; actual-station=KCRE; fetched-at=2026-10-12T02:54:25.564643+00:00; observed-or-issued-at=2026-10-11T18:00:00+00:00; valid-from=2026-10-12T00:00:00+00:00; valid-through=2026-10-14T18:00:00+00:00; target-dates=2026-10-12; partial-target-dates=2026-10-11; dates-with-points=2026-10-11,2026-10-12 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KCRE; actual-station=KCRE; fetched-at=2026-10-12T02:54:26.025027+00:00; observed-or-issued-at=2026-10-11T12:00:00+00:00; valid-from=2026-10-12T12:00:00+00:00; valid-through=2026-10-19T12:00:00+00:00; target-dates=2026-10-12; dates-with-points=2026-10-12 — Iowa State API
- MOS effective date selection — state=partial; rows=10; requested-station=KCRE; actual-station=KCRE; fetched-at=2026-10-12T02:54:25.564643+00:00; observed-or-issued-at=2026-10-11T18:00:00+00:00; valid-from=2026-10-12T00:00:00+00:00; valid-through=2026-10-14T18:00:00+00:00; target-dates=2026-10-12; partial-target-dates=2026-10-11; dates-with-points=2026-10-11,2026-10-12; selected-by-date=2026-10-11=GFS, 2026-10-12=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#7 **KHXD** **Hilton Head Arpt, SC, US** · Atlantic South · Hilton Head

OBS - VFR

ETE 1h21

DIST 195 nm

SUN 11 OCT 21:15 ET OBSERVED

Current observation

METAR

OBS - VFR

OBSER

clear below 12,000 ft (CLR)

WIND **calm**

TEMPERATURE **20 °C**

VISIBILITY **10 sm**

DEWPOINT 18 °C

Evidence & limitations

- METAR source state: ok; observed Oct 11 21:15 ET; retrieved Oct 11 22:54 ET; 99 min before this run.
- Measured values read from the KHXD METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.03 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.

DESTINATION OUTLOOK

SUN, OCT 11

SUN 11 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 11

18:00–00:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 12

MON 12 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 12 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 12 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 12 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 12

00:00–06:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
6000 ft

CURRENT METAR TEMP DEP / DEST
17°C dep KLZU → 20°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
03/21 (030/210°M · 022/202°T) — designators and °M headings are magnetic; °T are true; variation 8°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 6 Act on

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)


2 · What 3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state:

ed 2026-10-12T02:54:06.412011Z.

oritative)

OK. The dot colour reports whether this source was read this run; technical environment: preprod.



5 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 02:54 Z

NOTAMs as of 02:54 Z — advisory only; verify an official briefing.

07/013

NOTAM text not available in this projection.

A0238/26

NOTAM text not available in this projection.

A0369/26

NOTAM text not available in this projection.

5/3292

NOTAM text not available in this projection.

A0137/25

NOTAM text not available in this projection.

6/8144

NOTAM text not available in this projection.

6/8146

NOTAM text not available in this projection.

A0365/26

NOTAM text not available in this projection.

A0366/26

NOTAM text not available in this projection.

09/029

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

026-10-12T02:54:06.412011Z.

AREA IRREGULAR SFC

:00Z

TY AREA IRREGULAR SFC

:00Z

:00Z

EAD, HILTON HEAD ISLAND, SC. LOC RWY 21. AMDT 6... VOSI AND DESCENT ANGLES NOT COINCIDENT (VOSI ANGLE 4.00 TCH 45)

Effective 2025-04-29T20:01:00Z → 2027-04-29T20:01:00Z

NAV_APPROACH

Effective 2025-04-29T20:01:00Z → 2027-04-29T20:01:00Z

5 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KHXD this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · VFR

Source state: partial; selected by target date: 2026-10-11=GFS, 2026-10-12=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-12 00:00	72	Few	250/4kt	—	>10kft	>6SM
GFS	2026-10-12 03:00	70	Clear	230/4kt	—	>10kft	>6SM
GFS	2026-10-12 06:00	69	Clear	240/5kt	0.0	>10kft	>6SM
GFS	2026-10-12 09:00	67	Clear	260/6kt	—	>10kft	>6SM
GFS	2026-10-12 12:00	66	Clear	280/6kt	1.0	>10kft	>6SM
GFS	2026-10-12 15:00	73	Few	340/8kt	—	>10kft	>6SM
GFS	2026-10-12 18:00	79	Few	350/6kt	1.0	>10kft	>6SM
GFS	2026-10-12 21:00	80	Few	10/5kt	—	>10kft	>6SM
GFS	2026-10-13 00:00	74	Clear	30/2kt	0.0	>10kft	>6SM
GFS	2026-10-13 03:00	71	Clear	0/0kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KHXD 120115Z AUTO 00000KT 10SM CLR 20/18 A3003 RMK AO2

TAF KSAV 112335Z 1200/1224 27007KT P6SM SKC FM121500 31007KT P6SM SKC
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KHXD; actual-station=KHXD; fetched-at=2026-10-12T02:54:00.515298+00:00; observed-or-issued-at=2026-10-12T01:15:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KHXD; actual-station=KSAV; fetched-at=2026-10-12T02:54:00.987790+00:00; observed-or-issued-at=2026-10-11T23:35:00+00:00; valid-from=2026-10-12T00:00:00+00:00; valid-through=2026-10-13T00:00:00+00:00; partial-target-dates=2026-10-11,2026-10-12 — AWC API

  TAF proxy · KSAV
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KHXD; actual-station=KHXD; fetched-at=2026-10-12T02:54:01.834236+00:00
- FAA NMS NOTAM — state=OK; requested-station=KHXD; actual-station=KHXD; fetched-at=2026-10-12T02:54:06.412011Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KHXD; actual-station=KHXD; fetched-at=2026-10-12T02:54:25.466027+00:00; observed-or-issued-at=2026-10-11T18:00:00+00:00; valid-from=2026-10-12T00:00:00+00:00; valid-through=2026-10-14T18:00:00+00:00; target-dates=2026-10-12; partial-target-dates=2026-10-11; dates-with-points=2026-10-11,2026-10-12 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KHXD; actual-station=KHXD; fetched-at=2026-10-12T02:54:26.477718+00:00; observed-or-issued-at=2026-10-11T12:00:00+00:00; valid-from=2026-10-12T12:00:00+00:00; valid-through=2026-10-19T12:00:00+00:00; target-dates=2026-10-12; dates-with-points=2026-10-12 — Iowa State API
- MOS effective date selection — state=partial; rows=10; requested-station=KHXD; actual-station=KHXD; fetched-at=2026-10-12T02:54:25.466027+00:00; observed-or-issued-at=2026-10-11T18:00:00+00:00; valid-from=2026-10-12T00:00:00+00:00; valid-through=2026-10-14T18:00:00+00:00; target-dates=2026-10-12; partial-target-dates=2026-10-11; dates-with-points=2026-10-11,2026-10-12; selected-by-date=2026-10-11=GFS, 2026-10-12=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#8 **KTRI** **Bristol/Tri-Cities Arpt, TN, US** · Mountain · Tri-Cities TN/VA

OBS - MVFR

ETE 1h11

DIST 168 nm

SUN 11 OCT 21:53 ET OBSERVED

Current observation METAR

OBS - MVFR

OBSE


few 1,000 ft, broken 1,600 ft, overcast 5,000 ft

WIND **W (250°) 10 kt**

TEMPERATURE **17 °C**

VISIBILITY **10 sm**

DEWPOINT **16 °C**



Wind favours RWY 27

250° true · 258° magnetic · 10 kt · also NOTAM-affected: 05, 23, 09 and 27

Evidence & limitations

- METAR source state: ok; observed Oct 11 21:53 ET; retrieved Oct 11 22:54 ET; 61 min before this run.
- Measured values read from the KTRI METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.98 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KTRI runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 05/23, 09/27. Wind from 250 degrees true, 258 degrees magnetic, at 10 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 27. NOTAM-affected runway ends, hatched separately from the wind highlight: 05, 23, 09 and 27. The wind-favoured end 27 is also NOTAM-affected: the wind does favour it, but a NOTAM on this card names it, so the highlight is not a statement that the runway is usable. The hatch marks only that a NOTAM names the runway; it does not decode the NOTAM's effective times, so confirm the closure window in the NOTAM text below. Wind source: KTRI METAR 120153Z.

DESTINATION OUTLOOK

SUN, OCT 11

SUN 11 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · IFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · IFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 11

18:00–00:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 12

MON 12 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · IFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · IFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 12 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 12 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 12 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 12

00:00–06:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
6000 ft

CURRENT METAR TEMP DEP / DEST
17°C dep KLZU → 17°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
05/23 (050/230°M · 042/222°T) · 09/27 (090/270°M · 082/262°T) — designators and °M headings are magnetic; °T are true; variation 8°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 23 Act on 1 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)


2 · What 3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state:

ed 2026-10-12T02:54:06.435676Z.

oritative)

OK. The dot colour reports whether this source was read this run; technical environment: preprod.



51 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 02:54 Z

NOTAMs as of 02:54 Z — advisory only; verify an official briefing.

5/8343

NOTAM text not available in this projection.

5/8558

NOTAM text not available in this projection.

09/068

NOTAM text not available in this projection.

09/069

NOTAM text not available in this projection.

09/070

NOTAM text not available in this projection.

09/071

NOTAM text not available in this projection.

09/072

NOTAM text not available in this projection.

09/078

NOTAM text not available in this projection.

A1280/26

NOTAM text not available in this projection.

10/024

NOTAM text not available in this projection.

10/026

NOTAM text not available in this projection.

A1309/26

NOTAM text not available in this projection.

A1314/26

NOTAM text not available in this projection.

10/027

NOTAM text not available in this projection.

10/029

NOTAM text not available in this projection.

A1317/26

NOTAM text not available in this projection.

A1318/26

NOTAM text not available in this projection.

10/008

NOTAM text not available in this projection.

10/025

NOTAM text not available in this projection.

A1311/26

NOTAM text not available in this projection.

10/028

NOTAM text not available in this projection.

A1316/26

NOTAM text not available in this projection.

5/1221

NOTAM text not available in this projection.

A1144/25

NOTAM text not available in this projection.

A1251/25

NOTAM text not available in this projection.

A1252/25

NOTAM text not available in this projection.

5/8404

NOTAM text not available in this projection.

5/8405

NOTAM text not available in this projection.

5/8406

NOTAM text not available in this projection.

5/8407

NOTAM text not available in this projection.

A1367/25

NOTAM text not available in this projection.

A1368/25

NOTAM text not available in this projection.

A1369/25

NOTAM text not available in this projection.

A1370/25

NOTAM text not available in this projection.

5/8409

NOTAM text not available in this projection.

A1373/25

NOTAM text not available in this projection.

5/8411

NOTAM text not available in this projection.

A1374/25

NOTAM text not available in this projection.

06/034

NOTAM text not available in this projection.

A0975/26

NOTAM text not available in this projection.

06/042

NOTAM text not available in this projection.

A0980/26

NOTAM text not available in this projection.

06/043

NOTAM text not available in this projection.

A0981/26

NOTAM text not available in this projection.

07/054

NOTAM text not available in this projection.

08/034

NOTAM text not available in this projection.

08/053

NOTAM text not available in this projection.

09/017

NOTAM text not available in this projection.

09/055

NOTAM text not available in this projection.

09/064

NOTAM text not available in this projection.

10/001

NOTAM text not available in this projection.

10/004

NOTAM text not available in this projection.

10/006

NOTAM text not available in this projection.

10/008

NOTAM text not available in this projection.

10/010

NOTAM text not available in this projection.

10/030

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

026-10-12T02:54:06.435676Z.

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30

:00Z

airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

Effective 2026-09-29T11:56:00Z → 2026-10-31T22:00:00Z

RUNWAY

Effective 2026-09-29T11:56:00Z → 2026-10-31T22:00:00Z

RUNWAY

Effective 2026-09-29T11:57:00Z → 2026-10-31T22:00:00Z

RUNWAY

Effective 2026-10-13T04:15:00Z → 2026-10-13T09:45:00Z

RUNWAY

Effective 2026-10-13T04:15:00Z → 2026-10-13T09:45:00Z

RUNWAY

Effective 2026-10-13T04:15:00Z → 2026-10-13T09:45:00Z

RUNWAY

Effective 2026-10-13T04:15:00Z → 2026-10-13T09:45:00Z

RUNWAY

Effective 2026-10-14T04:15:00Z → 2026-10-16T08:45:00Z

RUNWAY

Effective 2026-10-14T04:15:00Z → 2026-10-16T08:45:00Z

RUNWAY

Effective 2026-10-14T04:15:00Z → 2026-10-16T08:45:00Z

RUNWAY

Effective 2026-10-14T04:15:00Z → 2026-10-16T08:45:00Z

43 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

category. NOTAMs were read for KTRI this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

:00 ET ET · MVFR

:00 ET ET · MVFR

:00 ET ET · MVFR

Source state: partial; selected by target date: 2026-10-11=GFS, 2026-10-12=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-12 00:00	64	Ovc	240/9kt	—	5-10kft	>6SM
GFS	2026-10-12 03:00	62	Ovc	260/7kt	—	1-3kft	3-5SM
GFS	2026-10-12 06:00	59	Ovc	260/6kt	46.0	1-3kft	3-5SM
GFS	2026-10-12 09:00	58	Ovc	260/5kt	—	200-500ft	1-2SM
GFS	2026-10-12 12:00	57	Ovc	270/4kt	22.0	500-1kft	¼-½SM
GFS	2026-10-12 15:00	66	Bkn	260/5kt	—	5-10kft	>6SM
GFS	2026-10-12 18:00	75	Few	280/6kt	9.0	>10kft	>6SM
GFS	2026-10-12 21:00	78	Clear	270/5kt	—	>10kft	>6SM
GFS	2026-10-13 00:00	66	Clear	200/1kt	0.0	>10kft	>6SM
GFS	2026-10-13 03:00	58	Clear	0/0kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KTRI 120153Z 25010KT 10SM FEW010 BKN016 OVC050 17/16 A2998 RMK AO2 RAE16 SLP131 P0001 T01720161 $

TAF KTRI 112320Z 1200/1224 25013G20KT P6SM VCSH SCT007 BKN015 FM120200 27013G20KT P6SM BKN007 FM120600 27010KT P6SM VCFG SCT005 BKN010 FM121300 28008KT P6SM BKN020
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KTRI; actual-station=KTRI; fetched-at=2026-10-12T02:54:00.515298+00:00; observed-or-issued-at=2026-10-12T01:53:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KTRI; actual-station=KTRI; fetched-at=2026-10-12T02:54:00.987790+00:00; observed-or-issued-at=2026-10-11T23:20:00+00:00; valid-from=2026-10-12T00:00:00+00:00; valid-through=2026-10-13T00:00:00+00:00; partial-target-dates=2026-10-11,2026-10-12 — AWC API

  TAF proxy · KTRI
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KTRI; actual-station=KTRI; fetched-at=2026-10-12T02:54:01.867580+00:00
- FAA NMS NOTAM — state=OK; requested-station=KTRI; actual-station=KTRI; fetched-at=2026-10-12T02:54:06.435676Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KTRI; actual-station=KTRI; fetched-at=2026-10-12T02:54:25.608427+00:00; observed-or-issued-at=2026-10-11T18:00:00+00:00; valid-from=2026-10-12T00:00:00+00:00; valid-through=2026-10-14T18:00:00+00:00; target-dates=2026-10-12; partial-target-dates=2026-10-11; dates-with-points=2026-10-11,2026-10-12 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KTRI; actual-station=KTRI; fetched-at=2026-10-12T02:54:26.053399+00:00; observed-or-issued-at=2026-10-11T12:00:00+00:00; valid-from=2026-10-12T12:00:00+00:00; valid-through=2026-10-19T12:00:00+00:00; target-dates=2026-10-12; dates-with-points=2026-10-12 — Iowa State API

- MOS effective date selection — state=partial; rows=10; requested-station=KTRI; actual-station=KTRI; fetched-at=2026-10-12T02:54:25.608427+00:00; observed-or-issued-at=2026-10-11T18:00:00+00:00; valid-from=2026-10-12T00:00:00+00:00; valid-through=2026-10-14T18:00:00+00:00; target-dates=2026-10-12; partial-target-dates=2026-10-11; dates-with-points=2026-10-11,2026-10-12; selected-by-date=2026-10-11=GFS, 2026-10-12=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#9 **KROA** **Roanoke Rgnl, VA, US** · Mountain · Roanoke valley

OBS - MVFR

ETE 1h56

DIST 279 nm

SUN 11 OCT 21:54 ET OBSERVED

Current observation

METAR

OBS - MVFR

OBSE

broken 2,800 ft, overcast 3,300 ft

WIND NE (30°) 4 kt

TEMPERATURE 16 °C

VISIBILITY 6 sm

DEWPOINT 15 °C



Wind favours RWY 06

030° true · 039° magnetic · 4 kt

Evidence & limitations

- METAR source state: ok; observed Oct 11 21:54 ET; retrieved Oct 11 22:54 ET; 60 min before this run.
- Measured values read from the KROA METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.86 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KROA runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 06/24, 16/34. Wind from 030 degrees true, 039 degrees magnetic, at 4 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 06. Wind source: KROA METAR 120154Z.

DESTINATION OUTLOOK

SUN, OCT 11

SUN 11 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.


Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 11

18:00–00:00 ET ET



WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 12

MON 12 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 12 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 12 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 12 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 12

00:00–06:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
17°C dep KLZU → 16°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
06/24 (060/240°M · 051/231°T) · 16/34 (160/340°M · 151/331°T) — designators and °M headings are magnetic; °T are true; variation 9°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 3 Act on 3 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What 3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state:

ed 2026-10-12T02:54:06.551983Z.

tes whether it is permanent or simply not supplied) — continues past this window

OK. The dot colour reports whether this source was read this run; technical environment: preprod.



24 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 02:54 Z

NOTAMs as of 02:54 Z — advisory only; verify an official briefing.

10/013

NOTAM text not available in this projection.

A1219/26

NOTAM text not available in this projection.

10/015

NOTAM text not available in this projection.

A1222/26

NOTAM text not available in this projection.

09/077

NOTAM text not available in this projection.

09/078

NOTAM text not available in this projection.

09/079

NOTAM text not available in this projection.

09/080

NOTAM text not available in this projection.

09/081

NOTAM text not available in this projection.

09/082

NOTAM text not available in this projection.

09/083

NOTAM text not available in this projection.

09/084

NOTAM text not available in this projection.

09/085

NOTAM text not available in this projection.

A1226/26

NOTAM text not available in this projection.

5/6949

NOTAM text not available in this projection.

A0691/25

NOTAM text not available in this projection.

09/074

NOTAM text not available in this projection.

A1193/26

NOTAM text not available in this projection.

08/074

NOTAM text not available in this projection.

08/075

NOTAM text not available in this projection.

08/076

NOTAM text not available in this projection.

09/088

NOTAM text not available in this projection.

A1201/26

NOTAM text not available in this projection.

10/002

NOTAM text not available in this projection.

10/008

NOTAM text not available in this projection.

10/009

NOTAM text not available in this projection.

A1214/26

NOTAM text not available in this projection.

09/056

NOTAM text not available in this projection.

A1162/26

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

026-10-12T02:54:06.551983Z.

xpiry published

xpiry published

xpiry published

xpiry published

TAXIWAY

Effective 2026-09-29T18:49:00Z → 2026-10-31T23:59:00Z

24 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KROA this run.

published WPC surface chart matches this period and is shown in the dropdown with its

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · VFR

:00 ET ET · MVFR

:00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · VFR

issuing office and valid time. It is displayed, never interpreted.

Source state: partial; selected by target date: 2026-10-11=GFS, 2026-10-12=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-12 00:00	60	Ovc	290/4kt	—	1-3kft	3-5SM
GFS	2026-10-12 03:00	60	Ovc	300/7kt	—	500-1kft	1-2SM
GFS	2026-10-12 06:00	62	Ovc	300/11kt	46.0	500-1kft	1-2SM
GFS	2026-10-12 09:00	64	Ovc	310/14kt	—	200-500ft	3-5SM
GFS	2026-10-12 12:00	64	Ovc	310/13kt	15.0	200-500ft	>6SM
GFS	2026-10-12 15:00	67	Ovc	310/13kt	—	1-3kft	>6SM
GFS	2026-10-12 18:00	71	Bkn	310/11kt	9.0	3-5kft	>6SM
GFS	2026-10-12 21:00	72	Clear	310/10kt	—	>10kft	>6SM
GFS	2026-10-13 00:00	65	Clear	310/5kt	0.0	>10kft	>6SM
GFS	2026-10-13 03:00	61	Clear	310/2kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KROA 120154Z 03004KT 6SM BR BKN028 OVC033 16/15 A2986 RMK AO2 RAE0056 SLP108 P0000 T01610150

TAF KROA 120225Z 1202/1224 03006KT P6SM SCT015 BKN035 FM120400 35004KT 4SM BR OVC012 FM120800 32011G18KT P6SM SCT006 SCT025 BKN060 FM121200 31013G23KT P6SM SCT025
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KROA; actual-station=KROA; fetched-at=2026-10-12T02:54:00.515298+00:00; observed-or-issued-at=2026-10-12T01:54:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KROA; actual-station=KROA; fetched-at=2026-10-12T02:54:00.987790+00:00; observed-or-issued-at=2026-10-12T02:25:00+00:00; valid-from=2026-10-12T02:00:00+00:00; valid-through=2026-10-13T00:00:00+00:00; partial-target-dates=2026-10-11,2026-10-12 — AWC API

  TAF proxy · KROA
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KROA; actual-station=KROA; fetched-at=2026-10-12T02:54:01.588826+00:00
- FAA NMS NOTAM — state=OK; requested-station=KROA; actual-station=KROA; fetched-at=2026-10-12T02:54:06.551983Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KROA; actual-station=KROA; fetched-at=2026-10-12T02:54:25.493681+00:00; observed-or-issued-at=2026-10-11T18:00:00+00:00; valid-from=2026-10-12T00:00:00+00:00; valid-through=2026-10-14T18:00:00+00:00; target-dates=2026-10-12; partial-target-dates=2026-10-11; dates-with-points=2026-10-11,2026-10-12 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KROA; actual-station=KROA; fetched-at=2026-10-12T02:54:26.031372+00:00; observed-or-issued-at=2026-10-11T12:00:00+00:00; valid-from=2026-10-12T12:00:00+00:00; valid-through=2026-10-19T12:00:00+00:00; target-dates=2026-10-12; dates-with-points=2026-10-12 — Iowa State API
- MOS effective date selection — state=partial; rows=10; requested-station=KROA; actual-station=KROA; fetched-at=2026-10-12T02:54:25.493681+00:00; observed-or-issued-at=2026-10-11T18:00:00+00:00; valid-from=2026-10-12T00:00:00+00:00; valid-through=2026-10-14T18:00:00+00:00; target-dates=2026-10-12; partial-target-dates=2026-10-11; dates-with-points=2026-10-11,2026-10-12; selected-by-date=2026-10-11=GFS, 2026-10-12=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.

• Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#10 **KSGJ** **St Augustine Arpt, FL, US** · Atlantic South · St Augustine FL

OBS - UNKNOWN

ETE 1h55

DIST 276 nm

SUN 11 OCT 20:56 ET OBSERVED

Current observation

OBS - UNKNOWN

METAR

Condition not reported

WIND **SW (230°) 4 kt**

TEMPERATURE **23 °C**

VISIBILITY **10 sm**

DEWPOINT **21 °C**



Wind favours RWY 24

230° true · 237° magnetic · 4 kt

Evidence & limitations

- METAR source state: ok; observed Oct 11 20:56 ET; retrieved Oct 11 22:54 ET; 118 min before this run.
- Measured values read from the KSGJ METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.06 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KSGJ runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 13/31, 06/24, 02/20. Seaplane water lanes (17W, 35W, 18W, 36W, 12W and 30W) are excluded from the diagram and are never marked as favoured. Wind from 230 degrees true, 237 degrees magnetic, at 4 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 24. Wind source: KSGJ METAR 120056Z.

DESTINATION OUTLOOK

SUN, OCT 11

SUN 11 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.


Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 11

18:00–00:00 ET ET



WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 12

MON 12 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 12 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 12 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 12 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 12

00:00–06:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
17°C dep KLZU → 23°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
13/31 (130/310°M · 123/303°T) · 06/24 (060/240°M · 053/233°T) · 02/20 (020/200°M · 013/193°T) · 17W/35W (170/350°M · 163/343°T · water lane, not wind-favored) · 18W/36W (180/000°M · 173/353°T · water lane, not wind-favored) · 12W/30W (120/300°M · 113/293°T · water lane, not wind-favored) — designators and °M headings are magnetic; °T are true; variation 7°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) | 6 Act on | 2 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What | 3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30

ed 2026-10-12T02:54:06.566033Z.

airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

oritative) » = no published end (each row states whether it is permanent or simply not supplied) — continues past this window



10 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 02:54 Z

NOTAMs as of 02:54 Z — advisory only; verify an official briefing.

10/001

NOTAM text not available in this projection.

10/007

NOTAM text not available in this projection.

5/0380

NOTAM text not available in this projection.

12/004

NOTAM text not available in this projection.

6/6168

NOTAM text not available in this projection.

06/017

NOTAM text not available in this projection.

09/027

NOTAM text not available in this projection.

08/008

NOTAM text not available in this projection.

09/001

NOTAM text not available in this projection.

09/004

NOTAM text not available in this projection.

09/005

NOTAM text not available in this projection.

10/003

NOTAM text not available in this projection.

10/005

NOTAM text not available in this projection.

10/006

NOTAM text not available in this projection.

09/024

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

…026-10-12T02:54:06.566033Z.

…:00Z

…:00Z

…:00Z

NAV_APPROACH 12/004 — NAV VOR/DME DECOMMISSIONED

Effective 2025-12-04T15:30:00Z → Permanent — no expiry published

NAV_APPROACH 06/168 — IAP ST AUGUSTINE, ST AUGUSTINE, FL, RNAV (GPS) RWY 31, AMDT 2A... LPV DA 253/HAT 251 ALL CATS 2600(UNCT) 2½(1/2SM)

Effective 2026-03-31T12:37:00Z → 2026-11-10T12:36:00Z

10 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KSGJ this run.

them. No category, wind, ceiling, ranking or go/no-go here is derived from an image. A published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR

Source state: partial; selected by target date: 2026-10-11=GFS, 2026-10-12=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-12 00:00	75	Sct	230/3kt	—	>10kft	>6SM
GFS	2026-10-12 03:00	73	Sct	250/3kt	—	>10kft	>6SM
GFS	2026-10-12 06:00	71	Clear	270/4kt	1.0	>10kft	>6SM
GFS	2026-10-12 09:00	69	Clear	280/6kt	—	>10kft	>6SM
GFS	2026-10-12 12:00	69	Clear	300/6kt	5.0	>10kft	>6SM
GFS	2026-10-12 15:00	78	Clear	330/11kt	—	>10kft	>6SM
GFS	2026-10-12 18:00	80	Clear	350/10kt	1.0	>10kft	>6SM
GFS	2026-10-12 21:00	80	Clear	350/9kt	—	>10kft	>6SM
GFS	2026-10-13 00:00	75	Clear	30/6kt	1.0	>10kft	>6SM
GFS	2026-10-13 03:00	72	Clear	50/4kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KSGJ 120056Z AUTO 23004KT 10SM 23/21 A3006 RMK AO2 SLPNO T02280206 $

TAF KSGJ 112320Z 1200/1224 22006KT P6SM FEW150 BKN250 FM120600 27005KT P6SM SCT250 FM121400 32010G15KT P6SM FEW035 FM122200 36006KT P6SM SKC
```

+ Data sources used

• METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KSGJ; actual-station=KSGJ; fetched-at=2026-10-12T02:54:00.515298+00:00; observed-or-issued-at=2026-10-12T00:56:00+00:00 — AWC API
• TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KSGJ; actual-station=KSGJ; fetched-at=2026-10-12T02:54:00.987790+00:00; observed-or-issued-at=2026-10-11T23:20:00+00:00; valid-from=2026-10-12T00:00:00+00:00; valid-through=2026-10-13T00:00:00+00:00; partial-target-dates=2026-10-11,2026-10-12 — AWC API

TAF proxy · KSGJ

- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KSGJ; actual-station=KSGJ; fetched-at=2026-10-12T02:54:01.821829+00:00
- FAA NMS NOTAM — state=OK; requested-station=KSGJ; actual-station=KSGJ; fetched-at=2026-10-12T02:54:06.566033Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KSGJ; actual-station=KSGJ; fetched-at=2026-10-12T02:54:25.614042+00:00; observed-or-issued-at=2026-10-11T18:00:00+00:00; valid-from=2026-10-12T00:00:00+00:00; valid-through=2026-10-14T18:00:00+00:00; target-dates=2026-10-12; partial-target-dates=2026-10-11; dates-with-points=2026-10-11,2026-10-12 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KSGJ; actual-station=KSGJ; fetched-at=2026-10-12T02:54:26.146739+00:00; observed-or-issued-at=2026-10-11T12:00:00+00:00; valid-from=2026-10-12T12:00:00+00:00; valid-through=2026-10-19T12:00:00+00:00; target-dates=2026-10-12; dates-with-points=2026-10-12 — Iowa State API
- MOS effective date selection — state=partial; rows=10; requested-station=KSGJ; actual-station=KSGJ; fetched-at=2026-10-12T02:54:25.614042+00:00; observed-or-issued-at=2026-10-11T18:00:00+00:00; valid-from=2026-10-12T00:00:00+00:00; valid-through=2026-10-14T18:00:00+00:00; target-dates=2026-10-12; partial-target-dates=2026-10-11; dates-with-points=2026-10-11,2026-10-12; selected-by-date=2026-10-11=GFS, 2026-10-12=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#11 **KCRG** **Jacksonville/Executive at Craig Arpt, FL, US** · Atlantic North · Jacksonville Exec

OBS - VFR

ETE 1h45

DIST 252 nm

SUN 11 OCT 21:53 ET OBSERVED

Current observation

OBS - VFR

OBSER

METAR

clear below 12,000 ft (CLR)

WIND calm

TEMPERATURE 22 °C

VISIBILITY 10 sm

DEWPOINT 20 °C

Evidence & limitations

- METAR source state: ok; observed Oct 11 21:53 ET; retrieved Oct 11 22:54 ET; 61 min before this run.
- Measured values read from the KCRG METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.05 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.

DESTINATION OUTLOOK

SUN, OCT 11

SUN 11 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.


Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 11

18:00–00:00 ET ET



WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 12

MON 12 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 12 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 12 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 12 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 12

00:00–06:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
17°C dep KLZU → 22°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
14/32 (140/320°M · 133/313°T) · 05/23 (050/230°M · 043/223°T) — designators and °M headings are magnetic; °T are true; variation 7°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 3 Act on 1 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)


2 · What 3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state:

ed 2026-10-12T02:54:06.832651Z.

oritative)

OK. The dot colour reports whether this source was read this run; technical environment: preprod.



14 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 02:54 Z

NOTAMs as of 02:54 Z — advisory only; verify an official briefing.

10/004

NOTAM text not available in this projection.

A0314/26

NOTAM text not available in this projection.

6/8452

NOTAM text not available in this projection.

A0170/26

NOTAM text not available in this projection.

6/9357

NOTAM text not available in this projection.

6/9358

NOTAM text not available in this projection.

A0189/26

NOTAM text not available in this projection.

A0190/26

NOTAM text not available in this projection.

12/015

NOTAM text not available in this projection.

A0332/25

NOTAM text not available in this projection.

02/057

NOTAM text not available in this projection.

07/012

NOTAM text not available in this projection.

08/030

NOTAM text not available in this projection.

09/004

NOTAM text not available in this projection.

09/011

NOTAM text not available in this projection.

09/013

NOTAM text not available in this projection.

09/014

NOTAM text not available in this projection.

09/016

NOTAM text not available in this projection.

09/019

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

026-10-12T02:54:06.832651Z.

:00Z

:00Z

:00Z

Effective 2026-05-06T18:55:00Z → 2028-05-06T18:55:00Z

NAV_APPROACH

Effective 2026-05-11T15:08:00Z → 2028-05-11T15:08:00Z

14 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KCRG this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR

Source state: partial; selected by target date: 2026-10-11=GFS, 2026-10-12=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-12 00:00	75	Clear	250/3kt	—	>10kft	>6SM
GFS	2026-10-12 03:00	72	Clear	270/4kt	—	>10kft	>6SM
GFS	2026-10-12 06:00	69	Clear	270/5kt	1.0	>10kft	>6SM
GFS	2026-10-12 09:00	67	Clear	290/7kt	—	>10kft	>6SM
GFS	2026-10-12 12:00	67	Clear	310/8kt	5.0	>10kft	>6SM
GFS	2026-10-12 15:00	78	Clear	320/11kt	—	>10kft	>6SM
GFS	2026-10-12 18:00	83	Clear	330/11kt	0.0	>10kft	>6SM
GFS	2026-10-12 21:00	83	Clear	350/9kt	—	>10kft	>6SM
GFS	2026-10-13 00:00	74	Clear	10/3kt	1.0	>10kft	>6SM
GFS	2026-10-13 03:00	70	Clear	0/0kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KCRG 120153Z 00000KT 10SM CLR 22/20 A3005 RMK AO2 SLP174 T02220200

TAF KCRG 112320Z 1200/1224 26005KT P6SM FEW150 SCT250 FM121400 32011G17KT P6SM FEW035 FM122200 34006KT P6SM SKC
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KCRG; actual-station=KCRG; fetched-at=2026-10-12T02:54:00.515298+00:00; observed-or-issued-at=2026-10-12T01:53:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KCRG; actual-station=KCRG; fetched-at=2026-10-12T02:54:00.987790+00:00; observed-or-issued-at=2026-10-11T23:20:00+00:00; valid-from=2026-10-12T00:00:00+00:00; valid-through=2026-10-13T00:00:00+00:00; partial-target-dates=2026-10-11,2026-10-12 — AWC API

  TAF proxy · KCRG
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KCRG; actual-station=KCRG; fetched-at=2026-10-12T02:54:01.851250+00:00
- FAA NMS NOTAM — state=OK; requested-station=KCRG; actual-station=KCRG; fetched-at=2026-10-12T02:54:06.832651Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KCRG; actual-station=KCRG; fetched-at=2026-10-12T02:54:25.732926+00:00; observed-or-issued-at=2026-10-11T18:00:00+00:00; valid-from=2026-10-12T00:00:00+00:00; valid-through=2026-10-14T18:00:00+00:00; target-dates=2026-10-12; partial-target-dates=2026-10-11; dates-with-points=2026-10-11,2026-10-12 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KCRG; actual-station=KCRG; fetched-at=2026-10-12T02:54:26.176472+00:00; observed-or-issued-at=2026-10-11T12:00:00+00:00; valid-from=2026-10-12T12:00:00+00:00; valid-through=2026-10-19T12:00:00+00:00; target-dates=2026-10-12; dates-with-points=2026-10-12 — Iowa State API
- MOS effective date selection — state=partial; rows=10; requested-station=KCRG; actual-station=KCRG; fetched-at=2026-10-12T02:54:25.732926+00:00; observed-or-issued-at=2026-10-11T18:00:00+00:00; valid-from=2026-10-12T00:00:00+00:00; valid-through=2026-10-14T18:00:00+00:00; target-dates=2026-10-12; partial-target-dates=2026-10-11; dates-with-points=2026-10-11,2026-10-12; selected-by-date=2026-10-11=GFS, 2026-10-12=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#12 **KFIN** **Palm Coast/Flagler Exec, FL, US** · Atlantic South · Flagler Exec FL

OBS - VFR

ETE 2h03

DIST 295 nm

SUN 11 OCT 22:15 ET OBSERVED

Current observation

METAR

OBS - VFR

OBSER

clear below 12,000 ft (CLR)

WIND **SW (220°) 3 kt**

TEMPERATURE **22 °C**

VISIBILITY **10 sm**

DEWPOINT **21 °C**



Wind favours RWY 24

220° true · 227° magnetic · 3 kt

Evidence & limitations

- METAR source state: ok; observed Oct 11 22:15 ET; retrieved Oct 11 22:54 ET; 39 min before this run.
- Measured values read from the KFIN METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.07 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KFIN runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 11/29, 06/24. Seaplane water lanes (18W and 36W) are excluded from the diagram and are never marked as favoured. Wind from 220 degrees true, 227 degrees magnetic, at 3 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 24. Wind source: KFIN METAR 120215Z.

DESTINATION OUTLOOK

SUN, OCT 11

SUN 11 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 11

18:00–00:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 12

MON 12 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 12 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 12 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 12 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 12

00:00–06:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
17°C dep KLZU → 22°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — source state: not_queried

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
11/29 (110/290°M · 103/283°T) · 06/24 (060/240°M · 053/233°T) · 18W/36W (180/000°M · 173/353°T · water lane, not wind-favored) — designators and °M headings are magnetic; °T are true; variation 7°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 8 Act on 1 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What 3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state:

ed 2026-10-12T02:54:06.863984Z.

oritative)

OK. The dot colour reports whether this source was read this run; technical environment: preprod.



18 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 02:54 Z

NOTAMs as of 02:54 Z — advisory only; verify an official briefing.

6/4977

NOTAM text not available in this projection.

6/4978

NOTAM text not available in this projection.

6/4982

NOTAM text not available in this projection.

6/4983

NOTAM text not available in this projection.

A0039/26

NOTAM text not available in this projection.

A0040/26

NOTAM text not available in this projection.

A0041/26

NOTAM text not available in this projection.

A0042/26

NOTAM text not available in this projection.

06/004

NOTAM text not available in this projection.

07/008

NOTAM text not available in this projection.

A0036/26

NOTAM text not available in this projection.

08/004

NOTAM text not available in this projection.

08/007

NOTAM text not available in this projection.

10/001

NOTAM text not available in this projection.

10/002

NOTAM text not available in this projection.

10/003

NOTAM text not available in this projection.

A0048/26

NOTAM text not available in this projection.

10/002

NOTAM text not available in this projection.

10/003

NOTAM text not available in this projection.

10/004

NOTAM text not available in this projection.

09/008

NOTAM text not available in this projection.

09/011

NOTAM text not available in this projection.

A0046/26

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this

source was read this run; technical environment: preprod.

:00Z

Effective 2026-09-23T04:36:00Z → 2026-10-22T04:36:00Z

NAV_APPROACH

Effective 2026-09-23T04:36:00Z → 2026-10-22T04:36:00Z

NAV_APPROACH

Effective 2026-09-23T04:36:00Z → 2026-10-22T04:36:00Z

18 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KFIN this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · VFR

Source state: partial; selected by target date: 2026-10-11=GFS, 2026-10-12=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-12 00:00	74	Bkn	0/0kt	—	>10kft	>6SM
GFS	2026-10-12 03:00	71	Sct	270/1kt	—	>10kft	>6SM
GFS	2026-10-12 06:00	70	Clear	290/2kt	3.0	>10kft	>6SM

GFS	2026-10-12 09:00	67	Clear	310/3kt	—	>10kft	>6SM
GFS	2026-10-12 12:00	66	Clear	300/4kt	4.0	>10kft	>6SM
GFS	2026-10-12 15:00	78	Clear	330/7kt	—	>10kft	>6SM
GFS	2026-10-12 18:00	83	Clear	340/9kt	3.0	>10kft	>6SM
GFS	2026-10-12 21:00	83	Clear	350/8kt	—	>10kft	>6SM
GFS	2026-10-13 00:00	73	Clear	20/3kt	1.0	>10kft	>6SM
GFS	2026-10-13 03:00	70	Clear	30/1kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KFIN 120215Z AUTO 22003KT 10SM CLR 22/21 A3007 RMK AO2 T02210210

TAF KDAB 112320Z 1200/1224 29005KT P6SM FEW050 BKN250 FM121400 33010KT P6SM SCT250 FM122200 01008KT P6SM SKC
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KFIN; actual-station=KFIN; fetched-at=2026-10-12T02:54:00.515298+00:00; observed-or-issued-at=2026-10-12T02:15:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KFIN; actual-station=KDAB; fetched-at=2026-10-12T02:54:00.987790+00:00; observed-or-issued-at=2026-10-11T23:20:00+00:00; valid-from=2026-10-12T00:00:00+00:00; valid-through=2026-10-13T00:00:00+00:00; partial-target-dates=2026-10-11,2026-10-12 — AWC API

  TAF proxy · KDAB
- FAA airport status — state=not_queried; fetch-state=not_attempted; payload-state=not_attempted; requested-station=KFIN
- FAA NMS NOTAM — state=OK; requested-station=KFIN; actual-station=KFIN; fetched-at=2026-10-12T02:54:06.863984Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KFIN; actual-station=KFIN; fetched-at=2026-10-12T02:54:25.722658+00:00; observed-or-issued-at=2026-10-11T18:00:00+00:00; valid-from=2026-10-12T00:00:00+00:00; valid-through=2026-10-14T18:00:00+00:00; target-dates=2026-10-12; partial-target-dates=2026-10-11; dates-with-points=2026-10-11,2026-10-12 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KFIN; actual-station=KFIN; fetched-at=2026-10-12T02:54:26.190037+00:00; observed-or-issued-at=2026-10-11T12:00:00+00:00; valid-from=2026-10-12T12:00:00+00:00; valid-through=2026-10-19T12:00:00+00:00; target-dates=2026-10-12; dates-with-points=2026-10-12 — Iowa State API
- MOS effective date selection — state=partial; rows=10; requested-station=KFIN; actual-station=KFIN; fetched-at=2026-10-12T02:54:25.722658+00:00; observed-or-issued-at=2026-10-11T18:00:00+00:00; valid-from=2026-10-12T00:00:00+00:00; valid-through=2026-10-14T18:00:00+00:00; target-dates=2026-10-12; partial-target-dates=2026-10-11; dates-with-points=2026-10-11,2026-10-12; selected-by-date=2026-10-11=GFS, 2026-10-12=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#13 **KGKT** **Gatlinburg-Pigeon Forge Arpt, TN, US** · Mountain · Smokies/Gatlinburg

OBS - MVFR

ETE 0h50

DIST 114 nm

SUN 11 OCT 20:56 ET OBSERVED

Current observation

METAR

OBS - MVFR

OBSE

scattered 1,300 ft, broken 2,100 ft, overcast 2,700 ft

WIND **SW (230°) 7 kt gust 12 kt**

TEMPERATURE **18 °C**

VISIBILITY **10 sm**

DEWPOINT **17 °C**



Wind favours RWY 28

230° true · 237° magnetic · 7G12 kt

Evidence & limitations

- METAR source state: ok; observed Oct 11 20:56 ET; retrieved Oct 11 22:54 ET; 118 min before this run.
- Measured values read from the KGKT METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.02 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KGKT runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 10/28. Wind from 230 degrees true, 237 degrees magnetic, at 7 knots gusting 12 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 28. Wind source: KGKT METAR 120056Z.

DESTINATION OUTLOOK

SUN, OCT 11

SUN 11 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 11

18:00–00:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 12

MON 12 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 12 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 12 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 12 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 12

00:00–06:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
6000 ft

CURRENT METAR TEMP DEP / DEST
17°C dep KLZU → 18°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — source state: not_queried

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
10/28 (100/280°M · 093/273°T) — designators and °M headings are magnetic; °T are true; variation 7°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 4 Act on 2 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)


2 · What 3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state:

ed 2026-10-12T02:54:06.929921Z.

oritative) » = no published end (each row states whether it is permanent or simply not supplied) — continues past this window

OK. The dot colour reports whether this source was read this run; technical environment: preprod.



14 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 02:54 Z

NOTAMs as of 02:54 Z — advisory only; verify an official briefing.

5/5737

NOTAM text not available in this projection.

04/104

NOTAM text not available in this projection.

04/122

NOTAM text not available in this projection.

04/123

NOTAM text not available in this projection.

5/0055

NOTAM text not available in this projection.

5/0067

NOTAM text not available in this projection.

6/4578

NOTAM text not available in this projection.

07/681

NOTAM text not available in this projection.

07/682

NOTAM text not available in this projection.

07/683

NOTAM text not available in this projection.

08/632

NOTAM text not available in this projection.

09/026

NOTAM text not available in this projection.

09/050

NOTAM text not available in this projection.

09/491

NOTAM text not available in this projection.

09/537

NOTAM text not available in this projection.

10/039

NOTAM text not available in this projection.

10/084

NOTAM text not available in this projection.

10/113

NOTAM text not available in this projection.

09/688

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

RUNWAY

Effective 2026-04-07T10:24:00Z → 2027-11-30T19:00:00Z

RUNWAY

Effective 2026-04-07T10:26:00Z → Permanent — no expiry published

NAV_APPROACH

Effective 2025-09-24T20:31:00Z → 2027-09-24T20:31:00Z

14 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KGKT this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · MVFR
:00 ET ET · MVFR
:00 ET ET · MVFR
:00 ET ET · VFR
:00 ET ET · VFR

Source state: partial; selected by target date: 2026-10-11=GFS, 2026-10-12=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-12 00:00	64	Ovc	240/8kt	—	1-3kft	3-5SM
GFS	2026-10-12 03:00	63	Ovc	240/5kt	—	500-1kft	3-5SM
GFS	2026-10-12 06:00	60	Ovc	230/3kt	21.0	1-3kft	1-2SM
GFS	2026-10-12 09:00	58	Ovc	240/2kt	—	<200ft	¼-½SM
GFS	2026-10-12 12:00	57	Ovc	220/1kt	10.0	1-3kft	<¼SM
GFS	2026-10-12 15:00	67	Sct	260/4kt	—	>10kft	>6SM
GFS	2026-10-12 18:00	78	Clear	340/4kt	4.0	>10kft	>6SM
GFS	2026-10-12 21:00	82	Clear	340/3kt	—	>10kft	>6SM
GFS	2026-10-13 00:00	69	Clear	0/0kt	0.0	>10kft	>6SM
GFS	2026-10-13 03:00	61	Clear	0/0kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KGKT 120056Z AUTO 23007G12KT 200V260 10SM SCT013 BKN021 OVC027 18/17 A3002 RMK A01

TAF KTYS 112320Z 1200/1224 25009KT P6SM SCT010 BKN015 FM120700 23007KT P6SM BKN025 FM121200 VRB03KT P6SM FEW035 SCT250
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KGKT; actual-station=KGKT; fetched-at=2026-10-12T02:54:00.515298+00:00; observed-or-issued-at=2026-10-12T00:56:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KGKT; actual-station=KTYS; fetched-at=2026-10-12T02:54:00.987790+00:00; observed-or-issued-at=2026-10-11T23:20:00+00:00; valid-from=2026-10-12T00:00:00+00:00; valid-through=2026-10-13T00:00:00+00:00; partial-target-dates=2026-10-11,2026-10-12 — AWC API

  TAF proxy · KTYS
- FAA airport status — state=not_queried; fetch-state=not_attempted; payload-state=not_attempted; requested-station=KGKT
- FAA NMS NOTAM — state=OK; requested-station=KGKT; actual-station=KGKT; fetched-at=2026-10-12T02:54:06.929921Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KGKT; actual-station=KGKT; fetched-at=2026-10-12T02:54:25.695135+00:00; observed-or-issued-at=2026-10-11T18:00:00+00:00; valid-from=2026-10-12T00:00:00+00:00; valid-through=2026-10-14T18:00:00+00:00; target-dates=2026-10-12; partial-target-dates=2026-10-11; dates-with-points=2026-10-11,2026-10-12 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KGKT; actual-station=KGKT; fetched-at=2026-10-12T02:54:26.163185+00:00; observed-or-issued-at=2026-10-11T12:00:00+00:00; valid-from=2026-10-12T12:00:00+00:00; valid-through=2026-10-19T12:00:00+00:00; target-dates=2026-10-12; dates-with-points=2026-10-12 — Iowa State API
- MOS effective date selection — state=partial; rows=10; requested-station=KGKT; actual-station=KGKT; fetched-at=2026-10-12T02:54:25.695135+00:00; observed-or-issued-at=2026-10-11T18:00:00+00:00; valid-from=2026-10-12T00:00:00+00:00; valid-through=2026-10-14T18:00:00+00:00; target-dates=2026-10-12; partial-target-dates=2026-10-11; dates-with-points=2026-10-11,2026-10-12; selected-by-date=2026-10-11=GFS, 2026-10-12=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#14 **KSHD** **Staunton/Shenandoah Valley Rgnl, VA, US** · Mountain · Shenandoah valley

OBS - MVFR

ETE 2h25

DIST 355 nm

SUN 11 OCT 22:15 ET OBSERVED

Current observation

OBS - MVFR

OBSE

METAR

overcast 1,100 ft

WIND calm

TEMPERATURE 14 °C

VISIBILITY 10 sm

DEWPOINT14 °C

Evidence & limitations

- METAR source state: ok; observed Oct 11 22:15 ET; retrieved Oct 11 22:54 ET; 39 min before this run.
- Measured values read from the KSHD METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.87 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.

DESTINATION OUTLOOK

SUN, OCT 11

SUN 11 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · IFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · IFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 11

18:00–00:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 12

MON 12 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · IFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · IFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 12 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 12 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 12 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 12

00:00–06:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
17°C dep KLZU → 14°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — source state: not_queried

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
05/23 (050/230°M · 040/220°T) — designators and °M headings are magnetic; °T are true; variation 10°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 3 Act on 2 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)


2 · What 3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state:

d 2026-10-12T02:54:07.020038Z.

oritative)

OK. The dot colour reports whether this source was read this run; technical environment: preprod.



2 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 02:54 Z

NOTAMs as of 02:54 Z — advisory only; verify an official briefing.

03/004

NOTAM text not available in this projection.

A0068/26

NOTAM text not available in this projection.

5/3811

NOTAM text not available in this projection.

A0196/25

NOTAM text not available in this projection.

07/006

NOTAM text not available in this projection.

A0111/26

NOTAM text not available in this projection.

10/002

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this

26-10-12T02:54:07.020038Z.

RANSIENT

:00Z

O TO TRANSIENT

:00Z

SHENANDOAH VALLEY RGNL, STAUNTON/WAYNESBORO/HARRISONBURG, VA. ILS OR LOC RWY 3 AMDT 3B... AUTOPILOT COUPLED APPROACHES NA BELOW 1000 FEET

:00Z

source was read this run; technical environment: preprod.

Effective 2025-09-15T15:42:00Z → 2027-09-15T15:41:00Z

NAV_APPROACH

Effective 2026-07-15T17:40:00Z → 2028-02-29T21:11:00Z

2 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KSHD this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · IFR
:00 ET ET · IFR
:00 ET ET · MVFR
:00 ET ET · VFR
:00 ET ET · VFR

Source state: partial; selected by target date: 2026-10-11=GFS, 2026-10-12=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-12 00:00	58	Ovc	360/2kt	—	500-1kft	3-5SM
GFS	2026-10-12 03:00	57	Ovc	0/0kt	—	500-1kft	1-2SM
GFS	2026-10-12 06:00	58	Ovc	270/1kt	53.0	500-1kft	¼-½SM
GFS	2026-10-12 09:00	58	Ovc	320/2kt	—	500-1kft	3-5SM
GFS	2026-10-12 12:00	59	Ovc	320/4kt	27.0	500-1kft	3-5SM
GFS	2026-10-12 15:00	65	Ovc	340/6kt	—	3-5kft	>6SM

GFS	2026-10-12 18:00	71	Bkn	340/6kt	9.0	5-10kft	>6SM
GFS	2026-10-12 21:00	72	Clear	320/6kt	—	>10kft	>6SM
GFS	2026-10-13 00:00	62	Clear	330/1kt	0.0	>10kft	>6SM
GFS	2026-10-13 03:00	56	Clear	0/0kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KSHD 120215Z AUTO 00000KT 10SM OVC011 14/14 A2987 RMK AO2 T01400140

TAF KCHO 112343Z 1200/1224 05007KT 5SM -SHRA BR OVC006 TEMPO 1200/1201 2SM SHRA OVC005 FM120400 29003KT 5SM SHRA BR BKN007 OVC019 FM120700 29003KT P6SM BKN015 OVC035 FM121400 33009KT P6SM SCT050
FM122300 00000KT P6SM FEW250
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KSHD; actual-station=KSHD; fetched-at=2026-10-12T02:54:00.515298+00:00; observed-or-issued-at=2026-10-12T02:15:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KSHD; actual-station=KCHO; fetched-at=2026-10-12T02:54:00.987790+00:00; observed-or-issued-at=2026-10-11T23:43:00+00:00; valid-from=2026-10-12T00:00:00+00:00; valid-through=2026-10-13T00:00:00+00:00; partial-target-dates=2026-10-11,2026-10-12 — AWC API

  TAF proxy · KCHO
- FAA airport status — state=not_queried; fetch-state=not_attempted; payload-state=not_attempted; requested-station=KSHD
- FAA NMS NOTAM — state=OK; requested-station=KSHD; actual-station=KSHD; fetched-at=2026-10-12T02:54:07.020038Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KSHD; actual-station=KSHD; fetched-at=2026-10-12T02:54:25.628958+00:00; observed-or-issued-at=2026-10-11T18:00:00+00:00; valid-from=2026-10-12T00:00:00+00:00; valid-through=2026-10-14T18:00:00+00:00; target-dates=2026-10-12; partial-target-dates=2026-10-11; dates-with-points=2026-10-11,2026-10-12 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KSHD; actual-station=KSHD; fetched-at=2026-10-12T02:54:26.187641+00:00; observed-or-issued-at=2026-10-11T12:00:00+00:00; valid-from=2026-10-12T12:00:00+00:00; valid-through=2026-10-19T12:00:00+00:00; target-dates=2026-10-12; dates-with-points=2026-10-12 — Iowa State API
- MOS effective date selection — state=partial; rows=10; requested-station=KSHD; actual-station=KSHD; fetched-at=2026-10-12T02:54:25.628958+00:00; observed-or-issued-at=2026-10-11T18:00:00+00:00; valid-from=2026-10-12T00:00:00+00:00; valid-through=2026-10-14T18:00:00+00:00; target-dates=2026-10-12; partial-target-dates=2026-10-11; dates-with-points=2026-10-11,2026-10-12; selected-by-date=2026-10-11=GFS, 2026-10-12=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#15 **KECP** **Panama City/NW Florida Beaches Intl, FL, US** · Gulf East · Panama City Beach

OBS - VFR

ETE 1h38

DIST 237 nm

SUN 11 OCT 21:53 ET OBSERVED

Current observation

METAR

OBS - VFR

OBSER

clear below 12,000 ft (CLR)

WIND **SW (230°) 3 kt**

TEMPERATURE **22 °C**

VISIBILITY **10 sm**

DEWPOINT **19 °C**



Wind favours RWY 16

230° true · 233° magnetic · 3 kt

Evidence & limitations

- METAR source state: ok; observed Oct 11 21:53 ET; retrieved Oct 11 22:54 ET; 61 min before this run.
- Measured values read from the KECP METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.08 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KECP runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 16/34. Wind from 230 degrees true, 233 degrees magnetic, at 3 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 16. Wind source: KECP METAR 120153Z.

DESTINATION OUTLOOK

SUN, OCT 11

SUN 11 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 11

18:00–00:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 12

MON 12 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 12 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 12 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 12 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 12

00:00–06:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
6000 ft

CURRENT METAR TEMP DEP / DEST
17°C dep KLZU → 22°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
16/34 (160/340°M · 157/337°T) — designators and °M headings are magnetic; °T are true; variation 3°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 3 Act on 1 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What 3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

ed 2026-10-12T02:54:07.187586Z.

oritative)



9 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 02:54 Z

NOTAMs as of 02:54 Z — advisory only; verify an official briefing.

07/022

NOTAM text not available in this projection.

A0129/26

NOTAM text not available in this projection.

6/0313

NOTAM text not available in this projection.

A0153/26

NOTAM text not available in this projection.

08/033

NOTAM text not available in this projection.

09/003

NOTAM text not available in this projection.

A0152/26

NOTAM text not available in this projection.

09/004

NOTAM text not available in this projection.

09/027

NOTAM text not available in this projection.

09/035

NOTAM text not available in this projection.

10/004

NOTAM text not available in this projection.

10/008

NOTAM text not available in this projection.

10/006

NOTAM text not available in this projection.

A0176/26

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

026-10-12T02:54:07.187586Z.

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

:00Z

:00Z

:00Z

Effective 2026-09-02T17:00:00Z → 2027-01-15T16:23:00Z

OBSTRUCTION

Effective 2026-08-31T20:54:00Z → 2026-12-31T23:59:00Z

9 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

range MOS product, issued twice a day in twelve-hourly steps out to about 192 hours. Coarse, but the only station-calibrated numeric guidance that reaches the far end of a long weekend. This card shows it only as a labelled rough outlook and never as a resolved forecast. A station-calibrated MEX MOS product was read for this airport this run (state: partial).

valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KECP this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR

Source state: partial; selected by target date: 2026-10-11=GFS, 2026-10-12=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-12 00:00	74	Clear	230/4kt	—	>10kft	>6SM
GFS	2026-10-12 03:00	69	Clear	250/1kt	—	>10kft	>6SM
GFS	2026-10-12 06:00	66	Clear	280/2kt	0.0	>10kft	>6SM
GFS	2026-10-12 09:00	64	Clear	270/1kt	—	>10kft	>6SM
GFS	2026-10-12 12:00	64	Clear	310/1kt	2.0	>10kft	>6SM
GFS	2026-10-12 15:00	79	Clear	330/6kt	—	>10kft	>6SM
GFS	2026-10-12 18:00	87	Clear	310/8kt	1.0	>10kft	>6SM
GFS	2026-10-12 21:00	87	Clear	300/8kt	—	>10kft	>6SM
GFS	2026-10-13 00:00	76	Clear	280/2kt	0.0	>10kft	>6SM
GFS	2026-10-13 03:00	70	Clear	0/0kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KECP 120153Z 23003KT 10SM CLR 22/19 A3008 RMK AO2 SLP196 T02170194

TAF KECP 112320Z 1200/1224 27003KT P6SM SKC FM121500 33007KT P6SM SKC
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KECP; actual-station=KECP; fetched-at=2026-10-12T02:54:00.515298+00:00; observed-or-issued-at=2026-10-12T01:53:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KECP; actual-station=KECP; fetched-at=2026-10-12T02:54:00.987790+00:00; observed-or-issued-at=2026-10-11T23:20:00+00:00; valid-from=2026-10-12T00:00:00+00:00; valid-through=2026-10-13T00:00:00+00:00; partial-target-dates=2026-10-11,2026-10-12 — AWC API

  TAF proxy · KECP
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KECP; actual-station=KECP; fetched-at=2026-10-12T02:54:01.666494+00:00
- FAA NMS NOTAM — state=OK; requested-station=KECP; actual-station=KECP; fetched-at=2026-10-12T02:54:07.187586Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KECP; actual-station=KECP; fetched-at=2026-10-12T02:54:25.731570+00:00; observed-or-issued-at=2026-10-11T18:00:00+00:00; valid-from=2026-10-12T00:00:00+00:00; valid-through=2026-10-14T18:00:00+00:00; target-dates=2026-10-12; partial-target-dates=2026-10-11; dates-with-points=2026-10-11,2026-10-12 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KECP; actual-station=KECP; fetched-at=2026-10-12T02:54:26.153583+00:00; observed-or-issued-at=2026-10-11T12:00:00+00:00; valid-from=2026-10-12T12:00:00+00:00; valid-through=2026-10-19T12:00:00+00:00; target-dates=2026-10-12; dates-with-points=2026-10-12 — Iowa State API
- MOS effective date selection — state=partial; rows=10; requested-station=KECP; actual-station=KECP; fetched-at=2026-10-12T02:54:25.731570+00:00; observed-or-issued-at=2026-10-11T18:00:00+00:00; valid-from=2026-10-12T00:00:00+00:00; valid-through=2026-10-14T18:00:00+00:00; target-dates=2026-10-12; partial-target-dates=2026-10-11; dates-with-points=2026-10-11,2026-10-12; selected-by-date=2026-10-11=GFS, 2026-10-12=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#16 **KPNS** **Pensacola Intl, FL, US** · Gulf East · Pensacola (Class C)

OBS - VFR

ETE **1h51**

DIST **267 nm**

SUN 11 OCT 21:53 ET OBSERVED

Current observation

OBS - VFR

OBSER

METAR

clear below 12,000 ft (CLR)

WIND **W (260°) 6 kt**

TEMPERATURE **23 °C**

VISIBILITY **10 sm**

DEWPOINT **19 °C**



Wind favours RWY 26

260° true · 262° magnetic · 6 kt · also NOTAM-affected: 08 and 26

Evidence & limitations

- METAR source state: ok; observed Oct 11 21:53 ET; retrieved Oct 11 22:54 ET; 61 min before this run.
- Measured values read from the KPNS METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.09 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KPNS runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 17/35, 08/26. Wind from 260 degrees true, 262 degrees magnetic, at 6 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 26. NOTAM-affected runway ends, hatched separately from the wind highlight: 08 and 26. The wind-favoured end 26 is also NOTAM-affected: the wind does favour it, but a NOTAM on this card names it, so the highlight is not a statement that the runway is usable. The hatch marks only that a NOTAM names the runway; it does not decode the NOTAM's effective times, so confirm the closure window in the NOTAM text below. Wind source: KPNS METAR 120153Z.

DESTINATION OUTLOOK

SUN, OCT 11

SUN 11 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 11

18:00–00:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 12

MON 12 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 12 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 12 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 12 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 12

00:00–06:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
17°C dep KLZU → 23°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
17/35 (170/350°M · 168/348°T) · 08/26 (080/260°M · 078/258°T) — designators and °M headings are magnetic; °T are true; variation 2°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 18 Act on 6 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What 3 · Where

ed 2026-10-12T02:54:07.262446Z.

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state:

OK. The dot colour reports whether this source was read this run; technical environment: preprod.



78 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 02:54 Z

NOTAMs as of 02:54 Z — advisory only; verify an official briefing.

5/9591

NOTAM text not available in this projection.

04/046

NOTAM text not available in this projection.

04/047

NOTAM text not available in this projection.

A0477/26

NOTAM text not available in this projection.

A0478/26

NOTAM text not available in this projection.

04/048

NOTAM text not available in this projection.

A0479/26

NOTAM text not available in this projection.

04/049

NOTAM text not available in this projection.

A0480/26

NOTAM text not available in this projection.

6/7052

NOTAM text not available in this projection.

09/005

NOTAM text not available in this projection.

09/006

NOTAM text not available in this projection.

09/007

NOTAM text not available in this projection.

A1014/26

NOTAM text not available in this projection.

A1015/26

NOTAM text not available in this projection.

09/008

NOTAM text not available in this projection.

09/074

NOTAM text not available in this projection.

A1113/26

NOTAM text not available in this projection.

09/080

NOTAM text not available in this projection.

A1116/26

NOTAM text not available in this projection.

09/082

NOTAM text not available in this projection.

09/085

NOTAM text not available in this projection.

10/005

NOTAM text not available in this projection.

10/006

NOTAM text not available in this projection.

10/012

NOTAM text not available in this projection.

A1134/26

NOTAM text not available in this projection.

10/013

NOTAM text not available in this projection.

A1135/26

NOTAM text not available in this projection.

10/026

NOTAM text not available in this projection.

A1150/26

NOTAM text not available in this projection.

10/031

NOTAM text not available in this projection.

A1158/26

NOTAM text not available in this projection.

10/038

NOTAM text not available in this projection.

A1169/26

NOTAM text not available in this projection.

A1170/26

NOTAM text not available in this projection.

12/025

NOTAM text not available in this projection.

A1113/25

NOTAM text not available in this projection.

05/004

NOTAM text not available in this projection.

A0495/26

NOTAM text not available in this projection.

05/065

NOTAM text not available in this projection.

A0605/26

NOTAM text not available in this projection.

08/079

NOTAM text not available in this projection.

08/082

NOTAM text not available in this projection.

09/075

NOTAM text not available in this projection.

A1115/26

NOTAM text not available in this projection.

09/076

NOTAM text not available in this projection.

09/077

NOTAM text not available in this projection.

A1114/26

NOTAM text not available in this projection.

09/078

NOTAM text not available in this projection.

09/079

NOTAM text not available in this projection.

09/081

NOTAM text not available in this projection.

10/004

NOTAM text not available in this projection.

A1127/26

NOTAM text not available in this projection.

10/007

NOTAM text not available in this projection.

A1129/26

NOTAM text not available in this projection.

10/023

NOTAM text not available in this projection.

A1148/26

NOTAM text not available in this projection.

10/024

NOTAM text not available in this projection.

10/025

NOTAM text not available in this projection.

A1149/26

NOTAM text not available in this projection.

10/027

NOTAM text not available in this projection.

A1153/26

NOTAM text not available in this projection.

10/028

NOTAM text not available in this projection.

A1154/26

NOTAM text not available in this projection.

A0797/25

NOTAM text not available in this projection.

01/160

NOTAM text not available in this projection.

A0199/26

NOTAM text not available in this projection.

6/3336

NOTAM text not available in this projection.

A0624/26

NOTAM text not available in this projection.

A0826/26

NOTAM text not available in this projection.

6/7054

NOTAM text not available in this projection.

A0828/26

NOTAM text not available in this projection.

6/8258

NOTAM text not available in this projection.

A0849/26

NOTAM text not available in this projection.

6/8259

NOTAM text not available in this projection.

A0850/26

NOTAM text not available in this projection.

08/044

NOTAM text not available in this projection.

08/045

NOTAM text not available in this projection.

08/066

NOTAM text not available in this projection.

08/053

NOTAM text not available in this projection.

A0967/26

NOTAM text not available in this projection.

09/066

NOTAM text not available in this projection.

09/087

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

Effective 2025-09-08T16:19:00Z → 2027-09-08T16:19:00Z

FAA NOTAM text was truncated in this preview; verify the complete official record.

RUNWAY

Effective 2026-04-24T22:11:00Z → 2027-01-29T20:00:00Z

RUNWAY

Effective 2026-04-24T22:11:00Z → 2027-01-29T20:00:00Z

RUNWAY A0477/26 — RWY 26 PAPI U/S
Effective 2026-04-24T22:11:00Z → 2027-01-29T20:00:00Z

RUNWAY A0479/26 — RWY 08 RWY END ID LGT U/S
Effective 2026-04-24T22:11:00Z → 2027-01-29T20:00:00Z

RUNWAY 09/074 — RWY 09/27 CLSD EXC XNG AND TAX
Effective 2026-09-29T12:42:00Z → 2026-12-28T23:00:00Z

RUNWAY A1113/26 — RWY 09/27 CLSD EXC XNG AND TAX
Effective 2026-09-29T12:42:00Z → 2026-12-28T23:00:00Z

76 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KPNS this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR

Source state: partial; selected by target date: 2026-10-11=GFS, 2026-10-12=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-12 00:00	77	Clear	240/4kt	—	>10kft	>6SM
GFS	2026-10-12 03:00	74	Clear	230/4kt	—	>10kft	>6SM
GFS	2026-10-12 06:00	71	Clear	280/2kt	0.0	>10kft	>6SM
GFS	2026-10-12 09:00	70	Clear	310/3kt	—	>10kft	>6SM

GFS	2026-10-12 12:00	69	Clear	330/3kt	2.0	>10kft	>6SM
GFS	2026-10-12 15:00	81	Clear	330/5kt	—	>10kft	>6SM
GFS	2026-10-12 18:00	88	Clear	350/6kt	1.0	>10kft	>6SM
GFS	2026-10-12 21:00	88	Clear	220/6kt	—	>10kft	>6SM
GFS	2026-10-13 00:00	80	Clear	240/3kt	0.0	>10kft	>6SM
GFS	2026-10-13 03:00	75	Clear	280/2kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KPNS 120153Z 26006KT 10SM CLR 23/19 A3009 RMK AO2 SLP191 T02330189

TAF KPNS 112324Z 1200/1224 30004KT P6SM SKC
```

+ Data sources used

• METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KPNS; actual-station=KPNS; fetched-at=2026-10-12T02:54:00.515298+00:00; observed-or-issued-at=2026-10-12T01:53:00+00:00 — AWC API
• TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KPNS; actual-station=KPNS; fetched-at=2026-10-12T02:54:00.987790+00:00; observed-or-issued-at=2026-10-11T23:24:00+00:00; valid-from=2026-10-12T00:00:00+00:00; valid-through=2026-10-13T00:00:00+00:00; partial-target-dates=2026-10-11,2026-10-12 — AWC API

TAF proxy · KPNS

• FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KPNS; actual-station=KPNS; fetched-at=2026-10-12T02:54:02.111479+00:00
• FAA NMS NOTAM — state=OK; requested-station=KPNS; actual-station=KPNS; fetched-at=2026-10-12T02:54:07.262446Z — FAA NMS overview
• MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KPNS; actual-station=KPNS; fetched-at=2026-10-12T02:54:25.680566+00:00; observed-or-issued-at=2026-10-11T18:00:00+00:00; valid-from=2026-10-12T00:00:00+00:00; valid-through=2026-10-14T18:00:00+00:00; target-dates=2026-10-12; partial-target-dates=2026-10-11; dates-with-points=2026-10-11,2026-10-12 — Iowa State API
• MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KPNS; actual-station=KPNS; fetched-at=2026-10-12T02:54:26.236891+00:00; observed-or-issued-at=2026-10-11T12:00:00+00:00; valid-from=2026-10-12T12:00:00+00:00; valid-through=2026-10-19T12:00:00+00:00; target-dates=2026-10-12; dates-with-points=2026-10-12 — Iowa State API
• MOS effective date selection — state=partial; rows=10; requested-station=KPNS; actual-station=KPNS; fetched-at=2026-10-12T02:54:25.680566+00:00; observed-or-issued-at=2026-10-11T18:00:00+00:00; valid-from=2026-10-12T00:00:00+00:00; valid-through=2026-10-14T18:00:00+00:00; target-dates=2026-10-12; partial-target-dates=2026-10-11; dates-with-points=2026-10-11,2026-10-12; selected-by-date=2026-10-11=GFS, 2026-10-12=GFS
• Extended outlook and hazard-feed states are reported in the source stamp.
• Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#17 **KDAB** **Daytona Beach Intl, FL, US** · Gulf East · Daytona Beach (Class C)

OBS - VFR

ETE 2h13

DIST 324 nm

SUN 11 OCT 21:53 ET OBSERVED

Current observation

METAR

OBS - VFR

OBSER

clear below 12,000 ft (CLR)

WIND **SW (220°) 4 kt**

TEMPERATURE **23 °C**

VISIBILITY **10 sm**

DEWPOINT **21 °C**



Wind equally favours RWY 25R and 25L

220° true · 227° magnetic · 4 kt

Evidence & limitations

- METAR source state: ok; observed Oct 11 21:53 ET; retrieved Oct 11 22:54 ET; 61 min before this run.
- Measured values read from the KDAB METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.07 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KDAB runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 07L/25R, 16/34, 07R/25L. Wind from 220 degrees true, 227 degrees magnetic, at 4 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Equally wind-favoured runway ends, highlighted: 25R and 25L. Wind source: KDAB METAR 120153Z.

DESTINATION OUTLOOK

SUN, OCT 11

SUN 11 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.


Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 11

18:00–00:00 ET ET



WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 12

MON 12 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 12 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 12 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 12 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 12

00:00–06:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
17°C dep KLZU → 23°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
07L/25R (070/250°M · 063/243°T) · 16/34 (160/340°M · 153/333°T) · 07R/25L (070/250°M · 063/243°T) — designators and °M headings are magnetic; °T are true; variation 7°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 13 Act on 2 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)


2 · What 3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state:

ed 2026-10-12T02:54:07.267328Z.

oritative)

OK. The dot colour reports whether this source was read this run; technical environment: preprod.



37 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 02:54 Z

NOTAMs as of 02:54 Z — advisory only; verify an official briefing.

09/140

NOTAM text not available in this projection.

09/144

NOTAM text not available in this projection.

A1640/26

NOTAM text not available in this projection.

10/049

NOTAM text not available in this projection.

A1732/26

NOTAM text not available in this projection.

A1733/26

NOTAM text not available in this projection.

10/050

NOTAM text not available in this projection.

A1734/26

NOTAM text not available in this projection.

A1735/26

NOTAM text not available in this projection.

A1736/26

NOTAM text not available in this projection.

A1737/26

NOTAM text not available in this projection.

A1738/26

NOTAM text not available in this projection.

10/023

NOTAM text not available in this projection.

A1739/26

NOTAM text not available in this projection.

A1740/26

NOTAM text not available in this projection.

6/8810

NOTAM text not available in this projection.

6/8811

NOTAM text not available in this projection.

6/8814

NOTAM text not available in this projection.

6/8816

NOTAM text not available in this projection.

A0825/26

NOTAM text not available in this projection.

A0828/26

NOTAM text not available in this projection.

A0829/26

NOTAM text not available in this projection.

A0830/26

NOTAM text not available in this projection.

6/3056

NOTAM text not available in this projection.

A0972/26

NOTAM text not available in this projection.

6/0752

NOTAM text not available in this projection.

A1405/26

NOTAM text not available in this projection.

08/067

NOTAM text not available in this projection.

08/069

NOTAM text not available in this projection.

08/070

NOTAM text not available in this projection.

08/071

NOTAM text not available in this projection.

02/081

NOTAM text not available in this projection.

A0203/26

NOTAM text not available in this projection.

09/149

NOTAM text not available in this projection.

A1643/26

NOTAM text not available in this projection.

10/031

NOTAM text not available in this projection.

A1704/26

NOTAM text not available in this projection.

10/032

NOTAM text not available in this projection.

A1705/26

NOTAM text not available in this projection.

10/033

NOTAM text not available in this projection.

A1706/26

NOTAM text not available in this projection.

10/051

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

026-10-12T02:54:07.267328Z.

N SIGN AT RWY 24/18 LEFT SIDE LGT U/S

:00Z

NOT STD

:00Z

LL NOT STD

:00Z

:00Z

RUNWAY

Effective 2026-10-09T11:18:00Z → 2026-10-12T11:18:00Z

37 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KDAB this run.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · VFR

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

Source state: partial; selected by target date: 2026-10-11=GFS, 2026-10-12=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS

GFS	2026-10-12 00:00	75	Bkn	260/3kt	—	>10kft	>6SM
GFS	2026-10-12 03:00	73	Sct	270/2kt	—	>10kft	>6SM
GFS	2026-10-12 06:00	72	Clear	280/4kt	8.0	>10kft	>6SM
GFS	2026-10-12 09:00	70	Clear	300/5kt	—	>10kft	>6SM
GFS	2026-10-12 12:00	69	Clear	300/6kt	4.0	>10kft	>6SM
GFS	2026-10-12 15:00	78	Clear	320/9kt	—	>10kft	>6SM
GFS	2026-10-12 18:00	83	Clear	340/11kt	4.0	>10kft	>6SM
GFS	2026-10-12 21:00	83	Clear	350/10kt	—	>10kft	>6SM
GFS	2026-10-13 00:00	76	Clear	30/6kt	1.0	>10kft	>6SM
GFS	2026-10-13 03:00	73	Clear	30/4kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KDAB 120153Z 22004KT 10SM CLR 23/21 A3007 RMK AO2 SLP182 T02330211 $
TAF KDAB 112320Z 1200/1224 29005KT P6SM FEW050 BKN250 FM121400 33010KT P6SM SCT250 FM122200 01008KT P6SM SKC
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KDAB; actual-station=KDAB; fetched-at=2026-10-12T02:54:00.515298+00:00; observed-or-issued-at=2026-10-12T01:53:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KDAB; actual-station=KDAB; fetched-at=2026-10-12T02:54:00.987790+00:00; observed-or-issued-at=2026-10-11T23:20:00+00:00; valid-from=2026-10-12T00:00:00+00:00; valid-through=2026-10-13T00:00:00+00:00; partial-target-dates=2026-10-11,2026-10-12 — AWC API

  TAF proxy · KDAB
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KDAB; actual-station=KDAB; fetched-at=2026-10-12T02:54:01.938571+00:00
- FAA NMS NOTAM — state=OK; requested-station=KDAB; actual-station=KDAB; fetched-at=2026-10-12T02:54:07.267328Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KDAB; actual-station=KDAB; fetched-at=2026-10-12T02:54:25.709770+00:00; observed-or-issued-at=2026-10-11T18:00:00+00:00; valid-from=2026-10-12T00:00:00+00:00; valid-through=2026-10-14T18:00:00+00:00; target-dates=2026-10-12; partial-target-dates=2026-10-11; dates-with-points=2026-10-11,2026-10-12 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KDAB; actual-station=KDAB; fetched-at=2026-10-12T02:54:26.206005+00:00; observed-or-issued-at=2026-10-11T12:00:00+00:00; valid-from=2026-10-12T12:00:00+00:00; valid-through=2026-10-19T12:00:00+00:00; target-dates=2026-10-12; dates-with-points=2026-10-12 — Iowa State API
- MOS effective date selection — state=partial; rows=10; requested-station=KDAB; actual-station=KDAB; fetched-at=2026-10-12T02:54:25.709770+00:00; observed-or-issued-at=2026-10-11T18:00:00+00:00; valid-from=2026-10-12T00:00:00+00:00; valid-through=2026-10-14T18:00:00+00:00; target-dates=2026-10-12; partial-target-dates=2026-10-11; dates-with-points=2026-10-11,2026-10-12; selected-by-date=2026-10-11=GFS, 2026-10-12=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#18 **KJKA** **Gulf Shores/Edwards Arpt, AL, US** · Gulf West · Gulf Shores AL

OBS - VFR

ETE 2h01

DIST 291 nm

SUN 11 OCT 20:55 ET OBSERVED

Current observation

OBS - VFR

OBSER

METAR

clear below 12,000 ft (CLR)

WIND W (280°) 4 kt

TEMPERATURE 22 °C

VISIBILITY 10 sm

DEWPOINT 20 °C

Wind favours RWY 27

280° true · 282° magnetic · 4 kt

Evidence & limitations

- METAR source state: ok; observed Oct 11 20:55 ET; retrieved Oct 11 22:54 ET; 119 min before this run.
- Measured values read from the KJKA METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.08 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KJKA runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 09/27, 17/35. Wind from 280 degrees true, 282 degrees magnetic, at 4 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 27. Wind source: KJKA METAR 120055Z.

DESTINATION OUTLOOK

SUN, OCT 11

SUN 11 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.


Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 11

18:00–00:00 ET ET



WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 12

MON 12 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 12 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 12 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 12 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 12

00:00–06:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
17°C dep KLZU → 22°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
09/27 (090/270°M · 088/268°T) · 17/35 (170/350°M · 168/348°T) — designators and °M headings are magnetic; °T are true; variation 2°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 8 Act on 1 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)


2 · What 3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state:

ed 2026-10-12T02:54:07.336517Z.

oritative)

OK. The dot colour reports whether this source was read this run; technical environment: preprod.



8 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 02:54 Z

NOTAMs as of 02:54 Z — advisory only; verify an official briefing.

05/473

NOTAM text not available in this projection.

10/182

NOTAM text not available in this projection.

5/1161

NOTAM text not available in this projection.

5/1162

NOTAM text not available in this projection.

6/3337

NOTAM text not available in this projection.

6/2179

NOTAM text not available in this projection.

6/8649

NOTAM text not available in this projection.

6/8650

NOTAM text not available in this projection.

6/8651

NOTAM text not available in this projection.

10/183

NOTAM text not available in this projection.

09/693

NOTAM text not available in this projection.

10/074

NOTAM text not available in this projection.

10/083

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

1 …026-10-12T02:54:07.336517Z.

…:00Z

…:00Z

…:00Z

Effective 2025-09-10T15:59:00Z → 2027-09-10T15:59:00Z

NAV_APPROACH

Effective 2026-05-27T18:27:00Z → 2027-01-06T18:27:00Z

8 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight

…e and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

…:00 ET ET · VFR

…:00 ET ET · VFR

category. NOTAMs were read for KJKA this run.

period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

:00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · VFR

Source state: partial; selected by target date: 2026-10-11=GFS, 2026-10-12=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-12 00:00	72	Clear	240/3kt	—	>10kft	>6SM
GFS	2026-10-12 03:00	67	Clear	250/2kt	—	>10kft	>6SM
GFS	2026-10-12 06:00	65	Clear	240/1kt	0.0	>10kft	>6SM
GFS	2026-10-12 09:00	64	Clear	0/0kt	—	>10kft	>6SM
GFS	2026-10-12 12:00	63	Clear	310/1kt	2.0	>10kft	>6SM
GFS	2026-10-12 15:00	79	Clear	320/4kt	—	>10kft	>6SM
GFS	2026-10-12 18:00	87	Clear	240/6kt	1.0	>10kft	>6SM
GFS	2026-10-12 21:00	88	Clear	220/6kt	—	>10kft	>6SM
GFS	2026-10-13 00:00	76	Clear	240/1kt	0.0	>10kft	>6SM
GFS	2026-10-13 03:00	68	Clear	0/0kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KJKA 120055Z 28004KT 10SM CLR 22/20 A3008

TAF KJKA 112324Z 1200/1224 00000KT P6SM SKC FM121400 33005KT P6SM SKC FM121900 23007KT P6SM SKC
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KJKA; actual-station=KJKA; fetched-at=2026-10-12T02:54:00.515298+00:00; observed-or-issued-at=2026-10-12T00:55:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KJKA; actual-station=KJKA; fetched-at=2026-10-12T02:54:00.987790+00:00; observed-or-issued-at=2026-10-11T23:24:00+00:00; valid-from=2026-10-12T00:00:00+00:00; valid-through=2026-10-13T00:00:00+00:00; partial-target-dates=2026-10-11,2026-10-12 — AWC API

  TAF proxy · KJKA
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KJKA; actual-station=KJKA; fetched-at=2026-10-12T02:54:02.036436+00:00
- FAA NMS NOTAM — state=OK; requested-station=KJKA; actual-station=KJKA; fetched-at=2026-10-12T02:54:07.336517Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KJKA; actual-station=KJKA; fetched-at=2026-10-12T02:54:25.738804+00:00; observed-or-issued-at=2026-10-11T18:00:00+00:00; valid-from=2026-10-12T00:00:00+00:00; valid-through=2026-10-14T18:00:00+00:00; target-dates=2026-10-12; partial-target-dates=2026-10-11; dates-with-points=2026-10-11,2026-10-12 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KJKA; actual-station=KJKA; fetched-at=2026-10-12T02:54:26.319727+00:00; observed-or-issued-at=2026-10-11T12:00:00+00:00; valid-from=2026-10-12T12:00:00+00:00; valid-through=2026-10-19T12:00:00+00:00; target-dates=2026-10-12; dates-with-points=2026-10-12 — Iowa State API

- MOS effective date selection — state=partial; rows=10; requested-station=KJKA; actual-station=KJKA; fetched-at=2026-10-12T02:54:25.738804+00:00; observed-or-issued-at=2026-10-11T18:00:00+00:00; valid-from=2026-10-12T00:00:00+00:00; valid-through=2026-10-14T18:00:00+00:00; target-dates=2026-10-12; partial-target-dates=2026-10-11; dates-with-points=2026-10-11,2026-10-12; selected-by-date=2026-10-11=GFS, 2026-10-12=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#19 **KBFM** **Mobile/Downtown Arpt, AL, US** · Gulf West · Mobile Downtown

OBS - VFR

ETE 2h00

DIST 290 nm

SUN 11 OCT 21:53 ET OBSERVED

Current observation

OBS - VFR

METAR

OBSER

clear below 12,000 ft (CLR)

WIND SW (240°) 4 kt

TEMPERATURE 22 °C

VISIBILITY 10 sm

DEWPOINT 19 °C



Wind favours RWY 18

240° true · 242° magnetic · 4 kt

Evidence & limitations

- METAR source state: ok; observed Oct 11 21:53 ET; retrieved Oct 11 22:54 ET; 61 min before this run.
- Measured values read from the KBFM METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.11 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KBFM runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 14/32, 18/36. Wind from 240 degrees true, 242 degrees magnetic, at 4 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 18. Wind source: KBFM METAR 120153Z.

DESTINATION OUTLOOK

SUN, OCT 11

SUN 11 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.


Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 11

18:00–00:00 ET ET



WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 12

MON 12 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 12 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 12 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 12 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 12

00:00–06:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
17°C dep KLZU → 22°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
14/32 (140/320°M · 138/318°T) · 18/36 (180/000°M · 178/358°T) — designators and °M headings are magnetic; °T are true; variation 2°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 15 Act on 4 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What 3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state:

ved 2026-10-12T02:54:07.421172Z.

OK. The dot colour reports whether this source was read this run; technical environment: preprod.



178 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 02:54 Z

NOTAMs as of 02:54 Z — advisory only; verify an official briefing.

08/004

NOTAM text not available in this projection.

A0354/26

NOTAM text not available in this projection.

08/020

NOTAM text not available in this projection.

A0373/26

NOTAM text not available in this projection.

10/010

NOTAM text not available in this projection.

A0483/26

NOTAM text not available in this projection.

10/013

NOTAM text not available in this projection.

A0488/26

NOTAM text not available in this projection.

10/014

NOTAM text not available in this projection.

A0489/26

NOTAM text not available in this projection.

09/083

NOTAM text not available in this projection.

09/089

NOTAM text not available in this projection.

A0514/26

NOTAM text not available in this projection.

A0520/26

NOTAM text not available in this projection.

09/123

NOTAM text not available in this projection.

A0558/26

NOTAM text not available in this projection.

09/288

NOTAM text not available in this projection.

A0884/26

NOTAM text not available in this projection.

09/334

NOTAM text not available in this projection.

09/340

NOTAM text not available in this projection.

A0937/26

NOTAM text not available in this projection.

A0944/26

NOTAM text not available in this projection.

09/345

NOTAM text not available in this projection.

09/348

NOTAM text not available in this projection.

A0950/26

NOTAM text not available in this projection.

A0953/26

NOTAM text not available in this projection.

09/359

NOTAM text not available in this projection.

09/365

NOTAM text not available in this projection.

A0965/26

NOTAM text not available in this projection.

A0972/26

NOTAM text not available in this projection.

09/372

NOTAM text not available in this projection.

A0980/26

NOTAM text not available in this projection.

09/379

NOTAM text not available in this projection.

09/386

NOTAM text not available in this projection.

09/391

NOTAM text not available in this projection.

A0988/26

NOTAM text not available in this projection.

A0996/26

NOTAM text not available in this projection.

A1001/26

NOTAM text not available in this projection.

09/401

NOTAM text not available in this projection.

09/404

NOTAM text not available in this projection.

09/406

NOTAM text not available in this projection.

09/407

NOTAM text not available in this projection.

A1012/26

NOTAM text not available in this projection.

A1015/26

NOTAM text not available in this projection.

A1018/26

NOTAM text not available in this projection.

A1019/26

NOTAM text not available in this projection.

09/422

NOTAM text not available in this projection.

09/431

NOTAM text not available in this projection.

A1036/26

NOTAM text not available in this projection.

A1046/26

NOTAM text not available in this projection.

09/436

NOTAM text not available in this projection.

A1051/26

NOTAM text not available in this projection.

09/456

NOTAM text not available in this projection.

A1074/26

NOTAM text not available in this projection.

09/463

NOTAM text not available in this projection.

09/472

NOTAM text not available in this projection.

A1081/26

NOTAM text not available in this projection.

A1091/26

NOTAM text not available in this projection.

09/493

NOTAM text not available in this projection.

A1116/26

NOTAM text not available in this projection.

09/529

NOTAM text not available in this projection.

09/530

NOTAM text not available in this projection.

A1156/26

NOTAM text not available in this projection.

A1157/26

NOTAM text not available in this projection.

09/540

NOTAM text not available in this projection.

A1170/26

NOTAM text not available in this projection.

09/543

NOTAM text not available in this projection.

09/548

NOTAM text not available in this projection.

09/549

NOTAM text not available in this projection.

A1173/26

NOTAM text not available in this projection.

A1178/26

NOTAM text not available in this projection.

A1179/26

NOTAM text not available in this projection.

09/569

NOTAM text not available in this projection.

A1203/26

NOTAM text not available in this projection.

09/584

NOTAM text not available in this projection.

A1220/26

NOTAM text not available in this projection.

09/601

NOTAM text not available in this projection.

09/604

NOTAM text not available in this projection.

A1239/26

NOTAM text not available in this projection.

A1243/26

NOTAM text not available in this projection.

09/610

NOTAM text not available in this projection.

A1249/26

NOTAM text not available in this projection.

09/627

NOTAM text not available in this projection.

09/630

NOTAM text not available in this projection.

A1268/26

NOTAM text not available in this projection.

A1271/26

NOTAM text not available in this projection.

09/669

NOTAM text not available in this projection.

09/672

NOTAM text not available in this projection.

A1315/26

NOTAM text not available in this projection.

A1318/26

NOTAM text not available in this projection.

09/698

NOTAM text not available in this projection.

09/709

NOTAM text not available in this projection.

A1348/26

NOTAM text not available in this projection.

A1360/26

NOTAM text not available in this projection.

09/726

NOTAM text not available in this projection.

09/727

NOTAM text not available in this projection.

09/733

NOTAM text not available in this projection.

A1379/26

NOTAM text not available in this projection.

A1381/26

NOTAM text not available in this projection.

A1387/26

NOTAM text not available in this projection.

09/763

NOTAM text not available in this projection.

A1420/26

NOTAM text not available in this projection.

09/769

NOTAM text not available in this projection.

A1426/26

NOTAM text not available in this projection.

09/791

NOTAM text not available in this projection.

09/796

NOTAM text not available in this projection.

A1448/26

NOTAM text not available in this projection.

A1453/26

NOTAM text not available in this projection.

09/813

NOTAM text not available in this projection.

A1470/26

NOTAM text not available in this projection.

09/821

NOTAM text not available in this projection.

09/822

NOTAM text not available in this projection.

09/833

NOTAM text not available in this projection.

A1478/26

NOTAM text not available in this projection.

A1479/26

NOTAM text not available in this projection.

A1490/26

NOTAM text not available in this projection.

09/847

NOTAM text not available in this projection.

09/848

NOTAM text not available in this projection.

A1504/26

NOTAM text not available in this projection.

A1505/26

NOTAM text not available in this projection.

09/860

NOTAM text not available in this projection.

A1517/26

NOTAM text not available in this projection.

09/871

NOTAM text not available in this projection.

09/877

NOTAM text not available in this projection.

A1528/26

NOTAM text not available in this projection.

A1534/26

NOTAM text not available in this projection.

09/887

NOTAM text not available in this projection.

09/888

NOTAM text not available in this projection.

A1544/26

NOTAM text not available in this projection.

A1545/26

NOTAM text not available in this projection.

09/910

NOTAM text not available in this projection.

A1567/26

NOTAM text not available in this projection.

09/921

NOTAM text not available in this projection.

A1578/26

NOTAM text not available in this projection.

09/936

NOTAM text not available in this projection.

A1593/26

NOTAM text not available in this projection.

09/945

NOTAM text not available in this projection.

A1602/26

NOTAM text not available in this projection.

09/959

NOTAM text not available in this projection.

A1616/26

NOTAM text not available in this projection.

09/971

NOTAM text not available in this projection.

A1628/26

NOTAM text not available in this projection.

09/980

NOTAM text not available in this projection.

09/984

NOTAM text not available in this projection.

A1637/26

NOTAM text not available in this projection.

A1641/26

NOTAM text not available in this projection.

09/001

NOTAM text not available in this projection.

09/005

NOTAM text not available in this projection.

09/993

NOTAM text not available in this projection.

A1650/26

NOTAM text not available in this projection.

A1657/26

NOTAM text not available in this projection.

A1660/26

NOTAM text not available in this projection.

09/013

NOTAM text not available in this projection.

A1667/26

NOTAM text not available in this projection.

6/2188

NOTAM text not available in this projection.

A0356/26

NOTAM text not available in this projection.

6/4898

NOTAM text not available in this projection.

A0364/26

NOTAM text not available in this projection.

6/9973

NOTAM text not available in this projection.

A0382/26

NOTAM text not available in this projection.

6/6897

NOTAM text not available in this projection.

6/6898

NOTAM text not available in this projection.

6/6899

NOTAM text not available in this projection.

A0478/26

NOTAM text not available in this projection.

A0479/26

NOTAM text not available in this projection.

A0480/26

NOTAM text not available in this projection.

05/009

NOTAM text not available in this projection.

A0240/26

NOTAM text not available in this projection.

06/026

NOTAM text not available in this projection.

06/027

NOTAM text not available in this projection.

06/028

NOTAM text not available in this projection.

06/029

NOTAM text not available in this projection.

06/030

NOTAM text not available in this projection.

06/031

NOTAM text not available in this projection.

06/032

NOTAM text not available in this projection.

06/033

NOTAM text not available in this projection.

08/021

NOTAM text not available in this projection.

09/002

NOTAM text not available in this projection.

09/057

NOTAM text not available in this projection.

10/007

NOTAM text not available in this projection.

08/027

NOTAM text not available in this projection.

10/017

NOTAM text not available in this projection.

A0491/26

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this

2026-10-12T02:54:07.421172Z.

source was read this run; technical environment: preprod.

RUNWAY

Effective 2026-10-05T13:49:00Z → 2026-10-30T22:00:00Z

178 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KBFM this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR

Source state: partial; selected by target date: 2026-10-11=GFS, 2026-10-12=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-12 00:00	76	Clear	200/3kt	—	>10kft	>6SM
GFS	2026-10-12 03:00	72	Clear	220/2kt	—	>10kft	>6SM
GFS	2026-10-12 06:00	69	Clear	240/1kt	1.0	>10kft	>6SM
GFS	2026-10-12 09:00	66	Clear	290/1kt	—	>10kft	>6SM
GFS	2026-10-12 12:00	65	Clear	310/2kt	2.0	>10kft	>6SM
GFS	2026-10-12 15:00	79	Clear	360/3kt	—	>10kft	>6SM
GFS	2026-10-12 18:00	87	Clear	100/5kt	1.0	>10kft	>6SM

GFS	2026-10-12 21:00	88	Clear	150/4kt	—	>10kft	>6SM
GFS	2026-10-13 00:00	78	Clear	210/2kt	0.0	>10kft	>6SM
GFS	2026-10-13 03:00	73	Clear	220/1kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KBFM 120153Z AUTO 24004KT 10SM CLR 22/19 A3011 RMK AO2 SLP195 T02220194

TAF KBFM 112324Z 1200/1224 VRB03KT P6SM SKC FM121300 32004KT P6SM SKC FM121800 15006KT P6SM SKC
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KBFM; actual-station=KBFM; fetched-at=2026-10-12T02:54:00.515298+00:00; observed-or-issued-at=2026-10-12T01:53:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KBFM; actual-station=KBFM; fetched-at=2026-10-12T02:54:00.987790+00:00; observed-or-issued-at=2026-10-11T23:24:00+00:00; valid-from=2026-10-12T00:00:00+00:00; valid-through=2026-10-13T00:00:00+00:00; partial-target-dates=2026-10-11,2026-10-12 — AWC API

  TAF proxy · KBFM
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KBFM; actual-station=KBFM; fetched-at=2026-10-12T02:54:02.057030+00:00
- FAA NMS NOTAM — state=OK; requested-station=KBFM; actual-station=KBFM; fetched-at=2026-10-12T02:54:07.421172Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KBFM; actual-station=KBFM; fetched-at=2026-10-12T02:54:25.780000+00:00; observed-or-issued-at=2026-10-11T18:00:00+00:00; valid-from=2026-10-12T00:00:00+00:00; valid-through=2026-10-14T18:00:00+00:00; target-dates=2026-10-12; partial-target-dates=2026-10-11; dates-with-points=2026-10-11,2026-10-12 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KBFM; actual-station=KBFM; fetched-at=2026-10-12T02:54:26.307525+00:00; observed-or-issued-at=2026-10-11T12:00:00+00:00; valid-from=2026-10-12T12:00:00+00:00; valid-through=2026-10-19T12:00:00+00:00; target-dates=2026-10-12; dates-with-points=2026-10-12 — Iowa State API
- MOS effective date selection — state=partial; rows=10; requested-station=KBFM; actual-station=KBFM; fetched-at=2026-10-12T02:54:25.780000+00:00; observed-or-issued-at=2026-10-11T18:00:00+00:00; valid-from=2026-10-12T00:00:00+00:00; valid-through=2026-10-14T18:00:00+00:00; target-dates=2026-10-12; partial-target-dates=2026-10-11; dates-with-points=2026-10-11,2026-10-12; selected-by-date=2026-10-11=GFS, 2026-10-12=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#20 **KGPT** **Gulfport-Biloxi Intl, MS, US** · Gulf West · Gulfport-Biloxi

OBS - VFR

ETE 2h18

DIST 337 nm

SUN 11 OCT 21:53 ET OBSERVED

Current observation

METAR

OBS - VFR

OBSER

clear below 12,000 ft (CLR)

WIND calm

TEMPERATURE **21 °C**

VISIBILITY **10 sm**

DEWPOINT **18 °C**

Evidence & limitations

- METAR source state: ok; observed Oct 11 21:53 ET; retrieved Oct 11 22:54 ET; 61 min before this run.
- Measured values read from the KGPT METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.09 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.

DESTINATION OUTLOOK

SUN, OCT 11

SUN 11 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 11

18:00–00:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 12

MON 12 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 12 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 12 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 12 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 12

00:00–06:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
17°C dep KLZU → 21°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
14/32 (140/320°M · 139/319°T) · 18/36 (180/000°M · 179/359°T) — designators and °M headings are magnetic; °T are true; variation 1°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) · 7 Act on · 1 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)


2 · What · 3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state:

ed 2026-10-12T02:54:07.509450Z.

oritative)

OK. The dot colour reports whether this source was read this run; technical environment: preprod.



20 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 02:54 Z

NOTAMs as of 02:54 Z — advisory only; verify an official briefing.

09/057

NOTAM text not available in this projection.

6/5422

NOTAM text not available in this projection.

A0386/26

NOTAM text not available in this projection.

06/065

NOTAM text not available in this projection.

6/9967

NOTAM text not available in this projection.

A0597/26

NOTAM text not available in this projection.

09/048

NOTAM text not available in this projection.

A0727/26

NOTAM text not available in this projection.

09/054

NOTAM text not available in this projection.

A0732/26

NOTAM text not available in this projection.

07/031

NOTAM text not available in this projection.

08/003

NOTAM text not available in this projection.

08/023

NOTAM text not available in this projection.

08/040

NOTAM text not available in this projection.

08/041

NOTAM text not available in this projection.

09/007

NOTAM text not available in this projection.

09/050

NOTAM text not available in this projection.

09/051

NOTAM text not available in this projection.

09/055

NOTAM text not available in this projection.

10/003

NOTAM text not available in this projection.

10/004

NOTAM text not available in this projection.

10/006

NOTAM text not available in this projection.

10/007

NOTAM text not available in this projection.

09/053

NOTAM text not available in this projection.

A0731/26

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production

source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

Effective 2026-04-23T15:28:00Z → 2028-04-23T15:28:00Z

NAV_APPROACH

Effective 2026-06-23T11:42:00Z → 2026-12-23T21:11:00Z

NAV_APPROACH

Effective 2026-06-23T12:17:00Z → 2028-06-23T12:17:00Z

20 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KGPT this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

Source state: partial; selected by target date: 2026-10-11=GFS, 2026-10-12=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-12 00:00	78	Clear	210/2kt	—	>10kft	>6SM

GFS	2026-10-12 03:00	73	Clear	220/1kt	—	>10kft	>6SM
GFS	2026-10-12 06:00	70	Clear	0/0kt	1.0	>10kft	>6SM
GFS	2026-10-12 09:00	67	Clear	0/0kt	—	>10kft	>6SM
GFS	2026-10-12 12:00	66	Clear	0/0kt	2.0	>10kft	>6SM
GFS	2026-10-12 15:00	80	Clear	340/2kt	—	>10kft	>6SM
GFS	2026-10-12 18:00	88	Clear	170/4kt	1.0	>10kft	>6SM
GFS	2026-10-12 21:00	88	Clear	180/5kt	—	>10kft	>6SM
GFS	2026-10-13 00:00	78	Clear	190/2kt	0.0	>10kft	>6SM
GFS	2026-10-13 03:00	73	Clear	0/0kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KGPT 120153Z 00000KT 10SM CLR 21/18 A3009 RMK AO2 SLP189 T02110183

TAF KGPT 112320Z 1200/1224 VRB04KT P6SM FEW250 FM121800 18006KT P6SM SKC
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KGPT; actual-station=KGPT; fetched-at=2026-10-12T02:54:00.515298+00:00; observed-or-issued-at=2026-10-12T01:53:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KGPT; actual-station=KGPT; fetched-at=2026-10-12T02:54:00.987790+00:00; observed-or-issued-at=2026-10-11T23:20:00+00:00; valid-from=2026-10-12T00:00:00+00:00; valid-through=2026-10-13T00:00:00+00:00; partial-target-dates=2026-10-11,2026-10-12 — AWC API

  TAF proxy · KGPT
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KGPT; actual-station=KGPT; fetched-at=2026-10-12T02:54:02.253615+00:00
- FAA NMS NOTAM — state=OK; requested-station=KGPT; actual-station=KGPT; fetched-at=2026-10-12T02:54:07.509450Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KGPT; actual-station=KGPT; fetched-at=2026-10-12T02:54:25.778329+00:00; observed-or-issued-at=2026-10-11T18:00:00+00:00; valid-from=2026-10-12T00:00:00+00:00; valid-through=2026-10-14T18:00:00+00:00; target-dates=2026-10-12; partial-target-dates=2026-10-11; dates-with-points=2026-10-11,2026-10-12 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KGPT; actual-station=KGPT; fetched-at=2026-10-12T02:54:26.296322+00:00; observed-or-issued-at=2026-10-11T12:00:00+00:00; valid-from=2026-10-12T12:00:00+00:00; valid-through=2026-10-19T12:00:00+00:00; target-dates=2026-10-12; dates-with-points=2026-10-12 — Iowa State API
- MOS effective date selection — state=partial; rows=10; requested-station=KGPT; actual-station=KGPT; fetched-at=2026-10-12T02:54:25.778329+00:00; observed-or-issued-at=2026-10-11T18:00:00+00:00; valid-from=2026-10-12T00:00:00+00:00; valid-through=2026-10-14T18:00:00+00:00; target-dates=2026-10-12; partial-target-dates=2026-10-11; dates-with-points=2026-10-11,2026-10-12; selected-by-date=2026-10-11=GFS, 2026-10-12=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#21 **KSPG** **St Petersburg/Whitted Arpt, FL, US** · Gulf East · St Petersburg

OBS - VFR

ETE 2h35

DIST 379 nm

SUN 11 OCT 21:53 ET OBSERVED

Current observation

METAR

OBS - VFR

OBSER

clear below 12,000 ft (CLR)

WIND **N (350°) 5 kt**

TEMPERATURE **25 °C**

VISIBILITY **10 sm**

DEWPOINT **18 °C**

Wind favours RWY 36

350° true · 356° magnetic · 5 kt

Evidence & limitations

- METAR source state: ok; observed Oct 11 21:53 ET; retrieved Oct 11 22:54 ET; 61 min before this run.
- Measured values read from the KSPG METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.08 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KSPG runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 07/25, 18/36. Wind from 350 degrees true, 356 degrees magnetic, at 5 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 36. Wind source: KSPG METAR 120153Z.

DESTINATION OUTLOOK

SUN, OCT 11

SUN 11 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.


Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 11

18:00–00:00 ET ET



WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 12

MON 12 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 12 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 12 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 12 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 12

00:00–06:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
17°C dep KLZU → 25°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
07/25 (070/250°M · 064/244°T) · 18/36 (180/000°M · 174/354°T) — designators and °M headings are magnetic; °T are true; variation 6°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs
FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What

3 · Where

d 2026-10-12T02:54:07.612791Z.

oritative)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state:

OK. The dot colour reports whether this source was read this run; technical environment: preprod.



Raw NOTAM data · NOTAMs as of 02:54 Z

NOTAMs as of 02:54 Z — advisory only; verify an official briefing.

6/3728

NOTAM text not available in this projection.

07/010

NOTAM text not available in this projection.

08/001

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical

Forecast for Aviation and the Weather Prediction Center surface progs, issued by the National Weather Service through the day; the surface prog series reaches 144 hours. They are raster images a pilot reads for fronts, pressure systems and precipitation shields. This page displays them with their issuing office and valid time and never interprets them: no category, wind, ceiling, ranking or go/no-go here is derived from an image. A published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-11=GFS, 2026-10-12=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-12 00:00	81	Sct	350/7kt	—	>10kft	>6SM
GFS	2026-10-12 03:00	78	Clear	360/7kt	—	>10kft	>6SM
GFS	2026-10-12 06:00	77	Clear	360/7kt	5.0	>10kft	>6SM
GFS	2026-10-12 09:00	76	Clear	20/8kt	—	>10kft	>6SM
GFS	2026-10-12 12:00	75	Clear	20/9kt	3.0	>10kft	>6SM
GFS	2026-10-12 15:00	79	Clear	30/11kt	—	>10kft	>6SM
GFS	2026-10-12 18:00	84	Clear	30/9kt	5.0	>10kft	>6SM
GFS	2026-10-12 21:00	85	Clear	10/7kt	—	>10kft	>6SM
GFS	2026-10-13 00:00	80	Clear	350/7kt	0.0	>10kft	>6SM
GFS	2026-10-13 03:00	78	Clear	10/5kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KSPG 120153Z AUTO 35005KT 10SM CLR 25/18 A3008 RMK AO2 SLP184 T02500178

TAF KPIE 112320Z 1200/1224 35006KT P6SM FEW030 BKN250 FM120300 35005KT P6SM SCT250 FM121300 36008KT P6SM SKC
```

+ Data sources used

• METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KSPG; actual-station=KSPG; fetched-at=2026-10-12T02:54:00.515298+00:00; observed-or-issued-at=2026-10-12T01:53:00+00:00 — AWC API

- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KSPG; actual-station=KPIE; fetched-at=2026-10-12T02:54:00.987790+00:00; observed-or-issued-at=2026-10-11T23:20:00+00:00; valid-from=2026-10-12T00:00:00+00:00; valid-through=2026-10-13T00:00:00+00:00; partial-target-dates=2026-10-11,2026-10-12 — AWC API

  TAF proxy · KPIE
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KSPG; actual-station=KSPG; fetched-at=2026-10-12T02:54:02.635830+00:00
- FAA NMS NOTAM — state=OK; requested-station=KSPG; actual-station=KSPG; fetched-at=2026-10-12T02:54:07.612791Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KSPG; actual-station=KSPG; fetched-at=2026-10-12T02:54:25.751318+00:00; observed-or-issued-at=2026-10-11T18:00:00+00:00; valid-from=2026-10-12T00:00:00+00:00; valid-through=2026-10-14T18:00:00+00:00; target-dates=2026-10-12; partial-target-dates=2026-10-11; dates-with-points=2026-10-11,2026-10-12 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KSPG; actual-station=KSPG; fetched-at=2026-10-12T02:54:26.311750+00:00; observed-or-issued-at=2026-10-11T12:00:00+00:00; valid-from=2026-10-12T12:00:00+00:00; valid-through=2026-10-19T12:00:00+00:00; target-dates=2026-10-12; dates-with-points=2026-10-12 — Iowa State API
- MOS effective date selection — state=partial; rows=10; requested-station=KSPG; actual-station=KSPG; fetched-at=2026-10-12T02:54:25.751318+00:00; observed-or-issued-at=2026-10-11T18:00:00+00:00; valid-from=2026-10-12T00:00:00+00:00; valid-through=2026-10-14T18:00:00+00:00; target-dates=2026-10-12; partial-target-dates=2026-10-11; dates-with-points=2026-10-11,2026-10-12; selected-by-date=2026-10-11=GFS, 2026-10-12=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#22 **KTPF** **Tampa/Knight Arpt, FL, US** · Gulf East · Tampa Peter O Knight

OBS - VFR

ETE 2h32

DIST 372 nm

SUN 11 OCT 22:15 ET OBSERVED

Current observation

METAR

OBS - VFR

OBSER

clear below 12,000 ft (CLR)

WIND calm

TEMPERATURE 24 °C

VISIBILITY 10 sm

DEWPOINT 19 °C

Evidence & limitations

- METAR source state: ok; observed Oct 11 22:15 ET; retrieved Oct 11 22:54 ET; 39 min before this run.
- Measured values read from the KTPF METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.07 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.

DESTINATION OUTLOOK

SUN, OCT 11

SUN 11 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.


Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 11

18:00–00:00 ET ET



WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 12

MON 12 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 12 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 12 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 12 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 12

00:00–06:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
17°C dep KLZU → 24°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
04/22 (040/220°M · 034/214°T) · 18/36 (180/000°M · 174/354°T) — designators and °M headings are magnetic; °T are true; variation 6°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 2 Act on 2 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)


2 · What 3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state:

ed 2026-10-12T02:54:07.706169Z.

oritative)

OK. The dot colour reports whether this source was read this run; technical environment: preprod.



9 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 02:54 Z

NOTAMs as of 02:54 Z — advisory only; verify an official briefing.

06/014

NOTAM text not available in this projection.

6/0956

NOTAM text not available in this projection.

6/8311

NOTAM text not available in this projection.

10/003

NOTAM text not available in this projection.

4/6304

NOTAM text not available in this projection.

6/8312

NOTAM text not available in this projection.

09/025

NOTAM text not available in this projection.

12/007

NOTAM text not available in this projection.

02/001

NOTAM text not available in this projection.

06/005

NOTAM text not available in this projection.

07/015

NOTAM text not available in this projection.

07/016

NOTAM text not available in this projection.

10/002

NOTAM text not available in this projection.

06/015

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

…026-10-12T02:54:07.706169Z.

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

…:00Z

…:00Z

Effective 2026-08-28T10:00:00Z → 2028-01-29T16:33:00Z

TAXIWAY …10/003 … TWY A4 HLDG PSN SIGN NORTHEAST SIDE B TN RWY 04/22 AND TWY A NOT STD

Effective 2026-10-09T14:27:00Z → 2026-11-30T22:00:00Z

NAV_APPROACH …06304 … IAP PCTGP O KNIGHT TAMPA, FL: RNAV (GPS) RWY 36, AMDT 2E … VDSI AND DESCENT ANGLES NOT COINCIDENT (VDSI ANGLE 3.00TCH 53.0) …

Effective 2024-11-19T21:27:00Z → 2026-11-19T21:27:00Z

9 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and

…ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KTPF this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-11=GFS, 2026-10-12=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-12 00:00	80	Sct	350/4kt	—	>10kft	>6SM
GFS	2026-10-12 03:00	76	Few	10/3kt	—	>10kft	>6SM
GFS	2026-10-12 06:00	74	Clear	10/3kt	5.0	>10kft	>6SM
GFS	2026-10-12 09:00	71	Clear	20/5kt	—	>10kft	>6SM
GFS	2026-10-12 12:00	70	Clear	20/5kt	3.0	>10kft	>6SM
GFS	2026-10-12 15:00	81	Clear	30/7kt	—	>10kft	>6SM
GFS	2026-10-12 18:00	87	Clear	30/7kt	5.0	>10kft	>6SM
GFS	2026-10-12 21:00	87	Clear	10/5kt	—	>10kft	>6SM
GFS	2026-10-13 00:00	80	Clear	350/3kt	0.0	>10kft	>6SM
GFS	2026-10-13 03:00	75	Clear	10/2kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KTPF 120215Z AUTO 00000KT 10SM CLR 24/19 A3007 RMK AO2 T02360189 $

TAF KTPA 112320Z 1200/1306 35006KT P6SM FEW030 BKN250 FM120300 36005KT P6SM SCT250 FM121400 35008KT P6SM SKC
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KTPF; actual-station=KTPF; fetched-at=2026-10-12T02:54:00.515298+00:00; observed-or-issued-at=2026-10-12T02:15:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KTPF; actual-station=KTPA; fetched-at=2026-10-12T02:54:00.987790+00:00; observed-or-issued-at=2026-10-11T23:20:00+00:00; valid-from=2026-10-12T00:00:00+00:00; valid-through=2026-10-13T06:00:00+00:00; target-dates=2026-10-12; partial-target-dates=2026-10-11 — AWC API

  TAF proxy · KTPA
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KTPF; actual-station=KTPF; fetched-at=2026-10-12T02:54:02.446051+00:00
- FAA NMS NOTAM — state=OK; requested-station=KTPF; actual-station=KTPF; fetched-at=2026-10-12T02:54:07.706169Z — FAA NMS overview

- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KTPF; actual-station=KTPF; fetched-at=2026-10-12T02:54:25.797727+00:00; observed-or-issued-at=2026-10-11T18:00:00+00:00; valid-from=2026-10-12T00:00:00+00:00; valid-through=2026-10-14T18:00:00+00:00; target-dates=2026-10-12; partial-target-dates=2026-10-11; dates-with-points=2026-10-11,2026-10-12 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KTPF; actual-station=KTPF; fetched-at=2026-10-12T02:54:26.300515+00:00; observed-or-issued-at=2026-10-11T12:00:00+00:00; valid-from=2026-10-12T12:00:00+00:00; valid-through=2026-10-19T12:00:00+00:00; target-dates=2026-10-12; dates-with-points=2026-10-12 — Iowa State API
- MOS effective date selection — state=partial; rows=10; requested-station=KTPF; actual-station=KTPF; fetched-at=2026-10-12T02:54:25.797727+00:00; observed-or-issued-at=2026-10-11T18:00:00+00:00; valid-from=2026-10-12T00:00:00+00:00; valid-through=2026-10-14T18:00:00+00:00; target-dates=2026-10-12; partial-target-dates=2026-10-11; dates-with-points=2026-10-11,2026-10-12; selected-by-date=2026-10-11=GFS, 2026-10-12=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#23 **KSRQ** **Sarasota-Bradenton Intl, FL, US** · Gulf East · Sarasota-Bradenton

OBS - VFR

ETE 2h43

DIST 402 nm

SUN 11 OCT 21:53 ET OBSERVED

Current observation

METAR

OBS - VFR

OBSER

clear below 12,000 ft (CLR)

WIND N (360°) 5 kt

TEMPERATURE 26 °C

VISIBILITY 10 sm

DEWPOINT 21 °C



Wind favours RWY 04

360° true · 006° magnetic · 5 kt

Evidence & limitations

- METAR source state: ok; observed Oct 11 21:53 ET; retrieved Oct 11 22:54 ET; 61 min before this run.
- Measured values read from the KSRQ METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.08 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KSRQ runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 14/32, 04/22. Wind from 360 degrees true, 006 degrees magnetic, at 5 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 04. Wind source: KSRQ METAR 120153Z.

DESTINATION OUTLOOK

SUN, OCT 11

SUN 11 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 11

18:00–00:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 12

MON 12 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 12 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 12 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 12 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 12

00:00–06:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
17°C dep KLZU → 26°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
14/32 (140/320°M · 134/314°T) · 04/22 (040/220°M · 034/214°T) — designators and °M headings are magnetic; °T are true; variation 6°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 5 Act on

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What 3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state:

ed 2026-10-12T02:54:07.846974Z.

oritative)

OK. The dot colour reports whether this source was read this run; technical environment: preprod.



13 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 02:54 Z

NOTAMs as of 02:54 Z — advisory only; verify an official briefing.

05/096

NOTAM text not available in this projection.

A0516/26

NOTAM text not available in this projection.

08/070

NOTAM text not available in this projection.

A0920/26

NOTAM text not available in this projection.

5/0499

NOTAM text not available in this projection.

A1001/25

NOTAM text not available in this projection.

6/4825

NOTAM text not available in this projection.

A0754/26

NOTAM text not available in this projection.

06/005

NOTAM text not available in this projection.

A0527/26

NOTAM text not available in this projection.

09/080

NOTAM text not available in this projection.

09/081

NOTAM text not available in this projection.

10/002

NOTAM text not available in this projection.

10/003

NOTAM text not available in this projection.

A1049/26

NOTAM text not available in this projection.

10/012

NOTAM text not available in this projection.

10/013

NOTAM text not available in this projection.

09/069

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

026-10-12T02:54:07.846974Z.

:00Z

:00Z

RAMP NORTH ACCESS CLSD

:00Z

ION RAMP NORTH ACCESS CLSD

:00Z

NAV_APPROACH

Effective 2025-11-21T16:01:00Z → 2027-11-21T16:01:00Z

13 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

the GFS model bias-corrected against decades of observations at this station. Issued four times a day in three-hourly steps out to about 72 hours. It carries an explicit ceiling and visibility category, so this card uses it to resolve a day the TAF cannot reach. A station-calibrated GFS MOS product was read for this airport this run (state: partial).

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KSRQ this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR

Source state: partial; selected by target date: 2026-10-11=GFS, 2026-10-12=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-12 00:00	79	Bkn	350/5kt	—	>10kft	>6SM
GFS	2026-10-12 03:00	76	Clear	10/4kt	—	>10kft	>6SM
GFS	2026-10-12 06:00	74	Clear	10/4kt	13.0	>10kft	>6SM
GFS	2026-10-12 09:00	72	Clear	20/5kt	—	>10kft	>6SM
GFS	2026-10-12 12:00	71	Clear	20/6kt	4.0	>10kft	>6SM
GFS	2026-10-12 15:00	82	Clear	30/9kt	—	>10kft	>6SM
GFS	2026-10-12 18:00	87	Clear	20/9kt	7.0	>10kft	>6SM
GFS	2026-10-12 21:00	88	Clear	350/9kt	—	>10kft	>6SM
GFS	2026-10-13 00:00	79	Clear	350/5kt	0.0	>10kft	>6SM
GFS	2026-10-13 03:00	75	Clear	10/4kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KSRQ 120153Z 36005KT 10SM CLR 26/21 A3008 RMK AO2 SLP186 T02560211

TAF KSRQ 112320Z 1200/1224 36006KT P6SM FEW030 BKN250 FM120300 01005KT P6SM SCT250 FM121400 02008KT P6SM SKC
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KSRQ; actual-station=KSRQ; fetched-at=2026-10-12T02:54:00.515298+00:00; observed-or-issued-at=2026-10-12T01:53:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KSRQ; actual-station=KSRQ; fetched-at=2026-10-12T02:54:00.987790+00:00; observed-or-issued-at=2026-10-11T23:20:00+00:00; valid-from=2026-10-12T00:00:00+00:00; valid-through=2026-10-13T00:00:00+00:00; partial-target-dates=2026-10-11,2026-10-12 — AWC API

TAF proxy · KSRQ

- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KSRQ; actual-station=KSRQ; fetched-at=2026-10-12T02:54:02.306532+00:00
- FAA NMS NOTAM — state=OK; requested-station=KSRQ; actual-station=KSRQ; fetched-at=2026-10-12T02:54:07.846974Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KSRQ; actual-station=KSRQ; fetched-at=2026-10-12T02:54:25.810611+00:00; observed-or-issued-at=2026-10-11T18:00:00+00:00; valid-from=2026-10-12T00:00:00+00:00; valid-through=2026-10-14T18:00:00+00:00; target-dates=2026-10-12; partial-target-dates=2026-10-11; dates-with-points=2026-10-11,2026-10-12 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KSRQ; actual-station=KSRQ; fetched-at=2026-10-12T02:54:26.305021+00:00; observed-or-issued-at=2026-10-11T12:00:00+00:00; valid-from=2026-10-12T12:00:00+00:00; valid-through=2026-10-19T12:00:00+00:00; target-dates=2026-10-12; dates-with-points=2026-10-12 — Iowa State API
- MOS effective date selection — state=partial; rows=10; requested-station=KSRQ; actual-station=KSRQ; fetched-at=2026-10-12T02:54:25.810611+00:00; observed-or-issued-at=2026-10-11T18:00:00+00:00; valid-from=2026-10-12T00:00:00+00:00; valid-through=2026-10-14T18:00:00+00:00; target-dates=2026-10-12; partial-target-dates=2026-10-11; dates-with-points=2026-10-11,2026-10-12; selected-by-date=2026-10-11=GFS, 2026-10-12=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#24 **KVNC** **Venice Muni, FL, US** · Gulf East · Venice FL

OBS - VFR

ETE **2h51**

DIST **422 nm**

SUN 11 OCT 22:35 ET OBSERVED

Current observation

METAR

OBS - VFR

OBSER

clear below 12,000 ft (CLR)

WIND **calm**

TEMPERATURE **26 °C**

VISIBILITY **10 sm**

DEWPOINT **25 °C**

Evidence & limitations

- METAR source state: ok; observed Oct 11 22:35 ET; retrieved Oct 11 22:54 ET; 19 min before this run.
- Measured values read from the KVNC METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.07 inHg.

• The complete raw METAR remains in this airport's Raw products disclosure.

DESTINATION OUTLOOK

SUN, OCT 11

SUN 11 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 11

18:00–00:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 12

MON 12 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 12 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 12 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 12 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 12

00:00–06:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
17°C dep KLZU → 26°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — source state: not_queried

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
13/31 (130/310°M · 124/304°T) · 05/23 (050/230°M · 044/224°T) — designators and °M headings are magnetic; °T are true; variation 6°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 1 Act on

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What 3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state:

d 2026-10-12T02:54:07.896712Z.

oritative)

OK. The dot colour reports whether this source was read this run; technical environment: preprod.



Raw NOTAM data · NOTAMs as of 02:54 Z

NOTAMs as of 02:54 Z — advisory only; verify an official briefing.

6/5337

NOTAM text not available in this projection.

6/5336

NOTAM text not available in this projection.

10/039

NOTAM text not available in this projection.

10/040

NOTAM text not available in this projection.

10/046

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

F…26-10-12T02:54:07.896712Z.

…VENICE, FL. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 4... ADD TAKEOFF OBSTACLE NOTE: RWY 31, TEMPORARY CRANES …ENTER/UNE, 250FT AGL/ 162FT MSL (2024-ASO-2419-OE) 2024-ASO-7014-OE] ALL OTHER DATA REMAINS AS PUBLISHED. 2508231637/2508241637EST

…:00Z

…MUNI, VENICE, FL. RNAV (GPS) RWY 13, AMDT 2A... LPV DA 424/HAT 407 ALL CATS VIS ALL CATS 1 1/8. TEMPORARY CRANES (TC MSL 1003/FNO) OPERATIV IS… 2508061537EST

…:00Z

…ST (ASR 1081040) 270457 0.0N082.2029 00W (0.7NM N VNC) 182.7FT (168.7FT AGL) O/S

…:00Z

OBSTRUCTION 10/040 — OEST TOWER (ST (ASR 1027870) 270750 2.0N082.2339 40W (4.8NM NNE VNC) 606.0FT (590.0FT AGL) O/S

Effective 2026-10-05T13:02:00Z → 2027-01-03T04:00:00Z

OBSTRUCTION 10/046 — OEST TOWER (ST (ASR 1060040) 270457 0.0N082.2029 00W (0.7NM N VNC) 185FT (165FT AGL) O/S

Effective 2026-10-05T15:40:00.000Z → 2026-11-19T21:38:00.000Z

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KVNC this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR

Source state: partial; selected by target date: 2026-10-11=GFS, 2026-10-12=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-12 00:00	81	Bkn	340/7kt	—	>10kft	>6SM
GFS	2026-10-12 03:00	78	Bkn	10/6kt	—	>10kft	>6SM
GFS	2026-10-12 06:00	75	Few	10/6kt	28.0	>10kft	>6SM
GFS	2026-10-12 09:00	72	Clear	20/7kt	—	>10kft	>6SM
GFS	2026-10-12 12:00	71	Clear	20/8kt	5.0	>10kft	>6SM
GFS	2026-10-12 15:00	82	Clear	30/11kt	—	>10kft	>6SM
GFS	2026-10-12 18:00	86	Clear	10/10kt	9.0	>10kft	>6SM
GFS	2026-10-12 21:00	86	Clear	340/10kt	—	>10kft	>6SM
GFS	2026-10-13 00:00	80	Clear	350/6kt	0.0	>10kft	>6SM
GFS	2026-10-13 03:00	74	Clear	10/5kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KVNC 120235Z AUTO 00000KT 10SM CLR 26/25 A3007 RMK AO2 T02560249 $

TAF KSRQ 112320Z 1200/1224 36006KT P6SM FEW030 BKN250 FM120300 01005KT P6SM SCT250 FM121400 02008KT P6SM SKC
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KVNC; actual-station=KVNC; fetched-at=2026-10-12T02:54:00.515298+00:00; observed-or-issued-at=2026-10-12T02:35:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KVNC; actual-station=KSRQ; fetched-at=2026-10-12T02:54:00.987790+00:00; observed-or-issued-at=2026-10-11T23:20:00+00:00; valid-from=2026-10-12T00:00:00+00:00; valid-through=2026-10-13T00:00:00+00:00; partial-target-dates=2026-10-11,2026-10-12 — AWC API

  TAF proxy · KSRQ
- FAA airport status — state=not_queried; fetch-state=not_attempted; payload-state=not_attempted; requested-station=KVNC
- FAA NMS NOTAM — state=OK; requested-station=KVNC; actual-station=KVNC; fetched-at=2026-10-12T02:54:07.896712Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KVNC; actual-station=KVNC; fetched-at=2026-10-12T02:54:25.830053+00:00; observed-or-issued-at=2026-10-11T18:00:00+00:00; valid-from=2026-10-12T00:00:00+00:00; valid-through=2026-10-14T18:00:00+00:00; target-dates=2026-10-12; partial-target-dates=2026-10-11; dates-with-points=2026-10-11,2026-10-12 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KVNC; actual-station=KVNC; fetched-at=2026-10-12T02:54:26.321361+00:00; observed-or-issued-at=2026-10-11T12:00:00+00:00; valid-from=2026-10-12T12:00:00+00:00; valid-through=2026-10-19T12:00:00+00:00; target-dates=2026-10-12; dates-with-points=2026-10-12 — Iowa State API
- MOS effective date selection — state=partial; rows=10; requested-station=KVNC; actual-station=KVNC; fetched-at=2026-10-12T02:54:25.830053+00:00; observed-or-issued-at=2026-10-11T18:00:00+00:00; valid-from=2026-10-12T00:00:00+00:00; valid-through=2026-10-14T18:00:00+00:00; target-dates=2026-10-12; partial-target-dates=2026-10-11; dates-with-points=2026-10-11,2026-10-12; selected-by-date=2026-10-11=GFS, 2026-10-12=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#25 **KHSA** — · Gulf West · Stennis MS

OBS - UNKNOWN

ETE 2h25

DIST 353 nm

SUN 11 OCT Time unavailable UNAVAILABLE

Current observation

OBS - UNKNOWN

UNAVA

METAR

Current observation unavailable

WIND Unavailable

TEMPERATURE Unavailable

VISIBILITY Unavailable

DEWPOINTUnavailable

Evidence & limitations

- Source state: unavailable.
- No usable current KHSA observation was available this run.
- This is a current surface observation only. It is not a forecast. No forecast value is substituted for a missing observation.

DESTINATION OUTLOOK

SUN, OCT 11

SUN 11 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 11

18:00–00:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 12

MON 12 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 12 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 12 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 12 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 12

00:00–06:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
17°C dep KLZU → Unavailable at destination

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — source state: not_queried

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
18/36 (180/000°M · 179/359°T) — designators and °M headings are magnetic; °T are true; variation 1°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 2 Act on 1 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)


2 · What 3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state:

d 2026-10-12T02:54:07.996450Z.

oritative)

OK. The dot colour reports whether this source was read this run; technical environment: preprod.



3 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 02:54 Z

NOTAMs as of 02:54 Z — advisory only; verify an official briefing.

09/011

NOTAM text not available in this projection.

09/015

NOTAM text not available in this projection.

09/005

NOTAM text not available in this projection.

12/015

NOTAM text not available in this projection.

6/5656

NOTAM text not available in this projection.

10/002

NOTAM text not available in this projection.

10/003

NOTAM text not available in this projection.

02/005

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

26-10-12T02:54:07.996450Z.

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30

airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

:00Z

:00Z

NAV_APPROACH

Effective 2026-08-17T16:57:00Z → 2028-08-17T16:57:00Z

3 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KHSA this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · VFR

Source state: partial; selected by target date: 2026-10-11=GFS, 2026-10-12=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-12 00:00	74	Clear	190/1kt	—	>10kft	>6SM
GFS	2026-10-12 03:00	65	Clear	0/0kt	—	>10kft	>6SM
GFS	2026-10-12 06:00	999	Clear	990/99kt	1.0	>10kft	>6SM
GFS	2026-10-12 09:00	999	Clear	990/99kt	—	>10kft	>6SM
GFS	2026-10-12 12:00	999	Clear	0/0kt	2.0	>10kft	>6SM

GFS	2026-10-12 15:00	999	Clear	30/1kt	—	>10kft	>6SM
GFS	2026-10-12 18:00	999	Clear	180/4kt	1.0	>10kft	>6SM
GFS	2026-10-12 21:00	999	Clear	160/7kt	—	>10kft	>6SM
GFS	2026-10-13 00:00	999	Clear	190/2kt	0.0	>10kft	>6SM
GFS	2026-10-13 03:00	999	Clear	0/0kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR unavailable

TAF KGPT 112320Z 1200/1224 VRB04KT P6SM FEW250 FM121800 18006KT P6SM SKC
```

+ Data sources used

- METAR — state=unavailable; fetch-state=ok; payload-state=valid; requested-station=KHSA; actual-station=KHSA; fetched-at=2026-10-12T02:54:00.515298+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KHSA; actual-station=KGPT; fetched-at=2026-10-12T02:54:00.987790+00:00; observed-or-issued-at=2026-10-11T23:20:00+00:00; valid-from=2026-10-12T00:00:00+00:00; valid-through=2026-10-13T00:00:00+00:00; partial-target-dates=2026-10-11,2026-10-12 — AWC API

TAF proxy · KGPT

- FAA airport status — state=not_queried; fetch-state=not_attempted; payload-state=not_attempted; requested-station=KHSA
- FAA NMS NOTAM — state=OK; requested-station=KHSA; actual-station=KHSA; fetched-at=2026-10-12T02:54:07.996450Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KHSA; actual-station=KHSA; fetched-at=2026-10-12T02:54:25.861085+00:00; observed-or-issued-at=2026-10-11T18:00:00+00:00; valid-from=2026-10-12T00:00:00+00:00; valid-through=2026-10-14T18:00:00+00:00; target-dates=2026-10-12; partial-target-dates=2026-10-11; dates-with-points=2026-10-11,2026-10-12 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KHSA; actual-station=KHSA; fetched-at=2026-10-12T02:54:26.351605+00:00; observed-or-issued-at=2026-10-11T12:00:00+00:00; valid-from=2026-10-12T12:00:00+00:00; valid-through=2026-10-19T12:00:00+00:00; target-dates=2026-10-12; dates-with-points=2026-10-12 — Iowa State API
- MOS effective date selection — state=partial; rows=10; requested-station=KHSA; actual-station=KHSA; fetched-at=2026-10-12T02:54:25.861085+00:00; observed-or-issued-at=2026-10-11T18:00:00+00:00; valid-from=2026-10-12T00:00:00+00:00; valid-through=2026-10-14T18:00:00+00:00; target-dates=2026-10-12; partial-target-dates=2026-10-11; dates-with-points=2026-10-11,2026-10-12; selected-by-date=2026-10-11=GFS, 2026-10-12=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#26 **KNEW** **New Orleans/Lakefront Arpt, LA, US** · Gulf West · New Orleans Lakefront

OBS - VFR

ETE 2h38

DIST 389 nm

SUN 11 OCT 21:53 ET OBSERVED

Current observation

METAR

clear below 12,000 ft (CLR)

OBS - VFR


OBSER

WIND **S (190°) 5 kt**

TEMPERATURE **24 °C**

VISIBILITY **10 sm**

DEWPOINT **19 °C**



Wind equally favours RWY 18R and 18L

190° true · 191° magnetic · 5 kt

Evidence & limitations

- METAR source state: ok; observed Oct 11 21:53 ET; retrieved Oct 11 22:54 ET; 61 min before this run.
- Measured values read from the KNEW METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.11 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KNEW runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 18R/36L, 18L/36R, 09/27. Wind from 190 degrees true, 191 degrees magnetic, at 5 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Equally wind-favoured runway ends, highlighted: 18R and 18L. Wind source: KNEW METAR 120153Z.

DESTINATION OUTLOOK

SUN, OCT 11

SUN 11 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 11

18:00–00:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 12

MON 12 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 12 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 12 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 12 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 12

00:00–06:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
17°C dep KLZU → 24°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
18R/36L (180/000°M · 179/359°T) · 18L/36R (180/000°M · 179/359°T) · 09/27 (090/270°M · 089/269°T) — designators and °M headings are magnetic; °T are true; variation 1°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 3 Act on 3 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What 3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

ed 2026-10-12T02:54:08.083605Z.

oritative)



8 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 02:54 Z

NOTAMs as of 02:54 Z — advisory only; verify an official briefing.

10/004

NOTAM text not available in this projection.

10/005

NOTAM text not available in this projection.

6/5292

NOTAM text not available in this projection.

6/5293

NOTAM text not available in this projection.

10/010

NOTAM text not available in this projection.

07/007

NOTAM text not available in this projection.

07/014

NOTAM text not available in this projection.

08/020

NOTAM text not available in this projection.

09/002

NOTAM text not available in this projection.

10/004

NOTAM text not available in this projection.

10/006

NOTAM text not available in this projection.

10/009

NOTAM text not available in this projection.

09/003

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

026-10-12T02:54:08.083605Z.

:00Z

:00Z

:00Z

Effective 2026-09-24T15:07:00Z → 2027-05-06T15:07:00Z

NAV_APPROACH

Effective 2026-10-09T09:16:00Z → 2026-10-16T20:00:00Z

8 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

Forecast for Aviation and the Weather Prediction Center surface progs, issued by the National Weather Service through the day; the surface prog series reaches 144 hours. They are raster images a pilot reads for fronts, pressure systems and precipitation shields. This page displays them with their issuing office and valid time and never interprets them: no category, wind, ceiling, ranking or go/no-go here is derived from an image. A published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-11=GFS, 2026-10-12=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-12 00:00	79	Clear	180/5kt	—	>10kft	>6SM
GFS	2026-10-12 03:00	76	Clear	190/5kt	—	>10kft	>6SM
GFS	2026-10-12 06:00	74	Clear	210/5kt	1.0	>10kft	>6SM
GFS	2026-10-12 09:00	74	Clear	230/3kt	—	>10kft	>6SM
GFS	2026-10-12 12:00	74	Clear	70/3kt	1.0	>10kft	>6SM
GFS	2026-10-12 15:00	79	Clear	90/4kt	—	>10kft	>6SM
GFS	2026-10-12 18:00	84	Clear	110/6kt	1.0	>10kft	>6SM
GFS	2026-10-12 21:00	86	Clear	130/8kt	—	>10kft	>6SM
GFS	2026-10-13 00:00	81	Clear	160/6kt	0.0	>10kft	>6SM
GFS	2026-10-13 03:00	78	Clear	180/5kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KNEW 120153Z 19005KT 10SM CLR 24/19 A3011 RMK AO1 SLP190 T02390189

TAF KNEW 112320Z 1200/1224 VRB05KT P6SM FEW250 FM121600 13008KT P6SM SKC
```

+ Data sources used

• METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KNEW; actual-station=KNEW; fetched-at=2026-10-12T02:54:00.515298+00:00; observed-or-issued-at=2026-10-12T01:53:00+00:00 — AWC API

- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KNEW; actual-station=KNEW; fetched-at=2026-10-12T02:54:00.987790+00:00; observed-or-issued-at=2026-10-11T23:20:00+00:00; valid-from=2026-10-12T00:00:00+00:00; valid-through=2026-10-13T00:00:00+00:00; partial-target-dates=2026-10-11,2026-10-12 — AWC API

TAF proxy · KNEW

- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KNEW; actual-station=KNEW; fetched-at=2026-10-12T02:54:02.331814+00:00
- FAA NMS NOTAM — state=OK; requested-station=KNEW; actual-station=KNEW; fetched-at=2026-10-12T02:54:08.083605Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KNEW; actual-station=KNEW; fetched-at=2026-10-12T02:54:25.853634+00:00; observed-or-issued-at=2026-10-11T18:00:00+00:00; valid-from=2026-10-12T00:00:00+00:00; valid-through=2026-10-14T18:00:00+00:00; target-dates=2026-10-12; partial-target-dates=2026-10-11; dates-with-points=2026-10-11,2026-10-12 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KNEW; actual-station=KNEW; fetched-at=2026-10-12T02:54:26.452149+00:00; observed-or-issued-at=2026-10-11T12:00:00+00:00; valid-from=2026-10-12T12:00:00+00:00; valid-through=2026-10-19T12:00:00+00:00; target-dates=2026-10-12; dates-with-points=2026-10-12 — Iowa State API
- MOS effective date selection — state=partial; rows=10; requested-station=KNEW; actual-station=KNEW; fetched-at=2026-10-12T02:54:25.853634+00:00; observed-or-issued-at=2026-10-11T18:00:00+00:00; valid-from=2026-10-12T00:00:00+00:00; valid-through=2026-10-14T18:00:00+00:00; target-dates=2026-10-12; partial-target-dates=2026-10-11; dates-with-points=2026-10-11,2026-10-12; selected-by-date=2026-10-11=GFS, 2026-10-12=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#27 **KOPF** **Miami/Opa Locka Arpt, FL, US** · Long-range · Miami-Opa Locka

OBS - VFR

ETE 3h30

DIST 521 nm

SUN 11 OCT 21:53 ET OBSERVED

Current observation

METAR

OBS - VFR

OBSER

clear below 12,000 ft (CLR)

WIND calm

TEMPERATURE 28 °C

VISIBILITY 10 sm

DEWPOINT 26 °C

Evidence & limitations

- METAR source state: ok; observed Oct 11 21:53 ET; retrieved Oct 11 22:54 ET; 61 min before this run.
- Measured values read from the KOPF METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.07 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.

DESTINATION OUTLOOK

SUN, OCT 11

SUN 11 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.


Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 11

18:00–00:00 ET ET



WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 12

MON 12 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 12 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 12 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 12 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 12

00:00–06:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
17°C dep KLZU → 28°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
09L/27R (090/270°M · 083/263°T) · 12/30 (120/300°M · 113/293°T) · 09R/27L (090/270°M · 083/263°T) — designators and °M headings are magnetic; °T are true; variation 7°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 12 Act on

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)


2 · What 3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state:

ed 2026-10-12T02:54:08.188624Z.

oritative)

OK. The dot colour reports whether this source was read this run; technical environment: preprod.



94 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 02:54 Z

NOTAMs as of 02:54 Z — advisory only; verify an official briefing.

6/2604

NOTAM text not available in this projection.

08/050

NOTAM text not available in this projection.

08/051

NOTAM text not available in this projection.

5/7064

NOTAM text not available in this projection.

5/0554

NOTAM text not available in this projection.

6/2599

NOTAM text not available in this projection.

6/2236

NOTAM text not available in this projection.

6/1259

NOTAM text not available in this projection.

6/8187

NOTAM text not available in this projection.

6/8903

NOTAM text not available in this projection.

6/8910

NOTAM text not available in this projection.

6/8914

NOTAM text not available in this projection.

6/8915

NOTAM text not available in this projection.

6/8918

NOTAM text not available in this projection.

6/8919

NOTAM text not available in this projection.

6/8921

NOTAM text not available in this projection.

05/045

NOTAM text not available in this projection.

07/090

NOTAM text not available in this projection.

07/091

NOTAM text not available in this projection.

07/092

NOTAM text not available in this projection.

07/093

NOTAM text not available in this projection.

07/094

NOTAM text not available in this projection.

07/095

NOTAM text not available in this projection.

07/096

NOTAM text not available in this projection.

07/097

NOTAM text not available in this projection.

07/098

NOTAM text not available in this projection.

07/102

NOTAM text not available in this projection.

07/103

NOTAM text not available in this projection.

07/104

NOTAM text not available in this projection.

07/109

NOTAM text not available in this projection.

07/110

NOTAM text not available in this projection.

07/111

NOTAM text not available in this projection.

07/112

NOTAM text not available in this projection.

07/113

NOTAM text not available in this projection.

07/114

NOTAM text not available in this projection.

07/115

NOTAM text not available in this projection.

07/116

NOTAM text not available in this projection.

07/117

NOTAM text not available in this projection.

07/118

NOTAM text not available in this projection.

07/119

NOTAM text not available in this projection.

07/120

NOTAM text not available in this projection.

07/121

NOTAM text not available in this projection.

07/124

NOTAM text not available in this projection.

07/125

NOTAM text not available in this projection.

07/126

NOTAM text not available in this projection.

07/130

NOTAM text not available in this projection.

07/131

NOTAM text not available in this projection.

07/132

NOTAM text not available in this projection.

07/133

NOTAM text not available in this projection.

07/134

NOTAM text not available in this projection.

10/001

NOTAM text not available in this projection.

10/002

NOTAM text not available in this projection.

10/044

NOTAM text not available in this projection.

10/045

NOTAM text not available in this projection.

10/050

NOTAM text not available in this projection.

10/051

NOTAM text not available in this projection.

10/046

NOTAM text not available in this projection.

10/047

NOTAM text not available in this projection.

10/048

NOTAM text not available in this projection.

10/049

NOTAM text not available in this projection.

11/013

NOTAM text not available in this projection.

11/014

NOTAM text not available in this projection.

11/015

NOTAM text not available in this projection.

11/016

NOTAM text not available in this projection.

11/025

NOTAM text not available in this projection.

11/026

NOTAM text not available in this projection.

11/027

NOTAM text not available in this projection.

11/028

NOTAM text not available in this projection.

02/017

NOTAM text not available in this projection.

02/018

NOTAM text not available in this projection.

03/037

NOTAM text not available in this projection.

03/038

NOTAM text not available in this projection.

05/068

NOTAM text not available in this projection.

05/069

NOTAM text not available in this projection.

05/070

NOTAM text not available in this projection.

05/071

NOTAM text not available in this projection.

05/073

NOTAM text not available in this projection.

05/074

NOTAM text not available in this projection.

06/061

NOTAM text not available in this projection.

06/062

NOTAM text not available in this projection.

06/063

NOTAM text not available in this projection.

08/030

NOTAM text not available in this projection.

08/033

NOTAM text not available in this projection.

08/034

NOTAM text not available in this projection.

08/035

NOTAM text not available in this projection.

08/036

NOTAM text not available in this projection.

08/039

NOTAM text not available in this projection.

08/040

NOTAM text not available in this projection.

08/041

NOTAM text not available in this projection.

08/042

NOTAM text not available in this projection.

10/007

NOTAM text not available in this projection.

10/008

NOTAM text not available in this projection.

10/009

NOTAM text not available in this projection.

10/010

NOTAM text not available in this projection.

10/013

NOTAM text not available in this projection.

10/014

NOTAM text not available in this projection.

10/036

NOTAM text not available in this projection.

10/034

NOTAM text not available in this projection.

10/035

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

Effective 2026-03-03T15:34:00Z → 2026-11-16T15:34:00Z

RUNWAY

Effective 2026-08-20T11:42:00Z → 2027-08-01T04:00:00Z

RUNWAY

Effective 2026-08-20T11:43:00Z → 2027-08-01T04:00:00Z

NAV_APPROACH

Effective 2025-05-07T12:14:00Z → 2027-05-07T12:13:00Z

NAV_APPROACH

Effective 2025-09-25T18:59:00Z → 2027-09-25T18:59:00Z

94 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KOPF this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR

Source state: partial; selected by target date: 2026-10-11=GFS, 2026-10-12=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-12 00:00	84	Few	130/5kt	—	>10kft	>6SM
GFS	2026-10-12 03:00	82	Few	140/4kt	—	>10kft	>6SM
GFS	2026-10-12 06:00	79	Few	170/2kt	9.0	>10kft	>6SM
GFS	2026-10-12 09:00	77	Few	300/1kt	—	>10kft	>6SM
GFS	2026-10-12 12:00	77	Clear	320/1kt	8.0	>10kft	>6SM
GFS	2026-10-12 15:00	86	Sct	350/5kt	—	>10kft	>6SM
GFS	2026-10-12 18:00	88	Sct	20/9kt	13.0	>10kft	>6SM
GFS	2026-10-12 21:00	87	Sct	40/8kt	—	>10kft	>6SM
GFS	2026-10-13 00:00	81	Bkn	50/7kt	7.0	>10kft	>6SM

GFS	2026-10-13 03:00	79	Bkn	20/5kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KOPF 120153Z 00000KT 10SM CLR 28/26 A3007 RMK AO2 SLP182 T02780256

TAF KOPF 112328Z 1200/1224 VRB04KT P6SM FEW025 FM121600 03008KT P6SM VCSH SCT025 SCT050
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KOPF; actual-station=KOPF; fetched-at=2026-10-12T02:54:00.515298+00:00; observed-or-issued-at=2026-10-12T01:53:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KOPF; actual-station=KOPF; fetched-at=2026-10-12T02:54:00.987790+00:00; observed-or-issued-at=2026-10-11T23:28:00+00:00; valid-from=2026-10-12T00:00:00+00:00; valid-through=2026-10-13T00:00:00+00:00; partial-target-dates=2026-10-11,2026-10-12 — AWC API
  TAF proxy · KOPF
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KOPF; actual-station=KOPF; fetched-at=2026-10-12T02:54:02.648880+00:00
- FAA NMS NOTAM — state=OK; requested-station=KOPF; actual-station=KOPF; fetched-at=2026-10-12T02:54:08.188624Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KOPF; actual-station=KOPF; fetched-at=2026-10-12T02:54:25.851474+00:00; observed-or-issued-at=2026-10-11T18:00:00+00:00; valid-from=2026-10-12T00:00:00+00:00; valid-through=2026-10-14T18:00:00+00:00; target-dates=2026-10-12; partial-target-dates=2026-10-11; dates-with-points=2026-10-11,2026-10-12 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KOPF; actual-station=KOPF; fetched-at=2026-10-12T02:54:26.422788+00:00; observed-or-issued-at=2026-10-11T12:00:00+00:00; valid-from=2026-10-12T12:00:00+00:00; valid-through=2026-10-19T12:00:00+00:00; target-dates=2026-10-12; dates-with-points=2026-10-12 — Iowa State API
- MOS effective date selection — state=partial; rows=10; requested-station=KOPF; actual-station=KOPF; fetched-at=2026-10-12T02:54:25.851474+00:00; observed-or-issued-at=2026-10-11T18:00:00+00:00; valid-from=2026-10-12T00:00:00+00:00; valid-through=2026-10-14T18:00:00+00:00; target-dates=2026-10-12; partial-target-dates=2026-10-11; dates-with-points=2026-10-11,2026-10-12; selected-by-date=2026-10-11=GFS, 2026-10-12=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#28 **KHPN** **White Plains/Westchester Cnty, NY, US** · Long-range · White Plains NY

OBS - IFR

ETE 4h18

DIST 647 nm

SUN 11 OCT 20:56 ET OBSERVED

Current observation

OBS - IFR

OBSERV

METAR

overcast 800 ft

WIND **NE (30°) 8 kt gust 15 kt**

TEMPERATURE **12 °C**

VISIBILITY **2 sm**

DEWPOINT **11 °C**



Wind favours RWY 34

030° true · 043° magnetic · 8G15 kt · also NOTAM-affected: 16 and 34

Evidence & limitations

- METAR source state: ok; observed Oct 11 20:56 ET; retrieved Oct 11 22:54 ET; 118 min before this run.
- Measured values read from the KHPN METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.91 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KHPN runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 16/34, 11/29. Wind from 030 degrees true, 043 degrees magnetic, at 8 knots gusting 15 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 34. NOTAM-affected runway ends, hatched separately from the wind highlight: 16 and 34. The wind-favoured end 34 is also NOTAM-affected: the wind does favour it, but a NOTAM on this card names it, so the highlight is not a statement that the runway is usable. The hatch marks only that a NOTAM names the runway; it does not decode the NOTAM's effective times, so confirm the closure window in the NOTAM text below. Wind source: KHPN METAR 120056Z.

DESTINATION OUTLOOK

SUN, OCT 11

SUN 11 OCT 18:00–00:00 ET HIGH

Forecast TAF

Flight-category guidance

TAF · IFR

FORECAST

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · IFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 11

18:00–00:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 12

MON 12 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · IFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · IFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 12 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · IFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · IFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 12 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 12 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 12

00:00–06:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
17°C dep KLZU → 12°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
16/34 (160/340°M · 147/327°T) · 11/29 (110/290°M · 097/277°T) — designators and °M headings are magnetic; °T are true; variation 13°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 8 Act on 1 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What 3 · Where

ed 2026-10-12T02:54:08.219895Z.

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state:

OK. The dot colour reports whether this source was read this run; technical environment: preprod.



39 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 02:54 Z

NOTAMs as of 02:54 Z — advisory only; verify an official briefing.

10/020

NOTAM text not available in this projection.

A4296/26

NOTAM text not available in this projection.

10/039

NOTAM text not available in this projection.

10/094

NOTAM text not available in this projection.

A4491/26

NOTAM text not available in this projection.

A4492/26

NOTAM text not available in this projection.

10/098

NOTAM text not available in this projection.

A4430/26

NOTAM text not available in this projection.

03/058

NOTAM text not available in this projection.

A1006/26

NOTAM text not available in this projection.

03/062

NOTAM text not available in this projection.

A1019/26

NOTAM text not available in this projection.

04/112

NOTAM text not available in this projection.

A1392/26

NOTAM text not available in this projection.

07/120

NOTAM text not available in this projection.

A2868/26

NOTAM text not available in this projection.

08/016

NOTAM text not available in this projection.

A3278/26

NOTAM text not available in this projection.

10/096

NOTAM text not available in this projection.

A4425/26

NOTAM text not available in this projection.

10/116

NOTAM text not available in this projection.

A4461/26

NOTAM text not available in this projection.

A4480/26

NOTAM text not available in this projection.

A4481/26

NOTAM text not available in this projection.

A4482/26

NOTAM text not available in this projection.

A4483/26

NOTAM text not available in this projection.

A4484/26

NOTAM text not available in this projection.

A4485/26

NOTAM text not available in this projection.

A4486/26

NOTAM text not available in this projection.

A4487/26

NOTAM text not available in this projection.

A4488/26

NOTAM text not available in this projection.

A4489/26

NOTAM text not available in this projection.

A4490/26

NOTAM text not available in this projection.

03/045

NOTAM text not available in this projection.

6/5381

NOTAM text not available in this projection.

A1014/26

NOTAM text not available in this projection.

6/9015

NOTAM text not available in this projection.

A1738/26

NOTAM text not available in this projection.

6/5296

NOTAM text not available in this projection.

6/5312

NOTAM text not available in this projection.

A4160/26

NOTAM text not available in this projection.

A4161/26

NOTAM text not available in this projection.

09/238

NOTAM text not available in this projection.

A4497/26

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

…026-10-12T02:54:08.219895Z.

…D LGT U/S

…:00Z

…ON ID LGT U/S

…:00Z

…SIGN AT TWY A LGT U/S

…:00Z

…SIGN AT TWY J LGT U/S

…:00Z

RUNWAY

Effective 2026-10-09T09:19:00Z → 2026-10-12T09:19:00Z

RUNWAY

Effective 2026-10-14T04:00:00Z → 2026-10-16T09:30:00Z

RUNWAY

Effective 2026-10-14T04:00:00Z → 2026-10-16T09:30:00Z

37 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KHPN this run.

published WPC surface chart matches this

…ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

…:00 ET ET · IFR

…:00 ET ET · IFR

…:00 ET ET · IFR

…:00 ET ET · MVFR

period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

:00 ET ET · VFR

Source state: partial; selected by target date: 2026-10-11=GFS, 2026-10-12=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-12 00:00	57	Ovc	70/14kt	—	500-1kft	½-1SM
GFS	2026-10-12 03:00	57	Ovc	60/11kt	—	200-500ft	½-1SM
GFS	2026-10-12 06:00	55	Ovc	10/9kt	100.0	200-500ft	½-1SM
GFS	2026-10-12 09:00	55	Ovc	10/12kt	—	200-500ft	3-5SM
GFS	2026-10-12 12:00	57	Ovc	350/11kt	48.0	200-500ft	3-5SM
GFS	2026-10-12 15:00	63	Ovc	340/9kt	—	3-5kft	>6SM
GFS	2026-10-12 18:00	70	Sct	330/10kt	3.0	>10kft	>6SM
GFS	2026-10-12 21:00	71	Few	320/10kt	—	>10kft	>6SM
GFS	2026-10-13 00:00	65	Few	320/4kt	0.0	>10kft	>6SM
GFS	2026-10-13 03:00	62	Sct	320/3kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KHPN 120056Z 03008G15KT 360V060 2SM -RA OVC008 12/11 A2991 RMK AO2 SFC VIS 6 RAE33B55 CIG 005V013 SLP129 P0013 T01220111

TAF KHPN 120244Z 1203/1224 01012KT P6SM -SHRA SCT004 OVC008 FM120400 02012KT 6SM BR VCTS SCT004 OVC008CB FM120500 36010KT 6SM BR VCSH OVC006 FM121100 35009KT P6SM OVC008 FM121400 33009KT P6SM
BKN020 FM121700 33009KT P6SM FEW025 SCT050 AMD NOT SKED
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KHPN; actual-station=KHPN; fetched-at=2026-10-12T02:54:00.515298+00:00; observed-or-issued-at=2026-10-12T00:56:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KHPN; actual-station=KHPN; fetched-at=2026-10-12T02:54:00.987790+00:00; observed-or-issued-at=2026-10-12T02:44:00+00:00; valid-from=2026-10-12T03:00:00+00:00; valid-through=2026-10-13T00:00:00+00:00; partial-target-dates=2026-10-11,2026-10-12 — AWC API

  TAF proxy · KHPN
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KHPN; actual-station=KHPN; fetched-at=2026-10-12T02:54:02.365254+00:00
- FAA NMS NOTAM — state=OK; requested-station=KHPN; actual-station=KHPN; fetched-at=2026-10-12T02:54:08.219895Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KHPN; actual-station=KHPN; fetched-at=2026-10-12T02:54:25.885473+00:00; observed-or-issued-at=2026-10-11T18:00:00+00:00; valid-from=2026-10-12T00:00:00+00:00; valid-through=2026-10-14T18:00:00+00:00; target-dates=2026-10-12; partial-target-dates=2026-10-11; dates-with-points=2026-10-11,2026-10-12 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KHPN; actual-station=KHPN; fetched-at=2026-10-12T02:54:26.414497+00:00; observed-or-issued-at=2026-10-11T12:00:00+00:00; valid-from=2026-10-12T12:00:00+00:00; valid-through=2026-10-19T12:00:00+00:00; target-dates=2026-10-12; dates-with-points=2026-10-12 — Iowa State API
- MOS effective date selection — state=partial; rows=10; requested-station=KHPN; actual-station=KHPN; fetched-at=2026-10-12T02:54:25.885473+00:00; observed-or-issued-at=2026-10-11T18:00:00+00:00; valid-from=2026-10-12T00:00:00+00:00; valid-through=2026-10-14T18:00:00+00:00; target-dates=2026-10-12; partial-target-dates=2026-10-11; dates-with-points=2026-10-11,2026-10-12; selected-by-date=2026-10-11=GFS, 2026-10-12=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.

• Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#29 **KBED** **Bedford/Hanscom Fld, MA, US** · Long-range · Boston-Bedford MA

OBS - IFR

ETE 5h11

DIST 784 nm

SUN 11 OCT 21:51 ET OBSERVED

Current observation

OBS - IFR

OBSERV

METAR

overcast 500 ft

WIND E (90°) 7 kt

TEMPERATURE 11 °C

VISIBILITY 2 sm

DEWPOINT 10 °C



Wind favours RWY 11

090° true · 104° magnetic · 7 kt

Evidence & limitations

- METAR source state: ok; observed Oct 11 21:51 ET; retrieved Oct 11 22:54 ET; 63 min before this run.
- Measured values read from the KBED METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.01 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KBED runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 11/29, 05/23. Wind from 090 degrees true, 104 degrees magnetic, at 7 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 11. Wind source: KBED METAR 120151Z.

DESTINATION OUTLOOK

SUN, OCT 11

SUN 11 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · LIFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · LIFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 11

18:00–00:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 12

MON 12 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · LIFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · LIFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 12 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · LIFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · LIFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 12 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 12 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 12

00:00–06:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
17°C dep KLZU → 11°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
11/29 (110/290°M · 096/276°T) · 05/23 (050/230°M · 036/216°T) — designators and °M headings are magnetic; °T are true; variation 14°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 5 Act on 1 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)


2 · What 3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state:

ed 2026-10-12T02:54:08.237757Z.

oritative)

OK. The dot colour reports whether this source was read this run; technical environment: preprod.



33 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 02:54 Z

NOTAMs as of 02:54 Z — advisory only; verify an official briefing.

5/0511

NOTAM text not available in this projection.

10/035

NOTAM text not available in this projection.

A2729/26

NOTAM text not available in this projection.

08/020

NOTAM text not available in this projection.

A2431/26

NOTAM text not available in this projection.

09/072

NOTAM text not available in this projection.

09/074

NOTAM text not available in this projection.

A2667/26

NOTAM text not available in this projection.

09/075

NOTAM text not available in this projection.

09/076

NOTAM text not available in this projection.

10/006

NOTAM text not available in this projection.

A2689/26

NOTAM text not available in this projection.

10/033

NOTAM text not available in this projection.

A2728/26

NOTAM text not available in this projection.

10/034

NOTAM text not available in this projection.

10/036

NOTAM text not available in this projection.

A2730/26

NOTAM text not available in this projection.

10/042

NOTAM text not available in this projection.

A2737/26

NOTAM text not available in this projection.

A2743/26

NOTAM text not available in this projection.

A2744/26

NOTAM text not available in this projection.

A2746/26

NOTAM text not available in this projection.

A2747/26

NOTAM text not available in this projection.

A1392/25

NOTAM text not available in this projection.

5/0197

NOTAM text not available in this projection.

A2784/25

NOTAM text not available in this projection.

6/8189

NOTAM text not available in this projection.

A2533/26

NOTAM text not available in this projection.

07/034

NOTAM text not available in this projection.

A2378/26

NOTAM text not available in this projection.

08/093

NOTAM text not available in this projection.

10/015

NOTAM text not available in this projection.

10/016

NOTAM text not available in this projection.

10/017

NOTAM text not available in this projection.

A2698/26

NOTAM text not available in this projection.

A2699/26

NOTAM text not available in this projection.

A2700/26

NOTAM text not available in this projection.

10/037

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

026-10-12T02:54:08.237757Z.

HANSCOM FLD, BEDFORD, MA. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 6A. IN ADDITION TO EXISTING TAKEOFF OBSTACLE

ET FROM DER. 1883 FT LEFT OF CENTERLINE, 195 FT AGL/282 FT MSL. ANTENNA 2027 FT FROM DER, 1882 FT LEFT OF CENTERLINE, 288 FT MSL. ALL OTHER

:00Z

:00Z

:00Z

TAXIWAY

Effective 2026-08-10T16:47:00Z → 2026-12-31T22:00:00Z

TAXIWAY A24/12R — TWY T DIRECTION MARKINGS REMOVED

Effective 2026-08-10T16:47:00Z → 2026-12-31T22:00:00Z

33 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KBED this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · LIFR

:00 ET ET · LIFR

:00 ET ET · LIFR

:00 ET ET · VFR

:00 ET ET · VFR

Source state: partial; selected by target date: 2026-10-11=GFS, 2026-10-12=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-12 00:00	53	Ovc	140/3kt	—	5-10kft	3-5SM
GFS	2026-10-12 03:00	53	Ovc	70/4kt	—	500-1kft	1-2SM
GFS	2026-10-12 06:00	54	Ovc	20/5kt	100.0	200-500ft	½-1SM
GFS	2026-10-12 09:00	54	Ovc	20/5kt	—	200-500ft	3-5SM
GFS	2026-10-12 12:00	56	Ovc	360/3kt	63.0	200-500ft	3-5SM
GFS	2026-10-12 15:00	60	Ovc	340/5kt	—	500-1kft	>6SM
GFS	2026-10-12 18:00	64	Sct	310/7kt	0.0	>10kft	>6SM
GFS	2026-10-12 21:00	64	Clear	310/5kt	—	>10kft	>6SM

GFS	2026-10-13 00:00	60	Bkn	330/3kt	0.0	>10kft	>6SM
GFS	2026-10-13 03:00	58	Ovc	20/5kt	—	5-10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KBED 120151Z 09007KT 2SM RA BR OVC005 11/10 A3001 RMK AO2 SLP175 P0022 T01060100 $

TAF KBED 112332Z 1200/1224 05003KT 4SM RA BR OVC025 FM120200 00000KT 2SM -RA BR OVC008 FM120300 00000KT 1 1/2SM -RA BR OVC003 FM120700 03004KT 2SM BR OVC003 PROB30 1207/1209 1SM -SHRA BR OVC001
FM121500 34003KT P6SM BKN010 FM121600 33004KT P6SM FEW090
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KBED; actual-station=KBED; fetched-at=2026-10-12T02:54:00.515298+00:00; observed-or-issued-at=2026-10-12T01:51:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KBED; actual-station=KBED; fetched-at=2026-10-12T02:54:00.987790+00:00; observed-or-issued-at=2026-10-11T23:32:00+00:00; valid-from=2026-10-12T00:00:00+00:00; valid-through=2026-10-13T00:00:00+00:00; partial-target-dates=2026-10-11,2026-10-12 — AWC API

  TAF proxy · KBED
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KBED; actual-station=KBED; fetched-at=2026-10-12T02:54:02.695177+00:00
- FAA NMS NOTAM — state=OK; requested-station=KBED; actual-station=KBED; fetched-at=2026-10-12T02:54:08.237757Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KBED; actual-station=KBED; fetched-at=2026-10-12T02:54:25.875120+00:00; observed-or-issued-at=2026-10-11T18:00:00+00:00; valid-from=2026-10-12T00:00:00+00:00; valid-through=2026-10-14T18:00:00+00:00; target-dates=2026-10-12; partial-target-dates=2026-10-11; dates-with-points=2026-10-11,2026-10-12 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KBED; actual-station=KBED; fetched-at=2026-10-12T02:54:26.415711+00:00; observed-or-issued-at=2026-10-11T12:00:00+00:00; valid-from=2026-10-12T12:00:00+00:00; valid-through=2026-10-19T12:00:00+00:00; target-dates=2026-10-12; dates-with-points=2026-10-12 — Iowa State API
- MOS effective date selection — state=partial; rows=10; requested-station=KBED; actual-station=KBED; fetched-at=2026-10-12T02:54:25.875120+00:00; observed-or-issued-at=2026-10-11T18:00:00+00:00; valid-from=2026-10-12T00:00:00+00:00; valid-through=2026-10-14T18:00:00+00:00; target-dates=2026-10-12; partial-target-dates=2026-10-11; dates-with-points=2026-10-11,2026-10-12; selected-by-date=2026-10-11=GFS, 2026-10-12=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

3 · Hazard feeds & regional observations

Unfiltered hazard feeds (not route-geometry screened): 9 SIGMET records, 42 G-AIRMET records, 1 CWA records. Regional current observations (not corridor forecasts): Mountain: MVFR at KTRI, KROA; Atlantic South: category unavailable at KSGJ; Gulf West: category unavailable at KHSA; Long-range: IFR/LIFR at KHPN, KBED.

Scope: Hazard counts are raw feed totals and have not been filtered against a proposed route, altitude, or time. Airport flight categories are current point observations, not corridor forecasts.

4 · Planning gates

- **Evidence gate:** an unavailable, stale, or out-of-horizon source is unknown — never treat it as favorable.
- **Weather gate:** compare current observations and valid-period forecasts with personal ceiling, visibility, convection, wind, and crosswind minimums.
- **Route gate:** screen the actual route, altitude, and time against official hazard products; feed totals on this page are not route-filtered.
- **Operations gate:** verify NOTAMs, TFRs, runway conditions, fuel, aircraft performance, daylight, and alternates.

5 · ForeFlight manual cross-check (before flight)

- Official briefing matches these go/no-go windows
- Prog charts / radar / satellite trend agrees with convection timing
- Winds & temps aloft along actual route (may shift ETE)
- **NOTAMs & TFRs** — airport-scoped NMS records may be shown, but route-wide/TFR coverage is not included; pull a fresh official briefing for departure, destination, and alternates
- Runway condition / length / closures at destination & alternate
- Weight & balance + performance at forecast density altitude (heat!)
- File & brief in ForeFlight; confirm fuel stops if long-range

6 · Source stamp

Show source stamp and evidence inventory

KLZU METAR excerpt: METAR KLZU 120056Z AUTO . AWC METAR state OK for 29/30 airports; TAF target coverage for 0/30; MOS fetch health GFS 30/30, MEX 30/30; target coverage 30/60 airport-days; planned-window board coverage 1/1; combined target forecast coverage for 0/30; FAA status known for 0/30. Hazard feeds: state=ok; SIGMET=9, G-AIRMET=42, CWA=1; counts are unfiltered and are not a route assessment.
NWS AFD state: ok · FAA NMS NOTAM states: OK=30; normalized records=931; unnormalized records=0; environment=preprod; sandbox-public-preview=true · Fuel: best-effort (verify) · FAA chart cycle: VFR Sectional Ed. 98 (eff. 09/03/2026); Chart Supplement Ed. 5 (eff. 09/03/2026).

Executive summary

DETERMINISTIC · RESTATES PAGE EVIDENCE · NO MODEL CALLED

A plain restatement of evidence shown in full below, computed from that evidence with no model call. It reports what the sources say; it does not rank the days, rate them, or make a go/no-go call. It follows the order the owner asked for: feasibility evidence, KLZU, destinations, weather by area or region, then new KLZU NOTAMs.

1 · Feasibility evidence for the trip window

This part is a derivation, not an observation: it states how much of the trip window carries a forecast flight category, and nothing more. It is not a go/no-go call, not a recommendation, and not a flight category. Its inputs and its gaps are listed in the tooltip on the line below.

- Trip window: Fri Oct 9 – Mon Oct 12, 2026. “This weekend” is taken to mean exactly this window; no other date range is assessed.
- Trip-window feasibility evidence (Derived): assessable for every active trip day — 1 of 1 active trip day in Fri Oct 9 – Mon Oct 12, 2026 carry a forecast flight category and 0 carry none. This is a derived statement about how much evidence exists, it is not a flight category, and it says nothing about whether a flight is advisable. Every input and every gap is named in this line's tooltip.

2 · KLZU home-base status

The KLZU observation and the per-day board categories, taken from the same helpers the board itself renders from, so the two cannot disagree.

- KLZU current observation: VFR — from the surface observation read this run; it describes conditions now, not a trip day.
- Sun Oct 11, operating day ended: not evaluated — this date has elapsed or is in progress for this run (source state: ended).
- Mon Oct 12, 06:00–22:00 ET: VFR — most restrictive forecast flight category; high confidence; from TAF, MOS.
- A forecast flight category is available for 1 of 1 active trip day; 0 reach no category-capable product at this lead time.
- Data quality: DEGRADED — as reported by the badge in the page header; it gates publication, it is not a weather statement.

3 · Destination coverage

Coverage, not a pick: this counts which destinations a product permitted to state a flight category actually reaches. It is not a ranking, not a recommendation, and the editorial order of the destination list is not a flyability score.

- Destinations: 29 of 29 covered airports resolve a forecast flight category on at least one active trip day; 0 resolve none at this lead time. Counted from the same per-day outlook the destination cards render, with outlook-grade blocks excluded.
- Most restrictive resolved category per covered airport, across the active trip days: KAVL VFR (2/2 d), KBED LIFR (2/2 d), KBFM VFR (2/2 d), KCRE VFR (2/2 d), KCRG VFR (2/2 d), KDAB VFR (2/2 d), KECP VFR (2/2 d), KFIN VFR (2/2 d), KGKT MVFR (2/2 d), KGPT VFR (2/2 d), KHPN IFR (2/2 d), KHSA VFR (2/2 d); 17 further airports in section 2.
- NOTAMs: 29 of 29 destinations report an active NOTAM. KLZU departure NOTAM state: OK.

4 · Weather events by area or region

Weather events by area or region, from products that carry an area. Per-airport categories are never clustered into a region here: an area inferred that way would be a spatial claim no source made.

- 52 hazard areas retained with their own coordinate rings. Each is related to an airport only by point-in-polygon (ray casting) against the product's own coordinate ring, or by great-circle distance from the airport to the nearest point on the product's boundary within 100 NM — tested against 29 airports that reported a position this run. No area name is inferred: the only names stated are the ones a product supplies itself. Per-airport categories are never clustered into a region.
- 52 of 52 retained hazard areas are valid at some point inside the planned trip window; the rest describe conditions before it.
- G-AIRMET ZULU — ICE: contains KBED (point-in-polygon (ray casting) against the product's own coordinate ring); boundary within 100 NM of KHPN 65 NM. valid 2026-10-12 02:45Z to 2026-10-12 09:00Z.
- G-AIRMET SIERRA — IFR: contains KTRI, KSHD, KBED, KHPN (point-in-polygon (ray casting) against the product's own coordinate ring); boundary within 100 NM of KROA 3 NM, KGKT 20 NM, KAVL 40 NM. valid 2026-10-12 00:20Z to 2026-10-12 03:00Z.
- G-AIRMET SIERRA — MT_OBSC: contains KAVL, KLZU, KSHD, KROA, KTRI, KGKT (point-in-polygon (ray casting) against the product's own coordinate ring); boundary within 100 NM of KBED 41 NM, KHPN 46 NM. valid 2026-10-12 00:20Z to 2026-10-12 03:00Z.
- G-AIRMET TANGO — TURB-HI: contains KSHD, KHPN, KBED (point-in-polygon (ray casting) against the product's own coordinate ring); boundary within 100 NM of KROA 47 NM. valid 2026-10-12 02:45Z to 2026-10-12 09:00Z.
- G-AIRMET TANGO — TURB-LO: contains KROA, KAVL (point-in-polygon (ray casting) against the product's own coordinate ring); boundary within 100 NM of KTRI 11 NM, KGKT 14 NM, KSHD 57 NM, KLZU 63 NM. valid 2026-10-12 02:45Z to 2026-10-12 09:00Z.
- G-AIRMET TANGO — TURB-LO: contains KBED, KHPN (point-in-polygon (ray casting) against the product's own coordinate ring). valid 2026-10-12 02:45Z to 2026-10-12 09:00Z.
- SIGMET 7E — CONVECTIVE: contains KSHD (point-in-polygon (ray casting) against the product's own coordinate ring); boundary within 100 NM of KROA 4 NM, KTRI 50 NM. valid 2026-10-12 01:55Z to 2026-10-12 02:55Z.
- G-AIRMET ZULU — FZLVL: boundary within 100 NM of KPNS 0 NM, KBFM 14 NM, KJKA 22 NM, KSSI 25 NM, KECP 29 NM, KSAV 37 NM, KCRG 37 NM, KSGJ 57 NM, KGPT 59 NM, KHXD 63 NM, KSPG 70 NM, KTPF 74 NM, KFIN 79 NM, KAVL 81 NM, KSRQ 87 NM, KDAB 95 NM, KROA 95 NM, KJZI 97 NM; published as a line, not an enclosed area, so no containment test is made against it. valid 2026-10-12 02:45Z to 2026-10-12 09:00Z.
- G-AIRMET TANGO — SFC_WND: boundary within 100 NM of KCRE 93 NM. valid 2026-10-12 02:45Z to 2026-10-12 09:00Z.
- SIGMET 6E — CONVECTIVE: boundary within 100 NM of KHPN 27 NM. valid 2026-10-12 01:55Z to 2026-10-12 02:55Z.
- SIGMET 8E — CONVECTIVE: boundary within 100 NM of KOPF 84 NM, KDAB 89 NM. valid 2026-10-12 01:55Z to 2026-10-12 02:55Z.
- 41 of 52 retained hazard areas could not be related to any airport this page covers, by either test. They remain national-unfiltered: their geography is real but lies outside 100 NM of every airport tested, and nothing is claimed about where they are.
- Hazard feed record counts this run, unfiltered and national: SIGMET 9, G-AIRMET 42, CWA 1; overall feed state ok; feed states — CWA: ok, G-AIRMET: ok, SIGMET: ok. These are totals over the whole feed, not a count near KLZU, not a count along any route, and not a route assessment.

5 · New KLZU NOTAMs

This run keeps no snapshot of the previous run, so “new” cannot mean “changed since last time”. It is defined below as an FAA-published timestamp window, and the service-status scan reads the published text of every KLZU record so a status embedded inside a record of another category is not missed.

- Baseline for “new”: a KLZU NOTAM whose own FAA-published timestamp (last update, else issue, else effective start) falls within the 72 hours before this run's generation time (2026-10-12T02:54:00.292017+00:00). This run holds no copy of the previous run's NOTAM set, so this is a source-timestamp window and not a difference against an earlier run.
- KLZU: none of the 10 current NOTAMs carries an FAA-published timestamp inside that window, so no NOTAM is new by that baseline. The existing records are unchanged, not absent.
- No service-status wording was found in the published text of the 10 current KLZU records. The scan reads every record's full published text rather than its category, so a status stated inside a record of another category would still be reported.

This restates evidence; it is not a recommendation, not an all-clear, and not a data outage. The decision surfaces are the planning gates and the ForeFlight cross-check below, read against the KLZU board and destination cards. Every line above restates a value shown elsewhere on this page.

⚠ **Pre-planning only — not an official weather briefing.** Verify an official briefing, METAR/TAF/GFA/SIGMET/CWA, NOTAMs, TFRs, runway conditions, fuel, W&B, performance, and personal minimums before flight.