Flight Planning Desk

Data quality · OK

Live verification · Checking

Published snapshot · Generated · Sunday Oct 25, 2026 · 1:28 AM ET · Next run · not before Sunday Oct 25 · 7:17 AM ET

1 · KLZU departure / return board

KLZU Lawrenceville/Gwinnett Cnty, GA, US

Home base · timed forecast changes · source detail retained

OBS - VFR

PLANNING HORIZON
Sun 25 → Mon 26 · 2 days

RIGHT NOW · METAR

SAT 24 OCT 23:56 ET OBSERVED

Current observation

OBS - VFR

OBSER

METAR

clear below 12,000 ft (CLR)

WIND **NE (40°) 6 kt**

TEMPERATURE **12 °C**

VISIBILITY **10 sm**

DEWPOINT **9 °C**



Wind favours RWY 07

040° true · 046° magnetic · 6 kt

Evidence & limitations

- METAR source state: ok; observed Oct 24 23:56 ET; retrieved Oct 25 01:28 ET; 92 min before this run.
- Measured values read from the KLZU METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.44 inHg.
- Raw METAR: `METAR KLZU 250356Z AUTO 04006KT 10SM CLR 12/09 A3044 RMK AO2 SLP317 T01220089 $`
- KLZU runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 07/25. Wind from 040 degrees true, 046 degrees magnetic,

at 6 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 07. Wind source: KLZU METAR 250356Z.

Important planning / evidence detail (1 warning)

LEGEND VFR MVFR IFR LIFR Unknown Solid = source-interval category guidance Dashed = lower-confidence outlook Weather icon = surface forecastAll times Eastern (ET), 24-hour clock · “around/after” preserves source precision.

⚠ KLZU has no TAF station. Every KLZU TAF-derived value on this page is taken from the nearby **KPDK** proxy station, not from KLZU itself — treat it as regional, and confirm KLZU conditions in an official briefing.

A raster chart may be displayed with its issuing office and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

Sun

Oct 25

RETURN DAY

HIGH CONFIDENCE

OCT 25 · 06:00–22:00 ET

METAR TAF NWS-hr NWS-day MAV MEX GFA NOTAM

METAR — issued hou SPECI rep visibility, w Issued by by aviatio not a fore conditions KLZU obs describes conditions now, not this trip day.

TAF — highes The N times FM an TAF st the str page covers part of this

NWS hour Weather S cell contai and reachi by-hour sk and it is th this board. reaches th

NWS day/ni Weather Se and night ha Coarser tha one day furt describe spa reach. Not by the finer- forecast.

GFS M the GF decade by the day in hours. categ the flig corrob

GFS e range twelve- Coarse numeri a long flagge short-r covere

GFA a Foreca Predic Nation surfac are ras pressu This pa office and valid time and never interprets them: no category, wind, ceiling, ranking or go/no-go here is derived from an image. A published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KLZU this run.

KPDK TAF - VFR GFS OUTLOOK - VFR GFS MOS - VFR

FORECAST

Sunny

WIND **NE (~45° true) · 9 kt**

PRECIP CHANCE **0%**

TS CHANCE **0%**

SKY COVER **2–12%**

Wind favors RWY 07

NE (~45° true) · 9 kt · full datum in the day evidence

Evidence & limitations

- The visible badge names the contributing product. Exact issuance, retrieval, and member-period provenance remains in Day evidence & planning note below.
- The hour-by-hour source evidence below retains every original period and its detailed wind line.

Surface prog · 06:00–10:00 ET · available

SUN 25 OCT 10:00–15:00 ET HIGH

Forecast

KPDK TAF proxy

KPDK TAF - VFR

GFS OUTLOOK - VFR

GFS MOS - VFR

Sunny

FORECAST

WIND NE–NE · 9–13 kt

PRECIP CHANCE 0%

TS CHANCE 0%

SKY COVER 3–4%

Evidence & limitations

- The visible badge names the contributing product. Exact issuance, retrieval, and member-period provenance remains in Day evidence & planning note below.
- The hour-by-hour source evidence below retains every original period and its detailed wind line.

Surface prog · 10:00–15:00 ET · available

SUN 25 OCT 15:00–18:00 ET HIGH

Forecast

KPDK TAF proxy

KPDK TAF - VFR

GFS OUTLOOK - VFR

GFS MOS - VFR

Sunny

FORECAST

WIND NE (~45° true) · 9 kt

PRECIP CHANCE 0%

TS CHANCE 0%

SKY COVER 2–5%

Wind favors RWY 07
NE (~45° true) · 9 kt · full datum in the day evidence

Evidence & limitations

- The visible badge names the contributing product. Exact issuance, retrieval, and member-period provenance remains in Day evidence & planning note below.
- The hour-by-hour source evidence below retains every original period and its detailed wind line.

Surface prog · 15:00–18:00 ET · available

SUN 25 OCT 18:00–22:00 ET HIGH

Forecast

KPDK TAF - VFR · GFS OUTLOOK - VFR · GFS MOS - VFR

KPDK TAF proxy

Clear

FORECAST

WIND NE (~45° true) · 4–9 kt

PRECIP CHANCE 0%

TS CHANCE 0%

SKY COVER 2–3%

Wind favors RWY 07
NE (~45° true) · 4–9 kt · full datum in the day evidence

Evidence & limitations

- The visible badge names the contributing product. Exact issuance, retrieval, and member-period provenance remains in Day evidence & planning note below.
- The hour-by-hour source evidence below retains every original period and its detailed wind line.

Surface prog · 18:00–22:00 ET · available

Day evidence & planning note

No aviation-category inference — verify METAR/TAF

SOURCES & LIMITATIONS — HOUR-BY-HOUR SOURCE EVIDENCE (15 FORECAST PERIODS)

06:00–08:00 ET

KPDK TAF - VFR

GFS OUTLOOK - VFR

Sunny

Precipitation probability (PoP) 0%

NWS + TAF + MOS · NWS ISSUED OCT 25 01:21 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 25 01:28 ET

08:00–09:00 ET

KPDK TAF - VFR

GFS MOS - VFR

Sunny

Precipitation probability (PoP) 0%

NWS + TAF + MOS · NWS ISSUED OCT 25 01:21 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 25 01:28 ET

09:00–10:00 ET

KPDK TAF - VFR

GFS OUTLOOK - VFR

Sunny

Precipitation probability (PoP) 0%

NWS + TAF + MOS · NWS ISSUED OCT 25 01:21 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 25 01:28 ET

10:00–11:00 ET

KPDK TAF - VFR

GFS OUTLOOK - VFR

Sunny

Precipitation probability (PoP) 0%

NWS + TAF + MOS · NWS ISSUED OCT 25 01:21 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 25 01:28 ET

11:00–12:00 ET

KPDK TAF - VFR

GFS MOS - VFR

Sunny

Precipitation probability (PoP) 0%

NWS + TAF + MOS · NWS ISSUED OCT 25 01:21 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 25 01:28 ET

12:00–13:00 ET



KPDK TAF - VFR

GFS OUTLOOK - VFR

Sunny

Precipitation probability (PoP) 0%

NWS + TAF + MOS · NWS ISSUED OCT 25 01:21 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 25 01:28 ET

13:00–14:00 ET



KPDK TAF - VFR

GFS OUTLOOK - VFR

Sunny

Precipitation probability (PoP) 0%

NWS + TAF + MOS · NWS ISSUED OCT 25 01:21 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 25 01:28 ET

14:00–15:00 ET



KPDK TAF - VFR

GFS MOS - VFR

Sunny

Precipitation probability (PoP) 0%

NWS + TAF + MOS · NWS ISSUED OCT 25 01:21 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 25 01:28 ET

15:00–16:00 ET



KPDK TAF - VFR

GFS OUTLOOK - VFR

Sunny

Precipitation probability (PoP) 0%

NWS + TAF + MOS · NWS ISSUED OCT 25 01:21 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 25 01:28 ET

16:00–17:00 ET



KPDK TAF - VFR

GFS OUTLOOK - VFR

Sunny

Precipitation probability (PoP) 0%

NWS + TAF + MOS · NWS ISSUED OCT 25 01:21 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 25 01:28 ET

17:00–18:00 ET

KPDK TAF - VFR

GFS MOS - VFR

Sunny

Precipitation probability (PoP) 0%

NWS + TAF + MOS · NWS ISSUED OCT 25 01:21 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 25 01:28 ET

18:00–19:00 ET

KPDK TAF - VFR

GFS OUTLOOK - VFR

Clear

Precipitation probability (PoP) 0%

NWS + TAF + MOS · NWS ISSUED OCT 25 01:21 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 25 01:28 ET

19:00–20:00 ET

KPDK TAF - VFR

GFS OUTLOOK - VFR

Clear

Precipitation probability (PoP) 0%

NWS + TAF + MOS · NWS ISSUED OCT 25 01:21 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 25 01:28 ET

20:00–21:00 ET

GFS MOS - VFR

Clear

Precipitation probability (PoP) 0%

NWS + MOS · NWS ISSUED OCT 25 01:21 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 25 01:28 ET

21:00–22:00 ET

GFS OUTLOOK - VFR

Clear

Precipitation probability (PoP) 0%

Beyond the 72 h short-range GFS MOS horizon at this lead time. The product published normally; this day is simply past its reach, which is expected and is not a fault. Expected to be covered from about Thu Oct 22 · 12:00 AM ET.

NWS + MOS · NWS ISSUED OCT 25 01:21 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 25 01:28 ET

WIND / WIND-FAVORED RUNWAY · ONE ENTRY PER DISPLAY BLOCK

06:00–08:00 ET

NE (~45° true) 9 kt

Approx. wind-favored RWY 07

NWS hourly surface forecast

08:00–09:00 ET

NE (~45° true) 9 kt

Approx. wind-favored RWY 07

NWS hourly surface forecast

09:00–10:00 ET

NE (~45° true) 9 kt

Approx. wind-favored RWY 07

NWS hourly surface forecast

10:00–11:00 ET

NE (~45° true) 9 kt

Approx. wind-favored RWY 07

NWS hourly surface forecast

11:00–12:00 ET

NE (~45° true) 13 kt

Approx. wind-favored RWY 07

NWS hourly surface forecast

12:00–13:00 ET

NE (~45° true) 13 kt

Approx. wind-favored RWY 07

NWS hourly surface forecast

13:00–14:00 ET

E (~90° true) 13 kt

Approx. wind-favored RWY 07

NWS hourly surface forecast

14:00–15:00 ET

NE (~45° true) 9 kt

Approx. wind-favored RWY 07

NWS hourly surface forecast

15:00–16:00 ET

NE (~45° true) 9 kt

Approx. wind-favored RWY 07

NWS hourly surface forecast

16:00–17:00 ET

NE (~45° true) 9 kt

Approx. wind-favored RWY 07

NWS hourly surface forecast

17:00–18:00 ET

NE (~45° true) 9 kt

Approx. wind-favored RWY 07

NWS hourly surface forecast

18:00–19:00 ET

NE (~45° true) 9 kt

Approx. wind-favored RWY 07

NWS hourly surface forecast

19:00–20:00 ET

NE (~45° true) 9 kt

Approx. wind-favored RWY 07

NWS hourly surface forecast

20:00–21:00 ET

NE (~45° true) 4 kt

Approx. wind-favored RWY 07

NWS hourly surface forecast

21:00–22:00 ET

NE (~45° true) 4 kt

Approx. wind-favored RWY 07

NWS hourly surface forecast

Surface prog evidence · Sun Oct 25

06:00–10:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

10:00–15:00 ET ET · 15:00–18:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–22:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

Runway guidance is approximate wind alignment only; verify ATIS, NOTAMs and actual runway use.

RWY numbers magnetic; wind converted from true using 6°W variation (NOAA WMM2025)

Day operations

WEATHER
TAF and radar cross-check.

PERFORMANCE
Temperature / performance check.

RUNWAY
Verify ATIS, NOTAMs and actual use.

Mon
Oct 26

RETURN DAY

MEDIUM CONFIDENCE

OCT 26 · 06:00–22:00 ET

METAR TAF NWS-hr NWS-day MAV MEX GFA NOTAM

METAR — issued ho… SPECI rep… visibility, w… Issued by … by aviation… not a forec… conditions… KLZU obs… describes…

TAF — highes… The N… times … FM an… TAF st… the str… page … about 30 hours, ho… any station.

NWS hour… Weather S… cell contai… and reachi… by-hour sk… and it is th… this board. … reaches th…

NWS day/ni… Weather Se… and night ha… Coarser thai… one day furt… describe spa… reach. Not n… by the finer-… forecast.

GFS M… the GF… decade… by the … day in … hours. … catego… the flig… corrobo…

GFS e… range l… twelve-… Coarse… numeri… a long … flagged… short-r… covere…

GFA a… Foreca… Predic… Nation… surface… are ras… pressu… This pa… office and valid time and never interprets them: no category, wind, ceiling, ranking or go/no-go here is derived from an image. A published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KLZU this run.

GFS OUTLOOK - VFR

GFS MOS - VFR

FORECAST

WIND NE (~45° true) · 4 kt

PRECIP CHANCE 0%

TS CHANCE 0%

SKY COVER 12–13%

Wind favors RWY 07

NE (~45° true) · 4 kt · full datum in the day evidence

Evidence & limitations

- The visible badge names the contributing product. Exact issuance, retrieval, and member-period provenance remains in Day evidence & planning note below.
- The hour-by-hour source evidence below retains every original period and its detailed wind line.

Surface prog · 06:00–10:00 ET · available

MON 26 OCT 10:00–15:00 ET MEDIUM

Forecast

GFS MAV

GFS OUTLOOK - VFR

GFS MOS - VFR

FORECAST

Sunny

WIND NE–NE · 4–9 kt

PRECIP CHANCE 0%

TS CHANCE 0%

SKY COVER 7–11%

Evidence & limitations

- The visible badge names the contributing product. Exact issuance, retrieval, and member-period provenance remains in Day evidence & planning note below.
- The hour-by-hour source evidence below retains every original period and its detailed wind line.

Surface prog · 10:00–15:00 ET · available

MON 26 OCT 15:00–18:00 ET MEDIUM

Forecast

GFS MAV

GFS OUTLOOK - VFR

GFS MOS - VFR

FORECAST

Sunny

WIND NE (~45° true) · 4 kt

PRECIP CHANCE 0%

TS CHANCE 0%

SKY COVER 7–8%

Wind favors RWY 07

NE (~45° true) · 4 kt · full datum in the day evidence

Evidence & limitations

- The visible badge names the contributing product. Exact issuance, retrieval, and member-period provenance remains in Day evidence & planning note below.
- The hour-by-hour source evidence below retains every original period and its detailed wind line.

Surface prog · 15:00–18:00 ET · available

MON 26 OCT 18:00–22:00 ET MEDIUM

Forecast GFS MAV

GFS OUTLOOK - VFR

GFS MOS - VFR

FORECAST

Mostly Clear → Partly Cloudy

WIND NE · 0–4 kt

PRECIP CHANCE 0%

TS CHANCE 0%

SKY COVER 13–27%

Evidence & limitations

- The visible badge names the contributing product. Exact issuance, retrieval, and member-period provenance remains in Day evidence & planning note below.
- The hour-by-hour source evidence below retains every original period and its detailed wind line.

Surface prog · 18:00–22:00 ET · available

Day evidence & planning note

No aviation-category inference — verify METAR/TAF

SOURCES & LIMITATIONS — HOUR-BY-HOUR SOURCE EVIDENCE (15 FORECAST PERIODS)

06:00–08:00 ET

GFS OUTLOOK - VFR

Sunny

Precipitation probability (PoP) 0%

Beyond the 72 h short-range GFS MOS horizon at this lead time. The product published normally; this day is simply past its reach, which is expected and is not a fault. Expected to be covered from about Fri Oct 23 · 12:00 AM ET.

NWS + MOS · NWS ISSUED OCT 25 01:21 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 25 01:28 ET

08:00–09:00 ET

GFS MOS - VFR

Sunny

Precipitation probability (PoP) 0%

NWS + MOS · NWS ISSUED OCT 25 01:21 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 25 01:28 ET

09:00–10:00 ET

GFS OUTLOOK - VFR

Sunny

Precipitation probability (PoP) 0%

Beyond the 72 h short-range GFS MOS horizon at this lead time. The product published normally; this day is simply past its reach, which is expected and is not a fault. Expected to be covered from about Fri Oct 23 · 12:00 AM ET.

NWS + MOS · NWS ISSUED OCT 25 01:21 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 25 01:28 ET

10:00–11:00 ET

GFS OUTLOOK - VFR

Sunny

Precipitation probability (PoP) 0%

Beyond the 72 h short-range GFS MOS horizon at this lead time. The product published normally; this day is simply past its reach, which is expected and is not a fault. Expected to be covered from about Fri Oct 23 · 12:00 AM ET.

NWS + MOS · NWS ISSUED OCT 25 01:21 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 25 01:28 ET

11:00–12:00 ET

GFS MOS - VFR

Sunny

Precipitation probability (PoP) 0%

NWS + MOS · NWS ISSUED OCT 25 01:21 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 25 01:28 ET

12:00–13:00 ET

GFS OUTLOOK - VFR

Sunny

Precipitation probability (PoP) 0%

Beyond the 72 h short-range GFS MOS horizon at this lead time. The product published normally; this day is simply past its reach, which is expected and is not a fault. Expected to be covered from about Fri Oct 23 · 12:00 AM ET.

NWS + MOS · NWS ISSUED OCT 25 01:21 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 25 01:28 ET

13:00–14:00 ET

GFS OUTLOOK - VFR

Sunny

Precipitation probability (PoP) 0%

Beyond the 72 h short-range GFS MOS horizon at this lead time. The product published normally; this day is simply past its reach, which is expected and is not a fault. Expected to be covered from about Fri Oct 23 · 12:00 AM ET.

NWS + MOS · NWS ISSUED OCT 25 01:21 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 25 01:28 ET

14:00–15:00 ET

GFS MOS - VFR

Sunny

Precipitation probability (PoP) 0%

NWS + MOS · NWS ISSUED OCT 25 01:21 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 25 01:28 ET

15:00–16:00 ET

GFS OUTLOOK - VFR

Sunny

Precipitation probability (PoP) 0%

Beyond the 72 h short-range GFS MOS horizon at this lead time. The product published normally; this day is simply past its reach, which is expected and is not a fault. Expected to be covered from about Fri Oct 23 · 12:00 AM ET.

NWS + MOS · NWS ISSUED OCT 25 01:21 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 25 01:28 ET

16:00–17:00 ET

GFS OUTLOOK - VFR

Sunny

Precipitation probability (PoP) 0%

Beyond the 72 h short-range GFS MOS horizon at this lead time. The product published normally; this day is simply past its reach, which is expected and is not a fault. Expected to be covered from about Fri Oct 23 · 12:00 AM ET.

NWS + MOS · NWS ISSUED OCT 25 01:21 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 25 01:28 ET

17:00–18:00 ET

GFS MOS - VFR

Sunny

Precipitation probability (PoP) 0%

NWS + MOS · NWS ISSUED OCT 25 01:21 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 25 01:28 ET

18:00–19:00 ET

GFS OUTLOOK - VFR

Mostly Clear

Precipitation probability (PoP) 0%

Beyond the 72 h short-range GFS MOS horizon at this lead time. The product published normally; this day is simply past its reach, which is expected and is not a fault. Expected to be covered from about Fri Oct 23 · 12:00 AM ET.

NWS + MOS · NWS ISSUED OCT 25 01:21 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 25 01:28 ET

19:00–20:00 ET

GFS OUTLOOK - VFR

Mostly Clear

Precipitation probability (PoP) 0%

Beyond the 72 h short-range GFS MOS horizon at this lead time. The product published normally; this day is simply past its reach, which is expected and is not a fault. Expected to be covered from about Fri Oct 23 · 12:00 AM ET.

NWS + MOS · NWS ISSUED OCT 25 01:21 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 25 01:28 ET

20:00–21:00 ET

GFS MOS - VFR

Partly Cloudy

Precipitation probability (PoP) 0%

NWS + MOS · NWS ISSUED OCT 25 01:21 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 25 01:28 ET

21:00–22:00 ET

GFS OUTLOOK - VFR

Partly Cloudy

Precipitation probability (PoP) 0%

Beyond the 72 h short-range GFS MOS horizon at this lead time. The product published normally; this day is simply past its reach, which is expected and is not a fault. Expected to be covered from about Fri Oct 23 · 12:00 AM ET.

NWS + MOS · NWS ISSUED OCT 25 01:21 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 25 01:28 ET

WIND / WIND-FAVORED RUNWAY · ONE ENTRY PER DISPLAY BLOCK

06:00–08:00 ET
NE (~45° true) 4 kt
Approx. wind-favored RWY 07
NWS hourly surface forecast

08:00–09:00 ET
NE (~45° true) 4 kt
Approx. wind-favored RWY 07
NWS hourly surface forecast

09:00–10:00 ET
NE (~45° true) 4 kt
Approx. wind-favored RWY 07
NWS hourly surface forecast

10:00–11:00 ET
NE (~45° true) 9 kt
Approx. wind-favored RWY 07
NWS hourly surface forecast

11:00–12:00 ET
E (~90° true) 9 kt
Approx. wind-favored RWY 07
NWS hourly surface forecast

12:00–13:00 ET
NE (~45° true) 9 kt
Approx. wind-favored RWY 07
NWS hourly surface forecast

13:00–14:00 ET
NE (~45° true) 4 kt
Approx. wind-favored RWY 07
NWS hourly surface forecast

14:00–15:00 ET
NE (~45° true) 4 kt
Approx. wind-favored RWY 07
NWS hourly surface forecast

15:00–16:00 ET
NE (~45° true) 4 kt
Approx. wind-favored RWY 07
NWS hourly surface forecast

16:00–17:00 ET
NE (~45° true) 4 kt
Approx. wind-favored RWY 07
NWS hourly surface forecast

17:00–18:00 ET
NE (~45° true) 4 kt
Approx. wind-favored RWY 07
NWS hourly surface forecast

18:00–19:00 ET
NE (~45° true) 4 kt
Approx. wind-favored RWY 07
NWS hourly surface forecast

19:00–20:00 ET
CALM 0 kt
Runway alignment unavailable
NWS hourly surface forecast

20:00–21:00 ET
CALM 0 kt
Runway alignment unavailable
NWS hourly surface forecast

21:00–22:00 ET
CALM 0 kt
Runway alignment unavailable
NWS hourly surface forecast

Surface prog evidence · Mon Oct 26

06:00–10:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

10:00–15:00 ET ET · 15:00–18:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–22:00 ET ET

WPC surface prog raster chart for F+048 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

Runway guidance is approximate wind alignment only; verify ATIS, NOTAMs and actual runway use.

RWY numbers magnetic; wind converted from true using 6°W variation (NOAA WMM2025)

Day operations

WEATHER
TAF and radar cross-check.

PERFORMANCE

Temperature / performance check.

RUNWAY
Verify ATIS, NOTAMs and actual use.

Pattern summary: .. (This afternoon through Sunday) Issued at 213 PM EDT Sat Oct 24 2026 Current satellite loop shows mostly clear conditions across the area with some Mid level clouds streaming across NE GA caught in the dry cold air advection coming in from the Carolinas. — .. (Monday morning through next Friday) Issued at 213 PM EDT Sat Oct 24 2026 A mid level ridge centered over cent…

NWS FFC Area Forecast Discussion · regional context, not a KLZU category or exact timing forecast

Extended outlook ▾

EXTENDED OUTLOOK SUMMARY

.. (This afternoon through Sunday)
Issued at 213 PM EDT Sat Oct 24 2026

Current satellite loop shows mostly clear conditions across the
area with some Mid level clouds streaming across NE GA caught in the
dry cold air advection coming in from the Carolinas. — .. (Monday morning through next Friday)
Issued at 213 PM EDT Sat Oct 24 2026

A mid level ridge centered over cent…

SHORT TERM

..
(This afternoon through Sunday)
Issued at 213 PM EDT Sat Oct 24 2026

Current satellite loop shows mostly clear conditions across the
area with some Mid level clouds streaming across NE GA caught in the
dry cold air advection coming in from the Carolinas. Models continue
to show a fairly strong wedge building down the eastern seaboard
with the ridge centered over the Mid-Atlantic/New England states.
This ridge/wedge is keeping things dry but with the overall
easterly flow we are seeing a little bit of moisture return from the
Atlantic. This moisture return is keeping RH values above critical
fire danger thresholds and we will see some increase cloud cover as
we go into next week. With the wedge building into the are and a low
pressure system rotation off the GA/FL coast, the pressure gradient
is tightening across the area creating gusty NE winds. Seeing E to NE
winds speeds in the 10-15kt range with gust 25-30kt this afternoon.
These winds speeds are expected to diminish over night but hey will
pick back up again Sun.

LONG TERM

..
(Monday morning through next Friday)
Issued at 213 PM EDT Sat Oct 24 2026

A mid level ridge centered over central CONUS will slowly shift
eastward over the next few days. With our area along its eastern
periphery, northerly flow will persist across the region heading
into the start of the week. Combined with a weak low pressure
feature off the Carolina Coast, this will support a continuation of
the high pressure wedge pattern seen over the last several days,

along with a relatively dry northeast wind component. With this in mind, expect mostly sunny skies and seasonable temperatures to continue through the week. Overnight lows will range from the 40s to low 50s, with afternoon highs in the 70s and no chance of rain to round out October.

As we move into the latter half of next week, the upper level pattern begins to shift. A developing trough across the Plains and its associated surface low could eventually increase our local rain chances as the system propagates eastward, though the outcome remains uncertain as we head into early November.

+ Raw NWS AFD text

```
000
FXUS62 KFFC 242332
AFDFFC

Area Forecast Discussion
National Weather Service Peachtree City GA
732 PM EDT Sat Oct 24 2026



...New 00Z Aviation Discussion...

.KEY MESSAGES...

  - Breezy conditions are expected through the weekend.

  - Rain-free conditions and near-seasonal temperatures will
    remain for the next 7 days, with a slight warm up by the end
    of the week.


&&

.SHORT TERM...
(This afternoon through Sunday)
Issued at 213 PM EDT Sat Oct 24 2026

Current satellite loop shows mostly clear conditions across the
area with some Mid level clouds streaming across NE GA caught in the
dry cold air advection coming in from the Carolinas. Models continue
to show a fairly strong wedge building down the eastern seaboard
with the ridge centered over the Mid-Atlantic/New England states.
This ridge/wedge is keeping things dry but with the overall
easterly flow we are seeing a little bit of moisture return from the
Atlantic. This moisture return is keeping RH values above critical
fire danger thresholds and we will see some increase cloud cover as
we go into next week. With the wedge building into the are and a low
pressure system rotation off the GA/FL coast, the pressure gradient
is tightening across the area creating gusty NE winds. Seeing E to NE
winds speeds in the 10-15kt range with gust 25-30kt this afternoon.
These winds speeds are expected to diminish over night but hey will
pick back up again Sun.
```

```
&&

.LONG TERM...
(Monday morning through next Friday)
Issued at 213 PM EDT Sat Oct 24 2026

A mid level ridge centered over central CONUS will slowly shift
eastward  over the next few days. With our area along its eastern
periphery, northerly flow will persist across the region heading
into the start of the week. Combined with a weak low pressure
feature off the Carolina Coast, this will support a continuation of
the  high pressure wedge pattern seen over the last several days,
along with a relatively dry northeast wind component. With this in
mind, expect mostly sunny skies and seasonable temperatures to
continue through the week. Overnight lows will range from the 40s to
low 50s, with afternoon highs in the 70s and no chance of rain to
round out October.

As we move into the latter half of next week, the upper level
pattern begins to shift. A developing trough across the Plains and
its associated surface low could eventually increase our local rain
chances as the system propagates eastward, though the outcome
remains uncertain as we head into early November.

&&

.AVIATION...
(00Z TAFS)
Issued at 730 PM EDT Sat Oct 24 2026

VFR and SKC. Brief pds of FEW-SCT at 20-25kft psbl. Winds remain
elevated out of the NE at 7-13kts with ocnl gusts to 20kts during
the aftn.

//ATL Confidence...00Z Update...
High confidence all elements.

96

&&

.PRELIMINARY POINT TEMPS/POPS...
Athens          46  70  47  72 /   0   0   0   0
Atlanta         51  70  52  72 /   0   0   0   0
Blairsville     41  68  42  72 /   0   0   0   0
Cartersville    47  72  47  74 /   0   0   0   0
Columbus        51  74  52  76 /   0   0   0   0
Gainesville     48  68  48  71 /   0   0   0   0
Macon           49  74  50  76 /   0   0   0   0
Rome            45  73  44  74 /   0   0   0   0
Peachtree City  46  70  48  73 /   0   0   0   0
Vidalia         53  75  54  76 /   0   0   0   0

&&

.FFC WATCHES/WARNINGS/ADVISORIES...
None.
&&
```

```
$$

SHORT TERM...01
LONG TERM....82
AVIATION...96
```

1.1 · KLZU departure-airport NOTAM state

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 2 Act on 2 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What 3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

ed 2026-10-25T05:28:17.561410Z.



9 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 05:28 Z

NOTAMs as of 05:28 Z — advisory only; verify an official briefing.

10/031

NOTAM text not available in this projection.

A0402/26

NOTAM text not available in this projection.

10/033

NOTAM text not available in this projection.

A0403/26

NOTAM text not available in this projection.

A0405/26

NOTAM text not available in this projection.

04/013

NOTAM text not available in this projection.

A0166/26

NOTAM text not available in this projection.

6/5419

NOTAM text not available in this projection.

A0178/26

NOTAM text not available in this projection.

07/030

NOTAM text not available in this projection.

07/034

NOTAM text not available in this projection.

08/001

NOTAM text not available in this projection.

08/024

NOTAM text not available in this projection.

10/023

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

026-10-25T05:28:17.561410Z.

:00Z

:00Z

:00Z

:00Z

RUNWAY

Effective 2026-10-22T13:22:00Z → 2026-10-25T13:22:00Z

9 additional normalized FAA NOTAM records omitted from this view.

2 · All 29 destinations — existing editorial RANK order

#1 **KAVL** **Asheville Muni, NC, US** · Mountain · cool mountain escape

OBS - VFR

ETE 0h49

DIST 112 nm

SAT 24 OCT 23:54 ET OBSERVED

Current observation

OBS - VFR

OBSER

METAR

clear below 12,000 ft (CLR)

WIND calm

TEMPERATURE 8 °C

VISIBILITY 10 sm

DEWPOINT 7 °C

Evidence & limitations

- METAR source state: ok; observed Oct 24 23:54 ET; retrieved Oct 25 01:28 ET; 94 min before this run.
- Measured values read from the KAVL METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.50 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.

DESTINATION OUTLOOK

SUN, OCT 25

SUN 25 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 25 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 25 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 25 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 25

00:00–06:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 26

MON 26 OCT 00:00–06:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · LIFR

FORECAST

Flight-category guidance

WIND 3–4 kt

TEMPERATURE 50–56 °F

DEWPOINT 43–44 °F

PRECIP CHANCE 0%

Evidence & limitations

- GFS MAV MOS · 00:00–06:00 ET ET · LIFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 26 OCT 06:00–12:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · LIFR

FORECAST

Flight-category guidance

WIND 0 kt

TEMPERATURE 43–45 °F

DEWPOINT 40–42 °F

PRECIP CHANCE 0%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · LIFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 26 OCT 12:00–18:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 2–6 kt

TEMPERATURE 41–56 °F

DEWPOINT 39–42 °F

PRECIP CHANCE 0%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 26 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 8–9 kt

TEMPERATURE 71–72 °F

DEWPOINT 39–40 °F

PRECIP CHANCE 1%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 26

00:00–06:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+048 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
6000 ft

CURRENT METAR TEMP DEP / DEST
12°C dep KLZU → 8°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
17/35 (170/350°M · 163/343°T) — designators and °M headings are magnetic; °T are true; variation 7°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 11 Act on 2 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What 3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

ed 2026-10-25T05:28:17.561986Z.

RI OCT 23 SAT OCT 24 SUN OCT 25 MON OCT 26



36 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 05:28 Z

NOTAMs as of 05:28 Z — advisory only; verify an official briefing.

10/054

NOTAM text not available in this projection.

A1316/26

NOTAM text not available in this projection.

10/084

NOTAM text not available in this projection.

A1312/26

NOTAM text not available in this projection.

10/086

NOTAM text not available in this projection.

A1315/26

NOTAM text not available in this projection.

01/023

NOTAM text not available in this projection.

A0040/26

NOTAM text not available in this projection.

10/056

NOTAM text not available in this projection.

A1271/26

NOTAM text not available in this projection.

10/080

NOTAM text not available in this projection.

A1308/26

NOTAM text not available in this projection.

A1317/26

NOTAM text not available in this projection.

10/085

NOTAM text not available in this projection.

A1313/26

NOTAM text not available in this projection.

10/087

NOTAM text not available in this projection.

A1314/26

NOTAM text not available in this projection.

4/1431

NOTAM text not available in this projection.

A0991/24

NOTAM text not available in this projection.

5/9960

NOTAM text not available in this projection.

A0285/25

NOTAM text not available in this projection.

06/067

NOTAM text not available in this projection.

A0730/26

NOTAM text not available in this projection.

09/118

NOTAM text not available in this projection.

09/119

NOTAM text not available in this projection.

A1161/26

NOTAM text not available in this projection.

A1162/26

NOTAM text not available in this projection.

10/036

NOTAM text not available in this projection.

A1238/26

NOTAM text not available in this projection.

10/082

NOTAM text not available in this projection.

A1311/26

NOTAM text not available in this projection.

12/023

NOTAM text not available in this projection.

A1148/25

NOTAM text not available in this projection.

08/090

NOTAM text not available in this projection.

09/026

NOTAM text not available in this projection.

09/120

NOTAM text not available in this projection.

10/007

NOTAM text not available in this projection.

10/014

NOTAM text not available in this projection.

10/083

NOTAM text not available in this projection.

10/081

NOTAM text not available in this projection.

A1309/26

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state:

026-10-25T05:28:17.561986Z.

RKINGS NOT STD

:00Z

:00Z

OK. The dot colour reports whether this source was read this run; technical environment: preprod.

:00Z

:00Z

RUNWAY 10/086 — RWY 17/35 CLSD

Effective 2026-10-26T04:00:00Z → 2026-10-26T09:15:00Z

RUNWAY A1215/26 — RWY 17/35 CLSD

Effective 2026-10-26T04:00:00Z → 2026-10-26T09:15:00Z

35 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KAVL this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · VFR

S · 00:00–06:00 ET ET · LIFR

S · 06:00–12:00 ET ET · LIFR

• **Mon, Oct 26 · 12:00–18:00 ET**: GFS MAV MOS · 12:00–18:00 ET ET · VFR

• **Mon, Oct 26 · 18:00–00:00 ET**: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-25=GFS, 2026-10-26=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-25 06:00	43	Clear	70/1kt	—	>10kft	>6SM
GFS	2026-10-25 09:00	40	Clear	190/1kt	—	>10kft	>6SM
GFS	2026-10-25 12:00	39	Clear	340/3kt	0.0	>10kft	>6SM

GFS	2026-10-25 15:00	53	Clear	350/6kt	—	>10kft	>6SM
GFS	2026-10-25 18:00	63	Clear	360/11kt	0.0	>10kft	>6SM
GFS	2026-10-25 21:00	65	Clear	30/10kt	—	>10kft	>6SM
GFS	2026-10-26 00:00	56	Clear	350/4kt	0.0	>10kft	>6SM
GFS	2026-10-26 03:00	50	Clear	350/3kt	—	>10kft	>6SM
GFS	2026-10-26 06:00	45	Clear	0/0kt	0.0	>10kft	>6SM
GFS	2026-10-26 09:00	43	Clear	0/0kt	—	>10kft	¼-½SM
GFS	2026-10-26 12:00	41	Clear	340/2kt	0.0	>10kft	<¼SM
GFS	2026-10-26 15:00	56	Clear	350/6kt	—	>10kft	>6SM
GFS	2026-10-26 18:00	71	Clear	350/9kt	1.0	>10kft	>6SM
GFS	2026-10-26 21:00	72	Clear	360/8kt	—	>10kft	>6SM
GFS	2026-10-27 00:00	60	Clear	350/3kt	1.0	>10kft	>6SM
GFS	2026-10-27 03:00	52	Clear	360/1kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KAVL 250354Z AUTO 00000KT 10SM CLR 08/07 A3050 RMK AO2 SLP322 T00780067 $

TAF KAVL 242330Z 2500/2524 16004KT P6SM SKC FM250300 00000KT P6SM SKC FM250800 00000KT P6SM SCT017 FM251600 08005KT P6SM SKC
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KAVL; actual-station=KAVL; fetched-at=2026-10-25T05:28:09.660797+00:00; observed-or-issued-at=2026-10-25T03:54:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KAVL; actual-station=KAVL; fetched-at=2026-10-25T05:28:11.928181+00:00; observed-or-issued-at=2026-10-24T23:30:00+00:00; valid-from=2026-10-25T00:00:00+00:00; valid-through=2026-10-26T00:00:00+00:00; partial-target-dates=2026-10-24,2026-10-25 — AWC API

  TAF proxy · KAVL
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KAVL; actual-station=KAVL; fetched-at=2026-10-25T05:28:12.452343+00:00
- FAA NMS NOTAM — state=OK; requested-station=KAVL; actual-station=KAVL; fetched-at=2026-10-25T05:28:17.561986Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KAVL; actual-station=KAVL; fetched-at=2026-10-25T05:28:41.566415+00:00; observed-or-issued-at=2026-10-25T00:00:00+00:00; valid-from=2026-10-25T06:00:00+00:00; valid-through=2026-10-28T00:00:00+00:00; target-dates=2026-10-25,2026-10-26; dates-with-points=2026-10-25,2026-10-26 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KAVL; actual-station=KAVL; fetched-at=2026-10-25T05:28:42.136139+00:00; observed-or-issued-at=2026-10-25T00:00:00+00:00; valid-from=2026-10-26T00:00:00+00:00; valid-through=2026-11-02T00:00:00+00:00; target-dates=2026-10-26; partial-target-dates=2026-10-25; dates-with-points=2026-10-25,2026-10-26 — Iowa State API
- MOS effective date selection — state=partial; rows=16; requested-station=KAVL; actual-station=KAVL; fetched-at=2026-10-25T05:28:41.566415+00:00; observed-or-issued-at=2026-10-25T00:00:00+00:00; valid-from=2026-10-25T06:00:00+00:00; valid-through=2026-10-28T00:00:00+00:00; target-dates=2026-10-25,2026-10-26; dates-with-points=2026-10-25,2026-10-26; selected-by-date=2026-10-25=GFS, 2026-10-26=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#2 **KSAV** **Savannah Intl, GA, US** · Atlantic South · historic coast

OBS - VFR

ETE 1h15

DIST 178 nm

SAT 24 OCT 23:53 ET OBSERVED

Current observation

OBS - VFR

OBSER

METAR

clear below 12,000 ft (CLR)

WIND N (20°) 8 kt

TEMPERATURE 17 °C

VISIBILITY 10 sm

DEWPOINT 12 °C

Wind favours RWY 01

020° true · 027° magnetic · 8 kt

Evidence & limitations

- METAR source state: ok; observed Oct 24 23:53 ET; retrieved Oct 25 01:28 ET; 95 min before this run.
- Measured values read from the KSAV METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.32 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KSAV runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 10/28, 01/19. Wind from 020 degrees true, 027 degrees magnetic, at 8 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 01. Wind source: KSAV METAR 250353Z.

DESTINATION OUTLOOK

SUN, OCT 25

SUN 25 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 25 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 25 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 25 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 25

00:00–06:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 26

MON 26 OCT 00:00–06:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 9–11 kt

TEMPERATURE 62–65 °F

DEWPOINT 57–58 °F

PRECIP CHANCE 5%

Evidence & limitations

- GFS MAV MOS · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 26 OCT 06:00–12:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 10 kt

TEMPERATURE 58–60 °F

DEWPOINT 52–54 °F

PRECIP CHANCE 6%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 26 OCT 12:00–18:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 9–13 kt

TEMPERATURE 57–66 °F

DEWPOINT 52–53 °F

PRECIP CHANCE 2%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 26 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 11 kt

TEMPERATURE 72–73 °F

DEWPOINT 51–52 °F

PRECIP CHANCE 3%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 26

00:00–06:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+048 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
6000 ft

CURRENT METAR TEMP DEP / DEST
12°C dep KLZU → 17°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
10/28 (100/280°M · 093/273°T) · 01/19 (010/190°M · 003/183°T) — designators and °M headings are magnetic; °T are true; variation 7°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs
FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 16 Act on 1 Brief


FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What
3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

ed 2026-10-25T05:28:17.562536Z.

RI OCT 23 | SAT OCT 24 | SUN OCT 25 | MON OCT 26



45 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 05:28 Z

NOTAMs as of 05:28 Z — advisory only; verify an official briefing.

A1097/26

NOTAM text not available in this projection.

A1098/26

NOTAM text not available in this projection.

A1099/26

NOTAM text not available in this projection.

A1104/26

NOTAM text not available in this projection.

A1105/26

NOTAM text not available in this projection.

A1107/26

NOTAM text not available in this projection.

09/025

NOTAM text not available in this projection.

A0416/24

NOTAM text not available in this projection.

M0022/26

NOTAM text not available in this projection.

M0023/26

NOTAM text not available in this projection.

09/111

NOTAM text not available in this projection.

A1016/26

NOTAM text not available in this projection.

5/5965

NOTAM text not available in this projection.

A0799/25

NOTAM text not available in this projection.

5/5767

NOTAM text not available in this projection.

5/5768

NOTAM text not available in this projection.

A0796/25

NOTAM text not available in this projection.

A0797/25

NOTAM text not available in this projection.

6/8138

NOTAM text not available in this projection.

6/8148

NOTAM text not available in this projection.

A1044/26

NOTAM text not available in this projection.

A1046/26

NOTAM text not available in this projection.

10/062

NOTAM text not available in this projection.

A1072/26

NOTAM text not available in this projection.

A1109/26

NOTAM text not available in this projection.

6/2105

NOTAM text not available in this projection.

A1110/26

NOTAM text not available in this projection.

12/023

NOTAM text not available in this projection.

A0801/25

NOTAM text not available in this projection.

08/003

NOTAM text not available in this projection.

08/017

NOTAM text not available in this projection.

08/025

NOTAM text not available in this projection.

08/058

NOTAM text not available in this projection.

08/080

NOTAM text not available in this projection.

08/107

NOTAM text not available in this projection.

09/030

NOTAM text not available in this projection.

10/010

NOTAM text not available in this projection.

10/037

NOTAM text not available in this projection.

10/066

NOTAM text not available in this projection.

10/069

NOTAM text not available in this projection.

10/074

NOTAM text not available in this projection.

10/078

NOTAM text not available in this projection.

10/092

NOTAM text not available in this projection.

A1103/26

NOTAM text not available in this projection.

10/098

NOTAM text not available in this projection.

10/099

NOTAM text not available in this projection.

10/093

NOTAM text not available in this projection.

10/094

NOTAM text not available in this projection.

10/095

NOTAM text not available in this projection.

10/100

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

026-10-25T05:28:17.562536Z.

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

:00Z

:00Z

:00Z

:00Z

RUNWAY

Effective 2026-10-23T18:58:00Z → 2026-10-26T18:58:00Z

45 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical

Forecast for Aviation and the Weather Prediction Center surface progs, issued by the National Weather Service through the day; the surface prog series reaches 144 hours. They are raster images a pilot reads for fronts, pressure systems and precipitation shields. This page displays them with their issuing office and valid time and never interprets them: no category, wind, ceiling, ranking or go/no-go here is derived from an image. A published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
S · 00:00–06:00 ET ET · VFR
• **Mon, Oct 26 · 06:00–12:00 ET**: GFS MAV MOS · 06:00–12:00 ET ET · VFR
• **Mon, Oct 26 · 12:00–18:00 ET**: GFS MAV MOS · 12:00–18:00 ET ET · VFR
• **Mon, Oct 26 · 18:00–00:00 ET**: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-25=GFS, 2026-10-26=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-25 06:00	61	Clear	20/11kt	—	>10kft	>6SM
GFS	2026-10-25 09:00	60	Clear	20/12kt	—	>10kft	>6SM
GFS	2026-10-25 12:00	60	Sct	10/11kt	10.0	>10kft	>6SM
GFS	2026-10-25 15:00	67	Sct	30/15kt	—	>10kft	>6SM
GFS	2026-10-25 18:00	70	Bkn	40/17kt	5.0	5-10kft	>6SM
GFS	2026-10-25 21:00	69	Bkn	40/15kt	—	5-10kft	>6SM
GFS	2026-10-26 00:00	65	Clear	40/11kt	5.0	>10kft	>6SM
GFS	2026-10-26 03:00	62	Clear	30/9kt	—	>10kft	>6SM
GFS	2026-10-26 06:00	60	Clear	20/10kt	6.0	>10kft	>6SM
GFS	2026-10-26 09:00	58	Clear	10/10kt	—	>10kft	>6SM
GFS	2026-10-26 12:00	57	Clear	10/9kt	2.0	>10kft	>6SM
GFS	2026-10-26 15:00	66	Clear	30/13kt	—	>10kft	>6SM
GFS	2026-10-26 18:00	72	Clear	40/11kt	3.0	>10kft	>6SM
GFS	2026-10-26 21:00	73	Clear	50/11kt	—	>10kft	>6SM
GFS	2026-10-27 00:00	65	Clear	60/6kt	0.0	>10kft	>6SM
GFS	2026-10-27 03:00	60	Clear	40/4kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KSAV 250353Z 02008KT 10SM CLR 17/12 A3032 RMK AO2 SLP267 LAST T01720122

TAF KSAV 242337Z 2500/2524 03013G18KT P6SM SKC FM251200 02012G19KT P6SM SCT110 FM251800 03013G24KT P6SM SCT060
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KSAV; actual-station=KSAV; fetched-at=2026-10-25T05:28:09.660797+00:00; observed-or-issued-at=2026-10-25T03:53:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KSAV; actual-station=KSAV; fetched-at=2026-10-25T05:28:11.928181+00:00; observed-or-issued-at=2026-10-24T23:37:00+00:00; valid-from=2026-10-25T00:00:00+00:00; valid-through=2026-10-26T00:00:00+00:00; partial-target-dates=2026-10-24,2026-10-25 — AWC API

  TAF proxy · KSAV
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KSAV; actual-station=KSAV; fetched-at=2026-10-25T05:28:12.575641+00:00
- FAA NMS NOTAM — state=OK; requested-station=KSAV; actual-station=KSAV; fetched-at=2026-10-25T05:28:17.562536Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KSAV; actual-station=KSAV; fetched-at=2026-10-25T05:28:41.515975+00:00; observed-or-issued-at=2026-10-25T00:00:00+00:00; valid-from=2026-10-25T06:00:00+00:00; valid-through=2026-10-28T00:00:00+00:00; target-dates=2026-10-25,2026-10-26; dates-with-points=2026-10-25,2026-10-26 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KSAV; actual-station=KSAV; fetched-at=2026-10-25T05:28:42.188792+00:00; observed-or-issued-at=2026-10-25T00:00:00+00:00; valid-from=2026-10-26T00:00:00+00:00; valid-through=2026-11-02T00:00:00+00:00; target-dates=2026-10-26; partial-target-dates=2026-10-25; dates-with-points=2026-10-25,2026-10-26 — Iowa State API
- MOS effective date selection — state=partial; rows=16; requested-station=KSAV; actual-station=KSAV; fetched-at=2026-10-25T05:28:41.515975+00:00; observed-or-issued-at=2026-10-25T00:00:00+00:00; valid-from=2026-10-25T06:00:00+00:00; valid-through=2026-10-28T00:00:00+00:00; target-dates=2026-10-25,2026-10-26; dates-with-points=2026-10-25,2026-10-26; selected-by-date=2026-10-25=GFS, 2026-10-26=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#3 **KSSI** **Brunswick/McKinnon St Simons Arpt, GA, US** · Atlantic South · St Simons beach

OBS - MVFR

ETE 1h29

DIST 214 nm

SAT 24 OCT 23:35 ET OBSERVED

Current observation

OBS - MVFR

OBSE

METAR

broken 2,500 ft, broken 3,000 ft

WIND N (20°) 13 kt gust 21 kt

TEMPERATURE 21 °C

VISIBILITY 9 sm

DEWPOINT17 °C



Wind favours RWY 04

020° true · 027° magnetic · 13G21 kt

Evidence & limitations

- METAR source state: ok; observed Oct 24 23:35 ET; retrieved Oct 25 01:28 ET; 113 min before this run.
- Measured values read from the KSSI METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.24 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KSSI runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 04/22, 16/34. Wind from 020 degrees true, 027 degrees magnetic, at 13 knots gusting 21 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 04. Wind source: KSSI METAR 250335Z.

DESTINATION OUTLOOK

SUN, OCT 25

SUN 25 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 25 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 25 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 25 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 25

00:00–06:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 26

MON 26 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 26 OCT 06:00–12:00 ET MEDIUM

Forecast GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 13–15 kt

TEMPERATURE 66–67 °F

DEWPOINT 56 °F

PRECIP CHANCE 19%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 26 OCT 12:00–18:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 13–18 kt

TEMPERATURE 65–69 °F

DEWPOINT 57–58 °F

PRECIP CHANCE 13%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 26 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 16–18 kt

TEMPERATURE 71–72 °F

DEWPOINT 58 °F

PRECIP CHANCE 11%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 26

00:00–06:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+048 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
6000 ft

CURRENT METAR TEMP DEP / DEST
12°C dep KLZU → 21°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — source state: not_queried

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
04/22 (040/220°M · 033/213°T) · 16/34 (160/340°M · 153/333°T) — designators and °M headings are magnetic; °T are true; variation 7°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs
FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 1 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What
3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

d 2026-10-25T05:28:17.563068Z.

RI OCT 23 | SAT OCT 24 | SUN OCT 25 | MON OCT 26

07/001

Raw NOTAM data · NOTAMs as of 05:28 Z

NOTAMs as of 05:28 Z — advisory only; verify an official briefing.

A0047/26

NOTAM text not available in this projection.

10/001

NOTAM text not available in this projection.

07/001

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

26-10-25T05:28:17.563068Z.

:00Z

:00Z

:00Z

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

weather, and they never change a flight category. NOTAMs were read for KSSI this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
• **Sun, Oct 25 · 18:00–00:00 ET**: TAF · 18:00–00:00 ET ET · VFR
• **Mon, Oct 26 · 00:00–06:00 ET**: TAF · 00:00–06:00 ET ET · VFR
• **Mon, Oct 26 · 06:00–12:00 ET**: GFS MAV MOS · 06:00–12:00 ET ET · VFR
• **Mon, Oct 26 · 12:00–18:00 ET**: GFS MAV MOS · 12:00–18:00 ET ET · VFR
• **Mon, Oct 26 · 18:00–00:00 ET**: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-25=GFS, 2026-10-26=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-25 06:00	69	Clear	30/16kt	—	>10kft	>6SM
GFS	2026-10-25 09:00	68	Sct	30/15kt	—	>10kft	>6SM
GFS	2026-10-25 12:00	68	Sct	20/16kt	22.0	5-10kft	>6SM
GFS	2026-10-25 15:00	70	Bkn	20/18kt	—	5-10kft	>6SM
GFS	2026-10-25 18:00	71	Ovc	20/21kt	16.0	5-10kft	>6SM
GFS	2026-10-25 21:00	70	Ovc	30/21kt	—	5-10kft	>6SM
GFS	2026-10-26 00:00	67	Sct	30/18kt	24.0	>10kft	>6SM
GFS	2026-10-26 03:00	68	Few	40/16kt	—	>10kft	>6SM
GFS	2026-10-26 06:00	67	Clear	30/15kt	19.0	>10kft	>6SM
GFS	2026-10-26 09:00	66	Sct	20/13kt	—	>10kft	>6SM
GFS	2026-10-26 12:00	65	Sct	10/13kt	13.0	>10kft	>6SM
GFS	2026-10-26 15:00	69	Clear	30/18kt	—	>10kft	>6SM
GFS	2026-10-26 18:00	71	Few	30/18kt	11.0	>10kft	>6SM
GFS	2026-10-26 21:00	72	Clear	30/16kt	—	>10kft	>6SM
GFS	2026-10-27 00:00	67	Clear	40/11kt	4.0	>10kft	>6SM
GFS	2026-10-27 03:00	65	Clear	30/10kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KSSI 250335Z AUTO 02013G21KT 9SM BKN025 BKN030 21/17 A3024 RMK AO2

TAF KSSI 250520Z 2506/2606 02015G25KT P6SM SCT025 BKN040 FM251500 02018G28KT P6SM SCT025 BKN050
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KSSI; actual-station=KSSI; fetched-at=2026-10-25T05:28:09.660797+00:00; observed-or-issued-at=2026-10-25T03:35:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KSSI; actual-station=KSSI; fetched-at=2026-10-25T05:28:11.928181+00:00; observed-or-issued-at=2026-10-25T05:20:00+00:00; valid-from=2026-10-25T06:00:00+00:00; valid-through=2026-10-26T06:00:00+00:00; partial-target-dates=2026-10-25,2026-10-26 — AWC API

  TAF proxy · KSSI
- FAA airport status — state=not_queried; fetch-state=not_attempted; payload-state=not_attempted; requested-station=KSSI
- FAA NMS NOTAM — state=OK; requested-station=KSSI; actual-station=KSSI; fetched-at=2026-10-25T05:28:17.563068Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KSSI; actual-station=KSSI; fetched-at=2026-10-25T05:28:41.495084+00:00; observed-or-issued-at=2026-10-25T00:00:00+00:00; valid-from=2026-10-25T06:00:00+00:00; valid-through=2026-10-28T00:00:00+00:00; target-dates=2026-10-25,2026-10-26; dates-with-points=2026-10-25,2026-10-26 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KSSI; actual-station=KSSI; fetched-at=2026-10-25T05:28:42.156077+00:00; observed-or-issued-at=2026-10-25T00:00:00+00:00; valid-from=2026-10-26T00:00:00+00:00; valid-through=2026-11-02T00:00:00+00:00; target-dates=2026-10-26; partial-target-dates=2026-10-25; dates-with-points=2026-10-25,2026-10-26 — Iowa State API
- MOS effective date selection — state=partial; rows=16; requested-station=KSSI; actual-station=KSSI; fetched-at=2026-10-25T05:28:41.495084+00:00; observed-or-issued-at=2026-10-25T00:00:00+00:00; valid-from=2026-10-25T06:00:00+00:00; valid-through=2026-10-28T00:00:00+00:00; target-dates=2026-10-25,2026-10-26; dates-with-points=2026-10-25,2026-10-26; selected-by-date=2026-10-25=GFS, 2026-10-26=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#4 **KJZI** **Charleston Exec, SC, US** · Atlantic South · Charleston Exec

OBS - MVFR

ETE 1h28

DIST 213 nm

SAT 24 OCT 23:35 ET OBSERVED

Current observation

OBS - MVFR

OBSE

METAR

overcast 2,300 ft

WIND N (20°) 11 kt

TEMPERATURE 18 °C

VISIBILITY 10 sm

DEWPOINT 12 °C



Wind favours RWY 04

020° true · 028° magnetic · 11 kt

Evidence & limitations

- METAR source state: ok; observed Oct 24 23:35 ET; retrieved Oct 25 01:28 ET; 113 min before this run.
- Measured values read from the KJZI METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.34 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KJZI runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 09/27, 04/22. Wind from 020 degrees true, 028 degrees magnetic, at 11 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 04. Wind source: KJZI METAR 250335Z.

DESTINATION OUTLOOK

SUN, OCT 25

SUN 25 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 25 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 25 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 25 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 25

00:00–06:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 26

MON 26 OCT 00:00–06:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 9–12 kt

TEMPERATURE 63–65 °F

DEWPOINT 54–56 °F

PRECIP CHANCE 9%

Evidence & limitations

- GFS MAV MOS · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 26 OCT 06:00–12:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 9–11 kt

TEMPERATURE 59–61 °F

DEWPOINT 51–52 °F

PRECIP CHANCE 11%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 26 OCT 12:00–18:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 9–11 kt

TEMPERATURE 58–64 °F

DEWPOINT 51–53 °F

PRECIP CHANCE 7%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 26 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 11–12 kt

TEMPERATURE 70 °F

DEWPOINT 54 °F

PRECIP CHANCE 8%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 26

00:00–06:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+048 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
6000 ft

CURRENT METAR TEMP DEP / DEST
12°C dep KLZU → 18°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed (proxy KCHS)

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
09/27 (090/270°M · 082/262°T) · 04/22 (040/220°M · 032/212°T) — designators and °M headings are magnetic; °T are true; variation 8°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs
FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)
2 Act on

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What
3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

d 2026-10-25T05:28:17.881068Z.
oritative)

RI OCT 23 | SAT OCT 24 | SUN OCT 25 | MON OCT 26

08/354	
10/062	
10/279	

3 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 05:28 Z

NOTAMs as of 05:28 Z — advisory only; verify an official briefing.

5/3307

NOTAM text not available in this projection.

07/354

NOTAM text not available in this projection.

08/354

NOTAM text not available in this projection.

10/062

NOTAM text not available in this projection.

10/279

NOTAM text not available in this projection.

10/339

NOTAM text not available in this projection.

10/354

NOTAM text not available in this projection.

09/426

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

26-10-25T05:28:17.881068Z.

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

OBSTRUCTION
Effective 2026-10-05T06:39:00Z → 2027-01-03T07:39:00Z

OBSTRUCTION
Effective 2026-10-19T16:24:00Z → 2027-02-16T16:24:00Z

3 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KJZI this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
S · 00:00–06:00 ET ET · VFR
S · 06:00–12:00 ET ET · VFR
• **Mon, Oct 26 · 12:00–18:00 ET**: GFS MAV MOS · 12:00–18:00 ET ET · VFR
• **Mon, Oct 26 · 18:00–00:00 ET**: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-25=GFS, 2026-10-26=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-25 06:00	65	Ovc	20/11kt	—	5-10kft	>6SM
GFS	2026-10-25 09:00	64	Bkn	10/12kt	—	5-10kft	>6SM
GFS	2026-10-25 12:00	63	Bkn	360/12kt	16.0	5-10kft	>6SM
GFS	2026-10-25 15:00	66	Bkn	20/15kt	—	5-10kft	>6SM
GFS	2026-10-25 18:00	71	Bkn	30/18kt	14.0	5-10kft	>6SM

GFS	2026-10-25 21:00	70	Bkn	30/17kt	—	>10kft	>6SM
GFS	2026-10-26 00:00	65	Clear	30/12kt	9.0	>10kft	>6SM
GFS	2026-10-26 03:00	63	Clear	20/9kt	—	>10kft	>6SM
GFS	2026-10-26 06:00	61	Clear	10/11kt	11.0	>10kft	>6SM
GFS	2026-10-26 09:00	59	Clear	360/9kt	—	>10kft	>6SM
GFS	2026-10-26 12:00	58	Clear	360/9kt	7.0	>10kft	>6SM
GFS	2026-10-26 15:00	64	Clear	10/11kt	—	>10kft	>6SM
GFS	2026-10-26 18:00	70	Clear	30/11kt	8.0	>10kft	>6SM
GFS	2026-10-26 21:00	70	Clear	40/12kt	—	>10kft	>6SM
GFS	2026-10-27 00:00	63	Clear	30/5kt	1.0	>10kft	>6SM
GFS	2026-10-27 03:00	59	Clear	30/3kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KJZI 250335Z AUTO 02011KT 10SM OVC023 18/12 A3034 RMK AO2

TAF KJZI 242337Z 2500/2524 03010G18KT P6SM FEW040 FM251200 02013G22KT P6SM FEW110 FM251900 04019G28KT P6SM SCT060
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KJZI; actual-station=KJZI; fetched-at=2026-10-25T05:28:09.660797+00:00; observed-or-issued-at=2026-10-25T03:35:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KJZI; actual-station=KJZI; fetched-at=2026-10-25T05:28:11.928181+00:00; observed-or-issued-at=2026-10-24T23:37:00+00:00; valid-from=2026-10-25T00:00:00+00:00; valid-through=2026-10-26T00:00:00+00:00; partial-target-dates=2026-10-24,2026-10-25 — AWC API

  TAF proxy · KJZI
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KJZI; actual-station=KCHS; fetched-at=2026-10-25T05:28:12.424098+00:00
- FAA NMS NOTAM — state=OK; requested-station=KJZI; actual-station=KJZI; fetched-at=2026-10-25T05:28:17.881068Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KJZI; actual-station=KJZI; fetched-at=2026-10-25T05:28:41.500551+00:00; observed-or-issued-at=2026-10-25T00:00:00+00:00; valid-from=2026-10-25T06:00:00+00:00; valid-through=2026-10-28T00:00:00+00:00; target-dates=2026-10-25,2026-10-26; dates-with-points=2026-10-25,2026-10-26 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KJZI; actual-station=KJZI; fetched-at=2026-10-25T05:28:42.187602+00:00; observed-or-issued-at=2026-10-25T00:00:00+00:00; valid-from=2026-10-26T00:00:00+00:00; valid-through=2026-11-02T00:00:00+00:00; target-dates=2026-10-26; partial-target-dates=2026-10-25; dates-with-points=2026-10-25,2026-10-26 — Iowa State API
- MOS effective date selection — state=partial; rows=16; requested-station=KJZI; actual-station=KJZI; fetched-at=2026-10-25T05:28:41.500551+00:00; observed-or-issued-at=2026-10-25T00:00:00+00:00; valid-from=2026-10-25T06:00:00+00:00; valid-through=2026-10-28T00:00:00+00:00; target-dates=2026-10-25,2026-10-26; dates-with-points=2026-10-25,2026-10-26; selected-by-date=2026-10-25=GFS, 2026-10-26=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#5 **KMYR** **Myrtle Beach Intl, SC, US** · Atlantic North · Myrtle Beach (Class C)

OBS - VFR

ETE 1h45

DIST 251 nm

SAT 24 OCT 23:53 ET OBSERVED

Current observation

OBS - VFR

OBSER

METAR

broken 6,000 ft

WIND N (20°) 10 kt gust 15 kt

TEMPERATURE 16 °C

VISIBILITY 10 sm

DEWPOINT 12 °C

Wind favours RWY 36

020° true · 029° magnetic · 10G15 kt · also NOTAM-affected: 18 and 36

Evidence & limitations

- METAR source state: ok; observed Oct 24 23:53 ET; retrieved Oct 25 01:28 ET; 95 min before this run.
- Measured values read from the KMYR METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.38 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KMYR runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 18/36. Wind from 020 degrees true, 029 degrees magnetic, at 10 knots gusting 15 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 36. NOTAM-affected runway ends, hatched separately from the wind highlight: 18 and 36. The wind-favoured end 36 is also NOTAM-affected: the wind does favour it, but a NOTAM on this card names it, so the highlight is not a statement that the runway is usable. The hatch marks only that a NOTAM names the runway; it does not decode the NOTAM's effective times, so confirm the closure window in the NOTAM text below. Wind source: KMYR METAR 250353Z.

DESTINATION OUTLOOK

SUN, OCT 25

SUN 25 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 25 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 25 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 25 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 25

00:00–06:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 26

MON 26 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 26 OCT 06:00–12:00 ET MEDIUM

Forecast GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 10 kt

TEMPERATURE 56–58 °F

DEWPOINT 49–50 °F

PRECIP CHANCE 6%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 26 OCT 12:00–18:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 9–11 kt

TEMPERATURE 55–63 °F

DEWPOINT 49–51 °F

PRECIP CHANCE 3%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 26 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 9–11 kt

TEMPERATURE 69–70 °F

DEWPOINT 51 °F

PRECIP CHANCE 5%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 26

00:00–06:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+048 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
12°C dep KLZU → 16°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
18/36 (180/000°M · 171/351°T) — designators and °M headings are magnetic; °T are true; variation 9°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 17 Act on 3 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What 3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

ed 2026-10-25T05:28:17.918237Z.

oritative) Narrow bars = daily schedule sub-windows

RI OCT 23 | SAT OCT 24 | SUN OCT 25 | MON OCT 26



43 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 05:28 Z

NOTAMs as of 05:28 Z — advisory only; verify an official briefing.

08/053

NOTAM text not available in this projection.

A0660/26

NOTAM text not available in this projection.

6/8172

NOTAM text not available in this projection.

09/037

NOTAM text not available in this projection.

09/050

NOTAM text not available in this projection.

A0761/26

NOTAM text not available in this projection.

10/004

NOTAM text not available in this projection.

A0776/26

NOTAM text not available in this projection.

10/037

NOTAM text not available in this projection.

A0823/26

NOTAM text not available in this projection.

10/050

NOTAM text not available in this projection.

A0834/26

NOTAM text not available in this projection.

A0839/26

NOTAM text not available in this projection.

A0840/26

NOTAM text not available in this projection.

10/052

NOTAM text not available in this projection.

A0837/26

NOTAM text not available in this projection.

09/035

NOTAM text not available in this projection.

A0739/26

NOTAM text not available in this projection.

09/036

NOTAM text not available in this projection.

A0741/26

NOTAM text not available in this projection.

09/038

NOTAM text not available in this projection.

A0743/26

NOTAM text not available in this projection.

09/039

NOTAM text not available in this projection.

A0746/26

NOTAM text not available in this projection.

09/040

NOTAM text not available in this projection.

A0747/26

NOTAM text not available in this projection.

09/041

NOTAM text not available in this projection.

09/042

NOTAM text not available in this projection.

09/043

NOTAM text not available in this projection.

A0750/26

NOTAM text not available in this projection.

09/048

NOTAM text not available in this projection.

A0757/26

NOTAM text not available in this projection.

09/051

NOTAM text not available in this projection.

09/052

NOTAM text not available in this projection.

A0762/26

NOTAM text not available in this projection.

09/058

NOTAM text not available in this projection.

A0768/26

NOTAM text not available in this projection.

A0684/26

NOTAM text not available in this projection.

07/032

NOTAM text not available in this projection.

09/034

NOTAM text not available in this projection.

10/055

NOTAM text not available in this projection.

08/005

NOTAM text not available in this projection.

A0600/26

NOTAM text not available in this projection.

10/046

NOTAM text not available in this projection.

A0829/26

NOTAM text not available in this projection.

A0841/26

NOTAM text not available in this projection.

10/047

NOTAM text not available in this projection.

A0830/26

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

Effective 2026-09-24T11:30:00Z → 2027-01-04T11:00:00Z

RUNWAY

Effective 2026-09-26T04:00:00Z → 2026-10-31T10:00:00Z

RUNWAY

Effective 2026-09-26T04:00:00Z → 2026-10-31T10:00:00Z

RUNWAY

Effective 2026-10-18T03:00:00Z → 2026-10-31T04:59:00Z

RUNWAY

Effective 2026-10-18T03:00:00Z → 2026-10-31T04:59:00Z

RUNWAY

Effective 2026-10-22T05:00:00Z → 2026-10-31T09:00:00Z

RUNWAY

Effective 2026-10-22T05:00:00Z → 2026-10-31T09:00:00Z

RUNWAY

Effective 2026-10-27T05:00:00Z → 2026-10-27T10:00:00Z

RUNWAY

Effective 2026-10-27T05:00:00Z → 2026-10-27T10:00:00Z

36 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation

issued hourly by the reporting station, with SPECI reports off-cycle, carrying ceiling, visibility, wind, temperature and altimeter. Issued by the observing station and distributed by aviationweather.gov. This is measured fact, not a forecast, and on this page it describes conditions right now, not this day. A current KMYR observation was read this run. It describes conditions now, not this trip day.

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KMYR this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
S · 06:00–12:00 ET ET · VFR
• **Mon, Oct 26 · 12:00–18:00 ET**: GFS MAV MOS · 12:00–18:00 ET ET · VFR
• **Mon, Oct 26 · 18:00–00:00 ET**: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-25=GFS, 2026-10-26=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-25 06:00	60	Few	20/11kt	—	>10kft	>6SM
GFS	2026-10-25 09:00	59	Few	20/11kt	—	>10kft	>6SM
GFS	2026-10-25 12:00	60	Sct	20/12kt	15.0	>10kft	>6SM
GFS	2026-10-25 15:00	67	Few	40/16kt	—	>10kft	>6SM
GFS	2026-10-25 18:00	70	Bkn	40/16kt	10.0	5-10kft	>6SM
GFS	2026-10-25 21:00	70	Sct	40/15kt	—	>10kft	>6SM
GFS	2026-10-26 00:00	65	Clear	40/11kt	5.0	>10kft	>6SM
GFS	2026-10-26 03:00	62	Clear	40/9kt	—	>10kft	>6SM
GFS	2026-10-26 06:00	58	Clear	20/10kt	6.0	>10kft	>6SM
GFS	2026-10-26 09:00	56	Clear	10/10kt	—	>10kft	>6SM
GFS	2026-10-26 12:00	55	Clear	360/9kt	3.0	>10kft	>6SM

GFS	2026-10-26 15:00	63	Clear	20/11kt	—	>10kft	>6SM
GFS	2026-10-26 18:00	69	Clear	30/11kt	5.0	>10kft	>6SM
GFS	2026-10-26 21:00	70	Clear	50/9kt	—	>10kft	>6SM
GFS	2026-10-27 00:00	64	Clear	60/5kt	0.0	>10kft	>6SM
GFS	2026-10-27 03:00	60	Clear	50/4kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KMYR 250353Z AUTO 02010G15KT 10SM BKN060 16/12 A3038 RMK AO2 SLP289 T01610122 402330128 $

TAF KMYR 250520Z 2506/2606 05011KT P6SM SCT070 FM251300 04015G25KT P6SM FEW070 FM260000 04011KT P6SM SKC
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KMYR; actual-station=KMYR; fetched-at=2026-10-25T05:28:09.660797+00:00; observed-or-issued-at=2026-10-25T03:53:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KMYR; actual-station=KMYR; fetched-at=2026-10-25T05:28:11.928181+00:00; observed-or-issued-at=2026-10-25T05:20:00+00:00; valid-from=2026-10-25T06:00:00+00:00; valid-through=2026-10-26T06:00:00+00:00; partial-target-dates=2026-10-25,2026-10-26 — AWC API

TAF proxy · KMYR

- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KMYR; actual-station=KMYR; fetched-at=2026-10-25T05:28:12.359670+00:00
- FAA NMS NOTAM — state=OK; requested-station=KMYR; actual-station=KMYR; fetched-at=2026-10-25T05:28:17.918237Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KMYR; actual-station=KMYR; fetched-at=2026-10-25T05:28:41.535911+00:00; observed-or-issued-at=2026-10-25T00:00:00+00:00; valid-from=2026-10-25T06:00:00+00:00; valid-through=2026-10-28T00:00:00+00:00; target-dates=2026-10-25,2026-10-26; dates-with-points=2026-10-25,2026-10-26 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KMYR; actual-station=KMYR; fetched-at=2026-10-25T05:28:42.132861+00:00; observed-or-issued-at=2026-10-25T00:00:00+00:00; valid-from=2026-10-26T00:00:00+00:00; valid-through=2026-11-02T00:00:00+00:00; target-dates=2026-10-26; partial-target-dates=2026-10-25; dates-with-points=2026-10-25,2026-10-26 — Iowa State API
- MOS effective date selection — state=partial; rows=16; requested-station=KMYR; actual-station=KMYR; fetched-at=2026-10-25T05:28:41.535911+00:00; observed-or-issued-at=2026-10-25T00:00:00+00:00; valid-from=2026-10-25T06:00:00+00:00; valid-through=2026-10-28T00:00:00+00:00; target-dates=2026-10-25,2026-10-26; dates-with-points=2026-10-25,2026-10-26; selected-by-date=2026-10-25=GFS, 2026-10-26=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#6 **KCRE** **North Myrtle Beach/Grand Strand Arpt, SC, US** · Atlantic North · N Myrtle Beach

OBS - VFR

ETE 1h49

DIST 261 nm

SAT 24 OCT 23:53 ET OBSERVED

Current observation

OBS - VFR

OBSER

METAR

broken 7,000 ft

WIND **NE (30°) 11 kt**

TEMPERATURE **16 °C**

VISIBILITY **10 sm**

DEWPOINT **12 °C**



Wind favours RWY 05

030° true · 039° magnetic · 11 kt

Evidence & limitations

- METAR source state: ok; observed Oct 24 23:53 ET; retrieved Oct 25 01:28 ET; 95 min before this run.
- Measured values read from the KCRE METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.37 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KCRE runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 05/23. Wind from 030 degrees true, 039 degrees magnetic, at 11 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 05. Wind source: KCRE METAR 250353Z.

DESTINATION OUTLOOK

SUN, OCT 25

SUN 25 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 25 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 25 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 25 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 25

00:00–06:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 26

MON 26 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 26 OCT 06:00–12:00 ET MEDIUM

Forecast GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 9 kt

TEMPERATURE 56–58 °F

DEWPOINT 49–50 °F

PRECIP CHANCE 5%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 26 OCT 12:00–18:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 8–11 kt

TEMPERATURE 55–64 °F

DEWPOINT 49–51 °F

PRECIP CHANCE 2%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 26 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 8–10 kt

TEMPERATURE 71 °F

DEWPOINT 50 °F

PRECIP CHANCE 5%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 26

00:00–06:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+048 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
12°C dep KLZU → 16°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — source state: not_queried

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
05/23 (050/230°M · 041/221°T) — designators and °M headings are magnetic; °T are true; variation 9°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs
FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)
3 Act on

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What
3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

d 2026-10-25T05:28:17.998419Z.
oritative)

RI OCT 23 | SAT OCT 24 | SUN OCT 25 | MON OCT 26



1 additional normalized NOTAM record omitted from this view.

Raw NOTAM data · NOTAMs as of 05:28 Z

NOTAMs as of 05:28 Z — advisory only; verify an official briefing.

5/9932

NOTAM text not available in this projection.

5/9933

NOTAM text not available in this projection.

10/007

NOTAM text not available in this projection.

10/012

NOTAM text not available in this projection.

10/013

NOTAM text not available in this projection.

08/002

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

26-10-25T05:28:17.998419Z.

OBSTRUCTION

Effective 2026-10-23T23:11:00Z → 2027-02-20T23:11:00Z

OBSTRUCTION

Effective 2026-10-25T04:30:00Z → 2026-11-09T03:30:00Z

1 additional normalized FAA NOTAM record omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KCRE this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
S · 06:00–12:00 ET ET · VFR
• **Mon, Oct 26 · 12:00–18:00 ET**: GFS MAV MOS · 12:00–18:00 ET ET · VFR
• **Mon, Oct 26 · 18:00–00:00 ET**: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-25=GFS, 2026-10-26=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-25 06:00	60	Bkn	30/12kt	—	5-10kft	>6SM
GFS	2026-10-25 09:00	60	Sct	30/11kt	—	>10kft	>6SM
GFS	2026-10-25 12:00	60	Bkn	30/12kt	16.0	>10kft	>6SM
GFS	2026-10-25 15:00	69	Sct	40/17kt	—	>10kft	>6SM
GFS	2026-10-25 18:00	72	Bkn	40/15kt	11.0	5-10kft	>6SM
GFS	2026-10-25 21:00	71	Sct	50/13kt	—	>10kft	>6SM
GFS	2026-10-26 00:00	65	Clear	50/10kt	6.0	>10kft	>6SM
GFS	2026-10-26 03:00	61	Clear	50/10kt	—	>10kft	>6SM
GFS	2026-10-26 06:00	58	Clear	30/9kt	5.0	>10kft	>6SM

GFS	2026-10-26 09:00	56	Clear	20/9kt	—	>10kft	>6SM
GFS	2026-10-26 12:00	55	Clear	20/8kt	2.0	>10kft	>6SM
GFS	2026-10-26 15:00	64	Clear	30/11kt	—	>10kft	>6SM
GFS	2026-10-26 18:00	71	Clear	50/10kt	5.0	>10kft	>6SM
GFS	2026-10-26 21:00	71	Clear	60/8kt	—	>10kft	>6SM
GFS	2026-10-27 00:00	62	Clear	60/4kt	0.0	>10kft	>6SM
GFS	2026-10-27 03:00	57	Clear	40/4kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KCRE 250353Z AUTO 03011KT 10SM BKN070 16/12 A3037 RMK AO2 SLP285 T01560122

TAF KMYR 250520Z 2506/2606 05011KT P6SM SCT070 FM251300 04015G25KT P6SM FEW070 FM260000 04011KT P6SM SKC
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KCRE; actual-station=KCRE; fetched-at=2026-10-25T05:28:09.660797+00:00; observed-or-issued-at=2026-10-25T03:53:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KCRE; actual-station=KMYR; fetched-at=2026-10-25T05:28:11.928181+00:00; observed-or-issued-at=2026-10-25T05:20:00+00:00; valid-from=2026-10-25T06:00:00+00:00; valid-through=2026-10-26T06:00:00+00:00; partial-target-dates=2026-10-25,2026-10-26 — AWC API

  TAF proxy · KMYR
- FAA airport status — state=not_queried; fetch-state=not_attempted; payload-state=not_attempted; requested-station=KCRE
- FAA NMS NOTAM — state=OK; requested-station=KCRE; actual-station=KCRE; fetched-at=2026-10-25T05:28:17.998419Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KCRE; actual-station=KCRE; fetched-at=2026-10-25T05:28:41.518706+00:00; observed-or-issued-at=2026-10-25T00:00:00+00:00; valid-from=2026-10-25T06:00:00+00:00; valid-through=2026-10-28T00:00:00+00:00; target-dates=2026-10-25,2026-10-26; dates-with-points=2026-10-25,2026-10-26 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KCRE; actual-station=KCRE; fetched-at=2026-10-25T05:28:42.133890+00:00; observed-or-issued-at=2026-10-25T00:00:00+00:00; valid-from=2026-10-26T00:00:00+00:00; valid-through=2026-11-02T00:00:00+00:00; target-dates=2026-10-26; partial-target-dates=2026-10-25; dates-with-points=2026-10-25,2026-10-26 — Iowa State API
- MOS effective date selection — state=partial; rows=16; requested-station=KCRE; actual-station=KCRE; fetched-at=2026-10-25T05:28:41.518706+00:00; observed-or-issued-at=2026-10-25T00:00:00+00:00; valid-from=2026-10-25T06:00:00+00:00; valid-through=2026-10-28T00:00:00+00:00; target-dates=2026-10-25,2026-10-26; dates-with-points=2026-10-25,2026-10-26; selected-by-date=2026-10-25=GFS, 2026-10-26=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#7 **KHXD** **Hilton Head Arpt, SC, US** · Atlantic South · Hilton Head

OBS - VFR

ETE 1h21

DIST 195 nm

SAT 24 OCT 23:35 ET OBSERVED

Current observation

METAR

OBS - VFR

OBSER

clear below 12,000 ft (CLR)

WIND **NE (40°) 14 kt gust 20 kt**

TEMPERATURE **19 °C**

VISIBILITY **10 sm**

DEWPOINT **12 °C**



Wind favours RWY 03

040° true · 048° magnetic · 14G20 kt

Evidence & limitations

- METAR source state: ok; observed Oct 24 23:35 ET; retrieved Oct 25 01:28 ET; 113 min before this run.
- Measured values read from the KHXD METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.33 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KHXD runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 03/21. Wind from 040 degrees true, 048 degrees magnetic, at 14 knots gusting 20 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 03. Wind source: KHXD METAR 250335Z.

DESTINATION OUTLOOK

SUN, OCT 25

SUN 25 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 25 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 25 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 25 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 25

00:00–06:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 26

MON 26 OCT 00:00–06:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 13–15 kt

TEMPERATURE 66–67 °F

DEWPOINT 55–57 °F

PRECIP CHANCE 10%

Evidence & limitations

- GFS MAV MOS · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 26 OCT 06:00–12:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 14–15 kt

TEMPERATURE 62–64 °F

DEWPOINT 52 °F

PRECIP CHANCE 10%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 26 OCT 12:00–18:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 14–15 kt

TEMPERATURE 61–64 °F

DEWPOINT 52–54 °F

PRECIP CHANCE 7%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 26 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 12–13 kt

TEMPERATURE 69–71 °F

DEWPOINT 54 °F

PRECIP CHANCE 6%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 26

00:00–06:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+048 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
6000 ft

CURRENT METAR TEMP DEP / DEST
12°C dep KLZU → 19°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
03/21 (030/210°M · 022/202°T) — designators and °M headings are magnetic; °T are true; variation 8°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

6 Act on

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What

3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

d 2026-10-25T05:28:18.028679Z.

oritative)

RI OCT 23 | SAT OCT 24 | SUN OCT 25 | MON OCT 26

6/8144	
6/8146	
A0365/26	

3 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 05:28 Z

NOTAMs as of 05:28 Z — advisory only; verify an official briefing.

5/3292

NOTAM text not available in this projection.

A0137/25

NOTAM text not available in this projection.

6/8144

NOTAM text not available in this projection.

6/8146

NOTAM text not available in this projection.

A0365/26

NOTAM text not available in this projection.

A0366/26

NOTAM text not available in this projection.

09/029

NOTAM text not available in this projection.

10/015

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

26-10-25T05:28:18.028679Z.

HEAD, HILTON HEAD ISLAND, SC. LOC RWY 21, AMDT 6... VGSI AND DESCENT ANGLES NOT COINCIDENT (VGSI ANGLE 3.00 TCH 49)

:00Z

ILTON HEAD, HILTON HEAD ISLAND, SC. LOC RWY 21, AMDT 6... VGSI AND DESCENT ANGLES NOT COINCIDENT (VGSI ANGLE 3.00 TCH 49)

:00Z

HEAD, HILTON HEAD ISLAND, SC. LOC RWY 21, AMDT 6... MISSED APPROACH: CLIMB TO 3000 THEN CLIMBING LEFT TURN TO 2000 ON 046 RADIAL 175 AND OH

N 046 DME AND HOLD. SAV TACAN OUT OF SERVICE. 2510071000-2510171000EST.

:00Z

NAV_APPROACH 09/046 — IAP HILTON HEAD, HILTON HEAD ISLAND, SC, VOR-A, AMDT 1C... PROCEDURE NA EXCEPT FOR ACFT EQUIPPED WITH SUITABLE RNAV SYSTEM(S) WITH GPS. SAV TACAN OUT OF SERVICE. 2510071033-2511071033EST

Effective 2026-10-07T19:33:00Z → 2026-11-07T19:33:00Z

NAV_APPROACH A0388/26 — IAP HILTON HEAD, HILTON HEAD ISLAND, SC, LOC RWY 21, AMDT 6... MISSED APPROACH: CLIMB TO 800 THEN CLIMBING LEFT TURN TO 2,000 ON HEADING 105 AND DME ARC VORTAC R-213 TO TYBEE ICNS 76.09 DME AND HOLD. SAV TACAN OUT OF SERVICE.

Effective 2026-10-07T19:33:00Z → 2026-11-07T19:33:00Z

3 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KHXD this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · VFR

S · 00:00–06:00 ET ET · VFR

S · 06:00–12:00 ET ET · VFR

• **Mon, Oct 26 · 12:00–18:00 ET**: GFS MAV MOS · 12:00–18:00 ET ET · VFR

• **Mon, Oct 26 · 18:00–00:00 ET**: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-25=GFS, 2026-10-26=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-25 06:00	65	Clear	30/15kt	—	>10kft	>6SM
GFS	2026-10-25 09:00	65	Clear	30/17kt	—	>10kft	>6SM
GFS	2026-10-25 12:00	64	Sct	20/16kt	15.0	5-10kft	>6SM
GFS	2026-10-25 15:00	65	Bkn	20/18kt	—	5-10kft	>6SM

GFS	2026-10-25 18:00	68	Bkn	30/17kt	10.0	5-10kft	>6SM
GFS	2026-10-25 21:00	70	Bkn	30/18kt	—	5-10kft	>6SM
GFS	2026-10-26 00:00	67	Clear	40/15kt	10.0	>10kft	>6SM
GFS	2026-10-26 03:00	66	Clear	30/13kt	—	>10kft	>6SM
GFS	2026-10-26 06:00	64	Clear	30/14kt	10.0	>10kft	>6SM
GFS	2026-10-26 09:00	62	Clear	20/15kt	—	>10kft	>6SM
GFS	2026-10-26 12:00	61	Few	20/14kt	7.0	>10kft	>6SM
GFS	2026-10-26 15:00	64	Clear	20/15kt	—	>10kft	>6SM
GFS	2026-10-26 18:00	69	Clear	30/13kt	6.0	>10kft	>6SM
GFS	2026-10-26 21:00	71	Clear	40/12kt	—	>10kft	>6SM
GFS	2026-10-27 00:00	66	Clear	40/9kt	0.0	>10kft	>6SM
GFS	2026-10-27 03:00	62	Clear	40/6kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KHXD 250335Z AUTO 04014G20KT 10SM CLR 19/12 A3033 RMK AO2

TAF KSAV 242337Z 2500/2524 03013G18KT P6SM SKC FM251200 02012G19KT P6SM SCT110 FM251800 03013G24KT P6SM SCT060
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KHXD; actual-station=KHXD; fetched-at=2026-10-25T05:28:09.660797+00:00; observed-or-issued-at=2026-10-25T03:35:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KHXD; actual-station=KSAV; fetched-at=2026-10-25T05:28:11.928181+00:00; observed-or-issued-at=2026-10-24T23:37:00+00:00; valid-from=2026-10-25T00:00:00+00:00; valid-through=2026-10-26T00:00:00+00:00; partial-target-dates=2026-10-24,2026-10-25 — AWC API

  TAF proxy · KSAV
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KHXD; actual-station=KHXD; fetched-at=2026-10-25T05:28:12.715846+00:00
- FAA NMS NOTAM — state=OK; requested-station=KHXD; actual-station=KHXD; fetched-at=2026-10-25T05:28:18.028679Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KHXD; actual-station=KHXD; fetched-at=2026-10-25T05:28:41.491832+00:00; observed-or-issued-at=2026-10-25T00:00:00+00:00; valid-from=2026-10-25T06:00:00+00:00; valid-through=2026-10-28T00:00:00+00:00; target-dates=2026-10-25,2026-10-26; dates-with-points=2026-10-25,2026-10-26 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KHXD; actual-station=KHXD; fetched-at=2026-10-25T05:28:42.122054+00:00; observed-or-issued-at=2026-10-25T00:00:00+00:00; valid-from=2026-10-26T00:00:00+00:00; valid-through=2026-11-02T00:00:00+00:00; target-dates=2026-10-26; partial-target-dates=2026-10-25; dates-with-points=2026-10-25,2026-10-26 — Iowa State API
- MOS effective date selection — state=partial; rows=16; requested-station=KHXD; actual-station=KHXD; fetched-at=2026-10-25T05:28:41.491832+00:00; observed-or-issued-at=2026-10-25T00:00:00+00:00; valid-from=2026-10-25T06:00:00+00:00; valid-through=2026-10-28T00:00:00+00:00; target-dates=2026-10-25,2026-10-26; dates-with-points=2026-10-25,2026-10-26; selected-by-date=2026-10-25=GFS, 2026-10-26=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#8 **KTRI** **Bristol/Tri-Cities Arpt, TN, US** · Mountain · Tri-Cities TN/VA

OBS - VFR

ETE 1h11

DIST 168 nm

SAT 24 OCT 23:53 ET OBSERVED

Current observation

OBS - VFR

OBSER

METAR

clear below 12,000 ft (CLR)

WIND variable 3 kt

TEMPERATURE 9 °C

VISIBILITY 10 sm

DEWPOINT 6 °C

Evidence & limitations

- METAR source state: ok; observed Oct 24 23:53 ET; retrieved Oct 25 01:28 ET; 95 min before this run.
- Measured values read from the KTRI METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.46 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.

DESTINATION OUTLOOK

SUN, OCT 25

SUN 25 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 25 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 25 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 25 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 25

00:00–06:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 26

MON 26 OCT 00:00–06:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 0–2 kt

TEMPERATURE 48–57 °F

DEWPOINT 42–43 °F

PRECIP CHANCE 0%

Evidence & limitations

- GFS MAV MOS · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 26 OCT 06:00–12:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · LIFR

FORECAST

Flight-category guidance

WIND 0 kt

TEMPERATURE 41–43 °F

DEWPOINT 39–41 °F

PRECIP CHANCE 1%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · LIFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 26 OCT 12:00–18:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 0 kt

TEMPERATURE 39–55 °F

DEWPOINT 38–45 °F

PRECIP CHANCE 0%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 26 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 2–3 kt

TEMPERATURE 67–71 °F

DEWPOINT 41–43 °F

PRECIP CHANCE 0%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 26

00:00–06:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+048 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
6000 ft

CURRENT METAR TEMP DEP / DEST
12°C dep KLZU → 9°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
05/23 (050/230°M · 042/222°T) · 09/27 (090/270°M · 082/262°T) — designators and °M headings are magnetic; °T are true; variation 8°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs
FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 20 Act on 1 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What
3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

ed 2026-10-25T05:28:18.166276Z.
oritative)

RI OCT 23 | SAT OCT 24 | SUN OCT 25 | MON OCT 26

09/068	
09/069	
09/070	

42 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 05:28 Z

NOTAMs as of 05:28 Z — advisory only; verify an official briefing.

5/8343

NOTAM text not available in this projection.

5/8558

NOTAM text not available in this projection.

09/068

NOTAM text not available in this projection.

09/069

NOTAM text not available in this projection.

09/070

NOTAM text not available in this projection.

09/071

NOTAM text not available in this projection.

09/072

NOTAM text not available in this projection.

A1331/26

NOTAM text not available in this projection.

A1334/26

NOTAM text not available in this projection.

10/047

NOTAM text not available in this projection.

A1335/26

NOTAM text not available in this projection.

10/038

NOTAM text not available in this projection.

A1327/26

NOTAM text not available in this projection.

5/1221

NOTAM text not available in this projection.

A1144/25

NOTAM text not available in this projection.

A1251/25

NOTAM text not available in this projection.

A1252/25

NOTAM text not available in this projection.

5/8404

NOTAM text not available in this projection.

5/8405

NOTAM text not available in this projection.

5/8406

NOTAM text not available in this projection.

5/8407

NOTAM text not available in this projection.

A1367/25

NOTAM text not available in this projection.

A1368/25

NOTAM text not available in this projection.

A1369/25

NOTAM text not available in this projection.

A1370/25

NOTAM text not available in this projection.

5/8409

NOTAM text not available in this projection.

A1373/25

NOTAM text not available in this projection.

5/8411

NOTAM text not available in this projection.

A1374/25

NOTAM text not available in this projection.

06/034

NOTAM text not available in this projection.

A0975/26

NOTAM text not available in this projection.

06/042

NOTAM text not available in this projection.

A0980/26

NOTAM text not available in this projection.

06/043

NOTAM text not available in this projection.

A0981/26

NOTAM text not available in this projection.

08/034

NOTAM text not available in this projection.

08/053

NOTAM text not available in this projection.

09/017

NOTAM text not available in this projection.

09/055

NOTAM text not available in this projection.

09/064

NOTAM text not available in this projection.

10/001

NOTAM text not available in this projection.

10/004

NOTAM text not available in this projection.

10/008

NOTAM text not available in this projection.

10/010

NOTAM text not available in this projection.

10/036

NOTAM text not available in this projection.

10/040

NOTAM text not available in this projection.

10/049

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

026-10-25T05:28:18.166276Z.

:00Z

:00Z

:00Z

RUNWAY

Effective 2026-09-29T11:56:00Z → 2026-10-31T22:00:00Z

RUNWAY

Effective 2026-09-29T11:57:00Z → 2026-10-31T22:00:00Z

42 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · VFR

:00 ET ET · VFR

category. NOTAMs were read for KTRI this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

:00 ET ET · VFR
:00 ET ET · VFR
S · 00:00–06:00 ET ET · VFR
S · 06:00–12:00 ET ET · LIFR
S · 12:00–18:00 ET ET · VFR
• **Mon, Oct 26 · 18:00–00:00 ET**: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-25=GFS, 2026-10-26=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-25 06:00	43	Clear	0/0kt	—	>10kft	>6SM
GFS	2026-10-25 09:00	40	Clear	60/1kt	—	>10kft	>6SM
GFS	2026-10-25 12:00	39	Clear	240/1kt	0.0	>10kft	>6SM
GFS	2026-10-25 15:00	54	Clear	90/2kt	—	>10kft	>6SM
GFS	2026-10-25 18:00	66	Clear	90/1kt	0.0	>10kft	>6SM
GFS	2026-10-25 21:00	70	Clear	40/2kt	—	>10kft	>6SM
GFS	2026-10-26 00:00	57	Clear	60/2kt	0.0	>10kft	>6SM
GFS	2026-10-26 03:00	48	Clear	0/0kt	—	>10kft	>6SM
GFS	2026-10-26 06:00	43	Clear	0/0kt	1.0	>10kft	>6SM
GFS	2026-10-26 09:00	41	Clear	0/0kt	—	>10kft	>6SM
GFS	2026-10-26 12:00	39	Clear	0/0kt	0.0	>10kft	¼-½SM
GFS	2026-10-26 15:00	55	Clear	0/0kt	—	>10kft	>6SM
GFS	2026-10-26 18:00	67	Clear	330/2kt	0.0	>10kft	>6SM
GFS	2026-10-26 21:00	71	Clear	320/3kt	—	>10kft	>6SM
GFS	2026-10-27 00:00	57	Clear	0/0kt	0.0	>10kft	>6SM
GFS	2026-10-27 03:00	48	Clear	0/0kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KTRI 250353Z VRB03KT 10SM CLR 09/06 A3046 RMK AO2 SLP300 T00890061 $

TAF KTRI 242325Z 2500/2524 00000KT P6SM FEW250 FM251500 VRB03KT P6SM FEW100
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KTRI; actual-station=KTRI; fetched-at=2026-10-25T05:28:09.660797+00:00; observed-or-issued-at=2026-10-25T03:53:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KTRI; actual-station=KTRI; fetched-at=2026-10-25T05:28:11.928181+00:00; observed-or-issued-at=2026-10-24T23:25:00+00:00; valid-from=2026-10-25T00:00:00+00:00; valid-through=2026-10-26T00:00:00+00:00; partial-target-dates=2026-10-24,2026-10-25 — AWC API

  TAF proxy · KTRI
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KTRI; actual-station=KTRI; fetched-at=2026-10-25T05:28:12.654096+00:00
- FAA NMS NOTAM — state=OK; requested-station=KTRI; actual-station=KTRI; fetched-at=2026-10-25T05:28:18.166276Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KTRI; actual-station=KTRI; fetched-at=2026-10-25T05:28:41.499362+00:00; observed-or-issued-at=2026-10-25T00:00:00+00:00; valid-from=2026-10-25T06:00:00+00:00; valid-through=2026-10-28T00:00:00+00:00; target-dates=2026-10-25,2026-10-26; dates-with-points=2026-10-25,2026-10-26 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KTRI; actual-station=KTRI; fetched-at=2026-10-25T05:28:42.106959+00:00; observed-or-issued-at=2026-10-24T12:00:00+00:00; valid-from=2026-10-25T12:00:00+00:00; valid-through=2026-11-01T12:00:00+00:00; target-dates=2026-10-25,2026-10-26; dates-with-points=2026-10-25,2026-10-26 — Iowa State API
- MOS effective date selection — state=partial; rows=16; requested-station=KTRI; actual-station=KTRI; fetched-at=2026-10-25T05:28:41.499362+00:00; observed-or-issued-at=2026-10-25T00:00:00+00:00; valid-from=2026-10-25T06:00:00+00:00; valid-through=2026-10-28T00:00:00+00:00; target-dates=2026-10-25,2026-10-26; dates-with-points=2026-10-25,2026-10-26; selected-by-date=2026-10-25=GFS, 2026-10-26=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#9 **KROA** **Roanoke Rgnl, VA, US** · Mountain · Roanoke valley

OBS - VFR

ETE **1h56**

DIST **279 nm**

SAT 24 OCT 23:54 ET OBSERVED

Current observation

OBS - VFR

OBSER

METAR

clear below 12,000 ft (CLR)

WIND **calm**

TEMPERATURE **6 °C**

VISIBILITY **10 sm**

DEWPOINT **4 °C**

Evidence & limitations

- METAR source state: ok; observed Oct 24 23:54 ET; retrieved Oct 25 01:28 ET; 94 min before this run.
- Measured values read from the KROA METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.55 inHg.

• The complete raw METAR remains in this airport's Raw products disclosure.

DESTINATION OUTLOOK

SUN, OCT 25

SUN 25 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 25 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 25 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 25 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 25

00:00–06:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 26

MON 26 OCT 00:00–06:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 1–3 kt

TEMPERATURE 51–58 °F

DEWPOINT 43–44 °F

PRECIP CHANCE 0%

Evidence & limitations

- GFS MAV MOS · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 26 OCT 06:00–12:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 1–2 kt

TEMPERATURE 46–48 °F

DEWPOINT 41–42 °F

PRECIP CHANCE 0%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 26 OCT 12:00–18:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 2–3 kt

TEMPERATURE 46–60 °F

DEWPOINT 41–43 °F

PRECIP CHANCE 1%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 26 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 5 kt

TEMPERATURE 70–72 °F

DEWPOINT 41–42 °F

PRECIP CHANCE 0%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 26

00:00–06:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+048 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
12°C dep KLZU → 6°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
06/24 (060/240°M · 051/231°T) · 16/34 (160/340°M · 151/331°T) — designators and °M headings are magnetic; °T are true; variation 9°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs
FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 3 Act on 3 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

ed 2026-10-25T05:28:18.268676Z.

tes whether it is permanent or simply not supplied) — continues past this window

RI OCT 23 | SAT OCT 24 | SUN OCT 25 | MON OCT 26



34 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 05:28 Z

NOTAMs as of 05:28 Z — advisory only; verify an official briefing.

10/013

NOTAM text not available in this projection.

A1219/26

NOTAM text not available in this projection.

10/015

NOTAM text not available in this projection.

A1222/26

NOTAM text not available in this projection.

A1300/26

NOTAM text not available in this projection.

A1301/26

NOTAM text not available in this projection.

A1309/26

NOTAM text not available in this projection.

10/063

NOTAM text not available in this projection.

A1302/26

NOTAM text not available in this projection.

09/077

NOTAM text not available in this projection.

09/078

NOTAM text not available in this projection.

09/079

NOTAM text not available in this projection.

09/080

NOTAM text not available in this projection.

09/081

NOTAM text not available in this projection.

09/082

NOTAM text not available in this projection.

09/083

NOTAM text not available in this projection.

09/084

NOTAM text not available in this projection.

09/085

NOTAM text not available in this projection.

A1307/26

NOTAM text not available in this projection.

A1308/26

NOTAM text not available in this projection.

5/6949

NOTAM text not available in this projection.

A0691/25

NOTAM text not available in this projection.

09/074

NOTAM text not available in this projection.

A1193/26

NOTAM text not available in this projection.

08/074

NOTAM text not available in this projection.

08/075

NOTAM text not available in this projection.

08/076

NOTAM text not available in this projection.

09/088

NOTAM text not available in this projection.

A1201/26

NOTAM text not available in this projection.

10/008

NOTAM text not available in this projection.

10/009

NOTAM text not available in this projection.

A1214/26

NOTAM text not available in this projection.

10/041

NOTAM text not available in this projection.

A1299/26

NOTAM text not available in this projection.

10/068

NOTAM text not available in this projection.

A1310/26

NOTAM text not available in this projection.

09/056

NOTAM text not available in this projection.

A1162/26

NOTAM text not available in this projection.

A1306/26

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

026-10-25T05:28:18.268676Z.

OMMISSIONED

xpiry published

COMMISSIONED

xpiry published

OMMISSIONED

xpiry published

OMMISSIONED

xpiry published

RUNWAY

Effective 2026-10-22T09:55:00Z → 2026-10-25T09:55:00Z

34 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KROA this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
S · 00:00–06:00 ET ET · VFR
S · 06:00–12:00 ET ET · VFR

- **Mon, Oct 26 · 12:00–18:00 ET**: GFS MAV MOS · 12:00–18:00 ET ET · VFR
- **Mon, Oct 26 · 18:00–00:00 ET**: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-25=GFS, 2026-10-26=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-25 06:00	42	Clear	100/2kt	—	>10kft	>6SM
GFS	2026-10-25 09:00	40	Clear	10/2kt	—	>10kft	>6SM
GFS	2026-10-25 12:00	40	Few	40/2kt	0.0	>10kft	>6SM
GFS	2026-10-25 15:00	54	Few	120/3kt	—	>10kft	>6SM
GFS	2026-10-25 18:00	64	Clear	110/5kt	0.0	>10kft	>6SM
GFS	2026-10-25 21:00	66	Clear	120/5kt	—	>10kft	>6SM
GFS	2026-10-26 00:00	58	Clear	110/3kt	0.0	>10kft	>6SM
GFS	2026-10-26 03:00	51	Clear	330/1kt	—	>10kft	>6SM
GFS	2026-10-26 06:00	48	Clear	360/1kt	0.0	>10kft	>6SM

GFS	2026-10-26 09:00	46	Clear	320/2kt	—	>10kft	6SM
GFS	2026-10-26 12:00	46	Clear	320/2kt	1.0	>10kft	>6SM
GFS	2026-10-26 15:00	60	Clear	290/3kt	—	>10kft	>6SM
GFS	2026-10-26 18:00	70	Clear	310/5kt	0.0	>10kft	>6SM
GFS	2026-10-26 21:00	72	Clear	350/5kt	—	>10kft	>6SM
GFS	2026-10-27 00:00	63	Clear	20/3kt	1.0	>10kft	>6SM
GFS	2026-10-27 03:00	56	Clear	320/1kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KROA 250354Z 00000KT 10SM CLR 06/04 A3055 RMK SLP348 T00610044

TAF KROA 242328Z 2500/2524 13005KT P6SM SKC FM250500 03002KT P6SM FEW040 FM252000 10004KT P6SM SKC
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KROA; actual-station=KROA; fetched-at=2026-10-25T05:28:09.660797+00:00; observed-or-issued-at=2026-10-25T03:54:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KROA; actual-station=KROA; fetched-at=2026-10-25T05:28:11.928181+00:00; observed-or-issued-at=2026-10-24T23:28:00+00:00; valid-from=2026-10-25T00:00:00+00:00; valid-through=2026-10-26T00:00:00+00:00; partial-target-dates=2026-10-24,2026-10-25 — AWC API

  TAF proxy · KROA
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KROA; actual-station=KROA; fetched-at=2026-10-25T05:28:12.396032+00:00
- FAA NMS NOTAM — state=OK; requested-station=KROA; actual-station=KROA; fetched-at=2026-10-25T05:28:18.268676Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KROA; actual-station=KROA; fetched-at=2026-10-25T05:28:41.520506+00:00; observed-or-issued-at=2026-10-25T00:00:00+00:00; valid-from=2026-10-25T06:00:00+00:00; valid-through=2026-10-28T00:00:00+00:00; target-dates=2026-10-25,2026-10-26; dates-with-points=2026-10-25,2026-10-26 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KROA; actual-station=KROA; fetched-at=2026-10-25T05:28:42.097064+00:00; observed-or-issued-at=2026-10-24T12:00:00+00:00; valid-from=2026-10-25T12:00:00+00:00; valid-through=2026-11-01T12:00:00+00:00; target-dates=2026-10-25,2026-10-26; dates-with-points=2026-10-25,2026-10-26 — Iowa State API
- MOS effective date selection — state=partial; rows=16; requested-station=KROA; actual-station=KROA; fetched-at=2026-10-25T05:28:41.520506+00:00; observed-or-issued-at=2026-10-25T00:00:00+00:00; valid-from=2026-10-25T06:00:00+00:00; valid-through=2026-10-28T00:00:00+00:00; target-dates=2026-10-25,2026-10-26; dates-with-points=2026-10-25,2026-10-26; selected-by-date=2026-10-25=GFS, 2026-10-26=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#10 **KSGJ** **St Augustine Arpt, FL, US** · Atlantic South · St Augustine FL

OBS - VFR

ETE 1h55

DIST 276 nm

SAT 24 OCT 23:47 ET OBSERVED

Current observation

METAR

OBS - VFR

OBSER

few 3,000 ft, overcast 4,000 ft

WIND **NE (50°) 18 kt gust 26 kt**

TEMPERATURE **23 °C**

VISIBILITY **10 sm**

DEWPOINT **19 °C**



Wind favours RWY 06

050° true · 057° magnetic · 18G26 kt

Evidence & limitations

- METAR source state: ok; observed Oct 24 23:47 ET; retrieved Oct 25 01:28 ET; 101 min before this run.
- Measured values read from the KSGJ METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.18 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KSGJ runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 13/31, 06/24, 02/20. Seaplane water lanes (17W, 35W, 18W, 36W, 12W and 30W) are excluded from the diagram and are never marked as favoured. Wind from 050 degrees true, 057 degrees magnetic, at 18 knots gusting 26 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 06. Wind source: KSGJ METAR 250347Z.

DESTINATION OUTLOOK

SUN, OCT 25

SUN 25 OCT 00:00–06:00 ET HIGH

Forecast TAF

Flight-category guidance

TAF · VFR

FORECAST

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 25 OCT 06:00–12:00 ET HIGH

Forecast TAF

Flight-category guidance

TAF · MVFR

FORECAST

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 25 OCT 12:00–18:00 ET HIGH

Forecast TAF

Flight-category guidance

TAF · MVFR

FORECAST

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 25 OCT 18:00–00:00 ET HIGH

Forecast TAF

Flight-category guidance

TAF · MVFR

FORECAST

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 25

00:00–06:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 26

MON 26 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 26 OCT 06:00–12:00 ET MEDIUM

Forecast GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 18 kt

TEMPERATURE 73–74 °F

DEWPOINT 64 °F

PRECIP CHANCE 32%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 26 OCT 12:00–18:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 19–20 kt

TEMPERATURE 73–75 °F

DEWPOINT 65 °F

PRECIP CHANCE 18%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 26 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 19–20 kt

TEMPERATURE 72–74 °F

DEWPOINT 63–65 °F

PRECIP CHANCE 14%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 26

00:00–06:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+048 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
12°C dep KLZU → 23°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
13/31 (130/310°M · 123/303°T) · 06/24 (060/240°M · 053/233°T) · 02/20 (020/200°M · 013/193°T) · 17W/35W (170/350°M · 163/343°T · water lane, not wind-favored) · 18W/36W (180/000°M · 173/353°T · water lane, not wind-favored) · 12W/30W (120/300°M · 113/293°T · water lane, not wind-favored) — designators and °M headings are magnetic; °T are true; variation 7°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs
FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 6 Act on 2 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What 3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this

ed 2026-10-25T05:28:18.310470Z.

oritative) » = no published end (each row states whether it is permanent or simply not supplied) — continues past this window

RI OCT 23 | SAT OCT 24 | SUN OCT 25 | MON OCT 26

source was read this run; technical environment: preprod.



10 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 05:28 Z

NOTAMs as of 05:28 Z — advisory only; verify an official briefing.

10/007

NOTAM text not available in this projection.

10/019

NOTAM text not available in this projection.

10/020

NOTAM text not available in this projection.

5/0380

NOTAM text not available in this projection.

12/004

NOTAM text not available in this projection.

6/6168

NOTAM text not available in this projection.

06/017

NOTAM text not available in this projection.

08/008

NOTAM text not available in this projection.

09/001

NOTAM text not available in this projection.

09/004

NOTAM text not available in this projection.

10/003

NOTAM text not available in this projection.

10/005

NOTAM text not available in this projection.

10/011

NOTAM text not available in this projection.

10/016

NOTAM text not available in this projection.

10/015

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

026-10-25T05:28:18.310470Z.

:00Z

:00Z

:00Z

AREA REDUCED SE SIDE TIDAL WATER

AST FLORIDA RGNL: ST AUGUSTINE, FL. RNAV (GPS) RWY 13 ORIG-F... UNOFFICIAL DA 295/HAT 285 ALS OUT. CIRCLING CAT C MDA 600/HAA 570. LNAV CAT C

RWY 13 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. STRAIGHT-IN MINIMUMS NA AT NIGHT. CIRCLING RWY 2, 6 NA AT NIGHT.

Effective 2025-09-09T18:42:00Z → 2027-09-09T23:59:00Z

NAV_APPROACH 12/004 — NAV VOR/DME DECOMMISSIONED

Effective 2025-12-04T15:30:00Z → Permanent — no expiry published

10 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

weather, and they never change a flight category. NOTAMs were read for KSGJ this run.

no-go here is derived from an image. A published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

:00 ET ET · VFR
:00 ET ET · MVFR
:00 ET ET · MVFR
:00 ET ET · MVFR

- **Mon, Oct 26 · 00:00–06:00 ET**: TAF · 00:00–06:00 ET ET · MVFR
- **Mon, Oct 26 · 06:00–12:00 ET**: GFS MAV MOS · 06:00–12:00 ET ET · VFR
- **Mon, Oct 26 · 12:00–18:00 ET**: GFS MAV MOS · 12:00–18:00 ET ET · VFR
- **Mon, Oct 26 · 18:00–00:00 ET**: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-25=GFS, 2026-10-26=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-25 06:00	70	Ovc	30/15kt	—	5-10kft	3-5SM
GFS	2026-10-25 09:00	70	Ovc	30/16kt	—	5-10kft	>6SM
GFS	2026-10-25 12:00	71	Bkn	30/17kt	27.0	5-10kft	>6SM
GFS	2026-10-25 15:00	75	Bkn	30/19kt	—	5-10kft	>6SM
GFS	2026-10-25 18:00	75	Bkn	20/20kt	16.0	5-10kft	>6SM
GFS	2026-10-25 21:00	74	Ovc	30/20kt	—	3-5kft	6SM
GFS	2026-10-26 00:00	74	Ovc	40/26kt	39.0	5-10kft	6SM
GFS	2026-10-26 03:00	75	Ovc	50/23kt	—	5-10kft	>6SM
GFS	2026-10-26 06:00	74	Bkn	50/18kt	32.0	5-10kft	>6SM
GFS	2026-10-26 09:00	73	Clear	40/18kt	—	5-10kft	>6SM
GFS	2026-10-26 12:00	73	Few	40/19kt	18.0	5-10kft	>6SM
GFS	2026-10-26 15:00	75	Bkn	30/20kt	—	5-10kft	>6SM
GFS	2026-10-26 18:00	74	Bkn	30/20kt	14.0	5-10kft	>6SM
GFS	2026-10-26 21:00	72	Bkn	30/19kt	—	5-10kft	>6SM
GFS	2026-10-27 00:00	71	Sct	40/18kt	17.0	5-10kft	>6SM
GFS	2026-10-27 03:00	72	Clear	40/18kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
SPECI KSGJ 250347Z 05018G26KT 10SM FEW030 OVC040 23/19 A3018 RMK AO2 PK WND 05026/0343 WSHFT 0327 RAE30 P0002 $

TAF KSGJ 250520Z 2506/2606 04017G25KT P6SM VCSH OVC035 FM251500 02023G29KT P6SM -SHRA SCT020 OVC035 PROB30 2518/2522 4SM -SHRA BKN025
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KSGJ; actual-station=KSGJ; fetched-at=2026-10-25T05:28:09.660797+00:00; observed-or-issued-at=2026-10-25T03:47:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KSGJ; actual-station=KSGJ; fetched-at=2026-10-25T05:28:11.928181+00:00; observed-or-issued-at=2026-10-25T05:20:00+00:00; valid-from=2026-10-25T06:00:00+00:00; valid-through=2026-10-26T06:00:00+00:00; partial-target-dates=2026-10-25,2026-10-26 — AWC API

  TAF proxy · KSGJ
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KSGJ; actual-station=KSGJ; fetched-at=2026-10-25T05:28:12.724471+00:00
- FAA NMS NOTAM — state=OK; requested-station=KSGJ; actual-station=KSGJ; fetched-at=2026-10-25T05:28:18.310470Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KSGJ; actual-station=KSGJ; fetched-at=2026-10-25T05:28:41.678345+00:00; observed-or-issued-at=2026-10-25T00:00:00+00:00; valid-from=2026-10-25T06:00:00+00:00; valid-through=2026-10-28T00:00:00+00:00; target-dates=2026-10-25,2026-10-26; dates-with-points=2026-10-25,2026-10-26 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KSGJ; actual-station=KSGJ; fetched-at=2026-10-25T05:28:42.209061+00:00; observed-or-issued-at=2026-10-25T00:00:00+00:00; valid-from=2026-10-26T00:00:00+00:00; valid-through=2026-11-02T00:00:00+00:00; target-dates=2026-10-26; partial-target-dates=2026-10-25; dates-with-points=2026-10-25,2026-10-26 — Iowa State API
- MOS effective date selection — state=partial; rows=16; requested-station=KSGJ; actual-station=KSGJ; fetched-at=2026-10-25T05:28:41.678345+00:00; observed-or-issued-at=2026-10-25T00:00:00+00:00; valid-from=2026-10-25T06:00:00+00:00; valid-through=2026-10-28T00:00:00+00:00; target-dates=2026-10-25,2026-10-26; dates-with-points=2026-10-25,2026-10-26; selected-by-date=2026-10-25=GFS, 2026-10-26=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#11 **KCRG** **Jacksonville/Executive at Craig Arpt, FL, US** · Atlantic North · Jacksonville Exec

OBS - VFR

ETE 1h45

DIST 252 nm

SAT 24 OCT 23:53 ET OBSERVED

Current observation METAR

OBS - VFR

OBSER

few 3,500 ft, broken 4,200 ft, overcast 5,500 ft

WIND **NE (40°) 13 kt gust 27 kt**

TEMPERATURE **22 °C**

VISIBILITY **8 sm**

DEWPOINT 19 °C



Wind favours RWY 05

040° true · 047° magnetic · 13G27 kt

Evidence & limitations

- METAR source state: ok; observed Oct 24 23:53 ET; retrieved Oct 25 01:28 ET; 95 min before this run.
- Measured values read from the KCRG METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.20 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KCRG runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 14/32, 05/23. Wind from 040 degrees true, 047 degrees magnetic, at 13 knots gusting 27 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 05. Wind source: KCRG METAR 250353Z.

DESTINATION OUTLOOK

SUN, OCT 25

SUN 25 OCT 00:00–06:00 ET HIGH

Forecast TAF

Flight-category guidance

TAF · VFR

FORECAST

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 25 OCT 06:00–12:00 ET HIGH

Forecast TAF

Flight-category guidance

TAF · MVFR

FORECAST

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 25 OCT 12:00–18:00 ET HIGH

Forecast TAF

Flight-category guidance

TAF · MVFR

FORECAST

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 25 OCT 18:00–00:00 ET HIGH

Forecast TAF

Flight-category guidance

TAF · MVFR

FORECAST

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 25

00:00–06:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 26

MON 26 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 26 OCT 06:00–12:00 ET MEDIUM

Forecast GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 12–13 kt

TEMPERATURE 69–70 °F

DEWPOINT 62 °F

PRECIP CHANCE 24%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 26 OCT 12:00–18:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 13–16 kt

TEMPERATURE 69–74 °F

DEWPOINT 62–63 °F

PRECIP CHANCE 15%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 26 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 16–18 kt

TEMPERATURE 72–74 °F

DEWPOINT 63 °F

PRECIP CHANCE 10%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 26

00:00–06:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+048 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
12°C dep KLZU → 22°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
14/32 (140/320°M · 133/313°T) · 05/23 (050/230°M · 043/223°T) — designators and °M headings are magnetic; °T are true; variation 7°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs
FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)
3 Act on

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What
3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

ed 2026-10-25T05:28:18.348865Z.
oritative)

RI OCT 23 | SAT OCT 24 | SUN OCT 25 | MON OCT 26

A0335/26	
A0334/26	
6/8452	

18 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 05:28 Z

NOTAMs as of 05:28 Z — advisory only; verify an official briefing.

10/009

NOTAM text not available in this projection.

A0316/26

NOTAM text not available in this projection.

A0335/26

NOTAM text not available in this projection.

A0334/26

NOTAM text not available in this projection.

6/8452

NOTAM text not available in this projection.

A0170/26

NOTAM text not available in this projection.

6/9357

NOTAM text not available in this projection.

6/9358

NOTAM text not available in this projection.

A0189/26

NOTAM text not available in this projection.

A0190/26

NOTAM text not available in this projection.

12/015

NOTAM text not available in this projection.

A0332/25

NOTAM text not available in this projection.

02/057

NOTAM text not available in this projection.

09/013

NOTAM text not available in this projection.

09/014

NOTAM text not available in this projection.

09/016

NOTAM text not available in this projection.

09/019

NOTAM text not available in this projection.

10/008

NOTAM text not available in this projection.

10/024

NOTAM text not available in this projection.

10/025

NOTAM text not available in this projection.

10/028

NOTAM text not available in this projection.

A0336/26

NOTAM text not available in this projection.

10/027

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

NAV_APPROACH

Effective 2026-05-06T18:55:00Z → 2028-05-06T18:55:00Z

18 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KCRG this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · VFR
:00 ET ET · MVFR
:00 ET ET · MVFR
:00 ET ET · MVFR
:00 ET ET · MVFR
S · 06:00–12:00 ET ET · VFR
• **Mon, Oct 26 · 12:00–18:00 ET**: GFS MAV MOS · 12:00–18:00 ET ET · VFR
• **Mon, Oct 26 · 18:00–00:00 ET**: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-25=GFS, 2026-10-26=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-25 06:00	70	Ovc	40/15kt	—	5-10kft	3-5SM
GFS	2026-10-25 09:00	70	Ovc	30/15kt	—	5-10kft	>6SM
GFS	2026-10-25 12:00	70	Ovc	20/14kt	21.0	5-10kft	>6SM
GFS	2026-10-25 15:00	73	Bkn	30/15kt	—	5-10kft	>6SM
GFS	2026-10-25 18:00	73	Bkn	30/20kt	13.0	5-10kft	>6SM
GFS	2026-10-25 21:00	71	Ovc	30/18kt	—	5-10kft	>6SM
GFS	2026-10-26 00:00	70	Ovc	40/18kt	32.0	5-10kft	>6SM

GFS	2026-10-26 03:00	71	Bkn	30/16kt	—	5-10kft	>6SM
GFS	2026-10-26 06:00	70	Sct	40/13kt	24.0	>10kft	>6SM
GFS	2026-10-26 09:00	69	Bkn	20/12kt	—	>10kft	>6SM
GFS	2026-10-26 12:00	69	Bkn	20/13kt	15.0	5-10kft	>6SM
GFS	2026-10-26 15:00	74	Bkn	30/16kt	—	5-10kft	>6SM
GFS	2026-10-26 18:00	74	Bkn	30/18kt	10.0	5-10kft	>6SM
GFS	2026-10-26 21:00	72	Bkn	30/16kt	—	5-10kft	>6SM
GFS	2026-10-27 00:00	70	Clear	30/11kt	8.0	>10kft	>6SM
GFS	2026-10-27 03:00	68	Clear	30/10kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KCRG 250353Z 04013G27KT 8SM FEW035 BKN042 OVC055 22/19 A3020 RMK AO2 PK WND 04027/0346 RAE04 SLP226 P0000 T02170189

TAF KCRG 250520Z 2506/2606 03013G23KT P6SM SCT020 BKN035 FM251500 03018G28KT P6SM VCSH SCT020 BKN035 PROB30 2518/2522 4SM -SHRA BKN025
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KCRG; actual-station=KCRG; fetched-at=2026-10-25T05:28:09.660797+00:00; observed-or-issued-at=2026-10-25T03:53:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KCRG; actual-station=KCRG; fetched-at=2026-10-25T05:28:11.928181+00:00; observed-or-issued-at=2026-10-25T05:20:00+00:00; valid-from=2026-10-25T06:00:00+00:00; valid-through=2026-10-26T06:00:00+00:00; partial-target-dates=2026-10-25,2026-10-26 — AWC API

  TAF proxy · KCRG
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KCRG; actual-station=KCRG; fetched-at=2026-10-25T05:28:12.636725+00:00
- FAA NMS NOTAM — state=OK; requested-station=KCRG; actual-station=KCRG; fetched-at=2026-10-25T05:28:18.348865Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KCRG; actual-station=KCRG; fetched-at=2026-10-25T05:28:41.730743+00:00; observed-or-issued-at=2026-10-25T00:00:00+00:00; valid-from=2026-10-25T06:00:00+00:00; valid-through=2026-10-28T00:00:00+00:00; target-dates=2026-10-25,2026-10-26; dates-with-points=2026-10-25,2026-10-26 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KCRG; actual-station=KCRG; fetched-at=2026-10-25T05:28:42.218727+00:00; observed-or-issued-at=2026-10-25T00:00:00+00:00; valid-from=2026-10-26T00:00:00+00:00; valid-through=2026-11-02T00:00:00+00:00; target-dates=2026-10-26; partial-target-dates=2026-10-25; dates-with-points=2026-10-25,2026-10-26 — Iowa State API
- MOS effective date selection — state=partial; rows=16; requested-station=KCRG; actual-station=KCRG; fetched-at=2026-10-25T05:28:41.730743+00:00; observed-or-issued-at=2026-10-25T00:00:00+00:00; valid-from=2026-10-25T06:00:00+00:00; valid-through=2026-10-28T00:00:00+00:00; target-dates=2026-10-25,2026-10-26; dates-with-points=2026-10-25,2026-10-26; selected-by-date=2026-10-25=GFS, 2026-10-26=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#12 **KFIN** **Palm Coast/Flagler Exec, FL, US** · Atlantic South · Flagler Exec FL

OBS - MVFR

ETE 2h03

DIST 295 nm

SAT 24 OCT 23:35 ET OBSERVED

Current observation METAR

OBS - MVFR

OBSE

scattered 4,800 ft, broken 5,500 ft, overcast 10,000 ft

WIND **NE (30°) 8 kt gust 16 kt**

TEMPERATURE **20 °C**

VISIBILITY **5 sm**

DEWPOINT **19 °C**



Wind favours RWY 06

030° true · 037° magnetic · 8G16 kt

Evidence & limitations

- METAR source state: ok; observed Oct 24 23:35 ET; retrieved Oct 25 01:28 ET; 113 min before this run.
- Measured values read from the KFIN METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.15 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KFIN runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 11/29, 06/24. Seaplane water lanes (18W and 36W) are excluded from the diagram and are never marked as favoured. Wind from 030 degrees true, 037 degrees magnetic, at 8 knots gusting 16 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 06. Wind source: KFIN METAR 250335Z.

DESTINATION OUTLOOK

SUN, OCT 25

SUN 25 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 25 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 25 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 25 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 25

00:00–06:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 26

MON 26 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 26 OCT 06:00–12:00 ET MEDIUM

Forecast GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 10–14 kt

TEMPERATURE 73–74 °F

DEWPOINT 64–65 °F

PRECIP CHANCE 38%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 26 OCT 12:00–18:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 12–17 kt

TEMPERATURE 72–77 °F

DEWPOINT 64–65 °F

PRECIP CHANCE 17%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 26 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 17–19 kt

TEMPERATURE 74–76 °F

DEWPOINT 64–65 °F

PRECIP CHANCE 16%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 26

00:00–06:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+048 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
12°C dep KLZU → 20°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — source state: not_queried

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
11/29 (110/290°M · 103/283°T) · 06/24 (060/240°M · 053/233°T) · 18W/36W (180/000°M · 173/353°T · water lane, not wind-favored) — designators and °M headings are magnetic; °T are true; variation 7°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs
FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What
3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

ed 2026-10-25T05:28:18.539532Z.
oritative)

RI OCT 23 | SAT OCT 24 | SUN OCT 25 | MON OCT 26

10/002	
10/003	
A0048/26	

5 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 05:28 Z

NOTAMs as of 05:28 Z — advisory only; verify an official briefing.

08/004

NOTAM text not available in this projection.

08/007

NOTAM text not available in this projection.

10/002

NOTAM text not available in this projection.

10/003

NOTAM text not available in this projection.

A0048/26

NOTAM text not available in this projection.

10/002

NOTAM text not available in this projection.

10/003

NOTAM text not available in this projection.

10/007

NOTAM text not available in this projection.

09/011

NOTAM text not available in this projection.

A0046/26

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

026-10-25T05:28:18.539532Z.

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains

:00Z

preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

OBSTRUCTION

Effective 2026-10-05T16:15:00.000Z → 2026-11-19T22:13:00.000Z

5 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KFIN this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
· 06:00–12:00 ET ET · VFR
• **Mon, Oct 26 · 12:00–18:00 ET**: GFS MAV MOS · 12:00–18:00 ET ET · VFR
• **Mon, Oct 26 · 18:00–00:00 ET**: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-25=GFS, 2026-10-26=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-25 06:00	70	Ovc	80/15kt	—	5-10kft	>6SM
GFS	2026-10-25 09:00	70	Ovc	70/14kt	—	5-10kft	>6SM

GFS	2026-10-25 12:00	71	Bkn	60/15kt	32.0	5-10kft	>6SM
GFS	2026-10-25 15:00	77	Bkn	40/16kt	—	5-10kft	>6SM
GFS	2026-10-25 18:00	77	Bkn	30/18kt	17.0	5-10kft	>6SM
GFS	2026-10-25 21:00	74	Bkn	30/17kt	—	5-10kft	>6SM
GFS	2026-10-26 00:00	73	Ovc	40/18kt	38.0	5-10kft	>6SM
GFS	2026-10-26 03:00	74	Ovc	60/17kt	—	5-10kft	>6SM
GFS	2026-10-26 06:00	74	Ovc	60/14kt	38.0	5-10kft	>6SM
GFS	2026-10-26 09:00	73	Sct	50/10kt	—	5-10kft	>6SM
GFS	2026-10-26 12:00	72	Sct	50/12kt	17.0	>10kft	>6SM
GFS	2026-10-26 15:00	77	Bkn	40/17kt	—	5-10kft	>6SM
GFS	2026-10-26 18:00	76	Bkn	40/19kt	16.0	5-10kft	>6SM
GFS	2026-10-26 21:00	74	Bkn	30/17kt	—	5-10kft	>6SM
GFS	2026-10-27 00:00	72	Bkn	30/14kt	22.0	5-10kft	>6SM
GFS	2026-10-27 03:00	72	Few	50/13kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KFIN 250335Z AUTO 03008G16KT 5SM -RA SCT048 BKN055 OVC100 20/19 A3015 RMK AO2 P0004 T02000191

TAF KDAB 250520Z 2506/2606 04016G25KT P6SM VCSH SCT020 BKN035 BKN060 FM251400 03020G30KT P6SM VCSH SCT025 BKN040 FM260000 04023G30KT P6SM VCSH SCT025 BKN035
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KFIN; actual-station=KFIN; fetched-at=2026-10-25T05:28:09.660797+00:00; observed-or-issued-at=2026-10-25T03:35:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KFIN; actual-station=KDAB; fetched-at=2026-10-25T05:28:11.928181+00:00; observed-or-issued-at=2026-10-25T05:20:00+00:00; valid-from=2026-10-25T06:00:00+00:00; valid-through=2026-10-26T06:00:00+00:00; partial-target-dates=2026-10-25,2026-10-26 — AWC API

  TAF proxy · KDAB
- FAA airport status — state=not_queried; fetch-state=not_attempted; payload-state=not_attempted; requested-station=KFIN
- FAA NMS NOTAM — state=OK; requested-station=KFIN; actual-station=KFIN; fetched-at=2026-10-25T05:28:18.539532Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KFIN; actual-station=KFIN; fetched-at=2026-10-25T05:28:41.663337+00:00; observed-or-issued-at=2026-10-25T00:00:00+00:00; valid-from=2026-10-25T06:00:00+00:00; valid-through=2026-10-28T00:00:00+00:00; target-dates=2026-10-25,2026-10-26; dates-with-points=2026-10-25,2026-10-26 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KFIN; actual-station=KFIN; fetched-at=2026-10-25T05:28:42.282768+00:00; observed-or-issued-at=2026-10-25T00:00:00+00:00; valid-from=2026-10-26T00:00:00+00:00; valid-through=2026-11-02T00:00:00+00:00; target-dates=2026-10-26; partial-target-dates=2026-10-25; dates-with-points=2026-10-25,2026-10-26 — Iowa State API
- MOS effective date selection — state=partial; rows=16; requested-station=KFIN; actual-station=KFIN; fetched-at=2026-10-25T05:28:41.663337+00:00; observed-or-issued-at=2026-10-25T00:00:00+00:00; valid-from=2026-10-25T06:00:00+00:00; valid-through=2026-10-28T00:00:00+00:00; target-dates=2026-10-25,2026-10-26; dates-with-points=2026-10-25,2026-10-26; selected-by-date=2026-10-25=GFS, 2026-10-26=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.

• Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#13 **KGKT** **Gatlinburg-Pigeon Forge Arpt, TN, US** · Mountain · Smokies/Gatlinburg

OBS - VFR

ETE 0h50

DIST 114 nm

SAT 24 OCT 23:36 ET OBSERVED

Current observation

OBS - VFR

OBSER

METAR

clear below 12,000 ft (CLR)

WIND calm

TEMPERATURE 8 °C

VISIBILITY 10 sm

DEWPOINT 8 °C

Evidence & limitations

- METAR source state: ok; observed Oct 24 23:36 ET; retrieved Oct 25 01:28 ET; 112 min before this run.
- Measured values read from the KGKT METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.41 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.

DESTINATION OUTLOOK

SUN, OCT 25

SUN 25 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 25 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 25 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 25 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 25

00:00–06:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 26

MON 26 OCT 00:00–06:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 0 kt

TEMPERATURE 51–58 °F

DEWPOINT 47 °F

PRECIP CHANCE 0%

Evidence & limitations

- GFS MAV MOS · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 26 OCT 06:00–12:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 0 kt

TEMPERATURE 44–47 °F

DEWPOINT 43–45 °F

PRECIP CHANCE 1%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 26 OCT 12:00–18:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 0 kt

TEMPERATURE 42–57 °F

DEWPOINT 42–46 °F

PRECIP CHANCE 0%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 26 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 3 kt

TEMPERATURE 69–73 °F

DEWPOINT 43–44 °F

PRECIP CHANCE 0%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 26

00:00–06:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+048 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
6000 ft

CURRENT METAR TEMP DEP / DEST
12°C dep KLZU → 8°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — source state: not_queried

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
10/28 (100/280°M · 093/273°T) — designators and °M headings are magnetic; °T are true; variation 7°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs
FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 4 Act on 2 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

ed 2026-10-25T05:28:18.591427Z.

oritative) » = no published end (each row states whether it is permanent or simply not supplied) — continues past this window

RI OCT 23 | SAT OCT 24 | SUN OCT 25 | MON OCT 26



11 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 05:28 Z

NOTAMs as of 05:28 Z — advisory only; verify an official briefing.

5/5737

NOTAM text not available in this projection.

04/104

NOTAM text not available in this projection.

04/122

NOTAM text not available in this projection.

04/123

NOTAM text not available in this projection.

5/0055

NOTAM text not available in this projection.

5/0067

NOTAM text not available in this projection.

6/4578

NOTAM text not available in this projection.

07/683

NOTAM text not available in this projection.

08/632

NOTAM text not available in this projection.

09/026

NOTAM text not available in this projection.

09/050

NOTAM text not available in this projection.

10/113

NOTAM text not available in this projection.

10/405

NOTAM text not available in this projection.

10/443

NOTAM text not available in this projection.

10/457

NOTAM text not available in this projection.

09/688

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

RUNWAY
Effective 2026-04-07T10:24:00Z → 2027-11-30T19:00:00Z

RUNWAY
Effective 2026-04-07T10:26:00Z → Permanent — no expiry published

NAV_APPROACH
Effective 2025-09-24T20:31:00Z → 2027-09-24T20:31:00Z

11 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air

Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KGKT this run.

no-go here is derived from an image. A published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
S · 00:00–06:00 ET ET · VFR
• **Mon, Oct 26 · 06:00–12:00 ET**: GFS MAV MOS · 06:00–12:00 ET ET · VFR
• **Mon, Oct 26 · 12:00–18:00 ET**: GFS MAV MOS · 12:00–18:00 ET ET · VFR
• **Mon, Oct 26 · 18:00–00:00 ET**: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-25=GFS, 2026-10-26=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-25 06:00	45	Clear	0/0kt	—	>10kft	>6SM
GFS	2026-10-25 09:00	42	Clear	90/1kt	—	>10kft	>6SM
GFS	2026-10-25 12:00	41	Clear	0/0kt	0.0	>10kft	>6SM
GFS	2026-10-25 15:00	55	Clear	80/1kt	—	>10kft	>6SM
GFS	2026-10-25 18:00	65	Clear	20/2kt	0.0	>10kft	>6SM
GFS	2026-10-25 21:00	70	Clear	30/3kt	—	>10kft	>6SM
GFS	2026-10-26 00:00	58	Clear	0/0kt	0.0	>10kft	>6SM
GFS	2026-10-26 03:00	51	Clear	0/0kt	—	>10kft	>6SM
GFS	2026-10-26 06:00	47	Clear	0/0kt	1.0	>10kft	>6SM
GFS	2026-10-26 09:00	44	Clear	0/0kt	—	>10kft	>6SM
GFS	2026-10-26 12:00	42	Clear	0/0kt	0.0	>10kft	>6SM
GFS	2026-10-26 15:00	57	Clear	0/0kt	—	>10kft	>6SM
GFS	2026-10-26 18:00	69	Clear	10/3kt	0.0	>10kft	>6SM
GFS	2026-10-26 21:00	73	Clear	30/3kt	—	>10kft	>6SM
GFS	2026-10-27 00:00	60	Clear	0/0kt	1.0	>10kft	>6SM
GFS	2026-10-27 03:00	53	Clear	0/0kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KGKT 250336Z AUTO 00000KT 10SM CLR 08/08 A3041 RMK A01

TAF KTYS 242325Z 2500/2524 VRB03KT P6SM FEW200
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KGKT; actual-station=KGKT; fetched-at=2026-10-25T05:28:09.660797+00:00; observed-or-issued-at=2026-10-25T03:36:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KGKT; actual-station=KTYS; fetched-at=2026-10-25T05:28:11.928181+00:00; observed-or-issued-at=2026-10-24T23:25:00+00:00; valid-from=2026-10-25T00:00:00+00:00; valid-through=2026-10-26T00:00:00+00:00; partial-target-dates=2026-10-24,2026-10-25 — AWC API

  TAF proxy · KTYS
- FAA airport status — state=not_queried; fetch-state=not_attempted; payload-state=not_attempted; requested-station=KGKT
- FAA NMS NOTAM — state=OK; requested-station=KGKT; actual-station=KGKT; fetched-at=2026-10-25T05:28:18.591427Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KGKT; actual-station=KGKT; fetched-at=2026-10-25T05:28:41.659700+00:00; observed-or-issued-at=2026-10-25T00:00:00+00:00; valid-from=2026-10-25T06:00:00+00:00; valid-through=2026-10-28T00:00:00+00:00; target-dates=2026-10-25,2026-10-26; dates-with-points=2026-10-25,2026-10-26 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KGKT; actual-station=KGKT; fetched-at=2026-10-25T05:28:42.307737+00:00; observed-or-issued-at=2026-10-25T00:00:00+00:00; valid-from=2026-10-26T00:00:00+00:00; valid-through=2026-11-02T00:00:00+00:00; target-dates=2026-10-26; partial-target-dates=2026-10-25; dates-with-points=2026-10-25,2026-10-26 — Iowa State API
- MOS effective date selection — state=partial; rows=16; requested-station=KGKT; actual-station=KGKT; fetched-at=2026-10-25T05:28:41.659700+00:00; observed-or-issued-at=2026-10-25T00:00:00+00:00; valid-from=2026-10-25T06:00:00+00:00; valid-through=2026-10-28T00:00:00+00:00; target-dates=2026-10-25,2026-10-26; dates-with-points=2026-10-25,2026-10-26; selected-by-date=2026-10-25=GFS, 2026-10-26=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#14 **KSHD** **Staunton/Shenandoah Valley Rgnl, VA, US** · Mountain · Shenandoah valley

OBS - VFR

ETE 2h25

DIST 355 nm

SAT 24 OCT 23:35 ET OBSERVED

Current observation

OBS - VFR

METAR

OBSER

clear below 12,000 ft (CLR)

WIND calm

TEMPERATURE 2 °C

VISIBILITY 10 sm

DEWPOINT1 °C

Evidence & limitations

- METAR source state: ok; observed Oct 24 23:35 ET; retrieved Oct 25 01:28 ET; 113 min before this run.
- Measured values read from the KSHD METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.57 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.

DESTINATION OUTLOOK

SUN, OCT 25

SUN 25 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 25 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 25 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 25 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 25

00:00–06:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 26

MON 26 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 26 OCT 06:00–12:00 ET MEDIUM

Forecast GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 0 kt

TEMPERATURE 36–39 °F

DEWPOINT 35–38 °F

PRECIP CHANCE 0%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 26 OCT 12:00–18:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 0–1 kt

TEMPERATURE 35–57 °F

DEWPOINT 35–43 °F

PRECIP CHANCE 1%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 26 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 2–3 kt

TEMPERATURE 70–71 °F

DEWPOINT 41–42 °F

PRECIP CHANCE 0%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 26

00:00–06:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+048 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
12°C dep KLZU → 2°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — source state: not_queried

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
05/23 (050/230°M · 040/220°T) — designators and °M headings are magnetic; °T are true; variation 10°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs
FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 4 Act on 2 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What 3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

ed 2026-10-25T05:28:18.671463Z.

RI OCT 23 SAT OCT 24 SUN OCT 25 MON OCT 26

A0138/26				
10/012	*Outside trip window*			
A0141/26	*Outside trip window*			

6 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 05:28 Z

NOTAMs as of 05:28 Z — advisory only; verify an official briefing.

A0142/26

NOTAM text not available in this projection.

10/010

NOTAM text not available in this projection.

A0138/26

NOTAM text not available in this projection.

10/012

NOTAM text not available in this projection.

A0141/26

NOTAM text not available in this projection.

03/004

NOTAM text not available in this projection.

A0068/26

NOTAM text not available in this projection.

5/3811

NOTAM text not available in this projection.

A0196/25

NOTAM text not available in this projection.

07/006

NOTAM text not available in this projection.

A0111/26

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

26-10-25T05:28:18.671463Z.

:00Z

:00Z

:00Z

RUNWAY

Effective 2026-10-30T12:30:00Z → 2026-10-30T20:30:00Z

RUNWAY A0141/26 — RWY 05 ALS OTS

Effective 2026-10-30T12:30:00Z → 2026-10-30T20:30:00Z

6 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KSHD this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · VFR

S · 06:00–12:00 ET ET · VFR

• **Mon, Oct 26 · 12:00–18:00 ET**: GFS MAV MOS · 12:00–18:00 ET ET · VFR

• **Mon, Oct 26 · 18:00–00:00 ET**: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-25=GFS, 2026-10-26=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-25 06:00	35	Clear	0/0kt	—	>10kft	>6SM

GFS	2026-10-25 09:00	33	Clear	0/0kt	—	>10kft	>6SM
GFS	2026-10-25 12:00	33	Clear	0/0kt	0.0	>10kft	>6SM
GFS	2026-10-25 15:00	50	Clear	190/1kt	—	>10kft	>6SM
GFS	2026-10-25 18:00	62	Clear	170/3kt	0.0	>10kft	>6SM
GFS	2026-10-25 21:00	63	Clear	150/3kt	—	>10kft	>6SM
GFS	2026-10-26 00:00	50	Clear	0/0kt	0.0	>10kft	>6SM
GFS	2026-10-26 03:00	42	Clear	0/0kt	—	>10kft	>6SM
GFS	2026-10-26 06:00	39	Clear	0/0kt	0.0	>10kft	>6SM
GFS	2026-10-26 09:00	36	Clear	0/0kt	—	>10kft	>6SM
GFS	2026-10-26 12:00	35	Clear	0/0kt	1.0	>10kft	>6SM
GFS	2026-10-26 15:00	57	Clear	220/1kt	—	>10kft	>6SM
GFS	2026-10-26 18:00	70	Clear	30/2kt	0.0	>10kft	>6SM
GFS	2026-10-26 21:00	71	Clear	100/3kt	—	>10kft	>6SM
GFS	2026-10-27 00:00	56	Clear	350/1kt	1.0	>10kft	>6SM
GFS	2026-10-27 03:00	47	Clear	0/0kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KSHD 250335Z AUTO 00000KT 10SM CLR 02/01 A3057 RMK AO2 T00230006

TAF KCHO 250520Z 2506/2606 03003KT 6SM BR FEW010 FEW035 FM251300 15003KT P6SM FEW050 FEW250
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KSHD; actual-station=KSHD; fetched-at=2026-10-25T05:28:09.660797+00:00; observed-or-issued-at=2026-10-25T03:35:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KSHD; actual-station=KCHO; fetched-at=2026-10-25T05:28:11.928181+00:00; observed-or-issued-at=2026-10-25T05:20:00+00:00; valid-from=2026-10-25T06:00:00+00:00; valid-through=2026-10-26T06:00:00+00:00; partial-target-dates=2026-10-25,2026-10-26 — AWC API

  TAF proxy · KCHO
- FAA airport status — state=not_queried; fetch-state=not_attempted; payload-state=not_attempted; requested-station=KSHD
- FAA NMS NOTAM — state=OK; requested-station=KSHD; actual-station=KSHD; fetched-at=2026-10-25T05:28:18.671463Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KSHD; actual-station=KSHD; fetched-at=2026-10-25T05:28:41.647387+00:00; observed-or-issued-at=2026-10-25T00:00:00+00:00; valid-from=2026-10-25T06:00:00+00:00; valid-through=2026-10-28T00:00:00+00:00; target-dates=2026-10-25,2026-10-26; dates-with-points=2026-10-25,2026-10-26 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KSHD; actual-station=KSHD; fetched-at=2026-10-25T05:28:42.273225+00:00; observed-or-issued-at=2026-10-25T00:00:00+00:00; valid-from=2026-10-26T00:00:00+00:00; valid-through=2026-11-02T00:00:00+00:00; target-dates=2026-10-26; partial-target-dates=2026-10-25; dates-with-points=2026-10-25,2026-10-26 — Iowa State API
- MOS effective date selection — state=partial; rows=16; requested-station=KSHD; actual-station=KSHD; fetched-at=2026-10-25T05:28:41.647387+00:00; observed-or-issued-at=2026-10-25T00:00:00+00:00; valid-from=2026-10-25T06:00:00+00:00; valid-through=2026-10-28T00:00:00+00:00; target-dates=2026-10-25,2026-10-26; dates-with-points=2026-10-25,2026-10-26; selected-by-date=2026-10-25=GFS, 2026-10-26=GFS

• Extended outlook and hazard-feed states are reported in the source stamp.
• Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#15 **KECP** **Panama City/NW Florida Beaches Intl, FL, US** · Gulf East · Panama City Beach

OBS - VFR

ETE 1h38

DIST 237 nm

SAT 24 OCT 23:53 ET OBSERVED

Current observation

OBS - VFR

OBSER

METAR

clear below 12,000 ft (CLR)

WIND N (20°) 7 kt

TEMPERATURE 17 °C

VISIBILITY 10 sm

DEWPOINT 9 °C



Wind favours RWY 34
020° true · 023° magnetic · 7 kt

Evidence & limitations

• METAR source state: ok; observed Oct 24 23:53 ET; retrieved Oct 25 01:28 ET; 95 min before this run.
• Measured values read from the KECP METAR. This is a current surface observation only; it is not a forecast.
• Only fields decoded from this METAR are shown; every missing field remains unavailable.
• Altimeter: 30.27 inHg.
• The complete raw METAR remains in this airport's Raw products disclosure.
• KECP runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 16/34. Wind from 020 degrees true, 023 degrees magnetic, at 7 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 34. Wind source: KECP METAR 250353Z.

DESTINATION OUTLOOK

SUN, OCT 25

SUN 25 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 25 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 25 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 25 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 25

00:00–06:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 26

MON 26 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 26 OCT 06:00–12:00 ET MEDIUM

Forecast GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 5–7 kt

TEMPERATURE 59–61 °F

DEWPOINT 51 °F

PRECIP CHANCE 0%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 26 OCT 12:00–18:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 7–12 kt

TEMPERATURE 59–70 °F

DEWPOINT 52–55 °F

PRECIP CHANCE 3%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 26 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 8–10 kt

TEMPERATURE 78–80 °F

DEWPOINT 51–53 °F

PRECIP CHANCE 2%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 26

00:00–06:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+048 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
6000 ft

CURRENT METAR TEMP DEP / DEST
12°C dep KLZU → 17°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
16/34 (160/340°M · 157/337°T) — designators and °M headings are magnetic; °T are true; variation 3°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 4 Act on 1 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What 3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

ed 2026-10-25T05:28:18.719098Z.

oritative)

RI OCT 23 | SAT OCT 24 | SUN OCT 25 | MON OCT 26



9 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 05:28 Z

NOTAMs as of 05:28 Z — advisory only; verify an official briefing.

07/022

NOTAM text not available in this projection.

A0129/26

NOTAM text not available in this projection.

6/0313

NOTAM text not available in this projection.

A0153/26

NOTAM text not available in this projection.

A0209/26

NOTAM text not available in this projection.

08/033

NOTAM text not available in this projection.

09/003

NOTAM text not available in this projection.

A0152/26

NOTAM text not available in this projection.

09/027

NOTAM text not available in this projection.

09/035

NOTAM text not available in this projection.

10/008

NOTAM text not available in this projection.

10/041

NOTAM text not available in this projection.

10/042

NOTAM text not available in this projection.

10/045

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

1 …026-10-25T05:28:18.719098Z.

… RAMP WIP CONST ADJ W EDGE BARRICADED

…:00Z

… RAMP WIP CONST ADJ W EDGE BARRICADED

…:00Z

…EST FLORIDA BEACHES INTL, PANAMA CITY, FL. ILS OR LOC RWY 16, AMDT 2E... RNAV (GPS) RWY 16, AMDT 2A... RNAV (GPS) RWY 34, AMDT 2B... CIRCLING... TEMP CRANE 289 MSL 1513FT SW OF ECP AIRPORT (2025-ASO-11517-NRA)...

…:00Z

…NWEST FLORIDA BEACHES INTL, PANAMA CITY, FL. ILS OR LOC RWY 16, AMDT 2E... RNAV (GPS) RWY 16, AMDT 2A... RNAV (GPS) RWY 34, AMDT 2B... CIRCLING... TEMP CRANE 289 MSL 1513FT SW OF ECP AIRPORT (2025-ASO-11517-NRA)...

Effective 2026-09-02T17:00:00Z → 2027-01-15T16:23:00Z

NAV_APPROACH …A0209/26 … A0209/26 NOTAMC A0209/26 Q) KZJX/QPIXX/IV/NBO/A/000/999/3021N08547W005 A) KECP B) 2610242210 E) IAP NORTHWEST FLORIDA BEACHES INTL, PANAMA CITY, FL. ILS OR LOC RWY 1… CANCELED

Effective 2026-10-24T22:19:00Z → 2026-10-27T22:19:00Z

9 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KECP this run.

…ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

…:00 ET ET · VFR

…:00 ET ET · VFR

…:00 ET ET · VFR

…:00 ET ET · VFR

published WPC surface chart matches this

period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

:00 ET ET · VFR

· 06:00–12:00 ET ET · VFR

· 12:00–18:00 ET ET · VFR

• **Mon, Oct 26 · 18:00–00:00 ET**: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-25=GFS, 2026-10-26=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-25 06:00	58	Clear	20/8kt	—	>10kft	>6SM
GFS	2026-10-25 09:00	57	Clear	10/8kt	—	>10kft	>6SM
GFS	2026-10-25 12:00	56	Clear	10/9kt	0.0	>10kft	>6SM
GFS	2026-10-25 15:00	67	Clear	20/13kt	—	>10kft	>6SM
GFS	2026-10-25 18:00	76	Clear	20/14kt	3.0	>10kft	>6SM
GFS	2026-10-25 21:00	80	Clear	10/11kt	—	>10kft	>6SM
GFS	2026-10-26 00:00	71	Clear	360/7kt	1.0	>10kft	>6SM
GFS	2026-10-26 03:00	64	Clear	10/6kt	—	>10kft	>6SM
GFS	2026-10-26 06:00	61	Clear	10/5kt	0.0	>10kft	>6SM
GFS	2026-10-26 09:00	59	Clear	20/7kt	—	>10kft	>6SM
GFS	2026-10-26 12:00	59	Clear	10/7kt	3.0	>10kft	>6SM
GFS	2026-10-26 15:00	70	Clear	20/12kt	—	>10kft	>6SM
GFS	2026-10-26 18:00	78	Clear	20/10kt	2.0	>10kft	>6SM
GFS	2026-10-26 21:00	80	Clear	10/8kt	—	>10kft	>6SM
GFS	2026-10-27 00:00	67	Clear	360/4kt	2.0	>10kft	>6SM
GFS	2026-10-27 03:00	61	Clear	30/4kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KECP 250353Z AUTO 02007KT 10SM CLR 17/09 A3027 RMK AO2 SLP261 T01720089 $

TAF KECP 250520Z 2506/2606 02010KT P6SM SKC FM251500 03012G23KT P6SM SKC FM252300 36010KT P6SM SKC
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KECP; actual-station=KECP; fetched-at=2026-10-25T05:28:09.660797+00:00; observed-or-issued-at=2026-10-25T03:53:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KECP; actual-station=KECP; fetched-at=2026-10-25T05:28:11.928181+00:00; observed-or-issued-at=2026-10-25T05:20:00+00:00; valid-from=2026-10-25T06:00:00+00:00; valid-through=2026-10-26T06:00:00+00:00; partial-target-dates=2026-10-25,2026-10-26 — AWC API

  TAF proxy · KECP
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KECP; actual-station=KECP; fetched-at=2026-10-25T05:28:12.514501+00:00
- FAA NMS NOTAM — state=OK; requested-station=KECP; actual-station=KECP; fetched-at=2026-10-25T05:28:18.719098Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KECP; actual-station=KECP; fetched-at=2026-10-25T05:28:41.655704+00:00; observed-or-issued-at=2026-10-25T00:00:00+00:00; valid-from=2026-10-25T06:00:00+00:00; valid-through=2026-10-28T00:00:00+00:00; target-dates=2026-10-25,2026-10-26; dates-with-points=2026-10-25,2026-10-26 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KECP; actual-station=KECP; fetched-at=2026-10-25T05:28:42.308838+00:00; observed-or-issued-at=2026-10-25T00:00:00+00:00; valid-from=2026-10-26T00:00:00+00:00; valid-through=2026-11-02T00:00:00+00:00; target-dates=2026-10-26; partial-target-dates=2026-10-25; dates-with-points=2026-10-25,2026-10-26 — Iowa State API
- MOS effective date selection — state=partial; rows=16; requested-station=KECP; actual-station=KECP; fetched-at=2026-10-25T05:28:41.655704+00:00; observed-or-issued-at=2026-10-25T00:00:00+00:00; valid-from=2026-10-25T06:00:00+00:00; valid-through=2026-10-28T00:00:00+00:00; target-dates=2026-10-25,2026-10-26; dates-with-points=2026-10-25,2026-10-26; selected-by-date=2026-10-25=GFS, 2026-10-26=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#16 **KPNS** **Pensacola Intl, FL, US** · Gulf East · Pensacola (Class C)

OBS - VFR

ETE **1h51**

DIST **267 nm**

SAT 24 OCT 23:53 ET OBSERVED

Current observation

OBS - VFR

OBSER

METAR

clear below 12,000 ft (CLR)

WIND **NE (30°) 5 kt**

TEMPERATURE **18 °C**

VISIBILITY **10 sm**

DEWPOINT **8 °C**



Wind favours RWY 35

030° true · 032° magnetic · 5 kt · NOTAM-affected: 08 and 26

Evidence & limitations

- METAR source state: ok; observed Oct 24 23:53 ET; retrieved Oct 25 01:28 ET; 95 min before this run.
- Measured values read from the KPNS METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.29 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KPNS runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 17/35, 08/26. Wind from 030 degrees true, 032 degrees magnetic, at 5 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 35. NOTAM-affected runway ends, hatched separately from the wind highlight: 08 and 26. The hatch marks only that a NOTAM names the runway; it does not decode the NOTAM's effective times, so confirm the closure window in the NOTAM text below. Wind source: KPNS METAR 250353Z.

DESTINATION OUTLOOK

SUN, OCT 25

SUN 25 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 25 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 25 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 25 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 25

00:00–06:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 26

MON 26 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 26 OCT 06:00–12:00 ET MEDIUM

Forecast GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 7 kt

TEMPERATURE 63–64 °F

DEWPOINT 52–53 °F

PRECIP CHANCE 0%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 26 OCT 12:00–18:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 8–10 kt

TEMPERATURE 62–69 °F

DEWPOINT 53–55 °F

PRECIP CHANCE 3%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 26 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 9–10 kt

TEMPERATURE 76–77 °F

DEWPOINT 52–53 °F

PRECIP CHANCE 2%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 26

00:00–06:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+048 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
12°C dep KLZU → 18°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
17/35 (170/350°M · 168/348°T) · 08/26 (080/260°M · 078/258°T) — designators and °M headings are magnetic; °T are true; variation 2°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs
FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 19 Act on 6 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What
3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

ed 2026-10-25T05:28:18.838056Z.

RI OCT 23 | SAT OCT 24 | SUN OCT 25 | MON OCT 26

04/047	
A0477/26	
A0478/26	

90 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 05:28 Z

NOTAMs as of 05:28 Z — advisory only; verify an official briefing.

5/9591

NOTAM text not available in this projection.

04/046

NOTAM text not available in this projection.

04/047

NOTAM text not available in this projection.

A0477/26

NOTAM text not available in this projection.

A0478/26

NOTAM text not available in this projection.

04/048

NOTAM text not available in this projection.

A0479/26

NOTAM text not available in this projection.

04/049

NOTAM text not available in this projection.

A0480/26

NOTAM text not available in this projection.

6/7052

NOTAM text not available in this projection.

09/005

NOTAM text not available in this projection.

09/006

NOTAM text not available in this projection.

09/007

NOTAM text not available in this projection.

A1014/26

NOTAM text not available in this projection.

A1015/26

NOTAM text not available in this projection.

09/008

NOTAM text not available in this projection.

09/074

NOTAM text not available in this projection.

A1113/26

NOTAM text not available in this projection.

09/080

NOTAM text not available in this projection.

A1116/26

NOTAM text not available in this projection.

09/082

NOTAM text not available in this projection.

09/085

NOTAM text not available in this projection.

10/006

NOTAM text not available in this projection.

10/012

NOTAM text not available in this projection.

A1134/26

NOTAM text not available in this projection.

10/013

NOTAM text not available in this projection.

A1135/26

NOTAM text not available in this projection.

10/026

NOTAM text not available in this projection.

A1150/26

NOTAM text not available in this projection.

10/073

NOTAM text not available in this projection.

A1204/26

NOTAM text not available in this projection.

10/087

NOTAM text not available in this projection.

12/025

NOTAM text not available in this projection.

A1113/25

NOTAM text not available in this projection.

05/004

NOTAM text not available in this projection.

A0495/26

NOTAM text not available in this projection.

05/065

NOTAM text not available in this projection.

A0605/26

NOTAM text not available in this projection.

08/079

NOTAM text not available in this projection.

08/082

NOTAM text not available in this projection.

09/075

NOTAM text not available in this projection.

A1115/26

NOTAM text not available in this projection.

09/076

NOTAM text not available in this projection.

09/077

NOTAM text not available in this projection.

A1114/26

NOTAM text not available in this projection.

09/078

NOTAM text not available in this projection.

09/079

NOTAM text not available in this projection.

09/081

NOTAM text not available in this projection.

10/007

NOTAM text not available in this projection.

A1129/26

NOTAM text not available in this projection.

10/023

NOTAM text not available in this projection.

A1148/26

NOTAM text not available in this projection.

10/024

NOTAM text not available in this projection.

10/025

NOTAM text not available in this projection.

A1149/26

NOTAM text not available in this projection.

10/027

NOTAM text not available in this projection.

A1153/26

NOTAM text not available in this projection.

10/028

NOTAM text not available in this projection.

A1154/26

NOTAM text not available in this projection.

10/082

NOTAM text not available in this projection.

A1219/26

NOTAM text not available in this projection.

10/085

NOTAM text not available in this projection.

10/086

NOTAM text not available in this projection.

A1222/26

NOTAM text not available in this projection.

10/091

NOTAM text not available in this projection.

A1224/26

NOTAM text not available in this projection.

A1225/26

NOTAM text not available in this projection.

10/092

NOTAM text not available in this projection.

10/093

NOTAM text not available in this projection.

A1226/26

NOTAM text not available in this projection.

A0797/25

NOTAM text not available in this projection.

01/160

NOTAM text not available in this projection.

A0199/26

NOTAM text not available in this projection.

6/3336

NOTAM text not available in this projection.

A0624/26

NOTAM text not available in this projection.

A0826/26

NOTAM text not available in this projection.

6/7054

NOTAM text not available in this projection.

A0828/26

NOTAM text not available in this projection.

6/8258

NOTAM text not available in this projection.

A0849/26

NOTAM text not available in this projection.

6/8259

NOTAM text not available in this projection.

A0850/26

NOTAM text not available in this projection.

A1228/26

NOTAM text not available in this projection.

08/044

NOTAM text not available in this projection.

08/053

NOTAM text not available in this projection.

A0967/26

NOTAM text not available in this projection.

09/087

NOTAM text not available in this projection.

10/072

NOTAM text not available in this projection.

10/076

NOTAM text not available in this projection.

10/079

NOTAM text not available in this projection.

10/080

NOTAM text not available in this projection.

A1214/26

NOTAM text not available in this projection.

10/089

NOTAM text not available in this projection.

10/090

NOTAM text not available in this projection.

10/094

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

026-10-25T05:28:18.838056Z.

Effective 2025-09-08T16:19:00Z → 2027-09-08T16:19:00Z

FAA NOTAM text was truncated in this preview; verify the complete official record.

RUNWAY

Effective 2026-04-24T22:11:00Z → 2027-01-29T20:00:00Z

RUNWAY

Effective 2026-04-24T22:11:00Z → 2027-01-29T20:00:00Z

RUNWAY

Effective 2026-04-24T22:11:00Z → 2027-01-29T20:00:00Z

RUNWAY

Effective 2026-04-24T22:11:00Z → 2027-01-29T20:00:00Z

RUNWAY

Effective 2026-09-29T12:42:00Z → 2026-12-28T23:00:00Z

RUNWAY

Effective 2026-09-29T12:42:00Z → 2026-12-28T23:00:00Z

88 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the

highest-resolution aviation forecast available. The National Weather Service issues it four times a day, valid 24 to 30 hours, with explicit FM and TEMPO change groups. Airports without their own TAF station use a nearby proxy, which is a normal condition and not a fault. A TAF was read for this airport this run (state: partial).

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KPNS this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

[redacted]

[redacted]

[redacted]

[redacted]

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · VFR

S · 06:00–12:00 ET ET · VFR

• **Mon, Oct 26 · 12:00–18:00 ET**: GFS MAV MOS · 12:00–18:00 ET ET · VFR

• **Mon, Oct 26 · 18:00–00:00 ET**: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-25=GFS, 2026-10-26=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-25 06:00	63	Clear	40/8kt	—	>10kft	>6SM
GFS	2026-10-25 09:00	62	Clear	40/8kt	—	>10kft	>6SM
GFS	2026-10-25 12:00	61	Clear	40/9kt	0.0	>10kft	>6SM
GFS	2026-10-25 15:00	68	Clear	50/11kt	—	>10kft	>6SM
GFS	2026-10-25 18:00	78	Clear	60/13kt	1.0	>10kft	>6SM
GFS	2026-10-25 21:00	79	Clear	40/11kt	—	>10kft	>6SM
GFS	2026-10-26 00:00	71	Clear	20/6kt	2.0	>10kft	>6SM
GFS	2026-10-26 03:00	67	Clear	30/6kt	—	>10kft	>6SM
GFS	2026-10-26 06:00	64	Clear	50/7kt	0.0	>10kft	>6SM
GFS	2026-10-26 09:00	63	Clear	40/7kt	—	>10kft	>6SM
GFS	2026-10-26 12:00	62	Clear	40/8kt	3.0	>10kft	>6SM
GFS	2026-10-26 15:00	69	Clear	50/10kt	—	>10kft	>6SM
GFS	2026-10-26 18:00	76	Clear	50/10kt	2.0	>10kft	>6SM

GFS	2026-10-26 21:00	77	Clear	40/9kt	—	>10kft	>6SM
GFS	2026-10-27 00:00	69	Clear	30/5kt	1.0	>10kft	>6SM
GFS	2026-10-27 03:00	65	Clear	30/5kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KPNS 250353Z AUTO 03005KT 10SM CLR 18/08 A3029 RMK AO2 SLP258 T01780083 $

TAF KPNS 250520Z 2506/2606 05007KT P6SM SKC FM251400 05009G17KT P6SM SKC
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KPNS; actual-station=KPNS; fetched-at=2026-10-25T05:28:09.660797+00:00; observed-or-issued-at=2026-10-25T03:53:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KPNS; actual-station=KPNS; fetched-at=2026-10-25T05:28:11.928181+00:00; observed-or-issued-at=2026-10-25T05:20:00+00:00; valid-from=2026-10-25T06:00:00+00:00; valid-through=2026-10-26T06:00:00+00:00; partial-target-dates=2026-10-25,2026-10-26 — AWC API

  TAF proxy · KPNS
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KPNS; actual-station=KPNS; fetched-at=2026-10-25T05:28:12.796073+00:00
- FAA NMS NOTAM — state=OK; requested-station=KPNS; actual-station=KPNS; fetched-at=2026-10-25T05:28:18.838056Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KPNS; actual-station=KPNS; fetched-at=2026-10-25T05:28:41.662521+00:00; observed-or-issued-at=2026-10-25T00:00:00+00:00; valid-from=2026-10-25T06:00:00+00:00; valid-through=2026-10-28T00:00:00+00:00; target-dates=2026-10-25,2026-10-26; dates-with-points=2026-10-25,2026-10-26 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KPNS; actual-station=KPNS; fetched-at=2026-10-25T05:28:42.275948+00:00; observed-or-issued-at=2026-10-25T00:00:00+00:00; valid-from=2026-10-26T00:00:00+00:00; valid-through=2026-11-02T00:00:00+00:00; target-dates=2026-10-26; partial-target-dates=2026-10-25; dates-with-points=2026-10-25,2026-10-26 — Iowa State API
- MOS effective date selection — state=partial; rows=16; requested-station=KPNS; actual-station=KPNS; fetched-at=2026-10-25T05:28:41.662521+00:00; observed-or-issued-at=2026-10-25T00:00:00+00:00; valid-from=2026-10-25T06:00:00+00:00; valid-through=2026-10-28T00:00:00+00:00; target-dates=2026-10-25,2026-10-26; dates-with-points=2026-10-25,2026-10-26; selected-by-date=2026-10-25=GFS, 2026-10-26=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#17 **KDAB** **Daytona Beach Intl, FL, US** · Gulf East · Daytona Beach (Class C)

OBS - MVFR

ETE 2h13

DIST 324 nm

SAT 24 OCT 23:53 ET OBSERVED

Current observation METAR

OBS - MVFR

OBSE

scattered 2,000 ft, broken 3,500 ft, overcast 6,500 ft

WIND **NE (60°) 15 kt gust 24 kt**

TEMPERATURE **23 °C**

VISIBILITY **4 sm**

DEWPOINT **20 °C**



Wind equally favours RWY 07L and 07R

060° true · 067° magnetic · 15G24 kt

Evidence & limitations

- METAR source state: ok; observed Oct 24 23:53 ET; retrieved Oct 25 01:28 ET; 95 min before this run.
- Measured values read from the KDAB METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.13 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KDAB runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 07L/25R, 16/34, 07R/25L. Wind from 060 degrees true, 067 degrees magnetic, at 15 knots gusting 24 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Equally wind-favoured runway ends, highlighted: 07L and 07R. Wind source: KDAB METAR 250353Z.

DESTINATION OUTLOOK

SUN, OCT 25

SUN 25 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 25 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 25 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 25 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 25

00:00–06:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 26

MON 26 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 26 OCT 06:00–12:00 ET MEDIUM

Forecast GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 14–16 kt

TEMPERATURE 74–75 °F

DEWPOINT 65–66 °F

PRECIP CHANCE 41%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 26 OCT 12:00–18:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 15–19 kt

TEMPERATURE 74–79 °F

DEWPOINT 66 °F

PRECIP CHANCE 18%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 26 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 19–21 kt

TEMPERATURE 76–78 °F

DEWPOINT 66–67 °F

PRECIP CHANCE 16%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 26

00:00–06:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+048 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
12°C dep KLZU → 23°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
07L/25R (070/250°M · 063/243°T) · 16/34 (160/340°M · 153/333°T) · 07R/25L (070/250°M · 063/243°T) — designators and °M headings are magnetic; °T are true; variation 7°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs
FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 18 Act on 3 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What
3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

ed 2026-10-25T05:28:18.919514Z.
oritative)

RI OCT 23 | SAT OCT 24 | SUN OCT 25 | MON OCT 26



43 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 05:28 Z

NOTAMs as of 05:28 Z — advisory only; verify an official briefing.

10/049

NOTAM text not available in this projection.

A1733/26

NOTAM text not available in this projection.

10/050

NOTAM text not available in this projection.

A1735/26

NOTAM text not available in this projection.

10/066

NOTAM text not available in this projection.

10/082

NOTAM text not available in this projection.

A1787/26

NOTAM text not available in this projection.

10/087

NOTAM text not available in this projection.

A1790/26

NOTAM text not available in this projection.

10/088

NOTAM text not available in this projection.

10/089

NOTAM text not available in this projection.

A1792/26

NOTAM text not available in this projection.

A1793/26

NOTAM text not available in this projection.

10/090

NOTAM text not available in this projection.

A1794/26

NOTAM text not available in this projection.

10/076

NOTAM text not available in this projection.

10/085

NOTAM text not available in this projection.

A1789/26

NOTAM text not available in this projection.

10/086

NOTAM text not available in this projection.

A1791/26

NOTAM text not available in this projection.

6/8810

NOTAM text not available in this projection.

6/8811

NOTAM text not available in this projection.

6/8814

NOTAM text not available in this projection.

6/8816

NOTAM text not available in this projection.

A0825/26

NOTAM text not available in this projection.

A0828/26

NOTAM text not available in this projection.

A0829/26

NOTAM text not available in this projection.

A0830/26

NOTAM text not available in this projection.

6/3056

NOTAM text not available in this projection.

A0972/26

NOTAM text not available in this projection.

6/0752

NOTAM text not available in this projection.

A1405/26

NOTAM text not available in this projection.

08/067

NOTAM text not available in this projection.

08/069

NOTAM text not available in this projection.

08/070

NOTAM text not available in this projection.

08/071

NOTAM text not available in this projection.

02/081

NOTAM text not available in this projection.

A0203/26

NOTAM text not available in this projection.

09/149

NOTAM text not available in this projection.

A1643/26

NOTAM text not available in this projection.

10/031

NOTAM text not available in this projection.

A1704/26

NOTAM text not available in this projection.

10/032

NOTAM text not available in this projection.

A1705/26

NOTAM text not available in this projection.

10/033

NOTAM text not available in this projection.

A1706/26

NOTAM text not available in this projection.

10/084

NOTAM text not available in this projection.

A1788/26

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

026-10-25T05:28:18.919514Z.

:00Z

:00Z

:00Z

:00Z

RUNWAY

Effective 2026-10-13T23:02:00Z → 2026-11-01T23:00:00Z

43 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · VFR

category. NOTAMs were read for KDAB this run.

no-go here is derived from an image. A published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
S · 06:00–12:00 ET ET · VFR
S · 12:00–18:00 ET ET · VFR

• **Mon, Oct 26 · 18:00–00:00 ET**: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-25=GFS, 2026-10-26=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-25 06:00	72	Ovc	50/15kt	—	5-10kft	>6SM
GFS	2026-10-25 09:00	71	Ovc	40/16kt	—	5-10kft	>6SM
GFS	2026-10-25 12:00	71	Bkn	40/16kt	33.0	5-10kft	>6SM
GFS	2026-10-25 15:00	79	Bkn	40/18kt	—	5-10kft	>6SM
GFS	2026-10-25 18:00	79	Bkn	30/20kt	18.0	5-10kft	>6SM
GFS	2026-10-25 21:00	76	Bkn	30/19kt	—	5-10kft	>6SM
GFS	2026-10-26 00:00	75	Ovc	40/20kt	33.0	5-10kft	>6SM
GFS	2026-10-26 03:00	76	Ovc	50/20kt	—	5-10kft	>6SM
GFS	2026-10-26 06:00	75	Ovc	50/16kt	41.0	5-10kft	>6SM
GFS	2026-10-26 09:00	74	Sct	40/14kt	—	5-10kft	>6SM
GFS	2026-10-26 12:00	74	Sct	40/15kt	18.0	>10kft	>6SM
GFS	2026-10-26 15:00	79	Bkn	40/19kt	—	5-10kft	>6SM
GFS	2026-10-26 18:00	78	Bkn	40/21kt	16.0	5-10kft	>6SM
GFS	2026-10-26 21:00	76	Bkn	40/19kt	—	5-10kft	>6SM
GFS	2026-10-27 00:00	74	Bkn	40/17kt	25.0	5-10kft	>6SM
GFS	2026-10-27 03:00	74	Sct	50/16kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KDAB 250353Z COR 06015G24KT 4SM +RA BR SCT020 BKN035 OVC065 23/20 A3013

TAF KDAB 250520Z 2506/2606 04016G25KT P6SM VCSH SCT020 BKN035 BKN060 FM251400 03020G30KT P6SM VCSH SCT025 BKN040 FM260000 04023G30KT P6SM VCSH SCT025 BKN035
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KDAB; actual-station=KDAB; fetched-at=2026-10-25T05:28:09.660797+00:00; observed-or-issued-at=2026-10-25T03:53:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KDAB; actual-station=KDAB; fetched-at=2026-10-25T05:28:11.928181+00:00; observed-or-issued-at=2026-10-25T05:20:00+00:00; valid-from=2026-10-25T06:00:00+00:00; valid-through=2026-10-26T06:00:00+00:00; partial-target-dates=2026-10-25,2026-10-26 — AWC API

  TAF proxy · KDAB
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KDAB; actual-station=KDAB; fetched-at=2026-10-25T05:28:13.005754+00:00
- FAA NMS NOTAM — state=OK; requested-station=KDAB; actual-station=KDAB; fetched-at=2026-10-25T05:28:18.919514Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KDAB; actual-station=KDAB; fetched-at=2026-10-25T05:28:41.779002+00:00; observed-or-issued-at=2026-10-25T00:00:00+00:00; valid-from=2026-10-25T06:00:00+00:00; valid-through=2026-10-28T00:00:00+00:00; target-dates=2026-10-25,2026-10-26; dates-with-points=2026-10-25,2026-10-26 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KDAB; actual-station=KDAB; fetched-at=2026-10-25T05:28:42.340235+00:00; observed-or-issued-at=2026-10-25T00:00:00+00:00; valid-from=2026-10-26T00:00:00+00:00; valid-through=2026-11-02T00:00:00+00:00; target-dates=2026-10-26; partial-target-dates=2026-10-25; dates-with-points=2026-10-25,2026-10-26 — Iowa State API
- MOS effective date selection — state=partial; rows=16; requested-station=KDAB; actual-station=KDAB; fetched-at=2026-10-25T05:28:41.779002+00:00; observed-or-issued-at=2026-10-25T00:00:00+00:00; valid-from=2026-10-25T06:00:00+00:00; valid-through=2026-10-28T00:00:00+00:00; target-dates=2026-10-25,2026-10-26; dates-with-points=2026-10-25,2026-10-26; selected-by-date=2026-10-25=GFS, 2026-10-26=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#18 **KJKA** **Gulf Shores/Edwards Arpt, AL, US** · Gulf West · Gulf Shores AL

OBS - VFR

ETE 2h01

DIST 291 nm

SAT 24 OCT 23:35 ET OBSERVED

Current observation

OBS - VFR

METAR

OBSER

clear below 12,000 ft (CLR)

WIND calm

TEMPERATURE 17 °C

VISIBILITY 10 sm

DEWPOINT8 °C

Evidence & limitations

- METAR source state: ok; observed Oct 24 23:35 ET; retrieved Oct 25 01:28 ET; 113 min before this run.
- Measured values read from the KJKA METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.28 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.

DESTINATION OUTLOOK

SUN, OCT 25

SUN 25 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 25 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 25 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 25 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 25

00:00–06:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 26

MON 26 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 26 OCT 06:00–12:00 ET MEDIUM

Forecast GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 5–6 kt

TEMPERATURE 58 °F

DEWPOINT 45 °F

PRECIP CHANCE 1%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 26 OCT 12:00–18:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 7–9 kt

TEMPERATURE 57–68 °F

DEWPOINT 46–54 °F

PRECIP CHANCE 4%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 26 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 8–10 kt

TEMPERATURE 76 °F

DEWPOINT 55–56 °F

PRECIP CHANCE 2%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 26

00:00–06:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+048 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
12°C dep KLZU → 17°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
09/27 (090/270°M · 088/268°T) · 17/35 (170/350°M · 168/348°T) — designators and °M headings are magnetic; °T are true; variation 2°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs
FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 8 Act on 2 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What
3 · Where

ed 2026-10-25T05:28:19.063742Z.
oritative)

RI OCT 23 | SAT OCT 24 | SUN OCT 25 | MON OCT 26



10 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 05:28 Z

NOTAMs as of 05:28 Z — advisory only; verify an official briefing.

05/473

NOTAM text not available in this projection.

10/087

NOTAM text not available in this projection.

10/131

NOTAM text not available in this projection.

5/1161

NOTAM text not available in this projection.

5/1162

NOTAM text not available in this projection.

6/3337

NOTAM text not available in this projection.

6/3337

NOTAM text not available in this projection.

6/2179

NOTAM text not available in this projection.

6/8649

NOTAM text not available in this projection.

6/8650

NOTAM text not available in this projection.

6/8651

NOTAM text not available in this projection.

09/693

NOTAM text not available in this projection.

10/074

NOTAM text not available in this projection.

10/083

NOTAM text not available in this projection.

10/013

NOTAM text not available in this projection.

10/102

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

…026-10-25T05:28:19.063742Z.

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

…:00Z

…:00Z

…:00Z

Effective 2025-09-10T15:56:00Z → 2027-09-10T15:56:00Z

NAV_APPROACH

Effective 2025-09-10T15:59:00Z → 2027-09-10T15:59:00Z

10 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight

…e and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

…:00 ET ET · VFR

…:00 ET ET · VFR

category. NOTAMs were read for KJKA this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

:00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · VFR

S · 06:00–12:00 ET ET · VFR

S · 12:00–18:00 ET ET · VFR

• **Mon, Oct 26 · 18:00–00:00 ET**: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-25=GFS, 2026-10-26=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-25 06:00	62	Clear	50/5kt	—	>10kft	>6SM
GFS	2026-10-25 09:00	61	Clear	50/6kt	—	>10kft	>6SM
GFS	2026-10-25 12:00	60	Clear	40/5kt	0.0	>10kft	>6SM
GFS	2026-10-25 15:00	67	Clear	60/11kt	—	>10kft	>6SM
GFS	2026-10-25 18:00	75	Clear	80/13kt	0.0	>10kft	>6SM
GFS	2026-10-25 21:00	77	Clear	60/10kt	—	>10kft	>6SM
GFS	2026-10-26 00:00	69	Clear	50/4kt	2.0	>10kft	>6SM
GFS	2026-10-26 03:00	62	Clear	60/5kt	—	>10kft	>6SM
GFS	2026-10-26 06:00	58	Clear	60/5kt	1.0	>10kft	>6SM
GFS	2026-10-26 09:00	58	Clear	50/6kt	—	>10kft	>6SM
GFS	2026-10-26 12:00	57	Clear	50/7kt	4.0	>10kft	>6SM
GFS	2026-10-26 15:00	68	Clear	60/9kt	—	>10kft	>6SM
GFS	2026-10-26 18:00	76	Few	70/10kt	2.0	>10kft	>6SM
GFS	2026-10-26 21:00	76	Clear	70/8kt	—	>10kft	>6SM
GFS	2026-10-27 00:00	66	Clear	50/3kt	0.0	>10kft	>6SM
GFS	2026-10-27 03:00	60	Clear	40/3kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KJKA 250335Z AUTO 00000KT 10SM CLR 17/08 A3028 RMK AO2

TAF KJKA 250520Z 2506/2606 05005KT P6SM SKC FM251400 05010G16KT P6SM SKC
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KJKA; actual-station=KJKA; fetched-at=2026-10-25T05:28:09.660797+00:00; observed-or-issued-at=2026-10-25T03:35:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KJKA; actual-station=KJKA; fetched-at=2026-10-25T05:28:11.928181+00:00; observed-or-issued-at=2026-10-25T05:20:00+00:00; valid-from=2026-10-25T06:00:00+00:00; valid-through=2026-10-26T06:00:00+00:00; partial-target-dates=2026-10-25,2026-10-26 — AWC API

  TAF proxy · KJKA
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KJKA; actual-station=KJKA; fetched-at=2026-10-25T05:28:12.715581+00:00
- FAA NMS NOTAM — state=OK; requested-station=KJKA; actual-station=KJKA; fetched-at=2026-10-25T05:28:19.063742Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KJKA; actual-station=KJKA; fetched-at=2026-10-25T05:28:41.701315+00:00; observed-or-issued-at=2026-10-25T00:00:00+00:00; valid-from=2026-10-25T06:00:00+00:00; valid-through=2026-10-28T00:00:00+00:00; target-dates=2026-10-25,2026-10-26; dates-with-points=2026-10-25,2026-10-26 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KJKA; actual-station=KJKA; fetched-at=2026-10-25T05:28:42.301150+00:00; observed-or-issued-at=2026-10-25T00:00:00+00:00; valid-from=2026-10-26T00:00:00+00:00; valid-through=2026-11-02T00:00:00+00:00; target-dates=2026-10-26; partial-target-dates=2026-10-25; dates-with-points=2026-10-25,2026-10-26 — Iowa State API
- MOS effective date selection — state=partial; rows=16; requested-station=KJKA; actual-station=KJKA; fetched-at=2026-10-25T05:28:41.701315+00:00; observed-or-issued-at=2026-10-25T00:00:00+00:00; valid-from=2026-10-25T06:00:00+00:00; valid-through=2026-10-28T00:00:00+00:00; target-dates=2026-10-25,2026-10-26; dates-with-points=2026-10-25,2026-10-26; selected-by-date=2026-10-25=GFS, 2026-10-26=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#19 **KBFM** **Mobile/Downtown Arpt, AL, US** · Gulf West · Mobile Downtown

OBS - VFR

ETE **2h00**

DIST **290 nm**

SAT 24 OCT 23:53 ET OBSERVED

Current observation

OBS - VFR

OBSER

METAR

clear below 12,000 ft (CLR)

WIND **NE (40°) 7 kt**

TEMPERATURE **18 °C**

VISIBILITY **10 sm**

DEWPOINT **10 °C**



Wind favours RWY 36

040° true · 042° magnetic · 7 kt · also NOTAM-affected: 14, 32, 18 and 36

Evidence & limitations

- METAR source state: ok; observed Oct 24 23:53 ET; retrieved Oct 25 01:28 ET; 95 min before this run.
- Measured values read from the KBFM METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.30 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KBFM runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 14/32, 18/36. Wind from 040 degrees true, 042 degrees magnetic, at 7 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 36. NOTAM-affected runway ends, hatched separately from the wind highlight: 14, 32, 18 and 36. The wind-favoured end 36 is also NOTAM-affected: the wind does favour it, but a NOTAM on this card names it, so the highlight is not a statement that the runway is usable. The hatch marks only that a NOTAM names the runway; it does not decode the NOTAM's effective times, so confirm the closure window in the NOTAM text below. Wind source: KBFM METAR 250353Z.

DESTINATION OUTLOOK

SUN, OCT 25

SUN 25 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 25 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 25 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 25 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 25

00:00–06:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 26

MON 26 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 26 OCT 06:00–12:00 ET MEDIUM

Forecast GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 7–8 kt

TEMPERATURE 62–64 °F

DEWPOINT 53–54 °F

PRECIP CHANCE 1%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 26 OCT 12:00–18:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 10 kt

TEMPERATURE 61–69 °F

DEWPOINT 53–54 °F

PRECIP CHANCE 3%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 26 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 8 kt

TEMPERATURE 75–77 °F

DEWPOINT 52–53 °F

PRECIP CHANCE 2%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 26

00:00–06:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+048 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
12°C dep KLZU → 18°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
14/32 (140/320°M · 138/318°T) · 18/36 (180/000°M · 178/358°T) — designators and °M headings are magnetic; °T are true; variation 2°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs
FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 15 Act on 4 Brief


FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What
3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

ved 2026-10-25T05:28:19.146891Z.

RI OCT 23 | SAT OCT 24 | SUN OCT 25 | MON OCT 26



183 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 05:28 Z

NOTAMs as of 05:28 Z — advisory only; verify an official briefing.

08/004

NOTAM text not available in this projection.

A0354/26

NOTAM text not available in this projection.

08/020

NOTAM text not available in this projection.

A0373/26

NOTAM text not available in this projection.

A0515/26

NOTAM text not available in this projection.

10/045

NOTAM text not available in this projection.

A0521/26

NOTAM text not available in this projection.

A0522/26

NOTAM text not available in this projection.

10/041

NOTAM text not available in this projection.

10/042

NOTAM text not available in this projection.

A0516/26

NOTAM text not available in this projection.

A0518/26

NOTAM text not available in this projection.

09/083

NOTAM text not available in this projection.

09/089

NOTAM text not available in this projection.

A0520/26

NOTAM text not available in this projection.

09/123

NOTAM text not available in this projection.

A0558/26

NOTAM text not available in this projection.

09/288

NOTAM text not available in this projection.

A0884/26

NOTAM text not available in this projection.

09/334

NOTAM text not available in this projection.

09/340

NOTAM text not available in this projection.

A0937/26

NOTAM text not available in this projection.

A0944/26

NOTAM text not available in this projection.

09/345

NOTAM text not available in this projection.

09/348

NOTAM text not available in this projection.

A0950/26

NOTAM text not available in this projection.

A0953/26

NOTAM text not available in this projection.

09/359

NOTAM text not available in this projection.

09/365

NOTAM text not available in this projection.

A0965/26

NOTAM text not available in this projection.

A0972/26

NOTAM text not available in this projection.

09/372

NOTAM text not available in this projection.

A0980/26

NOTAM text not available in this projection.

09/379

NOTAM text not available in this projection.

09/386

NOTAM text not available in this projection.

09/391

NOTAM text not available in this projection.

A0988/26

NOTAM text not available in this projection.

A0996/26

NOTAM text not available in this projection.

A1001/26

NOTAM text not available in this projection.

09/401

NOTAM text not available in this projection.

09/404

NOTAM text not available in this projection.

09/406

NOTAM text not available in this projection.

09/407

NOTAM text not available in this projection.

A1012/26

NOTAM text not available in this projection.

A1015/26

NOTAM text not available in this projection.

A1018/26

NOTAM text not available in this projection.

A1019/26

NOTAM text not available in this projection.

09/422

NOTAM text not available in this projection.

09/431

NOTAM text not available in this projection.

A1036/26

NOTAM text not available in this projection.

A1046/26

NOTAM text not available in this projection.

09/436

NOTAM text not available in this projection.

A1051/26

NOTAM text not available in this projection.

09/456

NOTAM text not available in this projection.

A1074/26

NOTAM text not available in this projection.

09/463

NOTAM text not available in this projection.

09/472

NOTAM text not available in this projection.

A1081/26

NOTAM text not available in this projection.

A1091/26

NOTAM text not available in this projection.

09/493

NOTAM text not available in this projection.

A1116/26

NOTAM text not available in this projection.

09/529

NOTAM text not available in this projection.

09/530

NOTAM text not available in this projection.

A1156/26

NOTAM text not available in this projection.

A1157/26

NOTAM text not available in this projection.

09/540

NOTAM text not available in this projection.

A1170/26

NOTAM text not available in this projection.

09/543

NOTAM text not available in this projection.

09/548

NOTAM text not available in this projection.

09/549

NOTAM text not available in this projection.

A1173/26

NOTAM text not available in this projection.

A1178/26

NOTAM text not available in this projection.

A1179/26

NOTAM text not available in this projection.

09/569

NOTAM text not available in this projection.

A1203/26

NOTAM text not available in this projection.

09/584

NOTAM text not available in this projection.

A1220/26

NOTAM text not available in this projection.

09/601

NOTAM text not available in this projection.

09/604

NOTAM text not available in this projection.

A1239/26

NOTAM text not available in this projection.

A1243/26

NOTAM text not available in this projection.

09/610

NOTAM text not available in this projection.

A1249/26

NOTAM text not available in this projection.

09/627

NOTAM text not available in this projection.

09/630

NOTAM text not available in this projection.

A1268/26

NOTAM text not available in this projection.

A1271/26

NOTAM text not available in this projection.

09/669

NOTAM text not available in this projection.

09/672

NOTAM text not available in this projection.

A1315/26

NOTAM text not available in this projection.

A1318/26

NOTAM text not available in this projection.

09/698

NOTAM text not available in this projection.

09/709

NOTAM text not available in this projection.

A1348/26

NOTAM text not available in this projection.

A1360/26

NOTAM text not available in this projection.

09/726

NOTAM text not available in this projection.

09/727

NOTAM text not available in this projection.

09/733

NOTAM text not available in this projection.

A1379/26

NOTAM text not available in this projection.

A1381/26

NOTAM text not available in this projection.

A1387/26

NOTAM text not available in this projection.

09/763

NOTAM text not available in this projection.

A1420/26

NOTAM text not available in this projection.

09/769

NOTAM text not available in this projection.

A1426/26

NOTAM text not available in this projection.

09/791

NOTAM text not available in this projection.

09/796

NOTAM text not available in this projection.

A1448/26

NOTAM text not available in this projection.

A1453/26

NOTAM text not available in this projection.

09/813

NOTAM text not available in this projection.

A1470/26

NOTAM text not available in this projection.

09/821

NOTAM text not available in this projection.

09/822

NOTAM text not available in this projection.

09/833

NOTAM text not available in this projection.

A1478/26

NOTAM text not available in this projection.

A1479/26

NOTAM text not available in this projection.

A1490/26

NOTAM text not available in this projection.

09/847

NOTAM text not available in this projection.

09/848

NOTAM text not available in this projection.

A1504/26

NOTAM text not available in this projection.

A1505/26

NOTAM text not available in this projection.

09/860

NOTAM text not available in this projection.

A1517/26

NOTAM text not available in this projection.

09/871

NOTAM text not available in this projection.

09/877

NOTAM text not available in this projection.

A1528/26

NOTAM text not available in this projection.

A1534/26

NOTAM text not available in this projection.

09/887

NOTAM text not available in this projection.

09/888

NOTAM text not available in this projection.

A1544/26

NOTAM text not available in this projection.

A1545/26

NOTAM text not available in this projection.

09/910

NOTAM text not available in this projection.

A1567/26

NOTAM text not available in this projection.

09/921

NOTAM text not available in this projection.

A1578/26

NOTAM text not available in this projection.

09/936

NOTAM text not available in this projection.

A1593/26

NOTAM text not available in this projection.

09/945

NOTAM text not available in this projection.

A1602/26

NOTAM text not available in this projection.

09/959

NOTAM text not available in this projection.

A1616/26

NOTAM text not available in this projection.

09/971

NOTAM text not available in this projection.

A1628/26

NOTAM text not available in this projection.

09/980

NOTAM text not available in this projection.

09/984

NOTAM text not available in this projection.

A1637/26

NOTAM text not available in this projection.

A1641/26

NOTAM text not available in this projection.

09/001

NOTAM text not available in this projection.

09/005

NOTAM text not available in this projection.

09/993

NOTAM text not available in this projection.

A1650/26

NOTAM text not available in this projection.

A1657/26

NOTAM text not available in this projection.

A1660/26

NOTAM text not available in this projection.

09/013

NOTAM text not available in this projection.

A1667/26

NOTAM text not available in this projection.

10/040

NOTAM text not available in this projection.

10/043

NOTAM text not available in this projection.

A0517/26

NOTAM text not available in this projection.

A0519/26

NOTAM text not available in this projection.

6/2188

NOTAM text not available in this projection.

A0356/26

NOTAM text not available in this projection.

6/6897

NOTAM text not available in this projection.

6/6898

NOTAM text not available in this projection.

6/6899

NOTAM text not available in this projection.

A0478/26

NOTAM text not available in this projection.

A0479/26

NOTAM text not available in this projection.

A0480/26

NOTAM text not available in this projection.

6/9259

NOTAM text not available in this projection.

A0497/26

NOTAM text not available in this projection.

6/9269

NOTAM text not available in this projection.

A0499/26

NOTAM text not available in this projection.

05/009

NOTAM text not available in this projection.

A0240/26

NOTAM text not available in this projection.

06/026

NOTAM text not available in this projection.

06/027

NOTAM text not available in this projection.

06/028

NOTAM text not available in this projection.

06/029

NOTAM text not available in this projection.

06/030

NOTAM text not available in this projection.

06/031

NOTAM text not available in this projection.

06/032

NOTAM text not available in this projection.

06/033

NOTAM text not available in this projection.

08/021

NOTAM text not available in this projection.

10/007

NOTAM text not available in this projection.

10/037

NOTAM text not available in this projection.

08/027

NOTAM text not available in this projection.

10/044

NOTAM text not available in this projection.

A0520/26

NOTAM text not available in this projection.

A0523/26

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2026-10-25T05:28:19.146891Z.

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

RUNWAY

Effective 2026-10-22T15:50:00Z → 2026-10-25T15:50:00Z

RUNWAY

Effective 2026-10-28T03:30:00Z → 2026-10-28T09:00:00Z

RUNWAY

Effective 2026-10-28T03:30:00Z → 2026-10-28T09:00:00Z

RUNWAY

Effective 2026-10-28T03:30:00Z → 2026-10-28T09:00:00Z

RUNWAY

Effective 2026-10-28T03:30:00Z → 2026-10-28T09:00:00Z

179 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KBFM this run.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · VFR

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

:00 ET ET · VFR
:00 ET ET · VFR
· 06:00–12:00 ET ET · VFR
• **Mon, Oct 26 · 12:00–18:00 ET**: GFS MAV MOS · 12:00–18:00 ET ET · VFR
• **Mon, Oct 26 · 18:00–00:00 ET**: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-25=GFS, 2026-10-26=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-25 06:00	63	Clear	30/9kt	—	>10kft	>6SM
GFS	2026-10-25 09:00	60	Clear	30/9kt	—	>10kft	>6SM
GFS	2026-10-25 12:00	60	Clear	20/10kt	0.0	>10kft	>6SM
GFS	2026-10-25 15:00	69	Clear	40/12kt	—	>10kft	>6SM
GFS	2026-10-25 18:00	78	Clear	40/10kt	0.0	>10kft	>6SM
GFS	2026-10-25 21:00	80	Clear	30/9kt	—	>10kft	>6SM
GFS	2026-10-26 00:00	71	Clear	30/8kt	2.0	>10kft	>6SM
GFS	2026-10-26 03:00	66	Clear	40/8kt	—	>10kft	>6SM
GFS	2026-10-26 06:00	64	Clear	50/8kt	1.0	>10kft	>6SM
GFS	2026-10-26 09:00	62	Clear	30/7kt	—	>10kft	>6SM
GFS	2026-10-26 12:00	61	Clear	30/10kt	3.0	>10kft	>6SM
GFS	2026-10-26 15:00	69	Clear	40/10kt	—	>10kft	>6SM
GFS	2026-10-26 18:00	75	Clear	50/8kt	2.0	>10kft	>6SM
GFS	2026-10-26 21:00	77	Clear	40/8kt	—	>10kft	>6SM
GFS	2026-10-27 00:00	69	Clear	30/6kt	0.0	>10kft	>6SM
GFS	2026-10-27 03:00	63	Clear	40/5kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KBFM 250353Z AUTO 04007KT 10SM CLR 18/10 A3030 RMK AO2 SLP261 T01830100

TAF KBFM 250520Z 2506/2606 04007KT P6SM SKC FM251500 05011KT P6SM SKC
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KBFM; actual-station=KBFM; fetched-at=2026-10-25T05:28:09.660797+00:00; observed-or-issued-at=2026-10-25T03:53:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KBFM; actual-station=KBFM; fetched-at=2026-10-25T05:28:11.928181+00:00; observed-or-issued-at=2026-10-25T05:20:00+00:00; valid-from=2026-10-25T06:00:00+00:00; valid-through=2026-10-26T06:00:00+00:00; partial-target-dates=2026-10-25,2026-10-26 — AWC API

  TAF proxy · KBFM
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KBFM; actual-station=KBFM; fetched-at=2026-10-25T05:28:12.843229+00:00
- FAA NMS NOTAM — state=OK; requested-station=KBFM; actual-station=KBFM; fetched-at=2026-10-25T05:28:19.146891Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KBFM; actual-station=KBFM; fetched-at=2026-10-25T05:28:41.780341+00:00; observed-or-issued-at=2026-10-25T00:00:00+00:00; valid-from=2026-10-25T06:00:00+00:00; valid-through=2026-10-28T00:00:00+00:00; target-dates=2026-10-25,2026-10-26; dates-with-points=2026-10-25,2026-10-26 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KBFM; actual-station=KBFM; fetched-at=2026-10-25T05:28:42.296319+00:00; observed-or-issued-at=2026-10-24T12:00:00+00:00; valid-from=2026-10-25T12:00:00+00:00; valid-through=2026-11-01T12:00:00+00:00; target-dates=2026-10-25,2026-10-26; dates-with-points=2026-10-25,2026-10-26 — Iowa State API
- MOS effective date selection — state=partial; rows=16; requested-station=KBFM; actual-station=KBFM; fetched-at=2026-10-25T05:28:41.780341+00:00; observed-or-issued-at=2026-10-25T00:00:00+00:00; valid-from=2026-10-25T06:00:00+00:00; valid-through=2026-10-28T00:00:00+00:00; target-dates=2026-10-25,2026-10-26; dates-with-points=2026-10-25,2026-10-26; selected-by-date=2026-10-25=GFS, 2026-10-26=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#20 **KGPT** **Gulfport-Biloxi Intl, MS, US** · Gulf West · Gulfport-Biloxi

OBS - VFR

ETE **2h18**

DIST **337 nm**

SAT 24 OCT 23:53 ET OBSERVED

Current observation

OBS - VFR

OBSER

METAR

clear below 12,000 ft (CLR)

WIND **N (360°) 4 kt**

TEMPERATURE **13 °C**

VISIBILITY **10 sm**

DEWPOINT **7 °C**



Wind favours RWY 36

360° true · 001° magnetic · 4 kt

Evidence & limitations

- METAR source state: ok; observed Oct 24 23:53 ET; retrieved Oct 25 01:28 ET; 95 min before this run.
- Measured values read from the KGPT METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.29 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KGPT runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 14/32, 18/36. Wind from 360 degrees true, 001 degrees magnetic, at 4 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 36. Wind source: KGPT METAR 250353Z.

DESTINATION OUTLOOK

SUN, OCT 25

SUN 25 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 25 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 25 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 25 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 25

00:00–06:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 26

MON 26 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 26 OCT 06:00–12:00 ET MEDIUM

Forecast GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 4 kt

TEMPERATURE 58–61 °F

DEWPOINT 51–52 °F

PRECIP CHANCE 3%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 26 OCT 12:00–18:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 6–10 kt

TEMPERATURE 57–70 °F

DEWPOINT 50–54 °F

PRECIP CHANCE 2%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 26 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 10–11 kt

TEMPERATURE 76–77 °F

DEWPOINT 54–55 °F

PRECIP CHANCE 3%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 26

00:00–06:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+048 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
12°C dep KLZU → 13°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
14/32 (140/320°M · 139/319°T) · 18/36 (180/000°M · 179/359°T) — designators and °M headings are magnetic; °T are true; variation 1°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs
FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)
11 Act on

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What
3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

ed 2026-10-25T05:28:19.260281Z.
oritative)

RI OCT 23 | SAT OCT 24 | SUN OCT 25 | MON OCT 26



22 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 05:28 Z

NOTAMs as of 05:28 Z — advisory only; verify an official briefing.

09/057

NOTAM text not available in this projection.

6/5422

NOTAM text not available in this projection.

A0386/26

NOTAM text not available in this projection.

06/065

NOTAM text not available in this projection.

6/9967

NOTAM text not available in this projection.

A0597/26

NOTAM text not available in this projection.

09/048

NOTAM text not available in this projection.

A0727/26

NOTAM text not available in this projection.

6/9277

NOTAM text not available in this projection.

6/9279

NOTAM text not available in this projection.

6/9282

NOTAM text not available in this projection.

A0759/26

NOTAM text not available in this projection.

A0760/26

NOTAM text not available in this projection.

08/023

NOTAM text not available in this projection.

08/040

NOTAM text not available in this projection.

08/041

NOTAM text not available in this projection.

09/007

NOTAM text not available in this projection.

09/050

NOTAM text not available in this projection.

10/003

NOTAM text not available in this projection.

10/004

NOTAM text not available in this projection.

10/006

NOTAM text not available in this projection.

10/007

NOTAM text not available in this projection.

10/028

NOTAM text not available in this projection.

10/032

NOTAM text not available in this projection.

10/033

NOTAM text not available in this projection.

10/034

NOTAM text not available in this projection.

10/037

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

)26-10-25T05:28:19.260281Z.

FF MARKING AT TWY E, TWY D AND TWY A OBSC

:00Z

T BILOXI INTL, GULFPORT MS. ILS Z OR LOC Z RWY 32 AMDT 9A ... RNAV (GPS) RWY 28, AMDT 3 ... RNAV (GPS) RWY 32 AMDT 2A ... RNAV (GPS) RWY 36 AMDT

Z OR TACAN Z RWY 14 AMDT 4A ... VOR Z RWY 32 AMDT 9A ... CIRCLING CAT A MDA 540HAA 512 (200-1 ASC) 1-1/4 SE PERRY)

:00Z

PORT BILOXI INTL, GULFPORT MS. ILS Z OR LOC Z RWY 32 AMDT 9A ... RNAV (GPS) RWY 28, AMDT 3 ... RNAV (GPS) RWY 32 AMDT 2A ... RNAV (GPS) RWY 36

VOR Z OR TACAN Z RWY 14 AMDT 4A ... VOR Z RWY 32 AMDT 9A ... CIRCLING CAT A MDA 540HAA 512 (200-1 ASC) 1-1/4 SE PERRY)

Effective 2026-04-23T15:28:00Z → 2028-04-23T15:28:00Z

NAV_APPROACH 06/006 — NAV VOR GND REC CHECKPOINT U/S

Effective 2026-06-23T11:42:00Z → 2026-12-23T21:11:00Z

NAV_APPROACH 06/007 — IAP GULFPORT BILOXI INTL, GULFPORT MS. VOR Y RWY 32 AMDT 21D ... PROCEDURE NA

Effective 2026-06-23T12:17:00Z → 2028-06-23T12:17:00Z

22 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KGPT this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · VFR

S · 06:00–12:00 ET ET · VFR

• **Mon, Oct 26 · 12:00–18:00 ET**: GFS MAV MOS · 12:00–18:00 ET ET · VFR

• **Mon, Oct 26 · 18:00–00:00 ET**: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-25=GFS, 2026-10-26=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-25 06:00	53	Clear	40/4kt	—	>10kft	>6SM
GFS	2026-10-25 09:00	52	Clear	30/4kt	—	>10kft	>6SM
GFS	2026-10-25 12:00	53	Clear	20/4kt	0.0	>10kft	>6SM
GFS	2026-10-25 15:00	68	Clear	60/11kt	—	>10kft	>6SM
GFS	2026-10-25 18:00	78	Clear	80/13kt	0.0	>10kft	>6SM
GFS	2026-10-25 21:00	78	Clear	100/11kt	—	>10kft	>6SM
GFS	2026-10-26 00:00	71	Clear	90/5kt	2.0	>10kft	>6SM
GFS	2026-10-26 03:00	65	Clear	80/6kt	—	>10kft	>6SM
GFS	2026-10-26 06:00	61	Clear	70/4kt	3.0	>10kft	>6SM
GFS	2026-10-26 09:00	58	Clear	40/4kt	—	>10kft	>6SM
GFS	2026-10-26 12:00	57	Clear	40/6kt	2.0	>10kft	>6SM
GFS	2026-10-26 15:00	70	Clear	60/10kt	—	>10kft	>6SM
GFS	2026-10-26 18:00	77	Clear	80/11kt	3.0	>10kft	>6SM
GFS	2026-10-26 21:00	76	Clear	110/10kt	—	>10kft	>6SM
GFS	2026-10-27 00:00	69	Clear	90/4kt	0.0	>10kft	>6SM
GFS	2026-10-27 03:00	64	Clear	80/3kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KGPT 250353Z 36004KT 10SM CLR 13/07 A3029 RMK AO2 SLP257 T01330072

TAF KGPT 250521Z 2506/2606 VRB04KT P6SM SKC FM251500 06010KT P6SM SKC FM251900 10012KT P6SM SKC FM260000 08005KT P6SM SKC
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KGPT; actual-station=KGPT; fetched-at=2026-10-25T05:28:09.660797+00:00; observed-or-issued-at=2026-10-25T03:53:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KGPT; actual-station=KGPT; fetched-at=2026-10-25T05:28:11.928181+00:00; observed-or-issued-at=2026-10-25T05:21:00+00:00; valid-from=2026-10-25T06:00:00+00:00; valid-through=2026-10-26T06:00:00+00:00; partial-target-dates=2026-10-25,2026-10-26 — AWC API
  TAF proxy · KGPT
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KGPT; actual-station=KGPT; fetched-at=2026-10-25T05:28:12.927544+00:00
- FAA NMS NOTAM — state=OK; requested-station=KGPT; actual-station=KGPT; fetched-at=2026-10-25T05:28:19.260281Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KGPT; actual-station=KGPT; fetched-at=2026-10-25T05:28:41.950502+00:00; observed-or-issued-at=2026-10-25T00:00:00+00:00; valid-from=2026-10-25T06:00:00+00:00; valid-through=2026-10-28T00:00:00+00:00; target-dates=2026-10-25,2026-10-26; dates-with-points=2026-10-25,2026-10-26 — Iowa State API

- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KGPT; actual-station=KGPT; fetched-at=2026-10-25T05:28:42.365130+00:00; observed-or-issued-at=2026-10-25T00:00:00+00:00; valid-from=2026-10-26T00:00:00+00:00; valid-through=2026-11-02T00:00:00+00:00; target-dates=2026-10-26; partial-target-dates=2026-10-25; dates-with-points=2026-10-25,2026-10-26 — Iowa State API
- MOS effective date selection — state=partial; rows=16; requested-station=KGPT; actual-station=KGPT; fetched-at=2026-10-25T05:28:41.950502+00:00; observed-or-issued-at=2026-10-25T00:00:00+00:00; valid-from=2026-10-25T06:00:00+00:00; valid-through=2026-10-28T00:00:00+00:00; target-dates=2026-10-25,2026-10-26; dates-with-points=2026-10-25,2026-10-26; selected-by-date=2026-10-25=GFS, 2026-10-26=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#21 **KSPG** **St Petersburg/Whitted Arpt, FL, US** · Gulf East · St Petersburg

OBS - VFR

ETE 2h35

DIST 379 nm

SAT 24 OCT 23:53 ET OBSERVED

Current observation

OBS - VFR

METAR

OBSER

few 2,000 ft

WIND NE (30°) 16 kt

TEMPERATURE 22 °C

VISIBILITY 10 sm

DEWPOINT 18 °C



Wind favours RWY 07

030° true · 036° magnetic · 16 kt

Evidence & limitations

- METAR source state: ok; observed Oct 24 23:53 ET; retrieved Oct 25 01:28 ET; 95 min before this run.
- Measured values read from the KSPG METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.10 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KSPG runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 07/25, 18/36. Wind from 030 degrees true, 036 degrees magnetic, at 16 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 07. Wind source: KSPG METAR 250353Z.

DESTINATION OUTLOOK

SUN, OCT 25

SUN 25 OCT 00:00–06:00 ET HIGH

Forecast TAF

Flight-category guidance

TAF · MVFR

FORECAST

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 25 OCT 06:00–12:00 ET HIGH

Forecast TAF

Flight-category guidance

TAF · MVFR

FORECAST

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 25 OCT 12:00–18:00 ET HIGH

Forecast TAF

Flight-category guidance

TAF · MVFR

FORECAST

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 25 OCT 18:00–00:00 ET HIGH

Forecast TAF

Flight-category guidance

TAF · MVFR

FORECAST

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 25

00:00–06:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 26

MON 26 OCT 00:00–06:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 18–20 kt

TEMPERATURE 74–75 °F

DEWPOINT 66–67 °F

PRECIP CHANCE 1%

Evidence & limitations

- GFS MAV MOS · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 26 OCT 06:00–12:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 18–20 kt

TEMPERATURE 72–73 °F

DEWPOINT 67–68 °F

PRECIP CHANCE 0%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 26 OCT 12:00–18:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 14–18 kt

TEMPERATURE 72–76 °F

DEWPOINT 67 °F

PRECIP CHANCE 3%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 26 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 16–17 kt

TEMPERATURE 78–79 °F

DEWPOINT 67 °F

PRECIP CHANCE 1%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 26

00:00–06:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+048 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
12°C dep KLZU → 22°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
07/25 (070/250°M · 064/244°T) · 18/36 (180/000°M · 174/354°T) — designators and °M headings are magnetic; °T are true; variation 6°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs
FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What
3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

d 2026-10-25T05:28:19.430423Z.
oritative)

RI OCT 23 | SAT OCT 24 | SUN OCT 25 | MON OCT 26

08/001				
10/002	*Outside trip window*			

Raw NOTAM data · NOTAMs as of 05:28 Z

NOTAMs as of 05:28 Z — advisory only; verify an official briefing.

6/3728

NOTAM text not available in this projection.

07/010

NOTAM text not available in this projection.

08/001

NOTAM text not available in this projection.

10/002

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

26-10-25T05:28:19.430423Z.

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

Effective 2026-10-29T13:00:00Z → 2026-10-29T17:00:00Z

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-

range MOS product, issued twice a day in twelve-hourly steps out to about 192 hours. Coarse, but the only station-calibrated numeric guidance that reaches the far end of a long weekend. This card shows it only as a labelled rough outlook and never as a resolved forecast. A station-calibrated MEX MOS product was read for this airport this run (state: partial).

valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KSPG this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · MVFR
:00 ET ET · MVFR
:00 ET ET · MVFR
:00 ET ET · MVFR
S · 00:00–06:00 ET ET · VFR
S · 06:00–12:00 ET ET · VFR
• **Mon, Oct 26 · 12:00–18:00 ET**: GFS MAV MOS · 12:00–18:00 ET ET · VFR
• **Mon, Oct 26 · 18:00–00:00 ET**: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-25=GFS, 2026-10-26=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-25 06:00	71	Bkn	30/17kt	—	3-5kft	>6SM
GFS	2026-10-25 09:00	70	Clear	40/19kt	—	>10kft	>6SM
GFS	2026-10-25 12:00	70	Few	30/16kt	1.0	>10kft	>6SM
GFS	2026-10-25 15:00	76	Few	40/20kt	—	>10kft	>6SM
GFS	2026-10-25 18:00	79	Clear	50/19kt	6.0	>10kft	>6SM
GFS	2026-10-25 21:00	78	Few	50/18kt	—	>10kft	>6SM
GFS	2026-10-26 00:00	75	Clear	50/20kt	1.0	>10kft	>6SM
GFS	2026-10-26 03:00	74	Sct	40/18kt	—	5-10kft	>6SM
GFS	2026-10-26 06:00	73	Bkn	40/20kt	0.0	5-10kft	>6SM
GFS	2026-10-26 09:00	72	Clear	40/18kt	—	>10kft	>6SM
GFS	2026-10-26 12:00	72	Clear	30/14kt	3.0	>10kft	>6SM
GFS	2026-10-26 15:00	76	Clear	40/18kt	—	>10kft	>6SM
GFS	2026-10-26 18:00	79	Few	50/17kt	1.0	>10kft	>6SM
GFS	2026-10-26 21:00	78	Few	50/16kt	—	>10kft	>6SM
GFS	2026-10-27 00:00	76	Clear	50/18kt	2.0	>10kft	>6SM

GFS	2026-10-27 03:00	74	Clear	50/18kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KSPG 250353Z AUTO 03016KT 10SM FEW020 22/18 A3010 RMK AO2 PK WND 02026/0256 SLP191 T02170183

TAF KPIE 250229Z 2502/2524 03012G24KT P6SM SCT040 TEMPO 2502/2505 BKN020
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KSPG; actual-station=KSPG; fetched-at=2026-10-25T05:28:09.660797+00:00; observed-or-issued-at=2026-10-25T03:53:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KSPG; actual-station=KPIE; fetched-at=2026-10-25T05:28:11.928181+00:00; observed-or-issued-at=2026-10-25T02:29:00+00:00; valid-from=2026-10-25T02:00:00+00:00; valid-through=2026-10-26T00:00:00+00:00; partial-target-dates=2026-10-24,2026-10-25 — AWC API

  TAF proxy · KPIE
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KSPG; actual-station=KSPG; fetched-at=2026-10-25T05:28:12.938002+00:00
- FAA NMS NOTAM — state=OK; requested-station=KSPG; actual-station=KSPG; fetched-at=2026-10-25T05:28:19.430423Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KSPG; actual-station=KSPG; fetched-at=2026-10-25T05:28:41.934886+00:00; observed-or-issued-at=2026-10-25T00:00:00+00:00; valid-from=2026-10-25T06:00:00+00:00; valid-through=2026-10-28T00:00:00+00:00; target-dates=2026-10-25,2026-10-26; dates-with-points=2026-10-25,2026-10-26 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KSPG; actual-station=KSPG; fetched-at=2026-10-25T05:28:42.328026+00:00; observed-or-issued-at=2026-10-25T00:00:00+00:00; valid-from=2026-10-26T00:00:00+00:00; valid-through=2026-11-02T00:00:00+00:00; target-dates=2026-10-26; partial-target-dates=2026-10-25; dates-with-points=2026-10-25,2026-10-26 — Iowa State API
- MOS effective date selection — state=partial; rows=16; requested-station=KSPG; actual-station=KSPG; fetched-at=2026-10-25T05:28:41.934886+00:00; observed-or-issued-at=2026-10-25T00:00:00+00:00; valid-from=2026-10-25T06:00:00+00:00; valid-through=2026-10-28T00:00:00+00:00; target-dates=2026-10-25,2026-10-26; dates-with-points=2026-10-25,2026-10-26; selected-by-date=2026-10-25=GFS, 2026-10-26=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#22 **KTPF** **Tampa/Knight Arpt, FL, US** · Gulf East · Tampa Peter O Knight

OBS - VFR

ETE 2h32

DIST 372 nm

SAT 24 OCT 23:35 ET OBSERVED

Current observation

OBS - VFR

OBSER

METAR

few 1,800 ft

WIND **NE (40°) 13 kt gust 17 kt**

TEMPERATURE **21 °C**

VISIBILITY **9 sm**

DEWPOINT **18 °C**



Wind favours RWY 04

040° true · 046° magnetic · 13G17 kt

Evidence & limitations

- METAR source state: ok; observed Oct 24 23:35 ET; retrieved Oct 25 01:28 ET; 113 min before this run.
- Measured values read from the KTPF METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.08 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KTPF runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 04/22, 18/36. Wind from 040 degrees true, 046 degrees magnetic, at 13 knots gusting 17 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 04. Wind source: KTPF METAR 250335Z.

DESTINATION OUTLOOK

SUN, OCT 25

SUN 25 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 25 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 25 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 25 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 25

00:00–06:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 26

MON 26 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 26 OCT 06:00–12:00 ET MEDIUM

Forecast GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 12 kt

TEMPERATURE 69–71 °F

DEWPOINT 64–65 °F

PRECIP CHANCE 0%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 26 OCT 12:00–18:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 10–16 kt

TEMPERATURE 69–77 °F

DEWPOINT 64–65 °F

PRECIP CHANCE 3%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 26 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 14–16 kt

TEMPERATURE 82 °F

DEWPOINT 63 °F

PRECIP CHANCE 0%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 26

00:00–06:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+048 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
12°C dep KLZU → 21°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
04/22 (040/220°M · 034/214°T) · 18/36 (180/000°M · 174/354°T) — designators and °M headings are magnetic; °T are true; variation 6°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs
FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 2 Act on 2 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What 3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

ed 2026-10-25T05:28:19.517802Z.
oritative)

RI OCT 23 | SAT OCT 24 | SUN OCT 25 | MON OCT 26



9 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 05:28 Z

NOTAMs as of 05:28 Z — advisory only; verify an official briefing.

06/014

NOTAM text not available in this projection.

6/0956

NOTAM text not available in this projection.

6/8311

NOTAM text not available in this projection.

10/003

NOTAM text not available in this projection.

4/6304

NOTAM text not available in this projection.

6/8312

NOTAM text not available in this projection.

09/025

NOTAM text not available in this projection.

12/007

NOTAM text not available in this projection.

02/001

NOTAM text not available in this projection.

06/005

NOTAM text not available in this projection.

07/015

NOTAM text not available in this projection.

07/016

NOTAM text not available in this projection.

10/009

NOTAM text not available in this projection.

06/015

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

1…026-10-25T05:28:19.517802Z.

…:00Z

…GHT TAMPA, FL TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 7A … ADD TAKEOFF OBSTACLE NOTES: RWY 22, SUA SNG ROME … CENTERLINE, 42FT AGL 43FT MSL (2025 ASD 12076-OE-PERM). ALL OTHER DATA REMAINS AS PUBLISHED. 2509061940-2509061959EST

…:00Z

…GHT TAMPA, FL TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURES PROCEDURES AMDT 7A … TAKEOFF MINIMUMS: RWY 10, STANDARD WITH A MINIMUM … TEMPORARY CRANES 420 MSL BEGINNING 1.0NM SE OF RWY 18 (2026 ASO-[illegible]-OE). ALL OTHER DATA REMAINS AS PUBLISHED.

Effective 2026-08-28T10:00:00Z → 2028-01-29T16:33:00Z

TAXIWAY 10/003 … TWY A1 HLDG PSN SIGN NORTHEAST SIDE S TN RWY 04/22 AND TWY A NOT STD

Effective 2026-10-09T14:27:00Z → 2026-11-30T22:00:00Z

NAV_APPROACH 6/6304 … IAP PETER O KNIGHT, TAMPA, FL, RNAV (GPS) RWY 36, AMDT 2E … VDSI AND DESCENT ANGLES NOT COINCIDENT (VDSI ANGLE 3.00°/TCH 55.2). 2411080207-2411080207EST

Effective 2024-11-19T21:27:00Z → 2026-11-19T21:27:00Z

9 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KTPF this run.

…ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

…:00 ET ET · MVFR

…:00 ET ET · MVFR

…:00 ET ET · MVFR

…:00 ET ET · MVFR

published WPC surface chart matches this

period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

:00 ET ET · MVFR

· 06:00–12:00 ET ET · VFR

· 12:00–18:00 ET ET · VFR

• **Mon, Oct 26 · 18:00–00:00 ET**: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-25=GFS, 2026-10-26=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-25 06:00	70	Sct	30/10kt	—	3-5kft	>6SM
GFS	2026-10-25 09:00	70	Few	40/11kt	—	>10kft	>6SM
GFS	2026-10-25 12:00	69	Sct	40/11kt	1.0	>10kft	>6SM
GFS	2026-10-25 15:00	78	Sct	50/16kt	—	>10kft	>6SM
GFS	2026-10-25 18:00	82	Few	60/18kt	6.0	>10kft	>6SM
GFS	2026-10-25 21:00	80	Sct	60/15kt	—	>10kft	>6SM
GFS	2026-10-26 00:00	75	Sct	50/13kt	1.0	>10kft	>6SM
GFS	2026-10-26 03:00	72	Sct	50/11kt	—	5-10kft	>6SM
GFS	2026-10-26 06:00	71	Ovc	40/12kt	0.0	5-10kft	>6SM
GFS	2026-10-26 09:00	69	Clear	40/12kt	—	>10kft	>6SM
GFS	2026-10-26 12:00	69	Clear	30/10kt	3.0	>10kft	>6SM
GFS	2026-10-26 15:00	77	Few	50/16kt	—	>10kft	>6SM
GFS	2026-10-26 18:00	82	Bkn	60/16kt	0.0	>10kft	>6SM
GFS	2026-10-26 21:00	82	Sct	60/14kt	—	>10kft	>6SM
GFS	2026-10-27 00:00	75	Sct	50/12kt	2.0	>10kft	>6SM
GFS	2026-10-27 03:00	72	Clear	40/11kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KTPF 250335Z AUTO 04013G17KT 9SM FEW018 21/18 A3008 RMK AO2 T02080183 $

TAF KTPA 250229Z 2502/2606 02010G20KT P6SM SCT040 TEMPO 2502/2505 BKN020
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KTPF; actual-station=KTPF; fetched-at=2026-10-25T05:28:09.660797+00:00; observed-or-issued-at=2026-10-25T03:35:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KTPF; actual-station=KTPA; fetched-at=2026-10-25T05:28:11.928181+00:00; observed-or-issued-at=2026-10-25T02:29:00+00:00; valid-from=2026-10-25T02:00:00+00:00; valid-through=2026-10-26T06:00:00+00:00; target-dates=2026-10-25; partial-target-dates=2026-10-24,2026-10-26 — AWC API

  TAF proxy · KTPA
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KTPF; actual-station=KTPF; fetched-at=2026-10-25T05:28:13.141505+00:00
- FAA NMS NOTAM — state=OK; requested-station=KTPF; actual-station=KTPF; fetched-at=2026-10-25T05:28:19.517802Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KTPF; actual-station=KTPF; fetched-at=2026-10-25T05:28:41.924498+00:00; observed-or-issued-at=2026-10-25T00:00:00+00:00; valid-from=2026-10-25T06:00:00+00:00; valid-through=2026-10-28T00:00:00+00:00; target-dates=2026-10-25,2026-10-26; dates-with-points=2026-10-25,2026-10-26 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KTPF; actual-station=KTPF; fetched-at=2026-10-25T05:28:42.396030+00:00; observed-or-issued-at=2026-10-25T00:00:00+00:00; valid-from=2026-10-26T00:00:00+00:00; valid-through=2026-11-02T00:00:00+00:00; target-dates=2026-10-26; partial-target-dates=2026-10-25; dates-with-points=2026-10-25,2026-10-26 — Iowa State API
- MOS effective date selection — state=partial; rows=16; requested-station=KTPF; actual-station=KTPF; fetched-at=2026-10-25T05:28:41.924498+00:00; observed-or-issued-at=2026-10-25T00:00:00+00:00; valid-from=2026-10-25T06:00:00+00:00; valid-through=2026-10-28T00:00:00+00:00; target-dates=2026-10-25,2026-10-26; dates-with-points=2026-10-25,2026-10-26; selected-by-date=2026-10-25=GFS, 2026-10-26=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#23 **KSRQ** **Sarasota-Bradenton Intl, FL, US** · Gulf East · Sarasota-Bradenton

OBS - VFR

ETE **2h43**

DIST **402 nm**

SAT 24 OCT 23:53 ET OBSERVED

Current observation

OBS - VFR

OBSER

METAR

clear below 12,000 ft (CLR)

WIND **N (20°) 8 kt**

TEMPERATURE **22 °C**

VISIBILITY **10 sm**

DEWPOINT **17 °C**



Wind favours RWY 04

020° true · 026° magnetic · 8 kt

Evidence & limitations

- METAR source state: ok; observed Oct 24 23:53 ET; retrieved Oct 25 01:28 ET; 95 min before this run.
- Measured values read from the KSRQ METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.09 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KSRQ runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 14/32, 04/22. Wind from 020 degrees true, 026 degrees magnetic, at 8 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 04. Wind source: KSRQ METAR 250353Z.

DESTINATION OUTLOOK

SUN, OCT 25

SUN 25 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 25 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 25 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 25 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 25

00:00–06:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 26

MON 26 OCT 00:00–06:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 10–13 kt

TEMPERATURE 75–79 °F

DEWPOINT 64–65 °F

PRECIP CHANCE 1%

Evidence & limitations

- GFS MAV MOS · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 26 OCT 06:00–12:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 9–10 kt

TEMPERATURE 71–72 °F

DEWPOINT 65 °F

PRECIP CHANCE 0%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 26 OCT 12:00–18:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 10–15 kt

TEMPERATURE 71–79 °F

DEWPOINT 66 °F

PRECIP CHANCE 3%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 26 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 15 kt

TEMPERATURE 83–85 °F

DEWPOINT 64–65 °F

PRECIP CHANCE 2%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 26

00:00–06:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+048 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
12°C dep KLZU → 22°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
14/32 (140/320°M · 134/314°T) · 04/22 (040/220°M · 034/214°T) — designators and °M headings are magnetic; °T are true; variation 6°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs
FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 4 Act on 3 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What 3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

ed 2026-10-25T05:28:19.599646Z.

oritative)

RI OCT 23 SAT OCT 24 SUN OCT 25 MON OCT 26



25 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 05:28 Z

NOTAMs as of 05:28 Z — advisory only; verify an official briefing.

10/068

NOTAM text not available in this projection.

A1128/26

NOTAM text not available in this projection.

05/096

NOTAM text not available in this projection.

A0516/26

NOTAM text not available in this projection.

A1125/26

NOTAM text not available in this projection.

A1126/26

NOTAM text not available in this projection.

A1127/26

NOTAM text not available in this projection.

6/4825

NOTAM text not available in this projection.

A0754/26

NOTAM text not available in this projection.

6/0645

NOTAM text not available in this projection.

A1098/26

NOTAM text not available in this projection.

06/005

NOTAM text not available in this projection.

A0527/26

NOTAM text not available in this projection.

09/080

NOTAM text not available in this projection.

09/081

NOTAM text not available in this projection.

10/002

NOTAM text not available in this projection.

10/003

NOTAM text not available in this projection.

A1049/26

NOTAM text not available in this projection.

10/012

NOTAM text not available in this projection.

10/057

NOTAM text not available in this projection.

10/067

NOTAM text not available in this projection.

10/063

NOTAM text not available in this projection.

A1122/26

NOTAM text not available in this projection.

10/064

NOTAM text not available in this projection.

A1123/26

NOTAM text not available in this projection.

09/069

NOTAM text not available in this projection.

10/046

NOTAM text not available in this projection.

10/047

NOTAM text not available in this projection.

A1099/26

NOTAM text not available in this projection.

A1100/26

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

…026-10-25T05:28:19.599646Z.

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

…:00Z

…:00Z

…:00Z

…:00Z

TAXIWAY

Effective 2026-10-23T09:48:00Z → 2026-10-26T09:48:00Z

25 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KSRQ this run.

…ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

…:00 ET ET · MVFR

…:00 ET ET · MVFR

…:00 ET ET · MVFR

…:00 ET ET · MVFR

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

…S · 00:00–06:00 ET ET · VFR

…S · 06:00–12:00 ET ET · VFR

• **Mon, Oct 26 · 12:00–18:00 ET**: GFS MAV MOS · 12:00–18:00 ET ET · VFR

• **Mon, Oct 26 · 18:00–00:00 ET**: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-25=GFS, 2026-10-26=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-25 06:00	72	Ovc	20/10kt	—	3-5kft	>6SM
GFS	2026-10-25 09:00	71	Clear	30/11kt	—	>10kft	>6SM
GFS	2026-10-25 12:00	71	Clear	30/10kt	1.0	>10kft	>6SM
GFS	2026-10-25 15:00	79	Sct	40/15kt	—	>10kft	>6SM
GFS	2026-10-25 18:00	84	Few	50/17kt	6.0	>10kft	>6SM
GFS	2026-10-25 21:00	84	Few	40/15kt	—	>10kft	>6SM
GFS	2026-10-26 00:00	79	Clear	40/13kt	1.0	>10kft	>6SM
GFS	2026-10-26 03:00	75	Few	30/10kt	—	>10kft	>6SM
GFS	2026-10-26 06:00	72	Bkn	30/9kt	0.0	5-10kft	>6SM
GFS	2026-10-26 09:00	71	Clear	30/10kt	—	>10kft	>6SM
GFS	2026-10-26 12:00	71	Clear	20/10kt	3.0	>10kft	>6SM
GFS	2026-10-26 15:00	79	Clear	40/15kt	—	>10kft	>6SM
GFS	2026-10-26 18:00	85	Sct	50/15kt	2.0	>10kft	>6SM
GFS	2026-10-26 21:00	83	Few	40/15kt	—	>10kft	>6SM
GFS	2026-10-27 00:00	78	Clear	40/12kt	2.0	>10kft	>6SM
GFS	2026-10-27 03:00	74	Clear	30/10kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KSRQ 250353Z 02008KT 10SM CLR 22/17 A3009 RMK AO2 SLP190 T02170172

TAF KSRQ 250300Z 2503/2524 03010G20KT P6SM SCT050 TEMPO 2503/2505 BKN020
```

+ Data sources used

• METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KSRQ; actual-station=KSRQ; fetched-at=2026-10-25T05:28:09.660797+00:00; observed-or-issued-at=2026-10-25T03:53:00+00:00 — AWC API

- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KSRQ; actual-station=KSRQ; fetched-at=2026-10-25T05:28:11.928181+00:00; observed-or-issued-at=2026-10-25T03:00:00+00:00; valid-from=2026-10-25T03:00:00+00:00; valid-through=2026-10-26T00:00:00+00:00; partial-target-dates=2026-10-24,2026-10-25 — AWC API

TAF proxy · KSRQ

- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KSRQ; actual-station=KSRQ; fetched-at=2026-10-25T05:28:12.941342+00:00
- FAA NMS NOTAM — state=OK; requested-station=KSRQ; actual-station=KSRQ; fetched-at=2026-10-25T05:28:19.599646Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KSRQ; actual-station=KSRQ; fetched-at=2026-10-25T05:28:41.838585+00:00; observed-or-issued-at=2026-10-25T00:00:00+00:00; valid-from=2026-10-25T06:00:00+00:00; valid-through=2026-10-28T00:00:00+00:00; target-dates=2026-10-25,2026-10-26; dates-with-points=2026-10-25,2026-10-26 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KSRQ; actual-station=KSRQ; fetched-at=2026-10-25T05:28:42.396551+00:00; observed-or-issued-at=2026-10-25T00:00:00+00:00; valid-from=2026-10-26T00:00:00+00:00; valid-through=2026-11-02T00:00:00+00:00; target-dates=2026-10-26; partial-target-dates=2026-10-25; dates-with-points=2026-10-25,2026-10-26 — Iowa State API
- MOS effective date selection — state=partial; rows=16; requested-station=KSRQ; actual-station=KSRQ; fetched-at=2026-10-25T05:28:41.838585+00:00; observed-or-issued-at=2026-10-25T00:00:00+00:00; valid-from=2026-10-25T06:00:00+00:00; valid-through=2026-10-28T00:00:00+00:00; target-dates=2026-10-25,2026-10-26; dates-with-points=2026-10-25,2026-10-26; selected-by-date=2026-10-25=GFS, 2026-10-26=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#24 **KVNC** **Venice Muni, FL, US** · Gulf East · Venice FL

OBS - VFR

ETE 2h51

DIST 422 nm

SAT 24 OCT 23:35 ET OBSERVED

Current observation

OBS - VFR

OBSER

META R

few 2,100 ft

WIND NE (30°) 8 kt

TEMPERATURE 21 °C

VISIBILITY 10 sm

DEWPOINT 18 °C



Wind favours RWY 05

030° true · 036° magnetic · 8 kt

Evidence & limitations

- METAR source state: ok; observed Oct 24 23:35 ET; retrieved Oct 25 01:28 ET; 113 min before this run.
- Measured values read from the KVNC METAR. This is a current surface observation only; it is not a forecast.

- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.07 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KVNC runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 13/31, 05/23. Wind from 030 degrees true, 036 degrees magnetic, at 8 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 05. Wind source: KVNC METAR 250335Z.

DESTINATION OUTLOOK

SUN, OCT 25

SUN 25 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 25 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 25 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 25 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 25

00:00–06:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 26

MON 26 OCT 00:00–06:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 12–15 kt

TEMPERATURE 73–78 °F

DEWPOINT 66 °F

PRECIP CHANCE 1%

Evidence & limitations

- GFS MAV MOS · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 26 OCT 06:00–12:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 12–13 kt

TEMPERATURE 70–71 °F

DEWPOINT 66 °F

PRECIP CHANCE 0%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 26 OCT 12:00–18:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 12–18 kt

TEMPERATURE 69–79 °F

DEWPOINT 66 °F

PRECIP CHANCE 4%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 26 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 18 kt

TEMPERATURE 83–84 °F

DEWPOINT 65 °F

PRECIP CHANCE 2%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 26

00:00–06:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+048 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
12°C dep KLZU → 21°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — source state: not_queried

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
13/31 (130/310°M · 124/304°T) · 05/23 (050/230°M · 044/224°T) — designators and °M headings are magnetic; °T are true; variation 6°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs
FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)
1 Act on

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What
3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

d 2026-10-25T05:28:19.602012Z.
oritative)

RI OCT 23 | SAT OCT 24 | SUN OCT 25 | MON OCT 26



Raw NOTAM data · NOTAMs as of 05:28 Z

NOTAMs as of 05:28 Z — advisory only; verify an official briefing.

6/5337

NOTAM text not available in this projection.

6/5336

NOTAM text not available in this projection.

10/039

NOTAM text not available in this projection.

10/040

NOTAM text not available in this projection.

10/046

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

26-10-25T05:28:19.602012Z.

OBSTRUCTION

Effective 2026-10-05T13:02:00Z → 2027-01-03T04:00:00Z

OBSTRUCTION

Effective 2026-10-05T15:40:00.000Z → 2026-11-19T21:38:00.000Z

+ Forecast evidence

METAR

METAR — the routine surface observation

issued hourly by the reporting station, with SPECI reports off-cycle, carrying ceiling, visibility, wind, temperature and altimeter. Issued by the observing station and distributed by aviationweather.gov. This is measured fact, not a forecast, and on this page it describes conditions right now, not this day. A current KVNC observation was read this run. It describes conditions now, not this trip day.

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KVNC this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · MVFR
:00 ET ET · MVFR
:00 ET ET · MVFR
:00 ET ET · MVFR
S · 00:00–06:00 ET ET · VFR
S · 06:00–12:00 ET ET · VFR
• **Mon, Oct 26 · 12:00–18:00 ET**: GFS MAV MOS · 12:00–18:00 ET ET · VFR
• **Mon, Oct 26 · 18:00–00:00 ET**: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-25=GFS, 2026-10-26=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-25 06:00	72	Bkn	20/10kt	—	3-5kft	>6SM
GFS	2026-10-25 09:00	71	Few	30/10kt	—	>10kft	>6SM
GFS	2026-10-25 12:00	70	Few	20/11kt	2.0	>10kft	>6SM
GFS	2026-10-25 15:00	79	Sct	40/19kt	—	>10kft	>6SM
GFS	2026-10-25 18:00	85	Sct	40/19kt	7.0	>10kft	>6SM
GFS	2026-10-25 21:00	84	Few	30/19kt	—	>10kft	>6SM
GFS	2026-10-26 00:00	78	Clear	30/15kt	1.0	>10kft	>6SM
GFS	2026-10-26 03:00	73	Few	20/12kt	—	>10kft	>6SM
GFS	2026-10-26 06:00	71	Bkn	30/13kt	0.0	5-10kft	>6SM
GFS	2026-10-26 09:00	70	Clear	30/12kt	—	>10kft	>6SM
GFS	2026-10-26 12:00	69	Clear	20/12kt	4.0	>10kft	>6SM

GFS	2026-10-26 15:00	79	Clear	40/18kt	—	>10kft	>6SM
GFS	2026-10-26 18:00	84	Sct	40/18kt	2.0	>10kft	>6SM
GFS	2026-10-26 21:00	83	Sct	40/18kt	—	>10kft	>6SM
GFS	2026-10-27 00:00	78	Clear	30/13kt	2.0	>10kft	>6SM
GFS	2026-10-27 03:00	74	Clear	30/12kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KVNC 250335Z AUTO 03008KT 10SM FEW021 21/18 A3007 RMK AO2 T02080181 $

TAF KSRQ 250300Z 2503/2524 03010G20KT P6SM SCT050 TEMPO 2503/2505 BKN020
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KVNC; actual-station=KVNC; fetched-at=2026-10-25T05:28:09.660797+00:00; observed-or-issued-at=2026-10-25T03:35:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KVNC; actual-station=KSRQ; fetched-at=2026-10-25T05:28:11.928181+00:00; observed-or-issued-at=2026-10-25T03:00:00+00:00; valid-from=2026-10-25T03:00:00+00:00; valid-through=2026-10-26T00:00:00+00:00; partial-target-dates=2026-10-24,2026-10-25 — AWC API

TAF proxy · KSRQ

- FAA airport status — state=not_queried; fetch-state=not_attempted; payload-state=not_attempted; requested-station=KVNC
- FAA NMS NOTAM — state=OK; requested-station=KVNC; actual-station=KVNC; fetched-at=2026-10-25T05:28:19.602012Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KVNC; actual-station=KVNC; fetched-at=2026-10-25T05:28:41.833041+00:00; observed-or-issued-at=2026-10-25T00:00:00+00:00; valid-from=2026-10-25T06:00:00+00:00; valid-through=2026-10-28T00:00:00+00:00; target-dates=2026-10-25,2026-10-26; dates-with-points=2026-10-25,2026-10-26 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KVNC; actual-station=KVNC; fetched-at=2026-10-25T05:28:42.421905+00:00; observed-or-issued-at=2026-10-25T00:00:00+00:00; valid-from=2026-10-26T00:00:00+00:00; valid-through=2026-11-02T00:00:00+00:00; target-dates=2026-10-26; partial-target-dates=2026-10-25; dates-with-points=2026-10-25,2026-10-26 — Iowa State API
- MOS effective date selection — state=partial; rows=16; requested-station=KVNC; actual-station=KVNC; fetched-at=2026-10-25T05:28:41.833041+00:00; observed-or-issued-at=2026-10-25T00:00:00+00:00; valid-from=2026-10-25T06:00:00+00:00; valid-through=2026-10-28T00:00:00+00:00; target-dates=2026-10-25,2026-10-26; dates-with-points=2026-10-25,2026-10-26; selected-by-date=2026-10-25=GFS, 2026-10-26=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#25 **KHSA** — · Gulf West · Stennis MS

OBS - UNKNOWN

ETE 2h25

DIST 353 nm

SUN 25 OCT Time unavailable UNAVAILABLE

Current observation

OBS - UNKNOWN

UNAVA

METAR

Current observation unavailable

WIND Unavailable

TEMPERATURE Unavailable

VISIBILITY Unavailable

DEWPOINT Unavailable

Evidence & limitations

- Source state: unavailable.
- No usable current KHSA observation was available this run.
- This is a current surface observation only. It is not a forecast. No forecast value is substituted for a missing observation.

DESTINATION OUTLOOK

SUN, OCT 25

SUN 25 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 25 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 25 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 25 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 25

00:00–06:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 26

MON 26 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 26 OCT 06:00–12:00 ET MEDIUM

Forecast GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 99 kt

TEMPERATURE 999 °F

DEWPOINT 999 °F

PRECIP CHANCE 2%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 26 OCT 12:00–18:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 4–7 kt

TEMPERATURE 999 °F

DEWPOINT 999 °F

PRECIP CHANCE 1%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 26 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 8 kt

TEMPERATURE 999 °F

DEWPOINT 999 °F

PRECIP CHANCE 3%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 26

00:00–06:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+048 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
12°C dep KLZU → Unavailable at destination

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — source state: not_queried

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
18/36 (180/000°M · 179/359°T) — designators and °M headings are magnetic; °T are true; variation 1°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs
FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)
2 Act on

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What
3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

ed 2026-10-25T05:28:19.768917Z.
oritative)

RI OCT 23 | SAT OCT 24 | SUN OCT 25 | MON OCT 26

10/014	
12/015	
6/5656	

6 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 05:28 Z

NOTAMs as of 05:28 Z — advisory only; verify an official briefing.

09/015

NOTAM text not available in this projection.

09/005

NOTAM text not available in this projection.

10/014

NOTAM text not available in this projection.

12/015

NOTAM text not available in this projection.

6/5656

NOTAM text not available in this projection.

10/002

NOTAM text not available in this projection.

10/002

NOTAM text not available in this projection.

10/003

NOTAM text not available in this projection.

10/013

NOTAM text not available in this projection.

10/021

NOTAM text not available in this projection.

10/023

NOTAM text not available in this projection.

02/005

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

)26-10-25T05:28:19.768917Z.

AREA NOT STD

:00Z

:00Z

:00Z

AND NORTH APN CLSD EXC ACFT WINGSPAN LESS THAN 49FT

NAV_APPROACH

Effective 2025-12-12T18:35:00Z → 2026-12-04T20:00:00Z

NAV_APPROACH

Effective 2026-08-17T16:57:00Z → 2028-08-17T16:57:00Z

6 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KHSA this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · VFR

S · 06:00–12:00 ET ET · VFR

• **Mon, Oct 26 · 12:00–18:00 ET**: GFS MAV MOS · 12:00–18:00 ET ET · VFR

• **Mon, Oct 26 · 18:00–00:00 ET**: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-25=GFS, 2026-10-26=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS

GFS	2026-10-25 06:00	999	Clear	990/99kt	—	>10kft	>6SM
GFS	2026-10-25 09:00	999	Clear	990/99kt	—	>10kft	>6SM
GFS	2026-10-25 12:00	55	Clear	40/4kt	0.0	>10kft	>6SM
GFS	2026-10-25 15:00	67	Clear	60/9kt	—	>10kft	>6SM
GFS	2026-10-25 18:00	999	Clear	90/9kt	0.0	>10kft	>6SM
GFS	2026-10-25 21:00	999	Clear	90/9kt	—	>10kft	>6SM
GFS	2026-10-26 00:00	999	Clear	90/2kt	1.0	>10kft	>6SM
GFS	2026-10-26 03:00	999	Clear	80/2kt	—	>10kft	>6SM
GFS	2026-10-26 06:00	999	Clear	990/99kt	2.0	>10kft	>6SM
GFS	2026-10-26 09:00	999	Clear	990/99kt	—	>10kft	>6SM
GFS	2026-10-26 12:00	999	Clear	50/4kt	1.0	>10kft	>6SM
GFS	2026-10-26 15:00	999	Clear	60/7kt	—	>10kft	>6SM
GFS	2026-10-26 18:00	999	Few	100/8kt	3.0	>10kft	>6SM
GFS	2026-10-26 21:00	999	Few	110/8kt	—	>10kft	>6SM
GFS	2026-10-27 00:00	999	Clear	100/2kt	0.0	>10kft	>6SM
GFS	2026-10-27 03:00	999	Clear	0/0kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR unavailable

TAF KGPT 250521Z 2506/2606 VRB04KT P6SM SKC FM251500 06010KT P6SM SKC FM251900 10012KT P6SM SKC FM260000 08005KT P6SM SKC
```

+ Data sources used

- METAR — state=unavailable; fetch-state=ok; payload-state=valid; requested-station=KHSA; actual-station=KHSA; fetched-at=2026-10-25T05:28:09.660797+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KHSA; actual-station=KGPT; fetched-at=2026-10-25T05:28:11.928181+00:00; observed-or-issued-at=2026-10-25T05:21:00+00:00; valid-from=2026-10-25T06:00:00+00:00; valid-through=2026-10-26T06:00:00+00:00; partial-target-dates=2026-10-25,2026-10-26 — AWC API

  TAF proxy · KGPT
- FAA airport status — state=not_queried; fetch-state=not_attempted; payload-state=not_attempted; requested-station=KHSA
- FAA NMS NOTAM — state=OK; requested-station=KHSA; actual-station=KHSA; fetched-at=2026-10-25T05:28:19.768917Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KHSA; actual-station=KHSA; fetched-at=2026-10-25T05:28:41.826316+00:00; observed-or-issued-at=2026-10-25T00:00:00+00:00; valid-from=2026-10-25T06:00:00+00:00; valid-through=2026-10-28T00:00:00+00:00; target-dates=2026-10-25,2026-10-26; dates-with-points=2026-10-25,2026-10-26 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KHSA; actual-station=KHSA; fetched-at=2026-10-25T05:28:42.418382+00:00; observed-or-issued-at=2026-10-25T00:00:00+00:00; valid-from=2026-10-26T00:00:00+00:00; valid-through=2026-11-02T00:00:00+00:00; target-dates=2026-10-26; partial-target-dates=2026-10-25; dates-with-points=2026-10-25,2026-10-26 — Iowa State API

- MOS effective date selection — state=partial; rows=16; requested-station=KHSA; actual-station=KHSA; fetched-at=2026-10-25T05:28:41.826316+00:00; observed-or-issued-at=2026-10-25T00:00:00+00:00; valid-from=2026-10-25T06:00:00+00:00; valid-through=2026-10-28T00:00:00+00:00; target-dates=2026-10-25,2026-10-26; dates-with-points=2026-10-25,2026-10-26; selected-by-date=2026-10-25=GFS, 2026-10-26=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#26 **KNEW** **New Orleans/Lakefront Arpt, LA, US** · Gulf West · New Orleans Lakefront

OBS - VFR

ETE 2h38

DIST 389 nm

SAT 24 OCT 23:53 ET OBSERVED

Current observation

OBS - VFR

METAR

OBSER

clear below 12,000 ft (CLR)

WIND NE (60°) 7 kt

TEMPERATURE 20 °C

VISIBILITY 10 sm

DEWPOINT 16 °C



Wind favours RWY 09

060° true · 061° magnetic · 7 kt

Evidence & limitations

- METAR source state: ok; observed Oct 24 23:53 ET; retrieved Oct 25 01:28 ET; 95 min before this run.
- Measured values read from the KNEW METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.29 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KNEW runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 18R/36L, 18L/36R, 09/27. Wind from 060 degrees true, 061 degrees magnetic, at 7 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 09. Wind source: KNEW METAR 250353Z.

DESTINATION OUTLOOK

SUN, OCT 25

SUN 25 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 25 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 25 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 25 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 25

00:00–06:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 26

MON 26 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 26 OCT 06:00–12:00 ET MEDIUM

Forecast GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 10–11 kt

TEMPERATURE 67–68 °F

DEWPOINT 59 °F

PRECIP CHANCE 2%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 26 OCT 12:00–18:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 11–12 kt

TEMPERATURE 66–70 °F

DEWPOINT 59–60 °F

PRECIP CHANCE 1%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 26 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 10–11 kt

TEMPERATURE 74–77 °F

DEWPOINT 58 °F

PRECIP CHANCE 4%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 26

00:00–06:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+048 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
12°C dep KLZU → 20°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
18R/36L (180/000°M · 179/359°T) · 18L/36R (180/000°M · 179/359°T) · 09/27 (090/270°M · 089/269°T) — designators and °M headings are magnetic; °T are true; variation 1°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs
FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 3 Act on 2 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

ed 2026-10-25T05:28:19.890587Z.

oritative)

RI OCT 23 | SAT OCT 24 | SUN OCT 25 | MON OCT 26

6/5292	
6/5293	
10/022	

8 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 05:28 Z

NOTAMs as of 05:28 Z — advisory only; verify an official briefing.

10/004

NOTAM text not available in this projection.

10/005

NOTAM text not available in this projection.

6/5292

NOTAM text not available in this projection.

6/5293

NOTAM text not available in this projection.

10/022

NOTAM text not available in this projection.

08/020

NOTAM text not available in this projection.

09/002

NOTAM text not available in this projection.

10/004

NOTAM text not available in this projection.

10/006

NOTAM text not available in this projection.

10/009

NOTAM text not available in this projection.

10/019

NOTAM text not available in this projection.

10/020

NOTAM text not available in this projection.

10/021

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

026-10-25T05:28:19.890587Z.

:00Z

:00Z

:00Z

Effective 2026-09-24T15:07:00Z → 2027-05-06T15:07:00Z

NAV_APPROACH

Effective 2026-10-21T10:32:00Z → 2026-11-06T20:00:00Z

8 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KNEW this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · VFR

S · 06:00–12:00 ET ET · VFR

• **Mon, Oct 26 · 12:00–18:00 ET**: GFS MAV MOS · 12:00–18:00 ET ET · VFR

• **Mon, Oct 26 · 18:00–00:00 ET**: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-25=GFS, 2026-10-26=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-25 06:00	65	Clear	60/8kt	—	>10kft	>6SM
GFS	2026-10-25 09:00	64	Clear	50/9kt	—	>10kft	>6SM
GFS	2026-10-25 12:00	64	Clear	50/12kt	0.0	>10kft	>6SM
GFS	2026-10-25 15:00	69	Clear	60/13kt	—	>10kft	>6SM
GFS	2026-10-25 18:00	73	Clear	60/10kt	0.0	>10kft	>6SM
GFS	2026-10-25 21:00	76	Clear	70/11kt	—	>10kft	>6SM
GFS	2026-10-26 00:00	73	Clear	90/7kt	2.0	>10kft	>6SM
GFS	2026-10-26 03:00	70	Clear	70/8kt	—	>10kft	>6SM
GFS	2026-10-26 06:00	68	Clear	60/10kt	2.0	>10kft	>6SM
GFS	2026-10-26 09:00	67	Clear	60/11kt	—	>10kft	>6SM
GFS	2026-10-26 12:00	66	Clear	60/11kt	1.0	>10kft	>6SM
GFS	2026-10-26 15:00	70	Clear	60/12kt	—	>10kft	>6SM
GFS	2026-10-26 18:00	74	Sct	70/11kt	4.0	>10kft	>6SM
GFS	2026-10-26 21:00	77	Few	80/10kt	—	>10kft	>6SM
GFS	2026-10-27 00:00	73	Clear	100/8kt	0.0	>10kft	>6SM
GFS	2026-10-27 03:00	70	Clear	90/7kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KNEW 250353Z 06007KT 10SM CLR 20/16 A3029 RMK AO1 SLP251 T02000156 $

TAF KNEW 250521Z 2506/2606 06012KT P6SM SKC FM252300 07010KT P6SM FEW250
```

+ Data sources used

• METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KNEW; actual-station=KNEW; fetched-at=2026-10-25T05:28:09.660797+00:00; observed-or-issued-at=2026-10-25T03:53:00+00:00 — AWC API

• TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KNEW; actual-station=KNEW; fetched-at=2026-10-25T05:28:11.928181+00:00; observed-or-issued-at=2026-10-25T05:21:00+00:00; valid-from=2026-10-25T06:00:00+00:00; valid-through=2026-10-26T06:00:00+00:00; partial-target-dates=2026-10-25,2026-10-26 — AWC API

TAF proxy · KNEW

- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KNEW; actual-station=KNEW; fetched-at=2026-10-25T05:28:13.312970+00:00
- FAA NMS NOTAM — state=OK; requested-station=KNEW; actual-station=KNEW; fetched-at=2026-10-25T05:28:19.890587Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KNEW; actual-station=KNEW; fetched-at=2026-10-25T05:28:41.823682+00:00; observed-or-issued-at=2026-10-25T00:00:00+00:00; valid-from=2026-10-25T06:00:00+00:00; valid-through=2026-10-28T00:00:00+00:00; target-dates=2026-10-25,2026-10-26; dates-with-points=2026-10-25,2026-10-26 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KNEW; actual-station=KNEW; fetched-at=2026-10-25T05:28:42.434727+00:00; observed-or-issued-at=2026-10-25T00:00:00+00:00; valid-from=2026-10-26T00:00:00+00:00; valid-through=2026-11-02T00:00:00+00:00; target-dates=2026-10-26; partial-target-dates=2026-10-25; dates-with-points=2026-10-25,2026-10-26 — Iowa State API
- MOS effective date selection — state=partial; rows=16; requested-station=KNEW; actual-station=KNEW; fetched-at=2026-10-25T05:28:41.823682+00:00; observed-or-issued-at=2026-10-25T00:00:00+00:00; valid-from=2026-10-25T06:00:00+00:00; valid-through=2026-10-28T00:00:00+00:00; target-dates=2026-10-25,2026-10-26; dates-with-points=2026-10-25,2026-10-26; selected-by-date=2026-10-25=GFS, 2026-10-26=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#27 **KOPF** **Miami/Opa Locka Arpt, FL, US** · Long-range · Miami-Opa Locka

OBS - VFR

ETE 3h30

DIST 521 nm

SAT 24 OCT 23:53 ET OBSERVED

Current observation

OBS - VFR

OBSER

METAR

scattered 10,000 ft

WIND N (360°) 6 kt

TEMPERATURE 23 °C

VISIBILITY 10 sm

DEWPOINT 19 °C



Wind favours RWY 30

360° true · 007° magnetic · 6 kt

Evidence & limitations

- METAR source state: ok; observed Oct 24 23:53 ET; retrieved Oct 25 01:28 ET; 95 min before this run.
- Measured values read from the KOPF METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.01 inHg.

• The complete raw METAR remains in this airport's Raw products disclosure.

• KOPF runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 09L/27R, 12/30, 09R/27L. Wind from 360 degrees true, 007 degrees magnetic, at 6 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 30. Wind source: KOPF METAR 250353Z.

DESTINATION OUTLOOK

SUN, OCT 25

SUN 25 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 25 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 25 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 25 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 25

00:00–06:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 26

MON 26 OCT 00:00–06:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 12–14 kt

TEMPERATURE 75 °F

DEWPOINT 68–69 °F

PRECIP CHANCE 60%

Evidence & limitations

- GFS MAV MOS · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 26 OCT 06:00–12:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 17 kt

TEMPERATURE 76 °F

DEWPOINT 68–69 °F

PRECIP CHANCE 52%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 26 OCT 12:00–18:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 17–18 kt

TEMPERATURE 76–80 °F

DEWPOINT 70 °F

PRECIP CHANCE 63%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 26 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 19–20 kt

TEMPERATURE 80–82 °F

DEWPOINT 68–69 °F

PRECIP CHANCE 57%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 26

00:00–06:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+048 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
12°C dep KLZU → 23°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
09L/27R (090/270°M · 083/263°T) · 12/30 (120/300°M · 113/293°T) · 09R/27L (090/270°M · 083/263°T) — designators and °M headings are magnetic; °T are true; variation 7°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs
FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)
12 Act on

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What
3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

ed 2026-10-25T05:28:19.979720Z.
oritative)

RI OCT 23 | SAT OCT 24 | SUN OCT 25 | MON OCT 26



76 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 05:28 Z

NOTAMs as of 05:28 Z — advisory only; verify an official briefing.

6/2604

NOTAM text not available in this projection.

08/050

NOTAM text not available in this projection.

08/051

NOTAM text not available in this projection.

5/7064

NOTAM text not available in this projection.

5/0554

NOTAM text not available in this projection.

6/2599

NOTAM text not available in this projection.

6/2236

NOTAM text not available in this projection.

6/1259

NOTAM text not available in this projection.

6/8187

NOTAM text not available in this projection.

6/8903

NOTAM text not available in this projection.

6/8910

NOTAM text not available in this projection.

6/8914

NOTAM text not available in this projection.

6/8915

NOTAM text not available in this projection.

6/8918

NOTAM text not available in this projection.

6/8919

NOTAM text not available in this projection.

6/8921

NOTAM text not available in this projection.

05/045

NOTAM text not available in this projection.

07/090

NOTAM text not available in this projection.

07/091

NOTAM text not available in this projection.

07/092

NOTAM text not available in this projection.

07/093

NOTAM text not available in this projection.

07/094

NOTAM text not available in this projection.

07/116

NOTAM text not available in this projection.

07/117

NOTAM text not available in this projection.

07/118

NOTAM text not available in this projection.

07/119

NOTAM text not available in this projection.

07/120

NOTAM text not available in this projection.

07/121

NOTAM text not available in this projection.

07/130

NOTAM text not available in this projection.

07/131

NOTAM text not available in this projection.

07/132

NOTAM text not available in this projection.

07/133

NOTAM text not available in this projection.

07/134

NOTAM text not available in this projection.

10/001

NOTAM text not available in this projection.

10/002

NOTAM text not available in this projection.

10/046

NOTAM text not available in this projection.

10/047

NOTAM text not available in this projection.

10/048

NOTAM text not available in this projection.

10/049

NOTAM text not available in this projection.

11/025

NOTAM text not available in this projection.

11/026

NOTAM text not available in this projection.

11/027

NOTAM text not available in this projection.

11/028

NOTAM text not available in this projection.

02/017

NOTAM text not available in this projection.

02/018

NOTAM text not available in this projection.

03/037

NOTAM text not available in this projection.

03/038

NOTAM text not available in this projection.

05/068

NOTAM text not available in this projection.

05/069

NOTAM text not available in this projection.

05/070

NOTAM text not available in this projection.

05/071

NOTAM text not available in this projection.

05/073

NOTAM text not available in this projection.

05/074

NOTAM text not available in this projection.

06/061

NOTAM text not available in this projection.

06/062

NOTAM text not available in this projection.

06/063

NOTAM text not available in this projection.

08/030

NOTAM text not available in this projection.

08/033

NOTAM text not available in this projection.

08/034

NOTAM text not available in this projection.

08/035

NOTAM text not available in this projection.

08/036

NOTAM text not available in this projection.

08/039

NOTAM text not available in this projection.

08/040

NOTAM text not available in this projection.

08/041

NOTAM text not available in this projection.

08/042

NOTAM text not available in this projection.

10/007

NOTAM text not available in this projection.

10/008

NOTAM text not available in this projection.

10/009

NOTAM text not available in this projection.

10/010

NOTAM text not available in this projection.

10/013

NOTAM text not available in this projection.

10/014

NOTAM text not available in this projection.

10/036

NOTAM text not available in this projection.

10/034

NOTAM text not available in this projection.

10/035

NOTAM text not available in this projection.

10/045

NOTAM text not available in this projection.

10/052

NOTAM text not available in this projection.

10/053

NOTAM text not available in this projection.

10/054

NOTAM text not available in this projection.

10/055

NOTAM text not available in this projection.

10/083

NOTAM text not available in this projection.

10/087

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

Effective 2026-03-03T15:34:00Z → 2026-11-16T15:34:00Z

RUNWAY

Effective 2026-08-20T11:42:00Z → 2027-08-01T04:00:00Z

RUNWAY

Effective 2026-08-20T11:43:00Z → 2027-08-01T04:00:00Z

NAV_APPROACH

Effective 2025-05-07T12:14:00Z → 2027-05-07T12:13:00Z

NAV_APPROACH

Effective 2025-09-25T18:59:00Z → 2027-09-25T18:59:00Z

76 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

the GFS model bias-corrected against decades of observations at this station. Issued four times a day in three-hourly steps out to about 72 hours. It carries an explicit ceiling and visibility category, so this card uses it to resolve a day the TAF cannot reach. A station-calibrated GFS MOS product was read for this airport this run (state: partial).

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KOPF this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
S · 00:00–06:00 ET ET · VFR
S · 06:00–12:00 ET ET · VFR
• **Mon, Oct 26 · 12:00–18:00 ET**: GFS MAV MOS · 12:00–18:00 ET ET · VFR
• **Mon, Oct 26 · 18:00–00:00 ET**: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-25=GFS, 2026-10-26=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-25 06:00	74	Sct	360/9kt	—	>10kft	>6SM
GFS	2026-10-25 09:00	74	Bkn	10/7kt	—	>10kft	>6SM
GFS	2026-10-25 12:00	75	Bkn	10/9kt	52.0	>10kft	>6SM
GFS	2026-10-25 15:00	78	Bkn	30/11kt	—	5-10kft	>6SM
GFS	2026-10-25 18:00	80	Ovc	40/17kt	67.0	3-5kft	>6SM
GFS	2026-10-25 21:00	78	Ovc	30/15kt	—	5-10kft	>6SM
GFS	2026-10-26 00:00	75	Ovc	30/12kt	60.0	5-10kft	>6SM
GFS	2026-10-26 03:00	75	Ovc	40/14kt	—	5-10kft	>6SM
GFS	2026-10-26 06:00	76	Ovc	40/17kt	52.0	3-5kft	>6SM
GFS	2026-10-26 09:00	76	Ovc	40/17kt	—	5-10kft	>6SM
GFS	2026-10-26 12:00	76	Ovc	40/17kt	63.0	5-10kft	>6SM
GFS	2026-10-26 15:00	80	Ovc	40/18kt	—	5-10kft	>6SM
GFS	2026-10-26 18:00	82	Ovc	40/20kt	57.0	5-10kft	>6SM
GFS	2026-10-26 21:00	80	Ovc	40/19kt	—	5-10kft	>6SM

GFS	2026-10-27 00:00	77	Ovc	40/16kt	46.0	5-10kft	>6SM
GFS	2026-10-27 03:00	76	Ovc	40/15kt	—	5-10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KOPF 250353Z 36006KT 10SM SCT100 23/19 A3001 RMK AO2 SLP161 T02280194

TAF KOPF 250242Z 2503/2524 01008KT P6SM VCSH SCT030 BKN060 FM251200 03010KT P6SM VCSH SCT030 SCT060 FM251600 05018G30KT P6SM VCTS SCT030CB BKN060
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KOPF; actual-station=KOPF; fetched-at=2026-10-25T05:28:09.660797+00:00; observed-or-issued-at=2026-10-25T03:53:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KOPF; actual-station=KOPF; fetched-at=2026-10-25T05:28:11.928181+00:00; observed-or-issued-at=2026-10-25T02:42:00+00:00; valid-from=2026-10-25T03:00:00+00:00; valid-through=2026-10-26T00:00:00+00:00; partial-target-dates=2026-10-24,2026-10-25 — AWC API

  TAF proxy · KOPF
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KOPF; actual-station=KOPF; fetched-at=2026-10-25T05:28:13.183498+00:00
- FAA NMS NOTAM — state=OK; requested-station=KOPF; actual-station=KOPF; fetched-at=2026-10-25T05:28:19.979720Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KOPF; actual-station=KOPF; fetched-at=2026-10-25T05:28:41.892536+00:00; observed-or-issued-at=2026-10-25T00:00:00+00:00; valid-from=2026-10-25T06:00:00+00:00; valid-through=2026-10-28T00:00:00+00:00; target-dates=2026-10-25,2026-10-26; dates-with-points=2026-10-25,2026-10-26 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KOPF; actual-station=KOPF; fetched-at=2026-10-25T05:28:42.438818+00:00; observed-or-issued-at=2026-10-25T00:00:00+00:00; valid-from=2026-10-26T00:00:00+00:00; valid-through=2026-11-02T00:00:00+00:00; target-dates=2026-10-26; partial-target-dates=2026-10-25; dates-with-points=2026-10-25,2026-10-26 — Iowa State API
- MOS effective date selection — state=partial; rows=16; requested-station=KOPF; actual-station=KOPF; fetched-at=2026-10-25T05:28:41.892536+00:00; observed-or-issued-at=2026-10-25T00:00:00+00:00; valid-from=2026-10-25T06:00:00+00:00; valid-through=2026-10-28T00:00:00+00:00; target-dates=2026-10-25,2026-10-26; dates-with-points=2026-10-25,2026-10-26; selected-by-date=2026-10-25=GFS, 2026-10-26=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#28 **KHPN** **White Plains/Westchester Cnty, NY, US** · Long-range · White Plains NY

OBS - VFR

ETE 4h18

DIST 647 nm

SAT 24 OCT 23:56 ET OBSERVED

Current observation

OBS - VFR

OBSER

METAR

clear below 12,000 ft (CLR)

WIND W (290°) 5 kt

TEMPERATURE **3 °C**

VISIBILITY **10 sm**

DEWPOINT **1 °C**



Wind favours RWY 29

290° true · 303° magnetic · 5 kt · NOTAM-affected: 16 and 34

Evidence & limitations

- METAR source state: ok; observed Oct 24 23:56 ET; retrieved Oct 25 01:28 ET; 92 min before this run.
- Measured values read from the KHPN METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.53 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KHPN runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 16/34, 11/29. Wind from 290 degrees true, 303 degrees magnetic, at 5 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 29. NOTAM-affected runway ends, hatched separately from the wind highlight: 16 and 34. The hatch marks only that a NOTAM names the runway; it does not decode the NOTAM's effective times, so confirm the closure window in the NOTAM text below. Wind source: KHPN METAR 250356Z.

DESTINATION OUTLOOK

SUN, OCT 25

SUN 25 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 25 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 25 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 25 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 25

00:00–06:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 26

MON 26 OCT 00:00–06:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 2 kt

TEMPERATURE 49–53 °F

DEWPOINT 32–34 °F

PRECIP CHANCE 0%

Evidence & limitations

- GFS MAV MOS · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 26 OCT 06:00–12:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 4 kt

TEMPERATURE 44–47 °F

DEWPOINT 36–37 °F

PRECIP CHANCE 0%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 26 OCT 12:00–18:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 4–8 kt

TEMPERATURE 45–59 °F

DEWPOINT 38–39 °F

PRECIP CHANCE 0%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 26 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 8–9 kt

TEMPERATURE 66 °F

DEWPOINT 38–40 °F

PRECIP CHANCE 1%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 26

00:00–06:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+048 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
12°C dep KLZU → 3°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
16/34 (160/340°M · 147/327°T) · 11/29 (110/290°M · 097/277°T) — designators and °M headings are magnetic; °T are true; variation 13°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs
FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 10 Act on 1 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What
3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

ed 2026-10-25T05:28:20.024085Z.

RI OCT 23 | SAT OCT 24 | SUN OCT 25 | MON OCT 26



37 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 05:28 Z

NOTAMs as of 05:28 Z — advisory only; verify an official briefing.

10/020

NOTAM text not available in this projection.

A4296/26

NOTAM text not available in this projection.

A4669/26

NOTAM text not available in this projection.

A4670/26

NOTAM text not available in this projection.

A4680/26

NOTAM text not available in this projection.

A4681/26

NOTAM text not available in this projection.

A4682/26

NOTAM text not available in this projection.

10/221

NOTAM text not available in this projection.

A4683/26

NOTAM text not available in this projection.

03/058

NOTAM text not available in this projection.

A1006/26

NOTAM text not available in this projection.

03/062

NOTAM text not available in this projection.

A1019/26

NOTAM text not available in this projection.

07/120

NOTAM text not available in this projection.

A2868/26

NOTAM text not available in this projection.

08/016

NOTAM text not available in this projection.

A3278/26

NOTAM text not available in this projection.

10/096

NOTAM text not available in this projection.

A4425/26

NOTAM text not available in this projection.

A4671/26

NOTAM text not available in this projection.

A4679/26

NOTAM text not available in this projection.

A4685/26

NOTAM text not available in this projection.

A4687/26

NOTAM text not available in this projection.

A4688/26

NOTAM text not available in this projection.

A4690/26

NOTAM text not available in this projection.

10/225

NOTAM text not available in this projection.

A4692/26

NOTAM text not available in this projection.

03/045

NOTAM text not available in this projection.

6/9015

NOTAM text not available in this projection.

A1738/26

NOTAM text not available in this projection.

6/5296

NOTAM text not available in this projection.

6/5312

NOTAM text not available in this projection.

A4160/26

NOTAM text not available in this projection.

A4161/26

NOTAM text not available in this projection.

6/9236

NOTAM text not available in this projection.

A4518/26

NOTAM text not available in this projection.

10/189

NOTAM text not available in this projection.

A4604/26

NOTAM text not available in this projection.

A4672/26

NOTAM text not available in this projection.

A4686/26

NOTAM text not available in this projection.

09/238

NOTAM text not available in this projection.

10/204

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

026-10-25T05:28:20.024085Z.

:00Z

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains

preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

RUNWAY
Effective 2026-10-23T09:07:00Z → 2026-10-26T09:07:00Z

RUNWAY
Effective 2026-10-26T04:00:00Z → 2026-10-30T09:30:00Z

RUNWAY
Effective 2026-10-26T04:00:00Z → 2026-10-30T09:30:00Z

35 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KHPN this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
S · 00:00–06:00 ET ET · VFR
S · 06:00–12:00 ET ET · VFR
• **Mon, Oct 26 · 12:00–18:00 ET**: GFS MAV MOS · 12:00–18:00 ET ET · VFR
• **Mon, Oct 26 · 18:00–00:00 ET**: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-25=GFS, 2026-10-26=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS

GFS	2026-10-25 06:00	42	Clear	310/3kt	—	>10kft	>6SM
GFS	2026-10-25 09:00	41	Clear	320/3kt	—	>10kft	>6SM
GFS	2026-10-25 12:00	43	Clear	320/3kt	0.0	>10kft	>6SM
GFS	2026-10-25 15:00	56	Clear	310/5kt	—	>10kft	>6SM
GFS	2026-10-25 18:00	64	Clear	270/6kt	0.0	>10kft	>6SM
GFS	2026-10-25 21:00	64	Clear	210/4kt	—	>10kft	>6SM
GFS	2026-10-26 00:00	53	Clear	240/2kt	0.0	>10kft	>6SM
GFS	2026-10-26 03:00	49	Clear	290/2kt	—	>10kft	>6SM
GFS	2026-10-26 06:00	47	Clear	300/4kt	0.0	>10kft	>6SM
GFS	2026-10-26 09:00	44	Clear	300/4kt	—	>10kft	>6SM
GFS	2026-10-26 12:00	45	Clear	300/4kt	0.0	>10kft	>6SM
GFS	2026-10-26 15:00	59	Clear	310/8kt	—	>10kft	>6SM
GFS	2026-10-26 18:00	66	Clear	290/9kt	1.0	>10kft	>6SM
GFS	2026-10-26 21:00	66	Clear	300/8kt	—	>10kft	>6SM
GFS	2026-10-27 00:00	59	Few	310/5kt	0.0	>10kft	>6SM
GFS	2026-10-27 03:00	56	Few	320/7kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KHPN 250356Z 29005KT 10SM CLR 03/01 A3053 RMK AO2 SLP341 T00330011

TAF KHPN 250234Z 2503/2524 VRB02KT P6SM SKC FM251700 27005KT P6SM SKC FM252100 18005KT P6SM SKC AMD NOT SKED
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KHPN; actual-station=KHPN; fetched-at=2026-10-25T05:28:09.660797+00:00; observed-or-issued-at=2026-10-25T03:56:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KHPN; actual-station=KHPN; fetched-at=2026-10-25T05:28:11.928181+00:00; observed-or-issued-at=2026-10-25T02:34:00+00:00; valid-from=2026-10-25T03:00:00+00:00; valid-through=2026-10-26T00:00:00+00:00; partial-target-dates=2026-10-24,2026-10-25 — AWC API
  TAF proxy · KHPN
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KHPN; actual-station=KHPN; fetched-at=2026-10-25T05:28:12.998276+00:00
- FAA NMS NOTAM — state=OK; requested-station=KHPN; actual-station=KHPN; fetched-at=2026-10-25T05:28:20.024085Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KHPN; actual-station=KHPN; fetched-at=2026-10-25T05:28:41.914509+00:00; observed-or-issued-at=2026-10-25T00:00:00+00:00; valid-from=2026-10-25T06:00:00+00:00; valid-through=2026-10-28T00:00:00+00:00; target-dates=2026-10-25,2026-10-26; dates-with-points=2026-10-25,2026-10-26 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KHPN; actual-station=KHPN; fetched-at=2026-10-25T05:28:42.440425+00:00; observed-or-issued-at=2026-10-25T00:00:00+00:00; valid-from=2026-10-26T00:00:00+00:00; valid-through=2026-11-02T00:00:00+00:00; target-dates=2026-10-26; partial-target-dates=2026-10-25; dates-with-points=2026-10-25,2026-10-26 — Iowa State API

- MOS effective date selection — state=partial; rows=16; requested-station=KHPN; actual-station=KHPN; fetched-at=2026-10-25T05:28:41.914509+00:00; observed-or-issued-at=2026-10-25T00:00:00+00:00; valid-from=2026-10-25T06:00:00+00:00; valid-through=2026-10-28T00:00:00+00:00; target-dates=2026-10-25,2026-10-26; dates-with-points=2026-10-25,2026-10-26; selected-by-date=2026-10-25=GFS, 2026-10-26=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#29 **KBED** **Bedford/Hanscom Fld, MA, US** · Long-range · Boston-Bedford MA

OBS - VFR

ETE 5h11

DIST 784 nm

SAT 24 OCT 23:51 ET OBSERVED

Current observation

METAR

OBS - VFR

OBSER

clear below 12,000 ft (CLR)

WIND calm

TEMPERATURE 1 °C

VISIBILITY 10 sm

DEWPOINT -1 °C

Evidence & limitations

- METAR source state: ok; observed Oct 24 23:51 ET; retrieved Oct 25 01:28 ET; 97 min before this run.
- Measured values read from the KBED METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.52 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.

DESTINATION OUTLOOK

SUN, OCT 25

SUN 25 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

SUN 25 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

SUN 25 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 25 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 25

00:00–06:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 26

MON 26 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 26 OCT 06:00–12:00 ET MEDIUM

Forecast GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 2–3 kt

TEMPERATURE 30–35 °F

DEWPOINT 26–30 °F

PRECIP CHANCE 1%

Evidence & limitations

- GFS MAV MOS · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 26 OCT 12:00–18:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 3–6 kt

TEMPERATURE 32–58 °F

DEWPOINT 26–34 °F

PRECIP CHANCE 0%

Evidence & limitations

- GFS MAV MOS · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 26 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 7–8 kt

TEMPERATURE 61–65 °F

DEWPOINT 35–38 °F

PRECIP CHANCE 1%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 26

00:00–06:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+036 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+042 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+048 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
12°C dep KLZU → 1°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
11/29 (110/290°M · 096/276°T) · 05/23 (050/230°M · 036/216°T) — designators and °M headings are magnetic; °T are true; variation 14°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs
FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 7 Act on 3 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What
3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

ed 2026-10-25T05:28:20.060842Z.
oritative)

RI OCT 23 | SAT OCT 24 | SUN OCT 25 | MON OCT 26

A2874/26				
A2875/26				
10/120	*Outside trip window*			

42 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 05:28 Z

NOTAMs as of 05:28 Z — advisory only; verify an official briefing.

5/0511

NOTAM text not available in this projection.

10/129

NOTAM text not available in this projection.

A2874/26

NOTAM text not available in this projection.

A2875/26

NOTAM text not available in this projection.

10/120

NOTAM text not available in this projection.

A2864/26

NOTAM text not available in this projection.

10/119

NOTAM text not available in this projection.

A2863/26

NOTAM text not available in this projection.

08/020

NOTAM text not available in this projection.

A2431/26

NOTAM text not available in this projection.

10/006

NOTAM text not available in this projection.

A2689/26

NOTAM text not available in this projection.

10/034

NOTAM text not available in this projection.

10/042

NOTAM text not available in this projection.

A2737/26

NOTAM text not available in this projection.

10/084

NOTAM text not available in this projection.

10/085

NOTAM text not available in this projection.

A2861/26

NOTAM text not available in this projection.

A2862/26

NOTAM text not available in this projection.

10/121

NOTAM text not available in this projection.

A2865/26

NOTAM text not available in this projection.

10/126

NOTAM text not available in this projection.

A2870/26

NOTAM text not available in this projection.

A2872/26

NOTAM text not available in this projection.

10/127

NOTAM text not available in this projection.

10/128

NOTAM text not available in this projection.

A2871/26

NOTAM text not available in this projection.

A2873/26

NOTAM text not available in this projection.

A2876/26

NOTAM text not available in this projection.

A1392/25

NOTAM text not available in this projection.

5/0197

NOTAM text not available in this projection.

A2784/25

NOTAM text not available in this projection.

6/8189

NOTAM text not available in this projection.

A2533/26

NOTAM text not available in this projection.

07/034

NOTAM text not available in this projection.

A2378/26

NOTAM text not available in this projection.

08/093

NOTAM text not available in this projection.

10/037

NOTAM text not available in this projection.

10/057

NOTAM text not available in this projection.

A2765/26

NOTAM text not available in this projection.

10/073

NOTAM text not available in this projection.

A2788/26

NOTAM text not available in this projection.

10/074

NOTAM text not available in this projection.

A2790/26

NOTAM text not available in this projection.

10/075

NOTAM text not available in this projection.

A2792/26

NOTAM text not available in this projection.

10/107

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

026-10-25T05:28:20.060842Z.

RUNWAY

Effective 2026-10-24T03:56:00Z → 2026-10-25T18:00:00Z

RUNWAY

Effective 2026-10-27T11:30:00Z → 2026-10-27T13:30:00Z

42 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · VFR

:00 ET ET · VFR

category. NOTAMs were read for KBED this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
S · 06:00–12:00 ET ET · VFR
S · 12:00–18:00 ET ET · VFR
• **Mon, Oct 26 · 18:00–00:00 ET**: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-25=GFS, 2026-10-26=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-25 06:00	30	Clear	230/1kt	—	>10kft	3-5SM
GFS	2026-10-25 09:00	27	Clear	0/0kt	—	>10kft	3-5SM
GFS	2026-10-25 12:00	29	Clear	270/1kt	0.0	>10kft	6SM
GFS	2026-10-25 15:00	56	Clear	280/2kt	—	>10kft	>6SM
GFS	2026-10-25 18:00	66	Clear	230/5kt	0.0	>10kft	>6SM
GFS	2026-10-25 21:00	65	Clear	180/5kt	—	>10kft	>6SM
GFS	2026-10-26 00:00	50	Clear	200/4kt	0.0	>10kft	>6SM
GFS	2026-10-26 03:00	43	Clear	230/2kt	—	>10kft	>6SM
GFS	2026-10-26 06:00	35	Clear	230/3kt	1.0	>10kft	>6SM
GFS	2026-10-26 09:00	30	Clear	260/2kt	—	>10kft	>6SM
GFS	2026-10-26 12:00	32	Clear	270/3kt	0.0	>10kft	>6SM
GFS	2026-10-26 15:00	58	Clear	280/6kt	—	>10kft	>6SM
GFS	2026-10-26 18:00	65	Clear	280/8kt	1.0	>10kft	>6SM
GFS	2026-10-26 21:00	61	Bkn	290/7kt	—	>10kft	>6SM
GFS	2026-10-27 00:00	55	Ovc	310/5kt	0.0	>10kft	>6SM
GFS	2026-10-27 03:00	53	Ovc	330/5kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KBED 250351Z AUTO 00000KT 10SM CLR 01/M01 A3052 RMK AO2 SLP350 T00061011 $

TAF KBED 250522Z 2506/2606 27005KT P6SM SKC FM251600 23003KT P6SM SKC
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KBED; actual-station=KBED; fetched-at=2026-10-25T05:28:09.660797+00:00; observed-or-issued-at=2026-10-25T03:51:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KBED; actual-station=KBED; fetched-at=2026-10-25T05:28:11.928181+00:00; observed-or-issued-at=2026-10-25T05:22:00+00:00; valid-from=2026-10-25T06:00:00+00:00; valid-through=2026-10-26T06:00:00+00:00; partial-target-dates=2026-10-25,2026-10-26 — AWC API

  TAF proxy · KBED
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KBED; actual-station=KBED; fetched-at=2026-10-25T05:28:13.302389+00:00
- FAA NMS NOTAM — state=OK; requested-station=KBED; actual-station=KBED; fetched-at=2026-10-25T05:28:20.060842Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KBED; actual-station=KBED; fetched-at=2026-10-25T05:28:41.904300+00:00; observed-or-issued-at=2026-10-25T00:00:00+00:00; valid-from=2026-10-25T06:00:00+00:00; valid-through=2026-10-28T00:00:00+00:00; target-dates=2026-10-25,2026-10-26; dates-with-points=2026-10-25,2026-10-26 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KBED; actual-station=KBED; fetched-at=2026-10-25T05:28:42.438375+00:00; observed-or-issued-at=2026-10-25T00:00:00+00:00; valid-from=2026-10-26T00:00:00+00:00; valid-through=2026-11-02T00:00:00+00:00; target-dates=2026-10-26; partial-target-dates=2026-10-25; dates-with-points=2026-10-25,2026-10-26 — Iowa State API
- MOS effective date selection — state=partial; rows=16; requested-station=KBED; actual-station=KBED; fetched-at=2026-10-25T05:28:41.904300+00:00; observed-or-issued-at=2026-10-25T00:00:00+00:00; valid-from=2026-10-25T06:00:00+00:00; valid-through=2026-10-28T00:00:00+00:00; target-dates=2026-10-25,2026-10-26; dates-with-points=2026-10-25,2026-10-26; selected-by-date=2026-10-25=GFS, 2026-10-26=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

3 · Hazard feeds & regional observations

Unfiltered hazard feeds (not route-geometry screened): 6 SIGMET records, 35 G-AIRMET records, 2 CWA records. Regional current observations (not corridor forecasts): Atlantic South: MVFR at KSSI, KJZI; Gulf East: MVFR at KDAB; Gulf West: category unavailable at KHSA.

Scope: Hazard counts are raw feed totals and have not been filtered against a proposed route, altitude, or time. Airport flight categories are current point observations, not corridor forecasts.

4 · Planning gates

- **Evidence gate:** an unavailable, stale, or out-of-horizon source is unknown — never treat it as favorable.
- **Weather gate:** compare current observations and valid-period forecasts with personal ceiling, visibility, convection, wind, and crosswind minimums.
- **Route gate:** screen the actual route, altitude, and time against official hazard products; feed totals on this page are not route-filtered.
- **Operations gate:** verify NOTAMs, TFRs, runway conditions, fuel, aircraft performance, daylight, and alternates.

5 · ForeFlight manual cross-check (before flight)

- Official briefing matches these go/no-go windows
- Prog charts / radar / satellite trend agrees with convection timing
- Winds & temps aloft along actual route (may shift ETE)
- **NOTAMs & TFRs** — airport-scoped NMS records may be shown, but route-wide/TFR coverage is not included; pull a fresh official briefing for departure, destination, and alternates
- Runway condition / length / closures at destination & alternate
- Weight & balance + performance at forecast density altitude (heat!)
- File & brief in ForeFlight; confirm fuel stops if long-range

6 · Source stamp

Show source stamp and evidence inventory

KLZU METAR excerpt: METAR KLZU 250356Z AUTO . AWC METAR state OK for 29/30 airports; TAF target coverage for 0/30; MOS fetch health GFS 30/30, MEX 30/30; target coverage 60/60 airport-days; planned-window board coverage 2/2; combined target forecast coverage for 30/30; FAA status known for 0/30. Hazard feeds: state=ok; SIGMET=6, G-AIRMET=35, CWA=2; counts are unfiltered and are not a route assessment.
NWS AFD state: ok · FAA NMS NOTAM states: OK=30; normalized records=973; unnormalized records=0; environment=preprod; sandbox-public-preview=true · Fuel: best-effort (verify) · FAA chart cycle: VFR Sectional Ed. 98 (eff. 09/03/2026); Chart Supplement Ed. 5 (eff. 09/03/2026).

Executive summary

DETERMINISTIC · RESTATES PAGE EVIDENCE · NO MODEL CALLED

A plain restatement of evidence shown in full below, computed from that evidence with no model call. It reports what the sources say; it does not rank the days, rate them, or make a go/no-go call. It follows the order the owner asked for: feasibility evidence, KLZU, destinations, weather by area or region, then new KLZU NOTAMs.

1 · Feasibility evidence for the trip window

This part is a derivation, not an observation: it states how much of the trip window carries a forecast flight category, and nothing more. It is not a go/no-go call, not a recommendation, and not a flight category. Its inputs and its gaps are listed in the tooltip on the line below.

- Trip window: Fri Oct 23 – Mon Oct 26, 2026. “This weekend” is taken to mean exactly this window; no other date range is assessed.
- Trip-window feasibility evidence (Derived): assessable for every active trip day — 2 of 2 active trip days in Fri Oct 23 – Mon Oct 26, 2026 carry a forecast flight category and 0 carry none. This is a derived statement about how much evidence exists, it is not a flight category, and it says nothing about whether a flight is advisable. Every input and every gap is named in this line's tooltip.

2 · KLZU home-base status

The KLZU observation and the per-day board categories, taken from the same helpers the board itself renders from, so the two cannot disagree.

- KLZU current observation: VFR — from the surface observation read this run; it describes conditions now, not a trip day.
- Sun Oct 25, 06:00–22:00 ET: VFR — most restrictive forecast flight category; high confidence; from TAF, MOS.
- Mon Oct 26, 06:00–22:00 ET: VFR — most restrictive forecast flight category; medium confidence; from MOS.
- A forecast flight category is available for 2 of 2 active trip days; 0 reach no category-capable product at this lead time.
- Data quality: OK — as reported by the badge in the page header; it gates publication, it is not a weather statement.

3 · Destination coverage

Coverage, not a pick: this counts which destinations a product permitted to state a flight category actually reaches. It is not a ranking, not a recommendation, and the editorial order of the destination list is not a flyability score.

- Destinations: 29 of 29 covered airports resolve a forecast flight category on at least one active trip day; 0 resolve none at this lead time. Counted from the same per-day outlook the destination cards render, with outlook-grade blocks excluded.
- Most restrictive resolved category per covered airport, across the active trip days: KAVL LIFR (2/2 d), KBED VFR (2/2 d), KBFM VFR (2/2 d), KCRE VFR (2/2 d), KCRG MVFR (2/2 d), KDAB VFR (2/2 d), KECP VFR (2/2 d), KFIN VFR (2/2 d), KGKT VFR (2/2 d), KGPT VFR (2/2 d), KHPN VFR (2/2 d), KHSA VFR (2/2 d); 17 further airports in section 2.
- NOTAMs: 29 of 29 destinations report an active NOTAM. KLZU departure NOTAM state: OK.

4 · Weather events by area or region

Weather events by area or region, from products that carry an area. Per-airport categories are never clustered into a region here: an area inferred that way would be a spatial claim no source made.

- 43 hazard areas retained with their own coordinate rings. Each is related to an airport only by point-in-polygon (ray casting) against the product's own coordinate ring, or by great-circle distance from the airport to the nearest point on the product's boundary within 100 NM — tested against 29 airports that reported a position this run. No area name is inferred: the only names stated are the ones a product supplies itself. Per-airport categories are never clustered into a region.
- 43 of 43 retained hazard areas are valid at some point inside the planned trip window; the rest describe conditions before it.
- G-AIRMET TANGO — TURB-HI: contains KSHD, KROA, KJZI, KCRE, KMYR (point-in-polygon (ray casting) against the product's own coordinate ring); boundary within 100 NM of KDAB 10 NM, KHXD 12 NM, KFIN 19 NM, KSGJ 31 NM, KSAV 37 NM, KSSI 42 NM, KCRG 44 NM, KTPF 86 NM, KTRI 95 NM, KSPG 97 NM, KOPF 99 NM. valid 2026-10-25 03:21Z to 2026-10-25 09:00Z.
- SIGMET 9E — CONVECTIVE: contains KSGJ, KDAB, KFIN (point-in-polygon (ray casting) against the product's own coordinate ring); boundary within 100 NM of KCRG 4 NM, KSSI 30 NM, KTPF 64 NM, KSPG 77 NM, KSAV 80 NM, KHXD 86 NM, KSRQ 90 NM, KVNC 99 NM. valid 2026-10-25 04:55Z to 2026-10-25 06:55Z.
- G-AIRMET ZULU — FZLVL: boundary within 100 NM of KNEW 20 NM, KGPT 73 NM; published as a line, not an enclosed area, so no containment test is made against it. valid 2026-10-25 02:45Z to 2026-10-25 09:00Z.
- G-AIRMET ZULU — FZLVL: boundary within 100 NM of KTRI 2 NM, KAVL 8 NM, KCRE 16 NM, KMYR 25 NM, KGKT 51 NM, KJZI 70 NM; published as a line, not an enclosed area, so no containment test is made against it. valid 2026-10-25 02:45Z to 2026-10-25 09:00Z.
- G-AIRMET SIERRA — IFR: boundary within 100 NM of KSHD 72 NM, KROA 82 NM. valid 2026-10-25 02:45Z to 2026-10-25 09:00Z.
- G-AIRMET TANGO — LLWS: boundary within 100 NM of KECP 3 NM, KSSI 5 NM, KCRG 16 NM, KSGJ 34 NM, KSAV 43 NM, KFIN 59 NM, KHXD 65 NM, KPNS 76 NM, KDAB 78 NM, KJKA 100 NM. valid 2026-10-25 03:21Z to 2026-10-25 09:00Z.

- G-AIRMET SIERRA — MT_OBSC: boundary within 100 NM of KAVL 6 NM, KTRI 35 NM, KROA 45 NM, KGKT 59 NM, KLZU 95 NM. valid 2026-10-25 02:45Z to 2026-10-25 09:00Z.
- G-AIRMET ZULU — M_FZLVL: boundary within 100 NM of KCRE 56 NM, KMYR 60 NM, KJZI 86 NM. valid 2026-10-25 02:45Z to 2026-10-25 09:00Z.
- G-AIRMET TANGO — SFC_WND: boundary within 100 NM of KSGJ 10 NM, KDAB 11 NM, KFIN 12 NM, KCRG 16 NM, KSSI 16 NM, KHXD 24 NM, KSAV 31 NM, KJZI 40 NM. valid 2026-10-25 03:21Z to 2026-10-25 09:00Z.
- G-AIRMET TANGO — TURB-HI: boundary within 100 NM of KNEW 74 NM. valid 2026-10-25 03:21Z to 2026-10-25 09:00Z.
- SIGMET 10E — CONVECTIVE: boundary within 100 NM of KOPF 3 NM, KDAB 54 NM, KFIN 65 NM, KSGJ 82 NM. valid 2026-10-25 04:55Z to 2026-10-25 06:55Z.
- 32 of 43 retained hazard areas could not be related to any airport this page covers, by either test. They remain national-unfiltered: their geography is real but lies outside 100 NM of every airport tested, and nothing is claimed about where they are.
- Hazard feed record counts this run, unfiltered and national: SIGMET 6, G-AIRMET 35, CWA 2; overall feed state ok; feed states — CWA: ok, G-AIRMET: ok, SIGMET: ok. These are totals over the whole feed, not a count near KLZU, not a count along any route, and not a route assessment.

5 · New KLZU NOTAMs

This run keeps no snapshot of the previous run, so “new” cannot mean “changed since last time”. It is defined below as an FAA-published timestamp window, and the service-status scan reads the published text of every KLZU record so a status embedded inside a record of another category is not missed.

- Baseline for “new”: a KLZU NOTAM whose own FAA-published timestamp (last update, else issue, else effective start) falls within the 72 hours before this run's generation time (2026-10-25T05:28:09.415353+00:00). This run holds no copy of the previous run's NOTAM set, so this is a source-timestamp window and not a difference against an earlier run.
- KLZU: 3 of 14 current NOTAMs are new by that baseline — 10/033 (RUNWAY, last_updated_at 2026-10-22T13:11:00+00:00); A0403/26 (RUNWAY, last_updated_at 2026-10-22T13:11:00+00:00); A0405/26 (RUNWAY, last_updated_at 2026-10-22T13:22:00+00:00).
- No service-status wording was found in the published text of the 14 current KLZU records. The scan reads every record's full published text rather than its category, so a status stated inside a record of another category would still be reported.

This restates evidence; it is not a recommendation, not an all-clear, and not a data outage. The decision surfaces are the planning gates and the ForeFlight cross-check below, read against the KLZU board and destination cards. Every line above restates a value shown elsewhere on this page.

⚠ **Pre-planning only — not an official weather briefing.** Verify an official briefing, METAR/TAF/GFA/SIGMET/CWA, NOTAMs, TFRs, runway conditions, fuel, W&B, performance, and personal minimums before flight.