

Flight Planning Desk

Performance profile: Mooney M20J · Lawrenceville, GA · **Fri Sep 18 – Mon Sep 21, 2026**

✔ Data quality · **DEGRADED**

✔ Live verification · **Checking**

● Published snapshot · Generated · Sunday Sep 20, 2026 · 3:28 PM ET · Next run · not before Sunday Sep 20 · 9:17 PM ET

1 · KLZU departure / return board

KLZU

Lawrenceville/Gwinnett Cnty, GA, US

Home base · timed forecast changes · source detail retained

OBS - VFR

PLANNING HORIZON

Sun 20 → Mon 21 · 2 days

RIGHT NOW · METAR

SUN 20 SEP 13:56 ET OBSERVED

Current observation

OBS - VFR

OBSER

METAR

few 3,000 ft

WINDSW (240°) 4 kt

TEMPERATURE29 °C

VISIBILITY10 sm

DEWPOINT22 °C

From 340°W - 4 kt

240° true · 246° magnetic · 4 kt

Wind favours RWY 25

Evidence & limitations

- METAR source state: ok; observed Sep 20 13:56 ET; retrieved Sep 20 15:28 ET; 92 min before this run.
- Measured values read from the KLZU METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.03 inHg.
- Raw METAR: METAR KLZU 201756Z 24004KT 10SM FEW030 29/22 A3003 RMK A02 SLP169 T02890217 10289 20217 58017 \$

• KLZU runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 07/25. Wind from 240 degrees true, 246 degrees magnetic, at 4 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 25. Wind source: KLZU METAR 201756Z.

Important planning / evidence detail (1 warning)

LEGEND **VFR** **MVFR** **IFR** **LIFR** **Unknown**  Solid = source-interval category guidance:  Dashed = lower-confidence outlook  Weather icon = surface forecastAll times Eastern (ET), 24-hour clock · "around/after" preserves source precision.  △ KLZU has no TAF station. Every KLZU TAF-derived value on this page is taken from the nearby **KPDK** proxy station, not from KLZU itself — treat it as regional, and confirm KLZU conditions in an official briefing. A raster chart may be displayed with its issuing office and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

- METAR
- TAF
- NWS-hr
- NWS-day
- MAV
- MEX
- GFA
- NOTAM

METAR – issued hourly. The highest visibility, wind, and other conditions observed at KLZU describes the current conditions now, not this trip day.

TAF – The National Weather Service issues a forecast for the next 24 hours. The TAF covers the period from 0000Z to 2359Z. It is the most authoritative forecast for the next 24 hours. The TAF covers the period from 0000Z to 2359Z. It is the most authoritative forecast for the next 24 hours.

NWS hour – Weather Service hourly forecast. The NWS hour forecast is the most authoritative forecast for the next 24 hours. The NWS hour forecast is the most authoritative forecast for the next 24 hours.

NWS day/night – Weather Service day and night forecast. The NWS day/night forecast is the most authoritative forecast for the next 24 hours. The NWS day/night forecast is the most authoritative forecast for the next 24 hours.

GFS MOS – The Global Forecast System (GFS) Model Output Statistics (MOS) are the most authoritative forecast for the next 24 hours. The GFS MOS is the most authoritative forecast for the next 24 hours.

GFS ensemble – The Global Forecast System (GFS) Model Output Statistics (MOS) are the most authoritative forecast for the next 24 hours. The GFS ensemble is the most authoritative forecast for the next 24 hours.

GFA – The Global Forecast System (GFS) Model Output Statistics (MOS) are the most authoritative forecast for the next 24 hours. The GFA is the most authoritative forecast for the next 24 hours.

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KLZU this run.

office and valid time and never interprets them: no category, wind, ceiling, ranking or go/no-go here is derived from an image. A published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

Partly Cloudy · MVFR

KPDK TAF - VFR

GFS OUTLOOK - VFR

KPDK TAF PROB30 - MVFR

GFS MOS - VFR

FORECAST

WIND

WINDE · 0–4 kt

PRECIP

PRECIP CHANCE7–15%

TS

TS CHANCE7–15%

SKY COVER

SKY COVER16–20%

Evidence & limitations

The visible badge names the contributing product. Exact issuance, retrieval, and member-period provenance remains in Day evidence & planning note below.

Flight category changes within this box: VFR → MVFR. The most restrictive displayed value is MVFR.

The hour-by-hour source evidence below retains every original period and its detailed wind line.

Surface prog · 15:00–18:00 ET · available

SUN 20 SEP 18:00–22:00 ET HIGH

Forecast

KPDK TAF proxy

Slight Chance Showers And Thunderstorms → Partly Cloudy

WIND

WINDNE · 0–4 kt

KPDK TAF - VFR

KPDK TAF PROB30 - MVFR

GFS OUTLOOK - VFR

GFS MOS - VFR

FORECAST

PRECIP CHANCE8–19%

⚡

TS CHANCE8–19%

☁

SKY COVER20–38%

Evidence & limitations

- The visible badge names the contributing product. Exact issuance, retrieval, and member-period provenance remains in Day evidence & planning note below.
- Flight category changes within this box: MVFR → VFR. The most restrictive displayed value is MVFR.
- The hour-by-hour source evidence below retains every original period and its detailed wind line.

Surface prog · 18:00–22:00 ET · available

Day evidence & planning note

NWS surface forecast mentions convection/showers (15% precipitation probability); compare timed periods with TAF and current radar

SOURCES & LIMITATIONS — HOUR-BY-HOUR SOURCE EVIDENCE (7 FORECAST PERIODS)

15:00–16:00 ET

⌵

KPDK TAF - VFR

⌵

GFS OUTLOOK - VFR

Sunny

Precipitation probability (PoP) 7%

NWS + TAF + MOS · NWS ISSUED SEP 20 14:26 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 20 15:28 ET

16:00–17:00 ET

⌵

KPDK TAF - VFR

⌵

GFS OUTLOOK - VFR

Sunny

Precipitation probability (PoP) 10%

NWS + TAF + MOS · NWS ISSUED SEP 20 14:26 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 20 15:28 ET

17:00–18:00 ET

⌵

KPDK TAF - VFR

⌵

KPDK TAF PROB30 - MVFR

⌵

GFS MOS - VFR

Slight Chance Showers And Thunderstorms

Precipitation probability (PoP) 15%

NWS + TAF + MOS · NWS ISSUED SEP 20 14:26 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 20 15:28 ET

18:00–19:00 ET

KPDK TAF - VFR

KPDK TAF PROB30 - MVFR

GFS OUTLOOK - VFR

Slight Chance Showers And Thunderstorms

Precipitation probability (PoP) 17%

NWS + TAF + MOS · NWS ISSUED SEP 20 14:26 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 20 15:28 ET

19:00–20:00 ET

KPDK TAF - VFR

KPDK TAF PROB30 - MVFR

GFS OUTLOOK - VFR

Slight Chance Showers And Thunderstorms

Precipitation probability (PoP) 19%

NWS + TAF + MOS · NWS ISSUED SEP 20 14:26 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 20 15:28 ET

20:00–21:00 ET

KPDK TAF - VFR

GFS MOS - VFR

Partly Cloudy

Precipitation probability (PoP) 13%

NWS + TAF + MOS · NWS ISSUED SEP 20 14:26 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 20 15:28 ET

21:00–22:00 ET

KPDK TAF - VFR

GFS OUTLOOK - VFR

Partly Cloudy

Precipitation probability (PoP) 8%

NWS + TAF + MOS · NWS ISSUED SEP 20 14:26 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 20 15:28 ET

WIND / WIND-FAVORED RUNWAY · ONE ENTRY PER DISPLAY BLOCK

15:00–16:00 ET CALM 0 kt Runway alignment unavailable NWS hourly surface forecast	16:00–17:00 ET CALM 0 kt Runway alignment unavailable NWS hourly surface forecast
17:00–18:00 ET E (~90° true) 4 kt Approx. wind-favored RWY 07 NWS hourly surface forecast	18:00–19:00 ET NE (~45° true) 4 kt Approx. wind-favored RWY 07 NWS hourly surface forecast
19:00–20:00 ET CALM 0 kt Runway alignment unavailable NWS hourly surface forecast	20:00–21:00 ET CALM 0 kt Runway alignment unavailable NWS hourly surface forecast

21:00–22:00 ET
CALM 0 kt
Runway alignment unavailable
NWS hourly surface forecast

Surface prog evidence · Sun Sep 20

15:00–18:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–22:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

Runway guidance is approximate wind alignment only; verify ATIS, NOTAMs and actual runway use.
RWY numbers magnetic; wind converted from true using 6°W variation (NOAA WMM2025)

Day operations

WEATHER
TAF and radar cross-check.

PERFORMANCE
Temperature / performance check.

RUNWAY
Verify ATIS, NOTAMs and actual use.

Sep 21

RETURN DAY

MEDIUM CONFIDENCE

SEP 21 · 06:00–22:00 ET



NWS-day

MEX

NOTAM

METAR — issued hourly, highest visibility, w/ issued by aviation not a forecast. KLZU observations describes	TAF — The National Weather Service (NWS) issues TAFs by FM and the strat page covers conditions now, not this trip day.	NWS hour Weather Service cell contains and reaching by-hour sky and it is the board. reaches the part of this	NWS day/night Weather Service and night hours. Coarser than one day further describe specific reach. Not reached by the finer-forecast.	GFS Model the GFS decade by the day in hours. category the flight corroborate	GFS ensemble range twelve-coarse numerical a long flagged short-range coverage	GFA and Forecast Predictions National surface are rapidly pressured. This part office and valid time and never interpret	FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KLZU this run.
--	---	---	---	---	--	--	--

GFA and FAA NOTAM (NMS) — Notices to Air
Forecast Missions: closures, outages, obstacles and
Predicted TFRs, issued continuously by the FAA and
National valid until cancelled. On this page they are
surface advisory evidence about the airport, not
are raw weather, and they never change a flight
pressure category. NOTAMs were read for KLZU this
This page run.
office and valid time and never interprets
them: no category, wind, ceiling, ranking or go/
no-go here is derived from an image. A
published WPC surface chart matches this
period and is shown in the dropdown with its
issuing office and valid time. It is displayed,
never interpreted.

KPDK TAF - VFR

GFS OUTLOOK - LIFR

GFS MOS - LIFR

FORECAST

WINDCALM · 0 kt

 **PRECIP CHANCE**2-3%

TS CHANCE 2-3%

 SKY COVER 11-18%

Evidence & limitations

- The visible badge names the contributing product. Exact issuance, retrieval, and member-period provenance remains in Day evidence & planning note below.
- The hour-by-hour source evidence below retains every original period and its detailed wind line.

Surface prog · 06:00–10:00 ET · available

MON 21 SEP 10:00-15:00 ET HIGH

Forecast

KPDK TAF
proxy

KPDK TAF - VFR

GFS OUTLOOK - VFR

GFS MOS - VFR

 Sunny → Slight Chance Showers And Thunderstorms

FORECAST |

WINDCALM · 0 kt



PRECIP CHANCE2–18%

⚡

TS CHANCE2–18%

☁

SKY COVER12–21%

Evidence & limitations

- The visible badge names the contributing product. Exact issuance, retrieval, and member-period provenance remains in Day evidence & planning note below.
- The hour-by-hour source evidence below retains every original period and its detailed wind line.

Surface prog · 10:00–15:00 ET · available

MON 21 SEP 15:00–18:00 ET MEDIUM

Forecast

GFS
MAV

Slight Chance Showers And Thunderstorms

GFS OUTLOOK - VFR

GFS MOS - VFR

TS 21%

☁

WINDCALM · 0 kt

💧

PRECIP CHANCE15–21%

⚡

TS CHANCE15–21%

☁

SKY COVER22–31%

Evidence & limitations

- The visible badge names the contributing product. Exact issuance, retrieval, and member-period provenance remains in Day evidence & planning note below.
- The hour-by-hour source evidence below retains every original period and its detailed wind line.

Surface prog · 15:00–18:00 ET · available

MON 21 SEP 18:00–22:00 ET MEDIUM

Forecast

GFS
MAV

Slight Chance Showers And Thunderstorms

GFS OUTLOOK - VFR

GFS MOS - VFR

TS 24%

☁

WINDCALM · 0 kt

💧

PRECIP CHANCE15–21%

⚡

TS CHANCE15–21%

☁

SKY COVER22–31%

FORECAST

WINDCALM · 0 kt

PRECIP CHANCE20–24%

TS CHANCE20–24%

SKY COVER28–39%

Evidence & limitations

- The visible badge names the contributing product. Exact issuance, retrieval, and member-period provenance remains in Day evidence & planning note below.
- The hour-by-hour source evidence below retains every original period and its detailed wind line.

Surface prog · 18:00–22:00 ET · available

Day evidence & planning note

NWS surface forecast mentions convection/showers (21% precipitation probability); compare timed periods with TAF and current radar; Surface temperature 90°F; calculate aircraft performance

SOURCES & LIMITATIONS — HOUR-BY-HOUR SOURCE EVIDENCE (15 FORECAST PERIODS)

06:00–08:00 ET

KPDK TAF - VFR

GFS OUTLOOK - LIFR

Sunny

Precipitation probability (PoP) 2–3%

NWS + TAF + MOS · NWS ISSUED SEP 20 14:26 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 20 15:28 ET

08:00–09:00 ET

KPDK TAF - VFR

GFS MOS - LIFR

Sunny

Precipitation probability (PoP) 3%

NWS + TAF + MOS · NWS ISSUED SEP 20 14:26 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 20 15:28 ET

09:00–10:00 ET



| KPDK TAF - VFR

| GFS OUTLOOK - LIFR → VFR

Sunny

Precipitation probability (PoP) 2%

NWS + TAF + MOS · NWS ISSUED SEP 20 14:26 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 20 15:28 ET

10:00–11:00 ET



| KPDK TAF - VFR

| GFS OUTLOOK - VFR

Sunny

Precipitation probability (PoP) 2%

NWS + TAF + MOS · NWS ISSUED SEP 20 14:26 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 20 15:28 ET

11:00–12:00 ET



| KPDK TAF - VFR

| GFS MOS - VFR

Sunny

Precipitation probability (PoP) 4%

NWS + TAF + MOS · NWS ISSUED SEP 20 14:26 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 20 15:28 ET

12:00–13:00 ET



| KPDK TAF - VFR

| GFS OUTLOOK - VFR

Sunny

Precipitation probability (PoP) 5%

NWS + TAF + MOS · NWS ISSUED SEP 20 14:26 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 20 15:28 ET

13:00–14:00 ET



| KPDK TAF - VFR

| GFS OUTLOOK - VFR

Sunny

Precipitation probability (PoP) 4%

NWS + TAF + MOS · NWS ISSUED SEP 20 14:26 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 20 15:28 ET

14:00–15:00 ET



GFS MOS - VFR

Slight Chance Showers And Thunderstorms

Precipitation probability (PoP) 18%

NWS + MOS · NWS ISSUED SEP 20 14:26 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 20 15:28 ET

15:00–16:00 ET



TS 21%

GFS OUTLOOK - VFR

Slight Chance Showers And Thunderstorms

Precipitation probability (PoP) 21%

Conditions only — not a flight category; states nothing about ceiling or visibility. Beyond the 72 h short-range GFS MOS horizon at this lead time. The product published normally; this day is simply past its reach, which is expected and is not a fault. Expected to be covered from about Fri Sep 18 · 12:00 AM ET.

NWS + MOS · NWS ISSUED SEP 20 14:26 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 20 15:28 ET

16:00–17:00 ET



TS 20%

GFS OUTLOOK - VFR

Slight Chance Showers And Thunderstorms

Precipitation probability (PoP) 20%

Conditions only — not a flight category; states nothing about ceiling or visibility. Beyond the 72 h short-range GFS MOS horizon at this lead time. The product published normally; this day is simply past its reach, which is expected and is not a fault. Expected to be covered from about Fri Sep 18 · 12:00 AM ET.

NWS + MOS · NWS ISSUED SEP 20 14:26 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 20 15:28 ET

17:00–18:00 ET



GFS MOS - VFR

Slight Chance Showers And Thunderstorms

Precipitation probability (PoP) 15%

NWS + MOS · NWS ISSUED SEP 20 14:26 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 20 15:28 ET

18:00–19:00 ET



TS 21%

GFS OUTLOOK - VFR

Slight Chance Showers And Thunderstorms

Precipitation probability (PoP) 21%

Conditions only — not a flight category; states nothing about ceiling or visibility. Beyond the 72 h short-range GFS MOS horizon at this lead time. The product published normally; this day is simply past its reach, which is expected and is not a fault. Expected to be covered from about Fri Sep 18 · 12:00 AM ET.

NWS + MOS · NWS ISSUED SEP 20 14:26 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 20 15:28 ET

19:00–20:00 ET



TS 24%

GFS OUTLOOK - VFR

Slight Chance Showers And Thunderstorms

Precipitation probability (PoP) 24%

Conditions only — not a flight category; states nothing about ceiling or visibility. Beyond the 72 h short-range GFS MOS horizon at this lead time. The product published normally; this day is simply past its reach, which is expected and is not a fault. Expected to be covered from about Fri Sep 18 · 12:00 AM ET.

NWS + MOS · NWS ISSUED SEP 20 14:26 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 20 15:28 ET

20:00–21:00 ET

GFS MOS - VFR

TS 22%

Slight Chance Showers And Thunderstorms

Precipitation probability (PoP) 22%

Conditions only — not a flight category; states nothing about ceiling or visibility.

NWS + MOS · NWS ISSUED SEP 20 14:26 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 20 15:28 ET

21:00–22:00 ET

TS 20%

GFS OUTLOOK - VFR

Slight Chance Showers And Thunderstorms

Precipitation probability (PoP) 20%

Conditions only — not a flight category; states nothing about ceiling or visibility. Beyond the 72 h short-range GFS MOS horizon at this lead time. The product published normally; this day is simply past its reach, which is expected and is not a fault. Expected to be covered from about Fri Sep 18 · 12:00 AM ET.

NWS + MOS · NWS ISSUED SEP 20 14:26 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 20 15:28 ET

WIND / WIND-FAVORED RUNWAY · ONE ENTRY PER DISPLAY BLOCK

06:00–08:00 ET CALM 0 kt Runway alignment unavailable NWS hourly surface forecast	08:00–09:00 ET CALM 0 kt Runway alignment unavailable NWS hourly surface forecast
09:00–10:00 ET CALM 0 kt Runway alignment unavailable NWS hourly surface forecast	10:00–11:00 ET CALM 0 kt Runway alignment unavailable NWS hourly surface forecast
11:00–12:00 ET CALM 0 kt Runway alignment unavailable NWS hourly surface forecast	12:00–13:00 ET CALM 0 kt Runway alignment unavailable NWS hourly surface forecast
13:00–14:00 ET CALM 0 kt Runway alignment unavailable NWS hourly surface forecast	14:00–15:00 ET CALM 0 kt Runway alignment unavailable NWS hourly surface forecast
15:00–16:00 ET CALM 0 kt Runway alignment unavailable NWS hourly surface forecast	16:00–17:00 ET CALM 0 kt Runway alignment unavailable NWS hourly surface forecast
17:00–18:00 ET CALM 0 kt Runway alignment unavailable NWS hourly surface forecast	18:00–19:00 ET CALM 0 kt Runway alignment unavailable NWS hourly surface forecast
19:00–20:00 ET CALM 0 kt Runway alignment unavailable NWS hourly surface forecast	20:00–21:00 ET CALM 0 kt Runway alignment unavailable NWS hourly surface forecast
21:00–22:00 ET CALM 0 kt Runway alignment unavailable NWS hourly surface forecast	

Surface prog evidence · Mon Sep 21

06:00–10:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

10:00–15:00 ET ET · 15:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–22:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

Runway guidance is approximate wind alignment only; verify ATIS, NOTAMs and actual runway use.

Day operations

WEATHER

TAF and radar cross-check.

PERFORMANCE

Temperature / performance check.

RUNWAY

Verify ATIS, NOTAMs and actual use.



Pattern summary: .. (This afternoon through Monday) Issued at 234 PM EDT Sun Sep 20 2026 Persistent morning cloud cover has finally decided to break across the metro and parts of eastern and central Georgia. — .. (Tuesday morning through next Saturday) Issued at 234 PM EDT Sun Sep 20 2026 The long-term period begins on Tuesday, which is the first day of astronomical fall!

NWS FFC Area Forecast Discussion · regional context, not a KLZU category or exact timing forecast

[Extended outlook ▼](#)

EXTENDED OUTLOOK SUMMARY

.. (This afternoon through Monday)
Issued at 234 PM EDT Sun Sep 20 2026

Persistent morning cloud cover has finally decided to break across the metro and parts of eastern and central Georgia. — .. (Tuesday morning through next Saturday)
Issued at 234 PM EDT Sun Sep 20 2026

The long-term period begins on Tuesday, which is the first day of astronomical fall!

SHORT TERM

..
(This afternoon through Monday)
Issued at 234 PM EDT Sun Sep 20 2026

Persistent morning cloud cover has finally decided to break across the metro and parts of eastern and central Georgia. These kept a bit of a lid on temperatures in areas that saw the cloud cover, but now that the suns out things are quickly getting toasty out there. Temps have risen into the 80s in most places and should reach the low to mid 90s by the afternoon, depending on location. The cloud cover has created some differential heating boundaries that could be a focus for some moisture convergence and convection (already seen with a few storms firing in east Georgia). Otherwise, terrain may act as the best source of lift for any afternoon thunderstorms. Have bumped up precip chances relative to the NBM and most models as they look a little over mixed and didn't handle morning cloud cover at all.

Storms are expected to remain sub-severe, as instability isn't as favorable today.

Tomorrow will see a broad surface high slide into the midwest and NE CONUS in the upper level confluence of an exiting trough into the Atlantic. Along the southern edge of the baroclinic gradient set up via that high will be a weak impulse riding through the Ozarks to the east. This will act as an additional source of lift along and ahead of the frontal boundary pushing to the south and stalling. Now that most CAM guidance is getting a look at tomorrow, best chances of rain and thunderstorms appear to be focused in northern Georgia, falling off into central Georgia. Shear remains weak (< 20 kts), but diurnal heating and high PWATs combined with a bit of cooling aloft and a weak forcing mechanism may all combine to allow for a few severe storms, capable of damaging wind gusts. Our days of 90 degree high temperatures seem to be numbered (see below), but this will be yet another we all will get suffer through together.

LONG TERM

..
(Tuesday morning through next Saturday)
Issued at 234 PM EDT Sun Sep 20 2026

The long-term period begins on Tuesday, which is the first day of astronomical fall! While conditions will be far from autumnal, we will get a break from the heat (at least somewhat) from Wednesday onward, as temperatures drop to around normal for this time of year.

SPC has all of north Georgia and parts of central Georgia under a Marginal Risk (level 1 of 5) for severe storms on Tuesday as a 500-mb shortwave trough traverses the Tennessee River Valley. Ample instability should blossom ahead of and along this feature, sparking convection that may develop upscale into a QLCS/MCS (suggested by the RRFS [Rapid Refresh Forecast System]). As a result, the peak in thunderstorm coverage across parts of north and central Georgia may end up being early Tuesday evening into the overnight hours, as we often see with these systems. Damaging wind gusts would be the primary hazard, with small hail, frequent lightning, and heavy rainfall as secondary hazards. The degree to which convection weakens as it pushes through the forecast area during nocturnal stabilization will come into better view as we enter the hi-res model time window (24-36 hours out).

A strong area of high pressure will anchor itself over eastern Canada from midweek through the weekend, leading to cold air damming (the "wedge") here across the forecast area. While the associated airmass will be drier overall, enough moisture will remain in place initially to support isolated to scattered showers and storms on Wednesday and Thursday. Where thunderstorm coverage is maximized on Wednesday may depend largely on where the outflow boundary from the convection on Tuesday evening/night ends up. FWIW, a few of the AI-NWP-based forecasts and GEFS ML forecasts from NCAR suggest the potential for a Marginal Risk type day on Wednesday.

Even drier air is progged to move in on Friday and Saturday as high pressure increases and northerly/northeasterly low-/mid-level flow prevails, so rain chances those days are essentially zero area-wide.

000
FXUS62 KFFC 201846
AFDFFC

Area Forecast Discussion
National Weather Service Peachtree City GA
246 PM EDT Sun Sep 20 2026

...Afternoon Area Forecast Discussion...

.KEY MESSAGES...

- Unseasonably warm conditions will continue into the beginning of the work week. Heat index values will peak in the upper 90s to lower 100s Today and Monday.
- Rain chances will peak on Monday, Tuesday, and Wednesday. The potential for severe weather will need to be monitored.
- More seasonable temperatures are expected starting midweek.

&&

.SHORT TERM...
(This afternoon through Monday)
Issued at 234 PM EDT Sun Sep 20 2026

Persistent morning cloud cover has finally decided to break across the metro and parts of eastern and central Georgia. These kept a bit of a lid on temperatures in areas that saw the cloud cover, but now that the suns out things are quickly getting toasty out there. Temps have risen into the 80s in most places and should reach the low to mid 90s by the afternoon, depending on location. The cloud cover has created some differential heating boundaries that could be a focus for some moisture convergence and convection (already seen with a few storms firing in east Georgia). Otherwise, terrain may act as the best source of lift for any afternoon thunderstorms. Have bumped up precip chances relative to the NBM and most models as they look a little over mixed and didn't handle morning cloud cover at all. Storms are expected to remain sub-severe, as instability isn't as favorable today.

Tomorrow will see a broad surface high slide into the midwest and NE CONUS in the upper level confluence of an exiting trough into the Atlantic. Along the southern edge of the baroclinic gradient set up via that high will be a weak impulse riding through the Ozarks to the east. This will act as an additional source of lift along and ahead of the frontal boundary pushing to the south and stalling. Now that most CAM guidance is getting a look at tomorrow, best chances of rain and thunderstorms appear to be focused in northern Georgia, falling off into central Georgia. Shear remains weak (< 20 kts), but diurnal heating and high PWATs combined with a bit of cooling aloft and a weak forcing mechanism may all combine to allow for a few

severe storms, capable of damaging wind gusts. Our days of 90 degree high temperatures seem to be numbered (see below), but this will be yet another we all will get suffer through together.

&&

.LONG TERM...
(Tuesday morning through next Saturday)
Issued at 234 PM EDT Sun Sep 20 2026

The long-term period begins on Tuesday, which is the first day of astronomical fall! While conditions will be far from autumnal, we will get a break from the heat (at least somewhat) from Wednesday onward, as temperatures drop to around normal for this time of year.

SPC has all of north Georgia and parts of central Georgia under a Marginal Risk (level 1 of 5) for severe storms on Tuesday as a 500-mb shortwave trough traverses the Tennessee River Valley. Ample instability should blossom ahead of and along this feature, sparking convection that may develop upscale into a QLCS/MCS (suggested by the RRFS [Rapid Refresh Forecast System]). As a result, the peak in thunderstorm coverage across parts of north and central Georgia may end up being early Tuesday evening into the overnight hours, as we often see with these systems. Damaging wind gusts would be the primary hazard, with small hail, frequent lightning, and heavy rainfall as secondary hazards. The degree to which convection weakens as it pushes through the forecast area during nocturnal stabilization will come into better view as we enter the hi-res model time window (24-36 hours out).

A strong area of high pressure will anchor itself over eastern Canada from midweek through the weekend, leading to cold air damming (the "wedge") here across the forecast area. While the associated airmass will be drier overall, enoug

1.1 · KLZU departure-airport NOTAM state

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

1 Act on

1 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

ed 2026-09-20T19:28:21.508456Z.

oritative)

FRI SEP 18

SAT SEP 19

SUN SEP 20

MON SEP 21

6/5419				
A0178/26				
07/011				
5 additional normalized NOTAM records omitted from this view.				

Raw NOTAM data · NOTAMs as of 19:28 Z

NOTAMs as of 19:28 Z — advisory only; verify an official briefing.

04/013

NOTAM text not available in this projection.

A0166/26

NOTAM text not available in this projection.

6/5419

NOTAM text not available in this projection.

A0178/26

NOTAM text not available in this projection.

07/011

NOTAM text not available in this projection.

07/030

NOTAM text not available in this projection.

07/034

NOTAM text not available in this projection.

08/001

NOTAM text not available in this projection.

08/007

NOTAM text not available in this projection.

08/024

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains

2026-09-20T19:28:21.508456Z.
00Z

preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

RWY 25, 300-1
00Z
METT COUNTYBRISCOE FLD, LAWRENCEVILLE, GA, TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 6, TAKE OFF MINIMUMS RWY 25, 300-1
LAND OF 330 FTNM TO 1400, ALL OTHER DATA REMAINS AS PUBLISHED. 2804211433-2804211433
:00Z
METT COUNTYBRISCOE FLD, LAWRENCEVILLE, GA, TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 6, TAKE OFF MINIMUMS RWY 25, 300-1
LAND OF 330 FTNM TO 1400, ALL OTHER DATA REMAINS AS PUBLISHED

Effective 2026-04-23T14:33:00Z → 2028-04-23T14:33:00Z

OBSTRUCTION 071011 → OBST TOWER 101 (ASPH 1020000) 335705 60ND040153 00W (5.2NM W L2U) 1265.1FT (206.1FT AGL) UPS

Effective 2026-07-13T11:11:00Z → 2026-10-12T04:00:00Z

5 additional normalized FAA NOTAM records omitted from this view.

2 · All 29 destinations — existing editorial RANK order

#1

KAVL Asheville Muni, NC, US

· Mountain · cool mountain escape

OBS - VFR

ETE

0h49

DIST

112 nm

SUN 20 SEP 13:54 ET OBSERVED

Current observation

METAR

clear below 12,000 ft (CLR)

WINDS (190°) 3 kt

TEMPERATURE28 °C

VISIBILITY10 sm

DEWPOINT19 °C

From 137°M: 3 kt

Wind favours RWY 17

190° true · 197° magnetic · 3 kt

Evidence & limitations

• METAR source state: ok; observed Sep 20 13:54 ET; retrieved Sep 20 15:28 ET; 94 min before this run.

• Measured values read from the KAVL METAR. This is a current surface observation only; it is not a forecast.

- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.07 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KAVL runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 17/35. Wind from 190 degrees true, 197 degrees magnetic, at 3 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 17. Wind source: KAVL METAR 201754Z.

DESTINATION OUTLOOK

SUN, SEP 20

SUN 20 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · MVFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 20 SEP 18:00–00:00 ET HIGH

Forecast

TA

F

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 18:00–00:00 ET ET · MVFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 20

12:00–18:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON 21 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · LIFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

TAF · 00:00–06:00 ET ET · LIFR

Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 21 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

TAF · 12:00–18:00 ET ET · VFR

Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 21 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · LIFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

TAF · 06:00–12:00 ET ET · LIFR

Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 21 SEP 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND4 kt

TEMPERATURE82–84 °F

DEWPOINT64–65 °F

PRECIP CHANCE9%

Evidence & limitations

GFS MAV MOS · 18:00–00:00 ET ET · VFR

Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 21

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

6000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

29°C dep KLZU → 28°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

17/35 (170/350°M · 163/343°T) — designators and °M headings are magnetic; °T are true; variation 7°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMS

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

5 Act on

1 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production
source per owner decision 2026-08-09;
technical transport environment remains
preprod. Limited 2026-07-30 spot check
covered KLZU, KAVL, and KSGJ (3 of 30
airports). NOTAMs were read from this source
and used on this card this run. Typed state:
OK. The dot colour reports whether this
source was read this run; technical
environment: preprod.

2 · What

3 · Where

ed 2026-09-20T19:28:21.508986Z

pritative

FRI SEP 18

SAT SEP 19

SUN SEP 21

MON SEP 23

09/034

A1041/26

4/1431

15 additional normalized NOTAM records omitted from this view

Raw NOTAM data · NOTAMs as of 19:28 Z

01/023

NOTAM text not available in this projection.

A0040/26

NOTAM text not available in this projection.

09/034

NOTAM text not available in this projection.

A1041/26

NOTAM text not available in this projection.

4/143

NOTAM text not available in this projection.

A0991/24

NOTAM text not available in this projection.

5/9960

NOTAM text not available in this projection

A0285/25

NOTAM text not available in this projection

06/06

NOTAM text not available in this projection.

A0730/26

NOTAM text not available in this projection.

12/023

NOTAM text not available in this projection.

A1148/25

NOTAM text not available in this projection.

07/051

NOTAM text not available in this projection.

08/013

NOTAM text not available in this projection.

08/090

NOTAM text not available in this projection.

09/024

NOTAM text not available in this projection.

09/025

NOTAM text not available in this projection.

09/026

NOTAM text not available in this projection.

08/072

NOTAM text not available in this projection.

A0967/26

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this

2026-09-20T19:28:21.508986Z.
T AND TWY C CLSD TO ACFT WINGSPAN MORE THAN 133FT
:00Z
TWY A3 AND TWY C CLSD TO ACFT WINGSPAN MORE THAN 133FT
:00Z
A WITH TWY B1 AND TWY B5 CLSD
:00Z

source was read this run; technical
environment: preprod.

0:00Z

NAV_APPROACH

Effective 2024-12-26T22:50:00Z → 2026-12-26T22:50:00Z

15 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics,
the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KAVL this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

8:00 ET ET · MVFR

0:00 ET ET · MVFR

6:00 ET ET · LIFR

2:00 ET ET · LIFR

3:00 ET ET · VFR

S · 18:00–00:00 ET ET · VFR

- + MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-20=GFS, 2026-09-21=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-20 18:00	83	Ovc	330/4kt	—	500-1kft	>6SM
GFS	2026-09-20 21:00	82	Ovc	140/2kt	—	>10kft	>6SM
GFS	2026-09-21 00:00	77	Ovc	180/3kt	17.0	>10kft	>6SM
GFS	2026-09-21 03:00	71	Ovc	190/1kt	—	200-500ft	3-5SM
GFS	2026-09-21 06:00	69	Ovc	0/0kt	20.0	<200ft	<¼SM
GFS	2026-09-21 09:00	67	Ovc	0/0kt	—	<200ft	<¼SM

GFS	2026-09-21 12:00	67	Ovc	240/1kt	12.0	<200ft	<¼SM
GFS	2026-09-21 15:00	78	Clear	340/2kt	—	>10kft	>6SM
GFS	2026-09-21 18:00	84	Bkn	190/4kt	9.0	>10kft	>6SM
GFS	2026-09-21 21:00	82	Bkn	150/4kt	—	>10kft	>6SM
GFS	2026-09-22 00:00	75	Ovc	170/2kt	37.0	>10kft	>6SM
GFS	2026-09-22 03:00	70	Ovc	140/2kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KAVL 201754Z 19003KT 10SM CLR 28/19 A3007 RMK A02 LTG DSNT W SLP153 T02830189 10283 20183 58020

TAF KAVL 201731Z 2018/2118 16005KT P6SM SCT040 TEMPO 2020/2024 4SM TSRA OVC020CB FM210600 00000KT 5SM BR FEW170 FM210900 00000KT 1/2SM FG BKN004 FM211300 00000KT 1 1/2SM BR SCT006 FM211400 VRB02KT P6SM SCT012

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KAVL; actual-station=KAVL; fetched-at=2026-09-20T19:28:17.585366+00:00; observed-or-issued-at=2026-09-20T17:54:00+00:00 — [AWC API](#)
 - TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KAVL; actual-station=KAVL; fetched-at=2026-09-20T19:28:17.795726+00:00; observed-or-issued-at=2026-09-20T17:31:00+00:00; valid-from=2026-09-20T18:00:00+00:00; valid-through=2026-09-21T18:00:00+00:00; partial-target-dates=2026-09-20,2026-09-21 — [AWC API](#)
- TAF proxy · KAVL
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KAVL; actual-station=KAVL; fetched-at=2026-09-20T19:28:18.322858+00:00
 - FAA NMS NOTAM — state=OK; requested-station=KAVL; actual-station=KAVL; fetched-at=2026-09-20T19:28:21.508986Z — [FAA NMS overview](#)
 - MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KAVL; actual-station=KAVL; fetched-at=2026-09-20T19:28:37.678669+00:00; observed-or-issued-at=2026-09-20T12:00:00+00:00; valid-from=2026-09-20T18:00:00+00:00; valid-through=2026-09-23T12:00:00+00:00; target-dates=2026-09-21; partial-target-dates=2026-09-20; dates-with-points=2026-09-20,2026-09-21 — [Iowa State API](#)
 - MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KAVL; actual-station=KAVL; fetched-at=2026-09-20T19:28:38.456344+00:00; observed-or-issued-at=2026-09-20T12:00:00+00:00; valid-from=2026-09-21T12:00:00+00:00; valid-through=2026-09-28T12:00:00+00:00; target-dates=2026-09-21; dates-with-points=2026-09-21 — [Iowa State API](#)
 - MOS effective date selection — state=partial; rows=12; requested-station=KAVL; actual-station=KAVL; fetched-at=2026-09-20T19:28:37.678669+00:00; observed-or-issued-at=2026-09-20T12:00:00+00:00; valid-from=2026-09-20T18:00:00+00:00; valid-through=2026-09-23T12:00:00+00:00; target-dates=2026-09-21; partial-target-dates=2026-09-20; dates-with-points=2026-09-20,2026-09-21; selected-by-date=2026-09-20=GFS, 2026-09-21=GFS
 - Extended outlook and hazard-feed states are reported in the source stamp.
 - Runway data + Chart Supplement — [FAA Chart Supplement \(current cycle\)](#) — see AirNav link above

#2

KSAV Savannah Intl, GA, US · Atlantic South · historic coast

▸ OBS - VFR

ETE

1h15

DIST

178 nm

SUN 20 SEP 13:53 ET OBSERVED

Current observation

METAR

OBS - VFR

OBSERVATION

scattered 2,000 ft, broken 25,000 ft

WINDvariable 3 kt

TEMPERATURE28 °C

VISIBILITY10 sm

DEWPOINT23 °C

Evidence & limitations

- METAR source state: ok; observed Sep 20 13:53 ET; retrieved Sep 20 15:28 ET; 95 min before this run.
- Measured values read from the KSAV METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.98 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.

DESTINATION OUTLOOK

SUN, SEP 20

SUN 20 SEP 12:00–18:00 ET HIGH

Forecast

TA
F

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 20 SEP 18:00–00:00 ET HIGH

Forecast

TA
F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 20

12:00–18:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, SEP 21

MON 21 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 21 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 21 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · MVFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 21 SEP 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND6–8 kt

TEMPERATURE87–88 °F

DEWPOINT72 °F

PRECIP CHANCE15%

Evidence & limitations

• GFS MAV MOS · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 21

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot
Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

6000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

29°C dep KLZU → 28°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference
Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

10/28 (100/280°M · 093/273°T) · 01/19 (010/190°M · 003/183°T) — designators and °M headings are magnetic; °T are true; variation 7°W (NOAA WMM2025)

INFO

Facility and verification
Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

NOTAMS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

11 Act on

2 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

ed 2026-09-20T19:28:21.509635Z.

FRI SEP 18

SAT SEP 19

SUN SEP 20

MON SEP 21

A0416/24

10/066

A0512/24

35 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMS as of 19:28 Z

NOTAMS as of 19:28 Z — advisory only; verify an official briefing.

08/102

NOTAM text not available in this projection.

09/025

NOTAM text not available in this projection.

A0416/24

NOTAM text not available in this projection.

10/066

NOTAM text not available in this projection.

A0512/24

NOTAM text not available in this projection.

M0018/26

NOTAM text not available in this projection.

5/5965

NOTAM text not available in this projection.

A0799/25

NOTAM text not available in this projection.

5/5767

NOTAM text not available in this projection.

5/5768

NOTAM text not available in this projection.

A0796/25

NOTAM text not available in this projection.

A0797/25

NOTAM text not available in this projection.

05/093

NOTAM text not available in this projection.

A0523/26

NOTAM text not available in this projection.

M0015/26

NOTAM text not available in this projection.

6/8574

NOTAM text not available in this projection.

A0899/26

NOTAM text not available in this projection.

04/008

NOTAM text not available in this projection.

A0273/25

NOTAM text not available in this projection.

04/009

NOTAM text not available in this projection.

A0275/25

NOTAM text not available in this projection.

04/010

NOTAM text not available in this projection.

A0276/25

NOTAM text not available in this projection.

04/007

NOTAM text not available in this projection.

A0272/25

NOTAM text not available in this projection.

12/023

NOTAM text not available in this projection.

A0801/25

NOTAM text not available in this projection.

07/025

NOTAM text not available in this projection.

07/027

NOTAM text not available in this projection.

08/003

NOTAM text not available in this projection.

08/017

NOTAM text not available in this projection.

08/025

NOTAM text not available in this projection.

08/058

NOTAM text not available in this projection.

08/080

NOTAM text not available in this projection.

08/107

NOTAM text not available in this projection.

09/002

NOTAM text not available in this projection.

09/020

NOTAM text not available in this projection.

09/022

NOTAM text not available in this projection.

09/027

NOTAM text not available in this projection.

09/030

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2026-09-20T19:28:21.509635Z.

TERMINAL RAMP

:00Z

TERMINAL RAMP AND TAXI A CLOSED

:00Z

TERMINAL RAMP AND TAXI A CLOSED

:00Z

TERMINAL RAMP WIP CONST E END NO TAXITOW BTN ALIAS ON RAMP

:00Z

TAXIWAY

2026-09-20T19:28:21.509635Z. TAXIWAY TERMINAL RAMP WIP CONST E END NO TAXITOW BTN ALIAS ON RAMP

Effective 2024-10-25T14:22:00Z → 2026-12-01T00:01:00Z

35 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KSAV this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

00:00 ET ET · MVFR

01:00 ET ET · VFR

02:00 ET ET · VFR

03:00 ET ET · MVFR

04:00 ET ET · VFR

05:00 ET ET · VFR

06:00 ET ET · VFR

07:00 ET ET · VFR

08:00 ET ET · VFR

09:00 ET ET · VFR

10:00 ET ET · VFR

11:00 ET ET · VFR

12:00 ET ET · VFR

13:00 ET ET · VFR

14:00 ET ET · VFR

15:00 ET ET · VFR

16:00 ET ET · VFR

17:00 ET ET · VFR

18:00 ET ET · VFR

19:00 ET ET · VFR

20:00 ET ET · VFR

21:00 ET ET · VFR

22:00 ET ET · VFR

23:00 ET ET · VFR

24:00 ET ET · VFR

25:00 ET ET · VFR

26:00 ET ET · VFR

27:00 ET ET · VFR

28:00 ET ET · VFR

29:00 ET ET · VFR

30:00 ET ET · VFR

31:00 ET ET · VFR

32:00 ET ET · VFR

33:00 ET ET · VFR

34:00 ET ET · VFR

35:00 ET ET · VFR

36:00 ET ET · VFR

37:00 ET ET · VFR

38:00 ET ET · VFR

39:00 ET ET · VFR

40:00 ET ET · VFR

41:00 ET ET · VFR

42:00 ET ET · VFR

43:00 ET ET · VFR

44:00 ET ET · VFR

45:00 ET ET · VFR

46:00 ET ET · VFR

47:00 ET ET · VFR

48:00 ET ET · VFR

49:00 ET ET · VFR

50:00 ET ET · VFR

51:00 ET ET · VFR

52:00 ET ET · VFR

53:00 ET ET · VFR

54:00 ET ET · VFR

55:00 ET ET · VFR

56:00 ET ET · VFR

57:00 ET ET · VFR

58:00 ET ET · VFR

59:00 ET ET · VFR

60:00 ET ET · VFR

61:00 ET ET · VFR

62:00 ET ET · VFR

63:00 ET ET · VFR

64:00 ET ET · VFR

65:00 ET ET · VFR

66:00 ET ET · VFR

67:00 ET ET · VFR

68:00 ET ET · VFR

69:00 ET ET · VFR

70:00 ET ET · VFR

71:00 ET ET · VFR

72:00 ET ET · VFR

73:00 ET ET · VFR

74:00 ET ET · VFR

75:00 ET ET · VFR

76:00 ET ET · VFR

77:00 ET ET · VFR

78:00 ET ET · VFR

79:00 ET ET · VFR

80:00 ET ET · VFR

81:00 ET ET · VFR

82:00 ET ET · VFR

83:00 ET ET · VFR

84:00 ET ET · VFR

85:00 ET ET · VFR

86:00 ET ET · VFR

87:00 ET ET · VFR

88:00 ET ET · VFR

89:00 ET ET · VFR

90:00 ET ET · VFR

91:00 ET ET · VFR

92:00 ET ET · VFR

93:00 ET ET · VFR

94:00 ET ET · VFR

95:00 ET ET · VFR

96:00 ET ET · VFR

97:00 ET ET · VFR

98:00 ET ET · VFR

99:00 ET ET · VFR

100:00 ET ET · VFR

101:00 ET ET · VFR

102:00 ET ET · VFR

103:00 ET ET · VFR

104:00 ET ET · VFR

105:00 ET ET · VFR

106:00 ET ET · VFR

107:00 ET ET · VFR

108:00 ET ET · VFR

109:00 ET ET · VFR

110:00 ET ET · VFR

111:00 ET ET · VFR

112:00 ET ET · VFR

113:00 ET ET · VFR

114:00 ET ET · VFR

115:00 ET ET · VFR

116:00 ET ET · VFR

117:00 ET ET · VFR

118:00 ET ET · VFR

119:00 ET ET · VFR

120:00 ET ET · VFR

121:00 ET ET · VFR

122:00 ET ET · VFR

123:00 ET ET · VFR

124:00 ET ET · VFR

125:00 ET ET · VFR

126:00 ET ET · VFR

127:00 ET ET · VFR

128:00 ET ET · VFR

129:00 ET ET · VFR

130:00 ET ET · VFR

131:00 ET ET · VFR

132:00 ET ET · VFR

133:00 ET ET · VFR

134:00 ET ET · VFR

135:00 ET ET · VFR

136:00 ET ET · VFR

137:00 ET ET · VFR

138:00 ET ET · VFR

139:00 ET ET · VFR

140:00 ET ET · VFR

141:00 ET ET · VFR

142:00 ET ET · VFR

143:00 ET ET · VFR

144:00 ET ET · VFR

145:00 ET ET · VFR

146:00 ET ET · VFR

147:00 ET ET · VFR

148:00 ET ET · VFR

149:00 ET ET · VFR

150:00 ET ET · VFR

151:00 ET ET · VFR

152:00 ET ET · VFR

153:00 ET ET · VFR

154:00 ET ET · VFR

155:00 ET ET · VFR

156:00 ET ET · VFR

157:00 ET ET · VFR

158:00 ET ET · VFR

159:00 ET ET · VFR

160:00 ET ET · VFR

161:00 ET ET · VFR

162:00 ET ET · VFR

163:00 ET ET · VFR

164:00 ET ET · VFR

165:00 ET ET · VFR

166:00 ET ET · VFR

167:00 ET ET · VFR

168:00 ET ET · VFR

169:00 ET ET · VFR

170:00 ET ET · VFR

171:00 ET ET · VFR

172:00 ET ET · VFR

173:00 ET ET · VFR

174:00 ET ET · VFR

175:00 ET ET · VFR

176:00 ET ET · VFR

177:00 ET ET · VFR

178:00 ET ET · VFR

179:00 ET ET · VFR

180:00 ET ET · VFR

181:00 ET ET · VFR

182:00 ET ET · VFR

183:00 ET ET · VFR

184:00 ET ET · VFR

185:00 ET ET · VFR

186:00 ET ET · VFR

187:00 ET ET · VFR

188:00 ET ET · VFR

189:00 ET ET · VFR

190:00 ET ET · VFR

191:00 ET ET · VFR

192:00 ET ET · VFR

193:00 ET ET · VFR

194:00 ET ET · VFR

195:00 ET ET · VFR

196:00 ET ET · VFR

197:00 ET ET · VFR

198:00 ET ET · VFR

199:00 ET ET · VFR

200:00 ET ET · VFR

201:00 ET ET · VFR

202:00 ET ET · VFR

203:00 ET ET · VFR

204:00 ET ET · VFR

205:00 ET ET · VFR

206:00 ET ET · VFR

207:00 ET ET · VFR

208:00 ET ET · VFR

209:00 ET ET · VFR

210:00 ET ET · VFR

211:00 ET ET · VFR

212:00 ET ET · VFR

213:00 ET ET · VFR

214:00 ET ET · VFR

215:00 ET ET · VFR

216:00 ET ET · VFR

217:00 ET ET · VFR

218:00 ET ET · VFR

219:00 ET ET · VFR

220:00 ET ET · VFR

221:00 ET ET · VFR

222:00 ET ET · VFR

223:00 ET ET · VFR

224:00 ET ET · VFR

225:00 ET ET · VFR

226:00 ET ET · VFR

227:00 ET ET · VFR

228:00 ET ET · VFR

229:00 ET ET · VFR

230:00 ET ET · VFR

231:00 ET ET · VFR

232:00 ET ET · VFR

233:00 ET ET · VFR

234:00 ET ET · VFR

235:00 ET ET · VFR

236:00 ET ET · VFR

237:00 ET ET · VFR

238:00 ET ET · VFR

239:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-20=GFS, 2026-09-21=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-20 18:00	86	Bkn	40/7kt	—	5-10kft	>6SM
GFS	2026-09-20 21:00	86	Ovc	80/7kt	—	>10kft	>6SM
GFS	2026-09-21 00:00	81	Bkn	120/5kt	27.0	>10kft	>6SM
GFS	2026-09-21 03:00	77	Bkn	100/3kt	—	>10kft	>6SM
GFS	2026-09-21 06:00	75	Bkn	120/1kt	8.0	>10kft	>6SM
GFS	2026-09-21 09:00	74	Bkn	330/1kt	—	>10kft	6SM
GFS	2026-09-21 12:00	75	Bkn	350/2kt	15.0	>10kft	3-5SM
GFS	2026-09-21 15:00	85	Bkn	40/4kt	—	>10kft	>6SM
GFS	2026-09-21 18:00	88	Bkn	90/6kt	15.0	>10kft	>6SM
GFS	2026-09-21 21:00	87	Bkn	120/8kt	—	>10kft	>6SM
GFS	2026-09-22 00:00	80	Ovc	130/6kt	25.0	>10kft	>6SM
GFS	2026-09-22 03:00	77	Bkn	120/3kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KSAV 201753Z VRB03KT 10SM SCT020 BKN250 28/23 A2998 RMK A02 SLP153 T02780233 10283 20228 58008

TAF KSAV 201738Z 2018/2118 04008KT P6SM SCT015 BKN035 TEMPO 2018/2020 4SM TSRA BR BKN025CB FM202200 11008KT P6SM SCT050 BKN200 FM210200 VRB03KT P6SM FEW250 FM211100 VRB04KT 6SM BR SCT005 BKN010 FM211400 05005KT P6SM SCT025

+ Data sources used

• METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KSAV; actual-station=KSAV; fetched-at=2026-09-20T19:28:17.585366+00:00; observed-or-issued-at=2026-09-20T17:53:00+00:00 — AWC API

• TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KSAV; actual-station=KSAV; fetched-at=2026-09-20T19:28:17.795726+00:00; observed-or-issued-at=2026-09-20T17:38:00+00:00; valid-from=2026-09-20T18:00:00+00:00; valid-through=2026-09-21T18:00:00+00:00; partial-target-dates=2026-09-20,2026-09-21 — AWC API

TAF proxy · KSAV

• FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KSAV; actual-station=KSAV; fetched-at=2026-09-20T19:28:18.663170+00:00

• FAA NMS NOTAM — state=OK; requested-station=KSAV; actual-station=KSAV; fetched-at=2026-09-20T19:28:21.509635Z — FAA NMS overview

• MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KSAV; actual-station=KSAV; fetched-at=2026-09-20T19:28:37.671130+00:00; observed-or-issued-at=2026-09-20T12:00:00+00:00; valid-from=2026-09-20T18:00:00+00:00; valid-through=2026-09-23T12:00:00+00:00; target-dates=2026-09-21; partial-target-dates=2026-09-20; dates-with-points=2026-09-20,2026-09-21 — Iowa State API

• MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KSAV; actual-station=KSAV; fetched-at=2026-09-20T19:28:38.479320+00:00; observed-or-issued-at=2026-09-20T12:00:00+00:00; valid-from=2026-09-21T12:00:00+00:00; valid-through=2026-09-28T12:00:00+00:00; target-dates=2026-09-21; dates-with-points=2026-09-21 — Iowa State API

• MOS effective date selection — state=partial; rows=12; requested-station=KSAV; actual-station=KSAV; fetched-at=2026-09-20T19:28:37.671130+00:00; observed-or-issued-at=2026-09-20T12:00:00+00:00; valid-from=2026-09-20T18:00:00+00:00; valid-through=2026-09-23T12:00:00+00:00; target-dates=2026-09-21; partial-target-dates=2026-09-20; dates-with-points=2026-09-20,2026-09-21; selected-by-date=2026-09-20=GFS, 2026-09-21=GFS

• Extended outlook and hazard-feed states are reported in the source stamp.

• Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#3

KSSI

Brunswick/McKinnon St Simons Arpt, GA, US

· Atlantic South · St Simons beach

⏮

OBS - VFR

⏭

ETE

1h29

DIST

214 nm

SUN 20 SEP 13:35 ET OBSERVED

Current observation

⏮

OBS - VFR

⏭

OBSER

META

R

few 9,500 ft



WIND

calm



TEMPERATURE

27 °C



VISIBILITY

10 sm



DEWPOINT

25 °C

Evidence & limitations

- METAR source state: ok; observed Sep 20 13:35 ET; retrieved Sep 20 15:28 ET; 113 min before this run.
- Measured values read from the KSSI METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.97 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.

DESTINATION OUTLOOK

SUN 20 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Surface prog evidence · Sun Sep 20

12:00–18:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

SUN 20 SEP 18:00–00:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

MON 21 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 21 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 21 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 21 SEP 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND8–9 kt

TEMPERATURE86–87 °F

DEWPOINT72–73 °F

PRECIP CHANCE32%

Evidence & limitations

• GFS MAV MOS · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 21

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

6000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — source state: not_queried

CURRENT METAR TEMP DEP / DEST

29°C dep KLZU → 27°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

04/22 (040/220°M · 033/213°T) · 16/34 (160/340°M · 153/333°T) — designators and °M headings are magnetic; °T are true; variation 7°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

1 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

2026-09-20T19:28:21.510023Z.

FRI SEP 18

SAT SEP 19

SUN SEP 20

MON SEP 21

Raw NOTAM data · NOTAMs as of 19:28 Z

NOTAMs as of 19:28 Z — advisory only; verify an official briefing.

A0047/26

NOTAM text not available in this projection.

07/001

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2026-09-20T19:28:21.510023Z.

NOT USED

00Z

00Z

+ METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.


GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-

range MOS product, issued twice a day in twelve-hourly steps out to about 192 hours. Coarse, but the only station-calibrated numeric guidance that reaches the far end of a long weekend. This card shows it only as a labelled rough outlook and never as a resolved forecast. A station-calibrated MEX MOS product was read for this airport this run (state: partial).

valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KSSI this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.



ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

18:00 ET ET · VFR
21:00 ET ET · VFR
06:00 ET ET · VFR
12:00 ET ET · VFR
18:00 ET ET · VFR
S · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-20=GFS, 2026-09-21=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-20 18:00	85	Ovc	70/8kt	—	>10kft	>6SM
GFS	2026-09-20 21:00	84	Ovc	80/8kt	—	>10kft	>6SM
GFS	2026-09-21 00:00	80	Bkn	80/4kt	43.0	>10kft	>6SM
GFS	2026-09-21 03:00	79	Bkn	130/3kt	—	>10kft	>6SM
GFS	2026-09-21 06:00	79	Bkn	190/3kt	20.0	>10kft	>6SM
GFS	2026-09-21 09:00	77	Bkn	270/1kt	—	>10kft	3-5SM
GFS	2026-09-21 12:00	77	Bkn	310/2kt	13.0	>10kft	>6SM
GFS	2026-09-21 15:00	84	Bkn	50/5kt	—	>10kft	>6SM
GFS	2026-09-21 18:00	87	Bkn	100/8kt	32.0	>10kft	>6SM
GFS	2026-09-21 21:00	86	Ovc	100/9kt	—	>10kft	>6SM
GFS	2026-09-22 00:00	82	Ovc	100/7kt	35.0	>10kft	>6SM
GFS	2026-09-22 03:00	80	Bkn	110/6kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KSSI 201735Z AUTO 00000KT 10SM TS FEW095 27/25 A2997 RMK A02 LTG DSNT ALQDS

TAF KSSI 201727Z 2018/2118 05008KT P6SM -SHRA VCTS SCT040CB BKN070 BKN150 FM202100 11009KT P6SM SCT040 BKN070 BKN120 FM210500 12006KT P6SM VCSH SCT020 BKN070 BKN120 FM211100 VRB04KT P6SM -SHRA SCT015 BKN070 BKN150

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KSSI; actual-station=KSSI; fetched-at=2026-09-20T19:28:17.585366+00:00; observed-or-issued-at=2026-09-20T17:35:00+00:00 — [AWC API](#)
 - TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KSSI; actual-station=KSSI; fetched-at=2026-09-20T19:28:17.795726+00:00; observed-or-issued-at=2026-09-20T17:27:00+00:00; valid-from=2026-09-20T18:00:00+00:00; valid-through=2026-09-21T18:00:00+00:00; partial-target-dates=2026-09-20,2026-09-21 — [AWC API](#)
- TAF proxy · KSSI
- FAA airport status — state=not_queried; fetch-state=not_attempted; payload-state=not_attempted; requested-station=KSSI
 - FAA NMS NOTAM — state=OK; requested-station=KSSI; actual-station=KSSI; fetched-at=2026-09-20T19:28:21.510023Z — [FAA NMS overview](#)
 - MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KSSI; actual-station=KSSI; fetched-at=2026-09-20T19:28:37.702243+00:00; observed-or-issued-at=2026-09-20T12:00:00+00:00; valid-from=2026-09-20T18:00:00+00:00; valid-through=2026-09-23T12:00:00+00:00; target-dates=2026-09-21; partial-target-dates=2026-09-20; dates-with-points=2026-09-20,2026-09-21 — [Iowa State API](#)
 - MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KSSI; actual-station=KSSI; fetched-at=2026-09-20T19:28:38.406755+00:00; observed-or-issued-at=2026-09-20T12:00:00+00:00; valid-from=2026-09-21T12:00:00+00:00; valid-through=2026-09-28T12:00:00+00:00; target-dates=2026-09-21; dates-with-points=2026-09-21 — [Iowa State API](#)
 - MOS effective date selection — state=partial; rows=12; requested-station=KSSI; actual-station=KSSI; fetched-at=2026-09-20T19:28:37.702243+00:00; observed-or-issued-at=2026-09-20T12:00:00+00:00; valid-from=2026-09-20T18:00:00+00:00; valid-through=2026-09-23T12:00:00+00:00; target-dates=2026-09-21; partial-target-dates=2026-09-20; dates-with-points=2026-09-20,2026-09-21; selected-by-date=2026-09-20=GFS, 2026-09-21=GFS
 - Extended outlook and hazard-feed states are reported in the source stamp.
 - Runway data + Chart Supplement — [FAA Chart Supplement \(current cycle\)](#) — see AirNav link above

#4 **KJZI Charleston Exec, SC, US** · Atlantic South · Charleston Exec

⌵ OBS - VFR

ETE

1h28

DIST

213 nm

SUN 20 SEP 13:35 ET OBSERVED

Current observation

METAR

⌵ OBS - VFR

OBSER

 few 2,000 ft, scattered 2,500 ft, broken 4,700 ft

 WINDE (110°) 6 kt gust 11 kt

 TEMPERATURE29 °C

 VISIBILITY10 sm

 DEWPOINT24 °C



Wind favours RWY 09
110° true · 118° magnetic · 6G11 kt

Evidence & limitations

- METAR source state: ok; observed Sep 20 13:35 ET; retrieved Sep 20 15:28 ET; 113 min before this run.
- Measured values read from the KJZI METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.97 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KJZI runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 09/27, 04/22. Wind from 110 degrees true, 118 degrees magnetic, at 6 knots gusting 11 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 09. Wind source: KJZI METAR 201735Z.

DESTINATION OUTLOOK

SUN, SEP 20

SUN 20 SEP 12:00–18:00 ET HIGH

Forecast

TA
F

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

TAF · VFR

FORECAST

SUN 20 SEP 18:00–00:00 ET HIGH

Forecast

TA
F

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

TAF · VFR

FORECAST

Surface prog evidence · Sun Sep 20

12:00–18:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON 21 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 21 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 21 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 21 SEP 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND6–7 kt

TEMPERATURE84–86 °F

DEWPOINT74 °F

PRECIP CHANCE18%

Evidence & limitations

• GFS MAV MOS · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 21

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

6000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed (proxy KCHS)

CURRENT METAR TEMP DEP / DEST

29°C dep KLZU → 29°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

09/27 (090/270°M · 082/262°T) · 04/22 (040/220°M · 032/212°T) — designators and °M headings are magnetic; °T are true; variation 8°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMS

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

2026-09-20T19:28:21.814646Z.

pritative)

FRI SEP 18

SAT SEP 19

SUN SEP 20

MON SEP 21

07/354

08/049

08/354

2 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 19:28 Z

NOTAMs as of 19:28 Z — advisory only; verify an official briefing.

5/3307

NOTAM text not available in this projection.

07/235

NOTAM text not available in this projection.

07/354

NOTAM text not available in this projection.

08/049

NOTAM text not available in this projection.

08/354

NOTAM text not available in this projection.

09/116

NOTAM text not available in this projection.

08/546

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production
source per owner decision 2026-08-09;
technical transport environment remains
preprod. Limited 2026-07-30 spot check
covered KLZU, KAVL, and KSGJ (3 of 30
airports). NOTAMs were read from this source
and used on this card this run. Typed state:
OK. The dot colour reports whether this
source was read this run; technical
environment: preprod.

26-09-20T19:28:21.814646Z.

:00Z

:00Z

:00Z

OBSTRUCTION 08/049 — OBST TOWER LGT (ASR 10449013) 324315 90N0800456 90W (4 1NM WNW J2) 275 9FT (251 DFT AGL) US

Effective 2026-08-04T11:22:00Z → 2026-10-03T04:00:00Z

OBSTRUCTION 080354 — OBST TOWER LGT (ASR 1038410) 324735 60N0800203.30W (5.7NM NNW J2) 357.9FT (350.1FT AGL) U.S.

Effective 2026-08-21T08:30:00Z → 2026-11-19T09:30:00Z

2 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics,
the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KJZI this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

3:00 ET ET · VFR

0:00 ET ET · VFR

6:00 ET ET · VFR

2:00 ET ET · VFR

3:00 ET ET · VFR

S · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-20=GFS, 2026-09-21=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-20 18:00	87	Bkn	50/7kt	—	>10kft	>6SM
GFS	2026-09-20 21:00	85	Bkn	80/7kt	—	>10kft	>6SM
GFS	2026-09-21 00:00	79	Bkn	90/4kt	26.0	>10kft	>6SM
GFS	2026-09-21 03:00	77	Bkn	100/2kt	—	>10kft	>6SM
GFS	2026-09-21 06:00	76	Bkn	130/1kt	13.0	>10kft	>6SM
GFS	2026-09-21 09:00	75	Bkn	0/0kt	—	>10kft	>6SM
GFS	2026-09-21 12:00	76	Bkn	10/1kt	30.0	>10kft	6SM
GFS	2026-09-21 15:00	83	Bkn	50/3kt	—	>10kft	>6SM
GFS	2026-09-21 18:00	86	Bkn	90/6kt	18.0	>10kft	>6SM
GFS	2026-09-21 21:00	84	Bkn	90/7kt	—	>10kft	>6SM
GFS	2026-09-22 00:00	79	Ovc	100/3kt	32.0	>10kft	>6SM
GFS	2026-09-22 03:00	77	Ovc	110/3kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KJZI 201735Z AUTO 11006G11KT 10SM FEW020 SCT025 BKN047 29/24 A2997 RMK A02

TAF KJZI 201738Z 2018/2118 03005KT P6SM VCSH BKN035 TEMPO 2018/2019 BKN030 FM202100 11008KT P6SM SCT050 BKN200 FM210200 00000KT P6SM FEW250 FM211100 VRB03KT 6SM BR SCT015 FM211400 05005KT P6SM SCT030

+ Data sources used

• METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KJZI; actual-station=KJZI; fetched-at=2026-09-20T19:28:17.585366+00:00; observed-or-issued-at=2026-09-20T17:35:00+00:00 — AWC API

• TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KJZI; actual-station=KJZI; fetched-at=2026-09-20T19:28:17.795726+00:00; observed-or-issued-at=2026-09-20T17:38:00+00:00; valid-from=2026-09-20T18:00:00+00:00; valid-through=2026-09-21T18:00:00+00:00; partial-target-dates=2026-09-20,2026-09-21 — AWC API

TAF proxy · KJZI

• FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KJZI; actual-station=KCHS; fetched-at=2026-09-20T19:28:18.206812+00:00

• FAA NMS NOTAM — state=OK; requested-station=KJZI; actual-station=KJZI; fetched-at=2026-09-20T19:28:21.814646Z — FAA NMS overview

• MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KJZI; actual-station=KJZI; fetched-at=2026-09-20T19:28:37.704524+00:00; observed-or-issued-at=2026-09-20T12:00:00+00:00; valid-from=2026-09-20T18:00:00+00:00; valid-through=2026-09-23T12:00:00+00:00; target-dates=2026-09-21; partial-target-dates=2026-09-20; dates-with-points=2026-09-20,2026-09-21 — Iowa State API

• MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KJZI; actual-station=KJZI; fetched-at=2026-09-20T19:28:38.458726+00:00; observed-or-issued-at=2026-09-20T12:00:00+00:00; valid-from=2026-09-21T12:00:00+00:00; valid-through=2026-09-28T12:00:00+00:00; target-dates=2026-09-21; dates-with-points=2026-09-21 — Iowa State API

• MOS effective date selection — state=partial; rows=12; requested-station=KJZI; actual-station=KJZI; fetched-at=2026-09-20T19:28:37.704524+00:00; observed-or-issued-at=2026-09-20T12:00:00+00:00; valid-from=2026-09-20T18:00:00+00:00; valid-through=2026-09-23T12:00:00+00:00; target-dates=2026-09-21; partial-target-dates=2026-09-20; dates-with-points=2026-09-20,2026-09-21; selected-by-date=2026-09-20=GFS, 2026-09-21=GFS

• Extended outlook and hazard-feed states are reported in the source stamp.

• Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

OBS - VFR

ETE

1h45

DIST

251 nm

SUN 20 SEP 13:53 ET OBSERVED

Current observation

OBS - VFR

OBSER

META

R

few 7,500 ft

WINDNE (60°) 7 kt

TEMPERATURE29 °C

VISIBILITY10 sm

DEWPOINT24 °C



Wind favours RWY 36
060° true · 069° magnetic · 7 kt

Evidence & limitations

- METAR source state: ok; observed Sep 20 13:53 ET; retrieved Sep 20 15:28 ET; 95 min before this run.
- Measured values read from the KMYR METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.99 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KMYR runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 18/36. Wind from 060 degrees true, 069 degrees magnetic, at 7 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 36. Wind source: KMYR METAR 201753Z.

DESTINATION OUTLOOK

SUN 20 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · MVFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Surface prog evidence · Sun Sep 20

12:00–18:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON 21 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 21 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 21 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 21 SEP 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND9 kt

TEMPERATURE83–84 °F

DEWPOINT75 °F

PRECIP CHANCE26%

Evidence & limitations

• GFS MAV MOS · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 21

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

29°C dep KLZU → 29°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

18/36 (180/000°M · 171/351°T) — designators and °M headings are magnetic; °T are true; variation 9°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMS

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

14 Act on

4 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production
source per owner decision 2026-08-09;
technical transport environment remains
preprod. Limited 2026-07-30 spot check
covered KLZU, KAVL, and KSGJ (3 of 30
airports). NOTAMs were read from this source
and used on this card this run. Typed state:
OK. The dot colour reports whether this
source was read this run; technical
environment: preprod.

2 · What

3 · Where

ed 2026-09-20T19:28:21.829353Z

pritative) Narrow bars = daily schedule sub-windows

FRI SEP 18

SAT SEP 19

SUN SEP 20

MON SEP 21

06/042

A0529/26

08/036

35 additional normalized NOTAM records omitted from this view

Raw NOTAM data · NOTAMs as of 19:28 Z

03/061

NOTAM text not available in this projection.

A0316/26

NOTAM text not available in this projection.

06/042

NOTAM text not available in this projection

A0529/26

NOTAM text not available in this projection.

08/036

NOTAM text not available in this projection

08/038

NOTAM text not available in this projection.

A0639/26

NOTAM text not available in this projection

A0647/26

NOTAM text not available in this projection

08/053

NOTAM text not available in this projection.

A0660/26

NOTAM text not available in this projection.

6/8172

NOTAM text not available in this projection.

03/021

NOTAM text not available in this projection.

03/022

NOTAM text not available in this projection.

03/023

NOTAM text not available in this projection.

03/028

NOTAM text not available in this projection.

03/032

NOTAM text not available in this projection.

A0248/26

NOTAM text not available in this projection.

A0249/26

NOTAM text not available in this projection.

A0250/26

NOTAM text not available in this projection.

A0257/26

NOTAM text not available in this projection.

A0262/26

NOTAM text not available in this projection.

03/039

NOTAM text not available in this projection.

A0275/26

NOTAM text not available in this projection.

03/041

NOTAM text not available in this projection.

A0278/26

NOTAM text not available in this projection.

03/046

NOTAM text not available in this projection.

A0287/26

NOTAM text not available in this projection.

03/068

NOTAM text not available in this projection.

A0320/26

NOTAM text not available in this projection.

03/069

NOTAM text not available in this projection.

05/037

NOTAM text not available in this projection.

A0444/26

NOTAM text not available in this projection.

06/017

NOTAM text not available in this projection.

08/069

NOTAM text not available in this projection.

A0684/26

NOTAM text not available in this projection.

07/032

NOTAM text not available in this projection.

08/073

NOTAM text not available in this projection.

09/026

NOTAM text not available in this projection.

08/005

NOTAM text not available in this projection.

A0600/26

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2026-09-20T19:28:21.829353Z.

FAA NMS: 2026-09-20T19:28:21.829353Z.

000Z

FAA NMS: 2026-09-20T19:28:21.829353Z.

000Z

FAA NMS: 2026-09-20T19:28:21.829353Z.

000Z

FAA NMS: 2026-09-20T19:28:21.829353Z.

000Z

RUNWAY

2026-08-17T04:00:00Z → 2026-10-17T10:00:00Z

Effective 2026-08-17T04:00:00Z → 2026-10-17T10:00:00Z

35 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KMYR this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

00:00 ET ET · MVFR

00:00 ET ET · MVFR

06:00 ET ET · VFR

12:00 ET ET · VFR

18:00 ET ET · VFR

00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-20=GFS, 2026-09-21=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-20 18:00	84	Bkn	90/8kt	—	>10kft	>6SM
GFS	2026-09-20 21:00	83	Bkn	120/8kt	—	>10kft	>6SM
GFS	2026-09-21 00:00	80	Bkn	140/6kt	22.0	>10kft	>6SM
GFS	2026-09-21 03:00	78	Bkn	140/4kt	—	>10kft	>6SM
GFS	2026-09-21 06:00	76	Bkn	150/3kt	10.0	>10kft	>6SM
GFS	2026-09-21 09:00	74	Bkn	50/2kt	—	>10kft	>6SM
GFS	2026-09-21 12:00	75	Ovc	350/2kt	38.0	>10kft	3-5SM
GFS	2026-09-21 15:00	82	Bkn	90/5kt	—	>10kft	>6SM
GFS	2026-09-21 18:00	84	Bkn	120/9kt	26.0	5-10kft	>6SM
GFS	2026-09-21 21:00	83	Bkn	130/9kt	—	>10kft	>6SM
GFS	2026-09-22 00:00	80	Bkn	130/7kt	38.0	>10kft	>6SM
GFS	2026-09-22 03:00	79	Ovc	120/6kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KMYR 201753Z 06007KT 10SM FEW075 29/24 A2999 RMK A02 SLP155 T02890239 10289 20222 58011 \$

TAF KMYR 201740Z 2018/2118 09007KT P6SM BKN040 TEMPO 2018/2022 BKN020 FM210000 12005KT P6SM SCT040 FM211500 11008KT P6SM SCT040

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KMYR; actual-station=KMYR; fetched-at=2026-09-20T19:28:17.585366+00:00; observed-or-issued-at=2026-09-20T17:53:00+00:00 — [AWC API](#)
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KMYR; actual-station=KMYR; fetched-at=2026-09-20T19:28:17.795726+00:00; observed-or-issued-at=2026-09-20T17:40:00+00:00; valid-from=2026-09-20T18:00:00+00:00; valid-through=2026-09-21T18:00:00+00:00; partial-target-dates=2026-09-20,2026-09-21 — [AWC API](#)

TAF proxy · KMYR

- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KMYR; actual-station=KMYR; fetched-at=2026-09-20T19:28:18.249704+00:00
- FAA NMS NOTAM — state=OK; requested-station=KMYR; actual-station=KMYR; fetched-at=2026-09-20T19:28:21.829353Z — [FAA NMS overview](#)
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KMYR; actual-station=KMYR; fetched-at=2026-09-20T19:28:37.722604+00:00; observed-or-issued-at=2026-09-20T12:00:00+00:00; valid-from=2026-09-20T18:00:00+00:00; valid-through=2026-09-23T12:00:00+00:00; target-dates=2026-09-21; partial-target-dates=2026-09-20; dates-with-points=2026-09-20,2026-09-21 — [Iowa State API](#)
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KMYR; actual-station=KMYR; fetched-at=2026-09-20T19:28:38.464155+00:00; observed-or-issued-at=2026-09-20T12:00:00+00:00; valid-from=2026-09-21T12:00:00+00:00; valid-through=2026-09-28T12:00:00+00:00; target-dates=2026-09-21; dates-with-points=2026-09-21 — [Iowa State API](#)
- MOS effective date selection — state=partial; rows=12; requested-station=KMYR; actual-station=KMYR; fetched-at=2026-09-20T19:28:37.722604+00:00; observed-or-issued-at=2026-09-20T12:00:00+00:00; valid-from=2026-09-20T18:00:00+00:00; valid-through=2026-09-23T12:00:00+00:00; target-dates=2026-09-21; partial-target-dates=2026-09-20; dates-with-points=2026-09-20,2026-09-21; selected-by-date=2026-09-20=GFS, 2026-09-21=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — [FAA Chart Supplement \(current cycle\)](#) — see AirNav link above

SUN 20 SEP 13:53 ET OBSERVED

Current observation

METAR

▮ OBS - VFR

OBSERVED

☁

scattered 4,800 ft, overcast 5,500 ft

🌀

WINDE (100°) 8 kt

🌡️

TEMPERATURE28 °C

👁️

VISIBILITY10 sm

💧

DEWPOINT23 °C

⚠️ From 100°W: 8 kt

alt: heading from 100° true

wind speed 8 knots



Wind favours RWY 05

100° true · 109° magnetic · 8 kt

Evidence & limitations

- METAR source state: ok; observed Sep 20 13:53 ET; retrieved Sep 20 15:28 ET; 95 min before this run.
- Measured values read from the KCRE METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.97 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KCRE runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 05/23. Wind from 100 degrees true, 109 degrees magnetic, at 8 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 05. Wind source: KCRE METAR 201753Z.

DESTINATION OUTLOOK

SUN 20 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · MVFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Surface prog evidence · Sun Sep 20

12:00–18:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON 21 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 21 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 21 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 21 SEP 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND8–9 kt

TEMPERATURE83–84 °F

DEWPOINT74 °F

PRECIP CHANCE27%

Evidence & limitations

• GFS MAV MOS · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 21

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — source state: not_queried

CURRENT METAR TEMP DEP / DEST

29°C dep KLZU → 28°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

05/23 (050/230°M · 041/221°T) — designators and °M headings are magnetic; °T are true; variation 9°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

...d 2026-09-20T19:28:21.844151Z.
...pritative)

	FRI SEP 18	SAT SEP 19	SUN SEP 20	MON SEP 21
07/004				
07/005				
09/002				

1 additional normalized NOTAM record omitted from this view.

Raw NOTAM data · NOTAMs as of 19:28 Z

NOTAMs as of 19:28 Z — advisory only; verify an official briefing.

- 5/9932

NOTAM text not available in this projection.
- 5/9933

NOTAM text not available in this projection.
- 07/004

NOTAM text not available in this projection.
- 07/005

NOTAM text not available in this projection.
- 09/002

NOTAM text not available in this projection.
- 08/002

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production

source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

OBSTRUCTION

Effective 2026-07-08T09:16:00Z → 2026-10-06T09:16:00Z

OBSTRUCTION

Effective 2026-07-09T22:41:00Z → 2026-10-10T23:59:00Z

OBSTRUCTION

Effective 2026-09-02T15:39:00Z → 2026-12-31T15:39:00Z

1 additional normalized FAA NOTAM record omitted from this view.

26-09-20T19:28:21.844151Z.
STRAND, NORTH MYRTLE BEACH, SC. VOR RWY 23, AMDT 20B. . DISREGARD WAGRA FIX MINIMUMS. 5-25 MDA 620HAT 590 ALL CATS. VISIBILITY CAT C/D 1 1A.
TEMPORARY CRANE 252FT MSL 500FT SOUTHEAST OF RWY 23 (2025-ASD-10005-06). 2512162107 2612212107EST
:00Z
STRAND, NORTH MYRTLE BEACH, SC. ILS OR LOC RWY 23, AMDT 12B. . RNAV (GPS) RWY 23, AMDT 1C. . RNAV (GPS) RWY 5, ORIG-A. VOR RWY 5, AMDT 20B.
TEMPORARY CRANE 252FT MSL 1 18 NM SOUTHEAST OF CRE AIRPORT (2025-ASD-10005-06). 2512162107 2612212107EST
:00Z
LOST (ASR 1200500) 334959 20N0785150 00W (7.0NM W CRE) 402.2FT (365.2FT AGL) US
LOST (ASR 1210500) 335012 20N0784700 00W (3.3NM WNW CRE) 372.0FT (335.0FT AGL) US
LOST (ASR 1004000) 335557 20N0784420 10W (7.3NM N CRE) 306.1FT (270.0FT AGL) US

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KCRE this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

0:00 ET ET · MVFR
0:00 ET ET · MVFR
5:00 ET ET · VFR
2:00 ET ET · VFR
3:00 ET ET · VFR
S · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-20=GFS, 2026-09-21=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-20 18:00	83	Bkn	90/8kt	—	>10kft	>6SM

GFS	2026-09-20 21:00	83	Ovc	120/8kt	—	>10kft	>6SM
GFS	2026-09-21 00:00	79	Bkn	150/6kt	20.0	>10kft	>6SM
GFS	2026-09-21 03:00	78	Bkn	140/4kt	—	>10kft	>6SM
GFS	2026-09-21 06:00	76	Bkn	160/2kt	10.0	>10kft	>6SM
GFS	2026-09-21 09:00	74	Bkn	70/1kt	—	>10kft	>6SM
GFS	2026-09-21 12:00	75	Ovc	30/2kt	37.0	5-10kft	3-5SM
GFS	2026-09-21 15:00	82	Bkn	90/5kt	—	>10kft	>6SM
GFS	2026-09-21 18:00	84	Bkn	120/8kt	27.0	>10kft	>6SM
GFS	2026-09-21 21:00	83	Bkn	130/9kt	—	>10kft	>6SM
GFS	2026-09-22 00:00	80	Ovc	140/7kt	37.0	>10kft	>6SM
GFS	2026-09-22 03:00	78	Ovc	120/6kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KCRE 201753Z 10008KT 10SM SCT048 OVC055 28/23 A2997 RMK A02 RAE42 SLP150 P0000 60001 T02830228 10283 20211 58010

TAF KMYR 201740Z 2018/2118 09007KT P6SM BKN040 TEMPO 2018/2022 BKN020 FM210000 12005KT P6SM SCT040 FM211500 11008KT P6SM SCT040

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KCRE; actual-station=KCRE; fetched-at=2026-09-20T19:28:17.585366+00:00; observed-or-issued-at=2026-09-20T17:53:00+00:00 — [AWC API](#)
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KCRE; actual-station=KMYR; fetched-at=2026-09-20T19:28:17.795726+00:00; observed-or-issued-at=2026-09-20T17:40:00+00:00; valid-from=2026-09-20T18:00:00+00:00; valid-through=2026-09-21T18:00:00+00:00; partial-target-dates=2026-09-20,2026-09-21 — [AWC API](#)

TAF proxy · KMYR

- FAA airport status — state=not_queried; fetch-state=not_attempted; payload-state=not_attempted; requested-station=KCRE
- FAA NMS NOTAM — state=OK; requested-station=KCRE; actual-station=KCRE; fetched-at=2026-09-20T19:28:21.844151Z — [FAA NMS overview](#)
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KCRE; actual-station=KCRE; fetched-at=2026-09-20T19:28:37.709856+00:00; observed-or-issued-at=2026-09-20T12:00:00+00:00; valid-from=2026-09-20T18:00:00+00:00; valid-through=2026-09-23T12:00:00+00:00; target-dates=2026-09-21; partial-target-dates=2026-09-20; dates-with-points=2026-09-20,2026-09-21 — [Iowa State API](#)
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KCRE; actual-station=KCRE; fetched-at=2026-09-20T19:28:38.496580+00:00; observed-or-issued-at=2026-09-20T12:00:00+00:00; valid-from=2026-09-21T12:00:00+00:00; valid-through=2026-09-28T12:00:00+00:00; target-dates=2026-09-21; dates-with-points=2026-09-21 — [Iowa State API](#)
- MOS effective date selection — state=partial; rows=12; requested-station=KCRE; actual-station=KCRE; fetched-at=2026-09-20T19:28:37.709856+00:00; observed-or-issued-at=2026-09-20T12:00:00+00:00; valid-from=2026-09-20T18:00:00+00:00; valid-through=2026-09-23T12:00:00+00:00; target-dates=2026-09-21; partial-target-dates=2026-09-20; dates-with-points=2026-09-20,2026-09-21; selected-by-date=2026-09-20=GFS, 2026-09-21=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

SUN 20 SEP 13:51 ET OBSERVED

Current observation

METAR

scattered 1,600 ft

WINDNE (40°) 3 kt

TEMPERATURE29 °C

VISIBILITY10 sm

DEWPOINT24 °C

From 040°M - 3 kt

040° true · 048° magnetic · 3 kt

Wind favours RWY 03

OBS - VFR

OBSERVED

Evidence & limitations

• METAR source state: ok; observed Sep 20 13:51 ET; retrieved Sep 20 15:28 ET; 97 min before this run.

• Measured values read from the KHxD METAR. This is a current surface observation only; it is not a forecast.

• Only fields decoded from this METAR are shown; every missing field remains unavailable.

• Altimeter: 29.98 inHg.

• The complete raw METAR remains in this airport's Raw products disclosure.

• KHxD runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 03/21. Wind from 040 degrees true, 048 degrees magnetic, at 3 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 03. Wind source: KHxD METAR 201751Z.

DESTINATION OUTLOOK

SUN 20 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · MVFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Surface prog evidence · Sun Sep 20

12:00–18:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

SUN 20 SEP 18:00–00:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

MON 21 SEP 00:00–06:00 ET HIGH

Forecast

TA
F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 21 SEP 12:00–18:00 ET HIGH

Forecast

TA
F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 21 SEP 06:00–12:00 ET HIGH

Forecast

TA
F

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · MVFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 21 SEP 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND6 kt

TEMPERATURE84–85 °F

DEWPOINT73 °F

PRECIP CHANCE15%

Evidence & limitations

• GFS MAV MOS · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 21

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

6000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

29°C dep KLZU → 29°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

03/21 (030/210°M · 022/202°T) — designators and °M headings are magnetic; °T are true; variation 8°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMS

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

2026-09-20T19:28:21.949428Z.

pritative)

FRI SEP 18

SAT SEP 19

SUN SEP 20

MON SEP 21

5/3292

A0137/25

08/032

Raw NOTAM data · NOTAMs as of 19:28 Z

NOTAMs as of 19:28 Z — advisory only; verify an official briefing.

07/013

NOTAM text not available in this projection.

A0238/26

NOTAM text not available in this projection.

5/3292

NOTAM text not available in this projection.

A0137/25

NOTAM text not available in this projection.

08/032

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source

2026-09-20T19:28:21.949428Z.

FAA AREA WIRECULAR (SPC

:00Z

FAA AREA WIRECULAR (SPC

:00Z

and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

NAV_APPROACH

Effective 2025-04-29T20:01:00Z → 2027-04-29T20:01:00Z

OBSTRUCTION

Effective 2026-08-29T05:15:00Z → 2026-12-27T05:15:00Z

HEAD: HILTON HEAD ISLAND, SC, LOC RWY 21, AMDT 6, VGS AND DESCENT ANGLES NOT COINCIDENT (VGS ANGLE 3 DUTCH 35)

:00Z

HEAD: HILTON HEAD, HILTON HEAD ISLAND, SC, LOC RWY 21, AMDT 6, VGS AND DESCENT ANGLES NOT COINCIDENT (VGS ANGLE 3 DUTCH 35)

OBSTRUCTION — LIGHT TOWER LIGHT (AASR 1045120) 321455 (000000)26 90M (7 4NM W HAT) 241 1FT (220 1FT AGL) US

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KHXD this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

18:00 ET ET · MVFR

19:00 ET ET · VFR

20:00 ET ET · VFR

21:00 ET ET · MVFR

22:00 ET ET · VFR

23:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-20=GFS, 2026-09-21=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-20 18:00	83	Bkn	50/7kt	—	5-10kft	>6SM
GFS	2026-09-20 21:00	83	Ovc	70/6kt	—	>10kft	>6SM
GFS	2026-09-21 00:00	79	Bkn	110/4kt	26.0	>10kft	>6SM
GFS	2026-09-21 03:00	78	Bkn	90/2kt	—	>10kft	>6SM
GFS	2026-09-21 06:00	77	Bkn	160/1kt	11.0	>10kft	>6SM

GFS	2026-09-21 09:00	75	Bkn	0/0kt	—	>10kft	>6SM
GFS	2026-09-21 12:00	77	Ovc	360/1kt	20.0	200-500ft	6SM
GFS	2026-09-21 15:00	83	Bkn	40/5kt	—	>10kft	>6SM
GFS	2026-09-21 18:00	85	Bkn	90/6kt	15.0	>10kft	>6SM
GFS	2026-09-21 21:00	84	Bkn	110/6kt	—	>10kft	>6SM
GFS	2026-09-22 00:00	81	Bkn	120/3kt	24.0	>10kft	>6SM
GFS	2026-09-22 03:00	78	Bkn	100/2kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KHXD 201751Z 04003KT 10SM SCT016 29/24 A2998 RMK LTG DSNT SE-SW

TAF KSAV 201738Z 2018/2118 04008KT P6SM SCT015 BKN035 TEMPO 2018/2020 4SM TSRA BR BKN025CB FM202200 11008KT P6SM SCT050 BKN200 FM210200 VRB03KT P6SM FEW250 FM211100 VRB04KT 6SM BR SCT005 BKN010 FM211400 05005KT P6SM SCT025

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KHXD; actual-station=KHXD; fetched-at=2026-09-20T19:28:17.585366+00:00; observed-or-issued-at=2026-09-20T17:51:00+00:00 — [AWC API](#)
 - TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KHXD; actual-station=KSAV; fetched-at=2026-09-20T19:28:17.795726+00:00; observed-or-issued-at=2026-09-20T17:38:00+00:00; valid-from=2026-09-20T18:00:00+00:00; valid-through=2026-09-21T18:00:00+00:00; partial-target-dates=2026-09-20,2026-09-21 — [AWC API](#)
- TAF proxy · KSAV
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KHXD; actual-station=KHXD; fetched-at=2026-09-20T19:28:18.674736+00:00
 - FAA NMS NOTAM — state=OK; requested-station=KHXD; actual-station=KHXD; fetched-at=2026-09-20T19:28:21.949428Z — [FAA NMS overview](#)
 - MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KHXD; actual-station=KHXD; fetched-at=2026-09-20T19:28:37.734679+00:00; observed-or-issued-at=2026-09-20T12:00:00+00:00; valid-from=2026-09-20T18:00:00+00:00; valid-through=2026-09-23T12:00:00+00:00; target-dates=2026-09-21; partial-target-dates=2026-09-20; dates-with-points=2026-09-20,2026-09-21 — [Iowa State API](#)
 - MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KHXD; actual-station=KHXD; fetched-at=2026-09-20T19:28:38.452050+00:00; observed-or-issued-at=2026-09-20T12:00:00+00:00; valid-from=2026-09-21T12:00:00+00:00; valid-through=2026-09-28T12:00:00+00:00; target-dates=2026-09-21; dates-with-points=2026-09-21 — [Iowa State API](#)
 - MOS effective date selection — state=partial; rows=12; requested-station=KHXD; actual-station=KHXD; fetched-at=2026-09-20T19:28:37.734679+00:00; observed-or-issued-at=2026-09-20T12:00:00+00:00; valid-from=2026-09-20T18:00:00+00:00; valid-through=2026-09-23T12:00:00+00:00; target-dates=2026-09-21; partial-target-dates=2026-09-20; dates-with-points=2026-09-20,2026-09-21; selected-by-date=2026-09-20=GFS, 2026-09-21=GFS
 - Extended outlook and hazard-feed states are reported in the source stamp.
 - Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#8

KTRI Bristol/Tri-Cities Arpt, TN, US

· Mountain · Tri-Cities TN/VA

▮ OBS - VFR

ETE

1h11

DIST

168 nm

SUN 20 SEP 13:53 ET OBSERVED

Current observation



OBS - VFR

OBSER



scattered 4,000 ft, broken 9,000 ft, broken 20,000 ft



WINDNW (320°) 4 kt




TEMPERATURE28 °C



VISIBILITY10 sm



DEWPOINT20 °C



Wind favours RWY 27

320° true · 328° magnetic · 4 kt

Evidence & limitations

- METAR source state: ok; observed Sep 20 13:53 ET; retrieved Sep 20 15:28 ET; 95 min before this run.
- Measured values read from the KTRI METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.04 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KTRI runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 05/23, 09/27. Wind from 320 degrees true, 328 degrees magnetic, at 4 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 27. Wind source: KTRI METAR 201753Z.

DESTINATION OUTLOOK

SUN 20 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · MVFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Surface prog evidence · Sun Sep 20

12:00–18:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON 21 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

TAF · 00:00–06:00 ET ET · MVFR

Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 21 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

TAF · 12:00–18:00 ET ET · VFR

Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 21 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

TAF · 06:00–12:00 ET ET · MVFR

Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 21 SEP 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND4–5 kt

TEMPERATURE85 °F

DEWPOINT68–69 °F

PRECIP CHANCE27%

Evidence & limitations

GFS MAV MOS · 18:00–00:00 ET ET · VFR

Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 21

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

6000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

29°C dep KLZU → 28°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

05/23 (050/230°M · 042/222°T) · 09/27 (090/270°M · 082/262°T) — designators and °M headings are magnetic; °T are true; variation 8°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMS

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

	2 · What	3 · Where	
	ed 2026-09-20T19:28:22.065486Z. poritative)		
	FRI SEP 18	SAT SEP 19	SUN SEP 20
08/068			
08/069			
08/070			
38 additional normalized NOTAM records omitted from this view.			

Raw NOTAM data · NOTAMs as of 19:28 Z

NOTAMs as of 19:28 Z — advisory only; verify an official briefing.

5/8343	NOTAM text not available in this projection.
5/8558	NOTAM text not available in this projection.
08/068	NOTAM text not available in this projection.
08/069	NOTAM text not available in this projection.
08/070	NOTAM text not available in this projection.
08/071	NOTAM text not available in this projection.
08/072	NOTAM text not available in this projection.
09/023	NOTAM text not available in this projection.
A1216/26	

NOTAM text not available in this projection.

08/067

NOTAM text not available in this projection.

08/073

NOTAM text not available in this projection.

5/1221

NOTAM text not available in this projection.

A1144/25

NOTAM text not available in this projection.

A1251/25

NOTAM text not available in this projection.

A1252/25

NOTAM text not available in this projection.

5/8404

NOTAM text not available in this projection.

5/8405

NOTAM text not available in this projection.

5/8406

NOTAM text not available in this projection.

5/8407

NOTAM text not available in this projection.

A1367/25

NOTAM text not available in this projection.

A1368/25

NOTAM text not available in this projection.

A1369/25

NOTAM text not available in this projection.

A1370/25

NOTAM text not available in this projection.

5/8409

NOTAM text not available in this projection.

A1373/25

NOTAM text not available in this projection.

5/8411

NOTAM text not available in this projection.

A1374/25

NOTAM text not available in this projection.

06/034

NOTAM text not available in this projection.

A0975/26

NOTAM text not available in this projection.

06/042

NOTAM text not available in this projection.

A0980/26

NOTAM text not available in this projection.

06/043

NOTAM text not available in this projection.

A0981/26

NOTAM text not available in this projection.

06/061

NOTAM text not available in this projection.

06/068

NOTAM text not available in this projection.

07/010

NOTAM text not available in this projection.

07/028

NOTAM text not available in this projection.

07/029

NOTAM text not available in this projection.

07/054

NOTAM text not available in this projection.

08/034

NOTAM text not available in this projection.

08/053

NOTAM text not available in this projection.

09/004

NOTAM text not available in this projection.

09/017

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

RUNWAY

000000 — RWY 27 TAKE OFF MINIMUMS NOT STD

Effective 2026-08-28T12:08:00Z → 2026-09-30T22:00:00Z

RUNWAY

000000 — RWY 27 TAKE OFF MINIMUMS NOT STD

Effective 2026-08-28T12:08:00Z → 2026-09-30T22:00:00Z

38 additional normalized FAA NOTAM records omitted from this view.

2026-09-20T19:28:22.065486Z.

PISTOL JOHNSON KINGSPORT, TN, TRICITIES THREE DEPARTURE ... DISREGARD TAKE-OFF MINIMUMS RWY 27, 400 2 1/2 OR STANDARD WITH MINIMUM CLIMB RATE MINIMUMS RWY 27 400 2 1/2. ALL OTHER DATA REMAINS AS PUBLISHED. 2509221540-2709221540EST

:00Z

PISTOL JOHNSON KINGSPORT, TN, KINGS TWO DEPARTURE ... TAKE-OFFTAKE-OFF MINIMUMS RWY 27, NOT AUTHORIZED. ALL OTHER DATA REMAINS AS PUBLISHED. 2509221540-2709221540EST

:00Z

TAKE OFFS NOT STD

:00Z

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not

category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

weather, and they never change a flight category. NOTAMs were read for KTRI this run.

no-go here is derived from an image. A published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

- 18:00 ET ET · MVFR
- 18:00 ET ET · MVFR
- 16:00 ET ET · MVFR
- 12:00 ET ET · MVFR
- Mon, Sep 21 · 12:00–18:00 ET: TAF · 12:00–18:00 ET ET · VFR
- Mon, Sep 21 · 18:00–00:00 ET: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-20=GFS, 2026-09-21=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-20 18:00	85	Bkn	260/3kt	—	>10kft	>6SM
GFS	2026-09-20 21:00	87	Bkn	270/3kt	—	>10kft	>6SM
GFS	2026-09-21 00:00	79	Bkn	210/2kt	16.0	>10kft	>6SM
GFS	2026-09-21 03:00	71	Bkn	200/1kt	—	>10kft	>6SM
GFS	2026-09-21 06:00	68	Bkn	0/0kt	13.0	>10kft	3-5SM
GFS	2026-09-21 09:00	67	Bkn	0/0kt	—	>10kft	<¼SM
GFS	2026-09-21 12:00	67	Bkn	0/0kt	21.0	>10kft	<¼SM
GFS	2026-09-21 15:00	79	Bkn	190/1kt	—	>10kft	>6SM
GFS	2026-09-21 18:00	85	Bkn	250/4kt	27.0	>10kft	>6SM
GFS	2026-09-21 21:00	85	Bkn	240/5kt	—	>10kft	>6SM
GFS	2026-09-22 00:00	77	Bkn	120/2kt	38.0	>10kft	>6SM
GFS	2026-09-22 03:00	71	Ovc	140/1kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KTRI 201753Z 32004KT 10SM SCT040 BKN090 BKN200 28/20 A3004 RMK A02 SLP147 T02830200 10306 20178 58015 \$

TAF KTRI 201720Z 2018/2118 VRB04KT P6SM SCT050 PROB30 2018/2022 4SM TSRA SCT035 BKN045CB FM211000 00000KT 4SM BR BKN250 FM211400 23002KT P6SM OVC250

+ Data sources used

• METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KTRI; actual-station=KTRI; fetched-at=2026-09-20T19:28:17.585366+00:00; observed-or-issued-at=2026-09-20T17:53:00+00:00 — AWC API

- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KTRI; actual-station=KTRI; fetched-at=2026-09-20T19:28:17.795726+00:00; observed-or-issued-at=2026-09-20T17:20:00+00:00; valid-from=2026-09-20T18:00:00+00:00; valid-through=2026-09-21T18:00:00+00:00; partial-target-dates=2026-09-20,2026-09-21 — [AWC API](#)

TAF proxy · KTRI
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KTRI; actual-station=KTRI; fetched-at=2026-09-20T19:28:18.525809+00:00
- FAA NMS NOTAM — state=OK; requested-station=KTRI; actual-station=KTRI; fetched-at=2026-09-20T19:28:22.065486Z — [FAA NMS overview](#)
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KTRI; actual-station=KTRI; fetched-at=2026-09-20T19:28:37.677849+00:00; observed-or-issued-at=2026-09-20T12:00:00+00:00; valid-from=2026-09-20T18:00:00+00:00; valid-through=2026-09-23T12:00:00+00:00; target-dates=2026-09-21; partial-target-dates=2026-09-20; dates-with-points=2026-09-20,2026-09-21 — [Iowa State API](#)
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KTRI; actual-station=KTRI; fetched-at=2026-09-20T19:28:38.395026+00:00; observed-or-issued-at=2026-09-20T12:00:00+00:00; valid-from=2026-09-21T12:00:00+00:00; valid-through=2026-09-28T12:00:00+00:00; target-dates=2026-09-21; dates-with-points=2026-09-21 — [Iowa State API](#)
- MOS effective date selection — state=partial; rows=12; requested-station=KTRI; actual-station=KTRI; fetched-at=2026-09-20T19:28:37.677849+00:00; observed-or-issued-at=2026-09-20T12:00:00+00:00; valid-from=2026-09-20T18:00:00+00:00; valid-through=2026-09-23T12:00:00+00:00; target-dates=2026-09-21; partial-target-dates=2026-09-20; dates-with-points=2026-09-20,2026-09-21; selected-by-date=2026-09-20=GFS, 2026-09-21=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — [FAA Chart Supplement](#) (current cycle) — see AirNav link above

#9

KROA

Roanoke Rgnl, VA, US

· Mountain · Roanoke valley

⏮

OBS - VFR

⏭

ETE

1h56

DIST

279 nm

SUN 20 SEP 13:54 ET OBSERVED

Current observation

METAR

scattered 13,000 ft

WINDW (280°) 10 kt gust 16 kt

TEMPERATURE31 °C

VISIBILITY10 sm

DEWPOINT17 °C

From 280°M - 280G16 kt

From 289°M - 289G16 kt

WINDY 10 kt gust 16 kt

Wind favours RWY 24

280° true · 289° magnetic · 10G16 kt

OBS - VFR

OBSER

Evidence & limitations

- METAR source state: ok; observed Sep 20 13:54 ET; retrieved Sep 20 15:28 ET; 94 min before this run.
- Measured values read from the KROA METAR. This is a current surface observation only; it is not a forecast.

- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.01 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KROA runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 06/24, 16/34. Wind from 280 degrees true, 289 degrees magnetic, at 10 knots gusting 16 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 24. Wind source: KROA METAR 201754Z.

DESTINATION OUTLOOK

SUN, SEP 20

SUN 20 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 20 SEP 18:00–00:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 20

12:00–18:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON 21 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 21 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · MVFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Surface prog evidence · Mon Sep 21

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

MON 21 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · MVFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 21 SEP 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · LIFR

FORECAST

Flight-category guidance

WIND5 kt

TEMPERATURE77–78 °F

DEWPOINT69–70 °F

PRECIP CHANCE34%

Evidence & limitations

• GFS MAV MOS · 18:00–00:00 ET ET · LIFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

29°C dep KLZU → 31°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

06/24 (060/240°M · 051/231°T) · 16/34 (160/340°M · 151/331°T) — designators and °M headings are magnetic; °T are true; variation 9°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMS

NOTAMS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

ed 2026-09-20T19:28:22.176174Z.

FRI SEP 18

SAT SEP 19

SUN SEP 20

MON SEP 21

08/149

08/150

08/152

14 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 19:28 Z

NOTAMs as of 19:28 Z — advisory only; verify an official briefing.

08/147

NOTAM text not available in this projection.

08/148

NOTAM text not available in this projection.

08/149

NOTAM text not available in this projection.

08/150

NOTAM text not available in this projection.

08/152

NOTAM text not available in this projection.

08/153

NOTAM text not available in this projection.

A1062/26

NOTAM text not available in this projection.

08/154

NOTAM text not available in this projection.

08/155

NOTAM text not available in this projection.

08/156

NOTAM text not available in this projection.

5/6949

NOTAM text not available in this projection.

A0691/25

NOTAM text not available in this projection.

08/084

NOTAM text not available in this projection.

A0956/26

NOTAM text not available in this projection.

08/050

NOTAM text not available in this projection.

A1138/25

NOTAM text not available in this projection.

08/074

NOTAM text not available in this projection.

08/075

NOTAM text not available in this projection.

08/076

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2026-09-20T19:28:22.176174Z.

NOTAM NOT STD

:00Z

END BTN TWY B4 AND TWY B1 NOT STD

:00Z

END HLXS PSN SIGNS FOR TWY 05/04 NOT STD

:00Z

END HLXS PSN SIGNS NOT MARKED

:00Z

TAXIWAY

08/156 — TWY B4 CN MARKINGS NOT STD

Effective 2026-08-31T16:33:00Z → 2026-09-30T23:59:00Z

14 additional normalized FAA NOTAM records omitted from this view.

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics,
the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs — read for KROA this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

S · 18:00–00:00 ET ET · LIFR

Source state: partial; selected by target date: 2026-09-20=GFS, 2026-09-21=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-20 18:00	85	Bkn	290/7kt	—	>10kft	>6SM
GFS	2026-09-20 21:00	84	Bkn	70/5kt	—	>10kft	>6SM
GFS	2026-09-21 00:00	79	Ovc	120/3kt	25.0	>10kft	>6SM
GFS	2026-09-21 03:00	74	Bkn	240/2kt	—	>10kft	>6SM
GFS	2026-09-21 06:00	71	Sct	30/2kt	11.0	>10kft	6SM
GFS	2026-09-21 09:00	69	Bkn	40/2kt	—	>10kft	¼-½SM
GFS	2026-09-21 12:00	70	Ovc	30/4kt	21.0	>10kft	1-2SM
GFS	2026-09-21 15:00	75	Ovc	90/3kt	—	1-3kft	>6SM
GFS	2026-09-21 18:00	78	Ovc	120/5kt	34.0	5-10kft	>6SM

GFS	2026-09-21 21:00	77	Ovc	80/5kt	—	5-10kft	>6SM
GFS	2026-09-22 00:00	72	Ovc	100/5kt	54.0	5-10kft	6SM
GFS	2026-09-22 03:00	71	Ovc	60/4kt	—	500-1kft	½-1SM

+ Raw products

+ Raw METAR / TAF

METAR KROA 201754Z 28010G16KT 10SM SCT130 31/17 A3001 RMK A02 SLP146 T03110172 10317 20217 58018

TAF KROA 201800Z 2018/2118 17004KT P6SM SCT050 BKN140 TEMPO 2018/2021 P6SM -SHRA BKN050 FM211100 04003KT 6SM BR BKN025

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KROA; actual-station=KROA; fetched-at=2026-09-20T19:28:17.585366+00:00; observed-or-issued-at=2026-09-20T17:54:00+00:00 — [AWC API](#)
 - TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KROA; actual-station=KROA; fetched-at=2026-09-20T19:28:17.795726+00:00; observed-or-issued-at=2026-09-20T18:00:00+00:00; valid-from=2026-09-20T18:00:00+00:00; valid-through=2026-09-21T18:00:00+00:00; partial-target-dates=2026-09-20,2026-09-21 — [AWC API](#)
- TAF proxy · KROA
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KROA; actual-station=KROA; fetched-at=2026-09-20T19:28:18.186211+00:00
 - FAA NMS NOTAM — state=OK; requested-station=KROA; actual-station=KROA; fetched-at=2026-09-20T19:28:22.176174Z — [FAA NMS overview](#)
 - MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KROA; actual-station=KROA; fetched-at=2026-09-20T19:28:37.696560+00:00; observed-or-issued-at=2026-09-20T12:00:00+00:00; valid-from=2026-09-20T18:00:00+00:00; valid-through=2026-09-23T12:00:00+00:00; target-dates=2026-09-21; partial-target-dates=2026-09-20; dates-with-points=2026-09-20,2026-09-21 — [Iowa State API](#)
 - MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KROA; actual-station=KROA; fetched-at=2026-09-20T19:28:38.442301+00:00; observed-or-issued-at=2026-09-20T12:00:00+00:00; valid-from=2026-09-21T12:00:00+00:00; valid-through=2026-09-28T12:00:00+00:00; target-dates=2026-09-21; dates-with-points=2026-09-21 — [Iowa State API](#)
 - MOS effective date selection — state=partial; rows=12; requested-station=KROA; actual-station=KROA; fetched-at=2026-09-20T19:28:37.696560+00:00; observed-or-issued-at=2026-09-20T12:00:00+00:00; valid-from=2026-09-20T18:00:00+00:00; valid-through=2026-09-23T12:00:00+00:00; target-dates=2026-09-21; partial-target-dates=2026-09-20; dates-with-points=2026-09-20,2026-09-21; selected-by-date=2026-09-20=GFS, 2026-09-21=GFS
 - Extended outlook and hazard-feed states are reported in the source stamp.
 - Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#10

KSGJ St Augustine Arpt, FL, US · Atlantic South · St Augustine FL

⌵ OBS - VFR

ETE

1h55

DIST

276 nm

SUN 20 SEP 13:46 ET OBSERVED

Current observation

METAR

clear below 12,000 ft (CLR)

WINDNE (30°) 9 kt

⌵ OBS - VFR

OBSER

TEMPERATURE28 °C

VISIBILITY10 sm

DEWPOINT24 °C



Wind favours RWY 02
030° true · 037° magnetic · 9 kt

Evidence & limitations

- METAR source state: ok; observed Sep 20 13:46 ET; retrieved Sep 20 15:28 ET; 102 min before this run.
- Measured values read from the KSGJ METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.98 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KSGJ runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 13/31, 06/24, 02/20. Seaplane water lanes (17W, 35W, 18W, 36W, 12W and 30W) are excluded from the diagram and are never marked as favoured. Wind from 030 degrees true, 037 degrees magnetic, at 9 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 02. Wind source: KSGJ METAR 201746Z.

DESTINATION OUTLOOK

SUN, SEP 20

SUN 20 SEP 12:00–18:00 ET HIGH

Forecast



Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 20 SEP 18:00–00:00 ET HIGH

Forecast



Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 20

12:00–18:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, SEP 21

MON 21 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 21 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 21 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 21 SEP 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND9–10 kt

TEMPERATURE85–86 °F

DEWPOINT73–74 °F

PRECIP CHANCE25%

Evidence & limitations

• GFS MAV MOS · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

29°C dep KLZU → 28°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

13/31 (130/310°M · 123/303°T) · 06/24 (060/240°M · 053/233°T) · 02/20 (020/200°M · 013/193°T) · 17W/35W (170/350°M · 163/343°T · water lane, not wind-favored) · 18W/36W (180/000°M · 173/353°T · water lane, not wind-favored) · 12W/30W (120/300°M · 113/293°T · water lane, not wind-favored) — designators and °M headings are magnetic; °T are true; variation 7°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

5 Act on

3 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

ed 2026-09-20T19:28:22.181525Z.

poritative) » = no published end (each row states whether it is permanent or simply not supplied) — continues past this window

	FRI SEP 18	SAT SEP 19	SUN SEP 20	MON SEP 21
5/0380				
12/004				
6/6168				

10 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 19:28 Z

NOTAMs as of 19:28 Z — advisory only; verify an official briefing.

08/014

NOTAM text not available in this projection.

09/003

NOTAM text not available in this projection.

5/0380

NOTAM text not available in this projection.

12/004

NOTAM text not available in this projection.

6/6168

NOTAM text not available in this projection.

06/017

NOTAM text not available in this projection.

08/003

NOTAM text not available in this projection.

06/025

NOTAM text not available in this projection.

07/002

NOTAM text not available in this projection.

08/008

NOTAM text not available in this projection.

08/013

NOTAM text not available in this projection.

09/001

NOTAM text not available in this projection.

09/004

NOTAM text not available in this projection.

09/005

NOTAM text not available in this projection.

08/018

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2026-09-20T19:28:22.181525Z.

:00Z

:00Z

ACT FLORIDA RGNL, ST AUGUSTINE, FL, RNAV (GPS) RWY 13, ORIG-F, UNAVINNAV DA 305HAT 305 ALL CATS, CIRCLING CAT C MDA 680HAA 670, UNAV CAT C RWY 13 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED, STRAIGHT-IN MINIMUMS NA AT NIGHT, CIRCLING RWY 2, 6 NA AT NIGHT

:00Z

NAV_APPROACH 120004 — NAV VOR/DME DECOMMISSIONED

Effective 2025-12-04T15:30:00Z → Permanent — no expiry published

NAV_APPROACH 080100 — DEPT ST AUGUSTINE, ST AUGUSTINE, FL, RNAV (GPS) RWY 31, AMDT 2A, LPV DA 250HAT 250 ALL CATS, 2601111237 2611011230EST

Effective 2026-03-31T12:37:00Z → 2026-11-10T12:36:00Z

10 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics,
the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KSGJ this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

8:00 ET ET · VFR

0:00 ET ET · VFR

6:00 ET ET · VFR

2:00 ET ET · VFR

3:00 ET ET · VFR

S · 18:00–00:00 ET ET · VFR

- + MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-20=GFS, 2026-09-21=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-20 18:00	84	Ovc	70/8kt	—	>10kft	>6SM
GFS	2026-09-20 21:00	84	Ovc	80/7kt	—	>10kft	>6SM
GFS	2026-09-21 00:00	80	Bkn	100/5kt	36.0	>10kft	>6SM
GFS	2026-09-21 03:00	78	Bkn	110/4kt	—	>10kft	>6SM
GFS	2026-09-21 06:00	75	Bkn	170/3kt	24.0	>10kft	>6SM
GFS	2026-09-21 09:00	73	Bkn	260/1kt	—	>10kft	>6SM
GFS	2026-09-21 12:00	74	Bkn	300/2kt	10.0	>10kft	>6SM
GFS	2026-09-21 15:00	84	Bkn	50/6kt	—	>10kft	>6SM
GFS	2026-09-21 18:00	86	Ovc	70/9kt	25.0	>10kft	>6SM
GFS	2026-09-21 21:00	85	Ovc	80/10kt	—	>10kft	>6SM

GFS	2026-09-22 00:00	81	Ovc	100/7kt	32.0	>10kft	>6SM
GFS	2026-09-22 03:00	78	Bkn	120/6kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

SPECI KSGJ 201746Z 03009KT 10SM CLR 28/24 A2998 RMK A02 LTG DSNT S-W TSE05B07E40 \$

TAF KSGJ 201727Z 2018/2118 04008KT P6SM VCTS SCT020CB BKN070 BKN120 FM201930 08009KT P6SM VCSH SCT035 BKN070 BKN120 FM210300 12004KT P6SM SCT070 BKN120 BKN250 FM211000 33005KT P6SM VCSH SCT015 BKN070 BKN150

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KSGJ; actual-station=KSGJ; fetched-at=2026-09-20T19:28:17.585366+00:00; observed-or-issued-at=2026-09-20T17:46:00+00:00 — [AWC API](#)
 - TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KSGJ; actual-station=KSGJ; fetched-at=2026-09-20T19:28:17.795726+00:00; observed-or-issued-at=2026-09-20T17:27:00+00:00; valid-from=2026-09-20T18:00:00+00:00; valid-through=2026-09-21T18:00:00+00:00; partial-target-dates=2026-09-20,2026-09-21 — [AWC API](#)
- TAF proxy · KSGJ
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KSGJ; actual-station=KSGJ; fetched-at=2026-09-20T19:28:18.899442+00:00
 - FAA NMS NOTAM — state=OK; requested-station=KSGJ; actual-station=KSGJ; fetched-at=2026-09-20T19:28:22.181525Z — [FAA NMS overview](#)
 - MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KSGJ; actual-station=KSGJ; fetched-at=2026-09-20T19:28:37.900538+00:00; observed-or-issued-at=2026-09-20T12:00:00+00:00; valid-from=2026-09-20T18:00:00+00:00; valid-through=2026-09-23T12:00:00+00:00; target-dates=2026-09-21; partial-target-dates=2026-09-20; dates-with-points=2026-09-20,2026-09-21 — [Iowa State API](#)
 - MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KSGJ; actual-station=KSGJ; fetched-at=2026-09-20T19:28:38.567709+00:00; observed-or-issued-at=2026-09-20T12:00:00+00:00; valid-from=2026-09-21T12:00:00+00:00; valid-through=2026-09-28T12:00:00+00:00; target-dates=2026-09-21; dates-with-points=2026-09-21 — [Iowa State API](#)
 - MOS effective date selection — state=partial; rows=12; requested-station=KSGJ; actual-station=KSGJ; fetched-at=2026-09-20T19:28:37.900538+00:00; observed-or-issued-at=2026-09-20T12:00:00+00:00; valid-from=2026-09-20T18:00:00+00:00; valid-through=2026-09-23T12:00:00+00:00; target-dates=2026-09-21; partial-target-dates=2026-09-20; dates-with-points=2026-09-20,2026-09-21; selected-by-date=2026-09-20=GFS, 2026-09-21=GFS
 - Extended outlook and hazard-feed states are reported in the source stamp.
 - Runway data + Chart Supplement — [FAA Chart Supplement \(current cycle\)](#) — see [AirNav](#) link above

#11

KCRG Jacksonville/Executive at Craig Arprt, FL, US

· Atlantic North · Jacksonville Exec

| OBS - VFR

ETE

1h45

DIST

252 nm

SUN 20 SEP 13:35 ET OBSERVED

Current observation

METAR

few 2,300 ft, scattered 2,900 ft, scattered 9,500 ft

WINDN (20°) 7 kt

| OBS - VFR

OBSER

TEMPERATURE28 °C

VISIBILITY10 sm

DEWPOINT23 °C

From 027°M · 7 kt

020° true · 027° magnetic · 7 kt

Wind favours RWY 05

020° true · 027° magnetic · 7 kt

Evidence & limitations

• METAR source state: ok; observed Sep 20 13:35 ET; retrieved Sep 20 15:28 ET; 113 min before this run.

• Measured values read from the KCRG METAR. This is a current surface observation only; it is not a forecast.

• Only fields decoded from this METAR are shown; every missing field remains unavailable.

• Altimeter: 29.97 inHg.

• The complete raw METAR remains in this airport's Raw products disclosure.

• KCRG runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 14/32, 05/23. Wind from 020 degrees true, 027 degrees magnetic, at 7 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 05. Wind source: KCRG METAR 201735Z.

DESTINATION OUTLOOK

SUN, SEP 20

SUN 20 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · MVFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 20 SEP 18:00–00:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 20

12:00–18:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, SEP 21

MON 21 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 21 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · MVFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 21 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · MVFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 21 SEP 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND7–8 kt

TEMPERATURE85–87 °F

DEWPOINT72 °F

PRECIP CHANCE27%

Evidence & limitations

• GFS MAV MOS · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 21

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

29°C dep KLZU → 28°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

14/32 (140/320°M · 133/313°T) · 05/23 (050/230°M · 043/223°T) — designators and °M headings are magnetic; °T are true; variation 7°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

3 Act on

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

ed 2026-09-20T19:28:22.186799Z.				
poritative)				
FRI SEP 18	SAT SEP 19		SUN SEP 20	MON SEP 21
6/9357				
6/9358				
A0189/26				
9 additional normalized NOTAM records omitted from this view.				

Raw NOTAM data · NOTAMs as of 19:28 Z

NOTAMs as of 19:28 Z — advisory only; verify an official briefing.

6/8452

NOTAM text not available in this projection.

A0170/26

NOTAM text not available in this projection.

6/9357

NOTAM text not available in this projection.

6/9358

NOTAM text not available in this projection.

A0189/26

NOTAM text not available in this projection.

A0190/26

NOTAM text not available in this projection.

12/015

NOTAM text not available in this projection.

A0332/25

NOTAM text not available in this projection.

02/057

NOTAM text not available in this projection.

07/005

NOTAM text not available in this projection.

07/012

NOTAM text not available in this projection.

08/014

NOTAM text not available in this projection.

08/030

NOTAM text not available in this projection.

09/004

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2026-09-20T19:28:22.186799Z.

JACKSONVILLE EXEC AT CRAIG, JACKSONVILLE, FL, ILS OR LOC RWY 32, AMDT 5C... RNAV (GPS) RWY 14, AMDT 1B... RNAV (GPS) RWY 32, AMDT 1B... CIRCLING CAT C 14 SM. (2026-ASD-17245/17247/17249-DE-PERM). 28050511508-280511508EST

Effective 2026-05-11T15:08:00Z

JACKSONVILLE EXEC AT CRAIG, JACKSONVILLE, FL, ILS OR LOC RWY 32, AMDT 5C... RNAV (GPS) RWY 14, AMDT 1B... RNAV (GPS) RWY 32, AMDT 1B... CIRCLING CAT C 14 SM. (2026-ASD-17245/17247/17249-DE-PERM).

Effective 2026-05-11T15:08:00Z

JACKSONVILLE EXEC AT CRAIG, JACKSONVILLE, FL, RNAV (GPS) RWY 14, AMDT 1B... LPV DA 295/HAT 254 ALL CATS. CHANGE NOTE TO READ: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE JACKSONVILLE INTL ALTIMETER SETTING. INCREASE LPV DA TO 324 FEET. INCREASE LNAV/VNAV DA TO 400 FEET AND ALL VISIBILITIES 1/4 SM. INCREASE ALL MDAS 40 FEET AND CIRCLING VISIBILITY CAT C 1/4 SM. 280511508-280511508EST

Effective 2026-05-11T15:08:00Z → 2028-05-11T15:08:00Z

NAV_APPROACH

AB0358 — IAP JACKSONVILLE EXEC AT CRAIG, JACKSONVILLE, FL, RNAV (GPS) RWY 32, AMDT 1B... LPV DA 291/HAT 250 ALL CATS. LNAV/VNAV DA 400/HAT 365 ALL CATS. VDP NA. CHANGE NOTE TO READ: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE JACKSONVILLE INTL ALTIMETER SETTING. INCREASE LPV DA TO 324 FEET. INCREASE LNAV/VNAV DA TO 400 FEET. INCREASE ALL MDAS 40 FEET AND CIRCLING VISIBILITY CAT C 1/4 SM. 280511508-280511508EST

Effective 2026-05-11T15:08:00Z → 2028-05-11T15:08:00Z

NAV_APPROACH

AB0189126 — IAP JACKSONVILLE EXEC AT CRAIG, JACKSONVILLE, FL, RNAV (GPS) RWY 32, AMDT 1B... LPV DA 291/HAT 250 ALL CATS. LNAV/VNAV DA 400/HAT 365 ALL CATS. VDP NA. CHANGE NOTE TO READ: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE JACKSONVILLE INTL ALTIMETER SETTING. INCREASE LPV DA TO 324 FEET. INCREASE LNAV/VNAV DA TO 400 FEET. INCREASE ALL MDAS 40 FEET AND CIRCLING VISIBILITY CAT C 1/4 SM.

Effective 2026-05-11T15:08:00Z → 2028-05-11T15:08:00Z

9 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics,
the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KCRG this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

8:00 ET ET · MVFR

0:00 ET ET · VFR

6:00 ET ET · VFR

2:00 ET ET · MVFR

3:00 ET ET · MVFR

S · 18:00–00:00 ET ET · VFR

- + MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-20=GFS, 2026-09-21=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-20 18:00	83	Ovc	50/7kt	—	>10kft	>6SM
GFS	2026-09-20 21:00	83	Ovc	90/6kt	—	>10kft	>6SM
GFS	2026-09-21 00:00	78	Ovc	90/3kt	40.0	>10kft	>6SM
GFS	2026-09-21 03:00	75	Bkn	140/2kt	—	>10kft	>6SM
GFS	2026-09-21 06:00	74	Bkn	0/0kt	28.0	>10kft	>6SM
GFS	2026-09-21 09:00	73	Bkn	0/0kt	—	>10kft	3-5SM
GFS	2026-09-21 12:00	74	Bkn	0/0kt	11.0	>10kft	>6SM
GFS	2026-09-21 15:00	84	Bkn	40/4kt	—	>10kft	>6SM
GFS	2026-09-21 18:00	87	Ovc	70/7kt	27.0	>10kft	>6SM
GFS	2026-09-21 21:00	85	Ovc	90/8kt	—	>10kft	>6SM

GFS	2026-09-22 00:00	79	Ovc	110/5kt	34.0	>10kft	>6SM
GFS	2026-09-22 03:00	77	Bkn	120/2kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

SPECI KCRG 201735Z 02007KT 10SM FEW023 SCT029 SCT095 28/23 A2997 RMK A02 LTG DSNT E AND S T02780228

TAF KCRG 201727Z 2018/2118 04008KT P6SM -SHRA SCT030 BKN070 BKN150 TEMPO 2018/2020 BKN025 FM202100 09009KT P6SM VCSH SCT035 BKN070 BKN120 FM210300 12003KT P6SM SCT070 BKN120 BKN250 FM211300 07006KT P6SM VCSH SCT020 BKN080 BKN250 PROB30 2116/2118 3SM TSRA BKN030CB OVC080

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KCRG; actual-station=KCRG; fetched-at=2026-09-20T19:28:17.585366+00:00; observed-or-issued-at=2026-09-20T17:35:00+00:00 — [AWC API](#)
 - TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KCRG; actual-station=KCRG; fetched-at=2026-09-20T19:28:17.795726+00:00; observed-or-issued-at=2026-09-20T17:27:00+00:00; valid-from=2026-09-20T18:00:00+00:00; valid-through=2026-09-21T18:00:00+00:00; partial-target-dates=2026-09-20,2026-09-21 — [AWC API](#)
- TAF proxy · KCRG
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KCRG; actual-station=KCRG; fetched-at=2026-09-20T19:28:18.335902+00:00
 - FAA NMS NOTAM — state=OK; requested-station=KCRG; actual-station=KCRG; fetched-at=2026-09-20T19:28:22.186799Z — [FAA NMS overview](#)
 - MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KCRG; actual-station=KCRG; fetched-at=2026-09-20T19:28:37.930166+00:00; observed-or-issued-at=2026-09-20T12:00:00+00:00; valid-from=2026-09-20T18:00:00+00:00; valid-through=2026-09-23T12:00:00+00:00; target-dates=2026-09-21; partial-target-dates=2026-09-20; dates-with-points=2026-09-20,2026-09-21 — [Iowa State API](#)
 - MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KCRG; actual-station=KCRG; fetched-at=2026-09-20T19:28:38.579254+00:00; observed-or-issued-at=2026-09-20T12:00:00+00:00; valid-from=2026-09-21T12:00:00+00:00; valid-through=2026-09-28T12:00:00+00:00; target-dates=2026-09-21; dates-with-points=2026-09-21 — [Iowa State API](#)
 - MOS effective date selection — state=partial; rows=12; requested-station=KCRG; actual-station=KCRG; fetched-at=2026-09-20T19:28:37.930166+00:00; observed-or-issued-at=2026-09-20T12:00:00+00:00; valid-from=2026-09-20T18:00:00+00:00; valid-through=2026-09-23T12:00:00+00:00; target-dates=2026-09-21; partial-target-dates=2026-09-20; dates-with-points=2026-09-20,2026-09-21; selected-by-date=2026-09-20=GFS, 2026-09-21=GFS
 - Extended outlook and hazard-feed states are reported in the source stamp.
 - Runway data + Chart Supplement — [FAA Chart Supplement \(current cycle\)](#) — see AirNav link above

#12

KFIN

—

Atlantic South · Flagler Exec FL

● OBS - UNKNOWN

ETE

2h03

DIST

295 nm

SUN 20 SEP Time unavailable UNAVAILABLE

Current observation

METAR

UNAVAILABLE

● OBS - UNKNOWN

Current observation unavailable

WINDUnavailable

⌵

TEMPERATUREUnavailable

☁

VISIBILITYUnavailable

💧

DEWPOINTUnavailable

Evidence & limitations

• Source state: unavailable.

• No usable current KFIN observation was available this run.

• This is a current surface observation only. It is not a forecast. No forecast value is substituted for a missing observation.

DESTINATION OUTLOOK

SUN, SEP 20

SUN 20 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 20 SEP 18:00–00:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 20

12:00–18:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON 21 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 21 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 21 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 21 SEP 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND7 kt

TEMPERATURE84–86 °F

DEWPOINT72–73 °F

PRECIP CHANCE26%

Evidence & limitations

• GFS MAV MOS · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 21

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — source state: not_queried

CURRENT METAR TEMP DEP / DEST

29°C dep KLZU → Unavailable at destination

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

11/29 (110/290°M · 103/283°T) · 06/24 (060/240°M · 053/233°T) · 18W/36W (180/000°M · 173/353°T · water lane, not wind-favored) — designators and °M headings are magnetic; °T are true; variation 7°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

2026-09-20T19:28:22.363854Z.

FRI SEP 18

SAT SEP 19

SUN SEP 20

MON SEP 21

07/008

A0036/26

08/004

2 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 19:28 Z

NOTAMs as of 19:28 Z — advisory only; verify an official briefing.

06/004

NOTAM text not available in this projection.

06/007

NOTAM text not available in this projection.

07/008

NOTAM text not available in this projection.

A0036/26

NOTAM text not available in this projection.

08/004

NOTAM text not available in this projection.

08/007

NOTAM text not available in this projection.

09/001

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

OBSTRUCTION

OBSTRUCTION — FIRST TOWER LOST (ASR 1224540) 202053 00N0012254 30W (0.0NM SW FIN) 279.9FT (256.0FT AGL) UPS

Effective 2026-08-18T23:30:00Z → 2026-11-17T00:30:00Z

2 additional normalized FAA NOTAM records omitted from this view.

26-09-20T19:28:22.363854Z.

LOST (ASR 1220140) 202108 00N0011901 30W (0.0NM WNW FIN) 1249.0FT (1204.1FT AGL) UPS

:00Z

LOST (ASR 1220012) 202042 00N0011622 30W (3.0NM WNW FIN) 343.9FT (318.0FT AGL) UPS

:00Z

LOST (ASR 1210732) 202040 10N0011834 30W (0.1NM SW FIN) 290.2FT (264.1FT AGL) UPS

:00Z

LOST (ASR 1210732) 202040 10N0011834 30W (0.1NM SW FIN) 290.2FT (264.1FT AGL) UPS

:00Z

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KFIN this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

00:00 ET ET · VFR

00:00 ET ET · VFR

06:00 ET ET · VFR

12:00 ET ET · VFR

18:00 ET ET · VFR

S · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-20=GFS, 2026-09-21=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-20 18:00	85	Ovc	70/7kt	—	>10kft	>6SM
GFS	2026-09-20 21:00	82	Ovc	80/7kt	—	>10kft	>6SM
GFS	2026-09-21 00:00	77	Bkn	110/2kt	33.0	>10kft	>6SM
GFS	2026-09-21 03:00	75	Bkn	0/0kt	—	>10kft	>6SM
GFS	2026-09-21 06:00	72	Bkn	0/0kt	22.0	>10kft	>6SM
GFS	2026-09-21 09:00	71	Bkn	0/0kt	—	>10kft	>6SM
GFS	2026-09-21 12:00	71	Bkn	0/0kt	13.0	>10kft	>6SM
GFS	2026-09-21 15:00	84	Bkn	50/3kt	—	>10kft	>6SM
GFS	2026-09-21 18:00	86	Bkn	70/7kt	26.0	>10kft	>6SM
GFS	2026-09-21 21:00	84	Ovc	80/7kt	—	>10kft	>6SM
GFS	2026-09-22 00:00	78	Ovc	90/4kt	38.0	>10kft	>6SM
GFS	2026-09-22 03:00	76	Bkn	130/2kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR unavailable

TAF KDAB 201720Z 2018/2118 07005KT P6SM VCTS SCT035CB SCT120 SCT250 FM202000 07007KT P6SM SCT035 SCT120 BKN250 FM210000 VRB05KT P6SM FEW025 SCT120 BKN250 FM211500 04005KT P6SM VCSH SCT035 SCT120 SCT250

+ Data sources used

- METAR — state=unavailable; fetch-state=ok; payload-state=valid; requested-station=KFIN; actual-station=KFIN; fetched-at=2026-09-20T19:28:17.585366+00:00 — [AWC API](#)
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KFIN; actual-station=KDAB; fetched-at=2026-09-20T19:28:17.795726+00:00; observed-or-issued-at=2026-09-20T17:20:00+00:00; valid-from=2026-09-20T18:00:00+00:00; valid-through=2026-09-21T18:00:00+00:00; partial-target-dates=2026-09-20,2026-09-21 — [AWC API](#)

TAF proxy · KDAB

- FAA airport status — state=not_queried; fetch-state=not_attempted; payload-state=not_attempted; requested-station=KFIN
- FAA NMS NOTAM — state=OK; requested-station=KFIN; actual-station=KFIN; fetched-at=2026-09-20T19:28:22.363854Z — [FAA NMS overview](#)
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KFIN; actual-station=KFIN; fetched-at=2026-09-20T19:28:37.893630+00:00; observed-or-issued-at=2026-09-20T12:00:00+00:00; valid-from=2026-09-20T18:00:00+00:00; valid-through=2026-09-23T12:00:00+00:00; target-dates=2026-09-21; partial-target-dates=2026-09-20; dates-with-points=2026-09-20,2026-09-21 — [Iowa State API](#)
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KFIN; actual-station=KFIN; fetched-at=2026-09-20T19:28:38.616831+00:00; observed-or-issued-at=2026-09-20T12:00:00+00:00; valid-from=2026-09-21T12:00:00+00:00; valid-through=2026-09-28T12:00:00+00:00; target-dates=2026-09-21; dates-with-points=2026-09-21 — [Iowa State API](#)
- MOS effective date selection — state=partial; rows=12; requested-station=KFIN; actual-station=KFIN; fetched-at=2026-09-20T19:28:37.893630+00:00; observed-or-issued-at=2026-09-20T12:00:00+00:00; valid-from=2026-09-20T18:00:00+00:00; valid-through=2026-09-23T12:00:00+00:00; target-dates=2026-09-21; partial-target-dates=2026-09-20; dates-with-points=2026-09-20,2026-09-21; selected-by-date=2026-09-20=GFS, 2026-09-21=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — [FAA Chart Supplement \(current cycle\)](#) — see AirNav link above

SUN 20 SEP 13:36 ET OBSERVED

Current observation

METAR

OBSERVATION

few 7,500 ft

WINDNW (310°) 7 kt

TEMPERATURE32 °C

VISIBILITY10 sm

DEWPOINT22 °C

From 317°M · 7 kt

Wind from 310° true, 317° mag

Wind favours RWY 28

310° true · 317° magnetic · 7 kt

Evidence & limitations

METAR source state: ok; observed Sep 20 13:36 ET; retrieved Sep 20 15:28 ET; 112 min before this run.

Measured values read from the KGKT METAR. This is a current surface observation only; it is not a forecast.

Only fields decoded from this METAR are shown; every missing field remains unavailable.

Altimeter: 30.01 inHg.

The complete raw METAR remains in this airport's Raw products disclosure.

KGKT runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 10/28. Wind from 310 degrees true, 317 degrees magnetic, at 7 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 28. Wind source: KGKT METAR 201736Z.

DESTINATION OUTLOOK

SUN 20 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Surface prog evidence · Sun Sep 20

12:00–18:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

SUN 20 SEP 18:00–00:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

MON 21 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 21 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 21 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 21 SEP 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND3–4 kt

TEMPERATURE88–89 °F

DEWPOINT68–69 °F

PRECIP CHANCE12%

Evidence & limitations

• GFS MAV MOS · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 21

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

6000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — source state: not_queried

CURRENT METAR TEMP DEP / DEST

29°C dep KLZU → 32°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

10/28 (100/280°M · 093/273°T) — designators and °M headings are magnetic; °T are true; variation 7°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

4 Act on

2 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

ed 2026-09-20T19:28:22.428411Z.

poritative) = no published end (each row states whether it is permanent or simply not supplied) — continues past this window

	FRI SEP 18	SAT SEP 19	SUN SEP 20	MON SEP 21
04/122				
04/123				
5/0055				

11 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 19:28 Z

NOTAMs as of 19:28 Z — advisory only; verify an official briefing.

5/5737

NOTAM text not available in this projection.

04/104

NOTAM text not available in this projection.

04/122

NOTAM text not available in this projection.

04/123

NOTAM text not available in this projection.

5/0055

NOTAM text not available in this projection.

5/0067

NOTAM text not available in this projection.

6/4578

NOTAM text not available in this projection.

07/681

NOTAM text not available in this projection.

07/682

NOTAM text not available in this projection.

07/683

NOTAM text not available in this projection.

07/806

NOTAM text not available in this projection.

08/415

NOTAM text not available in this projection.

08/632

NOTAM text not available in this projection.

09/026

NOTAM text not available in this projection.

09/050

NOTAM text not available in this projection.

08/532

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2026-09-20T19:28:22.428411Z.

PIGEON FORGE, SEVIERVILLE, TN, TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 4B... TAKEOFF MINIMUMS: RWY 28, 400-2 3M OR F 200 FTNM TO 1500. DEPARTURE PROCEDURE: RWY 28, CLIMB ON HEADING 282 TO INTERCEPT VXX VORTAC R-102 THEN TO VXX VORTAC TO 5000 BEFORE RWY 18. OBTAIN ATC APPROVAL FOR VCOA WHEN REQUESTING IFR CLEARANCE. CLIMB IN VISUAL CONDITIONS TO CROSS GATLINBURG PIGEON FORGE E 1800 ON VXX VORTAC R-102 TO VXX VORTAC TO 5000 BEFORE PROCEEDING ON COURSE. ALL OTHER DATA REMAINS AS PUBLISHED.

:00Z

:00Z

RUNWAY

040123 — RWY 10 DATA LOST

Effective 2026-04-07T10:24:00Z → 2027-11-30T19:00:00Z

RUNWAY

040123 — RWY 10B SPD 340MPH/15 NOT STD

Effective 2026-04-07T10:26:00Z → Permanent — no expiry published

NAV_APPROACH

000000 — GATLINBURG PIGEON FORGE, SEVIERVILLE, TN, RNAV (GPS) RWY 10, ORIG-C... VOR/DME RWY 10, AMDT 0B... PROCEDURE NA, 2509242031-2709242031EST

Effective 2025-09-24T20:31:00Z → 2027-09-24T20:31:00Z

11 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics,
the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KGKT this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

8:00 ET ET · VFR

0:00 ET ET · VFR

6:00 ET ET · VFR

2:00 ET ET · VFR

3:00 ET ET · VFR

S · 18:00–00:00 ET ET · VFR

- + MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-20=GFS, 2026-09-21=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-20 18:00	88	Bkn	320/3kt	—	>10kft	>6SM
GFS	2026-09-20 21:00	89	Bkn	20/2kt	—	>10kft	>6SM
GFS	2026-09-21 00:00	81	Bkn	200/1kt	17.0	>10kft	>6SM
GFS	2026-09-21 03:00	75	Bkn	230/1kt	—	>10kft	>6SM
GFS	2026-09-21 06:00	72	Bkn	230/1kt	14.0	>10kft	>6SM
GFS	2026-09-21 09:00	70	Sct	0/0kt	—	>10kft	>6SM
GFS	2026-09-21 12:00	70	Sct	0/0kt	12.0	>10kft	3-5SM
GFS	2026-09-21 15:00	81	Sct	240/1kt	—	>10kft	>6SM
GFS	2026-09-21 18:00	89	Bkn	290/4kt	12.0	>10kft	>6SM
GFS	2026-09-21 21:00	88	Bkn	300/3kt	—	>10kft	>6SM

GFS	2026-09-22 00:00	79	Bkn	220/1kt	22.0	>10kft	>6SM
GFS	2026-09-22 03:00	74	Ovc	230/1kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KGKT 201736Z AUTO 31007KT 10SM FEW075 32/22 A3001 RMK A01

TAF KTYS 201720Z 2018/2118 20006KT P6SM SCT250 FM210000 VRB03KT P6SM SCT250

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KGKT; actual-station=KGKT; fetched-at=2026-09-20T19:28:17.585366+00:00; observed-or-issued-at=2026-09-20T17:36:00+00:00 — [AWC API](#)
 - TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KGKT; actual-station=KTYS; fetched-at=2026-09-20T19:28:17.795726+00:00; observed-or-issued-at=2026-09-20T17:20:00+00:00; valid-from=2026-09-20T18:00:00+00:00; valid-through=2026-09-21T18:00:00+00:00; partial-target-dates=2026-09-20,2026-09-21 — [AWC API](#)
- TAF proxy · KTYS
- FAA airport status — state=not_queried; fetch-state=not_attempted; payload-state=not_attempted; requested-station=KGKT
 - FAA NMS NOTAM — state=OK; requested-station=KGKT; actual-station=KGKT; fetched-at=2026-09-20T19:28:22.428411Z — [FAA NMS overview](#)
 - MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KGKT; actual-station=KGKT; fetched-at=2026-09-20T19:28:37.919194+00:00; observed-or-issued-at=2026-09-20T12:00:00+00:00; valid-from=2026-09-20T18:00:00+00:00; valid-through=2026-09-23T12:00:00+00:00; target-dates=2026-09-21; partial-target-dates=2026-09-20; dates-with-points=2026-09-20,2026-09-21 — [Iowa State API](#)
 - MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KGKT; actual-station=KGKT; fetched-at=2026-09-20T19:28:38.646140+00:00; observed-or-issued-at=2026-09-20T12:00:00+00:00; valid-from=2026-09-21T12:00:00+00:00; valid-through=2026-09-28T12:00:00+00:00; target-dates=2026-09-21; dates-with-points=2026-09-21 — [Iowa State API](#)
 - MOS effective date selection — state=partial; rows=12; requested-station=KGKT; actual-station=KGKT; fetched-at=2026-09-20T19:28:37.919194+00:00; observed-or-issued-at=2026-09-20T12:00:00+00:00; valid-from=2026-09-20T18:00:00+00:00; valid-through=2026-09-23T12:00:00+00:00; target-dates=2026-09-21; partial-target-dates=2026-09-20; dates-with-points=2026-09-20,2026-09-21; selected-by-date=2026-09-20=GFS, 2026-09-21=GFS
 - Extended outlook and hazard-feed states are reported in the source stamp.
 - Runway data + Chart Supplement — [FAA Chart Supplement \(current cycle\)](#) — see [AirNav](#) link above

| OBS - VFR

ETE

2h25

DIST

355 nm

SUN 20 SEP 13:35 ET OBSERVED

Current observation

METAR

scattered 8,000 ft, broken 10,000 ft

WINDW (260°) 8 kt


TEMPERATURE27 °C

OBS - VFR

OBSER

☁
VISIBILITY10 sm

💧
DEWPOINT18 °C



Wind favours RWY 23
260° true · 270° magnetic · 8 kt

Evidence & limitations

- METAR source state: ok; observed Sep 20 13:35 ET; retrieved Sep 20 15:28 ET; 113 min before this run.
- Measured values read from the KSHD METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.02 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KSHD runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 05/23. Wind from 260 degrees true, 270 degrees magnetic, at 8 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 23. Wind source: KSHD METAR 201735Z.

DESTINATION OUTLOOK

SUN, SEP 20

SUN 20 SEP 12:00–18:00 ET HIGH

Forecast



Flight-category guidance



FORECAST

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 20 SEP 18:00–00:00 ET HIGH

Forecast



Flight-category guidance



FORECAST

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 20

12:00–18:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, SEP 21

MON 21 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · IFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · IFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 21 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · LIFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · LIFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 21 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · LIFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · LIFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 21 SEP 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · LIFR

FORECAST

Flight-category guidance

WIND5–6 kt

TEMPERATURE67–71 °F

DEWPOINT67 °F

PRECIP CHANCE45%

Evidence & limitations

• GFS MAV MOS · 18:00–00:00 ET ET · LIFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 21

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — source state: not_queried

CURRENT METAR TEMP DEP / DEST

29°C dep KLZU → 27°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

05/23 (050/230°M · 040/220°T) — designators and °M headings are magnetic; °T are true; variation 10°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 Act on

2 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

d 2026-09-20T19:28:22.447562Z.				
poritative)				
FRI SEP 18	SAT SEP 19		SUN SEP 20	MON SEP 21
5/3811				
A0196/25				
07/006				
1 additional normalized NOTAM record omitted from this view.				

Raw NOTAM data · NOTAMs as of 19:28 Z

NOTAMs as of 19:28 Z — advisory only; verify an official briefing.

03/004

NOTAM text not available in this projection.

A0068/26

NOTAM text not available in this projection.

5/3811

NOTAM text not available in this projection.

A0196/25

NOTAM text not available in this projection.

07/006

NOTAM text not available in this projection.

A0111/26

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

26-09-20T19:28:22.447562Z.

TRANSIENT

00Z

TO TRANSIENT

00Z

NDAAH VALLEY RGNL, STAUNTONWAYNESBORO/HARRISONBURG, VA, ILS OR LOC RWY 5, AMDT 9B, AUTOPILOT COUPLED APPROACH NA BELOW 1600 FEET

00Z

NDAAH VALLEY RGNL, STAUNTONWAYNESBORO/HARRISONBURG, VA, ILS OR LOC RWY 5, AMDT 9B, AUTOPILOT COUPLED APPROACH NA BELOW 1600 FEET

00Z

Effective 2025-09-15T15:42:00Z → 2027-09-15T15:41:00Z

NAV_APPROACH 170000 → RWY ILS RWY 5S OM LGS

Effective 2026-07-15T17:40:00Z → 2028-02-29T21:11:00Z

1 additional normalized FAA NOTAM record omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KSHD this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

0:00 ET ET · VFR

0:00 ET ET · VFR

6:00 ET ET · IFR

2:00 ET ET · LIFR

3:00 ET ET · LIFR

S · 18:00–00:00 ET ET · LIFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-20=GFS, 2026-09-21=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-20 18:00	83	Ovc	260/5kt	—	>10kft	>6SM
GFS	2026-09-20 21:00	80	Ovc	270/4kt	—	>10kft	>6SM
GFS	2026-09-21 00:00	73	Ovc	100/2kt	30.0	>10kft	>6SM
GFS	2026-09-21 03:00	68	Bkn	50/1kt	—	>10kft	>6SM
GFS	2026-09-21 06:00	66	Bkn	30/1kt	18.0	>10kft	¼-½SM
GFS	2026-09-21 09:00	65	Ovc	20/3kt	—	3-5kft	<¼SM
GFS	2026-09-21 12:00	65	Ovc	30/3kt	27.0	200-500ft	¼-½SM
GFS	2026-09-21 15:00	69	Ovc	70/3kt	—	500-1kft	3-5SM
GFS	2026-09-21 18:00	71	Ovc	50/5kt	45.0	500-1kft	3-5SM
GFS	2026-09-21 21:00	67	Ovc	60/6kt	—	500-1kft	3-5SM
GFS	2026-09-22 00:00	64	Ovc	30/5kt	65.0	200-500ft	3-5SM
GFS	2026-09-22 03:00	63	Ovc	10/3kt	—	200-500ft	<¼SM

+ Raw products

+ Raw METAR / TAF

METAR KSHD 201735Z AUTO 26008KT 10SM SCT080 BKN100 27/18 A3002 RMK A02 T02720183

TAF KCHO 201737Z 2018/2118 20006KT P6SM FEW120 PROB30 2020/2022 -SHRA BKN035 FM210000 00000KT P6SM BKN080 FM210600 02003KT 5SM BR BKN050 FM210800 03004KT 5SM BR OVC007 FM210900 03004KT 5SM BR OVC005 FM211400 04007KT 5SM BR OVC005 PROB30 2115/2118 2SM -SHRA BR OVC003

+ Data sources used

• METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KSHD; actual-station=KSHD; fetched-at=2026-09-20T19:28:17.585366+00:00; observed-or-issued-at=2026-09-20T17:35:00+00:00 — AWC API

• TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KSHD; actual-station=KCHO; fetched-at=2026-09-20T19:28:17.795726+00:00; observed-or-issued-at=2026-09-20T17:37:00+00:00; valid-from=2026-09-20T18:00:00+00:00; valid-through=2026-09-21T18:00:00+00:00; partial-target-dates=2026-09-20,2026-09-21 — AWC API

TAF proxy · KCHO

• FAA airport status — state=not_queried; fetch-state=not_attempted; payload-state=not_attempted; requested-station=KSHD

• FAA NMS NOTAM — state=OK; requested-station=KSHD; actual-station=KSHD; fetched-at=2026-09-20T19:28:22.447562Z — FAA NMS overview

• MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KSHD; actual-station=KSHD; fetched-at=2026-09-20T19:28:37.957920+00:00; observed-or-issued-at=2026-09-20T12:00:00+00:00; valid-from=2026-09-20T18:00:00+00:00; valid-through=2026-09-23T12:00:00+00:00; target-dates=2026-09-21; partial-target-dates=2026-09-20; dates-with-points=2026-09-20,2026-09-21 — Iowa State API

• MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KSHD; actual-station=KSHD; fetched-at=2026-09-20T19:28:38.621305+00:00; observed-or-issued-at=2026-09-20T12:00:00+00:00; valid-from=2026-09-21T12:00:00+00:00; valid-through=2026-09-28T12:00:00+00:00; target-dates=2026-09-21; dates-with-points=2026-09-21 — Iowa State API

- MOS effective date selection — state=partial; rows=12; requested-station=KSHD; actual-station=KSHD; fetched-at=2026-09-20T19:28:37.957920+00:00; observed-or-issued-at=2026-09-20T12:00:00+00:00; valid-from=2026-09-20T18:00:00+00:00; valid-through=2026-09-23T12:00:00+00:00; target-dates=2026-09-21; partial-target-dates=2026-09-20; dates-with-points=2026-09-20,2026-09-21; selected-by-date=2026-09-20=GFS, 2026-09-21=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#15

KECP Panama City/NW Florida Beaches Intl, FL, US · Gulf East · Panama City Beach

OBS - VFR

FTE

1h38

DIST

237 nm

SUN 20 SEP 13:53 ET OBSERVED

Current observation

META
R

OBS - VFR

OBSER



scattered 7,000 ft

WINDcalm



TEMPERATURE 29 °C



VISIBILITY10 sm



DEWPOINT 21 °C

Evidence & limitations

- METAR source state: ok; observed Sep 20 13:53 ET; retrieved Sep 20 15:28 ET; 95 min before this run.
- Measured values read from the KECP METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.96 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.

DESTINATION OUTLOOK

SUN 20 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · MVFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Surface prog evidence · Sun Sep 20

12:00–18:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON 21 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 21 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 21 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 21 SEP 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND4–6 kt

TEMPERATURE88–91 °F

DEWPOINT73 °F

PRECIP CHANCE27%

Evidence & limitations

• GFS MAV MOS · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 21

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

6000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

29°C dep KLZU → 29°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

16/34 (160/340°M · 157/337°T) — designators and °M headings are magnetic; °T are true; variation 3°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMS

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

3 Act on

1 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

ed 2026-09-20T19:28:22.469564Z.

poritative)

FRI SEP 18

SAT SEP 19

SUN SEP 20

MON SEP 21

6/0313

A0153/26

06/029

7 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 19:28 Z

NOTAMs as of 19:28 Z — advisory only; verify an official briefing.

07/022

NOTAM text not available in this projection.

A0129/26

NOTAM text not available in this projection.

6/0313

NOTAM text not available in this projection.

A0153/26

NOTAM text not available in this projection.

06/029

NOTAM text not available in this projection.

07/001

NOTAM text not available in this projection.

08/015

NOTAM text not available in this projection.

08/016

NOTAM text not available in this projection.

08/033

NOTAM text not available in this projection.

09/003

NOTAM text not available in this projection.

A0152/26

NOTAM text not available in this projection.

09/004

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2026-09-20T19:28:22.469564Z.

WAL RAMP WIP CONST ADJ W EDGE BARRICADED

Effective 2026-09-20T17:00:00Z → 2027-01-15T16:23:00Z

WAL RAMP WIP CONST ADJ W EDGE BARRICADED

Effective 2026-09-20T17:00:00Z → 2027-01-15T16:23:00Z

HIGHEST FLORIDA BEACHES INTL, PANAMA CITY, FL, ILS OR LOC RWY 16, AMDT 36, RNAV (GPS) RWY 16, AMDT 2A, RNAV (GPS) RWY 34, AMDT 2B, CIRCLING

TEMPORARY CRANE 285 MSL 1513FT SW OF ECP AIRPORT (0025-ASQ-11517-NRA), 2609021700-2701151623EST

Effective 2026-09-20T17:00:00Z → 2027-01-15T16:23:00Z

HIGHEST FLORIDA BEACHES INTL, PANAMA CITY, FL, ILS OR LOC RWY 16, AMDT 36, RNAV (GPS) RWY 16, AMDT 2A, RNAV (GPS) RWY 34, AMDT 2B, CIRCLING

Effective 2026-09-20T17:00:00Z → 2027-01-15T16:23:00Z

CAT A/B/C/D, MDK SACHAA STL, TEMPORARY CRANE 285 MSL 1513FT SW OF ECP AIRPORT (0025-ASQ-11517-NRA)

Effective 2026-09-02T17:00:00Z → 2027-01-15T16:23:00Z

OBSTRUCTION

260929 — CONST TOWER LOT (ASR 1157617) 303042 70N0852915 00W (18.3NM ENE ECP) 1285.1FT (1148.0FT AGL) URG

Effective 2026-06-25T20:10:00Z → 2026-09-23T20:10:00Z

7 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air

Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KECP this run.

published VFR C surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

18:00 ET ET · MVFR

18:00 ET ET · MVFR

16:00 ET ET · VFR

12:00 ET ET · VFR

08:00 ET ET · VFR

• Mon, Sep 21 · 18:00–00:00 ET: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-20=GFS, 2026-09-21=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-20 18:00	86	Bkn	350/5kt	—	>10kft	6SM
GFS	2026-09-20 21:00	87	Ovc	180/6kt	—	>10kft	6SM
GFS	2026-09-21 00:00	80	Ovc	240/4kt	46.0	>10kft	6SM
GFS	2026-09-21 03:00	76	Ovc	50/1kt	—	>10kft	6SM
GFS	2026-09-21 06:00	73	Bkn	0/0kt	42.0	>10kft	6SM
GFS	2026-09-21 09:00	72	Bkn	40/1kt	—	>10kft	½-1SM
GFS	2026-09-21 12:00	72	Bkn	40/2kt	19.0	>10kft	6SM
GFS	2026-09-21 15:00	85	Bkn	40/3kt	—	>10kft	>6SM
GFS	2026-09-21 18:00	91	Bkn	50/4kt	27.0	>10kft	>6SM
GFS	2026-09-21 21:00	88	Ovc	180/6kt	—	>10kft	>6SM
GFS	2026-09-22 00:00	81	Ovc	190/5kt	35.0	>10kft	>6SM
GFS	2026-09-22 03:00	77	Bkn	70/2kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KECP 201753Z 00000KT 10SM SCT070 29/21 A2996 RMK A02 SLP155 6//// T02940211 10294 20228 \$

TAF KECP 201720Z 2018/2118 36005KT P6SM SCT040 PROB30 2020/2102 3SM TSRA BKN035CB FM210300 VRB02KT P6SM SCT070

+ [Data sources used](#)

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KECP; actual-station=KECP; fetched-at=2026-09-20T19:28:17.585366+00:00; observed-or-issued-at=2026-09-20T17:53:00+00:00 — [AWC API](#)
 - TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KECP; actual-station=KECP; fetched-at=2026-09-20T19:28:17.795726+00:00; observed-or-issued-at=2026-09-20T17:20:00+00:00; valid-from=2026-09-20T18:00:00+00:00; valid-through=2026-09-21T18:00:00+00:00; partial-target-dates=2026-09-20,2026-09-21 — [AWC API](#)
- TAF proxy · KECP
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KECP; actual-station=KECP; fetched-at=2026-09-20T19:28:18.525433+00:00
 - FAA NMS NOTAM — state=OK; requested-station=KECP; actual-station=KECP; fetched-at=2026-09-20T19:28:22.469564Z — [FAA NMS overview](#)
 - MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KECP; actual-station=KECP; fetched-at=2026-09-20T19:28:37.934834+00:00; observed-or-issued-at=2026-09-20T12:00:00+00:00; valid-from=2026-09-20T18:00:00+00:00; valid-through=2026-09-23T12:00:00+00:00; target-dates=2026-09-21; partial-target-dates=2026-09-20; dates-with-points=2026-09-20,2026-09-21 — [Iowa State API](#)
 - MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KECP; actual-station=KECP; fetched-at=2026-09-20T19:28:38.655811+00:00; observed-or-issued-at=2026-09-20T12:00:00+00:00; valid-from=2026-09-21T12:00:00+00:00; valid-through=2026-09-28T12:00:00+00:00; target-dates=2026-09-21; dates-with-points=2026-09-21 — [Iowa State API](#)
 - MOS effective date selection — state=partial; rows=12; requested-station=KECP; actual-station=KECP; fetched-at=2026-09-20T19:28:37.934834+00:00; observed-or-issued-at=2026-09-20T12:00:00+00:00; valid-from=2026-09-20T18:00:00+00:00; valid-through=2026-09-23T12:00:00+00:00; target-dates=2026-09-21; partial-target-dates=2026-09-20; dates-with-points=2026-09-20,2026-09-21; selected-by-date=2026-09-20=GFS, 2026-09-21=GFS
 - Extended outlook and hazard-feed states are reported in the source stamp.
 - Runway data + Chart Supplement — [FAA Chart Supplement \(current cycle\)](#) — see AirNav link above

#16 **KPNS** Pensacola Intl, FL, US · Gulf East · Pensacola (Class C)

| OBS - VFR

ETE
1h51

DIST
267 nm

SUN 20 SEP 13:53 ET OBSERVED

Current observation

| OBS - VFR

OBSER



clear below 12,000 ft (CLR)

WINDNE (40°) 7 kt

TEMPERATURE32 °C

VISIBILITY10 sm

DEWPOINT22 °C



Wind favours RWY 08

040° true · 042° magnetic · 7 kt · also NOTAM-affected: 08 and 26

Evidence & limitations

- METAR source state: ok; observed Sep 20 13:53 ET; retrieved Sep 20 15:28 ET; 95 min before this run.
- Measured values read from the KPNS METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.96 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KPNS runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 17/35, 08/26. Wind from 040 degrees true, 042 degrees magnetic, at 7 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 08. NOTAM-affected runway ends, hatched separately from the wind highlight: 08 and 26. The wind-favoured end 08 is also NOTAM-affected: the wind does favour it, but a NOTAM on this card names it, so the highlight is not a statement that the runway is usable. The hatch marks only that a NOTAM names the runway; it does not decode the NOTAM's effective times, so confirm the closure window in the NOTAM text below. Wind source: KPNS METAR 201753Z.

DESTINATION OUTLOOK

SUN, SEP 20

SUN 20 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · MVFR

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

TAF · 12:00–18:00 ET ET · MVFR

Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 20 SEP 18:00–00:00 ET HIGH

Forecast

TA

F

TAF · MVFR

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

TAF · 18:00–00:00 ET ET · MVFR

Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 20

12:00–18:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON 21 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 21 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 21 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 21 SEP 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND6 kt

TEMPERATURE86–88 °F

DEWPOINT74 °F

PRECIP CHANCE26%

Evidence & limitations

• GFS MAV MOS · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 21

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

29°C dep KLZU → 32°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

17/35 (170/350°M · 168/348°T) · 08/26 (080/260°M · 078/258°T) — designators and °M headings are magnetic; °T are true; variation 2°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMS

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

ed 2026-09-20T19:28:22.595021Z.

FRI SEP 18

SAT SEP 19

SUN SEP 20

MON SEP 21

04/047

A0477/26

A0478/26

64 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 19:28 Z

NOTAMs as of 19:28 Z — advisory only; verify an official briefing.

5/9591

NOTAM text not available in this projection.

04/046

NOTAM text not available in this projection.

04/047

NOTAM text not available in this projection.

A0477/26

NOTAM text not available in this projection.

A0478/26

NOTAM text not available in this projection.

04/048

NOTAM text not available in this projection.

A0479/26

NOTAM text not available in this projection.

04/049

NOTAM text not available in this projection.

A0480/26

NOTAM text not available in this projection.

06/011

NOTAM text not available in this projection.

A0665/26

NOTAM text not available in this projection.

07/040

NOTAM text not available in this projection.

6/7052

NOTAM text not available in this projection.

07/067

NOTAM text not available in this projection.

A0859/26

NOTAM text not available in this projection.

07/073

NOTAM text not available in this projection.

07/075

NOTAM text not available in this projection.

07/082

NOTAM text not available in this projection.

08/033

NOTAM text not available in this projection.

08/078

NOTAM text not available in this projection.

A1007/26

NOTAM text not available in this projection.

09/005

NOTAM text not available in this projection.

09/006

NOTAM text not available in this projection.

09/007

NOTAM text not available in this projection.

A1014/26

NOTAM text not available in this projection.

A1015/26

NOTAM text not available in this projection.

09/008

NOTAM text not available in this projection.

12/025

NOTAM text not available in this projection.

A1113/25

NOTAM text not available in this projection.

05/004

NOTAM text not available in this projection.

A0495/26

NOTAM text not available in this projection.

05/065

NOTAM text not available in this projection.

A0605/26

NOTAM text not available in this projection.

07/058

NOTAM text not available in this projection.

07/059

NOTAM text not available in this projection.

07/061

NOTAM text not available in this projection.

A0855/26

NOTAM text not available in this projection.

07/066

NOTAM text not available in this projection.

07/071

NOTAM text not available in this projection.

A0863/26

NOTAM text not available in this projection.

07/083

NOTAM text not available in this projection.

07/084

NOTAM text not available in this projection.

07/085

NOTAM text not available in this projection.

A0882/26

NOTAM text not available in this projection.

A0883/26

NOTAM text not available in this projection.

08/077

NOTAM text not available in this projection.

08/079

NOTAM text not available in this projection.

08/080

NOTAM text not available in this projection.

08/081

NOTAM text not available in this projection.

08/082

NOTAM text not available in this projection.

A0797/25

NOTAM text not available in this projection.

01/160

NOTAM text not available in this projection.

A0199/26

NOTAM text not available in this projection.

6/3336

NOTAM text not available in this projection.

A0624/26

NOTAM text not available in this projection.

A0826/26

NOTAM text not available in this projection.

6/7054

NOTAM text not available in this projection.

A0828/26

NOTAM text not available in this projection.

6/8258

NOTAM text not available in this projection.

A0849/26

NOTAM text not available in this projection.

6/8259

NOTAM text not available in this projection.

A0850/26

NOTAM text not available in this projection.

08/034

NOTAM text not available in this projection.

08/044

NOTAM text not available in this projection.

08/045

NOTAM text not available in this projection.

08/066

NOTAM text not available in this projection.

08/053

NOTAM text not available in this projection.

A0967/26

NOTAM text not available in this projection.

09/004

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30	2026-09-20T19:28:22.595021Z. INTL, PENSACOLA, FL. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 1L, TAKEOFF OBSTACLE NOTES: RWY 3, TREES BEGINNING CENTERLINE, UP TO 54 FT AGL/48 FT MSL. TREES BEGINNING 134 FT FROM DER, 50 FT LEFT OF CENTERLINE, UP TO 53 FT AGL/53 FT MSL. TREE 40 FT FROM DER, 50 FT AGL/53 FT MSL. TREES BEGINNING 545 FT FROM DER, 40 FT RIGHT OF CENTERLINE, UP TO 155 FT MSL. TREES BEGINNING 1367 FT FROM
--	---

airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

UP TO 72 FT AGL/163 FT MSL. TREES BEGINNING 1957 FT FROM DER, 136 FT RIGHT OF CENTERLINE. UP TO 71 FT AGL/164 FT MSL. TREES BEGINNING 1695 FT FROM DER, 136 FT RIGHT OF CENTERLINE. UP TO 171 FT MSL. TREES BEGINNING 1699 FT FROM DER, 198 FT RIGHT OF CENTERLINE. UP TO 167 FT MSL. TREES BEGINNING 1721 FT FROM DER, 10 FT LEFT OF CENTERLINE. UP TO 76 FT AGL/172 FT MSL. TREES BEGINNING 1817 FT FROM DER, 91 FT LEFT OF CENTERLINE. UP TO 76 FT AGL/180 FT MSL. END PART 1 OF 3 ODP. UP TO 172 FT MSL. TREES BEGINNING 1874 FT FROM DER, 779 FT LEFT OF CENTERLINE. UP TO 179 FT MSL. RWY 17, TREE 944 FT FROM DER, 733 FT LEFT OF CENTERLINE. UP TO 158 FT MSL. RWY 26, TREES. ELECTRICAL SYSTEM. POLES BEGINNING 5 FT FROM DER, 280 FT LEFT OF CENTERLINE. UP TO 63 FT AGL/153 FT MSL. TREE 943 FT FROM DER, 614 FT RIGHT OF CENTERLINE. 48 FT AGL/135 FT MSL. TREE 956 FT FROM DER, 541 FT RIGHT OF CENTERLINE. 50 FT AGL/137 FT MSL. TREES BEGINNING 997 FT FROM DER, 308 FT RIGHT OF CENTERLINE. UP TO 143 FT MSL. TREES BEGINNING 1132 FT FROM DER, 469 FT RIGHT OF CENTERLINE. UP TO 60 FT AGL/147 FT MSL. RWY 35, LIGHT POLES BEGINNING 9 FT FROM DER, 14 FT RIGHT OF 76 FT AGL/190 FT MSL. END PART 2 OF 3 ODP. PENSACOLA INTL, PENSACOLA, FL. CENTERLINE. UP TO 1 FT AGL/122 FT MSL. LIGHT POLES BEGINNING 10 FT FROM DER, 15 F

Effective 2025-09-08T16:19:00Z → 2027-09-08T16:19:00Z

FAA NOTAM text was truncated in this preview; verify the complete official record.

RUNWAY 040046 — RWY 06 RWY END ID LOST OPS

Effective 2026-04-24T22:11:00Z → 2027-01-29T20:00:00Z

RUNWAY 040047 — RWY 26 RWY LOST

Effective 2026-04-24T22:11:00Z → 2027-01-29T20:00:00Z

RUNWAY A0407126 — RWY 26 RWY LOST

Effective 2026-04-24T22:11:00Z → 2027-01-29T20:00:00Z

RUNWAY A0408026 — RWY 06 RWY END ID LOST OPS

Effective 2026-04-24T22:11:00Z → 2027-01-29T20:00:00Z

RUNWAY 080076 — RWY 08 RWY END ID LOST AND TAX

Effective 2026-08-31T22:40:00Z → 2026-09-28T23:00:00Z

RUNWAY A10007126 — RWY 08 RWY END ID LOST AND TAX

Effective 2026-08-31T22:40:00Z → 2026-09-28T23:00:00Z

62 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR	
METAR — the routine surface observation issued hourly by the reporting station, with	
TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.	
GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against	
GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in	
GFA and prog charts — the Graphical Forecast for Aviation and the Weather	
FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KPNS this run.	
published WPC surface chart matches this	

0:00 ET ET · MVFR

0:00 ET ET · MVFR

6:00 ET ET · VFR

2:00 ET ET · VFR

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

2026-09-20 18:00 ET ET · VFR

2026-09-20 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-20=GFS, 2026-09-21=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-20 18:00	89	Sct	360/6kt	—	>10kft	>6SM
GFS	2026-09-20 21:00	88	Bkn	190/7kt	—	>10kft	>6SM
GFS	2026-09-21 00:00	83	Bkn	230/6kt	29.0	>10kft	>6SM
GFS	2026-09-21 03:00	80	Bkn	300/2kt	—	>10kft	>6SM
GFS	2026-09-21 06:00	78	Sct	320/1kt	27.0	>10kft	>6SM
GFS	2026-09-21 09:00	77	Sct	340/2kt	—	>10kft	>6SM
GFS	2026-09-21 12:00	75	Sct	360/4kt	24.0	>10kft	>6SM
GFS	2026-09-21 15:00	84	Few	30/4kt	—	>10kft	>6SM
GFS	2026-09-21 18:00	88	Sct	110/6kt	26.0	>10kft	>6SM
GFS	2026-09-21 21:00	86	Few	170/6kt	—	>10kft	>6SM
GFS	2026-09-22 00:00	81	Bkn	220/6kt	38.0	>10kft	>6SM
GFS	2026-09-22 03:00	79	Bkn	180/3kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KPNS 201753Z 04007KT 10SM CLR 32/22 A2996 RMK A02 SLP147 T03220217 10322 20228 58011

TAF KPNS 201734Z 2018/2118 07006KT P6SM FEW060 SCT150 FM201900 19008KT P6SM SCT050 SCT150 PROB30 2020/2102 4SM TSRA BKN040CB FM210200 VRB04KT P6SM SKC FM211400 03005KT P6SM FEW050

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KPNS; actual-station=KPNS; fetched-at=2026-09-20T19:28:17.585366+00:00; observed-or-issued-at=2026-09-20T17:53:00+00:00 — [AWC API](#)
 - TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KPNS; actual-station=KPNS; fetched-at=2026-09-20T19:28:17.795726+00:00; observed-or-issued-at=2026-09-20T17:34:00+00:00; valid-from=2026-09-20T18:00:00+00:00; valid-through=2026-09-21T18:00:00+00:00; partial-target-dates=2026-09-20,2026-09-21 — [AWC API](#)
- TAF proxy · KPNS
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KPNS; actual-station=KPNS; fetched-at=2026-09-20T19:28:18.462143+00:00
 - FAA NMS NOTAM — state=OK; requested-station=KPNS; actual-station=KPNS; fetched-at=2026-09-20T19:28:22.595021Z — [FAA NMS overview](#)
 - MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KPNS; actual-station=KPNS; fetched-at=2026-09-20T19:28:37.927892+00:00; observed-or-issued-at=2026-09-20T12:00:00+00:00; valid-from=2026-09-20T18:00:00+00:00; valid-through=2026-09-23T12:00:00+00:00; target-dates=2026-09-21; partial-target-dates=2026-09-20; dates-with-points=2026-09-20,2026-09-21 — [Iowa State API](#)

- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KPNS; actual-station=KPNS; fetched-at=2026-09-20T19:28:38.656792+00:00; observed-or-issued-at=2026-09-20T12:00:00+00:00; valid-from=2026-09-21T12:00:00+00:00; valid-through=2026-09-28T12:00:00+00:00; target-dates=2026-09-21 — [Iowa State API](#)
- MOS effective date selection — state=partial; rows=12; requested-station=KPNS; actual-station=KPNS; fetched-at=2026-09-20T19:28:37.927892+00:00; observed-or-issued-at=2026-09-20T12:00:00+00:00; valid-from=2026-09-20T18:00:00+00:00; valid-through=2026-09-23T12:00:00+00:00; target-dates=2026-09-21; partial-target-dates=2026-09-20; dates-with-points=2026-09-20,2026-09-21; selected-by-date=2026-09-20=GFS, 2026-09-21=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — [FAA Chart Supplement \(current cycle\)](#) — see [AirNav](#) link above

#17

KDAB

Daytona Beach Intl, FL, US

· Gulf East · Daytona Beach (Class C)

OBS - VFR

ETE

2h13

DIST

324 nm

SUN 20 SEP 13:53 ET OBSERVED

Current observation

METAR

OBS - VFR



scattered 3,000 ft, broken 4,000 ft, broken 9,500 ft



WINDNE (60°) 8 kt




TEMPERATURE29 °C



VISIBILITY10 sm



DEWPOINT23 °C



Wind equally favours RWY 07L and 07R

060° true · 067° magnetic · 8 kt

- Evidence & limitations
- METAR source state: ok; observed Sep 20 13:53 ET; retrieved Sep 20 15:28 ET; 95 min before this run.
 - Measured values read from the KDAB METAR. This is a current surface observation only; it is not a forecast.
 - Only fields decoded from this METAR are shown; every missing field remains unavailable.
 - Altimeter: 29.96 inHg.
 - The complete raw METAR remains in this airport's Raw products disclosure.
 - KDAB runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 07L/25R, 16/34, 07R/25L. Wind from 060 degrees true, 067 degrees magnetic, at 8 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Equally wind-favoured runway ends, highlighted: 07L and 07R. Wind source: KDAB METAR 201753Z.

DESTINATION OUTLOOK

SUN 20 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Surface prog evidence · Sun Sep 20

12:00–18:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

SUN 20 SEP 18:00–00:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

MON 21 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 21 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Surface prog evidence · Mon Sep 21

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

MON 21 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 21 SEP 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND8 kt

TEMPERATURE82–85 °F

DEWPOINT74–75 °F

PRECIP CHANCE29%

Evidence & limitations

• GFS MAV MOS · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

29°C dep KLZU → 29°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

07L/25R (070/250°M · 063/243°T) · 16/34 (160/340°M · 153/333°T) · 07R/25L (070/250°M · 063/243°T) — designators and °M headings are magnetic; °T are true; variation 7°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMS

NOTAMs

NOTAM text not available in this projection.

6/3056

NOTAM text not available in this projection.

A0972/26

NOTAM text not available in this projection.

6/0752

NOTAM text not available in this projection.

A1405/26

NOTAM text not available in this projection.

08/067

NOTAM text not available in this projection.

08/069

NOTAM text not available in this projection.

08/070

NOTAM text not available in this projection.

08/071

NOTAM text not available in this projection.

02/081

NOTAM text not available in this projection.

A0203/26

NOTAM text not available in this projection.

06/126

NOTAM text not available in this projection.

A0894/26

NOTAM text not available in this projection.

07/052

NOTAM text not available in this projection.

A1038/26

NOTAM text not available in this projection.

07/089

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

NAV_APPROACH **00014** — IAP DAYTONA BEACH INTL, DAYTONA BEACH, FL, ILS OR LOC RWY 25R, AMDT 1, DARRR FIX MINIMUMS (DUAL VOR RECEIVERS OR ONE REQUIRED); CIRCLING CAT A/B MDA 500HAA 525. TEMPORARY CRANE 250 MSL 300FT NE OF DAB AIRPORT (2026-ASD-209-0E). 2606171000-2612150429EST

Effective 2026-06-17T10:00:00Z → 2026-12-15T04:29:00Z

NAV_APPROACH **00015** — IAP DAYTONA BEACH INTL, DAYTONA BEACH, FL, RNAV (GPS) RWY 7L, AMDT 1C, UNAV MDA 400HAT 410 ALL CATS, CIRCLING CAT A/B MDA 500HAA 525. TEMPORARY CRANE 100 MSL 271FT NW OF RWY 7L (2026-ASD-15771-0E). TEMPORARY CRANE 250 MSL 300FT NE OF DAB AIRPORT (2026-ASD-209-0E). 2606171000-2612150429EST

Effective 2026-06-17T10:00:00Z → 2026-12-15T04:29:00Z

19 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KDAB this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

00:00 ET ET · VFR

01:00 ET ET · VFR

02:00 ET ET · VFR

03:00 ET ET · VFR

04:00 ET ET · VFR

05:00 ET ET · VFR

06:00 ET ET · VFR

07:00 ET ET · VFR

08:00 ET ET · VFR

09:00 ET ET · VFR

10:00 ET ET · VFR

11:00 ET ET · VFR

12:00 ET ET · VFR

13:00 ET ET · VFR

14:00 ET ET · VFR

15:00 ET ET · VFR

16:00 ET ET · VFR

17:00 ET ET · VFR

18:00 ET ET · VFR

19:00 ET ET · VFR

20:00 ET ET · VFR

21:00 ET ET · VFR

22:00 ET ET · VFR

23:00 ET ET · VFR

00:00 ET ET · VFR

01:00 ET ET · VFR

02:00 ET ET · VFR

03:00 ET ET · VFR

04:00 ET ET · VFR

05:00 ET ET · VFR

06:00 ET ET · VFR

07:00 ET ET · VFR

08:00 ET ET · VFR

09:00 ET ET · VFR

10:00 ET ET · VFR

11:00 ET ET · VFR

12:00 ET ET · VFR

13:00 ET ET · VFR

14:00 ET ET · VFR

15:00 ET ET · VFR

16:00 ET ET · VFR

17:00 ET ET · VFR

18:00 ET ET · VFR

19:00 ET ET · VFR

20:00 ET ET · VFR

21:00 ET ET · VFR

22:00 ET ET · VFR

23:00 ET ET · VFR

00:00 ET ET · VFR

01:00 ET ET · VFR

02:00 ET ET · VFR

03:00 ET ET · VFR

04:00 ET ET · VFR

05:00 ET ET · VFR

06:00 ET ET · VFR

07:00 ET ET · VFR

08:00 ET ET · VFR

09:00 ET ET · VFR

10:00 ET ET · VFR

11:00 ET ET · VFR

12:00 ET ET · VFR

13:00 ET ET · VFR

14:00 ET ET · VFR

15:00 ET ET · VFR

16:00 ET ET · VFR

17:00 ET ET · VFR

18:00 ET ET · VFR

19:00 ET ET · VFR

20:00 ET ET · VFR

21:00 ET ET · VFR

22:00 ET ET · VFR

23:00 ET ET · VFR

00:00 ET ET · VFR

01:00 ET ET · VFR

02:00 ET ET · VFR

03:00 ET ET · VFR

04:00 ET ET · VFR

05:00 ET ET · VFR

06:00 ET ET · VFR

07:00 ET ET · VFR

08:00 ET ET · VFR

09:00 ET ET · VFR

10:00 ET ET · VFR

11:00 ET ET · VFR

12:00 ET ET · VFR

13:00 ET ET · VFR

14:00 ET ET · VFR

15:00 ET ET · VFR

16:00 ET ET · VFR

17:00 ET ET · VFR

18:00 ET ET · VFR

19:00 ET ET · VFR

20:00 ET ET · VFR

21:00 ET ET · VFR

22:00 ET ET · VFR

23:00 ET ET · VFR

00:00 ET ET · VFR

01:00 ET ET · VFR

02:00 ET ET · VFR

03:00 ET ET · VFR

04:00 ET ET · VFR

05:00 ET ET · VFR

06:00 ET ET · VFR

07:00 ET ET · VFR

08:00 ET ET · VFR

09:00 ET ET · VFR

10:00 ET ET · VFR

11:00 ET ET · VFR

12:00 ET ET · VFR

13:00 ET ET · VFR

14:00 ET ET · VFR

15:00 ET ET · VFR

16:00 ET ET · VFR

17:00 ET ET · VFR

18:00 ET ET · VFR

19:00 ET ET · VFR

20:00 ET ET · VFR

21:00 ET ET · VFR

22:00 ET ET · VFR

23:00 ET ET · VFR

00:00 ET ET · VFR

01:00 ET ET · VFR

02:00 ET ET · VFR

03:00 ET ET · VFR

04:00 ET ET · VFR

05:00 ET ET · VFR

06:00 ET ET · VFR

07:00 ET ET · VFR

08:00 ET ET · VFR

09:00 ET ET · VFR

10:00 ET ET · VFR

11:00 ET ET · VFR

12:00 ET ET · VFR

13:00 ET ET · VFR

14:00 ET ET · VFR

15:00 ET ET · VFR

16:00 ET ET · VFR

17:00 ET ET · VFR

18:00 ET ET · VFR

19:00 ET ET · VFR

20:00 ET ET · VFR

21:00 ET ET · VFR

22:00 ET ET · VFR

23:00 ET ET · VFR

00:00 ET ET · VFR

01:00 ET ET · VFR

02:00 ET ET · VFR

03:00 ET ET · VFR

04:00 ET ET · VFR

05:00 ET ET · VFR

06:00 ET ET · VFR

07:00 ET ET · VFR

08:00 ET ET · VFR

09:00 ET ET · VFR

10:00 ET ET · VFR

11:00 ET ET · VFR

12:00 ET ET · VFR

13:00 ET ET · VFR

14:00 ET ET · VFR

15:00 ET ET · VFR

16:00 ET ET · VFR

17:00 ET ET · VFR

18:00 ET ET · VFR

19:00 ET ET · VFR

20:00 ET ET · VFR

21:00 ET ET · VFR

22:00 ET ET · VFR

23:00 ET ET · VFR

00:00 ET ET · VFR

01:00 ET ET · VFR

02:00 ET ET · VFR

03:00 ET ET · VFR

04:00 ET ET · VFR

05:00 ET ET · VFR

06:00 ET ET · VFR

07:00 ET ET · VFR

08:00 ET ET · VFR

09:00 ET ET · VFR

10:00 ET ET · VFR

11:00 ET ET · VFR

12:00 ET ET · VFR

13:00 ET ET · VFR

14:00 ET ET · VFR

15:00 ET ET · VFR

16:00 ET ET · VFR

17:00 ET ET · VFR

18:00 ET ET · VFR

19:00 ET ET · VFR

20:00 ET ET · VFR

21:00 ET ET · VFR

22:00 ET ET · VFR

23:00 ET ET · VFR

00:00 ET ET · VFR

01:00 ET ET · VFR

02:00 ET ET · VFR

03:00 ET ET · VFR

04:00 ET ET · VFR

05:00 ET ET · VFR

06:00 ET ET · VFR

07:00 ET ET · VFR

08:00 ET ET · VFR

09:00 ET ET · VFR

10:00 ET ET · VFR

11:00 ET ET · VFR

12:00 ET ET · VFR

13:00 ET ET · VFR

14:00 ET ET · VFR

15:00 ET ET · VFR

16:00 ET ET · VFR

17:00 ET ET · VFR

18:00 ET ET · VFR

19:00 ET ET · VFR

20:00 ET ET · VFR

21:00 ET ET · VFR

22:00 ET ET · VFR

23:00 ET ET · VFR

00:00 ET ET · VFR

01:00 ET ET · VFR

02:00 ET ET · VFR

03:00 ET ET · VFR

04:00 ET ET · VFR

05:00 ET ET · VFR

06:00 ET ET · VFR

07:00 ET ET · VFR

08:00 ET ET · VFR

09:00 ET ET · VFR

10:00 ET ET · VFR

11:00 ET ET · VFR

12:00 ET ET · VFR

13:00 ET ET · VFR

14:00 ET ET · VFR

15:00 ET ET · VFR

16:00 ET ET · VFR

17:00 ET ET · VFR

18:00 ET ET · VFR

19:00 ET ET · VFR

20:00 ET ET · VFR

21:00 ET ET · VFR

22:00 ET ET · VFR

23:00 ET ET · VFR

00:00 ET ET · VFR

01:00 ET ET · VFR

02:00 ET ET · VFR

03:00 ET ET · VFR

04:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-20=GFS, 2026-09-21=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-20 18:00	84	Ovc	50/7kt	—	>10kft	>6SM
GFS	2026-09-20 21:00	81	Ovc	70/7kt	—	>10kft	>6SM
GFS	2026-09-21 00:00	78	Bkn	90/4kt	33.0	>10kft	>6SM
GFS	2026-09-21 03:00	77	Bkn	80/2kt	—	>10kft	>6SM
GFS	2026-09-21 06:00	75	Bkn	140/1kt	22.0	>10kft	>6SM
GFS	2026-09-21 09:00	73	Bkn	0/0kt	—	>10kft	>6SM
GFS	2026-09-21 12:00	74	Bkn	0/0kt	18.0	>10kft	>6SM
GFS	2026-09-21 15:00	84	Bkn	40/4kt	—	>10kft	>6SM
GFS	2026-09-21 18:00	85	Bkn	60/8kt	29.0	>10kft	>6SM
GFS	2026-09-21 21:00	82	Ovc	60/8kt	—	>10kft	>6SM
GFS	2026-09-22 00:00	79	Ovc	60/5kt	42.0	>10kft	>6SM
GFS	2026-09-22 03:00	78	Bkn	100/3kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KDAB 201753Z 06008KT 10SM SCT030 BKN040 BKN095 29/23 A2996 RMK A02 SLP143 60000 T02940233 10294 20239 58008

TAF KDAB 201720Z 2018/2118 07005KT P6SM VCTS SCT035CB SCT120 SCT250 FM202000 07007KT P6SM SCT035 SCT120 BKN250 FM210000 VRB05KT P6SM FEW025 SCT120 BKN250 FM211500 04005KT P6SM VCSH SCT035 SCT120 SCT250

+ Data sources used

• METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KDAB; actual-station=KDAB; fetched-at=2026-09-20T19:28:17.585366+00:00; observed-or-issued-at=2026-09-20T17:53:00+00:00 — AWC API

• TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KDAB; actual-station=KDAB; fetched-at=2026-09-20T19:28:17.795726+00:00; observed-or-issued-at=2026-09-20T17:20:00+00:00; valid-from=2026-09-20T18:00:00+00:00; valid-through=2026-09-21T18:00:00+00:00; partial-target-dates=2026-09-20,2026-09-21 — AWC API

TAF proxy · KDAB

• FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KDAB; actual-station=KDAB; fetched-at=2026-09-20T19:28:18.516951+00:00

• FAA NMS NOTAM — state=OK; requested-station=KDAB; actual-station=KDAB; fetched-at=2026-09-20T19:28:22.613150Z — FAA NMS overview

• MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KDAB; actual-station=KDAB; fetched-at=2026-09-20T19:28:37.959965+00:00; observed-or-issued-at=2026-09-20T12:00:00+00:00; valid-from=2026-09-20T18:00:00+00:00; valid-through=2026-09-23T12:00:00+00:00; target-dates=2026-09-21; partial-target-dates=2026-09-20; dates-with-points=2026-09-20,2026-09-21 — Iowa State API

• MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KDAB; actual-station=KDAB; fetched-at=2026-09-20T19:28:38.891711+00:00; observed-or-issued-at=2026-09-20T12:00:00+00:00; valid-from=2026-09-21T12:00:00+00:00; valid-through=2026-09-28T12:00:00+00:00; target-dates=2026-09-21; dates-with-points=2026-09-21 — Iowa State API

- MOS effective date selection — state=partial; rows=12; requested-station=KDAB; actual-station=KDAB; fetched-at=2026-09-20T19:28:37.959965+00:00; observed-or-issued-at=2026-09-20T12:00:00+00:00; valid-from=2026-09-20T18:00:00+00:00; valid-through=2026-09-23T12:00:00+00:00; target-dates=2026-09-21; partial-target-dates=2026-09-20; dates-with-points=2026-09-20,2026-09-21; selected-by-date=2026-09-20=GFS, 2026-09-21=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#18

KJKA Gulf Shores/Edwards Arpt, AL, US · Gulf West · Gulf Shores AL

OBS - VFR

EFE
2h01

2h01

DIST
291 nm

291 nm

SUN 20 SEP 13:59 ET OBSERVED

Current observation OBS - VFR

OBS - VFR

OBSERVATIONS



WINDS (180°) 5 kt

TEMPERATURE 32 °C

VISIBILITY 10 sm

DEWPOINT 24 °C



Wind favours RWY 17

180° true · 182° magnetic · 5 kt

- METAR source state: ok; observed Sep 20 13:59 ET; retrieved Sep 20 15:28 ET; 89 min before this run.
- Measured values read from the KJKA METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.96 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KJKA runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 09/27, 17/35. Wind from 180 degrees true, 182 degrees magnetic, at 5 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 17. Wind source: KJKA METAR 201759Z.

DESTINATION OUTLOOK

SUN 20 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · MVFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Surface prog evidence · Sun Sep 20

12:00–18:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON 21 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 21 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 21 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 21 SEP 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND5–6 kt

TEMPERATURE84–85 °F

DEWPOINT73–74 °F

PRECIP CHANCE28%

Evidence & limitations

• GFS MAV MOS · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 21

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

29°C dep KLZU → 32°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

09/27 (090/270°M · 088/268°T) · 17/35 (170/350°M · 168/348°T) — designators and °M headings are magnetic; °T are true; variation 2°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMS

NOTAMS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

8 Act on

1 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production
source per owner decision 2026-08-09;
technical transport environment remains
preprod. Limited 2026-07-30 spot check
covered KLZU, KAVL, and KSGJ (3 of 30
airports). NOTAMS were read from this source
and used on this card this run. Typed state:
OK. The dot colour reports whether this
source was read this run; technical
environment: preprod.

2 · What

3 · Where

ed 2026-09-20T19:28:22.682001Z.

oritative)

FRI SEP 18

SAT SEP 19

SUN SEP 20

MON SEP 21

5/1161

5/1162

6/6821

6 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 19:28 Z

05/473

NOTAM text not available in this projection.

08/415

NOTAM text not available in this projection.

5/1161

NOTAM text not available in this projection.

5/1162

NOTAM text not available in this projection.

6/6821

NOTAM text not available in this projection.

6/6822

NOTAM text not available in this projection.

6/6824

NOTAM text not available in this projection.

6/3337

NOTAM text not available in this projection.

6/2179

NOTAM text not available in this projection.

03/876

NOTAM text not available in this projection.

03/884

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2026-09-20T19:28:22.682001Z.

:00Z

APN EAST ACCESS CLOSED

:00Z

ORDS INTL/JACK EDWARDS FLD, GULF SHORES, AL ILS OR LOC RWY 27, AMDT 1B., LCVBE FIX MINIMUMS: CIRCLING CAT B MDA 540HAA 523.

:00Z

ORDS INTL/JACK EDWARDS FLD, GULF SHORES, AL RNAV (GPS) RWY 27, AMDT 2B., RNAV (GPS) RWY 9, AMDT 3C., CIRCLING CAT B MDA 540HAA 523.

2025-09-10T15:59:00Z → 2027-09-10T15:59:00Z

Effective 2025-09-10T15:59:00Z → 2027-09-10T15:59:00Z

NAV_APPROACH 00021 — IAP GULF SHORES INTL/JACK EDWARDS FLD, GULF SHORES, AL RNAV (GPS) RWY 9, AMDT 3C., LNAV/VNAV DA 410HAT 3M ALL CATS, VIS ALL CATS 1 10, LNAV MDA 500 HAT 4M ALL CATS, VIS CATS C/D 1 30, CIRCLING MDA CATS A/B 580HAA 563, VDP NA, CHANGE NOTE TO READ: INCREASE LNAV/VNAV DA TO 400 FEET AND ALL VISIBILITIES 1M 5M, TEMPORARY CLOSURE UP TO THE END, START OF THE RWY 9 (2024-ASO-100210003-0E), 2004291501-2026101601EST

Effective 2026-04-29T15:01:00Z → 2026-10-16T15:01:00Z

6 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and

Source and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KJKA this run.

published VFR surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

18:00 ET ET · MVFR
19:00 ET ET · MVFR
20:00 ET ET · VFR
21:00 ET ET · VFR
22:00 ET ET · VFR
23:00 ET ET · VFR
Mon, Sep 21 18:00–00:00 ET · GFS MAX MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-20=GFS, 2026-09-21=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-20 18:00	93	Sct	80/5kt	—	>10kft	>6SM
GFS	2026-09-20 21:00	88	Bkn	190/6kt	—	>10kft	>6SM
GFS	2026-09-21 00:00	81	Bkn	250/4kt	30.0	>10kft	>6SM
GFS	2026-09-21 03:00	77	Bkn	350/1kt	—	>10kft	>6SM
GFS	2026-09-21 06:00	75	Bkn	0/0kt	24.0	>10kft	>6SM
GFS	2026-09-21 09:00	73	Sct	340/1kt	—	>10kft	>6SM
GFS	2026-09-21 12:00	73	Bkn	360/3kt	33.0	>10kft	>6SM
GFS	2026-09-21 15:00	82	Bkn	30/4kt	—	>10kft	>6SM
GFS	2026-09-21 18:00	85	Bkn	120/5kt	28.0	>10kft	>6SM
GFS	2026-09-21 21:00	84	Sct	170/6kt	—	>10kft	>6SM
GFS	2026-09-22 00:00	79	Bkn	210/3kt	42.0	>10kft	>6SM
GFS	2026-09-22 03:00	75	Bkn	80/2kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KJKA 201759Z 18005KT 10SM SCT048 32/24 A2996

TAF KJKA 201734Z 2018/2118 20006KT P6SM SCT050 PROB30 2019/2024 4SM TSRA BKN040CB FM210000 00000KT P6SM SKC FM211400 01005KT P6SM SKC

+ Data sources used

• METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KJKA; actual-station=KJKA; fetched-at=2026-09-20T19:28:17.585366+00:00; observed-or-issued-at=2026-09-20T17:59:00+00:00 — AWC API

- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KJKA; actual-station=KJKA; fetched-at=2026-09-20T19:28:17.795726+00:00; observed-or-issued-at=2026-09-20T17:34:00+00:00; valid-from=2026-09-20T18:00:00+00:00; valid-through=2026-09-21T18:00:00+00:00; partial-target-dates=2026-09-20,2026-09-21 — [AWC API](#)

TAF proxy · KJKA
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KJKA; actual-station=KJKA; fetched-at=2026-09-20T19:28:18.544624+00:00
- FAA NMS NOTAM — state=OK; requested-station=KJKA; actual-station=KJKA; fetched-at=2026-09-20T19:28:22.682001Z — [FAA NMS overview](#)
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KJKA; actual-station=KJKA; fetched-at=2026-09-20T19:28:37.979005+00:00; observed-or-issued-at=2026-09-20T12:00:00+00:00; valid-from=2026-09-20T18:00:00+00:00; valid-through=2026-09-23T12:00:00+00:00; target-dates=2026-09-21; partial-target-dates=2026-09-20; dates-with-points=2026-09-20,2026-09-21 — [Iowa State API](#)
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KJKA; actual-station=KJKA; fetched-at=2026-09-20T19:28:38.657763+00:00; observed-or-issued-at=2026-09-20T12:00:00+00:00; valid-from=2026-09-21T12:00:00+00:00; valid-through=2026-09-28T12:00:00+00:00; target-dates=2026-09-21; dates-with-points=2026-09-21 — [Iowa State API](#)
- MOS effective date selection — state=partial; rows=12; requested-station=KJKA; actual-station=KJKA; fetched-at=2026-09-20T19:28:37.979005+00:00; observed-or-issued-at=2026-09-20T12:00:00+00:00; valid-from=2026-09-20T18:00:00+00:00; valid-through=2026-09-23T12:00:00+00:00; target-dates=2026-09-21; partial-target-dates=2026-09-20; dates-with-points=2026-09-20,2026-09-21; selected-by-date=2026-09-20=GFS, 2026-09-21=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — [FAA Chart Supplement \(current cycle\)](#) — see AirNav link above

#19

KBFM

Mobile/Downtown Arpt, AL, US

· Gulf West · Mobile Downtown

⏮ OBS - VFR

ETE

2h00

DIST

290 nm

SUN 20 SEP 13:53 ET OBSERVED

Current observation

⏮ OBS - VFR

METAR

OBSERVED

☁ clear below 12,000 ft (CLR)

🌀 WINDE (90°) 7 kt

🌡 TEMPERATURE33 °C

👁 VISIBILITY10 sm

💧 DEWPOINT23 °C



Wind favours RWY 14

090° true · 092° magnetic · 7 kt

Evidence & limitations

- METAR source state: ok; observed Sep 20 13:53 ET; retrieved Sep 20 15:28 ET; 95 min before this run.
- Measured values read from the KBFM METAR. This is a current surface observation only; it is not a forecast.

- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.98 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KBFM runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 14/32, 18/36. Wind from 090 degrees true, 092 degrees magnetic, at 7 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 14. Wind source: KBFM METAR 201753Z.

DESTINATION OUTLOOK

SUN, SEP 20

SUN 20 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · MVFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 20 SEP 18:00–00:00 ET HIGH

Forecast

TA

F

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 18:00–00:00 ET ET · MVFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 20

12:00–18:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON 21 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 21 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 21 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 21 SEP 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND5 kt

TEMPERATURE89–90 °F

DEWPOINT75–76 °F

PRECIP CHANCE22%

Evidence & limitations

• GFS MAV MOS · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 21

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

29°C dep KLZU → 33°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

14/32 (140/320°M · 138/318°T) · 18/36 (180/000°M · 178/358°T) — designators and °M headings are magnetic; °T are true; variation 2°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMS

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

12 Act on

3 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production
source per owner decision 2026-08-09;
technical transport environment remains
preprod. Limited 2026-07-30 spot check
covered KLZU, KAVL, and KSGJ (3 of 30
airports). NOTAMs were read from this source
and used on this card this run. Typed state:
OK. The dot colour reports whether this
source was read this run; technical
environment: preprod.

2 · What

3 · Where

ed 2026-09-20T19:28:22.712660Z.

FRI SEP 18

SAT SEP 19

SUN SEP 20

MON SEP 21

08/020

A0373/26

6/1287

28 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 19:28 Z

08/004

NOTAM text not available in this projection.

A0354/26

NOTAM text not available in this projection.

08/020

NOTAM text not available in this projection.

A0373/26

NOTAM text not available in this projection.

6/1287

NOTAM text not available in this projection.

6/1289

NOTAM text not available in this projection.

A0106/26

NOTAM text not available in this projection.

A0108/26

NOTAM text not available in this projection.

6/3379

NOTAM text not available in this projection.

A0284/26

NOTAM text not available in this projection.

6/2188

NOTAM text not available in this projection.

A0356/26

NOTAM text not available in this projection.

6/4898

NOTAM text not available in this projection.

A0364/26

NOTAM text not available in this projection.

6/9973

NOTAM text not available in this projection.

A0382/26

NOTAM text not available in this projection.

05/009

NOTAM text not available in this projection.

A0240/26

NOTAM text not available in this projection.

06/026

NOTAM text not available in this projection.

06/027

NOTAM text not available in this projection.

06/028

NOTAM text not available in this projection.

06/029

NOTAM text not available in this projection.

06/030

NOTAM text not available in this projection.

06/031

NOTAM text not available in this projection.

06/032

NOTAM text not available in this projection.

06/033

NOTAM text not available in this projection.

06/049

NOTAM text not available in this projection.

07/009

NOTAM text not available in this projection.

A0326/26

NOTAM text not available in this projection.

08/021

NOTAM text not available in this projection.

09/002

NOTAM text not available in this projection.

09/009

NOTAM text not available in this projection.

08/027

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2026-09-20T19:28:22.712660Z.

NOT STD

:00Z

NOT STD

:00Z

STD

:00Z

NOT STD

:00Z

NAV APPROACH

M1287 — IAP MOBILE INTL. MOBILE, AL. ILS OR LOC RWY 31, AMDT 4A. . RADAR REQUIRED FOR PROCEDURE ENTRY EXCEPT FOR ACFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS. MISSED APPROACH: CLIMB TO 800 THEN CLIMBING RIGHT TURN TO 2000 ON HEADING 080 AND ON DPM VORTAC R-031 TO STETS INTBPM 28.21 DME AND HOLD (DME REQUIRED). S.I. NOT OUT OF SERVICE. 20021103 0610091803EST

Effective 2026-02-27T18:03:00Z → 2026-10-09T18:03:00Z

28 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics,
the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KBFM this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

8:00 ET ET · MVFR

0:00 ET ET · MVFR

6:00 ET ET · VFR

2:00 ET ET · VFR

3:00 ET ET · VFR

S · 18:00–00:00 ET ET · VFR

- + MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-20=GFS, 2026-09-21=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-20 18:00	89	Sct	80/6kt	—	>10kft	>6SM
GFS	2026-09-20 21:00	90	Bkn	160/5kt	—	>10kft	>6SM
GFS	2026-09-21 00:00	84	Sct	230/3kt	29.0	>10kft	>6SM
GFS	2026-09-21 03:00	80	Sct	320/2kt	—	>10kft	>6SM
GFS	2026-09-21 06:00	79	Bkn	360/1kt	21.0	>10kft	>6SM
GFS	2026-09-21 09:00	78	Few	330/2kt	—	>10kft	>6SM
GFS	2026-09-21 12:00	77	Bkn	340/4kt	31.0	>10kft	>6SM
GFS	2026-09-21 15:00	85	Clear	20/5kt	—	>10kft	>6SM
GFS	2026-09-21 18:00	90	Sct	90/5kt	22.0	>10kft	>6SM
GFS	2026-09-21 21:00	89	Sct	120/5kt	—	>10kft	>6SM

GFS	2026-09-22 00:00	83	Bkn	120/4kt	45.0	>10kft	>6SM
GFS	2026-09-22 03:00	79	Bkn	30/2kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KBFM 201753Z 09007KT 10SM CLR 33/23 A2998 RMK A02 SLP151 T03280228 10333 20233 58014

TAF KBFM 201734Z 2018/2118 05006KT P6SM FEW060 FM202000 16007KT P6SM SCT050 PROB30 2020/2101 3SM TSRA BKN050CB FM210100 VRB03KT P6SM SKC FM211400 01006KT P6SM FEW050

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KBFM; actual-station=KBFM; fetched-at=2026-09-20T19:28:17.585366+00:00; observed-or-issued-at=2026-09-20T17:53:00+00:00 — [AWC API](#)
 - TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KBFM; actual-station=KBFM; fetched-at=2026-09-20T19:28:17.795726+00:00; observed-or-issued-at=2026-09-20T17:34:00+00:00; valid-from=2026-09-20T18:00:00+00:00; valid-through=2026-09-21T18:00:00+00:00; partial-target-dates=2026-09-20,2026-09-21 — [AWC API](#)
- TAF proxy · KBFM
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KBFM; actual-station=KBFM; fetched-at=2026-09-20T19:28:18.604016+00:00
 - FAA NMS NOTAM — state=OK; requested-station=KBFM; actual-station=KBFM; fetched-at=2026-09-20T19:28:22.712660Z — [FAA NMS overview](#)
 - MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KBFM; actual-station=KBFM; fetched-at=2026-09-20T19:28:37.959457+00:00; observed-or-issued-at=2026-09-20T12:00:00+00:00; valid-from=2026-09-20T18:00:00+00:00; valid-through=2026-09-23T12:00:00+00:00; target-dates=2026-09-21; partial-target-dates=2026-09-20; dates-with-points=2026-09-20,2026-09-21 — [Iowa State API](#)
 - MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KBFM; actual-station=KBFM; fetched-at=2026-09-20T19:28:38.662616+00:00; observed-or-issued-at=2026-09-20T12:00:00+00:00; valid-from=2026-09-21T12:00:00+00:00; valid-through=2026-09-28T12:00:00+00:00; target-dates=2026-09-21; dates-with-points=2026-09-21 — [Iowa State API](#)
 - MOS effective date selection — state=partial; rows=12; requested-station=KBFM; actual-station=KBFM; fetched-at=2026-09-20T19:28:37.959457+00:00; observed-or-issued-at=2026-09-20T12:00:00+00:00; valid-from=2026-09-20T18:00:00+00:00; valid-through=2026-09-23T12:00:00+00:00; target-dates=2026-09-21; partial-target-dates=2026-09-20; dates-with-points=2026-09-20,2026-09-21; selected-by-date=2026-09-20=GFS, 2026-09-21=GFS
 - Extended outlook and hazard-feed states are reported in the source stamp.
 - Runway data + Chart Supplement — [FAA Chart Supplement \(current cycle\)](#) — see AirNav link above

ETE

2h18

DIST

337 nm

SUN 20 SEP 13:53 ET OBSERVED

Current observation

METAR

clear below 12,000 ft (CLR)

WINDvariable 6 kt

⌵ OBS - VFR

OBSER

TEMPERATURE33 °C

VISIBILITY10 sm

DEWPOINT21 °C

Evidence & limitations

• METAR source state: ok; observed Sep 20 13:53 ET; retrieved Sep 20 15:28 ET; 95 min before this run.

• Measured values read from the KGPT METAR. This is a current surface observation only; it is not a forecast.

• Only fields decoded from this METAR are shown; every missing field remains unavailable.

• Altimeter: 29.96 inHg.

• The complete raw METAR remains in this airport's Raw products disclosure.

DESTINATION OUTLOOK

SUN, SEP 20

SUN 20 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 20 SEP 18:00–00:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 20

12:00–18:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON 21 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 21 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 21 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 21 SEP 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND6–7 kt

TEMPERATURE85–87 °F

DEWPOINT73 °F

PRECIP CHANCE24%

Evidence & limitations

• GFS MAV MOS · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 21

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

29°C dep KLZU → 33°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

14/32 (140/320°M · 139/319°T) · 18/36 (180/000°M · 179/359°T) — designators and °M headings are magnetic; °T are true; variation 1°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMS

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

ed 2026-09-20T19:28:22.836365Z.
poritative)

	FRI SEP 18	SAT SEP 19	SUN SEP 20	MON SEP 21
A0675/26				
09/058				
A0789/25				

16 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 19:28 Z

NOTAMs as of 19:28 Z — advisory only; verify an official briefing.

06/072
NOTAM text not available in this projection.

09/008
NOTAM text not available in this projection.

A0675/26
NOTAM text not available in this projection.

09/058
NOTAM text not available in this projection.

A0789/25
NOTAM text not available in this projection.

6/5422
NOTAM text not available in this projection.

A0386/26
NOTAM text not available in this projection.

06/065
NOTAM text not available in this projection.

6/9967

NOTAM text not available in this projection.

A0597/26

NOTAM text not available in this projection.

09/013

NOTAM text not available in this projection.

A0678/26

NOTAM text not available in this projection.

06/056

NOTAM text not available in this projection.

07/031

NOTAM text not available in this projection.

08/003

NOTAM text not available in this projection.

08/023

NOTAM text not available in this projection.

08/040

NOTAM text not available in this projection.

08/041

NOTAM text not available in this projection.

08/042

NOTAM text not available in this projection.

09/007

NOTAM text not available in this projection.

09/010

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30

2026-09-20T19:28:22.836365Z.

NOT MARKING AT TWP E, TWP D, AND TWP A ORSC
:00Z

airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

NAV_APPROACH 20250925 → 20260925 08:58:00Z → 20260925 21:11:00Z
Effective 2025-09-29T08:58:00Z → 2026-09-25T21:11:00Z

16 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KGPT this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

08:00 ET ET · VFR

09:00 ET ET · VFR

10:00 ET ET · VFR

11:00 ET ET · VFR

12:00 ET ET · VFR

13:00 ET ET · VFR

14:00 ET ET · VFR

15:00 ET ET · VFR

16:00 ET ET · VFR

17:00 ET ET · VFR

18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-20=GFS, 2026-09-21=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-20 18:00	91	Few	110/6kt	—	>10kft	>6SM
GFS	2026-09-20 21:00	89	Sct	170/6kt	—	>10kft	>6SM
GFS	2026-09-21 00:00	84	Few	230/3kt	22.0	>10kft	>6SM
GFS	2026-09-21 03:00	80	Few	350/1kt	—	>10kft	>6SM

GFS	2026-09-21 06:00	78	Sct	300/1kt	14.0	>10kft	>6SM
GFS	2026-09-21 09:00	76	Sct	320/1kt	—	>10kft	>6SM
GFS	2026-09-21 12:00	75	Bkn	340/2kt	31.0	>10kft	>6SM
GFS	2026-09-21 15:00	84	Clear	360/6kt	—	>10kft	>6SM
GFS	2026-09-21 18:00	87	Sct	70/7kt	24.0	>10kft	>6SM
GFS	2026-09-21 21:00	85	Sct	150/6kt	—	>10kft	>6SM
GFS	2026-09-22 00:00	80	Bkn	130/3kt	41.0	>10kft	>6SM
GFS	2026-09-22 03:00	78	Bkn	20/1kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KGPT 201753Z VRB06KT 10SM CLR 33/21 A2996 RMK A02 SLP144 T03330211 10333 20233 58012

TAF KGPT 201720Z 2018/2118 33004KT P6SM SKC FM201900 16008KT P6SM SCT040 FM210100 VRB04KT P6SM SKC FM211500 36006KT P6SM SCT030

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KGPT; actual-station=KGPT; fetched-at=2026-09-20T19:28:17.585366+00:00; observed-or-issued-at=2026-09-20T17:53:00+00:00 — [AWC API](#)
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KGPT; actual-station=KGPT; fetched-at=2026-09-20T19:28:17.795726+00:00; observed-or-issued-at=2026-09-20T17:20:00+00:00; valid-from=2026-09-20T18:00:00+00:00; valid-through=2026-09-21T18:00:00+00:00; partial-target-dates=2026-09-20,2026-09-21 — [AWC API](#)

TAF proxy · KGPT

- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KGPT; actual-station=KGPT; fetched-at=2026-09-20T19:28:18.837875+00:00
- FAA NMS NOTAM — state=OK; requested-station=KGPT; actual-station=KGPT; fetched-at=2026-09-20T19:28:22.836365Z — [FAA NMS overview](#)
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KGPT; actual-station=KGPT; fetched-at=2026-09-20T19:28:38.118017+00:00; observed-or-issued-at=2026-09-20T12:00:00+00:00; valid-from=2026-09-20T18:00:00+00:00; valid-through=2026-09-23T12:00:00+00:00; target-dates=2026-09-21; partial-target-dates=2026-09-20; dates-with-points=2026-09-20,2026-09-21 — [Iowa State API](#)
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KGPT; actual-station=KGPT; fetched-at=2026-09-20T19:28:38.740636+00:00; observed-or-issued-at=2026-09-20T12:00:00+00:00; valid-from=2026-09-21T12:00:00+00:00; valid-through=2026-09-28T12:00:00+00:00; target-dates=2026-09-21; dates-with-points=2026-09-21 — [Iowa State API](#)
- MOS effective date selection — state=partial; rows=12; requested-station=KGPT; actual-station=KGPT; fetched-at=2026-09-20T19:28:38.118017+00:00; observed-or-issued-at=2026-09-20T12:00:00+00:00; valid-from=2026-09-20T18:00:00+00:00; valid-through=2026-09-23T12:00:00+00:00; target-dates=2026-09-21; partial-target-dates=2026-09-20; dates-with-points=2026-09-20,2026-09-21; selected-by-date=2026-09-20=GFS, 2026-09-21=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — [FAA Chart Supplement \(current cycle\)](#) — see AirNav link above

Current observation

OBS - VFR

OBSER



clear below 12,000 ft (CLR)



WINDE (110°) 4 kt



TEMPERATURE30 °C



VISIBILITY10 sm



DEWPOINT23 °C



Wind favours RWY 07

110° true · 116° magnetic · 4 kt

Evidence & limitations

- METAR source state: ok; observed Sep 20 13:53 ET; retrieved Sep 20 15:28 ET; 95 min before this run.
- Measured values read from the KSPG METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.92 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KSPG runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 07/25, 18/36. Wind from 110 degrees true, 116 degrees magnetic, at 4 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 07. Wind source: KSPG METAR 201753Z.

DESTINATION OUTLOOK

SUN 20 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Surface prog evidence · Sun Sep 20

12:00–18:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON 21 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 21 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 21 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 21 SEP 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND4–5 kt

TEMPERATURE86–87 °F

DEWPOINT74 °F

PRECIP CHANCE25%

Evidence & limitations

• GFS MAV MOS · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 21

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

29°C dep KLZU → 30°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

07/25 (070/250°M · 064/244°T) · 18/36 (180/000°M · 174/354°T) — designators and °M headings are magnetic; °T are true; variation 6°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMS

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

...d 2026-09-20T19:28:22.847281Z.
...pritative)

FRI SEP 18

SAT SEP 19

SUN SEP 20

MON SEP 21

07/004

07/006

07/007

3 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 19:28 Z

NOTAMs as of 19:28 Z — advisory only; verify an official briefing.

6/3728

NOTAM text not available in this projection.

07/002

NOTAM text not available in this projection.

07/004

NOTAM text not available in this projection.

07/006

NOTAM text not available in this projection.

07/007

NOTAM text not available in this projection.

07/010

NOTAM text not available in this projection.

08/001

NOTAM text not available in this projection.

08/002

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

Effective 2026-07-21T18:52:00Z → 2026-10-01T15:00:00Z

RUNWAY 071007 → 071007 071007 071007

Effective 2026-07-21T18:54:00Z → 2026-10-01T15:00:00Z

3 additional normalized FAA NOTAM records omitted from this view.

26-09-20T19:28:22.847281Z.
TBD, ST PETERSBURG, FL, TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 4... ADD TAKEOFF OBSTACLE NOTE, RWY 25, BUILDING
ENTERLINE, 10FT AGL, 10FT MSL (2026-ADD-3172-DE-PERM). ALL OTHER DATA REMAINS AS PUBLISHED. 2026-07-20-2026-10-01T0000Z

071007

071007

071007

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KSPG this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

category and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

07:00 ET ET · VFR

08:00 ET ET · VFR

09:00 ET ET · VFR

10:00 ET ET · VFR

11:00 ET ET · VFR

12:00 ET ET · VFR

13:00 ET ET · VFR

14:00 ET ET · VFR

15:00 ET ET · VFR

16:00 ET ET · VFR

17:00 ET ET · VFR

18:00 ET ET · VFR

19:00 ET ET · VFR

20:00 ET ET · VFR

21:00 ET ET · VFR

22:00 ET ET · VFR

23:00 ET ET · VFR

00:00 ET ET · VFR

01:00 ET ET · VFR

02:00 ET ET · VFR

03:00 ET ET · VFR

04:00 ET ET · VFR

05:00 ET ET · VFR

06:00 ET ET · VFR

07:00 ET ET · VFR

08:00 ET ET · VFR

09:00 ET ET · VFR

10:00 ET ET · VFR

11:00 ET ET · VFR

12:00 ET ET · VFR

13:00 ET ET · VFR

14:00 ET ET · VFR

15:00 ET ET · VFR

16:00 ET ET · VFR

17:00 ET ET · VFR

18:00 ET ET · VFR

19:00 ET ET · VFR

20:00 ET ET · VFR

21:00 ET ET · VFR

22:00 ET ET · VFR

23:00 ET ET · VFR

00:00 ET ET · VFR

01:00 ET ET · VFR

02:00 ET ET · VFR

03:00 ET ET · VFR

04:00 ET ET · VFR

05:00 ET ET · VFR

06:00 ET ET · VFR

07:00 ET ET · VFR

08:00 ET ET · VFR

09:00 ET ET · VFR

10:00 ET ET · VFR

11:00 ET ET · VFR

12:00 ET ET · VFR

13:00 ET ET · VFR

14:00 ET ET · VFR

15:00 ET ET · VFR

16:00 ET ET · VFR

17:00 ET ET · VFR

18:00 ET ET · VFR

19:00 ET ET · VFR

20:00 ET ET · VFR

21:00 ET ET · VFR

22:00 ET ET · VFR

23:00 ET ET · VFR

00:00 ET ET · VFR

01:00 ET ET · VFR

02:00 ET ET · VFR

03:00 ET ET · VFR

04:00 ET ET · VFR

05:00 ET ET · VFR

06:00 ET ET · VFR

07:00 ET ET · VFR

08:00 ET ET · VFR

09:00 ET ET · VFR

10:00 ET ET · VFR

11:00 ET ET · VFR

12:00 ET ET · VFR

13:00 ET ET · VFR

14:00 ET ET · VFR

15:00 ET ET · VFR

16:00 ET ET · VFR

17:00 ET ET · VFR

18:00 ET ET · VFR

19:00 ET ET · VFR

20:00 ET ET · VFR

21:00 ET ET · VFR

22:00 ET ET · VFR

23:00 ET ET · VFR

00:00 ET ET · VFR

01:00 ET ET · VFR

02:00 ET ET · VFR

03:00 ET ET · VFR

04:00 ET ET · VFR

05:00 ET ET · VFR

06:00 ET ET · VFR

07:00 ET ET · VFR

08:00 ET ET · VFR

09:00 ET ET · VFR

10:00 ET ET · VFR

11:00 ET ET · VFR

12:00 ET ET · VFR

13:00 ET ET · VFR

14:00 ET ET · VFR

15:00 ET ET · VFR

16:00 ET ET · VFR

17:00 ET ET · VFR

18:00 ET ET · VFR

19:00 ET ET · VFR

20:00 ET ET · VFR

21:00 ET ET · VFR

22:00 ET ET · VFR

23:00 ET ET · VFR

00:00 ET ET · VFR

01:00 ET ET · VFR

02:00 ET ET · VFR

03:00 ET ET · VFR

04:00 ET ET · VFR

05:00 ET ET · VFR

06:00 ET ET · VFR

07:00 ET ET · VFR

08:00 ET ET · VFR

09:00 ET ET · VFR

10:00 ET ET · VFR

11:00 ET ET · VFR

12:00 ET ET · VFR

13:00 ET ET · VFR

14:00 ET ET · VFR

15:00 ET ET · VFR

16:00 ET ET · VFR

17:00 ET ET · VFR

18:00 ET ET · VFR

19:00 ET ET · VFR

20:00 ET ET · VFR

21:00 ET ET · VFR

22:00 ET ET · VFR

23:00 ET ET · VFR

00:00 ET ET · VFR

01:00 ET ET · VFR

02:00 ET ET · VFR

03:00 ET ET · VFR

04:00 ET ET · VFR

05:00 ET ET · VFR

06:00 ET ET · VFR

07:00 ET ET · VFR

08:00 ET ET · VFR

09:00 ET ET · VFR

10:00 ET ET · VFR

11:00 ET ET · VFR

12:00 ET ET · VFR

13:00 ET ET · VFR

14:00 ET ET · VFR

15:00 ET ET · VFR

16:00 ET ET · VFR

17:00 ET ET · VFR

18:00 ET ET · VFR

19:00 ET ET · VFR

20:00 ET ET · VFR

21:00 ET ET · VFR

22:00 ET ET · VFR

23:00 ET ET · VFR

00:00 ET ET · VFR

01:00 ET ET · VFR

02:00 ET ET · VFR

03:00 ET ET · VFR

04:00 ET ET · VFR

05:00 ET ET · VFR

06:00 ET ET · VFR

07:00 ET ET · VFR

08:00 ET ET · VFR

09:00 ET ET · VFR

10:00 ET ET · VFR

11:00 ET ET · VFR

12:00 ET ET · VFR

13:00 ET ET · VFR

14:00 ET ET · VFR

15:00 ET ET · VFR

16:00 ET ET · VFR

17:00 ET ET · VFR

18:00 ET ET · VFR

19:00 ET ET · VFR

20:00 ET ET · VFR

21:00 ET ET · VFR

22:00 ET ET · VFR

23:00 ET ET · VFR

00:00 ET ET · VFR

01:00 ET ET · VFR

02:00 ET ET · VFR

03:00 ET ET · VFR

04:00 ET ET · VFR

05:00 ET ET · VFR

06:00 ET ET · VFR

07:00 ET ET · VFR

08:00 ET ET · VFR

09:00 ET ET · VFR

10:00 ET ET · VFR

11:00 ET ET · VFR

12:00 ET ET · VFR

13:00 ET ET · VFR

14:00 ET ET · VFR

15:00 ET ET · VFR

16:00 ET ET · VFR

17:00 ET ET · VFR

18:00 ET ET · VFR

19:00 ET ET · VFR

20:00 ET ET · VFR

21:00 ET ET · VFR

22:00 ET ET · VFR

23:00 ET ET · VFR

00:00 ET ET · VFR

01:00 ET ET · VFR

02:00 ET ET · VFR

03:00 ET ET · VFR

04:00 ET ET · VFR

05:00 ET ET · VFR

06:00 ET ET · VFR

07:00 ET ET · VFR

08:00 ET ET · VFR

09:00 ET ET · VFR

10:00 ET ET · VFR

11:00 ET ET · VFR

12:00 ET ET · VFR

13:00 ET ET · VFR

14:00 ET ET · VFR

15:00 ET ET · VFR

16:00 ET ET · VFR

17:00 ET ET · VFR

18:00 ET ET · VFR

19:00 ET ET · VFR

20:00 ET ET · VFR

21:00 ET ET · VFR

22:00 ET ET · VFR

23:00 ET ET · VFR

00:00 ET ET · VFR

01:00 ET ET · VFR

02:00 ET ET · VFR

03:00 ET ET · VFR

04:00 ET ET · VFR

05:00 ET ET · VFR

06:00 ET ET · VFR

07:00 ET ET · VFR

08:00 ET ET · VFR

09:00 ET ET · VFR

10:00 ET ET · VFR

11:00 ET ET · VFR

12:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-20=GFS, 2026-09-21=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-20 18:00	87	Few	60/4kt	—	>10kft	>6SM
GFS	2026-09-20 21:00	87	Bkn	70/5kt	—	>10kft	>6SM
GFS	2026-09-21 00:00	83	Bkn	70/6kt	39.0	>10kft	>6SM
GFS	2026-09-21 03:00	81	Bkn	110/8kt	—	>10kft	>6SM
GFS	2026-09-21 06:00	80	Bkn	120/8kt	35.0	>10kft	>6SM
GFS	2026-09-21 09:00	79	Bkn	130/6kt	—	>10kft	>6SM
GFS	2026-09-21 12:00	80	Clear	120/5kt	30.0	>10kft	>6SM
GFS	2026-09-21 15:00	83	Clear	110/4kt	—	>10kft	>6SM
GFS	2026-09-21 18:00	86	Few	90/4kt	25.0	>10kft	>6SM
GFS	2026-09-21 21:00	87	Bkn	40/5kt	—	>10kft	>6SM
GFS	2026-09-22 00:00	83	Sct	90/6kt	43.0	>10kft	>6SM
GFS	2026-09-22 03:00	81	Sct	110/8kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KSPG 201753Z 11004KT 10SM CLR 30/23 A2992 RMK A02 LTG DSNT S SLP130 T03000228 10300 20261 58017

TAF KPIE 201736Z 2018/2118 VRB05KT P6SM OVC250 FM202100 36006KT P6SM VCTS SCT030CB OVC250 FM210000 04006KT P6SM OVC100 FM210200 VRB03KT P6SM BKN250

+ Data sources used

• METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KSPG; actual-station=KSPG; fetched-at=2026-09-20T19:28:17.585366+00:00; observed-or-issued-at=2026-09-20T17:53:00+00:00 — AWC API

• TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KSPG; actual-station=KPIE; fetched-at=2026-09-20T19:28:17.795726+00:00; observed-or-issued-at=2026-09-20T17:36:00+00:00; valid-from=2026-09-20T18:00:00+00:00; valid-through=2026-09-21T18:00:00+00:00; partial-target-dates=2026-09-20,2026-09-21 — AWC API

TAF proxy · KPIE

• FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KSPG; actual-station=KSPG; fetched-at=2026-09-20T19:28:18.901254+00:00

• FAA NMS NOTAM — state=OK; requested-station=KSPG; actual-station=KSPG; fetched-at=2026-09-20T19:28:22.847281Z — FAA NMS overview

• MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KSPG; actual-station=KSPG; fetched-at=2026-09-20T19:28:38.114458+00:00; observed-or-issued-at=2026-09-20T12:00:00+00:00; valid-from=2026-09-20T18:00:00+00:00; valid-through=2026-09-23T12:00:00+00:00; target-dates=2026-09-21; partial-target-dates=2026-09-20; dates-with-points=2026-09-20,2026-09-21 — Iowa State API

• MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KSPG; actual-station=KSPG; fetched-at=2026-09-20T19:28:38.764456+00:00; observed-or-issued-at=2026-09-20T12:00:00+00:00; valid-from=2026-09-21T12:00:00+00:00; valid-through=2026-09-28T12:00:00+00:00; target-dates=2026-09-21; dates-with-points=2026-09-21 — Iowa State API

• MOS effective date selection — state=partial; rows=12; requested-station=KSPG; actual-station=KSPG; fetched-at=2026-09-20T19:28:38.114458+00:00; observed-or-issued-at=2026-09-20T12:00:00+00:00; valid-from=2026-09-20T18:00:00+00:00; valid-through=2026-09-23T12:00:00+00:00; target-dates=2026-09-21; partial-target-dates=2026-09-20; dates-with-points=2026-09-20,2026-09-21; selected-by-date=2026-09-20=GFS, 2026-09-21=GFS

- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#22 **KTPF** Tampa/Knight Arpt, FL, US · Gulf East · Tampa Peter O Knight

● OBS - VFR

FTE
2h32

DIST
372 nm

SUN 20 SEP 13:35 ET OBSERVED

Current observation

OBS - VFR

OBSERVATIONS

META
R

clear below 12,000 ft (CLR)

WINDSW (220°) 4 kt

TEMPERATURE 29 °C

VISIBILITY10 sm

DEWPOINT 24 °C



Wind favours RWY 22

220° true · 226° magnetic · 4 kt

Evidence & limitations

- METAR source state: ok; observed Sep 20 13:35 ET; retrieved Sep 20 15:28 ET; 113 min before this run.
- Measured values read from the KTPF METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.91 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KTPF runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 04/22, 18/36. Wind from 220 degrees true, 226 degrees magnetic, at 4 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 22. Wind source: KTPF METAR 201735Z.

DESTINATION OUTLOOK

SUN 20 SEP 12:00–18:00 ET HIGH

Forecast

TA
F

TAF ·
VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Surface prog evidence · Sun Sep 20

12:00–18:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

SUN 20 SEP 18:00–00:00 ET HIGH

Forecast

TA
F

TAF ·
VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

MON 21 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 21 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 21 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 21 SEP 18:00–00:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 21

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

AIRPORT PLANNING REFERENCE

now

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE 8000 ft	CURRENT METAR TEMP DEP / DEST 29°C dep KLZU → 29°C
CURRENT WIND (FAA) Unavailable	FAA WEATHER CONDITIONS Unavailable — FAA weather timestamp missing or source unavailable
AIRPORT STATUS FAA status unavailable — airport is not covered by this feed	

rwyt

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

04/22 (040/220°M · 034/214°T) · 18/36 (180/000°M · 174/354°T) — designators and °M headings are magnetic; °T are true; variation 6°W (NOAA WMM2025)

info

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)2 Act on3 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state:

2 · What

3 · Where

ed 2026-09-20T19:28:22.894708Z.

pritative)

OK. The dot colour reports whether this source was read this run; technical environment: preprod.

	FRI SEP 18	SAT SEP 19	SUN SEP 20	MON SEP 21
05/005				
06/014				
6/0956				
6/8311				
9 additional normalized NOTAM records omitted from this view.				

Raw NOTAM data · NOTAMs as of 19:28 Z

NOTAMs as of 19:28 Z — advisory only; verify an official briefing.

04/019 <i>NOTAM text not available in this projection.</i>
05/005 <i>NOTAM text not available in this projection.</i>
06/014 <i>NOTAM text not available in this projection.</i>
6/0956 <i>NOTAM text not available in this projection.</i>
6/8311 <i>NOTAM text not available in this projection.</i>
4/6304 <i>NOTAM text not available in this projection.</i>
6/8312 <i>NOTAM text not available in this projection.</i>
09/025 <i>NOTAM text not available in this projection.</i>
12/007 <i>NOTAM text not available in this projection.</i>
02/001 <i>NOTAM text not available in this projection.</i>
06/005 <i>NOTAM text not available in this projection.</i>
07/015

NOTAM text not available in this projection.

07/016

NOTAM text not available in this projection.

06/015

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2026-09-20T19:28:22.894708Z.

1 SIGN AT TWY AA RIGHT SIDE MISSING

:00Z

10 LST LWS

:00Z

:00Z

QNT, TAMPA, FL, TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 7A., ADD TAKEOFF OBSTACLE NOTE: RWY 22, BUILDING HOME CENTERLINE, 40FT AGL 48FT MSL (2025-ASD-12076-DE-PERM), ALL OTHER DATA REMAINS AS PUBLISHED. 2606261555 2606261555EST

Effective 2026-06-26T15:55:00Z → 2028-06-26T15:55:00Z

RUNWAY

88311 — QDP PETER O KNIGHT, TAMPA, FL, TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 7A., TAKEOFF MINIMUMS: RWY 18, STANDARD WITH A MINIMUM CLIMB OF 300 FT PER NM TO 600, TEMPORARY CRANES 420 MSL BEGINNING 1.1NM SE OF RWY 18 (2026-ASD-8589553-DE), ALL OTHER DATA REMAINS AS PUBLISHED.

2606261555 2606261555EST

Effective 2026-08-28T10:00:00Z → 2028-01-29T16:33:00Z

9 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KTPF this run.

published VFR Surface Chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

18:00 ET ET · VFR
19:00 ET ET · VFR
20:00 ET ET · VFR
21:00 ET ET · VFR
22:00 ET ET · VFR
23:00 ET ET · VFR

• Mon, Sep 21 · 18:00–00:00 ET: TAF · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-20=GFS, 2026-09-21=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-20 18:00	88	Bkn	120/4kt	—	>10kft	>6SM
GFS	2026-09-20 21:00	88	Ovc	90/4kt	—	>10kft	>6SM
GFS	2026-09-21 00:00	83	Bkn	90/4kt	44.0	>10kft	>6SM
GFS	2026-09-21 03:00	79	Bkn	100/4kt	—	>10kft	>6SM
GFS	2026-09-21 06:00	78	Bkn	100/4kt	34.0	>10kft	>6SM
GFS	2026-09-21 09:00	77	Bkn	110/3kt	—	>10kft	>6SM
GFS	2026-09-21 12:00	77	Bkn	90/3kt	27.0	>10kft	>6SM
GFS	2026-09-21 15:00	85	Bkn	140/3kt	—	>10kft	>6SM
GFS	2026-09-21 18:00	88	Bkn	190/4kt	26.0	>10kft	>6SM
GFS	2026-09-21 21:00	87	Bkn	70/4kt	—	>10kft	>6SM
GFS	2026-09-22 00:00	83	Bkn	100/3kt	48.0	>10kft	>6SM
GFS	2026-09-22 03:00	80	Sct	110/4kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KTPF 201735Z AUTO 22004KT 10SM CLR 29/24 A2991 RMK A02 LTG DSNT NW AND NE AND S AND SW T02870242 \$

TAF KTPA 201736Z 2018/2124 25006KT P6SM OVC100 FM202100 31006KT P6SM VCTS SCT030CB OVC250 FM210000 VRB03KT P6SM BKN250 FM211900 23006KT P6SM VCTS SCT030CB BKN250

+ Data sources used

• METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KTPF; actual-station=KTPF; fetched-at=2026-09-20T19:28:17.585366+00:00; observed-or-issued-at=2026-09-20T17:35:00+00:00 — AWC API

- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KTPF; actual-station=KTPA; fetched-at=2026-09-20T19:28:17.795726+00:00; observed-or-issued-at=2026-09-20T17:36:00+00:00; valid-from=2026-09-20T18:00:00+00:00; valid-through=2026-09-22T00:00:00+00:00; partial-target-dates=2026-09-20,2026-09-21 — [AWC API](#)

TAF proxy · KTPA
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KTPF; actual-station=KTPF; fetched-at=2026-09-20T19:28:18.883577+00:00
- FAA NMS NOTAM — state=OK; requested-station=KTPF; actual-station=KTPF; fetched-at=2026-09-20T19:28:22.894708Z — [FAA NMS overview](#)
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KTPF; actual-station=KTPF; fetched-at=2026-09-20T19:28:38.155305+00:00; observed-or-issued-at=2026-09-20T12:00:00+00:00; valid-from=2026-09-20T18:00:00+00:00; valid-through=2026-09-23T12:00:00+00:00; target-dates=2026-09-21; partial-target-dates=2026-09-20; dates-with-points=2026-09-20,2026-09-21 — [Iowa State API](#)
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KTPF; actual-station=KTPF; fetched-at=2026-09-20T19:28:38.794481+00:00; observed-or-issued-at=2026-09-20T12:00:00+00:00; valid-from=2026-09-21T12:00:00+00:00; valid-through=2026-09-28T12:00:00+00:00; target-dates=2026-09-21; dates-with-points=2026-09-21 — [Iowa State API](#)
- MOS effective date selection — state=partial; rows=12; requested-station=KTPF; actual-station=KTPF; fetched-at=2026-09-20T19:28:38.155305+00:00; observed-or-issued-at=2026-09-20T12:00:00+00:00; valid-from=2026-09-20T18:00:00+00:00; valid-through=2026-09-23T12:00:00+00:00; target-dates=2026-09-21; partial-target-dates=2026-09-20; dates-with-points=2026-09-20,2026-09-21; selected-by-date=2026-09-20=GFS, 2026-09-21=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — [FAA Chart Supplement](#) (current cycle) — see AirNav link above

#23

KSRQ

Sarasota-Bradenton Intl, FL, US

· Gulf East · Sarasota-Bradenton

⌵

OBS - VFR

ETE

2h43

DIST

402 nm

SUN

20

SEP

13:51 ET

OBSERVED

Current observation

META

R

⌵

OBS - VFR

OBSER


 few 4,200 ft, scattered 5,500 ft, broken 9,000 ft

 WINDS (170°) 6 kt

 TEMPERATURE27 °C

 VISIBILITY10 sm

 DEWPOINT23 °C



Wind favours RWY 14

170° true · 176° magnetic · 6 kt

Evidence & limitations

- METAR source state: ok; observed Sep 20 13:51 ET; retrieved Sep 20 15:28 ET; 97 min before this run.
- Measured values read from the KSRQ METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.

- Altimeter: 29.94 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KSRQ runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 14/32, 04/22. Wind from 170 degrees true, 176 degrees magnetic, at 6 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 14. Wind source: KSRQ METAR 201751Z.

DESTINATION OUTLOOK

SUN, SEP 20

SUN 20 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 20 SEP 18:00–00:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 20

12:00–18:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON 21 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 21 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Surface prog evidence · Mon Sep 21

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

MON 21 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 21 SEP 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND7 kt

TEMPERATURE86–88 °F

DEWPOINT74–75 °F

PRECIP CHANCE28%

Evidence & limitations

• GFS MAV MOS · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

29°C dep KLZU → 27°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

14/32 (140/320°M · 134/314°T) · 04/22 (040/220°M · 034/214°T) — designators and °M headings are magnetic; °T are true; variation 6°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMS

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

ed 2026-09-20T19:28:23.019514Z.
poritative)

FRI SEP 18

SAT SEP 19

SUN SEP 20

MON SEP 21

05/096

A0516/26

08/070

16 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 19:28 Z

NOTAMs as of 19:28 Z — advisory only; verify an official briefing.

09/009

NOTAM text not available in this projection.

A0954/26

NOTAM text not available in this projection.

05/096

NOTAM text not available in this projection.

A0516/26

NOTAM text not available in this projection.

08/070

NOTAM text not available in this projection.

A0920/26

NOTAM text not available in this projection.

5/0499

NOTAM text not available in this projection.

A1001/25

NOTAM text not available in this projection.

6/4825

NOTAM text not available in this projection.

A0754/26

NOTAM text not available in this projection.

06/005

NOTAM text not available in this projection.

A0527/26

NOTAM text not available in this projection.

06/146

NOTAM text not available in this projection.

A0706/26

NOTAM text not available in this projection.

06/147

NOTAM text not available in this projection.

07/029

NOTAM text not available in this projection.

07/033

NOTAM text not available in this projection.

08/060

NOTAM text not available in this projection.

08/074

NOTAM text not available in this projection.

A0926/26

NOTAM text not available in this projection.

09/010

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30

2026-09-20T19:28:23.019514Z.

00Z

00Z

00Z

airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

00:00Z
00:00Z
00:00Z

TAXIWAY 0000710 — AIRPORT ACCESS/PAVING RAMP NORTH ACCESS CLOSED
Effective 2026-08-25T11:00:00Z → 2026-10-30T22:00:00Z

16 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KSRQ this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

00:00 ET ET · VFR

00:00 ET ET · VFR

06:00 ET ET · VFR

12:00 ET ET · VFR

18:00 ET ET · VFR

S · 18:00–00:00 ET ET · VFR

... and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-20=GFS, 2026-09-21=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-20 18:00	87	Bkn	280/6kt	—	>10kft	>6SM
GFS	2026-09-20 21:00	86	Bkn	300/6kt	—	>10kft	>6SM
GFS	2026-09-21 00:00	81	Bkn	50/4kt	38.0	>10kft	>6SM
GFS	2026-09-21 03:00	78	Sct	100/4kt	—	>10kft	>6SM

GFS	2026-09-21 06:00	76	Bkn	100/4kt	31.0	>10kft	>6SM
GFS	2026-09-21 09:00	75	Bkn	110/3kt	—	>10kft	>6SM
GFS	2026-09-21 12:00	75	Few	110/3kt	30.0	>10kft	>6SM
GFS	2026-09-21 15:00	85	Few	130/4kt	—	>10kft	>6SM
GFS	2026-09-21 18:00	88	Bkn	260/7kt	28.0	5-10kft	>6SM
GFS	2026-09-21 21:00	86	Bkn	280/7kt	—	>10kft	>6SM
GFS	2026-09-22 00:00	81	Bkn	90/4kt	47.0	>10kft	>6SM
GFS	2026-09-22 03:00	79	Sct	110/5kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

SPECI KSRQ 201751Z 17006KT 10SM FEW042 SCT055 BKN090 27/23 A2994 RMK A02 LTG DSNT NE AND SE RAB02E51 TSB1659E45 P0004

TAF KSRQ 201736Z 2018/2118 26007KT P6SM VCTS SCT030CB OVC250 FM210000 07007KT P6SM OVC100 FM210200 VRB03KT P6SM BKN250 FM211700 22007KT P6SM SCT030 BKN100

+ Data sources used

• METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KSRQ; actual-station=KSRQ; fetched-at=2026-09-20T19:28:17.585366+00:00; observed-or-issued-at=2026-09-20T17:51:00+00:00 — AWC API

• TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KSRQ; actual-station=KSRQ; fetched-at=2026-09-20T19:28:17.795726+00:00; observed-or-issued-at=2026-09-20T17:36:00+00:00; valid-from=2026-09-20T18:00:00+00:00; valid-through=2026-09-21T18:00:00+00:00; partial-target-dates=2026-09-20,2026-09-21 — AWC API

TAF proxy · KSRQ

• FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KSRQ; actual-station=KSRQ; fetched-at=2026-09-20T19:28:18.845107+00:00

• FAA NMS NOTAM — state=OK; requested-station=KSRQ; actual-station=KSRQ; fetched-at=2026-09-20T19:28:23.019514Z — FAA NMS overview

• MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KSRQ; actual-station=KSRQ; fetched-at=2026-09-20T19:28:38.163069+00:00; observed-or-issued-at=2026-09-20T12:00:00+00:00; valid-from=2026-09-20T18:00:00+00:00; valid-through=2026-09-23T12:00:00+00:00; target-dates=2026-09-21; partial-target-dates=2026-09-20; dates-with-points=2026-09-20,2026-09-21 — Iowa State API

• MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KSRQ; actual-station=KSRQ; fetched-at=2026-09-20T19:28:38.814261+00:00; observed-or-issued-at=2026-09-20T12:00:00+00:00; valid-from=2026-09-21T12:00:00+00:00; valid-through=2026-09-28T12:00:00+00:00; target-dates=2026-09-21; dates-with-points=2026-09-21 — Iowa State API

• MOS effective date selection — state=partial; rows=12; requested-station=KSRQ; actual-station=KSRQ; fetched-at=2026-09-20T19:28:38.163069+00:00; observed-or-issued-at=2026-09-20T12:00:00+00:00; valid-from=2026-09-20T18:00:00+00:00; valid-through=2026-09-23T12:00:00+00:00; target-dates=2026-09-21; partial-target-dates=2026-09-20; dates-with-points=2026-09-20,2026-09-21; selected-by-date=2026-09-20=GFS, 2026-09-21=GFS

• Extended outlook and hazard-feed states are reported in the source stamp.

• Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#24

KVNC

Venice Muni, FL, US

· Gulf East · Venice FL

OBS - VFR

ETE

2h51

DIST

422 nm

SUN 20 SEP 13:35 ET OBSERVED

Current observation

OBS - VFR

OBSER



clear below 12,000 ft (CLR)



WINDSW (240°) 4 kt




TEMPERATURE29 °C



VISIBILITY10 sm



DEWPOINT24 °C



Wind favours RWY 23

240° true · 246° magnetic · 4 kt

Evidence & limitations

- METAR source state: ok; observed Sep 20 13:35 ET; retrieved Sep 20 15:28 ET; 113 min before this run.
- Measured values read from the KVNC METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.93 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KVNC runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 13/31, 05/23. Wind from 240 degrees true, 246 degrees magnetic, at 4 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 23. Wind source: KVNC METAR 201735Z.

DESTINATION OUTLOOK

SUN 20 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 20 SEP 18:00–00:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 20

12:00–18:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON 21 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 21 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 21 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 21 SEP 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND6 kt

TEMPERATURE84–87 °F

DEWPOINT74 °F

PRECIP CHANCE31%

Evidence & limitations

• GFS MAV MOS · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 21

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — source state: not_queried

CURRENT METAR TEMP DEP / DEST

29°C dep KLZU → 28°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

13/31 (130/310°M · 124/304°T) · 05/23 (050/230°M · 044/224°T) — designators and °M headings are magnetic; °T are true; variation 6°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMS

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

2026-09-20T19:28:23.046409Z.

pritative)

FRI SEP 18

SAT SEP 19

SUN SEP 20

MON SEP 21

07/031

08/096

09/006

Raw NOTAM data · NOTAMs as of 19:28 Z

NOTAMs as of 19:28 Z — advisory only; verify an official briefing.

6/8218

NOTAM text not available in this projection.

6/8216

NOTAM text not available in this projection.

07/031

NOTAM text not available in this projection.

08/096

NOTAM text not available in this projection.

09/006

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source

2026-09-20T19:28:23.046409Z.

1. VEHICLE. PL. TAKEOFF MINIMUMS AND OBSTACLE DEPARTURE PROCEDURES AMDT 4... ADD TAKEOFF OBSTACLE NOTE: RWY 31, TEMPORARY CRANES
ENTERLINE, 100FT AGL, 100FT MSL (2024-ASD-15155-DE, 2024-ASD-17015-DE). ALL OTHER DATA REMAINS AS PUBLISHED. 2601131055-2610011055ST
:00Z

and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

OBSTRUCTION 000000 — CRIST TOWER LST (ASR 1027500) 270750 30N082230N 80W (4 0NW NE VNC) 501.0FT (575.1FT AGL) US
Effective 2026-07-02T02:05:00Z → 2026-09-30T02:05:00Z

OBSTRUCTION 000000 — CRIST TOWER LST (ASR 1027570) 270750 30N082230N 80W (4 0NW NE VNC) 500.0FT (580.0FT AGL) US
Effective 2026-08-07T11:23:00Z → 2026-10-06T04:00:00Z

OBSTRUCTION 000000 — CRIST TOWER LST (ASR 1024-ASD-17133-DE) 270430N082270W (0 0NW WNW VNC) 502FT (602FT AGL) US
Effective 2026-09-01T16:48:00Z → 2026-12-01T23:59:00Z

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KVNC this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

18:00 ET ET · VFR
21:00 ET ET · VFR
00:00 ET ET · VFR
03:00 ET ET · VFR
06:00 ET ET · VFR
09:00 ET ET · VFR
12:00 ET ET · VFR
15:00 ET ET · VFR
18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-20=GFS, 2026-09-21=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-20 18:00	86	Bkn	260/6kt	—	>10kft	>6SM
GFS	2026-09-20 21:00	85	Bkn	300/7kt	—	>10kft	>6SM
GFS	2026-09-21 00:00	80	Bkn	40/4kt	39.0	>10kft	>6SM
GFS	2026-09-21 03:00	78	Sct	80/4kt	—	>10kft	>6SM

GFS	2026-09-21 06:00	76	Bkn	90/4kt	27.0	>10kft	>6SM
GFS	2026-09-21 09:00	76	Bkn	100/4kt	—	>10kft	>6SM
GFS	2026-09-21 12:00	76	Bkn	90/3kt	27.0	>10kft	>6SM
GFS	2026-09-21 15:00	85	Bkn	180/4kt	—	>10kft	>6SM
GFS	2026-09-21 18:00	87	Bkn	240/6kt	31.0	5-10kft	>6SM
GFS	2026-09-21 21:00	84	Bkn	260/6kt	—	5-10kft	>6SM
GFS	2026-09-22 00:00	80	Bkn	70/4kt	52.0	>10kft	>6SM
GFS	2026-09-22 03:00	79	Sct	100/5kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KVNC 201735Z AUTO 24004KT 10SM CLR 29/24 A2993 RMK A02 LTG DSNT NW - NE AND SW T02850235 \$

TAF KSRQ 201736Z 2018/2118 26007KT P6SM VCTS SCT030CB OVC250 FM210000 07007KT P6SM OVC100 FM210200 VRB03KT P6SM BKN250 FM211700 22007KT P6SM SCT030 BKN100

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KVNC; actual-station=KVNC; fetched-at=2026-09-20T19:28:17.585366+00:00; observed-or-issued-at=2026-09-20T17:35:00+00:00 — [AWC API](#)
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KVNC; actual-station=KSRQ; fetched-at=2026-09-20T19:28:17.795726+00:00; observed-or-issued-at=2026-09-20T17:36:00+00:00; valid-from=2026-09-20T18:00:00+00:00; valid-through=2026-09-21T18:00:00+00:00; partial-target-dates=2026-09-20,2026-09-21 — [AWC API](#)

TAF proxy · KSRQ

- FAA airport status — state=not_queried; fetch-state=not_attempted; payload-state=not_attempted; requested-station=KVNC
- FAA NMS NOTAM — state=OK; requested-station=KVNC; actual-station=KVNC; fetched-at=2026-09-20T19:28:23.046409Z — [FAA NMS overview](#)
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KVNC; actual-station=KVNC; fetched-at=2026-09-20T19:28:38.150903+00:00; observed-or-issued-at=2026-09-20T12:00:00+00:00; valid-from=2026-09-20T18:00:00+00:00; valid-through=2026-09-23T12:00:00+00:00; target-dates=2026-09-21; partial-target-dates=2026-09-20; dates-with-points=2026-09-20,2026-09-21 — [Iowa State API](#)
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KVNC; actual-station=KVNC; fetched-at=2026-09-20T19:28:38.844412+00:00; observed-or-issued-at=2026-09-20T12:00:00+00:00; valid-from=2026-09-21T12:00:00+00:00; valid-through=2026-09-28T12:00:00+00:00; target-dates=2026-09-21; dates-with-points=2026-09-21 — [Iowa State API](#)
- MOS effective date selection — state=partial; rows=12; requested-station=KVNC; actual-station=KVNC; fetched-at=2026-09-20T19:28:38.150903+00:00; observed-or-issued-at=2026-09-20T12:00:00+00:00; valid-from=2026-09-20T18:00:00+00:00; valid-through=2026-09-23T12:00:00+00:00; target-dates=2026-09-21; partial-target-dates=2026-09-20; dates-with-points=2026-09-20,2026-09-21; selected-by-date=2026-09-20=GFS, 2026-09-21=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — [FAA Chart Supplement \(current cycle\)](#) — see AirNav link above

Current observation

OBS - VFR

OBSER

METAR

clear below 12,000 ft (CLR)



WINDcalm



TEMPERATURE33 °C



VISIBILITY10 sm



DEWPOINT22 °C

Evidence & limitations

- METAR source state: ok; observed Sep 20 13:50 ET; retrieved Sep 20 15:28 ET; 98 min before this run.
- Measured values read from the KHSa METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.96 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.

DESTINATION OUTLOOK

SUN, SEP 20

SUN 20 SEP 12:00–18:00 ET HIGH

Forecast

TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Surface prog evidence · Sun Sep 20

12:00–18:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

SUN 20 SEP 18:00–00:00 ET HIGH

Forecast

TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, SEP 21

MON 21 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 21 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 21 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 21 SEP 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND5–6 kt

TEMPERATURE87–90 °F

DEWPOINT74–75 °F

PRECIP CHANCE25%

Evidence & limitations

• GFS MAV MOS · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 21

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — source state: not_queried

CURRENT METAR TEMP DEP / DEST

29°C dep KLZU → 33°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

18/36 (180/000°M · 179/359°T) — designators and °M headings are magnetic; °T are true; variation 1°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 Act on

1 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

ed 2026-09-20T19:28:23.055438Z.

FRI SEP 18

SAT SEP 19

SUN SEP 20

MON SEP 21

09/006

07/008

07/018

7 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 19:28 Z

NOTAMs as of 19:28 Z — advisory only; verify an official briefing.

08/010

NOTAM text not available in this projection.

08/016

NOTAM text not available in this projection.

09/006

NOTAM text not available in this projection.

07/008

NOTAM text not available in this projection.

07/018

NOTAM text not available in this projection.

07/033

NOTAM text not available in this projection.

09/005

NOTAM text not available in this projection.

12/015

NOTAM text not available in this projection.

6/5656

NOTAM text not available in this projection.

07/002

NOTAM text not available in this projection.

08/013

NOTAM text not available in this projection.

02/005

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2026-09-20T19:28:23.055438Z.
WINDS N SIDE OBSC
:00Z
T AREA NOT STD
:00Z
ID LOT NOT STD
:00Z
AND NORTH APR CLSD EXC ACFT WINGSPAN LESS THAN 50FT
:00Z

TAXIWAY

070116 — TWTY C LOCATION SIGN BTN TWTY A AND NORTH APR MISSING

Effective 2026-07-23T13:13:00Z → 2026-09-30T16:00:00Z

7 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical

Forecast for Aviation and the Weather Prediction Center surface progs, issued by the National Weather Service through the day; the surface prog series reaches 144 hours. They are raster images a pilot reads for fronts, pressure systems and precipitation shields. This page displays them with their issuing office and valid time and never interprets them: no category, wind, ceiling, ranking or go/no-go here is derived from an image. A published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

Forecast for Aviation and the Weather Prediction Center surface progs, issued by the National Weather Service through the day; the surface prog series reaches 144 hours. They are raster images a pilot reads for fronts, pressure systems and precipitation shields. This page displays them with their issuing office and valid time and never interprets them: no category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

18:00 ET ET · VFR
19:00 ET ET · VFR
20:00 ET ET · VFR
21:00 ET ET · VFR
22:00 ET ET · VFR
23:00 ET ET · VFR
• Mon, Sep 21 · 18:00–00:00 ET: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-20=GFS, 2026-09-21=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-20 18:00	91	Few	110/4kt	—	>10kft	>6SM
GFS	2026-09-20 21:00	90	Sct	170/6kt	—	>10kft	>6SM
GFS	2026-09-21 00:00	83	Few	200/2kt	17.0	>10kft	>6SM
GFS	2026-09-21 03:00	999	Clear	990/99kt	—	>10kft	>6SM
GFS	2026-09-21 06:00	999	Sct	990/99kt	11.0	>10kft	>6SM
GFS	2026-09-21 09:00	999	Sct	990/99kt	—	>10kft	>6SM
GFS	2026-09-21 12:00	72	Bkn	10/1kt	25.0	>10kft	>6SM
GFS	2026-09-21 15:00	83	Clear	360/4kt	—	>10kft	>6SM
GFS	2026-09-21 18:00	90	Sct	50/5kt	25.0	>10kft	>6SM
GFS	2026-09-21 21:00	87	Sct	150/6kt	—	>10kft	>6SM
GFS	2026-09-22 00:00	80	Bkn	130/3kt	38.0	>10kft	>6SM
GFS	2026-09-22 03:00	999	Ovc	990/99kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF
METAR KHSA 201750Z 00000KT 10SM CLR 33/22 A2996
TAF KGPT 201720Z 2018/2118 33004KT P6SM SKC FM201900 16008KT P6SM SCT040 FM210100 VRB04KT P6SM SKC FM211500 36006KT P6SM SCT030

+ [Data sources used](#)

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KHSA; actual-station=KHSA; fetched-at=2026-09-20T19:28:17.585366+00:00; observed-or-issued-at=2026-09-20T17:50:00+00:00 — [AWC API](#)
 - TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KHSA; actual-station=KGPT; fetched-at=2026-09-20T19:28:17.795726+00:00; observed-or-issued-at=2026-09-20T17:20:00+00:00; valid-from=2026-09-20T18:00:00+00:00; valid-through=2026-09-21T18:00:00+00:00; partial-target-dates=2026-09-20,2026-09-21 — [AWC API](#)
- TAF proxy · KGPT
- FAA airport status — state=not_queried; fetch-state=not_attempted; payload-state=not_attempted; requested-station=KHSA
 - FAA NMS NOTAM — state=OK; requested-station=KHSA; actual-station=KHSA; fetched-at=2026-09-20T19:28:23.055438Z — [FAA NMS overview](#)
 - MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KHSA; actual-station=KHSA; fetched-at=2026-09-20T19:28:38.160687+00:00; observed-or-issued-at=2026-09-20T12:00:00+00:00; valid-from=2026-09-20T18:00:00+00:00; valid-through=2026-09-23T12:00:00+00:00; target-dates=2026-09-21; partial-target-dates=2026-09-20; dates-with-points=2026-09-20,2026-09-21 — [Iowa State API](#)
 - MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KHSA; actual-station=KHSA; fetched-at=2026-09-20T19:28:38.831429+00:00; observed-or-issued-at=2026-09-20T12:00:00+00:00; valid-from=2026-09-21T12:00:00+00:00; valid-through=2026-09-28T12:00:00+00:00; target-dates=2026-09-21; dates-with-points=2026-09-21 — [Iowa State API](#)
 - MOS effective date selection — state=partial; rows=12; requested-station=KHSA; actual-station=KHSA; fetched-at=2026-09-20T19:28:38.160687+00:00; observed-or-issued-at=2026-09-20T12:00:00+00:00; valid-from=2026-09-20T18:00:00+00:00; valid-through=2026-09-23T12:00:00+00:00; target-dates=2026-09-21; partial-target-dates=2026-09-20; dates-with-points=2026-09-20,2026-09-21; selected-by-date=2026-09-20=GFS, 2026-09-21=GFS
 - Extended outlook and hazard-feed states are reported in the source stamp.
 - Runway data + Chart Supplement — [FAA Chart Supplement \(current cycle\)](#) — see AirNav link above

#26 **KNEW** New Orleans/Lakefront Arpt, LA, US · Gulf West · New Orleans Lakefront

⏏ OBS - VFR

ETE
2h38

DIST
389 nm

SUN 20 SEP 13:53 ET OBSERVED

Current observation

⏏ OBS - VFR

OBSER

META
R


clear below 12,000 ft (CLR)

WINDN (10°) 6 kt

TEMPERATURE32 °C

VISIBILITY10 sm

DEWPOINT23 °C



Wind equally favours RWY 36L and 36R

010° true · 011° magnetic · 6 kt

Evidence & limitations

- METAR source state: ok; observed Sep 20 13:53 ET; retrieved Sep 20 15:28 ET; 95 min before this run.
- Measured values read from the KNEW METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.98 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KNEW runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 18R/36L, 18L/36R, 09/27. Wind from 010 degrees true, 011 degrees magnetic, at 6 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Equally wind-favoured runway ends, highlighted: 36L and 36R. Wind source: KNEW METAR 201753Z.

DESTINATION OUTLOOK

SUN, SEP 20

SUN 20 SEP 12:00–18:00 ET HIGH

Forecast

TAF

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

TAF · 12:00–18:00 ET ET · VFR

Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 20 SEP 18:00–00:00 ET HIGH

Forecast

TAF

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

TAF · 18:00–00:00 ET ET · VFR

Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 20

12:00–18:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON 21 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 21 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 21 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 21 SEP 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND6–7 kt

TEMPERATURE87–89 °F

DEWPOINT73–75 °F

PRECIP CHANCE29%

Evidence & limitations

• GFS MAV MOS · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 21

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

29°C dep KLZU → 32°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

18R/36L (180/000°M · 179/359°T) · 18L/36R (180/000°M · 179/359°T) · 09/27 (090/270°M · 089/269°T) — designators and °M headings are magnetic; °T are true; variation 1°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMS

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

3 Act on

1 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production
source per owner decision 2026-08-09;
technical transport environment remains
preprod. Limited 2026-07-30 spot check
covered KLZU, KAVL, and KSGJ (3 of 30
airports). NOTAMs were read from this source
and used on this card this run. Typed state:
OK. The dot colour reports whether this
source was read this run; technical
environment: preprod.

2 · What

3 · Where

preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 stations). NCTM was not available for

ed 2026-09-20T19:28:23.164506Z.
pritative)

and used on this card this run. Typed state:
OK. The dot colour reports whether this
source was read this run; technical
environment: preprod.

FRI SEP 18

SAT SEP 19

SUN SEP 20

MON SEP 21

09/008

07/007

07/014

7 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 19:28 Z

6/1269

NOTAM text not available in this projection.

6/1270

NOTAM text not available in this projection.

09/008

NOTAM text not available in this projection.

07/007

NOTAM text not available in this projection.

07/014

NOTAM text not available in this projection.

08/016

NOTAM text not available in this projection.

08/020

NOTAM text not available in this projection.

09/002

NOTAM text not available in this projection.

09/006

NOTAM text not available in this projection.
09/007 NOTAM text not available in this projection.
09/011 NOTAM text not available in this projection.
09/003 NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

OBSTRUCTION

DT0007 — OBST TOWER LGT (ASR 1022512) 300251 0000000310 00W (7.4NM E NEW) 236.2FT (235.2FT AGL) UPS

Effective 2026-07-14T11:58:00Z → 2026-10-12T11:58:00Z

OBSTRUCTION

DT0014 — OBST TOWER LGT (ASR 1026000) 205600 7000000240 00W (6.0NM S NEW) 501.0FT (499.0FT AGL) UPS

Effective 2026-07-21T12:11:00Z → 2026-10-20T04:00:00Z

7 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air

Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KNEW this run.

published VFR C surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

18:00 ET ET · VFR

19:00 ET ET · VFR

20:00 ET ET · VFR

21:00 ET ET · VFR

22:00 ET ET · VFR

• Mon, Sep 21 · 18:00–00:00 ET: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-20=GFS, 2026-09-21=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-20 18:00	88	Few	40/6kt	—	>10kft	>6SM
GFS	2026-09-20 21:00	89	Few	120/7kt	—	>10kft	>6SM
GFS	2026-09-21 00:00	86	Clear	170/7kt	10.0	>10kft	>6SM
GFS	2026-09-21 03:00	83	Clear	180/5kt	—	>10kft	>6SM
GFS	2026-09-21 06:00	82	Sct	210/4kt	6.0	>10kft	>6SM
GFS	2026-09-21 09:00	81	Few	290/5kt	—	>10kft	>6SM
GFS	2026-09-21 12:00	81	Bkn	350/8kt	19.0	>10kft	>6SM
GFS	2026-09-21 15:00	85	Few	360/7kt	—	>10kft	>6SM
GFS	2026-09-21 18:00	87	Sct	20/7kt	29.0	>10kft	>6SM
GFS	2026-09-21 21:00	89	Sct	120/6kt	—	>10kft	>6SM
GFS	2026-09-22 00:00	86	Bkn	130/6kt	39.0	>10kft	>6SM
GFS	2026-09-22 03:00	83	Bkn	50/7kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KNEW 201753Z 01006KT 10SM CLR 32/23 A2998 RMK A01 SLP145 T03170228 10317 20272 58008

TAF KNEW 201720Z 2018/2118 02007KT P6SM SCT040 FM210100 18005KT P6SM SKC FM211400 34006KT P6SM SKC

+ [Data sources used](#)

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KNEW; actual-station=KNEW; fetched-at=2026-09-20T19:28:17.585366+00:00; observed-or-issued-at=2026-09-20T17:53:00+00:00 — [AWC API](#)
 - TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KNEW; actual-station=KNEW; fetched-at=2026-09-20T19:28:17.795726+00:00; observed-or-issued-at=2026-09-20T17:20:00+00:00; valid-from=2026-09-20T18:00:00+00:00; valid-through=2026-09-21T18:00:00+00:00; partial-target-dates=2026-09-20,2026-09-21 — [AWC API](#)
- TAF proxy · KNEW
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KNEW; actual-station=KNEW; fetched-at=2026-09-20T19:28:18.901713+00:00
 - FAA NMS NOTAM — state=OK; requested-station=KNEW; actual-station=KNEW; fetched-at=2026-09-20T19:28:23.164506Z — [FAA NMS overview](#)
 - MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KNEW; actual-station=KNEW; fetched-at=2026-09-20T19:28:38.179669+00:00; observed-or-issued-at=2026-09-20T12:00:00+00:00; valid-from=2026-09-20T18:00:00+00:00; valid-through=2026-09-23T12:00:00+00:00; target-dates=2026-09-21; partial-target-dates=2026-09-20; dates-with-points=2026-09-20,2026-09-21 — [Iowa State API](#)
 - MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KNEW; actual-station=KNEW; fetched-at=2026-09-20T19:28:38.847902+00:00; observed-or-issued-at=2026-09-20T12:00:00+00:00; valid-from=2026-09-21T12:00:00+00:00; valid-through=2026-09-28T12:00:00+00:00; target-dates=2026-09-21; dates-with-points=2026-09-21 — [Iowa State API](#)
 - MOS effective date selection — state=partial; rows=12; requested-station=KNEW; actual-station=KNEW; fetched-at=2026-09-20T19:28:38.179669+00:00; observed-or-issued-at=2026-09-20T12:00:00+00:00; valid-from=2026-09-20T18:00:00+00:00; valid-through=2026-09-23T12:00:00+00:00; target-dates=2026-09-21; partial-target-dates=2026-09-20; dates-with-points=2026-09-20,2026-09-21; selected-by-date=2026-09-20=GFS, 2026-09-21=GFS
 - Extended outlook and hazard-feed states are reported in the source stamp.
 - Runway data + Chart Supplement — [FAA Chart Supplement \(current cycle\)](#) — see [AirNav](#) link above

#27 **KOPF** Miami/Opa Locka Arpt, FL, US · Long-range · Miami-Opa Locka

| OBS - VFR

ETE
3h30

DIST
521 nm

SUN 20 SEP 13:38 ET OBSERVED

Current observation

METAR

| OBS - VFR

OBSER

 scattered 3,300 ft, broken 4,100 ft, broken 5,000 ft



WINDvariable 3 kt



TEMPERATURE31 °C



VISIBILITY10 sm



DEWPOINT24 °C

Evidence & limitations

- METAR source state: ok; observed Sep 20 13:38 ET; retrieved Sep 20 15:28 ET; 110 min before this run.
- Measured values read from the KOPF METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.92 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.

SUN, SEP 20

SUN 20 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · IFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · IFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 20 SEP 18:00–00:00 ET HIGH

Forecast

TA

F

TAF · IFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 18:00–00:00 ET ET · IFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 20

- 12:00–18:00 ET ET
- WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.
- 18:00–00:00 ET ET
- WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON 21 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 21 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 21 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 21 SEP 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND6–7 kt

TEMPERATURE82–84 °F

DEWPOINT74 °F

PRECIP CHANCE35%

Evidence & limitations

• GFS MAV MOS · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 21

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

29°C dep KLZU → 31°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

09L/27R (090/270°M · 083/263°T) · 12/30 (120/300°M · 113/293°T) · 09R/27L (090/270°M · 083/263°T) — designators and °M headings are magnetic; °T are true; variation 7°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMS

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

12 Act on

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production
source per owner decision 2026-08-09;
technical transport environment remains
preprod. Limited 2026-07-30 spot check
covered KLZU, KAVL, and KSGJ (3 of 30
airports). NOTAMs were read from this source
and used on this card this run. Typed state:
OK. The dot colour reports whether this
source was read this run; technical
environment: preprod.

2 · What

3 · Where

preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 stations). NCTM was not included in the preprod.

ed 2026-09-20T19:28:23.256547Z.
pritative)

FRI SEP 18

SAT SEP 19

SUN SEP 20

MON SEP 21

08/051

5/7064

5/0554

85 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 19:28 Z

6/2604

NOTAM text not available in this projection.

08/050

NOTAM text not available in this projection.

08/051

NOTAM text not available in this projection.

5/7064

NOTAM text not available in this projection.

5/0554

NOTAM text not available in this projection.

6/2599

NOTAM text not available in this projection.

6/2236

NOTAM text not available in this projection.

6/1259

NOTAM text not available in this projection.

6/8187

NOTAM text not available in this projection.

6/8903

NOTAM text not available in this projection.

6/8910

NOTAM text not available in this projection.

6/8914

NOTAM text not available in this projection.

6/8915

NOTAM text not available in this projection.

6/8918

NOTAM text not available in this projection.

6/8919

NOTAM text not available in this projection.

6/8921

NOTAM text not available in this projection.

05/045

NOTAM text not available in this projection.

07/090

NOTAM text not available in this projection.

07/091

NOTAM text not available in this projection.

07/092

NOTAM text not available in this projection.

07/093

NOTAM text not available in this projection.

07/094

NOTAM text not available in this projection.

07/095

NOTAM text not available in this projection.

07/096

NOTAM text not available in this projection.

07/097

NOTAM text not available in this projection.

07/098

NOTAM text not available in this projection.

07/102

NOTAM text not available in this projection.

07/103

NOTAM text not available in this projection.

07/104

NOTAM text not available in this projection.

07/109

NOTAM text not available in this projection.

07/110

NOTAM text not available in this projection.

07/111

NOTAM text not available in this projection.

07/112

NOTAM text not available in this projection.

07/113

NOTAM text not available in this projection.

07/114

NOTAM text not available in this projection.

07/115

NOTAM text not available in this projection.

07/116

NOTAM text not available in this projection.

07/117

NOTAM text not available in this projection.

07/118

NOTAM text not available in this projection.

07/119

NOTAM text not available in this projection.

07/120

NOTAM text not available in this projection.

07/121

NOTAM text not available in this projection.

07/124

NOTAM text not available in this projection.

07/125

NOTAM text not available in this projection.

07/126

NOTAM text not available in this projection.

07/130

NOTAM text not available in this projection.

07/131

NOTAM text not available in this projection.

07/132

NOTAM text not available in this projection.

07/133

NOTAM text not available in this projection.

07/134

NOTAM text not available in this projection.

10/001

NOTAM text not available in this projection.

10/002

NOTAM text not available in this projection.

10/044

NOTAM text not available in this projection.

10/045

NOTAM text not available in this projection.

10/050

NOTAM text not available in this projection.

10/051

NOTAM text not available in this projection.

10/046

NOTAM text not available in this projection.

10/047

NOTAM text not available in this projection.

10/048

NOTAM text not available in this projection.

10/049

NOTAM text not available in this projection.

11/013

NOTAM text not available in this projection.

11/014

NOTAM text not available in this projection.

11/015

NOTAM text not available in this projection.

11/016

NOTAM text not available in this projection.

11/025

NOTAM text not available in this projection.

11/026

NOTAM text not available in this projection.

11/027

NOTAM text not available in this projection.

11/028

NOTAM text not available in this projection.

02/017

NOTAM text not available in this projection.

02/018

NOTAM text not available in this projection.

03/037

NOTAM text not available in this projection.

03/038

NOTAM text not available in this projection.

05/068

NOTAM text not available in this projection.

05/069

NOTAM text not available in this projection.

05/070

NOTAM text not available in this projection.

05/071

NOTAM text not available in this projection.

05/073

NOTAM text not available in this projection.

05/074

NOTAM text not available in this projection.

06/061

NOTAM text not available in this projection.

06/062

NOTAM text not available in this projection.

06/063

NOTAM text not available in this projection.

08/030

NOTAM text not available in this projection.

08/033

NOTAM text not available in this projection.

08/034

NOTAM text not available in this projection.

08/035

NOTAM text not available in this projection.

08/036

NOTAM text not available in this projection.

08/039

NOTAM text not available in this projection.

08/040

NOTAM text not available in this projection.

08/041

NOTAM text not available in this projection.

08/042

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

026-09-20T19:28:23.256547Z.

LOCKA EXEC, MIAMI, FL, TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 3A., TAKEOFF MINIMUMS: RWY 27L 300-1, TAKEOFF RARY CRANES BEGINNING 1200FT FROM DER, 454FT RIGHT OF CENTERLINE, UP TO 34FT AGL/42FT MSL (2017-ASD-74675-NRA), TEMPORARY CRANES 17FT LEFT OF CENTERLINE, UP TO 34FT AGL/42FT MSL (2017-ASD-74680-NRA), TEMPORARY CRANE 2021FT FROM DER, 86FT RIGHT OF CENTERLINE, 78FT AGL/117FT MSL (2017-ASD-74681-NRA), TEMPORARY CRANES BEGINNING 860FT FROM DER, 542FT LEFT OF CENTERLINE, UP TO 34FT AGL/42FT MSL (2017-ASD-74680-NRA), TEMPORARY CRANE 113FT FROM DER, 113FT RIGHT OF CENTERLINE, UP TO 34FT AGL/42FT MSL (2017-ASD-74675-NRA), TEMPORARY CRANE 1670FT FROM DER, 60FT LEFT OF CENTERLINE, 100FT AGL/130FT MSL (2023-ASD-30474-OE), TEMPORARY CRANE 3466FT FROM DER, 1404FT RIGHT OF CENTERLINE, 120FT AGL/130FT MSL (2023-ASD-30474-OE), RWY 27L, TEMPORARY CRANES BEGINNING 467 FT RIGHT OF CENTERLINE, 167 AGL/177 MSL (2020-ASD-19331934-NRA), TEMPORARY CRANES BEGINNING 3252FT FROM DER, BEGINNING 614FT FROM DER, 107FT MSL (2023-ASD-37944/37946/37950/37952-OE), RWY 30, TEMPORARY CONSTRUCTION EQUIPMENT 33FT FROM DER, 22FT RIGHT OF CENTERLINE, 107FT MSL (2023-ASD-37944/37946/37950/37952-OE), ALL OTHER DATA REMAINS AS PUBLISHED. END PART 2 OF 2

Effective 2026-03-03T15:34:00Z → 2026-11-16T15:34:00Z

RUNWAY

08050 — RWY 27R, 1140FT DIST REMAINING SIGN MISSING

Effective 2026-08-20T11:42:00Z → 2027-08-01T04:00:00Z

RUNWAY

08051 — RWY 30L, 7000FT DIST REMAINING SIGN MISSING

Effective 2026-08-20T11:43:00Z → 2027-08-01T04:00:00Z

NAV_APPROACH

07064 — IAP MIAMI-DPA LOCKA EXEC, MIAMI, FL, ILS OR LOC RWY 12, AMDT 2C., AUTOPILOT COUPLED APPROACH NA BELOW 550 MSL, 2506071214-2706071215EST

Effective 2025-05-07T12:14:00Z → 2027-05-07T12:13:00Z

NAV_APPROACH

08054 — IAP MIAMI-DPA LOCKA EXEC, MIAMI, FL, ILS OR LOC RWY 30, AMDT 6., AUTOPILOT COUPLED APPROACH NA BELOW 775, 2506251859-2706251859EST

Effective 2025-09-25T18:59:00Z → 2027-09-25T18:59:00Z

85 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air

Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KOPF this run.

no-go here is derived from an image. A published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

00:00 ET ET · IFR
00:00 ET ET · IFR
05:00 ET ET · VFR
12:00 ET ET · VFR
18:00 ET ET · VFR
Mon, Sep 21 18:00-00:00 ET · GFS
Mon, Sep 21 18:00-00:00 ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-20=GFS, 2026-09-21=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-20 18:00	85	Bkn	110/5kt	—	>10kft	>6SM
GFS	2026-09-20 21:00	84	Ovc	120/6kt	—	>10kft	>6SM
GFS	2026-09-21 00:00	80	Ovc	90/4kt	63.0	5-10kft	>6SM
GFS	2026-09-21 03:00	79	Ovc	120/1kt	—	>10kft	>6SM
GFS	2026-09-21 06:00	78	Bkn	210/2kt	28.0	>10kft	>6SM
GFS	2026-09-21 09:00	77	Bkn	230/2kt	—	>10kft	>6SM
GFS	2026-09-21 12:00	78	Bkn	260/2kt	18.0	>10kft	>6SM
GFS	2026-09-21 15:00	85	Bkn	250/4kt	—	>10kft	>6SM
GFS	2026-09-21 18:00	84	Ovc	200/7kt	35.0	5-10kft	>6SM
GFS	2026-09-21 21:00	82	Ovc	160/6kt	—	5-10kft	>6SM
GFS	2026-09-22 00:00	80	Ovc	150/5kt	62.0	5-10kft	>6SM
GFS	2026-09-22 03:00	79	Bkn	130/2kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

SPECI KOPF 201738Z VRB03KT 10SM SCT033 BKN041 BKN050 31/24 A2992 RMK A02 LTG DSNT W-NE RAE1656B19E27 P0000 T03060244 \$

TAF KOPF 201840Z 2019/2118 12007KT P6SM VCTS SCT025CB BKN050 BKN250 TEMPO 2019/2021 VRB15G25KT 2SM TSRA BKN020CB FM210000 VRB04KT P6SM VCSH SCT030 BKN050 FM210300 VRB04KT P6SM SCT030 SCT050 FM211100 VRB04KT P6SM VCSH SCT030 BKN050 FM211700 17006KT P6SM VCTS SCT030CB BKN050 BKN250

+ [Data sources used](#)

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KOPF; actual-station=KOPF; fetched-at=2026-09-20T19:28:17.585366+00:00; observed-or-issued-at=2026-09-20T17:38:00+00:00 — [AWC API](#)
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KOPF; actual-station=KOPF; fetched-at=2026-09-20T19:28:17.795726+00:00; observed-or-issued-at=2026-09-20T18:40:00+00:00; valid-from=2026-09-20T19:00:00+00:00; valid-through=2026-09-21T18:00:00+00:00; partial-target-dates=2026-09-20,2026-09-21 — [AWC API](#)
- TAF proxy · KOPF
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KOPF; actual-station=KOPF; fetched-at=2026-09-20T19:28:18.958207+00:00
- FAA NMS NOTAM — state=OK; requested-station=KOPF; actual-station=KOPF; fetched-at=2026-09-20T19:28:23.256547Z — [FAA NMS overview](#)
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KOPF; actual-station=KOPF; fetched-at=2026-09-20T19:28:38.172321+00:00; observed-or-issued-at=2026-09-20T12:00:00+00:00; valid-from=2026-09-20T18:00:00+00:00; valid-through=2026-09-23T12:00:00+00:00; target-dates=2026-09-21; partial-target-dates=2026-09-20; dates-with-points=2026-09-20,2026-09-21 — [Iowa State API](#)
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KOPF; actual-station=KOPF; fetched-at=2026-09-20T19:28:38.827768+00:00; observed-or-issued-at=2026-09-20T12:00:00+00:00; valid-from=2026-09-21T12:00:00+00:00; valid-through=2026-09-28T12:00:00+00:00; target-dates=2026-09-21; dates-with-points=2026-09-21 — [Iowa State API](#)
- MOS effective date selection — state=partial; rows=12; requested-station=KOPF; actual-station=KOPF; fetched-at=2026-09-20T19:28:38.172321+00:00; observed-or-issued-at=2026-09-20T12:00:00+00:00; valid-from=2026-09-20T18:00:00+00:00; valid-through=2026-09-23T12:00:00+00:00; target-dates=2026-09-21; partial-target-dates=2026-09-20; dates-with-points=2026-09-20,2026-09-21; selected-by-date=2026-09-20=GFS, 2026-09-21=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — [FAA Chart Supplement \(current cycle\)](#) — see [AirNav](#) link above

#28 **KHPN** White Plains/Westchester Cnty, NY, US · Long-range · White Plains NY

[OBS - MVFR](#)

ETE
4h18

DIST
647 nm

SUN 20 SEP 13:56 ET OBSERVED

Current observation

METAR

[OBS - MVFR](#)

 scattered 900 ft, broken 1,400 ft, overcast 2,000 ft

 WINDSE (140°) 9 kt

 TEMPERATURE18 °C

 VISIBILITY8 sm

 DEWPOINT17 °C



Wind favours RWY 16

140° true · 153° magnetic · 9 kt

Evidence & limitations

- METAR source state: ok; observed Sep 20 13:56 ET; retrieved Sep 20 15:28 ET; 92 min before this run.
- Measured values read from the KHPN METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.97 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KHPN runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 16/34, 11/29. Wind from 140 degrees true, 153 degrees magnetic, at 9 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 16. Wind source: KHPN METAR 201756Z.

DESTINATION OUTLOOK

SUN, SEP 20

SUN 20 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · IFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

TAF · 12:00–18:00 ET ET · IFR

Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 20 SEP 18:00–00:00 ET HIGH

Forecast

TA

F

TAF · IFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

TAF · 18:00–00:00 ET ET · IFR

Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 20

12:00–18:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON 21 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

TAF · 00:00–06:00 ET ET · MVFR

Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 21 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

TAF · 12:00–18:00 ET ET · VFR

Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 21 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

TAF · 06:00–12:00 ET ET · MVFR

Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 21 SEP 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND8–10 kt

TEMPERATURE66–68 °F

DEWPOINT49–50 °F

PRECIP CHANCE4%

Evidence & limitations

GFS MAV MOS · 18:00–00:00 ET ET · VFR

Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 21

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

29°C dep KLZU → 18°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

16/34 (160/340°M · 147/327°T) · 11/29 (110/290°M · 097/277°T) — designators and °M headings are magnetic; °T are true; variation 13°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMS

NOTAMs

NOTAM text not available in this projection.

A2868/26

NOTAM text not available in this projection.

08/016

NOTAM text not available in this projection.

A3278/26

NOTAM text not available in this projection.

6/4747

NOTAM text not available in this projection.

6/4758

NOTAM text not available in this projection.

A0678/26

NOTAM text not available in this projection.

A0679/26

NOTAM text not available in this projection.

03/045

NOTAM text not available in this projection.

6/5381

NOTAM text not available in this projection.

A1014/26

NOTAM text not available in this projection.

6/9015

NOTAM text not available in this projection.

A1738/26

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30

2026-09-20T19:28:23.261548Z.

00Z

00Z

00Z

airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

TAXIWAY 030923 → 030924 1500Z
Effective 2026-03-09T18:39:00Z → 2027-03-09T15:00:00Z

16 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KHPN this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

... and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-20=GFS, 2026-09-21=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-20 18:00	64	Ovc	140/6kt	—	200-500ft	>6SM
GFS	2026-09-20 21:00	65	Ovc	140/6kt	—	200-500ft	6SM
GFS	2026-09-21 00:00	63	Ovc	120/4kt	85.0	200-500ft	3-5SM
GFS	2026-09-21 03:00	64	Ovc	10/4kt	—	200-500ft	3-5SM

GFS	2026-09-21 06:00	63	Ovc	350/10kt	61.0	200-500ft	>6SM
GFS	2026-09-21 09:00	61	Ovc	350/11kt	—	1-3kft	>6SM
GFS	2026-09-21 12:00	60	Ovc	360/10kt	12.0	5-10kft	>6SM
GFS	2026-09-21 15:00	64	Bkn	20/11kt	—	>10kft	>6SM
GFS	2026-09-21 18:00	68	Bkn	30/10kt	4.0	>10kft	>6SM
GFS	2026-09-21 21:00	66	Bkn	50/8kt	—	>10kft	>6SM
GFS	2026-09-22 00:00	61	Ovc	50/7kt	5.0	>10kft	>6SM
GFS	2026-09-22 03:00	58	Ovc	70/8kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KHPN 201756Z 14009KT 8SM SCT009 BKN014 OVC020 18/17 A2997 RMK A02 SLP146 60015 T01830172 10183 20161 56019

TAF KHPN 201914Z 2019/2118 14008KT 4SM -SHRA BR FEW008 FEW015 OVC035 FM202000 17013KT 4SM -SHRA BR BKN007 OVC020 TEMPO 2023/2024 3SM BR FM210000 23010KT 4SM -SHRA BR BKN007 OVC015 TEMPO 2100/2103 4SM BR OVC015 FM210400 35013KT P6SM -SHRA SCT008 BKN015 FM210800 35014KT P6SM SCT025 BKN035 TEMPO 2108/2112 BKN025 FM211400 01014G20KT P6SM BKN040 AMD NOT SKED

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KHPN; actual-station=KHPN; fetched-at=2026-09-20T19:28:17.585366+00:00; observed-or-issued-at=2026-09-20T17:56:00+00:00 — [AWC API](#)
 - TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KHPN; actual-station=KHPN; fetched-at=2026-09-20T19:28:17.795726+00:00; observed-or-issued-at=2026-09-20T19:14:00+00:00; valid-from=2026-09-20T19:00:00+00:00; valid-through=2026-09-21T18:00:00+00:00; partial-target-dates=2026-09-20,2026-09-21 — [AWC API](#)
- TAF proxy · KHPN
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KHPN; actual-station=KHPN; fetched-at=2026-09-20T19:28:19.134384+00:00
 - FAA NMS NOTAM — state=OK; requested-station=KHPN; actual-station=KHPN; fetched-at=2026-09-20T19:28:23.261548Z — [FAA NMS overview](#)
 - MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KHPN; actual-station=KHPN; fetched-at=2026-09-20T19:28:38.199723+00:00; observed-or-issued-at=2026-09-20T12:00:00+00:00; valid-from=2026-09-20T18:00:00+00:00; valid-through=2026-09-23T12:00:00+00:00; target-dates=2026-09-21; partial-target-dates=2026-09-20; dates-with-points=2026-09-20,2026-09-21 — [Iowa State API](#)
 - MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KHPN; actual-station=KHPN; fetched-at=2026-09-20T19:28:38.859423+00:00; observed-or-issued-at=2026-09-20T12:00:00+00:00; valid-from=2026-09-21T12:00:00+00:00; valid-through=2026-09-28T12:00:00+00:00; target-dates=2026-09-21; dates-with-points=2026-09-21 — [Iowa State API](#)
 - MOS effective date selection — state=partial; rows=12; requested-station=KHPN; actual-station=KHPN; fetched-at=2026-09-20T19:28:38.199723+00:00; observed-or-issued-at=2026-09-20T12:00:00+00:00; valid-from=2026-09-20T18:00:00+00:00; valid-through=2026-09-23T12:00:00+00:00; target-dates=2026-09-21; partial-target-dates=2026-09-20; dates-with-points=2026-09-20,2026-09-21; selected-by-date=2026-09-20=GFS, 2026-09-21=GFS
 - Extended outlook and hazard-feed states are reported in the source stamp.
 - Runway data + Chart Supplement — [FAA Chart Supplement \(current cycle\)](#) — see AirNav link above

SUN 20 SEP 13:51 ET OBSERVED

Current observation

METAR

broken 4,000 ft, overcast 6,500 ft

WINDE (100°) 7 kt

TEMPERATURE16 °C

VISIBILITY10 sm

DEWPOINT11 °C

From 114° · 7 kt



Wind favours RWY 11

100° true · 114° magnetic · 7 kt

OBS - VFR

OBSERVED

Evidence & limitations

- METAR source state: ok; observed Sep 20 13:51 ET; retrieved Sep 20 15:28 ET; 97 min before this run.
- Measured values read from the KBED METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.04 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KBED runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 11/29, 05/23. Wind from 100 degrees true, 114 degrees magnetic, at 7 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 11. Wind source: KBED METAR 201751Z.

DESTINATION OUTLOOK

SUN 20 SEP 12:00–18:00 ET HIGH

Forecast

TA
F

TAF ·
MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · MVFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

Surface prog evidence · Sun Sep 20

12:00–18:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON 21 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · LIFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · LIFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 21 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 21 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · LIFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · LIFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 21 SEP 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND9–10 kt

TEMPERATURE65–67 °F

DEWPOINT46–47 °F

PRECIP CHANCE0%

Evidence & limitations

• GFS MAV MOS · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 21

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

29°C dep KLZU → 16°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

11/29 (110/290°M · 096/276°T) · 05/23 (050/230°M · 036/216°T) — designators and °M headings are magnetic; °T are true; variation 14°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMS

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

4 Act on

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production
source per owner decision 2026-08-09;
technical transport environment remains
preprod. Limited 2026-07-30 spot check
covered KLZU, KAVL, and KSGJ (3 of 30
airports). NOTAMs were read from this source
and used on this card this run. Typed state:
OK. The dot colour reports whether this
source was read this run; technical
environment: preprod.

2 · What

3 · Where

ed 2026-09-20T19:28:23.286983Z.

oritative)

FRI SEP 18

SAT SEP 19

SUN SEP 20

MON SEP 21

A2431/26

08/088

A1392/25

7 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 19:28 Z

5/0511

NOTAM text not available in this projection.

08/020

NOTAM text not available in this projection.

A2431/26

NOTAM text not available in this projection.

08/088

NOTAM text not available in this projection.

A1392/25

NOTAM text not available in this projection.

5/0197

NOTAM text not available in this projection.

A2784/25

NOTAM text not available in this projection.

6/8189

NOTAM text not available in this projection.

A2533/26

NOTAM text not available in this projection.

07/034

NOTAM text not available in this projection.

A2378/26

NOTAM text not available in this projection.

08/093

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2026-09-20T19:28:23.286983Z.

HANSCOM FLD, BEDFORD, MA, TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 6A . IN ADDITION TO EXISTING TAKEOFF OBSTACLE NOTES, ADD: RWY 11, TOWER 5027 FT FROM DER, 1883 FT LEFT OF CENTERLINE, 155 FT AGL/282 FT MSL, ANTENNA 5027 FT FROM DER, 1882 FT LEFT OF CENTERLINE, 285 FT MSL. ALL OTHER DATA REMAINS AS PUBLISHED.

19:00Z

MARKINGS REMOVED

19:00Z

ON MARKINGS REMOVED

19:00Z

TAXIWAY 08/088 — RWY E OPC PAINTED HLDS PSN SIGNS FOR APCH END RWY 28 REMOVED

Effective 2026-08-21T15:01:00Z → 2026-09-25T23:00:00Z

NAV_APPROACH A1388/25 — RED ODP LAURENCE G HANSCOM FLD, BEDFORD, MA, TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 6A . IN ADDITION TO EXISTING TAKEOFF OBSTACLE NOTES, ADD: RWY 11, TOWER 5027 FT FROM DER, 1883 FT LEFT OF CENTERLINE, 155 FT AGL/282 FT MSL, ANTENNA 5027 FT FROM DER, 1882 FT LEFT OF CENTERLINE, 285 FT MSL. ALL OTHER DATA REMAINS AS PUBLISHED.

Effective 2025-03-07T18:49:00Z → 2027-03-05T18:49:00Z

7 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical

Forecast for Aviation and the Weather Prediction Center surface progs, issued by the National Weather Service through the day; the surface prog series reaches 144 hours. They are raster images a pilot reads for fronts, pressure systems and precipitation shields. This page displays them with their issuing office and valid time and never interprets them: no category, wind, ceiling, ranking or go/no-go here is derived from an image. A published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.



ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

18:00 ET ET · MVFR

19:00 ET ET · LIFR

20:00 ET ET · LIFR

21:00 ET ET · LIFR

22:00 ET ET · VFR

• Mon, Sep 21 · 18:00–00:00 ET: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-20=GFS, 2026-09-21=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-20 18:00	60	Ovc	130/5kt	—	1-3kft	3-5SM
GFS	2026-09-20 21:00	59	Ovc	110/6kt	—	500-1kft	1-2SM
GFS	2026-09-21 00:00	56	Ovc	90/5kt	100.0	500-1kft	3-5SM
GFS	2026-09-21 03:00	56	Ovc	30/3kt	—	500-1kft	1-2SM
GFS	2026-09-21 06:00	54	Ovc	350/6kt	75.0	500-1kft	3-5SM
GFS	2026-09-21 09:00	53	Ovc	360/7kt	—	500-1kft	>6SM
GFS	2026-09-21 12:00	54	Bkn	360/6kt	14.0	>10kft	>6SM
GFS	2026-09-21 15:00	63	Few	20/11kt	—	>10kft	>6SM
GFS	2026-09-21 18:00	67	Sct	30/10kt	0.0	>10kft	>6SM
GFS	2026-09-21 21:00	65	Few	50/9kt	—	>10kft	>6SM
GFS	2026-09-22 00:00	58	Few	50/6kt	0.0	>10kft	>6SM
GFS	2026-09-22 03:00	53	Sct	30/5kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KBED 201751Z 10007KT 10SM BKN040 OVC065 16/11 A3004 RMK A02 SLP186 60000 T01610106 10161 20122 58024 \$

TAF KBED 201720Z 2018/2118 14005KT 6SM -RA OVC030 FM202100 10007KT 3SM -RA BR SCT008 OVC015 FM210100 06007KT 3SM -RA BR BKN006 OVC010 TEMPO 2104/2108 1/2SM -RA FG OVC003 FM211200 01006KT P6SM OVC015 FM211500 02008KT P6SM SCT250

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KBED; actual-station=KBED; fetched-at=2026-09-20T19:28:17.585366+00:00; observed-or-issued-at=2026-09-20T17:51:00+00:00 — [AWC API](#)
 - TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KBED; actual-station=KBED; fetched-at=2026-09-20T19:28:17.795726+00:00; observed-or-issued-at=2026-09-20T17:20:00+00:00; valid-from=2026-09-20T18:00:00+00:00; valid-through=2026-09-21T18:00:00+00:00; partial-target-dates=2026-09-20,2026-09-21 — [AWC API](#)
- TAF proxy · KBED
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KBED; actual-station=KBED; fetched-at=2026-09-20T19:28:19.122345+00:00
 - FAA NMS NOTAM — state=OK; requested-station=KBED; actual-station=KBED; fetched-at=2026-09-20T19:28:23.286983Z — [FAA NMS overview](#)
 - MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KBED; actual-station=KBED; fetched-at=2026-09-20T19:28:38.197223+00:00; observed-or-issued-at=2026-09-20T12:00:00+00:00; valid-from=2026-09-20T18:00:00+00:00; valid-through=2026-09-23T12:00:00+00:00; target-dates=2026-09-21; partial-target-dates=2026-09-20; dates-with-points=2026-09-20,2026-09-21 — [Iowa State API](#)
 - MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KBED; actual-station=KBED; fetched-at=2026-09-20T19:28:38.926946+00:00; observed-or-issued-at=2026-09-20T12:00:00+00:00; valid-from=2026-09-21T12:00:00+00:00; valid-through=2026-09-28T12:00:00+00:00; target-dates=2026-09-21; dates-with-points=2026-09-21 — [Iowa State API](#)
 - MOS effective date selection — state=partial; rows=12; requested-station=KBED; actual-station=KBED; fetched-at=2026-09-20T19:28:38.197223+00:00; observed-or-issued-at=2026-09-20T12:00:00+00:00; valid-from=2026-09-20T18:00:00+00:00; valid-through=2026-09-23T12:00:00+00:00; target-dates=2026-09-21; partial-target-dates=2026-09-20; dates-with-points=2026-09-20,2026-09-21; selected-by-date=2026-09-20=GFS, 2026-09-21=GFS
 - Extended outlook and hazard-feed states are reported in the source stamp.
 - Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

3 · Hazard feeds & regional observations

Unfiltered hazard feeds (not route-geometry screened): 6 SIGMET records, 22 G-AIRMET records, 6 CWA records. Regional current observations (not corridor forecasts): Atlantic South: category unavailable at KFIN; Long-range: MVFR at KHPN.

Scope: Hazard counts are raw feed totals and have not been filtered against a proposed route, altitude, or time. Airport flight categories are current point observations, not corridor forecasts.

4 · Planning gates

- **Evidence gate:** an unavailable, stale, or out-of-horizon source is unknown — never treat it as favorable.
- **Weather gate:** compare current observations and valid-period forecasts with personal ceiling, visibility, convection, wind, and crosswind minimums.
- **Route gate:** screen the actual route, altitude, and time against official hazard products; feed totals on this page are not route-filtered.
- **Operations gate:** verify NOTAMs, TFRs, runway conditions, fuel, aircraft performance, daylight, and alternates.

5 · ForeFlight manual cross-check (before flight)

- Official briefing matches these go/no-go windows
- Prog charts / radar / satellite trend agrees with convection timing
- Winds & temps aloft along actual route (may shift ETE)
- **NOTAMs & TFRs** — airport-scoped NMS records may be shown, but route-wide/TFR coverage is not included; pull a fresh official briefing for departure, destination, and alternates
- Runway condition / length / closures at destination & alternate
- Weight & balance + performance at forecast density altitude (heat!)
- File & brief in ForeFlight; confirm fuel stops if long-range

Show source stamp and evidence inventory

KLZU METAR excerpt: METAR KLZU 201756Z 24004. AWC METAR state OK for 29/30 airports; TAF target coverage for 0/30; MOS fetch health GFS 30/30, MEX 30/30; target coverage 30/60 airport-days; planned-window board coverage 2/2; combined target forecast coverage for 0/30; FAA status known for 0/30. Hazard feeds: state=ok; SIGMET=6, G-AIRMET=22, CWA=6; counts are unfiltered and are not a route assessment.

NWS AFD state: ok · FAA NMS NOTAM states: OK=30; normalized records=615; unnormalized records=0; environment=preprod; sandbox-public-preview=true · Fuel: best-effort (verify) · FAA chart cycle: VFR Sectional Ed. 98 (eff. 09/03/2026); Chart Supplement Ed. 5 (eff. 09/03/2026).

Executive summary

DETERMINISTIC · RESTATES PAGE EVIDENCE · NO MODEL CALLED

A plain restatement of evidence shown in full below, computed from that evidence with no model call. It reports what the sources say; it does not rank the days, rate them, or make a go/no-go call. It follows the order the owner asked for: feasibility evidence, KLZU, destinations, weather by area or region, then new KLZU NOTAMs.

1 · Feasibility evidence for the trip window

This part is a derivation, not an observation: it states how much of the trip window carries a forecast flight category, and nothing more. It is not a go/no-go call, not a recommendation, and not a flight category. Its inputs and its gaps are listed in the tooltip on the line below.

- Trip window: Fri Sep 18 – Mon Sep 21, 2026. “This weekend” is taken to mean exactly this window; no other date range is assessed.
- Trip-window feasibility evidence (Derived): assessable for every active trip day — 2 of 2 active trip days in Fri Sep 18 – Mon Sep 21, 2026 carry a forecast flight category and 0 carry none. This is a derived statement about how much evidence exists, it is not a flight category, and it says nothing about whether a flight is advisable. Every input and every gap is named in this line's tooltip.

2 · KLZU home-base status

The KLZU observation and the per-day board categories, taken from the same helpers the board itself renders from, so the two cannot disagree.

- KLZU current observation: VFR — from the surface observation read this run; it describes conditions now, not a trip day.
- Sun Sep 20, 15:00–22:00 ET: MVFR — most restrictive forecast flight category; high confidence; from TAF, MOS.
- Mon Sep 21, 06:00–22:00 ET: LIFR — most restrictive forecast flight category; medium confidence; from TAF, MOS.
- A forecast flight category is available for 2 of 2 active trip days; 0 reach no category-capable product at this lead time.
- Data quality: DEGRADED — as reported by the badge in the page header; it gates publication, it is not a weather statement.

3 · Destination coverage

Coverage, not a pick: this counts which destinations a product permitted to state a flight category actually reaches. It is not a ranking, not a recommendation, and the editorial order of the destination list is not a flyability score.

- Destinations: 29 of 29 covered airports resolve a forecast flight category on at least one active trip day; 0 resolve none at this lead time. Counted from the same per-day outlook the destination cards render, with outlook-grade blocks excluded.
- Most restrictive resolved category per covered airport, across the active trip days: KAVL LIFR (2/2 d), KBED LIFR (2/2 d), KBFM MVFR (2/2 d), KCRE MVFR (2/2 d), KCRG MVFR (2/2 d), KDAB VFR (2/2 d), KECP MVFR (2/2 d), KFIN VFR (2/2 d), KGKT VFR (2/2 d), KGPT VFR (2/2 d), KHPN IFR (2/2 d), KHSA VFR (2/2 d); 17 further airports in section 2.
- NOTAMs: 29 of 29 destinations report an active NOTAM. KLZU departure NOTAM state: OK.

4 · Weather events by area or region

Weather events by area or region, from products that carry an area. Per-airport categories are never clustered into a region here: an area inferred that way would be a spatial claim no source made.

- 34 hazard areas retained with their own coordinate rings. Each is related to an airport only by point-in-polygon (ray casting) against the product's own coordinate ring, or by great-circle distance from the airport to the nearest point on the product's boundary within 100 NM — tested against 29 airports that reported a position this run. No area name is inferred: the only names stated are the ones a product supplies itself. Per-airport categories are never clustered into a region.
- 34 of 34 retained hazard areas are valid at some point inside the planned trip window; the rest describe conditions before it.
- G-AIRMET ZULU — ICE: contains KHPN (point-in-polygon (ray casting) against the product's own coordinate ring); boundary within 100 NM of KBED 1 NM. valid 2026-09-20 17:13Z to 2026-09-20 21:00Z.
- G-AIRMET SIERRA — IFR: contains KHPN, KBED (point-in-polygon (ray casting) against the product's own coordinate ring); boundary within 100 NM of KSHD 71 NM. valid 2026-09-20 17:07Z to 2026-09-20 21:00Z.
- G-AIRMET TANGO — TURB-HI: contains KBED (point-in-polygon (ray casting) against the product's own coordinate ring); boundary within 100 NM of KHPN 23 NM. valid 2026-09-20 18:43Z to 2026-09-20 21:00Z.
- SIGMET 16E — CONVECTIVE: contains KJZI, KHXD, KSAV, KOPF, KSSI, KVNC, KCRG, KSRQ, KSPG, KSGJ, KTPF, KDAB (point-in-polygon (ray casting) against the product's own coordinate ring); boundary within 100 NM of KECP 13 NM, KMYR 37 NM, KCRE 51 NM, KAVL 71 NM, KLZU 74 NM, KPNS 74 NM, KJKA 86 NM. valid 2026-09-20 18:55Z to 2026-09-20 20:55Z.
- SIGMET 18E — CONVECTIVE: contains KGKT, KAVL, KTRI (point-in-polygon (ray casting) against the product's own coordinate ring); boundary within 100 NM of KLZU 26 NM, KROA 34 NM. valid 2026-09-20 18:55Z to 2026-09-20 20:55Z.
- CWA 401 — TS over ZTL (Atlanta): boundary within 100 NM of KPNS 53 NM, KBFM 59 NM, KJKA 67 NM, KECP 80 NM. valid 2026-09-20 19:23Z to 2026-09-20 19:55Z.
- CWA 501 — TS over ZTL (Atlanta): boundary within 100 NM of KLZU 22 NM, KAVL 87 NM. valid 2026-09-20 19:25Z to 2026-09-20 19:55Z.

- CWA 302 — TS over ZHU (Houston): boundary within 100 NM of KJKA 57 NM, KGPT 62 NM, KNEW 64 NM, KBFM 65 NM, KHSA 69 NM, KPNS 82 NM. valid 2026-09-20 19:04Z to 2026-09-20 20:00Z.
- G-AIRMET ZULU — FZLVL: boundary within 100 NM of KNEW 97 NM; published as a line, not an enclosed area, so no containment test is made against it. valid 2026-09-20 17:13Z to 2026-09-20 21:00Z.
- G-AIRMET ZULU — FZLVL: boundary within 100 NM of KBED 46 NM; published as a line, not an enclosed area, so no containment test is made against it. valid 2026-09-20 17:13Z to 2026-09-20 21:00Z.
- G-AIRMET ZULU — ICE: boundary within 100 NM of KBED 7 NM. valid 2026-09-20 17:13Z to 2026-09-20 21:00Z.
- G-AIRMET SIERRA — MT_OBSC: boundary within 100 NM of KSHD 8 NM, KROA 31 NM, KBED 44 NM, KHPN 48 NM. valid 2026-09-20 17:07Z to 2026-09-20 21:00Z.
- G-AIRMET TANGO — TURB-LO: boundary within 100 NM of KBED 12 NM. valid 2026-09-20 18:43Z to 2026-09-20 21:00Z.
- SIGMET 15E — CONVECTIVE: boundary within 100 NM of KLZU 78 NM, KGKT 79 NM. valid 2026-09-20 18:55Z to 2026-09-20 20:55Z.
- SIGMET 17E — CONVECTIVE: boundary within 100 NM of KCRE 42 NM, KMYR 54 NM. valid 2026-09-20 18:55Z to 2026-09-20 20:55Z.
- 19 of 34 retained hazard areas could not be related to any airport this page covers, by either test. They remain national-unfiltered: their geography is real but lies outside 100 NM of every airport tested, and nothing is claimed about where they are.
- Hazard feed record counts this run, unfiltered and national: SIGMET 6, G-AIRMET 22, CWA 6; overall feed state ok; feed states — CWA: ok, G-AIRMET: ok, SIGMET: ok. These are totals over the whole feed, not a count near KLZU, not a count along any route, and not a route assessment.

5 · New KLZU NOTAMs

This run keeps no snapshot of the previous run, so “new” cannot mean “changed since last time”. It is defined below as an FAA-published timestamp window, and the service-status scan reads the published text of every KLZU record so a status embedded inside a record of another category is not missed.

- Baseline for “new”: a KLZU NOTAM whose own FAA-published timestamp (last update, else issue, else effective start) falls within the 72 hours before this run's generation time (2026-09-20T19:28:17.305032+00:00). This run holds no copy of the previous run's NOTAM set, so this is a source-timestamp window and not a difference against an earlier run.
- KLZU: none of the 10 current NOTAMs carries an FAA-published timestamp inside that window, so no NOTAM is new by that baseline. The existing records are unchanged, not absent.
- No service-status wording was found in the published text of the 10 current KLZU records. The scan reads every record's full published text rather than its category, so a status stated inside a record of another category would still be reported.

This restates evidence; it is not a recommendation, not an all-clear, and not a data outage. The decision surfaces are the planning gates and the ForeFlight cross-check below, read against the KLZU board and destination cards. Every line above restates a value shown elsewhere on this page.

⚠ **Pre-planning only — not an official weather briefing.** Verify an official briefing, METAR/TAF/GFA/SIGMET/CWA, NOTAMs, TFRs, runway conditions, fuel, W&B, performance, and personal minimums before flight.