

Flight Planning Desk

Performance profile: Mooney M20J · Lawrenceville, GA · **Fri Sep 25 – Mon Sep 28, 2026**

✓ Data quality · **DEGRADED**

✓ Live verification · **Checking**

● Published snapshot · Generated · Sunday Sep 27, 2026 · 6:13 PM ET · Next run · not before Monday Sep 28 · 12:17 AM ET

1 · KLZU departure / return board

KLZU

Lawrenceville/Gwinnett Cnty, GA, US

Home base · timed forecast changes · source detail retained

OBS - VFR

PLANNING HORIZON

Sun 27 → Mon 28 · 2 days

RIGHT NOW · METAR

SUN 27 SEP 16:56 ET OBSERVED

Current observation

OBS - VFR

OBSER

METAR

clear below 12,000 ft (CLR)

WINDNW (300°) 7 kt

TEMPERATURE27 °C

VISIBILITY10 sm

DEWPOINT6 °C

From 300°W · 7 kt

300° true · 306° magnetic · 7 kt

Evidence & limitations

- METAR source state: ok; observed Sep 27 16:56 ET; retrieved Sep 27 18:13 ET; 77 min before this run.
- Measured values read from the KLZU METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.88 inHg.
- Raw METAR: METAR KLZU 272056Z 30007KT 10SM CLR 27/06 A2988 RMK A02 SLP122 T02670061 56018 \$

• KLZU runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 07/25. Wind from 300 degrees true, 306 degrees magnetic, at 7 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 25. Wind source: KLZU METAR 272056Z.

Important planning / evidence detail (1 warning)

LEGEND **VFR** **MVFR** **IFR** **LIFR** **Unknown**  Solid = source-interval category guidance:  Dashed = lower-confidence outlook  Weather icon = surface forecastAll times Eastern (ET), 24-hour clock · "around/after" preserves source precision.  △ KLZU has no TAF station. Every KLZU TAF-derived value on this page is taken from the nearby **KPDK** proxy station, not from KLZU itself — treat it as regional, and confirm KLZU conditions in an official briefing. A raster chart may be displayed with its issuing office and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

Sep 27

HIGH CONFIDENCE

METAR TAF NWS-hr NWS-day MAV MEX GFA NOTAM

GFA and FAA NOTAM (NMS) — Notices to Air
Forecaster Missions: closures, outages, obstacles and
Predicted TFRs, issued continuously by the FAA and
National valid until cancelled. On this page they are
surface advisory evidence about the airport, not
are raw weather, and they never change a flight
pressure category. NOTAMS were read for KLZU
This page run.
office and valid time and never interprets
them: no category, wind, ceiling, ranking or go/
no-go here is derived from an image. A
published WPC surface chart matches this
period and is shown in the dropdown with its
issuing office and valid time. It is displayed,
never interpreted.

GFS OUTLOOK - VFR

FORECAST

PRECIP CHANCE 0%

SKY COVER 2-4%

NW (~315° true) · 4–9 kt · full datum in the day evidence

- The visible badge names the contributing product. Exact issuance, retrieval, and member-period provenance remains in Day evidence & planning note below.
- The hour-by-hour source evidence below retains every original period and its detailed wind line.

Surface prog · 18:00–22:00 ET · available

Source unavailable — verify aviation weather

18:00–19:00 ET

KPDK TAF - VFR

GFS OUTLOOK - VFR

Clear

Precipitation probability (PoP) 0%

NWS + TAF + MOS · NWS ISSUED SEP 27 14:26 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 27 18:14 ET

19:00–20:00 ET

KPDK TAF - VFR

GFS OUTLOOK - VFR

Clear

Precipitation probability (PoP) 0%

NWS + TAF + MOS · NWS ISSUED SEP 27 14:26 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 27 18:14 ET

20:00–21:00 ET

KPDK TAF - VFR

GFS MOS - VFR

Clear

Precipitation probability (PoP) 0%

NWS + TAF + MOS · NWS ISSUED SEP 27 14:26 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 27 18:14 ET

21:00–22:00 ET

KPDK TAF - VFR

GFS OUTLOOK - VFR

Clear

Precipitation probability (PoP) 0%

NWS + TAF + MOS · NWS ISSUED SEP 27 14:26 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 27 18:14 ET

WIND / WIND-FAVORED RUNWAY · ONE ENTRY PER DISPLAY BLOCK

18:00–19:00 ET NW (~315° true) 9 kt Approx. wind-favored RWY 25 · crosswind 9 kt NWS hourly surface forecast	19:00–20:00 ET NW (~315° true) 9 kt Approx. wind-favored RWY 25 · crosswind 9 kt NWS hourly surface forecast
20:00–21:00 ET NW (~315° true) 9 kt Approx. wind-favored RWY 25 · crosswind 9 kt NWS hourly surface forecast	21:00–22:00 ET NW (~315° true) 4 kt Approx. wind-favored RWY 25 NWS hourly surface forecast

[Surface prog evidence](#) · [Sun Sep 27](#)

18:00–22:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

Runway guidance is approximate wind alignment only; verify ATIS, NOTAMs and actual runway use.
RWY numbers magnetic; wind converted from true using 6°W variation (NOAA WMM2025)

Day operations

WEATHER
TAF and radar cross-check.

PERFORMANCE
Temperature / performance check.

RUNWAY
Verify ATIS, NOTAMs and actual use.

MEDIUM CONFIDENCE

SEP 28 · 06:00–22:00 ET

- METAR
- TAF
- NWS-hr
- NWS-day
- MAV
- MEX
- GFA
- NOTAM

METAR — issued hourly. The highest visibility, wind, and temperature are reported. Issued by the National Weather Service (NWS) and the FAA. Not a forecast. KLZU observations are reported. Describes conditions now, not this trip day.

TAF — The National Weather Service (NWS) and the FAA. Issued by the National Weather Service (NWS) and the FAA. Not a forecast. KLZU observations are reported. Describes conditions now, not this trip day.

NWS hour — Weather Service (NWS) and the FAA. Issued by the National Weather Service (NWS) and the FAA. Not a forecast. KLZU observations are reported. Describes conditions now, not this trip day.

NWS day/night — Weather Service (NWS) and the FAA. Issued by the National Weather Service (NWS) and the FAA. Not a forecast. KLZU observations are reported. Describes conditions now, not this trip day.

GFS Model — the Global Forecasting System (GFS) model. Issued by the National Weather Service (NWS) and the FAA. Not a forecast. KLZU observations are reported. Describes conditions now, not this trip day.

GFS Extended — the Global Forecasting System (GFS) model. Issued by the National Weather Service (NWS) and the FAA. Not a forecast. KLZU observations are reported. Describes conditions now, not this trip day.

GFA and GFS — the Global Forecasting System (GFS) model. Issued by the National Weather Service (NWS) and the FAA. Not a forecast. KLZU observations are reported. Describes conditions now, not this trip day.

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KLZU this run.

office and valid time and never interpret them: no category, wind, ceiling, ranking or go/no-go here is derived from an image. A published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

- KPDK TAF - VFR
- GFS OUTLOOK - VFR
- GFS MOS - VFR

FORECAST

Evidence & limitations

- The visible badge names the contributing product. Exact issuance, retrieval, and member-period provenance remains in Day evidence & planning note below.
- The hour-by-hour source evidence below retains every original period and its detailed wind line.

Surface prog · 06:00–10:00 ET · available

MON 28 SEP 10:00–15:00 ET HIGH

Forecast

KPDK TAF proxy

Sunny

WINDCALM · 0 kt

KPDK TAF - VFR

GFS OUTLOOK - VFR

GFS MOS - VFR

FORECAST

PRECIP CHANCE0%

⚡

TS CHANCE0%

☁

SKY COVER13–16%

Evidence & limitations

◦ The visible badge names the contributing product. Exact issuance, retrieval, and member-period provenance remains in Day evidence & planning note below.

◦ The hour-by-hour source evidence below retains every original period and its detailed wind line.

Surface prog · 10:00–15:00 ET · available

MON 28 SEP 15:00–18:00 ET MEDIUM

Forecast

GFS
MAV

GFS OUTLOOK - VFR

GFS MOS - VFR

Sunny

FORECAST

WINDCALM · 0 kt

PRECIP CHANCE0%

⚡

TS CHANCE0%

☁

SKY COVER11–16%

Evidence & limitations

◦ The visible badge names the contributing product. Exact issuance, retrieval, and member-period provenance remains in Day evidence & planning note below.

◦ The hour-by-hour source evidence below retains every original period and its detailed wind line.

Surface prog · 15:00–18:00 ET · available

MON 28 SEP 18:00–22:00 ET MEDIUM

Forecast

GFS
MAV

GFS OUTLOOK - VFR

GFS MOS - VFR

Mostly Clear

FORECAST

WINDCALM · 0 kt

PRECIP CHANCE0%

TS CHANCE0%

SKY COVER9–15%

Evidence & limitations

- The visible badge names the contributing product. Exact issuance, retrieval, and member-period provenance remains in Day evidence & planning note below.
- The hour-by-hour source evidence below retains every original period and its detailed wind line.

Surface prog · 18:00–22:00 ET · available

Day evidence & planning note

No aviation-category inference — verify METAR/TAF

SOURCES & LIMITATIONS — HOUR-BY-HOUR SOURCE EVIDENCE (15 FORECAST PERIODS)

06:00–08:00 ET

KPDK TAF - VFR

GFS OUTLOOK - VFR

Sunny

Precipitation probability (PoP) 0%

NWS + TAF + MOS · NWS ISSUED SEP 27 14:26 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 27 18:14 ET

08:00–09:00 ET

KPDK TAF - VFR

GFS MOS - VFR

Sunny

Precipitation probability (PoP) 0%

NWS + TAF + MOS · NWS ISSUED SEP 27 14:26 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 27 18:14 ET

09:00–10:00 ET

KPDK TAF - VFR

GFS OUTLOOK - VFR

Sunny

Precipitation probability (PoP) 0%

NWS + TAF + MOS · NWS ISSUED SEP 27 14:26 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 27 18:14 ET

10:00–11:00 ET



KPDK TAF - VFR

GFS OUTLOOK - VFR

Sunny

Precipitation probability (PoP) 0%

NWS + TAF + MOS · NWS ISSUED SEP 27 14:26 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 27 18:14 ET

11:00–12:00 ET



KPDK TAF - VFR

GFS MOS - VFR

Sunny

Precipitation probability (PoP) 0%

NWS + TAF + MOS · NWS ISSUED SEP 27 14:26 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 27 18:14 ET

12:00–13:00 ET



KPDK TAF - VFR

GFS OUTLOOK - VFR

Sunny

Precipitation probability (PoP) 0%

NWS + TAF + MOS · NWS ISSUED SEP 27 14:26 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 27 18:14 ET

13:00–14:00 ET



KPDK TAF - VFR

GFS OUTLOOK - VFR

Sunny

Precipitation probability (PoP) 0%

NWS + TAF + MOS · NWS ISSUED SEP 27 14:26 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 27 18:14 ET

14:00–15:00 ET



GFS MOS - VFR

Sunny

Precipitation probability (PoP) 0%

NWS + MOS · NWS ISSUED SEP 27 14:26 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 27 18:14 ET

15:00–16:00 ET



GFS OUTLOOK - VFR

Sunny

Precipitation probability (PoP) 0%

Beyond the 72 h short-range GFS MOS horizon at this lead time. The product published normally; this day is simply past its reach, which is expected and is not a fault. Expected to be covered from about Fri Sep 25 · 12:00 AM ET.

NWS + MOS · NWS ISSUED SEP 27 14:26 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 27 18:14 ET

16:00–17:00 ET

GFS OUTLOOK - VFR

Sunny

Precipitation probability (PoP) 0%

Beyond the 72 h short-range GFS MOS horizon at this lead time. The product published normally; this day is simply past its reach, which is expected and is not a fault. Expected to be covered from about Fri Sep 25 · 12:00 AM ET.

NWS + MOS · NWS ISSUED SEP 27 14:26 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 27 18:14 ET

17:00–18:00 ET

GFS MOS - VFR

Sunny

Precipitation probability (PoP) 0%

NWS + MOS · NWS ISSUED SEP 27 14:26 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 27 18:14 ET

18:00–19:00 ET

GFS OUTLOOK - VFR

Mostly Clear

Precipitation probability (PoP) 0%

Beyond the 72 h short-range GFS MOS horizon at this lead time. The product published normally; this day is simply past its reach, which is expected and is not a fault. Expected to be covered from about Fri Sep 25 · 12:00 AM ET.

NWS + MOS · NWS ISSUED SEP 27 14:26 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 27 18:14 ET

19:00–20:00 ET

GFS OUTLOOK - VFR

Mostly Clear

Precipitation probability (PoP) 0%

Beyond the 72 h short-range GFS MOS horizon at this lead time. The product published normally; this day is simply past its reach, which is expected and is not a fault. Expected to be covered from about Fri Sep 25 · 12:00 AM ET.

NWS + MOS · NWS ISSUED SEP 27 14:26 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 27 18:14 ET

20:00–21:00 ET

GFS MOS - VFR

Mostly Clear

Precipitation probability (PoP) 0%

NWS + MOS · NWS ISSUED SEP 27 14:26 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 27 18:14 ET

21:00–22:00 ET

GFS OUTLOOK - VFR

Mostly Clear

Precipitation probability (PoP) 0%

Beyond the 72 h short-range GFS MOS horizon at this lead time. The product published normally; this day is simply past its reach, which is expected and is not a fault. Expected to be covered from about Fri Sep 25 · 12:00 AM ET.

NWS + MOS · NWS ISSUED SEP 27 14:26 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED SEP 27 18:14 ET

WIND / WIND-FAVORED RUNWAY · ONE ENTRY PER DISPLAY BLOCK

06:00–08:00 ET CALM 0 kt Runway alignment unavailable NWS hourly surface forecast	08:00–09:00 ET CALM 0 kt Runway alignment unavailable NWS hourly surface forecast
09:00–10:00 ET CALM 0 kt Runway alignment unavailable NWS hourly surface forecast	10:00–11:00 ET CALM 0 kt Runway alignment unavailable NWS hourly surface forecast
11:00–12:00 ET CALM 0 kt Runway alignment unavailable NWS hourly surface forecast	12:00–13:00 ET CALM 0 kt Runway alignment unavailable NWS hourly surface forecast
13:00–14:00 ET CALM 0 kt Runway alignment unavailable NWS hourly surface forecast	14:00–15:00 ET CALM 0 kt Runway alignment unavailable NWS hourly surface forecast
15:00–16:00 ET CALM 0 kt Runway alignment unavailable NWS hourly surface forecast	16:00–17:00 ET CALM 0 kt Runway alignment unavailable NWS hourly surface forecast
17:00–18:00 ET CALM 0 kt Runway alignment unavailable NWS hourly surface forecast	18:00–19:00 ET CALM 0 kt Runway alignment unavailable NWS hourly surface forecast
19:00–20:00 ET CALM 0 kt Runway alignment unavailable NWS hourly surface forecast	20:00–21:00 ET CALM 0 kt Runway alignment unavailable NWS hourly surface forecast
21:00–22:00 ET CALM 0 kt Runway alignment unavailable NWS hourly surface forecast	

Surface prog evidence · Mon Sep 28

06:00–10:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

10:00–15:00 ET ET · 15:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–22:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

Runway guidance is approximate wind alignment only; verify ATIS, NOTAMs and actual runway use.

Day operations

WEATHER

TAF and radar cross-check.

PERFORMANCE

Temperature / performance check.

RUNWAY

Verify ATIS, NOTAMs and actual use.

Pattern summary: .. (This afternoon through Monday) Issued at 226 PM EDT Sun Sep 27 2026 During the short term period today and Monday, Georgia will remain positioned between an mid-level ridge extending from the southern Great Plains toward the Great Lakes and a vertically-stacked low pressure system lingering near the New England coast. — .. (Tuesday morning through next Saturday) Issu...

NWS FFC Area Forecast Discussion · regional context, not a KLZU category or exact timing forecast

Extended outlook ▼

EXTENDED OUTLOOK SUMMARY

.. (This afternoon through Monday)

Issued at 226 PM EDT Sun Sep 27 2026

During the short term period today and Monday, Georgia will remain positioned between an mid-level ridge extending from the southern Great Plains toward the Great Lakes and a vertically-stacked low pressure system lingering near the New England coast. — .. (Tuesday morning through next Saturday) Issu...

SHORT TERM

..

(This afternoon through Monday)

Issued at 226 PM EDT Sun Sep 27 2026

During the short term period today and Monday, Georgia will remain positioned between an mid-level ridge extending from the southern Great Plains toward the Great Lakes and a vertically-stacked low pressure system lingering near the New England coast. This will the area under northwesterly flow aloft, which will continue to usher in dry continental air into Georgia, evidenced by dewpoints in the 40s and precipitable water values around 0.5 inches. The dry airmass and broad surface high pressure associated with the ridge will continue to inhibit precipitation chances today and Monday. With mostly clear skies and strong radiational cooling, low temperatures each morning are forecast to range from the upper 40s in far northeast Georgia to the mid 50s in south-central Georgia. High temperatures will largely climb into the low to mid 80s, which will be about 3-6 degrees above daily normals. Strong diurnal mixing will also contribute to RH values potentially dropping to as low as 25% for an hour or two during peak heating each afternoon.

LONG TERM

..

(Tuesday morning through next Saturday)

Issued at 226 PM EDT Sun Sep 27 2026

Pleasant conditions will continue through the work week. Temperatures in the upper 80s and lower 90s for much of the CWA as the high pressure begins to break down and winds become more southerly in the second half of the week.

As we approach the weekend, the ridge will begin to break down and southerly flow will begin to pull moisture back into the CWA. This will bring chances for thunderstorms back up to between 25-35% during the afternoon on Friday with more widespread thunderstorms likely through the weekend. Temperatures should remain moderated to the upper 80s and lower 90s, though that still has them running 5-10 degrees above normal for this time of year.

We'll need to keep an eye on Sunday, as the best dynamics move through the area for stronger thunderstorms. The ECMWF builds in plenty of instability and decent low level shear, though the GFS tends to keep a majority of the bulk shear off to the north.

+ Raw NWS AFD text

000
FXUS62 KFFC 271828
AFDFFC

Area Forecast Discussion
National Weather Service Peachtree City GA
228 PM EDT Sun Sep 27 2026

...Afternoon Area Forecast Discussion...

.KEY MESSAGES...

- A mild airmass will remain in place today with highs in the low to mid 80s.

- Dry conditions are expected through the middle of the week, with rain chances returning by late week.

- Warming trend back to summerlike temperatures from early to mid week.

&&

.SHORT TERM...
(This afternoon through Monday)
Issued at 226 PM EDT Sun Sep 27 2026

During the short term period today and Monday, Georgia will remain positioned between an mid-level ridge extending from the southern Great Plains toward the Great Lakes and a vertically-stacked low pressure system lingering near the New England coast. This will the area under northwesterly flow aloft, which will continue to usher in dry continental air into Georgia, evidenced by dewpoints in the 40s and precipitable water values around 0.5 inches. The dry airmass and broad surface high pressure associated with the ridge will continue to inhibit precipitation chances today and Monday. With mostly clear skies and strong radiational cooling, low temperatures each morning are forecast to range from the upper 40s in far northeast Georgia to the mid 50s in south-central Georgia. High temperatures will largely climb into the low to mid 80s, which will be about 3-6 degrees above daily normals. Strong

diurnal mixing will also contribute to RH values potentially dropping to as low as 25% for an hour or two during peak heating each afternoon.

&&

.LONG TERM...
(Tuesday morning through next Saturday)
Issued at 226 PM EDT Sun Sep 27 2026

Pleasant conditions will continue through the work week. Temperatures in the upper 80s and lower 90s for much of the CWA as the high pressure begins to break down and winds become more southerly in the second half of the week.

As we approach the weekend, the ridge will begin to break down and southerly flow will begin to pull moisture back into the CWA. This will bring chances for thunderstorms back up to between 25-35% during the afternoon on Friday with more widespread thunderstorms likely through the weekend. Temperatures should remain moderated to the upper 80s and lower 90s, though that still has them running 5-10 degrees above normal for this time of year.

We'll need to keep an eye on Sunday, as the best dynamics move through the area for stronger thunderstorms. The ECMWF builds in plenty of instability and decent low level shear, though the GFS tends to keep a majority of the bulk shear off to the north.

&&

.AVIATION...
(18Z TAFS)
Issued at 137 PM EDT Sun Sep 27 2026

VFR conditions are expected to persist through the period, with FEW fair weather cu between 050-060 in the mid to late afternoon hours. Winds this afternoon will be NW at 6-10 kts, diminishing after sunset. While light and variable at most TAF sites overnight into Monday morning, winds are likely to briefly shift to NE at 3-5 kts from 12-17Z on Monday before returning to NW at 5-8 kts afterwards.

//ATL Confidence...18Z Update...
High confidence on all elements.

King

&&

.PRELIMINARY POINT TEMPS/POPS...

Athens	53	84	55	85	/	0	0	0	0
Atlanta	56	82	57	84	/	0	0	0	0
Blairsville	48	79	54	80	/	0	0	0	0
Cartersville	51	82	53	86	/	0	0	0	0
Columbus	57	83	57	86	/	0	0	0	0
Gainesville	53	82	57	83	/	0	0	0	0
Macon	55	85	56	88	/	0	0	0	0
Rome	52	83	52	86	/	0	0	0	0

Peachtree City 53 83 54 86 / 0 0 0 0
Vidalia 57 88 61 91 / 0 0 0 0

&&

.FFC WATCHES/WARNINGS/ADVISORIES...

None.

&&

\$\$

SHORT TERM...King
LONG TERM...Vaughn
AVIATION...King

1.1 · KLZU departure-airport NOTAM state

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

1 Act on

2 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

ed 2026-09-27T22:13:42.223266Z.

poritative)

FRI SEP 25

SAT SEP 26

SUN SEP 27

MON SEP 28

04/013

A0166/26

6/5419

8 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 22:13 Z

NOTAMs as of 22:13 Z — advisory only; verify an official briefing.

09/035

NOTAM text not available in this projection.

A0357/26

NOTAM text not available in this projection.

04/013

NOTAM text not available in this projection.
A0166/26 NOTAM text not available in this projection.
6/5419 NOTAM text not available in this projection.
A0178/26 NOTAM text not available in this projection.
07/011 NOTAM text not available in this projection.
07/030 NOTAM text not available in this projection.
07/034 NOTAM text not available in this projection.
08/001 NOTAM text not available in this projection.
08/024 NOTAM text not available in this projection.
09/034 NOTAM text not available in this projection.
09/036 NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)	
Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.	2026-09-27T22:13:42.223266Z. A0166/26 :00Z 6/5419 :00Z A0178/26 :00Z 07/011 :00Z 07/030 :00Z 07/034 :00Z 08/001 :00Z 08/024 :00Z 09/034 :00Z 09/036 :00Z

8 additional normalized FAA NOTAM records omitted from this view.

#1KAVLAsheville Muni, NC, US · Mountain · cool mountain escape

OBS - VFR0h49112 nm

SUN 27 SEP 16:54 ET OBSERVED

Current observationOBS - VFR

METAR

clear below 12,000 ft (CLR)

WINDN (350°) 11 kt gust 23 kt

TEMPERATURE22 °C

VISIBILITY10 sm

DEWPOINT7 °C

A From 357°M - 11G23 kt
Alt. Missing Data - 29.92 inHg
KAVL surface (METAR)

Wind favours RWY 35
350° true · 357° magnetic · 11G23 kt · also NOTAM-affected: 17 and 35

Evidence & limitations

- METAR source state: ok; observed Sep 27 16:54 ET; retrieved Sep 27 18:13 ET; 79 min before this run.
- Measured values read from the KAVL METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.92 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KAVL runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 17/35. Wind from 350 degrees true, 357 degrees magnetic, at 11 knots gusting 23 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 35. NOTAM-affected runway ends, hatched separately from the wind highlight: 17 and 35. The wind-favoured end 35 is also NOTAM-affected: the wind does favour it, but a NOTAM on this card names it, so the highlight is not a statement that the runway is usable. The hatch marks only that a NOTAM names the runway; it does not decode the NOTAM's effective times, so confirm the closure window in the NOTAM text below. Wind source: KAVL METAR 272054Z.

SUN, SEP 27

SUN 27 SEP 18:00–00:00 ET HIGH

Forecast

TAF

F

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

TAF · 18:00–00:00 ET ET · VFR

Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

TAF · VFR

FORECAST

Surface prog evidence · Sun Sep 27

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON 28 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 28 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 28 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 28 SEP 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND7–8 kt

TEMPERATURE74–76 °F

DEWPOINT44 °F

PRECIP CHANCE0%

Evidence & limitations

• GFS MAV MOS · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 28

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

6000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

27°C dep KLZU → 22°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

17/35 (170/350°M · 163/343°T) — designators and °M headings are magnetic; °T are true; variation 7°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMS

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

13 Act on

1 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production
source per owner decision 2026-08-09;
technical transport environment remains
preprod. Limited 2026-07-30 spot check
covered KLZU, KAVL, and KSGJ (3 of 30
airports). NOTAMS were read from this source
and used on this card this run. Typed state:
OK. The dot colour reports whether this
source was read this run; technical
environment: preprod.

2 · What

3 · Where

ed 2026-09-27T22:13:42.224022Z.

FRI SEP 25

SAT SEP 26

SUN SEP 27

MON SEP 28

A1139/26

A1142/26

A1145/26

51 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 22:13 Z

09/087

NOTAM text not available in this projection.

A1110/26

NOTAM text not available in this projection.

A1139/26

NOTAM text not available in this projection.

A1142/26

NOTAM text not available in this projection.

A1145/26

NOTAM text not available in this projection.

A1153/26

NOTAM text not available in this projection.

09/098

NOTAM text not available in this projection.

A1128/26

NOTAM text not available in this projection.

09/100

NOTAM text not available in this projection.

A1129/26

NOTAM text not available in this projection.

09/102

NOTAM text not available in this projection.

A1132/26

NOTAM text not available in this projection.

09/105

NOTAM text not available in this projection.

A1137/26

NOTAM text not available in this projection.

09/109

NOTAM text not available in this projection.

A1141/26

NOTAM text not available in this projection.

09/111

NOTAM text not available in this projection.

A1146/26

NOTAM text not available in this projection.

01/023

NOTAM text not available in this projection.

A0040/26

NOTAM text not available in this projection.

09/086

NOTAM text not available in this projection.

A1109/26

NOTAM text not available in this projection.

A1143/26

NOTAM text not available in this projection.

A1150/26

NOTAM text not available in this projection.

A1151/26

NOTAM text not available in this projection.

A1152/26

NOTAM text not available in this projection.

09/099

NOTAM text not available in this projection.

A1127/26

NOTAM text not available in this projection.

09/101

NOTAM text not available in this projection.

A1130/26

NOTAM text not available in this projection.

09/103

NOTAM text not available in this projection.

A1131/26

NOTAM text not available in this projection.

09/106

NOTAM text not available in this projection.

A1136/26

NOTAM text not available in this projection.

09/108

NOTAM text not available in this projection.

A1140/26

NOTAM text not available in this projection.

09/112

NOTAM text not available in this projection.

A1147/26

NOTAM text not available in this projection.

4/1431

NOTAM text not available in this projection.

A0991/24

NOTAM text not available in this projection.

5/9960

NOTAM text not available in this projection.

A0285/25

NOTAM text not available in this projection.

06/067

NOTAM text not available in this projection.

A0730/26

NOTAM text not available in this projection.

09/088

NOTAM text not available in this projection.

A1112/26

NOTAM text not available in this projection.

09/095

NOTAM text not available in this projection.

12/023

NOTAM text not available in this projection.

A1148/25

NOTAM text not available in this projection.

07/051

NOTAM text not available in this projection.

08/013

NOTAM text not available in this projection.

08/090

NOTAM text not available in this projection.

09/025

NOTAM text not available in this projection.

09/026

NOTAM text not available in this projection.

08/072

NOTAM text not available in this projection.

A0967/26

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.	2026-09-27T22:13:42.224022Z. KAVL :00Z KAVL :00Z PT A1138026 Q) KZTLQMRKXK0000000003526N08232W005 A) KAVL B) 2608250448 E) RWY 1705 CLSD CANCELED :00Z PT A1090026 Q) KZTLQMRKXK0000000003526N08232W005 A) KAVL B) 2608250854 E) RWY 1705 CLSD CANCELED :00Z
RUNWAY A1145026 — A1145026 NOTAM: A1144026 Q) KZTLQMRKXK0000000003526N08232W005 A) KAVL B) 2608251219 E) RWY 35 PIC ON 5/55 100 PCT WET OBS AT 2608250858 CANCELED Effective 2026-09-25T12:29:00Z → 2026-09-28T12:29:00Z	
RUNWAY 090058 — RWY 1705 CLSD Effective 2026-09-28T04:00:00Z → 2026-09-28T09:30:00Z	
RUNWAY A1128026 — RWY 1705 CLSD Effective 2026-09-28T04:00:00Z → 2026-09-28T09:30:00Z	
RUNWAY 090108 — RWY 1705 CLSD Effective 2026-09-29T04:00:00Z → 2026-09-29T09:30:00Z	
RUNWAY A1129026 — RWY 1705 CLSD Effective 2026-09-29T04:00:00Z → 2026-09-29T09:30:00Z	
RUNWAY 090102 — RWY 1705 CLSD Effective 2026-09-30T04:00:00Z → 2026-09-30T09:30:00Z	
RUNWAY A1132026 — RWY 1705 CLSD Effective 2026-09-30T04:00:00Z → 2026-09-30T09:30:00Z	
RUNWAY 090105 — RWY 1705 CLSD Effective 2026-10-01T04:00:00Z → 2026-10-01T09:30:00Z	
RUNWAY A1137026 — RWY 1705 CLSD Effective 2026-10-01T04:00:00Z → 2026-10-01T09:30:00Z	
RUNWAY 090109 — RWY 1705 CLSD Effective 2026-10-02T04:00:00Z → 2026-10-02T09:30:00Z	
RUNWAY A1141026 — RWY 1705 CLSD Effective 2026-10-02T04:00:00Z → 2026-10-02T09:30:00Z	
RUNWAY 090111 — RWY 1705 CLSD Effective 2026-10-03T04:00:00Z → 2026-10-03T09:30:00Z	
RUNWAY A1146026 — RWY 1705 CLSD Effective 2026-10-03T04:00:00Z → 2026-10-03T09:30:00Z	
39 additional normalized FAA NOTAM records omitted from this view.	

+ Forecast evidence

METAR


METAR — the routine surface observation issued hourly by the reporting station, with

highest-resolution aviation forecast available. The National Weather Service issues it four times a day, valid 24 to 30 hours, with explicit FM and TEMPO change groups. Airports without their own TAF station use a nearby proxy, which is a normal condition and not a fault. A TAF was read for this airport this run (state: partial).

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KAVL this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.



ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

0:00 ET ET · VFR
6:00 ET ET · VFR
12:00 ET ET · VFR
18:00 ET ET · VFR
S · 18:00–00:00 ET ET · VFR

Source state: partial; selected by target date: 2026-09-27=GFS, 2026-09-28=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-27 18:00	73	Clear	350/12kt	—	>10kft	>6SM
GFS	2026-09-27 21:00	74	Clear	350/14kt	—	>10kft	>6SM
GFS	2026-09-28 00:00	66	Clear	340/7kt	2.0	>10kft	>6SM
GFS	2026-09-28 03:00	57	Clear	340/3kt	—	>10kft	>6SM
GFS	2026-09-28 06:00	52	Clear	350/3kt	0.0	>10kft	>6SM
GFS	2026-09-28 09:00	49	Clear	340/3kt	—	>10kft	>6SM
GFS	2026-09-28 12:00	49	Clear	340/2kt	2.0	>10kft	>6SM
GFS	2026-09-28 15:00	64	Clear	350/6kt	—	>10kft	>6SM
GFS	2026-09-28 18:00	74	Clear	350/7kt	0.0	>10kft	>6SM
GFS	2026-09-28 21:00	76	Clear	350/8kt	—	>10kft	>6SM
GFS	2026-09-29 00:00	68	Clear	330/4kt	0.0	>10kft	>6SM
GFS	2026-09-29 03:00	60	Clear	350/1kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KAVL 272054Z 35011G23KT 10SM CLR 22/07 A2992 RMK A02 SLP115 T02220072 55011 \$

TAF KAVL 271720Z 2718/2818 34011G18KT P6SM SKC FM280000 34008KT P6SM SKC FM280600 35005KT P6SM SKC

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KAVL; actual-station=KAVL; fetched-at=2026-09-27T22:13:38.921368+00:00; observed-or-issued-at=2026-09-27T20:54:00+00:00 — [AWC API](#)
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KAVL; actual-station=KAVL; fetched-at=2026-09-27T22:13:39.070711+00:00; observed-or-issued-at=2026-09-27T17:20:00+00:00; valid-from=2026-09-27T18:00:00+00:00; valid-through=2026-09-28T18:00:00+00:00; partial-target-dates=2026-09-27,2026-09-28 — [AWC API](#)
- TAF proxy · KAVL
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KAVL; actual-station=KAVL; fetched-at=2026-09-27T22:13:39.384150+00:00
- FAA NMS NOTAM — state=OK; requested-station=KAVL; actual-station=KAVL; fetched-at=2026-09-27T22:13:42.224022Z — [FAA NMS overview](#)
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KAVL; actual-station=KAVL; fetched-at=2026-09-27T22:14:01.075985+00:00; observed-or-issued-at=2026-09-27T12:00:00+00:00; valid-from=2026-09-27T18:00:00+00:00; valid-through=2026-09-30T12:00:00+00:00; target-dates=2026-09-28; partial-target-dates=2026-09-27; dates-with-points=2026-09-27,2026-09-28 — [Iowa State API](#)
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KAVL; actual-station=KAVL; fetched-at=2026-09-27T22:14:01.796335+00:00; observed-or-issued-at=2026-09-27T12:00:00+00:00; valid-from=2026-09-28T12:00:00+00:00; valid-through=2026-10-05T12:00:00+00:00; target-dates=2026-09-28; dates-with-points=2026-09-28 — [Iowa State API](#)
- MOS effective date selection — state=partial; rows=12; requested-station=KAVL; actual-station=KAVL; fetched-at=2026-09-27T22:14:01.075985+00:00; observed-or-issued-at=2026-09-27T12:00:00+00:00; valid-from=2026-09-27T18:00:00+00:00; valid-through=2026-09-30T12:00:00+00:00; target-dates=2026-09-28; partial-target-dates=2026-09-27; dates-with-points=2026-09-27,2026-09-28; selected-by-date=2026-09-27=GFS, 2026-09-28=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — [FAA Chart Supplement \(current cycle\)](#) — see AirNav link above

#2

KSAV

Savannah Intl, GA, US

· Atlantic South · historic coast

OBS - VFR

ETE

1h15

DIST

178 nm

SUN 27 SEP 16:53 ET OBSERVED

Current observation

OBS - VFR

OBSER

METAR

few 2,000 ft, few 25,000 ft



WINDSW (240°) 7 kt




TEMPERATURE29 °C



VISIBILITY10 sm



DEWPOINT12 °C



Wind favours RWY 28

240° true · 247° magnetic · 7 kt

Evidence & limitations

- METAR source state: ok; observed Sep 27 16:53 ET; retrieved Sep 27 18:13 ET; 80 min before this run.
- Measured values read from the KSAV METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.81 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KSAV runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 10/28, 01/19. Wind from 240 degrees true, 247 degrees magnetic, at 7 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 28. Wind source: KSAV METAR 272053Z.

DESTINATION OUTLOOK

SUN, SEP 27

SUN 27 SEP 18:00–00:00 ET HIGH

Forecast



Flight-category guidance



FORECAST

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 27

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON 28 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 28 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 28 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 28 SEP 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND4–8 kt

TEMPERATURE87 °F

DEWPOINT57–58 °F

PRECIP CHANCE2%

Evidence & limitations

• GFS MAV MOS · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 28

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

6000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

27°C dep KLZU → 29°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

10/28 (100/280°M · 093/273°T) · 01/19 (010/190°M · 003/183°T) — designators and °M headings are magnetic; °T are true; variation 7°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMS

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

	2 · What	3 · Where	
	ed 2026-09-27T22:13:42.224825Z.		
	FRI SEP 25	SAT SEP 26	SUN SEP 27
A0999/26			
09/025			
A0416/24			
40 additional normalized NOTAM records omitted from this view.			

Raw NOTAM data · NOTAMs as of 22:13 Z

NOTAMs as of 22:13 Z — advisory only; verify an official briefing.

- 08/102

NOTAM text not available in this projection.
- 09/095

NOTAM text not available in this projection.
- A0999/26

NOTAM text not available in this projection.
- 09/025

NOTAM text not available in this projection.
- A0416/24

NOTAM text not available in this projection.
- 10/066

NOTAM text not available in this projection.
- A0512/24

NOTAM text not available in this projection.
- 09/087

NOTAM text not available in this projection.
- M0022/26

NOTAM text not available in this projection.

M0023/26

NOTAM text not available in this projection.

A1000/26

NOTAM text not available in this projection.

09/091

NOTAM text not available in this projection.

A0996/26

NOTAM text not available in this projection.

5/5965

NOTAM text not available in this projection.

A0799/25

NOTAM text not available in this projection.

5/5767

NOTAM text not available in this projection.

5/5768

NOTAM text not available in this projection.

A0796/25

NOTAM text not available in this projection.

A0797/25

NOTAM text not available in this projection.

05/093

NOTAM text not available in this projection.

A0523/26

NOTAM text not available in this projection.

04/008

NOTAM text not available in this projection.

A0273/25

NOTAM text not available in this projection.

04/009

NOTAM text not available in this projection.

A0275/25

NOTAM text not available in this projection.

04/010

NOTAM text not available in this projection.

A0276/25

NOTAM text not available in this projection.

04/007

NOTAM text not available in this projection.

A0272/25

NOTAM text not available in this projection.

12/023

NOTAM text not available in this projection.

A0801/25

NOTAM text not available in this projection.

07/027

NOTAM text not available in this projection.

08/003

NOTAM text not available in this projection.

08/017

NOTAM text not available in this projection.

08/025

NOTAM text not available in this projection.

08/058

NOTAM text not available in this projection.

08/080

NOTAM text not available in this projection.

08/107

NOTAM text not available in this projection.

09/002

NOTAM text not available in this projection.

09/020

NOTAM text not available in this projection.

09/027

NOTAM text not available in this projection.

09/030

NOTAM text not available in this projection.

09/077

NOTAM text not available in this projection.

09/094

NOTAM text not available in this projection.

09/089

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2026-09-27T22:13:42.224825Z.

UNUSUAL OBSO

:00Z

:00Z

1

:00Z

TERMINAL RAMP AND TAXI A CLSD

:00Z

TAXIWAY

ADDITIONAL — SAW TAXI A2 WITH TERMINAL RAMP AND TAXI A CLSD

Effective 2024-09-10T15:00:00Z → 2026-12-31T22:00:00Z

40 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KSAV this run.

them. No category, wind, ceiling, ranking or go/no-go here is derived from an image. A published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

0:00 ET ET · VFR
5:00 ET ET · VFR
12:00 ET ET · VFR
18:00 ET ET · VFR
S · 18:00–00:00 ET ET · VFR

Source state: partial; selected by target date: 2026-09-27=GFS, 2026-09-28=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-27 18:00	83	Sct	270/7kt	—	>10kft	>6SM
GFS	2026-09-27 21:00	86	Clear	260/8kt	—	>10kft	>6SM
GFS	2026-09-28 00:00	77	Clear	180/7kt	0.0	>10kft	>6SM
GFS	2026-09-28 03:00	70	Clear	180/4kt	—	>10kft	>6SM
GFS	2026-09-28 06:00	66	Clear	210/3kt	0.0	>10kft	>6SM
GFS	2026-09-28 09:00	63	Clear	230/3kt	—	>10kft	>6SM
GFS	2026-09-28 12:00	63	Clear	280/3kt	6.0	>10kft	>6SM
GFS	2026-09-28 15:00	80	Clear	310/2kt	—	>10kft	>6SM
GFS	2026-09-28 18:00	87	Clear	280/4kt	2.0	>10kft	>6SM
GFS	2026-09-28 21:00	87	Clear	150/8kt	—	>10kft	>6SM
GFS	2026-09-29 00:00	78	Clear	160/7kt	1.0	>10kft	>6SM
GFS	2026-09-29 03:00	72	Clear	150/4kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KSAV 272053Z 24007KT 10SM FEW020 FEW250 29/12 A2981 RMK A02 SLP094 FU FEW020 T02940117 56022

TAF KSAV 271720Z 2718/2818 28005KT P6SM SKC FM272200 VRB03KT P6SM FEW060 FM280200 00000KT P6SM SKC

+ Data sources used

- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KSAV; actual-station=KSAV; fetched-at=2026-09-27T22:13:39.070711+00:00; observed-or-issued-at=2026-09-27T17:20:00+00:00; valid-from=2026-09-27T18:00:00+00:00; valid-through=2026-09-28T18:00:00+00:00; partial-target-dates=2026-09-27,2026-09-28 — [AWC API](#)

TAF proxy · KSAV
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KSAV; actual-station=KSAV; fetched-at=2026-09-27T22:13:39.362013+00:00
- FAA NMS NOTAM — state=OK; requested-station=KSAV; actual-station=KSAV; fetched-at=2026-09-27T22:13:42.224825Z — [FAA NMS overview](#)
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KSAV; actual-station=KSAV; fetched-at=2026-09-27T22:14:01.091695+00:00; observed-or-issued-at=2026-09-27T12:00:00+00:00; valid-from=2026-09-27T18:00:00+00:00; valid-through=2026-09-30T12:00:00+00:00; target-dates=2026-09-28; partial-target-dates=2026-09-27; dates-with-points=2026-09-27,2026-09-28 — [Iowa State API](#)
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KSAV; actual-station=KSAV; fetched-at=2026-09-27T22:14:01.794261+00:00; observed-or-issued-at=2026-09-27T12:00:00+00:00; valid-from=2026-09-28T12:00:00+00:00; valid-through=2026-10-05T12:00:00+00:00; target-dates=2026-09-28; dates-with-points=2026-09-28 — [Iowa State API](#)
- MOS effective date selection — state=partial; rows=12; requested-station=KSAV; actual-station=KSAV; fetched-at=2026-09-27T22:14:01.091695+00:00; observed-or-issued-at=2026-09-27T12:00:00+00:00; valid-from=2026-09-27T18:00:00+00:00; valid-through=2026-09-30T12:00:00+00:00; target-dates=2026-09-28; partial-target-dates=2026-09-27; dates-with-points=2026-09-27,2026-09-28; selected-by-date=2026-09-27=GFS, 2026-09-28=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — [FAA Chart Supplement](#) (current cycle) — see AirNav link above

#3

KSSI Brunswick/McKinnon St Simons Arpt, GA, US

· Atlantic South · St Simons beach

⏮

OBS - VFR

⏭

ETE

1h29

DIST

214 nm

SUN 27 SEP 16:15 ET OBSERVED

Current observation

⏮

OBS - VFR

⏭

OBSER

METAR

☁

clear below 12,000 ft (CLR)



WINDSE (130°) 12 kt



TEMPERATURE29 °C



VISIBILITY10 sm



DEWPOINT15 °C



Wind favours RWY 16

130° true · 137° magnetic · 12 kt

Evidence & limitations

- METAR source state: ok; observed Sep 27 16:15 ET; retrieved Sep 27 18:13 ET; 118 min before this run.
- Measured values read from the KSSI METAR. This is a current surface observation only; it is not a forecast.

- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.81 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KSSI runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 04/22, 16/34. Wind from 130 degrees true, 137 degrees magnetic, at 12 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 16. Wind source: KSSI METAR 272015Z.

DESTINATION OUTLOOK

SUN, SEP 27

SUN 27 SEP 18:00–00:00 ET HIGH

Forecast

TAF

F

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

TAF · VFR

FORECAST

Surface prog evidence · Sun Sep 27

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON 28 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 28 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 28 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 28 SEP 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND8–9 kt

TEMPERATURE82–84 °F

DEWPOINT63–65 °F

PRECIP CHANCE3%

Evidence & limitations

• GFS MAV MOS · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 28

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

6000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — source state: not_queried

CURRENT METAR TEMP DEP / DEST

27°C dep KLZU → 29°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

04/22 (040/220°M · 033/213°T) · 16/34 (160/340°M · 153/333°T) — designators and °M headings are magnetic; °T are true; variation 7°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

1 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

2026-09-27T22:13:42.225420Z.

FRI SEP 25

SAT SEP 26

SUN SEP 27

MON SEP 28

Raw NOTAM data · NOTAMs as of 22:13 Z

NOTAMs as of 22:13 Z — advisory only; verify an official briefing.

A0047/26

NOTAM text not available in this projection.

07/001

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2026-09-27T22:13:42.225420Z.

NOT USED

00Z

00Z

+ NOTAM DETAILS

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.


GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-

range MOS product, issued twice a day in twelve-hourly steps out to about 192 hours. Coarse, but the only station-calibrated numeric guidance that reaches the far end of a long weekend. This card shows it only as a labelled rough outlook and never as a resolved forecast. A station-calibrated MEX MOS product was read for this airport this run (state: partial).

valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KSSI this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.



ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

0:00 ET ET · VFR
6:00 ET ET · VFR
12:00 ET ET · VFR
18:00 ET ET · VFR
S · 18:00–00:00 ET ET · VFR

Source state: partial; selected by target date: 2026-09-27=GFS, 2026-09-28=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-27 18:00	82	Clear	220/7kt	—	>10kft	>6SM
GFS	2026-09-27 21:00	81	Clear	170/8kt	—	>10kft	>6SM
GFS	2026-09-28 00:00	76	Clear	170/5kt	0.0	>10kft	>6SM
GFS	2026-09-28 03:00	73	Clear	190/4kt	—	>10kft	>6SM
GFS	2026-09-28 06:00	71	Clear	210/5kt	2.0	>10kft	>6SM
GFS	2026-09-28 09:00	67	Clear	220/5kt	—	>10kft	>6SM
GFS	2026-09-28 12:00	67	Clear	240/4kt	1.0	>10kft	>6SM
GFS	2026-09-28 15:00	80	Clear	260/6kt	—	>10kft	>6SM
GFS	2026-09-28 18:00	84	Clear	160/8kt	3.0	>10kft	>6SM
GFS	2026-09-28 21:00	82	Clear	150/9kt	—	>10kft	>6SM
GFS	2026-09-29 00:00	78	Clear	150/7kt	2.0	>10kft	>6SM
GFS	2026-09-29 03:00	76	Clear	170/6kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KSSI 272015Z AUTO 13012KT 10SM CLR 29/15 A2981 RMK A02

TAF KSSI 271728Z 2718/2818 26006KT P6SM SCT250 FM272000 15008KT P6SM SCT250

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KSSI; actual-station=KSSI; fetched-at=2026-09-27T22:13:38.921368+00:00; observed-or-issued-at=2026-09-27T20:15:00+00:00 — [AWC API](#)
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KSSI; actual-station=KSSI; fetched-at=2026-09-27T22:13:39.070711+00:00; observed-or-issued-at=2026-09-27T17:28:00+00:00; valid-from=2026-09-27T18:00:00+00:00; valid-through=2026-09-28T18:00:00+00:00; partial-target-dates=2026-09-27,2026-09-28 — [AWC API](#)
- TAF proxy · KSSI
- FAA airport status — state=not_queried; fetch-state=not_attempted; payload-state=not_attempted; requested-station=KSSI
- FAA NMS NOTAM — state=OK; requested-station=KSSI; actual-station=KSSI; fetched-at=2026-09-27T22:13:42.225420Z — [FAA NMS overview](#)
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KSSI; actual-station=KSSI; fetched-at=2026-09-27T22:14:01.099218+00:00; observed-or-issued-at=2026-09-27T12:00:00+00:00; valid-from=2026-09-27T18:00:00+00:00; valid-through=2026-09-30T12:00:00+00:00; target-dates=2026-09-28; partial-target-dates=2026-09-27; dates-with-points=2026-09-27,2026-09-28 — [Iowa State API](#)
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KSSI; actual-station=KSSI; fetched-at=2026-09-27T22:14:01.799038+00:00; observed-or-issued-at=2026-09-27T12:00:00+00:00; valid-from=2026-09-28T12:00:00+00:00; valid-through=2026-10-05T12:00:00+00:00; target-dates=2026-09-28; dates-with-points=2026-09-28 — [Iowa State API](#)
- MOS effective date selection — state=partial; rows=12; requested-station=KSSI; actual-station=KSSI; fetched-at=2026-09-27T22:14:01.099218+00:00; observed-or-issued-at=2026-09-27T12:00:00+00:00; valid-from=2026-09-27T18:00:00+00:00; valid-through=2026-09-30T12:00:00+00:00; target-dates=2026-09-28; partial-target-dates=2026-09-27; dates-with-points=2026-09-27,2026-09-28; selected-by-date=2026-09-27=GFS, 2026-09-28=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — [FAA Chart Supplement \(current cycle\)](#) — see [AirNav](#) link above

#4

KJZI

Charleston Exec, SC, US

· Atlantic South · Charleston Exec

OBS - VFR

ETE

1h28

DIST

213 nm

SUN 27 SEP 16:15 ET OBSERVED

Current observation

OBS - VFR

OBSER

META

R

clear below 12,000 ft (CLR)



WINDSW (210°) 8 kt



TEMPERATURE28 °C



VISIBILITY10 sm



DEWPOINT15 °C



Wind favours RWY 22

210° true · 218° magnetic · 8 kt

Evidence & limitations

- METAR source state: ok; observed Sep 27 16:15 ET; retrieved Sep 27 18:13 ET; 118 min before this run.
- Measured values read from the KJZI METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.81 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KJZI runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 09/27, 04/22. Wind from 210 degrees true, 218 degrees magnetic, at 8 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 22. Wind source: KJZI METAR 272015Z.

DESTINATION OUTLOOK

SUN, SEP 27

SUN 27 SEP 18:00–00:00 ET HIGH

Forecast



Flight-category guidance



FORECAST

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 27

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON 28 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 28 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 28 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 28 SEP 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND7 kt

TEMPERATURE81–82 °F

DEWPOINT61–63 °F

PRECIP CHANCE3%

Evidence & limitations

• GFS MAV MOS · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 28

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

6000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed (proxy KCHS)

CURRENT METAR TEMP DEP / DEST

27°C dep KLZU → 28°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

09/27 (090/270°M · 082/262°T) · 04/22 (040/220°M · 032/212°T) — designators and °M headings are magnetic; °T are true; variation 8°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMS

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

2026-09-27T22:13:42.625642Z.

pritative)

FRI SEP 25

SAT SEP 26

SUN SEP 27

MON SEP 28

07/354

08/049

08/354

4 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 22:13 Z

NOTAMs as of 22:13 Z — advisory only; verify an official briefing.

5/3307

NOTAM text not available in this projection.

07/235

NOTAM text not available in this projection.

07/354

NOTAM text not available in this projection.

08/049

NOTAM text not available in this projection.

08/354

NOTAM text not available in this projection.

09/116

NOTAM text not available in this projection.

09/343

NOTAM text not available in this projection.

09/355

NOTAM text not available in this projection.

08/546

NOTAM text not available in this projection.

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.	26-09-27T22:13:42.625642Z. STON EASE, CHARLESTON, SC. RNAV (GPS) RWY 27, AMDT 2C. LNAV MDA 420HAT 405. CHANGE NOTE TO READ: WHEN LOCAL ALTIMETER SETTING NOT FOUND AND INCREASE LPV DA TO 287 FEET AND VISIBILITY ALL CATS 1/8 SM. INCREASE LNAV/MNAV DA TO 335 FEET AND VISIBILITY ALL CATS 1/8 SM. VISIBILITY CAT C/D 1/4 SM. 2507220000-2707220000EST 000Z LIST (ASR 1200000) 320000 4000000000 4000 18 3NM ESE 120 256 2FT (245 1FT AGL) UN 000Z LIST (ASR 1000000) 320000 4000000000 4000 18 4NM ENE 120 274 2FT (265 1FT AGL) UN 000Z
---	--

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KJZI this run.

published WPC surface chart matches this period and is shown in the dropdown with its

26-09-27T22:13:42.625642Z.

STEN EXC CHARLESTON, SC RNAV (GPS) RWY 27, AMDT 2C. LNAV MDA 420HAT 405. CHANGE NOTE TO READ: WHEN LOCAL ALTIMETER SETTING NOT
TTING AND INCREASE LPV DA TO 257 FEET AND VISIBILITY ALL CATS 1.0 NM. INCREASE LNAV/VNAV DA TO 335 FEET AND VISIBILITY ALL CATS 1.0 NM.
/VISIBILITY CAT C/D 1.4 NM. 2507231630-2707231630Z

:00Z

1974 1975 1976 1977 1978 1979 1980 1981 1982 1983 1984 1985 1986 1987 1988 1989 1990 1991 1992 1993 1994 1995 1996 1997 1998 1999 2000 2001 2002 2003 2004 2005 2006 2007 2008 2009 2010 2011 2012 2013 2014 2015 2016 2017 2018 2019 2020 2021 2022 2023 2024 2025 2026 2027 2028 2029 2030 2031 2032 2033 2034 2035 2036 2037 2038 2039 2040 2041 2042 2043 2044 2045 2046 2047 2048 2049 2050 2051 2052 2053 2054 2055 2056 2057 2058 2059 2060 2061 2062 2063 2064 2065 2066 2067 2068 2069 2070 2071 2072 2073 2074 2075 2076 2077 2078 2079 2080 2081 2082 2083 2084 2085 2086 2087 2088 2089 2090 2091 2092 2093 2094 2095 2096 2097 2098 2099 2100 2101 2102 2103 2104 2105 2106 2107 2108 2109 2110 2111 2112 2113 2114 2115 2116 2117 2118 2119 2120 2121 2122 2123 2124 2125 2126 2127 2128 2129 2130 2131 2132 2133 2134 2135 2136 2137 2138 2139 2140 2141 2142 2143 2144 2145 2146 2147 2148 2149 2150 2151 2152 2153 2154 2155 2156 2157 2158 2159 2160 2161 2162 2163 2164 2165 2166 2167 2168 2169 2170 2171 2172 2173 2174 2175 2176 2177 2178 2179 2180 2181 2182 2183 2184 2185 2186 2187 2188 2189 2190 2191 2192 2193 2194 2195 2196 2197 2198 2199 2200 2201 2202 2203 2204 2205 2206 2207 2208 2209 2210 2211 2212 2213 2214 2215 2216 2217 2218 2219 2220 2221 2222 2223 2224 2225 2226 2227 2228 2229 2230 2231 2232 2233 2234 2235 2236 2237 2238 2239 2240 2241 2242 2243 2244 2245 2246 2247 2248 2249 2250 2251 2252 2253 2254 2255 2256 2257 2258 2259 2260 2261 2262 2263 2264 2265 2266 2267 2268 2269 2270 2271 2272 2273 2274 2275 2276 2277 2278 2279 2280 2281 2282 2283 2284 2285 2286 2287 2288 2289 2290 2291 2292 2293 2294 2295 2296 2297 2298 2299 2300 2301 2302 2303 2304 2305 2306 2307 2308 2309 2310 2311 2312 2313 2314 2315 2316 2317 2318 2319 2320 2321 2322 2323 2324 2325 2326 2327 2328 2329 2330 2331 2332 2333 2334 2335 2336 2337 2338 2339 2340 2341 2342 2343 2344 2345 2346 2347 2348 2349 2350 2351 2352 2353 2354 2355 2356 2357 2358 2359 2360 2361 2362 2363 2364 2365 2366 2367 2368 2369 2370 2371 2372 2373 2374 2375 2376 2377 2378 2379 2380 2381 2382 2383 2384 2385 2386 2387 2388 2389 2390 2391 2392 2393 2394 2395 2396 2397 2398 2399 2400 2401 2402 2403 2404 2405 2406 2407 2408 2409 2410 2411 2412 2413 2414 2415 2416 2417 2418 2419 2420 2421 2422 2423 2424 2425 2426 2427 2428 2429 2430 2431 2432 2433 2434 2435 2436 2437 2438 2439 2440 2441 2442 2443 2444 2445 2446 2447 2448 2449 2450 2451 2452 2453 2454 2455 2456 2457 2458 2459 2460 2461 2462 2463 2464 2465 2466 2467 2468 2469 2470 2471 2472 2473 2474 2475 2476 2477 2478 2479 2480 2481 2482 2483 2484 2485 2486 2487 2488 2489 2490 2491 2492 2493 2494 2495 2496 2497 2498 2499 2500 2501 2502 2503 2504 2505 2506 2507 2508 2509 2510 2511 2512 2513 2514 2515 2516 2517 2518 2519 2520 2521 2522 2523 2524 2525 2526 2527 2528 2529 2530 2531 2532 2533 2534 2535 2536 2537 2538 2539 2540 2541 2542 2543 2544 2545 2546 2547 2548 2549 2550 2551 2552 2553 2554 2555 2556 2557 2558 2559 2560 2561 2562 2563 2564 2565 2566 2567 2568 2569 2570 2571 2572 2573 2574 2575 2576 2577 2578 2579 2580 2581 2582 2583 2584 2585 2586 2587 2588 2589 2590 2591 2592 2593 2594 2595 2596 2597 2598 2599 2600 2601 2602 2603 2604 2605 2606 2607 2608 2609 2610 2611 2612 2613 2614 2615 2616 2617 2618 2619 2620 2621 2622 2623 2624 2625 2626 2627 2628 2629 2630 2631 2632 2633 2634 2635 2636 2637 2638 2639 2640 2641 2642 2643 2644 2645 2646 2647 2648 2649 2650 2651 2652 2653 2654 2655 2656 2657 2658 2659 2660 2661 2662 2663 2664 2665 2666 2667 2668 2669 2670 2671 2672 2673 2674 2675 2676 2677 2678 2679 2680 2681 2682 2683 2684 2685 2686 2687 2688 2689 2690 2691 2692 2693 2694 2695 2696 2697 2698 2699 2700 2701 2702 2703 2704 2705 2706 2707 2708 2709 2710 2711 2712 2713 2714 2715 2716 2717 2718 2719 2720 2721 2722 2723 2724 2725 2726 2727 2728 2729 2730 2731 2732 2733 2734 2735 2736 2737 2738 2739 2740 2741 2742 2743 2744 2745 2746 2747 2748 2749 2750 2751 2752 2753 2754 2755 2756 2757 2758 2759 2760 2761 2762 2763 2764 2765 2766 2767 2768 2769 2770 2771 2772 2773 2774 2775 2776 2777 2778 2779 2780 2781 2782 2783 2784 2785 2786 2787 2788 2789 2790 2791 2792

:00Z

DOI: 10.1002/anie.201607896

00Z

© 2006 Blackwell Publishing Ltd, *Journal of Internal Medicine* 260: 459–466

00:00Z

1990 1991 1992 1993 1994 1995 1996 1997 1998 1999 2000 2001 2002 2003 2004 2005 2006 2007 2008 2009 2010 2011 2012 2013 2014 2015 2016 2017 2018 2019 2020 2021 2022 2023 2024 2025 2026 2027 2028 2029 2030 2031 2032 2033 2034 2035 2036 2037 2038 2039 2040 2041 2042 2043 2044 2045 2046 2047 2048 2049 2050 2051 2052 2053 2054 2055 2056 2057 2058 2059 2060 2061 2062 2063 2064 2065 2066 2067 2068 2069 2070 2071 2072 2073 2074 2075 2076 2077 2078 2079 2080 2081 2082 2083 2084 2085 2086 2087 2088 2089 2090 2091 2092 2093 2094 2095 2096 2097 2098 2099 2100 2101 2102 2103 2104 2105 2106 2107 2108 2109 2110 2111 2112 2113 2114 2115 2116 2117 2118 2119 2120 2121 2122 2123 2124 2125 2126 2127 2128 2129 2130 2131 2132 2133 2134 2135 2136 2137 2138 2139 2140 2141 2142 2143 2144 2145 2146 2147 2148 2149 2150 2151 2152 2153 2154 2155 2156 2157 2158 2159 2160 2161 2162 2163 2164 2165 2166 2167 2168 2169 2170 2171 2172 2173 2174 2175 2176 2177 2178 2179 2180 2181 2182 2183 2184 2185 2186 2187 2188 2189 2190 2191 2192 2193 2194 2195 2196 2197 2198 2199 2200 2201 2202 2203 2204 2205 2206 2207 2208 2209 2210 2211 2212 2213 2214 2215 2216 2217 2218 2219 2220 2221 2222 2223 2224 2225 2226 2227 2228 2229 2230 2231 2232 2233 2234 2235 2236 2237 2238 2239 2240 2241 2242 2243 2244 2245 2246 2247 2248 2249 2250 2251 2252 2253 2254 2255 2256 2257 2258 2259 2260 2261 2262 2263 2264 2265 2266 2267 2268 2269 2270 2271 2272 2273 2274 2275 2276 2277 2278 2279 2280 2281 2282 2283 2284 2285 2286 2287 2288 2289 2290 2291 2292 2293 2294 2295 2296 2297 2298 2299 2300 2301 2302 2303 2304 2305 2306 2307 2308 2309 2310 2311 2312 2313 2314 2315 2316 2317 2318 2319 2320 2321 2322 2323 2324 2325 2326 2327 2328 2329 2330 2331 2332 2333 2334 2335 2336 2337 2338 2339 2340 2341 2342 2343 2344 2345 2346 2347 2348 2349 2350 2351 2352 2353 2354 2355 2356 2357 2358 2359 2360 2361 2362 2363 2364 2365 2366 2367 2368 2369 2370 2371 2372 2373 2374 2375 2376 2377 2378 2379 2380 2381 2382 2383 2384 2385 2386 2387 2388 2389 2390 2391 2392 2393 2394 2395 2396 2397 2398 2399 2400 2401 2402 2403 2404 2405 2406 2407 2408 2409 2410 2411 2412 2413 2414 2415 2416 2417 2418 2419 2420 2421 2422 2423 2424 2425 2426 2427 2428 2429 2430 2431 2432 2433 2434 2435 2436 2437 2438 2439 2440 2441 2442 2443 2444 2445 2446 2447 2448 2449 2450 2451 2452 2453 2454 2455 2456 2457 2458 2459 2460 2461 2462 2463 2464 2465 2466 2467 2468 2469 2470 2471 2472 2473 2474 2475 2476 2477 2478 2479 2480 2481 2482 2483 2484 2485 2486 2487 2488 2489 2490 2491 2492 2493 2494 2495 2496 2497 2498 2499 2500 2501 2502 2503 2504 2505 2506 2507 2508 2509 2510 2511 2512 2513 2514 2515 2516 2517 2518 2519 2520 2521 2522 2523 2524 2525 2526 2527 2528 2529 2530 2531 2532 2533 2534 2535 2536 2537 2538 2539 2540 2541 2542 2543 2544 2545 2546 2547 2548 2549 2550 2551 2552 2553 2554 2555 2556 2557 2558 2559 2560 2561 2562 2563 2564 2565 2566 2567 2568 2569 2570 2571 2572 2573 2574 2575 2576 2577 2578 2579 2580 2581 2582 2583 2584 2585 2586 2587 2588 2589 2590 2591 2592 2593 2594 2595 2596 2597 2598 2599 2600 2601 2602 2603 2604 2605 2606 2607 2608 2609 2610 2611 2612 2613 2614 2615 2616 2617 2618 2619 2620 2621 2622 2623 2624 2625 2626 2627 2628 2629 2630 2631 2632 2633 2634 2635 2636 2637 2638 2639 2640 2641 2642 2643 2644 2645 2646 2647 2648 2649 2650 2651 2652 2653 2654 2655 2656 2657 2658 2659 2660 2661 2662 2663 2664 2665 2666 2667 2668 2669 2670 2671 2672 2673 2674 2675 2676 2677 2678 2679 2680 2681 2682 2683 2684 2685 2686 2687 2688 2689 2690 2691 2692 2693 2694 2695 2696 2697 2698 2699 2700 2701 2702 2703 2704 2705 2706 2707 2708 2709 2710 2711 2712 2713 2714 2715 2716 2717 2718 2719 2720 2721 2722 2723 2724 2725 2726 2727 2728 2729 2730 2731 2732 2733 2734 2735 2736 2737 2738 2739 2740 2741 2742 2743 2744 2745 2746 2747 2748 2749 2750 2751 2752 2753 2754 2755 2756 2757 2758 2759 2760 2761 2762 2763 2764 2765 2766 2767 2768 2769 2770 2771 2772 2773 2774 2775 2776 2777 2778 2779 2780 2781 2782 2783 2784 2785 2786 2787 2788 2789 2790 2791 2792 2793 2794 2795 2796 2797 2798 2799 2800 2801 2802 2803 2804 2805 2806 2807 2808

03:30:00Z

The image shows a dark blue background. A thin, light blue horizontal line is positioned near the top. On the left side, there is a vertical light blue line. A large, dark blue rectangular area covers the bottom half of the image. Within this dark blue area, on the left side, there is a small, light blue rectangular area. The overall appearance is that of a stylized or abstract representation of a page layout.

issuing office and valid time. It is displayed, never interpreted.

Source state: partial; selected by target date: 2026-09-27=GFS, 2026-09-28=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-27 18:00	82	Clear	200/7kt	—	>10kft	>6SM
GFS	2026-09-27 21:00	82	Clear	210/9kt	—	>10kft	>6SM
GFS	2026-09-28 00:00	73	Clear	200/4kt	0.0	>10kft	>6SM
GFS	2026-09-28 03:00	68	Clear	220/2kt	—	>10kft	>6SM
GFS	2026-09-28 06:00	67	Clear	230/2kt	0.0	>10kft	>6SM
GFS	2026-09-28 09:00	65	Clear	260/2kt	—	>10kft	>6SM
GFS	2026-09-28 12:00	68	Clear	290/2kt	4.0	>10kft	>6SM
GFS	2026-09-28 15:00	79	Clear	350/5kt	—	>10kft	>6SM
GFS	2026-09-28 18:00	82	Clear	150/7kt	3.0	>10kft	>6SM
GFS	2026-09-28 21:00	81	Clear	160/7kt	—	>10kft	>6SM
GFS	2026-09-29 00:00	74	Clear	190/3kt	1.0	>10kft	>6SM
GFS	2026-09-29 03:00	71	Clear	210/1kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KJZI 272015Z AUTO 21008KT 10SM CLR 28/15 A2981 RMK A02

TAF KJZI 271720Z 2718/2818 27006KT P6SM FEW050 FM272200 25007KT P6SM FEW050 FM280100 VRB03KT P6SM SKC

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KJZI; actual-station=KJZI; fetched-at=2026-09-27T22:13:38.921368+00:00; observed-or-issued-at=2026-09-27T20:15:00+00:00 — [AWC API](#)
 - TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KJZI; actual-station=KJZI; fetched-at=2026-09-27T22:13:39.070711+00:00; observed-or-issued-at=2026-09-27T17:20:00+00:00; valid-from=2026-09-27T18:00:00+00:00; valid-through=2026-09-28T18:00:00+00:00; partial-target-dates=2026-09-27,2026-09-28 — [AWC API](#)
- TAF proxy · KJZI
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KJZI; actual-station=KCHS; fetched-at=2026-09-27T22:13:39.412664+00:00
 - FAA NMS NOTAM — state=OK; requested-station=KJZI; actual-station=KJZI; fetched-at=2026-09-27T22:13:42.625642Z — [FAA NMS overview](#)
 - MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KJZI; actual-station=KJZI; fetched-at=2026-09-27T22:14:01.103006+00:00; observed-or-issued-at=2026-09-27T12:00:00+00:00; valid-from=2026-09-27T18:00:00+00:00; valid-through=2026-09-30T12:00:00+00:00; target-dates=2026-09-28; partial-target-dates=2026-09-27; dates-with-points=2026-09-27,2026-09-28 — [Iowa State API](#)
 - MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KJZI; actual-station=KJZI; fetched-at=2026-09-27T22:14:01.801810+00:00; observed-or-issued-at=2026-09-27T12:00:00+00:00; valid-from=2026-09-28T12:00:00+00:00; valid-through=2026-10-05T12:00:00+00:00; target-dates=2026-09-28; dates-with-points=2026-09-28 — [Iowa State API](#)

• MOS effective date selection — state=partial; rows=12; requested-station=KJZI; actual-station=KJZI; fetched-at=2026-09-27T22:14:01.103006+00:00; observed-or-issued-at=2026-09-27T12:00:00+00:00; valid-from=2026-09-27T18:00:00+00:00; valid-through=2026-09-30T12:00:00+00:00; target-dates=2026-09-28; partial-target-dates=2026-09-27; dates-with-points=2026-09-27,2026-09-28; selected-by-date=2026-09-27=GFS, 2026-09-28=GFS

• Extended outlook and hazard-feed states are reported in the source stamp.

• Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

OBS - VFR

ETE

1h45

DIST

251 nm

SUN 27 SEP 16:53 ET OBSERVED

Current observation

OBS - VFR

OBSER

METAR

clear below 12,000 ft (CLR)

WINDSW (210°) 3 kt

TEMPERATURE26 °C

VISIBILITY10 sm

DEWPOINT17 °C



Wind favours RWY 18

210° true · 219° magnetic · 3 kt · also NOTAM-affected: 18 and 36

Evidence & limitations

- METAR source state: ok; observed Sep 27 16:53 ET; retrieved Sep 27 18:13 ET; 80 min before this run.
- Measured values read from the KMYR METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.80 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KMYR runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 18/36. Wind from 210 degrees true, 219 degrees magnetic, at 3 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 18. NOTAM-affected runway ends, hatched separately from the wind highlight: 18 and 36. The wind-favoured end 18 is also NOTAM-affected: the wind does favour it, but a NOTAM on this card names it, so the highlight is not a statement that the runway is usable. The hatch marks only that a NOTAM names the runway; it does not decode the NOTAM's effective times, so confirm the closure window in the NOTAM text below. Wind source: KMYR METAR 272053Z.

DESTINATION OUTLOOK

SUN 27 SEP 18:00–00:00 ET HIGH

Forecast

TA
F

TAF · VFR

FORECAST



Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
 - Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.
- Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 27

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON 28 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 28 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 28 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 28 SEP 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND7–9 kt

TEMPERATURE79 °F

DEWPOINT58–62 °F

PRECIP CHANCE4%

Evidence & limitations

• GFS MAV MOS · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 28

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

27°C dep KLZU → 26°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

18/36 (180/000°M · 171/351°T) — designators and °M headings are magnetic; °T are true; variation 9°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

ed 2026-09-27T22:13:42.647917Z.

poritative) Narrow bars = daily schedule sub-windows

FRI SEP 25	SAT SEP 26	SUN SEP 27	MON SEP 28
08/036			
08/038			
A0639/26			

38 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 22:13 Z

NOTAMs as of 22:13 Z — advisory only; verify an official briefing.

- 06/042

NOTAM text not available in this projection.
- A0529/26

NOTAM text not available in this projection.
- 08/036

NOTAM text not available in this projection.
- 08/038

NOTAM text not available in this projection.
- A0639/26

NOTAM text not available in this projection.
- A0647/26

NOTAM text not available in this projection.
- 08/053

NOTAM text not available in this projection.
- A0660/26

NOTAM text not available in this projection.
- 6/8172

NOTAM text not available in this projection.

09/037

NOTAM text not available in this projection.

A0763/26

NOTAM text not available in this projection.

A0764/26

NOTAM text not available in this projection.

09/050

NOTAM text not available in this projection.

A0761/26

NOTAM text not available in this projection.

09/035

NOTAM text not available in this projection.

A0739/26

NOTAM text not available in this projection.

09/036

NOTAM text not available in this projection.

A0741/26

NOTAM text not available in this projection.

09/038

NOTAM text not available in this projection.

A0743/26

NOTAM text not available in this projection.

09/039

NOTAM text not available in this projection.

A0746/26

NOTAM text not available in this projection.

09/040

NOTAM text not available in this projection.

A0747/26

NOTAM text not available in this projection.

09/041

NOTAM text not available in this projection.

09/042

NOTAM text not available in this projection.

09/043

NOTAM text not available in this projection.

A0750/26

NOTAM text not available in this projection.

09/046

NOTAM text not available in this projection.

09/049

NOTAM text not available in this projection.

A0756/26

NOTAM text not available in this projection.

09/048

NOTAM text not available in this projection.

A0757/26

NOTAM text not available in this projection.

09/051

NOTAM text not available in this projection.

09/052

NOTAM text not available in this projection.

A0762/26

NOTAM text not available in this projection.

A0684/26

NOTAM text not available in this projection.

07/032

NOTAM text not available in this projection.

08/073

NOTAM text not available in this projection.

09/034

NOTAM text not available in this projection.

09/053

NOTAM text not available in this projection.

08/005

NOTAM text not available in this projection.

A0600/26

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2026-09-27T22:13:42.647917Z.

KLZU 0000

:00Z

KAVL 0000

:00Z

KSGJ 0400-1000

:00Z

KAVL 0400-1000

:00Z

RUNWAY

A0600/26 — PERRY 16000 CL 500

Effective 2026-08-17T04:00:00Z → 2026-10-17T10:00:00Z

RUNWAY

000000 — PERRY 16000 CL 500 (0400-1000)

Effective 2026-09-26T04:00:00Z → 2026-10-31T10:00:00Z

RUNWAY

A0700/26 — PERRY 16000 CL 500

Effective 2026-09-26T04:00:00Z → 2026-10-31T10:00:00Z

36 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and

and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KMYR this run.

published VFR Surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

0:00 ET ET · VFR
5:00 ET ET · VFR
12:00 ET ET · VFR
18:00 ET ET · VFR
S · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-27=GFS, 2026-09-28=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-27 18:00	77	Clear	220/9kt	—	>10kft	>6SM
GFS	2026-09-27 21:00	78	Clear	220/11kt	—	>10kft	>6SM
GFS	2026-09-28 00:00	73	Clear	220/7kt	0.0	>10kft	>6SM
GFS	2026-09-28 03:00	70	Clear	260/4kt	—	>10kft	>6SM
GFS	2026-09-28 06:00	66	Clear	290/4kt	0.0	>10kft	>6SM
GFS	2026-09-28 09:00	62	Clear	320/4kt	—	>10kft	>6SM
GFS	2026-09-28 12:00	63	Clear	320/4kt	3.0	>10kft	>6SM
GFS	2026-09-28 15:00	76	Clear	320/6kt	—	>10kft	>6SM
GFS	2026-09-28 18:00	79	Clear	200/7kt	4.0	>10kft	>6SM
GFS	2026-09-28 21:00	79	Clear	180/9kt	—	>10kft	>6SM
GFS	2026-09-29 00:00	74	Clear	180/6kt	1.0	>10kft	>6SM
GFS	2026-09-29 03:00	72	Clear	210/4kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KMYR 272053Z 21003KT 10SM CLR 26/17 A2980 RMK A02 SLP090 T02610167 56018 \$

TAF KMYR 271730Z 2718/2818 19009KT P6SM SKC FM280000 VRB03KT P6SM SKC FM281600 27005KT P6SM SKC

+ Data sources used

• METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KMYR; actual-station=KMYR; fetched-at=2026-09-27T22:13:38.921368+00:00; observed-or-issued-at=2026-09-27T20:53:00+00:00 — AWC API

- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KMYR; actual-station=KMYR; fetched-at=2026-09-27T22:13:39.070711+00:00; observed-or-issued-at=2026-09-27T17:30:00+00:00; valid-from=2026-09-27T18:00:00+00:00; valid-through=2026-09-28T18:00:00+00:00; partial-target-dates=2026-09-27,2026-09-28 — [AWC API](#)

TAF proxy · KMYR
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KMYR; actual-station=KMYR; fetched-at=2026-09-27T22:13:39.450011+00:00
- FAA NMS NOTAM — state=OK; requested-station=KMYR; actual-station=KMYR; fetched-at=2026-09-27T22:13:42.647917Z — [FAA NMS overview](#)
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KMYR; actual-station=KMYR; fetched-at=2026-09-27T22:14:01.073510+00:00; observed-or-issued-at=2026-09-27T12:00:00+00:00; valid-from=2026-09-27T18:00:00+00:00; valid-through=2026-09-30T12:00:00+00:00; target-dates=2026-09-28; partial-target-dates=2026-09-27; dates-with-points=2026-09-27,2026-09-28 — [Iowa State API](#)
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KMYR; actual-station=KMYR; fetched-at=2026-09-27T22:14:01.848271+00:00; observed-or-issued-at=2026-09-27T12:00:00+00:00; valid-from=2026-09-28T12:00:00+00:00; valid-through=2026-10-05T12:00:00+00:00; target-dates=2026-09-28; dates-with-points=2026-09-28 — [Iowa State API](#)
- MOS effective date selection — state=partial; rows=12; requested-station=KMYR; actual-station=KMYR; fetched-at=2026-09-27T22:14:01.073510+00:00; observed-or-issued-at=2026-09-27T12:00:00+00:00; valid-from=2026-09-27T18:00:00+00:00; valid-through=2026-09-30T12:00:00+00:00; target-dates=2026-09-28; partial-target-dates=2026-09-27; dates-with-points=2026-09-27,2026-09-28; selected-by-date=2026-09-27=GFS, 2026-09-28=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#6

KCRE

North Myrtle Beach/Grand Strand Arpt, SC, US

· Atlantic North · N Myrtle Beach

⏮

OBS - VFR

⏭

ETE

1h49

DIST

261 nm

SUN

27

SEP

16:53 ET

OBSERVED

Current observation

⏮

OBS - VFR

⏭

OBSER

META

R

☁

clear below 12,000 ft (CLR)



WINDSW (210°) 9 kt



TEMPERATURE26 °C



VISIBILITY10 sm



DEWPOINT16 °C



Wind favours RWY 23

210° true · 219° magnetic · 9 kt

Evidence & limitations

- METAR source state: ok; observed Sep 27 16:53 ET; retrieved Sep 27 18:13 ET; 80 min before this run.
- Measured values read from the KCRE METAR. This is a current surface observation only; it is not a forecast.

- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.78 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KCRE runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 05/23. Wind from 210 degrees true, 219 degrees magnetic, at 9 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 23. Wind source: KCRE METAR 272053Z.

DESTINATION OUTLOOK

SUN, SEP 27

SUN 27 SEP 18:00–00:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 27

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON 28 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 28 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 28 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 28 SEP 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND7 kt

TEMPERATURE79 °F

DEWPOINT55–59 °F

PRECIP CHANCE4%

Evidence & limitations

• GFS MAV MOS · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 28

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — source state: not_queried

CURRENT METAR TEMP DEP / DEST

27°C dep KLZU → 26°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

05/23 (050/230°M · 041/221°T) — designators and °M headings are magnetic; °T are true; variation 9°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

...d 2026-09-27T22:13:42.694916Z.
...pritative)

	FRI SEP 25	SAT SEP 26	SUN SEP 27	MON SEP 28
09/008				
07/004				
07/005				

1 additional normalized NOTAM record omitted from this view.

Raw NOTAM data · NOTAMs as of 22:13 Z

NOTAMs as of 22:13 Z — advisory only; verify an official briefing.

- 5/9932

NOTAM text not available in this projection.
- 5/9933

NOTAM text not available in this projection.
- 09/008

NOTAM text not available in this projection.
- 07/004

NOTAM text not available in this projection.
- 07/005

NOTAM text not available in this projection.
- 08/002

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production

source per owner decision 2026-08-09;
technical transport environment remains
preprod. Limited 2026-07-30 spot check
covered KLZU, KAVL, and KSGJ (3 of 30
airports). NOTAMs were read from this source
and used on this card this run. Typed state:
OK. The dot colour reports whether this
source was read this run; technical
environment: preprod.

NAV_APPROACH

Effective 2026-09-29T02:00:00Z → 2026-09-29T06:00:00Z

OBSTRUCTION

Effective 2026-07-08T09:16:00Z → 2026-10-06T09:16:00Z

OBSTRUCTION

Effective 2026-07-09T22:41:00Z → 2026-10-10T23:59:00Z

1 additional normalized FAA NOTAM record omitted from this view.

+ Forecast evidence

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics,
the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KCRE this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

26-09-27T22:13:42.694916Z.

:00Z

:00Z

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

0:00 ET ET · VFR

6:00 ET ET · VFR

2:00 ET ET · VFR

8:00 ET ET · VFR

S · 18:00–00:00 ET ET · VFR

Source state: partial; selected by target date: 2026-09-27=GFS, 2026-09-28=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-27 18:00	78	Clear	210/8kt	—	>10kft	>6SM

GFS	2026-09-27 21:00	79	Clear	220/9kt	—	>10kft	>6SM
GFS	2026-09-28 00:00	71	Clear	220/7kt	0.0	>10kft	>6SM
GFS	2026-09-28 03:00	66	Clear	250/5kt	—	>10kft	>6SM
GFS	2026-09-28 06:00	64	Clear	290/2kt	0.0	>10kft	>6SM
GFS	2026-09-28 09:00	60	Clear	310/3kt	—	>10kft	>6SM
GFS	2026-09-28 12:00	63	Clear	320/3kt	4.0	>10kft	>6SM
GFS	2026-09-28 15:00	76	Clear	320/4kt	—	>10kft	>6SM
GFS	2026-09-28 18:00	79	Clear	200/7kt	4.0	>10kft	>6SM
GFS	2026-09-28 21:00	79	Clear	180/7kt	—	>10kft	>6SM
GFS	2026-09-29 00:00	74	Clear	200/4kt	1.0	>10kft	>6SM
GFS	2026-09-29 03:00	71	Clear	220/2kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KCRE 272053Z 21009KT 10SM CLR 26/16 A2978 RMK A02 SLP085 T02560161 56018

TAF KMYR 271730Z 2718/2818 19009KT P6SM SKC FM280000 VRB03KT P6SM SKC FM281600 27005KT P6SM SKC

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KCRE; actual-station=KCRE; fetched-at=2026-09-27T22:13:38.921368+00:00; observed-or-issued-at=2026-09-27T20:53:00+00:00 — [AWC API](#)
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KCRE; actual-station=KMYR; fetched-at=2026-09-27T22:13:39.070711+00:00; observed-or-issued-at=2026-09-27T17:30:00+00:00; valid-from=2026-09-27T18:00:00+00:00; valid-through=2026-09-28T18:00:00+00:00; partial-target-dates=2026-09-27,2026-09-28 — [AWC API](#)

TAF proxy · KMYR

- FAA airport status — state=not_queried; fetch-state=not_attempted; payload-state=not_attempted; requested-station=KCRE
- FAA NMS NOTAM — state=OK; requested-station=KCRE; actual-station=KCRE; fetched-at=2026-09-27T22:13:42.694916Z — [FAA NMS overview](#)
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KCRE; actual-station=KCRE; fetched-at=2026-09-27T22:14:01.102060+00:00; observed-or-issued-at=2026-09-27T12:00:00+00:00; valid-from=2026-09-27T18:00:00+00:00; valid-through=2026-09-30T12:00:00+00:00; target-dates=2026-09-28; partial-target-dates=2026-09-27; dates-with-points=2026-09-27,2026-09-28 — [Iowa State API](#)
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KCRE; actual-station=KCRE; fetched-at=2026-09-27T22:14:01.846646+00:00; observed-or-issued-at=2026-09-27T12:00:00+00:00; valid-from=2026-09-28T12:00:00+00:00; valid-through=2026-10-05T12:00:00+00:00; target-dates=2026-09-28; dates-with-points=2026-09-28 — [Iowa State API](#)
- MOS effective date selection — state=partial; rows=12; requested-station=KCRE; actual-station=KCRE; fetched-at=2026-09-27T22:14:01.102060+00:00; observed-or-issued-at=2026-09-27T12:00:00+00:00; valid-from=2026-09-27T18:00:00+00:00; valid-through=2026-09-30T12:00:00+00:00; target-dates=2026-09-28; partial-target-dates=2026-09-27; dates-with-points=2026-09-27,2026-09-28; selected-by-date=2026-09-27=GFS, 2026-09-28=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

SUN 27 SEP 16:50 ET OBSERVED

Current observation

OBS - VFR

OBSER

METAR

clear below 12,000 ft (CLR)

WINDS (190°) 5 kt gust 11 kt

TEMPERATURE26 °C

VISIBILITY10 sm

DEWPOINT17 °C

From 190°M · 5G11 kt

03

21

Wind favours RWY 21

190° true · 198° magnetic · 5G11 kt

Evidence & limitations

- METAR source state: ok; observed Sep 27 16:50 ET; retrieved Sep 27 18:13 ET; 83 min before this run.
- Measured values read from the KHxD METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.83 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KHxD runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 03/21. Wind from 190 degrees true, 198 degrees magnetic, at 5 knots gusting 11 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 21. Wind source: KHxD METAR 272050Z.

DESTINATION OUTLOOK

SUN 27 SEP 18:00–00:00 ET HIGH

Forecast

TA
F

TAF · VFR

FORECAST



Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
 - Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.
- Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 27

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON 28 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 28 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 28 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 28 SEP 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND6 kt

TEMPERATURE81–82 °F

DEWPOINT61–63 °F

PRECIP CHANCE2%

Evidence & limitations

• GFS MAV MOS · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 28

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

6000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

27°C dep KLZU → 26°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

03/21 (030/210°M · 022/202°T) — designators and °M headings are magnetic; °T are true; variation 8°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMS

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

...d 2026-09-27T22:13:42.795272Z.
...pritative)

FRI SEP 25

SAT SEP 26

SUN SEP 27

MON SEP 28

5/3292

A0137/25

08/032

1 additional normalized NOTAM record omitted from this view.

Raw NOTAM data · NOTAMs as of 22:13 Z

NOTAMs as of 22:13 Z — advisory only; verify an official briefing.

07/013

NOTAM text not available in this projection.

A0238/26

NOTAM text not available in this projection.

5/3292

NOTAM text not available in this projection.

A0137/25

NOTAM text not available in this projection.

08/032

NOTAM text not available in this projection.

09/029

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production

2:00Z

Effective 2025-04-29T20:01:00Z → 2027-04-29T20:01:00Z

Effective 2026-08-29T05:15:00Z → 2026-12-27T05:15:00Z

S · 18:00–00:00 ET ET · VFR

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-27 18:00	80	Clear	210/5kt	—	>10kft	>6SM
GFS	2026-09-27 21:00	80	Clear	210/7kt	—	>10kft	>6SM

GFS	2026-09-28 00:00	75	Clear	200/4kt	0.0	>10kft	>6SM
GFS	2026-09-28 03:00	71	Clear	210/3kt	—	>10kft	>6SM
GFS	2026-09-28 06:00	69	Clear	210/4kt	0.0	>10kft	>6SM
GFS	2026-09-28 09:00	67	Clear	220/5kt	—	>10kft	>6SM
GFS	2026-09-28 12:00	68	Clear	260/5kt	6.0	>10kft	>6SM
GFS	2026-09-28 15:00	78	Clear	350/5kt	—	>10kft	>6SM
GFS	2026-09-28 18:00	82	Clear	90/6kt	2.0	>10kft	>6SM
GFS	2026-09-28 21:00	81	Clear	160/6kt	—	>10kft	>6SM
GFS	2026-09-29 00:00	75	Clear	180/3kt	2.0	>10kft	>6SM
GFS	2026-09-29 03:00	73	Clear	190/3kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KHXD 272050Z 19005G11KT 070V210 10SM CLR 26/17 A2983

TAF KSAV 271720Z 2718/2818 28005KT P6SM SKC FM272200 VRB03KT P6SM FEW060 FM280200 00000KT P6SM SKC

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KHXD; actual-station=KHXD; fetched-at=2026-09-27T22:13:38.921368+00:00; observed-or-issued-at=2026-09-27T20:50:00+00:00 — [AWC API](#)
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KHXD; actual-station=KSAV; fetched-at=2026-09-27T22:13:39.070711+00:00; observed-or-issued-at=2026-09-27T17:20:00+00:00; valid-from=2026-09-27T18:00:00+00:00; valid-through=2026-09-28T18:00:00+00:00; partial-target-dates=2026-09-27,2026-09-28 — [AWC API](#)

TAF proxy · KSAV

- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KHXD; actual-station=KHXD; fetched-at=2026-09-27T22:13:39.536499+00:00
- FAA NMS NOTAM — state=OK; requested-station=KHXD; actual-station=KHXD; fetched-at=2026-09-27T22:13:42.795272Z — [FAA NMS overview](#)
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KHXD; actual-station=KHXD; fetched-at=2026-09-27T22:14:01.068515+00:00; observed-or-issued-at=2026-09-27T12:00:00+00:00; valid-from=2026-09-27T18:00:00+00:00; valid-through=2026-09-30T12:00:00+00:00; target-dates=2026-09-28; partial-target-dates=2026-09-27; dates-with-points=2026-09-27,2026-09-28 — [Iowa State API](#)
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KHXD; actual-station=KHXD; fetched-at=2026-09-27T22:14:01.782339+00:00; observed-or-issued-at=2026-09-27T12:00:00+00:00; valid-from=2026-09-28T12:00:00+00:00; valid-through=2026-10-05T12:00:00+00:00; target-dates=2026-09-28; dates-with-points=2026-09-28 — [Iowa State API](#)
- MOS effective date selection — state=partial; rows=12; requested-station=KHXD; actual-station=KHXD; fetched-at=2026-09-27T22:14:01.068515+00:00; observed-or-issued-at=2026-09-27T12:00:00+00:00; valid-from=2026-09-27T18:00:00+00:00; valid-through=2026-09-30T12:00:00+00:00; target-dates=2026-09-28; partial-target-dates=2026-09-27; dates-with-points=2026-09-27,2026-09-28; selected-by-date=2026-09-27=GFS, 2026-09-28=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — [FAA Chart Supplement \(current cycle\)](#) — see AirNav link above

SUN 27 SEP 16:53 ET OBSERVED

Current observation

OBSER

METAR


 few 3,500 ft, scattered 25,000 ft

WINDN (340°) 8 kt

 TEMPERATURE23 °C

 VISIBILITY10 sm

 DEWPOINT8 °C



Wind favours RWY 05
340° true · 348° magnetic · 8 kt

Evidence & limitations

- METAR source state: ok; observed Sep 27 16:53 ET; retrieved Sep 27 18:13 ET; 80 min before this run.
- Measured values read from the KTRI METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.93 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KTRI runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 05/23, 09/27. Wind from 340 degrees true, 348 degrees magnetic, at 8 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 05. Wind source: KTRI METAR 272053Z.

DESTINATION OUTLOOK

SUN 27 SEP 18:00–00:00 ET HIGH

Forecast

TA
F

TAF · VFR

FORECAST



Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
 - Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.
- Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 27

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON 28 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · LIFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · LIFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 28 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 28 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · LIFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · LIFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 28 SEP 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND4–5 kt

TEMPERATURE73–76 °F

DEWPOINT47–49 °F

PRECIP CHANCE0%

Evidence & limitations

• GFS MAV MOS · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 28

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

6000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

27°C dep KLZU → 23°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

05/23 (050/230°M · 042/222°T) · 09/27 (090/270°M · 082/262°T) — designators and °M headings are magnetic; °T are true; variation 8°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMS

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

	2 · What	3 · Where	
	ed 2026-09-27T22:13:42.860036Z. poritative)		
	FRI SEP 25	SAT SEP 26	SUN SEP 27
08/068			
08/069			
08/070			
40 additional normalized NOTAM records omitted from this view.			

Raw NOTAM data · NOTAMs as of 22:13 Z

NOTAMs as of 22:13 Z — advisory only; verify an official briefing.

5/8343	NOTAM text not available in this projection.
5/8558	NOTAM text not available in this projection.
08/068	NOTAM text not available in this projection.
08/069	NOTAM text not available in this projection.
08/070	NOTAM text not available in this projection.
08/071	NOTAM text not available in this projection.
08/072	NOTAM text not available in this projection.
09/056	NOTAM text not available in this projection.
A1256/26	

NOTAM text not available in this projection.

09/058

NOTAM text not available in this projection.

A1259/26

NOTAM text not available in this projection.

08/073

NOTAM text not available in this projection.

5/1221

NOTAM text not available in this projection.

A1144/25

NOTAM text not available in this projection.

A1251/25

NOTAM text not available in this projection.

A1252/25

NOTAM text not available in this projection.

5/8404

NOTAM text not available in this projection.

5/8405

NOTAM text not available in this projection.

5/8406

NOTAM text not available in this projection.

5/8407

NOTAM text not available in this projection.

A1367/25

NOTAM text not available in this projection.

A1368/25

NOTAM text not available in this projection.

A1369/25

NOTAM text not available in this projection.

A1370/25

NOTAM text not available in this projection.

5/8409

NOTAM text not available in this projection.

A1373/25

NOTAM text not available in this projection.

5/8411

NOTAM text not available in this projection.

A1374/25

NOTAM text not available in this projection.

06/034

NOTAM text not available in this projection.

A0975/26

NOTAM text not available in this projection.

06/042

NOTAM text not available in this projection.

A0980/26

NOTAM text not available in this projection.

06/043

NOTAM text not available in this projection.

A0981/26

NOTAM text not available in this projection.

07/010

NOTAM text not available in this projection.

07/028

NOTAM text not available in this projection.

07/029

NOTAM text not available in this projection.

07/054

NOTAM text not available in this projection.

08/034

NOTAM text not available in this projection.

08/053

NOTAM text not available in this projection.

09/004

	NOTAM text not available in this projection.
09/017	NOTAM text not available in this projection.
09/055	NOTAM text not available in this projection.
09/063	NOTAM text not available in this projection.
09/064	NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

RUNWAY 0800R — RWY 25 THE MARKINGS NOT STD

Effective 2026-08-28T12:08:00Z → 2026-09-30T22:00:00Z

RUNWAY 0800L — RWY 05 THE MARKINGS NOT STD

Effective 2026-08-28T12:08:00Z → 2026-09-30T22:00:00Z

40 additional normalized FAA NOTAM records omitted from this view.

026-09-27T22:13:42.860036Z.
RISTOLJOHNSONKINGSPO... DISREGARD TAKE-OFF MINIMUMS RWY 27, 400 2 1/2 OR STANDARD WITH MINIMUM CLIMB
RP MINIMUMS, RWY 27 400 2 1/2. ALL OTHER DATA REMAINS AS PUBLISHED. 2508221540 2708221540EST
:00Z
RISTOLJOHNSONKINGSPO... TAKE-OFFTAKE-OFF MINIMUMS, RWY 27, NOT AUTHORIZED. ALL OTHER DATA REMAINS AS
EST
:00Z
PARKINGIS NOT STD
:00Z

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

Forecast for Aviation and the Weather Prediction Center surface progs, issued by the National Weather Service through the day; the surface prog series reaches 144 hours. They are raster images a pilot reads for fronts, pressure systems and precipitation shields. This page displays them with their issuing office and valid time and never interprets them: no category, wind, ceiling, ranking or go/no-go here is derived from an image. A published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.



Forecast for Aviation and the Weather Prediction Center surface progs, issued by the National Weather Service through the day; the surface prog series reaches 144 hours. They are raster images a pilot reads for fronts, pressure systems and precipitation shields. This page displays them with their issuing office and valid time and never interprets them: no category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

0:00 ET ET · VFR
6:00 ET ET · LIFR
12:00 ET ET · LIFR
18:00 ET ET · VFR
S · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-27=GFS, 2026-09-28=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-27 18:00	70	Clear	310/6kt	—	>10kft	>6SM
GFS	2026-09-27 21:00	73	Clear	320/9kt	—	>10kft	>6SM
GFS	2026-09-28 00:00	64	Clear	330/4kt	0.0	>10kft	>6SM
GFS	2026-09-28 03:00	55	Clear	0/0kt	—	>10kft	>6SM
GFS	2026-09-28 06:00	51	Clear	300/1kt	0.0	>10kft	>6SM
GFS	2026-09-28 09:00	50	Clear	0/0kt	—	>10kft	<¼SM
GFS	2026-09-28 12:00	50	Few	270/1kt	0.0	>10kft	<¼SM
GFS	2026-09-28 15:00	64	Clear	340/2kt	—	>10kft	>6SM
GFS	2026-09-28 18:00	73	Few	350/4kt	0.0	>10kft	>6SM
GFS	2026-09-28 21:00	76	Clear	340/5kt	—	>10kft	>6SM
GFS	2026-09-29 00:00	67	Clear	350/2kt	0.0	>10kft	>6SM
GFS	2026-09-29 03:00	57	Clear	0/0kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KTRI 272053Z 34008KT 10SM FEW035 SCT250 23/08 A2993 RMK A02 SLP118 T02280083 56015

TAF KTRI 271749Z 2718/2818 33007KT P6SM SCT035 FM280000 VRB02KT P6SM SKC FM280800 00000KT 2SM BR SCT005 TEMPO 2808/2812 1/2SM FG BKN002 FM281300 VRB03KT P6SM SKC

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KTRI; actual-station=KTRI; fetched-at=2026-09-27T22:13:38.921368+00:00; observed-or-issued-at=2026-09-27T20:53:00+00:00 — [AWC API](#)
 - TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KTRI; actual-station=KTRI; fetched-at=2026-09-27T22:13:39.070711+00:00; observed-or-issued-at=2026-09-27T17:49:00+00:00; valid-from=2026-09-27T18:00:00+00:00; valid-through=2026-09-28T18:00:00+00:00; partial-target-dates=2026-09-27,2026-09-28 — [AWC API](#)
- TAF proxy · KTRI**
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KTRI; actual-station=KTRI; fetched-at=2026-09-27T22:13:39.597242+00:00
 - FAA NMS NOTAM — state=OK; requested-station=KTRI; actual-station=KTRI; fetched-at=2026-09-27T22:13:42.860036Z — [FAA NMS overview](#)
 - MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KTRI; actual-station=KTRI; fetched-at=2026-09-27T22:14:01.128641+00:00; observed-or-issued-at=2026-09-27T12:00:00+00:00; valid-from=2026-09-27T18:00:00+00:00; valid-through=2026-09-30T12:00:00+00:00; target-dates=2026-09-28; partial-target-dates=2026-09-27; dates-with-points=2026-09-27,2026-09-28 — [Iowa State API](#)
 - MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KTRI; actual-station=KTRI; fetched-at=2026-09-27T22:14:01.778697+00:00; observed-or-issued-at=2026-09-27T12:00:00+00:00; valid-from=2026-09-28T12:00:00+00:00; valid-through=2026-10-05T12:00:00+00:00; target-dates=2026-09-28; dates-with-points=2026-09-28 — [Iowa State API](#)
 - MOS effective date selection — state=partial; rows=12; requested-station=KTRI; actual-station=KTRI; fetched-at=2026-09-27T22:14:01.128641+00:00; observed-or-issued-at=2026-09-27T12:00:00+00:00; valid-from=2026-09-27T18:00:00+00:00; valid-through=2026-09-30T12:00:00+00:00; target-dates=2026-09-28; partial-target-dates=2026-09-27; dates-with-points=2026-09-27,2026-09-28; selected-by-date=2026-09-27=GFS, 2026-09-28=GFS
 - Extended outlook and hazard-feed states are reported in the source stamp.
 - Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#9 **KROA** Roanoke Rgnl, VA, US · Mountain · Roanoke valley

OBS - VFR

FTE
1h56

DIST
279 nm

SUN 27 SEP 16:54 ET OBSERVED

Current observation

META
R

OBS - VFR

OBSE


scattered 11,000 ft, broken 25,000 ft

WINDNW (300°) 16 kt gust 23 kt

TEMPERATURE 21 °C

VISIBILITY 10 sm

DEWPOINT 7 °C



Wind favours RWY 34

300° true · 309° magnetic · 16G23 kt

Evidence & limitations

- METAR source state: ok; observed Sep 27 16:54 ET; retrieved Sep 27 18:13 ET; 79 min before this run.
- Measured values read from the KROA METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.85 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KROA runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 06/24, 16/34. Wind from 300 degrees true, 309 degrees magnetic, at 16 knots gusting 23 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 34. Wind source: KROA METAR 272054Z.

DESTINATION OUTLOOK

SUN, SEP 27

SUN 27 SEP 18:00–00:00 ET HIGH

Forecast

TAF

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

TAF · 18:00–00:00 ET ET · VFR

Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 27

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON 28 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 28 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 28 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 28 SEP 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND7–8 kt

TEMPERATURE70–72 °F

DEWPOINT51–52 °F

PRECIP CHANCE25%

Evidence & limitations

• GFS MAV MOS · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 28

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

27°C dep KLZU → 21°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

06/24 (060/240°M · 051/231°T) · 16/34 (160/340°M · 151/331°T) — designators and °M headings are magnetic; °T are true; variation 9°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMS

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

3 Act on

1 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production
source per owner decision 2026-08-09;
technical transport environment remains
preprod. Limited 2026-07-30 spot check
covered KLZU, KAVL, and KSGJ (3 of 30
airports). NOTAMs were read from this source
and used on this card this run. Typed state:
OK. The dot colour reports whether this
source was read this run; technical
environment: preprod.

2 · What

3 · Where

ed 2026-09-27T22:13:42.912448Z

FRI SEP 25

SAT SEP 26

SUN SEP 27

MON SEP 28

A1185/26

08/147

08/148

24 additional normalized NOTAM records omitted from this view

Raw NOTAM data · NOTAMs as of 22:13 Z

A1180/26

NOTAM text not available in this projection.

A1181/26

NOTAM text not available in this projection.

A1185/26

NOTAM text not available in this projection.

08/147

NOTAM text not available in this projection.

08/148

NOTAM text not available in this projection.

08/149

NOTAM text not available in this projection.

08/150

NOTAM text not available in this projection

08/152

NOTAM text not available in this projection

08/153

NOTAM text not available in this projection.

A1062/26

NOTAM text not available in this projection.

08/154

NOTAM text not available in this projection.

08/155

NOTAM text not available in this projection.

08/156

NOTAM text not available in this projection.

A1187/26

NOTAM text not available in this projection.

A1189/26

NOTAM text not available in this projection.

5/6949

NOTAM text not available in this projection.

A0691/25

NOTAM text not available in this projection.

08/084

NOTAM text not available in this projection.

A0956/26

NOTAM text not available in this projection.

A1184/26

NOTAM text not available in this projection.

08/050

NOTAM text not available in this projection.

A1138/25

NOTAM text not available in this projection.

08/074

NOTAM text not available in this projection.

08/075

NOTAM text not available in this projection.

08/076

NOTAM text not available in this projection.

09/069

NOTAM text not available in this projection.

A1183/26

NOTAM text not available in this projection.

09/056

NOTAM text not available in this projection.

A1162/26

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2026-09-27T22:13:42.912448Z.

FM A114826 Q) KZDQJQJXUDDK9990719N07050W005 A) KPOA B) 2608242347 E) RWY 34 RAI LOT UIS CANCELED
:00Z

FM A117826 Q) KZDQJQJXUDDK9990719N07050W005 A) KPOA B) 2608251126 E) NAV ILS RWY 34 OM UIS CANCELED
:00Z

FM A118226 Q) KZDQJQJXUDDK9990719N07050W005 A) KPOA B) 2608251754 E) NAV ILS RWY 34 OM UIS CANCELED
:00Z

NOIS NOT STD

:00Z

TAXIWAY

080148 — TWY B CL MARKINGS BTN TWY B4 AND TWY B1 NOT STD

Effective 2026-08-31T16:27:00Z → 2026-09-30T23:59:00Z

24 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KROA this run.

them. No category, wind, ceiling, ranking or go/no-go here is derived from an image. A published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

0:00 ET ET · VFR
5:00 ET ET · VFR
12:00 ET ET · VFR
18:00 ET ET · VFR
S · 18:00–00:00 ET ET · VFR

Source state: partial; selected by target date: 2026-09-27=GFS, 2026-09-28=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-27 18:00	74	Sct	320/15kt	—	>10kft	>6SM
GFS	2026-09-27 21:00	75	Sct	310/14kt	—	>10kft	>6SM
GFS	2026-09-28 00:00	68	Bkn	320/9kt	1.0	>10kft	>6SM
GFS	2026-09-28 03:00	64	Sct	300/4kt	—	>10kft	>6SM
GFS	2026-09-28 06:00	61	Ovc	300/5kt	8.0	>10kft	>6SM
GFS	2026-09-28 09:00	58	Ovc	310/4kt	—	>10kft	>6SM
GFS	2026-09-28 12:00	59	Ovc	310/3kt	19.0	5-10kft	>6SM
GFS	2026-09-28 15:00	67	Ovc	330/6kt	—	>10kft	>6SM
GFS	2026-09-28 18:00	70	Ovc	330/8kt	25.0	5-10kft	>6SM
GFS	2026-09-28 21:00	72	Bkn	330/7kt	—	5-10kft	>6SM
GFS	2026-09-29 00:00	67	Bkn	20/4kt	18.0	>10kft	>6SM
GFS	2026-09-29 03:00	62	Bkn	340/3kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KROA 272054Z 30016G23KT 10SM SCT110 BKN250 21/07 A2985 RMK A02 SLP100 T02110072 55004

TAF KROA 271720Z 2718/2818 31012G22KT P6SM SCT070 FM280000 31007G17KT P6SM SCT140

+ Data sources used

• TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KROA; actual-station=KROA; fetched-at=2026-09-27T22:13:39.070711+00:00; observed-or-issued-at=2026-09-27T17:20:00+00:00; valid-from=2026-09-27T18:00:00+00:00; valid-through=2026-09-28T18:00:00+00:00; partial-target-dates=2026-09-27,2026-09-28 — [AWC API](#)

TAF proxy · KROA

• FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KROA; actual-station=KROA; fetched-at=2026-09-27T22:13:39.584091+00:00

• FAA NMS NOTAM — state=OK; requested-station=KROA; actual-station=KROA; fetched-at=2026-09-27T22:13:42.912448Z — [FAA NMS overview](#)

• MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KROA; actual-station=KROA; fetched-at=2026-09-27T22:14:01.117789+00:00; observed-or-issued-at=2026-09-27T12:00:00+00:00; valid-from=2026-09-27T18:00:00+00:00; valid-through=2026-09-30T12:00:00+00:00; target-dates=2026-09-28; partial-target-dates=2026-09-27; dates-with-points=2026-09-27,2026-09-28 — [Iowa State API](#)

• MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KROA; actual-station=KROA; fetched-at=2026-09-27T22:14:01.796991+00:00; observed-or-issued-at=2026-09-27T12:00:00+00:00; valid-from=2026-09-28T12:00:00+00:00; valid-through=2026-10-05T12:00:00+00:00; target-dates=2026-09-28; dates-with-points=2026-09-28 — [Iowa State API](#)

• MOS effective date selection — state=partial; rows=12; requested-station=KROA; actual-station=KROA; fetched-at=2026-09-27T22:14:01.117789+00:00; observed-or-issued-at=2026-09-27T12:00:00+00:00; valid-from=2026-09-27T18:00:00+00:00; valid-through=2026-09-30T12:00:00+00:00; target-dates=2026-09-28; partial-target-dates=2026-09-27; dates-with-points=2026-09-27,2026-09-28; selected-by-date=2026-09-27=GFS, 2026-09-28=GFS

• Extended outlook and hazard-feed states are reported in the source stamp.

• Runway data + Chart Supplement — [FAA Chart Supplement](#) (current cycle) — see AirNav link above

#10

KSGJ St Augustine Arpt, FL, US · Atlantic South · St Augustine FL

⏮ OBS - VFR

ETE
1h55

DIST
276 nm

SUN 27 SEP 16:56 ET OBSERVED

Current observation

⏮ OBS - VFR

METAR

OBSER



clear below 12,000 ft (CLR)

WINDE (90°) 8 kt



TEMPERATURE28 °C



VISIBILITY10 sm



DEWPOINT16 °C



Wind favours RWY 13

090° true · 097° magnetic · 8 kt

Evidence & limitations

- METAR source state: ok; observed Sep 27 16:56 ET; retrieved Sep 27 18:13 ET; 77 min before this run.
- Measured values read from the KSGJ METAR. This is a current surface observation only; it is not a forecast.

- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.86 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KSGJ runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 13/31, 06/24, 02/20. Seaplane water lanes (17W, 35W, 18W, 36W, 12W and 30W) are excluded from the diagram and are never marked as favoured. Wind from 090 degrees true, 097 degrees magnetic, at 8 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 13. Wind source: KSGJ METAR 272056Z.

DESTINATION OUTLOOK

SUN, SEP 27

SUN 27 SEP 18:00–00:00 ET HIGH

Forecast

TAF

F

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

TAF · 18:00–00:00 ET ET · VFR

Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

TAF · VFR

FORECAST

Surface prog evidence · Sun Sep 27

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON 28 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 28 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 28 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 28 SEP 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND10–11 kt

TEMPERATURE82–84 °F

DEWPOINT69 °F

PRECIP CHANCE0%

Evidence & limitations

• GFS MAV MOS · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 28

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

27°C dep KLZU → 28°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

13/31 (130/310°M · 123/303°T) · 06/24 (060/240°M · 053/233°T) · 02/20 (020/200°M · 013/193°T) · 17W/35W (170/350°M · 163/343°T · water lane, not wind-favored) · 18W/36W (180/000°M · 173/353°T · water lane, not wind-favored) · 12W/30W (120/300°M · 113/293°T · water lane, not wind-favored) — designators and °M headings are magnetic; °T are true; variation 7°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

5 Act on

3 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

ed 2026-09-27T22:13:42.992242Z.

pritative) » = no published end (each row states whether it is permanent or simply not supplied) — continues past this window

	FRI SEP 25	SAT SEP 26	SUN SEP 27	MON SEP 28
5/0380				
12/004				
6/6168				

10 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 22:13 Z

NOTAMs as of 22:13 Z — advisory only; verify an official briefing.

08/014

NOTAM text not available in this projection.

09/003

NOTAM text not available in this projection.

5/0380

NOTAM text not available in this projection.

12/004

NOTAM text not available in this projection.

6/6168

NOTAM text not available in this projection.

06/017

NOTAM text not available in this projection.

08/003

NOTAM text not available in this projection.

07/002

NOTAM text not available in this projection.

08/008

NOTAM text not available in this projection.

09/001

NOTAM text not available in this projection.

09/004

NOTAM text not available in this projection.

09/005

NOTAM text not available in this projection.

09/020

NOTAM text not available in this projection.

09/023

NOTAM text not available in this projection.

09/024

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

026-09-27T22:13:42.992242Z.

:00Z

:00Z

ACT FLORIDA RGNL, ST AUGUSTINE, FL, RNAV (GPS) RWY 13, ORIG-F, UNAVINNAV DA 305HAT 305 ALL CATS, CIRCLING CAT C MDA 680HAA 670, UNAV CAT C RWY 13 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED, STRAIGHT-IN MINIMUMS NA AT NIGHT, CIRCLING RWY 2, 6 NA AT NIGHT

:00Z

NAV_APPROACH 12004 — NAV VOR/DME DECOMMISSIONED

Effective 2025-12-04T15:30:00Z → Permanent — no expiry published

NAV_APPROACH 00100 — DEPT ST AUGUSTINE, ST AUGUSTINE, FL, RNAV (GPS) RWY 31, AMDT 2A, LPV DA 250HAT 250 ALL CATS, 2601111237 2611011230EST

Effective 2026-03-31T12:37:00Z → 2026-11-10T12:36:00Z

10 additional normalized FAA NOTAM records omitted from this view.

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KSGJ this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

... and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

0:00 ET ET · VFR
6:00 ET ET · VFR
12:00 ET ET · VFR
18:00 ET ET · VFR
S · 18:00–00:00 ET ET · VFR

Source state: partial; selected by target date: 2026-09-27=GFS, 2026-09-28=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-27 18:00	80	Clear	270/7kt	—	>10kft	>6SM
GFS	2026-09-27 21:00	81	Clear	130/8kt	—	>10kft	>6SM
GFS	2026-09-28 00:00	75	Clear	160/5kt	0.0	>10kft	>6SM
GFS	2026-09-28 03:00	71	Clear	200/4kt	—	>10kft	>6SM
GFS	2026-09-28 06:00	68	Few	220/4kt	2.0	>10kft	>6SM
GFS	2026-09-28 09:00	66	Clear	240/3kt	—	>10kft	>6SM
GFS	2026-09-28 12:00	67	Clear	230/3kt	1.0	>10kft	>6SM
GFS	2026-09-28 15:00	81	Clear	230/6kt	—	>10kft	>6SM
GFS	2026-09-28 18:00	84	Clear	130/10kt	0.0	>10kft	>6SM
GFS	2026-09-28 21:00	82	Clear	140/11kt	—	>10kft	>6SM

GFS	2026-09-29 00:00	77	Bkn	160/8kt	5.0	>10kft	>6SM
GFS	2026-09-29 03:00	75	Bkn	190/6kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KSGJ 272056Z 09008KT 10SM CLR 28/16 A2986 RMK A02 SLP112 T02780161 56021 \$

TAF KSGJ 271728Z 2718/2818 28006KT P6SM SCT250 FM272000 13008KT P6SM FEW050 SCT250

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KSGJ; actual-station=KSGJ; fetched-at=2026-09-27T22:13:38.921368+00:00; observed-or-issued-at=2026-09-27T20:56:00+00:00 — [AWC API](#)
 - TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KSGJ; actual-station=KSGJ; fetched-at=2026-09-27T22:13:39.070711+00:00; observed-or-issued-at=2026-09-27T17:28:00+00:00; valid-from=2026-09-27T18:00:00+00:00; valid-through=2026-09-28T18:00:00+00:00; partial-target-dates=2026-09-27,2026-09-28 — [AWC API](#)
- TAF proxy · KSGJ
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KSGJ; actual-station=KSGJ; fetched-at=2026-09-27T22:13:39.578275+00:00
 - FAA NMS NOTAM — state=OK; requested-station=KSGJ; actual-station=KSGJ; fetched-at=2026-09-27T22:13:42.992242Z — [FAA NMS overview](#)
 - MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KSGJ; actual-station=KSGJ; fetched-at=2026-09-27T22:14:01.294660+00:00; observed-or-issued-at=2026-09-27T12:00:00+00:00; valid-from=2026-09-27T18:00:00+00:00; valid-through=2026-09-30T12:00:00+00:00; target-dates=2026-09-28; partial-target-dates=2026-09-27; dates-with-points=2026-09-27,2026-09-28 — [Iowa State API](#)
 - MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KSGJ; actual-station=KSGJ; fetched-at=2026-09-27T22:14:01.960432+00:00; observed-or-issued-at=2026-09-27T12:00:00+00:00; valid-from=2026-09-28T12:00:00+00:00; valid-through=2026-10-05T12:00:00+00:00; target-dates=2026-09-28; dates-with-points=2026-09-28 — [Iowa State API](#)
 - MOS effective date selection — state=partial; rows=12; requested-station=KSGJ; actual-station=KSGJ; fetched-at=2026-09-27T22:14:01.294660+00:00; observed-or-issued-at=2026-09-27T12:00:00+00:00; valid-from=2026-09-27T18:00:00+00:00; valid-through=2026-09-30T12:00:00+00:00; target-dates=2026-09-28; partial-target-dates=2026-09-27; dates-with-points=2026-09-27,2026-09-28; selected-by-date=2026-09-27=GFS, 2026-09-28=GFS
 - Extended outlook and hazard-feed states are reported in the source stamp.
 - Runway data + Chart Supplement — [FAA Chart Supplement \(current cycle\)](#) — see AirNav link above

#11

KCRG Jacksonville/Executive at Craig Arprt, FL, US

· Atlantic North · Jacksonville Exec

⌵

OBS - VFR

ETE

1h45

DIST

252 nm

SUN 27 SEP 16:53 ET OBSERVED

Current observation

META

R

clear below 12,000 ft (CLR)

WINDNW (310°) 3 kt

⌵

OBS - VFR

OBSER

TEMPERATURE30 °C

VISIBILITY10 sm

DEWPOINT12 °C

From 317°M · 3 kt

OK · Observed from 16:53 ET

KCRG METAR 272053Z

14

05

23

32

Wind favours RWY 32

310° true · 317° magnetic · 3 kt

Evidence & limitations

- METAR source state: ok; observed Sep 27 16:53 ET; retrieved Sep 27 18:13 ET; 80 min before this run.
- Measured values read from the KCRG METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.84 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KCRG runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 14/32, 05/23. Wind from 310 degrees true, 317 degrees magnetic, at 3 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 32. Wind source: KCRG METAR 272053Z.

DESTINATION OUTLOOK

SUN, SEP 27

SUN 27 SEP 18:00–00:00 ET HIGH

Forecast

TA

F

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

TAF · VFR

FORECAST

Surface prog evidence · Sun Sep 27

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON 28 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 28 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 28 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 28 SEP 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND7–10 kt

TEMPERATURE86–88 °F

DEWPOINT65–66 °F

PRECIP CHANCE0%

Evidence & limitations

• GFS MAV MOS · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 28

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

27°C dep KLZU → 30°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

14/32 (140/320°M · 133/313°T) · 05/23 (050/230°M · 043/223°T) — designators and °M headings are magnetic; °T are true; variation 7°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMS

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

ed 2026-09-27T22:13:43.042840Z.
poritative)

FRI SEP 25

SAT SEP 26

SUN SEP 27

MON SEP 28

6/9357

6/9358

A0189/26

13 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 22:13 Z

NOTAMs as of 22:13 Z — advisory only; verify an official briefing.

6/8452

NOTAM text not available in this projection.

A0170/26

NOTAM text not available in this projection.

6/9357

NOTAM text not available in this projection.

6/9358

NOTAM text not available in this projection.

A0189/26

NOTAM text not available in this projection.

A0190/26

NOTAM text not available in this projection.

12/015

NOTAM text not available in this projection.

A0332/25

NOTAM text not available in this projection.

02/057

NOTAM text not available in this projection.

07/005

NOTAM text not available in this projection.

07/012

NOTAM text not available in this projection.

08/014

NOTAM text not available in this projection.

08/030

NOTAM text not available in this projection.

09/004

NOTAM text not available in this projection.

09/011

NOTAM text not available in this projection.

09/013

NOTAM text not available in this projection.

09/014

NOTAM text not available in this projection.

09/015

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2026-09-27T22:13:43.042840Z.

JACKSONVILLE EXEC AT CRAIG, JACKSONVILLE, FL, ILS OR LOC RWY 32, AMDT 5C... RNAV (GPS) RWY 14, AMDT 1B... RNAV (GPS) RWY 32, AMDT 1B... CIRCLING CAT C
(2024-ASQ-17245/17247/17249-DE-PERM). 2026051100-2026051100WEST

:00Z

JACKSONVILLE EXEC AT CRAIG, JACKSONVILLE, FL, ILS OR LOC RWY 32, AMDT 5C... RNAV (GPS) RWY 14, AMDT 1B... RNAV (GPS) RWY 32, AMDT 1B... CIRCLING CAT
(2024-ASQ-17245/17247/17249-DE-PERM).

:00Z

JACKSONVILLE EXEC AT CRAIG, JACKSONVILLE, FL, RNAV (GPS) RWY 14, AMDT 1B... LPV DA 255HRT 254 ALL CATS. CHANGE NOTE TO READ: WHEN LOCAL ALTIMETER
SONVILLE INTL ALTIMETER SETTING: INCREASE LPV DA TO 327 FEET. INCREASE LNAV RNAV DA TO 450 FEET AND ALL VISIBILITIES 1/2 SM. INCREASE ALL
MINIMUMS 40 FEET AND CIRCULING VISIBILITY CAT C 1/4 SM. 2026051100-2026051100WEST

Effective 2026-05-11T15:08:00Z → 2028-05-11T15:08:00Z

NAV_APPROACH	000000 -- 1AP JACKSONVILLE EXEC AT CRAIG JACKSONVILLE FL RNAV (GPS) RWY 32, AMDT 1B . LPV DA 291MFT 291 ALL CATS. LNAV/VNAV DA 400MFT 395 ALL CATS. VDP NA. CHANCE NOTE TO READ: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE JACKSONVILLE INTL ALTIMETER SETTING. INCREASE LPV DA TO 324 FEET, INCREASE LNAV/VNAV DA TO 429 FEET. INCREASE ALL MDA/40 FEET AND CIRCLING VISIBILITY CAT C 1/4 SM. 2006111500-2006111500EST Effective 2026-05-11T15:08:00Z → 2028-05-11T15:08:00Z
NAV_APPROACH	00180000 -- 1AP JACKSONVILLE EXEC AT CRAIG JACKSONVILLE FL RNAV (GPS) RWY 32, AMDT 1B . LPV DA 291MFT 290 ALL CATS. LNAV/VNAV DA 400MFT 395 ALL CATS. VDP NA. CHANCE NOTE TO READ: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE JACKSONVILLE INTL ALTIMETER SETTING. INCREASE LPV DA TO 324 FEET, INCREASE LNAV/VNAV DA TO 429 FEET. INCREASE ALL MDA/40 FEET AND CIRCLING VISIBILITY CAT C 1/4 SM. Effective 2026-05-11T15:08:00Z → 2028-05-11T15:08:00Z

NAV_APPROACH	000000 -- 1AP JACKSONVILLE EXEC AT CRAIG JACKSONVILLE FL RNAV (GPS) RWY 32, AMDT 1B . LPV DA 201MFT 200 ALL CATS. LNAV/VNAV DA 400MFT 300 ALL CATS. VDP NA. CHANCE NOTE TO READ: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE JACKSONVILLE INTL ALTIMETER SETTING. INCREASE LPV DA TO 224 FEET. INCREASE LNAV/VNAV DA TO 420 FEET. INCREASE ALL MDA/40 FEET AND CIRCLING VISIBILITY CAT C 1/4 SM. 2006111500-2006111500EST Effective 2026-05-11T15:08:00Z → 2028-05-11T15:08:00Z
NAV_APPROACH	00180000 -- 1AP JACKSONVILLE EXEC AT CRAIG JACKSONVILLE FL RNAV (GPS) RWY 32, AMDT 1B . LPV DA 201MFT 200 ALL CATS. LNAV/VNAV DA 400MFT 300 ALL CATS. VDP NA. CHANCE NOTE TO READ: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE JACKSONVILLE INTL ALTIMETER SETTING. INCREASE LPV DA TO 224 FEET. INCREASE LNAV/VNAV DA TO 420 FEET. INCREASE ALL MDA/40 FEET AND CIRCLING VISIBILITY CAT C 1/4 SM. Effective 2026-05-11T15:08:00Z → 2028-05-11T15:08:00Z

NAV_APPROACH	000000 -- 1AP JACKSONVILLE EXEC AT CRAIG JACKSONVILLE FL RNAV (GPS) RWY 32, AMDT 1B . LPV DA 201MFT 200 ALL CATS. LNAV/VNAV DA 400MFT 300 ALL CATS. VDP NA. CHANCE NOTE TO READ: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE JACKSONVILLE INTL ALTIMETER SETTING. INCREASE LPV DA TO 224 FEET, INCREASE LNAV/VNAV DA TO 420 FEET. INCREASE ALL MDA/40 FEET AND CIRCLING VISIBILITY CAT C 1/4 SM. 2006111500-2006111500EST Effective 2026-05-11T15:08:00Z → 2028-05-11T15:08:00Z
NAV_APPROACH	00180000 -- 1AP JACKSONVILLE EXEC AT CRAIG JACKSONVILLE FL RNAV (GPS) RWY 32, AMDT 1B . LPV DA 201MFT 200 ALL CATS. LNAV/VNAV DA 400MFT 300 ALL CATS. VDP NA. CHANCE NOTE TO READ: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE JACKSONVILLE INTL ALTIMETER SETTING. INCREASE LPV DA TO 224 FEET, INCREASE LNAV/VNAV DA TO 420 FEET. INCREASE ALL MDA/40 FEET AND CIRCLING VISIBILITY CAT C 1/4 SM. Effective 2026-05-11T15:08:00Z → 2028-05-11T15:08:00Z

NAV_APPROACH	000000 -- 1AP JACKSONVILLE EXEC AT CRAIG JACKSONVILLE FL RNAV (GPS) RWY 32, AMDT 1B . LPV DA 201MFT 200 ALL CATS. LNAV/VNAV DA 400MFT 300 ALL CATS. VDP NA. CHANCE NOTE TO READ: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE JACKSONVILLE INTL ALTIMETER SETTING. INCREASE LPV DA TO 224 FEET, INCREASE LNAV/VNAV DA TO 420 FEET. INCREASE ALL MDA/40 FEET AND CIRCLING VISIBILITY CAT C 1/4 SM. 2006111500-2006111500EST Effective 2026-05-11T15:08:00Z → 2028-05-11T15:08:00Z
NAV_APPROACH	00180000 -- 1AP JACKSONVILLE EXEC AT CRAIG JACKSONVILLE FL RNAV (GPS) RWY 32, AMDT 1B . LPV DA 201MFT 200 ALL CATS. LNAV/VNAV DA 400MFT 300 ALL CATS. VDP NA. CHANCE NOTE TO READ: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE JACKSONVILLE INTL ALTIMETER SETTING. INCREASE LPV DA TO 224 FEET, INCREASE LNAV/VNAV DA TO 420 FEET. INCREASE ALL MDA/40 FEET AND CIRCLING VISIBILITY CAT C 1/4 SM. Effective 2026-05-11T15:08:00Z → 2028-05-11T15:08:00Z

NAV_APPROACH	000000 -- 1AP JACKSONVILLE EXEC AT CRAIG JACKSONVILLE FL RNAV (GPS) RWY 32, AMDT 1B . LPV DA 201MRT 200 ALL CATS. LNAV/VNAV DA 400MRT 300 ALL CATS. VDP NA. CHANCE NOTE TO READ: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE JACKSONVILLE INTL ALTIMETER SETTING. INCREASE LPV DA TO 324 FEET, INCREASE LNAV/VNAV DA TO 420 FEET. INCREASE ALL MDA/40 FEET AND CIRCLING VISIBILITY CAT C 1/4 SM. 2006111500-2006111500EST Effective 2026-05-11T15:08:00Z → 2028-05-11T15:08:00Z
NAV_APPROACH	00180000 -- 1AP JACKSONVILLE EXEC AT CRAIG JACKSONVILLE FL RNAV (GPS) RWY 32, AMDT 1B . LPV DA 201MRT 200 ALL CATS. LNAV/VNAV DA 400MRT 300 ALL CATS. VDP NA. CHANCE NOTE TO READ: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE JACKSONVILLE INTL ALTIMETER SETTING. INCREASE LPV DA TO 324 FEET, INCREASE LNAV/VNAV DA TO 420 FEET. INCREASE ALL MDA/40 FEET AND CIRCLING VISIBILITY CAT C 1/4 SM. Effective 2026-05-11T15:08:00Z → 2028-05-11T15:08:00Z

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KCRG this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

Source state: partial; selected by target date: 2026-09-27=GFS, 2026-09-28=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-27 18:00	82	Clear	280/6kt	—	>10kft	>6SM
GFS	2026-09-27 21:00	83	Clear	170/8kt	—	>10kft	>6SM
GFS	2026-09-28 00:00	75	Clear	170/5kt	0.0	>10kft	>6SM
GFS	2026-09-28 03:00	70	Clear	210/4kt	—	>10kft	>6SM

GFS	2026-09-28 06:00	67	Clear	220/3kt	2.0	>10kft	>6SM
GFS	2026-09-28 09:00	65	Clear	220/3kt	—	>10kft	>6SM
GFS	2026-09-28 12:00	67	Clear	230/3kt	1.0	>10kft	>6SM
GFS	2026-09-28 15:00	82	Clear	240/7kt	—	>10kft	>6SM
GFS	2026-09-28 18:00	88	Clear	180/7kt	0.0	>10kft	>6SM
GFS	2026-09-28 21:00	86	Clear	150/10kt	—	>10kft	>6SM
GFS	2026-09-29 00:00	79	Bkn	160/7kt	5.0	>10kft	>6SM
GFS	2026-09-29 03:00	75	Bkn	190/5kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KCRG 272053Z 31003KT 10SM CLR 30/12 A2984 RMK A02 SLP103 T03000117 56021

TAF KCRG 271728Z 2718/2818 28007KT P6SM SCT250 FM272000 14007KT P6SM SCT250

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KCRG; actual-station=KCRG; fetched-at=2026-09-27T22:13:38.921368+00:00; observed-or-issued-at=2026-09-27T20:53:00+00:00 — [AWC API](#)
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KCRG; actual-station=KCRG; fetched-at=2026-09-27T22:13:39.070711+00:00; observed-or-issued-at=2026-09-27T17:28:00+00:00; valid-from=2026-09-27T18:00:00+00:00; valid-through=2026-09-28T18:00:00+00:00; partial-target-dates=2026-09-27,2026-09-28 — [AWC API](#)

TAF proxy · KCRG

- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KCRG; actual-station=KCRG; fetched-at=2026-09-27T22:13:39.808390+00:00
- FAA NMS NOTAM — state=OK; requested-station=KCRG; actual-station=KCRG; fetched-at=2026-09-27T22:13:43.042840Z — [FAA NMS overview](#)
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KCRG; actual-station=KCRG; fetched-at=2026-09-27T22:14:01.290242+00:00; observed-or-issued-at=2026-09-27T12:00:00+00:00; valid-from=2026-09-27T18:00:00+00:00; valid-through=2026-09-30T12:00:00+00:00; target-dates=2026-09-28; partial-target-dates=2026-09-27; dates-with-points=2026-09-27,2026-09-28 — [Iowa State API](#)
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KCRG; actual-station=KCRG; fetched-at=2026-09-27T22:14:01.956692+00:00; observed-or-issued-at=2026-09-27T12:00:00+00:00; valid-from=2026-09-28T12:00:00+00:00; valid-through=2026-10-05T12:00:00+00:00; target-dates=2026-09-28; dates-with-points=2026-09-28 — [Iowa State API](#)
- MOS effective date selection — state=partial; rows=12; requested-station=KCRG; actual-station=KCRG; fetched-at=2026-09-27T22:14:01.290242+00:00; observed-or-issued-at=2026-09-27T12:00:00+00:00; valid-from=2026-09-27T18:00:00+00:00; valid-through=2026-09-30T12:00:00+00:00; target-dates=2026-09-28; partial-target-dates=2026-09-27; dates-with-points=2026-09-27,2026-09-28; selected-by-date=2026-09-27=GFS, 2026-09-28=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — [FAA Chart Supplement \(current cycle\)](#) — see AirNav link above

Current observation

META
R

OBS - VFR

OBSER

clear below 12,000 ft (CLR)

WINDE (90°) 5 kt

TEMPERATURE29 °C


VISIBILITY10 sm

DEWPOINT13 °C

From 097°M · 5 kt

Alt. 29.87 inHg · 097° true

097° magnetic · 5 kt



Wind favours RWY 11

090° true · 097° magnetic · 5 kt

Evidence & limitations

- METAR source state: ok; observed Sep 27 16:20 ET; retrieved Sep 27 18:13 ET; 113 min before this run.
- Measured values read from the KFIN METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.87 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KFIN runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 11/29, 06/24. Seaplane water lanes (18W and 36W) are excluded from the diagram and are never marked as favoured. Wind from 090 degrees true, 097 degrees magnetic, at 5 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 11. Wind source: KFIN METAR 272020Z.

DESTINATION OUTLOOK

SUN 27 SEP 18:00–00:00 ET HIGH

Forecast

TA
F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 27

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON 28 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 28 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 28 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 28 SEP 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND7–9 kt

TEMPERATURE84–86 °F

DEWPOINT64 °F

PRECIP CHANCE0%

Evidence & limitations

• GFS MAV MOS · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 28

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — source state: not_queried

CURRENT METAR TEMP DEP / DEST

27°C dep KLZU → 29°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

11/29 (110/290°M · 103/283°T) · 06/24 (060/240°M · 053/233°T) · 18W/36W (180/000°M · 173/353°T · water lane, not wind-favored) — designators and °M headings are magnetic; °T are true; variation 7°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMS

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

8 Act on

1 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production
source per owner decision 2026-08-09;
technical transport environment remains
preprod. Limited 2026-07-30 spot check
covered KLZU, KAVL, and KSGJ (3 of 30
airports). NOTAMs were read from this source
and used on this card this run. Typed state:
OK. The dot colour reports whether this
source was read this run; technical
environment: preprod.

2 · What

3 · Where

ed 2026-09-27T22:13:43.188837Z

pritative

FRI SEP 2

SAT SEP 2

SUN SEP 2

MON SEP 2

6/4982

6/4983

A0039/26

11 additional normalized NOTAM records omitted from this view

Raw NOTAM data · NOTAMs as of 22:13 Z

6/497

NOTAM text not available in this projection

6/4978

NOTAM text not available in this projection

6/4982

NOTAM text not available in this projection

6/498:

NOTAM text not available in this projection

A0039/2

NOTAM text not available in this projection

A0040/2

NOTAM text not available in this projection

A0041/2

NOTAM text not available in this projection

A0042/2

NOTAM text not available in this projection

06/004

NOTAM text not available in this projection.

07/008

NOTAM text not available in this projection.

A0036/26

NOTAM text not available in this projection.

08/004

NOTAM text not available in this projection.

08/007

NOTAM text not available in this projection.

09/009

NOTAM text not available in this projection.

A0043/26

NOTAM text not available in this projection.

09/008

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2026-09-27T22:13:43.188837Z.

1 EXEC. PALM COAST, FL, RNAV (GPS) RWY 6, AMDT 2E... WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE DAB ALTIMETER SETTING AND INCREASE VISIBILITIES 1/8 SM. INCREASE LNAV/VNAV DA TO 337 FEET AND ALL VISIBILITIES 1/8 SM. INCREASE ALL MDAS 80 FEET AND LNAV VISIBILITY CAT C/D 1/4 SM. AND BAND LNAV AND VDP NA WHEN USING DAB ALTIMETER SETTING. FIN AWOS OUT OF SERVICE. 2609230436-2610220436EST

:00Z

1 EXEC. PALM COAST, FL, RNAV (GPS) RWY 11, AMDT 2B... WHEN LOCAL ALTIMETER SETTING NOT AVAILABLE USE DAB ALTIMETER SETTING AND INCREASE VISIBILITIES CATS C/D 1/4 SM. FIN AWOS OUT OF SERVICE. 2609230436-2610220436EST

:00Z

1 EXEC. PALM COAST, FL, RNAV (GPS) RWY 24, AMDT 1B... WHEN LOCAL ALTIMETER SETTING NOT RECEIVED USE DAB ALTIMETER SETTING AND INCREASE ALL MDAS 80 FEET. INCREASE LP CAT C/D VISIBILITIES 1/8 SM. INCREASE LNAV AND CIRCLING CAT C/D VISIBILITIES 1/4 SM. FIN AWOS OUT OF SERVICE. 2609230436-2610220436EST

Effective 2026-09-23T04:36:00Z → 2026-10-22T04:36:00Z

NAV_APPROACH

040902 --- IAP FLAGLER EXEC. PALM COAST, FL, RNAV (GPS) RWY 26, AMDT 1C... WHEN LOCAL ALTIMETER SETTING NOT RECEIVED USE DAB ALTIMETER SETTING AND INCREASE ALL MDAS 80 FEET. INCREASE ALL VISIBILITIES CATS C/D 1/4 SM. VDP NA WHEN USING DAB ALTIMETER SETTING. FIN AWOS OUT OF SERVICE. 2609230436-2610220436EST

Effective 2026-09-23T04:36:00Z → 2026-10-22T04:36:00Z

NAV_APPROACH

04090126 --- IAP FLAGLER EXEC. PALM COAST, FL, RNAV (GPS) RWY 11, AMDT 2B... WHEN LOCAL ALTIMETER SETTING NOT AVAILABLE USE DAB ALTIMETER SETTING AND INCREASE ALL MDAS 80 FEET. INCREASE ALL VISIBILITIES CATS C/D 1/4 SM. FIN AWOS OUT OF SERVICE.

Effective 2026-09-23T04:36:00Z → 2026-10-22T04:36:00Z

11 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics,
the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KFIN this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

0:00 ET ET · VFR

6:00 ET ET · VFR

2:00 ET ET · VFR

3:00 ET ET · VFR

S · 18:00–00:00 ET ET · VFR

Source state: partial; selected by target date: 2026-09-27=GFS, 2026-09-28=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-27 18:00	83	Clear	280/7kt	—	>10kft	>6SM
GFS	2026-09-27 21:00	82	Clear	100/7kt	—	>10kft	>6SM
GFS	2026-09-28 00:00	73	Clear	160/3kt	0.0	>10kft	>6SM
GFS	2026-09-28 03:00	68	Clear	200/1kt	—	>10kft	>6SM
GFS	2026-09-28 06:00	66	Clear	210/1kt	2.0	>10kft	>6SM
GFS	2026-09-28 09:00	64	Clear	0/0kt	—	>10kft	>6SM
GFS	2026-09-28 12:00	65	Clear	230/1kt	2.0	>10kft	>6SM
GFS	2026-09-28 15:00	80	Clear	240/5kt	—	>10kft	>6SM
GFS	2026-09-28 18:00	86	Few	130/7kt	0.0	>10kft	>6SM
GFS	2026-09-28 21:00	84	Clear	130/9kt	—	>10kft	>6SM

GFS	2026-09-29 00:00	76	Sct	160/4kt	3.0	>10kft	>6SM
GFS	2026-09-29 03:00	72	Sct	180/3kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

SPECI KFIN 272020Z 09005KT 10SM CLR 29/13 A2987

TAF KDAB 271738Z 2718/2818 07008KT P6SM SCT300 FM280100 VRB03KT P6SM SCT300 FM281400 24005KT P6SM SCT250 FM281700 09007KT P6SM SCT250

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KFIN; actual-station=KFIN; fetched-at=2026-09-27T22:13:38.921368+00:00; observed-or-issued-at=2026-09-27T20:20:00+00:00 — [AWC API](#)
 - TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KFIN; actual-station=KDAB; fetched-at=2026-09-27T22:13:39.070711+00:00; observed-or-issued-at=2026-09-27T17:38:00+00:00; valid-from=2026-09-27T18:00:00+00:00; valid-through=2026-09-28T18:00:00+00:00; partial-target-dates=2026-09-27,2026-09-28 — [AWC API](#)
- TAF proxy · KDAB
- FAA airport status — state=not_queried; fetch-state=not_attempted; payload-state=not_attempted; requested-station=KFIN
 - FAA NMS NOTAM — state=OK; requested-station=KFIN; actual-station=KFIN; fetched-at=2026-09-27T22:13:43.188837Z — [FAA NMS overview](#)
 - MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KFIN; actual-station=KFIN; fetched-at=2026-09-27T22:14:01.293110+00:00; observed-or-issued-at=2026-09-27T12:00:00+00:00; valid-from=2026-09-27T18:00:00+00:00; valid-through=2026-09-30T12:00:00+00:00; target-dates=2026-09-28; partial-target-dates=2026-09-27; dates-with-points=2026-09-27,2026-09-28 — [Iowa State API](#)
 - MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KFIN; actual-station=KFIN; fetched-at=2026-09-27T22:14:01.974620+00:00; observed-or-issued-at=2026-09-27T12:00:00+00:00; valid-from=2026-09-28T12:00:00+00:00; valid-through=2026-10-05T12:00:00+00:00; target-dates=2026-09-28; dates-with-points=2026-09-28 — [Iowa State API](#)
 - MOS effective date selection — state=partial; rows=12; requested-station=KFIN; actual-station=KFIN; fetched-at=2026-09-27T22:14:01.293110+00:00; observed-or-issued-at=2026-09-27T12:00:00+00:00; valid-from=2026-09-27T18:00:00+00:00; valid-through=2026-09-30T12:00:00+00:00; target-dates=2026-09-28; partial-target-dates=2026-09-27; dates-with-points=2026-09-27,2026-09-28; selected-by-date=2026-09-27=GFS, 2026-09-28=GFS
 - Extended outlook and hazard-feed states are reported in the source stamp.
 - Runway data + Chart Supplement — [FAA Chart Supplement \(current cycle\)](#) — see AirNav link above

#13

KGKT Gatlinburg-Pigeon Forge Arpt, TN, US · Mountain · Smokies/Gatlinburg

⌵ OBS - VFR

ETE
0h50

DIST
114 nm

SUN 27 SEP 16:16 ET OBSERVED

Current observation

METAR

clear below 12,000 ft (CLR)

WINDNE (30°) 4 kt

⌵ OBS - VFR

OBSER

TEMPERATURE25 °C

VISIBILITY10 sm

DEWPOINT11 °C

From 037°M · 4 kt

030° true · 037° magnetic · 4 kt

Wind favours RWY 10

030° true · 037° magnetic · 4 kt

Evidence & limitations

- METAR source state: ok; observed Sep 27 16:16 ET; retrieved Sep 27 18:13 ET; 117 min before this run.
- Measured values read from the KGKT METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.93 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KGKT runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 10/28. Wind from 030 degrees true, 037 degrees magnetic, at 4 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 10. Wind source: KGKT METAR 272016Z.

DESTINATION OUTLOOK

SUN, SEP 27

SUN 27 SEP 18:00–00:00 ET HIGH

Forecast

TA

F

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

TAF · VFR

FORECAST

Surface prog evidence · Sun Sep 27

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON 28 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 28 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 28 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 28 SEP 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND5 kt

TEMPERATURE76–79 °F

DEWPOINT47–49 °F

PRECIP CHANCE0%

Evidence & limitations

• GFS MAV MOS · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 28

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

6000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — source state: not_queried

CURRENT METAR TEMP DEP / DEST

27°C dep KLZU → 25°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

10/28 (100/280°M · 093/273°T) — designators and °M headings are magnetic; °T are true; variation 7°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

4 Act on

2 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

ed 2026-09-27T22:13:43.241280Z.

poritative) = no published end (each row states whether it is permanent or simply not supplied) — continues past this window

	FRI SEP 25	SAT SEP 26	SUN SEP 27	MON SEP 28
04/122				
04/123				
5/0055				

13 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 22:13 Z

NOTAMs as of 22:13 Z — advisory only; verify an official briefing.

5/5737

NOTAM text not available in this projection.

04/104

NOTAM text not available in this projection.

04/122

NOTAM text not available in this projection.

04/123

NOTAM text not available in this projection.

5/0055

NOTAM text not available in this projection.

5/0067

NOTAM text not available in this projection.

6/4578

NOTAM text not available in this projection.

07/681

NOTAM text not available in this projection.

07/682

NOTAM text not available in this projection.

07/683

NOTAM text not available in this projection.

07/806

NOTAM text not available in this projection.

08/415

NOTAM text not available in this projection.

08/632

NOTAM text not available in this projection.

09/026

NOTAM text not available in this projection.

09/050

NOTAM text not available in this projection.

09/491

NOTAM text not available in this projection.

09/537

NOTAM text not available in this projection.

08/532

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2026-09-27T22:13:43.241280Z.

PIEDMONT FORGE, SEVIERVILLE, TN. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 4B... TAKEOFF MINIMUMS: RWY 28, 400-2 34' OR R 220 PTNM TO 1500. DEPARTURE PROCEDURE: RWY 28, CLIMB ON HEADING 282 TO INTERCEPT VXXV VORTAC R-102 THEN TO VXXV VORTAC TO 5000 BEFORE RWY 10. OBTAIN ATC APPROVAL FOR VCOA WHEN REQUESTING IFR CLEARANCE. CLIMB IN VISUAL CONDITIONS TO CROSS GATLINBURG-PIEDMONT FORGE E 1500 ON VXXV VORTAC R-102 TO VXXV VORTAC TO 5000 BEFORE PROCEEDING ON COURSE. ALL OTHER DATA REMAINS AS PUBLISHED.

2026-09-27T22:13:43.241280Z.

2026-09-27T22:13:43.241280Z.

RUNWAY

04/123 — RWY 10/28 OPEN MARKINGS NOT STD

Effective 2026-04-07T10:24:00Z → 2027-11-30T19:00:00Z

RUNWAY

04/123 — RWY 10/28 OPEN MARKINGS NOT STD

Effective 2026-04-07T10:26:00Z → Permanent — no expiry published

NAV_APPROACH → NOTAM APPROACH PROCEDURE SEVERABLE IN ROAD TAPSTREET TO CORRAL - STADIUM WAY TO WEST HWY - PROCELSURE NW - JOURNALIST'S RESIDENTIAL
Effective 2025-09-24T20:31:00Z → 2027-09-24T20:31:00Z
13 additional normalized FAA NOTAM records omitted from this view.

NAV_APPROACH → NOTAM APPROACH PROCEDURE SEVERABLE IN AREA TYPICALLY IN CANCEL - STANDING PART OF ROUTE OR - PROCEEDING ON - STANDSTILL - PROHIBITED
Effective 2025-09-24T20:31:00Z → 2027-09-24T20:31:00Z
13 additional normalized FAA NOTAM records omitted from this view.

NAV_APPROACH → NOTAM APPROACH PROCEDURE SEVERABLE IN ROAD TAPSTREET TO CORRAL - STADIUM WAY TO WEST HWY - PROCELSURE NW - JARVISVILLE - JARVISVILLE
Effective 2025-09-24T20:31:00Z → 2027-09-24T20:31:00Z
13 additional normalized FAA NOTAM records omitted from this view.

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in	

GFA and prog charts — the Graphical
Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMS were read for KGKT this run.	0:00 ET ET · VFR 6:00 ET ET · VFR 12:00 ET ET · VFR
---	--

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

S · 18:00–00:00 ET ET · VFR

Source state: partial; selected by target date: 2026-09-27=GFS, 2026-09-28=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-27 18:00	73	Clear	350/5kt	—	>10kft	>6SM
GFS	2026-09-27 21:00	76	Clear	10/7kt	—	>10kft	>6SM
GFS	2026-09-28 00:00	68	Clear	20/1kt	1.0	>10kft	>6SM
GFS	2026-09-28 03:00	58	Clear	0/0kt	—	>10kft	>6SM
GFS	2026-09-28 06:00	53	Clear	0/0kt	0.0	>10kft	>6SM
GFS	2026-09-28 09:00	50	Clear	0/0kt	—	>10kft	>6SM
GFS	2026-09-28 12:00	49	Clear	0/0kt	3.0	>10kft	3-5SM
GFS	2026-09-28 15:00	67	Clear	60/2kt	—	>10kft	>6SM

GFS	2026-09-28 18:00	76	Clear	20/5kt	0.0	>10kft	>6SM
GFS	2026-09-28 21:00	79	Clear	20/5kt	—	>10kft	>6SM
GFS	2026-09-29 00:00	70	Clear	40/1kt	0.0	>10kft	>6SM
GFS	2026-09-29 03:00	61	Clear	0/0kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KGKT 272016Z AUTO 03004KT 10SM CLR 25/11 A2993 RMK A01

TAF KTYS 271720Z 2718/2818 03010KT P6SM FEW035 FM280000 03003KT P6SM SKC FM281400 04008KT P6SM SKC

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KGKT; actual-station=KGKT; fetched-at=2026-09-27T22:13:38.921368+00:00; observed-or-issued-at=2026-09-27T20:16:00+00:00 — [AWC API](#)
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KGKT; actual-station=KTYS; fetched-at=2026-09-27T22:13:39.070711+00:00; observed-or-issued-at=2026-09-27T17:20:00+00:00; valid-from=2026-09-27T18:00:00+00:00; valid-through=2026-09-28T18:00:00+00:00; partial-target-dates=2026-09-27,2026-09-28 — [AWC API](#)

TAF proxy · KTYS

- FAA airport status — state=not_queried; fetch-state=not_attempted; payload-state=not_attempted; requested-station=KGKT
- FAA NMS NOTAM — state=OK; requested-station=KGKT; actual-station=KGKT; fetched-at=2026-09-27T22:13:43.241280Z — [FAA NMS overview](#)
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KGKT; actual-station=KGKT; fetched-at=2026-09-27T22:14:01.316549+00:00; observed-or-issued-at=2026-09-27T12:00:00+00:00; valid-from=2026-09-27T18:00:00+00:00; valid-through=2026-09-30T12:00:00+00:00; target-dates=2026-09-28; partial-target-dates=2026-09-27; dates-with-points=2026-09-27,2026-09-28 — [Iowa State API](#)
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KGKT; actual-station=KGKT; fetched-at=2026-09-27T22:14:01.972933+00:00; observed-or-issued-at=2026-09-27T12:00:00+00:00; valid-from=2026-09-28T12:00:00+00:00; valid-through=2026-10-05T12:00:00+00:00; target-dates=2026-09-28; dates-with-points=2026-09-28 — [Iowa State API](#)
- MOS effective date selection — state=partial; rows=12; requested-station=KGKT; actual-station=KGKT; fetched-at=2026-09-27T22:14:01.316549+00:00; observed-or-issued-at=2026-09-27T12:00:00+00:00; valid-from=2026-09-27T18:00:00+00:00; valid-through=2026-09-30T12:00:00+00:00; target-dates=2026-09-28; partial-target-dates=2026-09-27; dates-with-points=2026-09-27,2026-09-28; selected-by-date=2026-09-27=GFS, 2026-09-28=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — [FAA Chart Supplement \(current cycle\)](#) — see AirNav link above

ETE

2h25

DIST

355 nm

SUN 27 SEP 16:15 ET OBSERVED

Current observation

METAR

overcast 5,000 ft

OBSER

WINDNW (320°) 10 kt gust 15 kt

☼
TEMPERATURE21 °C

☁
VISIBILITY10 sm

💧
DEWPOINT10 °C

From 320°M - 330°M M
px - blowing from 320° true
wind speed 10 kt gust 15 kt



Wind favours RWY 05

320° true · 330° magnetic · 10G15 kt

Evidence & limitations

- METAR source state: ok; observed Sep 27 16:15 ET; retrieved Sep 27 18:13 ET; 118 min before this run.
- Measured values read from the KSHD METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.82 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KSHD runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 05/23. Wind from 320 degrees true, 330 degrees magnetic, at 10 knots gusting 15 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 05. Wind source: KSHD METAR 272015Z.

DESTINATION OUTLOOK

SUN, SEP 27

SUN 27 SEP 18:00–00:00 ET HIGH

Forecast

TAF

F

Flight-category guidance



TAF · VFR

FORECAST

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 27

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, SEP 28

MON 28 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 28 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 28 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 28 SEP 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND3–4 kt

TEMPERATURE67–69 °F

DEWPOINT54–55 °F

PRECIP CHANCE37%

Evidence & limitations

• GFS MAV MOS · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 28

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — source state: not_queried

CURRENT METAR TEMP DEP / DEST

27°C dep KLZU → 21°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

05/23 (050/230°M · 040/220°T) — designators and °M headings are magnetic; °T are true; variation 10°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

NOTAMS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 Act on

3 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMS were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2026-09-27T22:13:43.255710Z.

pritative)

FRI SEP 25

SAT SEP 26

SUN SEP 27

MON SEP 28

5/3811

A0196/25

07/006

2 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMS as of 22:13 Z

NOTAMS as of 22:13 Z — advisory only; verify an official briefing.

03/004

NOTAM text not available in this projection.

A0068/26

NOTAM text not available in this projection.

5/3811

NOTAM text not available in this projection.

A0196/25

NOTAM text not available in this projection.

07/006

NOTAM text not available in this projection.

A0111/26

NOTAM text not available in this projection.

09/008

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2026-09-27T22:13:43.255710Z.

UNAVAIL

000Z

TO TRANSIENT

000Z

SHAD VALLEY RGNL, STAUNTONWAYNESBORO/HARRISONBURG, VA, ILS OR LOC RWY 5, ANDT 9B... AUTOPILOT COUPLED APPROACH NA BELOW 1800 FEET

000Z

000Z

SHAD VALLEY RGNL, STAUNTONWAYNESBORO/HARRISONBURG, VA, ILS OR LOC RWY 5, ANDT 9B... AUTOPILOT COUPLED APPROACH NA BELOW

1800 FEET

Effective 2025-09-15T15:42:00Z → 2027-09-15T15:41:00Z

NAV_APPROACH

170000 — NAV APPROACH RWY 05 OM LGS

Effective 2026-07-15T17:40:00Z → 2028-02-29T21:11:00Z

2 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KSHD this run.

published WPC surface chart matches this period and is shown in the dropdown with its

category and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

00:00 ET ET · VFR

06:00 ET ET · VFR

12:00 ET ET · VFR

18:00 ET ET · VFR

00:00 S · 18:00–00:00 ET ET · VFR

issuing office and valid time. It is displayed, never interpreted.

Source state: partial; selected by target date: 2026-09-27=GFS, 2026-09-28=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-27 18:00	71	Bkn	330/11kt	—	>10kft	>6SM
GFS	2026-09-27 21:00	71	Ovc	340/11kt	—	5-10kft	>6SM
GFS	2026-09-28 00:00	63	Ovc	340/8kt	22.0	5-10kft	>6SM
GFS	2026-09-28 03:00	58	Ovc	330/2kt	—	5-10kft	>6SM
GFS	2026-09-28 06:00	58	Ovc	340/1kt	34.0	5-10kft	>6SM
GFS	2026-09-28 09:00	56	Ovc	10/1kt	—	5-10kft	3-5SM
GFS	2026-09-28 12:00	57	Ovc	260/1kt	40.0	5-10kft	>6SM
GFS	2026-09-28 15:00	63	Ovc	250/3kt	—	5-10kft	>6SM
GFS	2026-09-28 18:00	67	Ovc	320/3kt	37.0	5-10kft	>6SM
GFS	2026-09-28 21:00	69	Ovc	350/4kt	—	5-10kft	>6SM
GFS	2026-09-29 00:00	63	Ovc	10/2kt	23.0	5-10kft	>6SM
GFS	2026-09-29 03:00	58	Ovc	340/1kt	—	5-10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KSHD 272015Z AUTO 32010G15KT 10SM OVC050 21/10 A2982 RMK A02 T02100101

TAF KCHO 271726Z 2718/2818 33009KT P6SM OVC050 PROB30 2720/2802 -SHRA OVC040 FM280200 33006KT P6SM BKN045 FM280700 31003KT P6SM BKN035 FM281200 30003KT P6SM BKN035

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KSHD; actual-station=KSHD; fetched-at=2026-09-27T22:13:38.921368+00:00; observed-or-issued-at=2026-09-27T20:15:00+00:00 — [AWC API](#)
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KSHD; actual-station=KCHO; fetched-at=2026-09-27T22:13:39.070711+00:00; observed-or-issued-at=2026-09-27T17:26:00+00:00; valid-from=2026-09-27T18:00:00+00:00; valid-through=2026-09-28T18:00:00+00:00; partial-target-dates=2026-09-27,2026-09-28 — [AWC API](#)
- TAF proxy · KCHO
- FAA airport status — state=not_queried; fetch-state=not_attempted; payload-state=not_attempted; requested-station=KSHD
- FAA NMS NOTAM — state=OK; requested-station=KSHD; actual-station=KSHD; fetched-at=2026-09-27T22:13:43.255710Z — [FAA NMS overview](#)
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KSHD; actual-station=KSHD; fetched-at=2026-09-27T22:14:01.323976+00:00; observed-or-issued-at=2026-09-27T12:00:00+00:00; valid-from=2026-09-27T18:00:00+00:00; valid-through=2026-09-30T12:00:00+00:00; target-dates=2026-09-28; partial-target-dates=2026-09-27; dates-with-points=2026-09-27,2026-09-28 — [Iowa State API](#)
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KSHD; actual-station=KSHD; fetched-at=2026-09-27T22:14:01.971829+00:00; observed-or-issued-at=2026-09-27T12:00:00+00:00; valid-from=2026-09-28T12:00:00+00:00; valid-through=2026-10-05T12:00:00+00:00; target-dates=2026-09-28; dates-with-points=2026-09-28 — [Iowa State API](#)

• MOS effective date selection — state=partial; rows=12; requested-station=KSHD; actual-station=KSHD; fetched-at=2026-09-27T22:14:01.323976+00:00; observed-or-issued-at=2026-09-27T12:00:00+00:00; valid-from=2026-09-27T18:00:00+00:00; valid-through=2026-09-30T12:00:00+00:00; target-dates=2026-09-28; partial-target-dates=2026-09-27; dates-with-points=2026-09-27,2026-09-28; selected-by-date=2026-09-27=GFS, 2026-09-28=GFS

• Extended outlook and hazard-feed states are reported in the source stamp.

• Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#15

KECP Panama City/NW Florida Beaches Intl, FL, US

· Gulf East · Panama City Beach

OBS - VFR

ETE

1h38

DIST

237 nm

SUN 27 SEP 16:53 ET OBSERVED

Current observation

OBS - VFR

OBSER

META

R

clear below 12,000 ft (CLR)

WINDNW (300°) 6 kt

TEMPERATURE31 °C

VISIBILITY10 sm

DEWPOINT14 °C



Wind favours RWY 34

300° true · 303° magnetic · 6 kt

Evidence & limitations

- METAR source state: ok; observed Sep 27 16:53 ET; retrieved Sep 27 18:13 ET; 80 min before this run.
- Measured values read from the KECP METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.84 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KECP runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 16/34. Wind from 300 degrees true, 303 degrees magnetic, at 6 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 34. Wind source: KECP METAR 272053Z.

DESTINATION OUTLOOK

SUN 27 SEP 18:00–00:00 ET HIGH

Forecast

TA

F



Flight-category guidance

TAF · VFR

FORECAST

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
 - Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.
- Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 27

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON 28 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 28 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 28 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 28 SEP 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND6–7 kt

TEMPERATURE87–88 °F

DEWPOINT50–52 °F

PRECIP CHANCE0%

Evidence & limitations

• GFS MAV MOS · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 28

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

6000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

27°C dep KLZU → 31°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

16/34 (160/340°M · 157/337°T) — designators and °M headings are magnetic; °T are true; variation 3°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMS

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

3 Act on

1 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

ed 2026-09-27T22:13:43.319663Z.

poritative)

FRI SEP 25

SAT SEP 26

SUN SEP 27

MON SEP 28

A0129/26

6/0313

A0153/26

10 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 22:13 Z

NOTAMs as of 22:13 Z — advisory only; verify an official briefing.

A0173/26

NOTAM text not available in this projection.

07/022

NOTAM text not available in this projection.

A0129/26

NOTAM text not available in this projection.

6/0313

NOTAM text not available in this projection.

A0153/26

NOTAM text not available in this projection.

07/001

NOTAM text not available in this projection.

08/015

NOTAM text not available in this projection.

08/016

NOTAM text not available in this projection.

08/033

NOTAM text not available in this projection.

09/003

NOTAM text not available in this projection.

A0152/26

NOTAM text not available in this projection.

09/004

NOTAM text not available in this projection.

09/027

NOTAM text not available in this projection.

09/030

NOTAM text not available in this projection.

09/033

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production
source per owner decision 2026-08-09;
technical transport environment remains
preprod. Limited 2026-07-30 spot check
covered KLZU, KAVL, and KSGJ (3 of 30
airports). NOTAMs were read from this source
and used on this card this run. Typed state:
OK. The dot colour reports whether this
source was read this run; technical
environment: preprod.

2026-09-27T22:13:43.319663Z.

Effective 2026-09-02T17:00:00Z → 2027-01-15T16:23:00Z

Effective 2026-09-02T17:00:00Z → 2027-01-15T16:23:00Z

10 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR — the routine surface observation issued hourly by the reporting station, with


TAF — the Terminal Aerodrome Forecast, the

highest-resolution aviation forecast available. The National Weather Service issues it four times a day, valid 24 to 30 hours, with explicit FM and TEMPO change groups. Airports without their own TAF station use a nearby proxy, which is a normal condition and not a fault. A TAF was read for this airport this run (state: partial).

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KECP this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.



ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

0:00 ET ET · VFR
6:00 ET ET · VFR
12:00 ET ET · VFR
18:00 ET ET · VFR
S · 18:00–00:00 ET ET · VFR

Source state: partial; selected by target date: 2026-09-27=GFS, 2026-09-28=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-27 18:00	89	Clear	290/8kt	—	>10kft	>6SM
GFS	2026-09-27 21:00	89	Clear	270/9kt	—	>10kft	>6SM
GFS	2026-09-28 00:00	80	Clear	240/5kt	0.0	>10kft	>6SM
GFS	2026-09-28 03:00	70	Clear	280/2kt	—	>10kft	>6SM
GFS	2026-09-28 06:00	65	Clear	310/2kt	2.0	>10kft	>6SM
GFS	2026-09-28 09:00	61	Clear	300/2kt	—	>10kft	>6SM
GFS	2026-09-28 12:00	60	Clear	320/2kt	0.0	>10kft	>6SM
GFS	2026-09-28 15:00	80	Clear	350/4kt	—	>10kft	>6SM
GFS	2026-09-28 18:00	88	Clear	290/6kt	0.0	>10kft	>6SM
GFS	2026-09-28 21:00	87	Clear	230/7kt	—	>10kft	>6SM
GFS	2026-09-29 00:00	78	Few	220/5kt	9.0	>10kft	>6SM
GFS	2026-09-29 03:00	69	Clear	250/1kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KECP 272053Z 30006KT 10SM CLR 31/14 A2984 RMK A02 SLP115 T03110144 56018

TAF KECP 271720Z 2718/2818 30005KT P6SM FEW250

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KECP; actual-station=KECP; fetched-at=2026-09-27T22:13:38.921368+00:00; observed-or-issued-at=2026-09-27T20:53:00+00:00 — [AWC API](#)
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KECP; actual-station=KECP; fetched-at=2026-09-27T22:13:39.070711+00:00; observed-or-issued-at=2026-09-27T17:20:00+00:00; valid-from=2026-09-27T18:00:00+00:00; valid-through=2026-09-28T18:00:00+00:00; partial-target-dates=2026-09-27,2026-09-28 — [AWC API](#)
- TAF proxy · KECP
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KECP; actual-station=KECP; fetched-at=2026-09-27T22:13:39.418155+00:00
- FAA NMS NOTAM — state=OK; requested-station=KECP; actual-station=KECP; fetched-at=2026-09-27T22:13:43.319663Z — [FAA NMS overview](#)
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KECP; actual-station=KECP; fetched-at=2026-09-27T22:14:01.321776+00:00; observed-or-issued-at=2026-09-27T12:00:00+00:00; valid-from=2026-09-27T18:00:00+00:00; valid-through=2026-09-30T12:00:00+00:00; target-dates=2026-09-28; partial-target-dates=2026-09-27; dates-with-points=2026-09-27,2026-09-28 — [Iowa State API](#)
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KECP; actual-station=KECP; fetched-at=2026-09-27T22:14:01.997146+00:00; observed-or-issued-at=2026-09-27T12:00:00+00:00; valid-from=2026-09-28T12:00:00+00:00; valid-through=2026-10-05T12:00:00+00:00; target-dates=2026-09-28; dates-with-points=2026-09-28 — [Iowa State API](#)
- MOS effective date selection — state=partial; rows=12; requested-station=KECP; actual-station=KECP; fetched-at=2026-09-27T22:14:01.321776+00:00; observed-or-issued-at=2026-09-27T12:00:00+00:00; valid-from=2026-09-27T18:00:00+00:00; valid-through=2026-09-30T12:00:00+00:00; target-dates=2026-09-28; partial-target-dates=2026-09-27; dates-with-points=2026-09-27,2026-09-28; selected-by-date=2026-09-27=GFS, 2026-09-28=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#16

KPNS

Pensacola Intl, FL, US

· Gulf East · Pensacola (Class C)

OBS - VFR

ETE

1h51

DIST

267 nm

SUN 27 SEP 16:53 ET OBSERVED

Current observation

OBS - VFR

OBSER

META

R

clear below 12,000 ft (CLR)


WINDN (340°) 9 kt

TEMPERATURE31 °C

VISIBILITY10 sm



DEWPOINT16 °C



Wind favours RWY 35

340° true · 342° magnetic · 9 kt · NOTAM-affected: 08 and 26

Evidence & limitations

- METAR source state: ok; observed Sep 27 16:53 ET; retrieved Sep 27 18:13 ET; 80 min before this run.
- Measured values read from the KPNS METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.86 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KPNS runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 17/35, 08/26. Wind from 340 degrees true, 342 degrees magnetic, at 9 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 35. NOTAM-affected runway ends, hatched separately from the wind highlight: 08 and 26. The hatch marks only that a NOTAM names the runway; it does not decode the NOTAM's effective times, so confirm the closure window in the NOTAM text below. Wind source: KPNS METAR 272053Z.

DESTINATION OUTLOOK

SUN, SEP 27

SUN 27 SEP 18:00–00:00 ET HIGH

Forecast



Flight-category guidance

Additional source fields unavailable for this card.



FORECAST

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 27

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON 28 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 28 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 28 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 28 SEP 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND7 kt

TEMPERATURE87–88 °F

DEWPOINT54–55 °F

PRECIP CHANCE1%

Evidence & limitations

• GFS MAV MOS · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 28

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

27°C dep KLZU → 31°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

17/35 (170/350°M · 168/348°T) · 08/26 (080/260°M · 078/258°T) — designators and °M headings are magnetic; °T are true; variation 2°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMS

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

	2 · What	3 · Where	
	ed 2026-09-27T22:13:43.393667Z.		
	FRI SEP 25	SAT SEP 26	SUN SEP 27
04/047			
A0477/26			
A0478/26			
77 additional normalized NOTAM records omitted from this view.			

Raw NOTAM data · NOTAMs as of 22:13 Z

NOTAMs as of 22:13 Z — advisory only; verify an official briefing.

5/9591
NOTAM text not available in this projection.

04/046
NOTAM text not available in this projection.

04/047
NOTAM text not available in this projection.

A0477/26
NOTAM text not available in this projection.

A0478/26
NOTAM text not available in this projection.

04/048
NOTAM text not available in this projection.

A0479/26
NOTAM text not available in this projection.

04/049
NOTAM text not available in this projection.

A0480/26

NOTAM text not available in this projection.

06/011

NOTAM text not available in this projection.

A0665/26

NOTAM text not available in this projection.

07/040

NOTAM text not available in this projection.

6/7052

NOTAM text not available in this projection.

07/067

NOTAM text not available in this projection.

A0859/26

NOTAM text not available in this projection.

07/073

NOTAM text not available in this projection.

07/075

NOTAM text not available in this projection.

07/082

NOTAM text not available in this projection.

08/033

NOTAM text not available in this projection.

08/078

NOTAM text not available in this projection.

A1007/26

NOTAM text not available in this projection.

09/005

NOTAM text not available in this projection.

09/006

NOTAM text not available in this projection.

09/007

NOTAM text not available in this projection.

A1014/26

NOTAM text not available in this projection.

A1015/26

NOTAM text not available in this projection.

09/008

NOTAM text not available in this projection.

09/069

NOTAM text not available in this projection.

A1106/26

NOTAM text not available in this projection.

12/025

NOTAM text not available in this projection.

A1113/25

NOTAM text not available in this projection.

05/004

NOTAM text not available in this projection.

A0495/26

NOTAM text not available in this projection.

05/065

NOTAM text not available in this projection.

A0605/26

NOTAM text not available in this projection.

07/058

NOTAM text not available in this projection.

07/059

NOTAM text not available in this projection.

07/061

NOTAM text not available in this projection.

A0855/26

NOTAM text not available in this projection.

07/066

NOTAM text not available in this projection.

07/071

NOTAM text not available in this projection.

A0863/26

NOTAM text not available in this projection.

07/083

NOTAM text not available in this projection.

07/084

NOTAM text not available in this projection.

07/085

NOTAM text not available in this projection.

A0882/26

NOTAM text not available in this projection.

A0883/26

NOTAM text not available in this projection.

08/077

NOTAM text not available in this projection.

08/079

NOTAM text not available in this projection.

08/080

NOTAM text not available in this projection.

08/081

NOTAM text not available in this projection.

08/082

NOTAM text not available in this projection.

A1098/26

NOTAM text not available in this projection.

A1102/26

NOTAM text not available in this projection.

A1103/26

NOTAM text not available in this projection.

A1105/26

NOTAM text not available in this projection.

A1108/26

NOTAM text not available in this projection.

09/063

NOTAM text not available in this projection.

A1099/26

NOTAM text not available in this projection.

A0797/25

NOTAM text not available in this projection.

01/160

NOTAM text not available in this projection.

A0199/26

NOTAM text not available in this projection.

6/3336

NOTAM text not available in this projection.

A0624/26

NOTAM text not available in this projection.

A0826/26

NOTAM text not available in this projection.

6/7054

NOTAM text not available in this projection.

A0828/26

NOTAM text not available in this projection.

6/8258

NOTAM text not available in this projection.

A0849/26

NOTAM text not available in this projection.

6/8259

NOTAM text not available in this projection.

A0850/26

NOTAM text not available in this projection.

08/044

NOTAM text not available in this projection.

08/045

NOTAM text not available in this projection.

08/066

NOTAM text not available in this projection.

08/053

NOTAM text not available in this projection.

A0967/26

NOTAM text not available in this projection.

09/004

NOTAM text not available in this projection.

09/066

NOTAM text not available in this projection.

09/068

NOTAM text not available in this projection.

09/070

NOTAM text not available in this projection.

09/072

NOTAM text not available in this projection.

A1109/26

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production
source per owner decision 2026-08-09;
technical transport environment remains
preprod. Limited 2026-07-30 spot check
covered KLZU, KAVL, and KSGJ (3 of 30
airports). NOTAMs were read from this source
and used on this card this run. Typed state:
OK. The dot colour reports whether this
source was read this run; technical
environment: preprod.

26-09-27T22:13:43.393667Z.

Effective 2025-09-08T16:19:00Z → 2027-09-08T16:19:00Z

FAA NOTAM text was truncated in this preview; verify the complete official record.

RUNWAY 04/046 — RWY 08 RWY END ID LGT U/S

Effective 2026-04-24T22:11:00Z → 2027-01-29T20:00:00Z

RUNWAY 04/047 — RWY 26 PAPI U/S

Effective 2026-04-24T22:11:00Z → 2027-01-29T20:00:00Z

RUNWAY A0477/26 — RWY 26 PAPI U/S

Effective 2026-04-24T22:11:00Z → 2027-01-29T20:00:00Z

RUNWAY A04/8/26 — RWY 08 RWY END ID LGT U/S

Effective 2026-04-24T22:11:00Z → 2027-01-29T20:00:00Z

RUNWAY 08/078 — RWY 08/26 CLSD EXC XNG AND TAX

Effective 2026-08-31T22:40:00Z → 2026-09-28T23:00:00Z

RUNWAY A1007/26 — RWY 08/26 CLSD EXC XNG AND TAX

Effective 2026-08-31T22:40:00Z → 2026-09-28T23:00:00Z

75 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics,
the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KPNS this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

0:00 ET ET · VFR

6:00 ET ET · VFR

2:00 ET ET · VFR

3:00 ET ET · VFR

S · 18:00–00:00 ET ET · VFR

Source state: partial; selected by target date: 2026-09-27=GFS, 2026-09-28=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-27 18:00	88	Clear	320/9kt	—	>10kft	>6SM

GFS	2026-09-27 21:00	89	Clear	290/8kt	—	>10kft	>6SM
GFS	2026-09-28 00:00	82	Clear	250/6kt	0.0	>10kft	>6SM
GFS	2026-09-28 03:00	77	Clear	280/3kt	—	>10kft	>6SM
GFS	2026-09-28 06:00	73	Clear	330/3kt	2.0	>10kft	>6SM
GFS	2026-09-28 09:00	69	Clear	340/4kt	—	>10kft	>6SM
GFS	2026-09-28 12:00	67	Clear	360/4kt	3.0	>10kft	>6SM
GFS	2026-09-28 15:00	80	Clear	20/5kt	—	>10kft	>6SM
GFS	2026-09-28 18:00	87	Clear	100/7kt	1.0	>10kft	>6SM
GFS	2026-09-28 21:00	88	Clear	170/7kt	—	>10kft	>6SM
GFS	2026-09-29 00:00	81	Clear	220/6kt	9.0	>10kft	>6SM
GFS	2026-09-29 03:00	75	Clear	270/2kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KPNS 272053Z 34009KT 10SM CLR 31/16 A2986 RMK A02 SLP113 T03110156 56019

TAF KPNS 271720Z 2718/2818 31006KT P6SM FEW050 FM280100 33003KT P6SM FEW250

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KPNS; actual-station=KPNS; fetched-at=2026-09-27T22:13:38.921368+00:00; observed-or-issued-at=2026-09-27T20:53:00+00:00 — [AWC API](#)
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KPNS; actual-station=KPNS; fetched-at=2026-09-27T22:13:39.070711+00:00; observed-or-issued-at=2026-09-27T17:20:00+00:00; valid-from=2026-09-27T18:00:00+00:00; valid-through=2026-09-28T18:00:00+00:00; partial-target-dates=2026-09-27,2026-09-28 — [AWC API](#)

TAF proxy · KPNS

- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KPNS; actual-station=KPNS; fetched-at=2026-09-27T22:13:39.671131+00:00
- FAA NMS NOTAM — state=OK; requested-station=KPNS; actual-station=KPNS; fetched-at=2026-09-27T22:13:43.393667Z — [FAA NMS overview](#)
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KPNS; actual-station=KPNS; fetched-at=2026-09-27T22:14:01.340764+00:00; observed-or-issued-at=2026-09-27T12:00:00+00:00; valid-from=2026-09-27T18:00:00+00:00; valid-through=2026-09-30T12:00:00+00:00; target-dates=2026-09-28; partial-target-dates=2026-09-27; dates-with-points=2026-09-27,2026-09-28 — [Iowa State API](#)
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KPNS; actual-station=KPNS; fetched-at=2026-09-27T22:14:01.998881+00:00; observed-or-issued-at=2026-09-27T12:00:00+00:00; valid-from=2026-09-28T12:00:00+00:00; valid-through=2026-10-05T12:00:00+00:00; target-dates=2026-09-28; dates-with-points=2026-09-28 — [Iowa State API](#)
- MOS effective date selection — state=partial; rows=12; requested-station=KPNS; actual-station=KPNS; fetched-at=2026-09-27T22:14:01.340764+00:00; observed-or-issued-at=2026-09-27T12:00:00+00:00; valid-from=2026-09-27T18:00:00+00:00; valid-through=2026-09-30T12:00:00+00:00; target-dates=2026-09-28; partial-target-dates=2026-09-27; dates-with-points=2026-09-27,2026-09-28; selected-by-date=2026-09-27=GFS, 2026-09-28=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

SUN 27 SEP 16:53 ET OBSERVED

Current observation

METAR

few 25,000 ft

WINDE (100°) 7 kt

TEMPERATURE27 °C

VISIBILITY10 sm

DEWPOINT12 °C

From 107°M · 7 kt

Wind equally favours RWY 07L and 07R

100° true · 107° magnetic · 7 kt

OBS - VFR

OBSERVATION

Evidence & limitations

- METAR source state: ok; observed Sep 27 16:53 ET; retrieved Sep 27 18:13 ET; 80 min before this run.
- Measured values read from the KDAB METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.87 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KDAB runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 07L/25R, 16/34, 07R/25L. Wind from 100 degrees true, 107 degrees magnetic, at 7 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Equally wind-favoured runway ends, highlighted: 07L and 07R. Wind source: KDAB METAR 272053Z.

DESTINATION OUTLOOK

SUN 27 SEP 18:00–00:00 ET HIGH

Forecast

TA

F

Flight-category guidance

TAF · VFR

FORECAST

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
 - Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.
- Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 27

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON 28 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 28 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 28 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 28 SEP 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND8 kt

TEMPERATURE84–85 °F

DEWPOINT65–66 °F

PRECIP CHANCE1%

Evidence & limitations

• GFS MAV MOS · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 28

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

27°C dep KLZU → 27°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

07L/25R (070/250°M · 063/243°T) · 16/34 (160/340°M · 153/333°T) · 07R/25L (070/250°M · 063/243°T) — designators and °M headings are magnetic; °T are true; variation 7°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMS

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

	2 · What	3 · Where	
	ed 2026-09-27T22:13:43.478242Z. poritative)		
	FRI SEP 25	SAT SEP 26	SUN SEP 27
			MON SEP 28
A1633/26			
09/135			
09/136			
32 additional normalized NOTAM records omitted from this view.			

Raw NOTAM data · NOTAMs as of 22:13 Z

NOTAMs as of 22:13 Z — advisory only; verify an official briefing.

- A1631/26

NOTAM text not available in this projection.
- A1632/26

NOTAM text not available in this projection.
- A1633/26

NOTAM text not available in this projection.
- 09/135

NOTAM text not available in this projection.
- 09/136

NOTAM text not available in this projection.
- A1636/26

NOTAM text not available in this projection.
- A1637/26

NOTAM text not available in this projection.
- 09/137

NOTAM text not available in this projection.
- 09/138

NOTAM text not available in this projection.

A1638/26

NOTAM text not available in this projection.

A1639/26

NOTAM text not available in this projection.

A1634/26

NOTAM text not available in this projection.

A1635/26

NOTAM text not available in this projection.

09/139

NOTAM text not available in this projection.

6/8810

NOTAM text not available in this projection.

6/8811

NOTAM text not available in this projection.

6/8814

NOTAM text not available in this projection.

6/8816

NOTAM text not available in this projection.

A0825/26

NOTAM text not available in this projection.

A0828/26

NOTAM text not available in this projection.

A0829/26

NOTAM text not available in this projection.

A0830/26

NOTAM text not available in this projection.

6/3056

NOTAM text not available in this projection.

A0972/26

NOTAM text not available in this projection.

6/0752

NOTAM text not available in this projection.
A1405/26 NOTAM text not available in this projection.
08/067 NOTAM text not available in this projection.
08/069 NOTAM text not available in this projection.
08/070 NOTAM text not available in this projection.
08/071 NOTAM text not available in this projection.
02/081 NOTAM text not available in this projection.
A0203/26 NOTAM text not available in this projection.
06/126 NOTAM text not available in this projection.
A0894/26 NOTAM text not available in this projection.
07/052 NOTAM text not available in this projection.
A1038/26 NOTAM text not available in this projection.
07/089 NOTAM text not available in this projection.

+ NOTAM DETAILS	
FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)	
Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30)	2026-09-27T22:13:43.478242Z. AC A1405/26 (N) KLDKQMRKXUHHHHHHH0910ND08103W005 A) KDAB B) 2000251157 E) RWY 07L FICCN 5/65 100 PCT WET OBS AT 2000241415. CANCELED 00Z AC A1407/26 (N) KLDKQMRKXUHHHHHHH0910ND08103W005 A) KDAB B) 2000251157 E) RWY 07R FICCN 3/30 100 PCT WET OBS AT 2000241416. CANCELED

00Z
 (C A167906 Q) KZJNQMRAKXJG00RW020LND0810RW005 A) KDAB B) 2609251157 E) RWY 34 FICON 5/5/5 100 PCT WET OBS AT 2609241415 - CANCELED
 00Z
 I SIGN AT RWY 37L/25R LEFT SIDE LOT WS
 :00Z

32 additional normalized FAA NOTAM records omitted from this view.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-27 18:00	82	Clear	10/8kt	—	>10kft	>6SM
GFS	2026-09-27 21:00	80	Clear	60/8kt	—	>10kft	>6SM
GFS	2026-09-28 00:00	74	Clear	160/2kt	0.0	>10kft	>6SM
GFS	2026-09-28 03:00	70	Clear	210/1kt	—	>10kft	>6SM
GFS	2026-09-28 06:00	67	Clear	210/2kt	2.0	>10kft	>6SM

GFS	2026-09-28 09:00	66	Few	230/1kt	—	>10kft	>6SM
GFS	2026-09-28 12:00	66	Few	230/2kt	2.0	>10kft	>6SM
GFS	2026-09-28 15:00	81	Clear	240/5kt	—	>10kft	>6SM
GFS	2026-09-28 18:00	85	Clear	100/8kt	1.0	>10kft	>6SM
GFS	2026-09-28 21:00	84	Clear	110/8kt	—	>10kft	>6SM
GFS	2026-09-29 00:00	78	Sct	170/3kt	2.0	>10kft	>6SM
GFS	2026-09-29 03:00	74	Few	200/2kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KDAB 272053Z 10007KT 10SM FEW250 27/12 A2987 RMK A02 SLP115 T02720122 56016 \$

TAF KDAB 271738Z 2718/2818 07008KT P6SM SCT300 FM280100 VRB03KT P6SM SCT300 FM281400 24005KT P6SM SCT250 FM281700 09007KT P6SM SCT250

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KDAB; actual-station=KDAB; fetched-at=2026-09-27T22:13:38.921368+00:00; observed-or-issued-at=2026-09-27T20:53:00+00:00 — [AWC API](#)
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KDAB; actual-station=KDAB; fetched-at=2026-09-27T22:13:39.070711+00:00; observed-or-issued-at=2026-09-27T17:38:00+00:00; valid-from=2026-09-27T18:00:00+00:00; valid-through=2026-09-28T18:00:00+00:00; partial-target-dates=2026-09-27,2026-09-28 — [AWC API](#)

TAF proxy · KDAB

- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KDAB; actual-station=KDAB; fetched-at=2026-09-27T22:13:39.735096+00:00
- FAA NMS NOTAM — state=OK; requested-station=KDAB; actual-station=KDAB; fetched-at=2026-09-27T22:13:43.478242Z — [FAA NMS overview](#)
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KDAB; actual-station=KDAB; fetched-at=2026-09-27T22:14:01.322396+00:00; observed-or-issued-at=2026-09-27T12:00:00+00:00; valid-from=2026-09-27T18:00:00+00:00; valid-through=2026-09-30T12:00:00+00:00; target-dates=2026-09-28; partial-target-dates=2026-09-27; dates-with-points=2026-09-27,2026-09-28 — [Iowa State API](#)
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KDAB; actual-station=KDAB; fetched-at=2026-09-27T22:14:01.996147+00:00; observed-or-issued-at=2026-09-27T12:00:00+00:00; valid-from=2026-09-28T12:00:00+00:00; valid-through=2026-10-05T12:00:00+00:00; target-dates=2026-09-28; dates-with-points=2026-09-28 — [Iowa State API](#)
- MOS effective date selection — state=partial; rows=12; requested-station=KDAB; actual-station=KDAB; fetched-at=2026-09-27T22:14:01.322396+00:00; observed-or-issued-at=2026-09-27T12:00:00+00:00; valid-from=2026-09-27T18:00:00+00:00; valid-through=2026-09-30T12:00:00+00:00; target-dates=2026-09-28; partial-target-dates=2026-09-27; dates-with-points=2026-09-27,2026-09-28; selected-by-date=2026-09-27=GFS, 2026-09-28=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — [FAA Chart Supplement \(current cycle\)](#) — see AirNav link above

#18

KJKA

Gulf Shores/Edwards Arpt, AL, US

· Gulf West · Gulf Shores AL

▮ OBS - VFR

ETE

2h01

DIST

291 nm

SUN 27 SEP 16:56 ET OBSERVED

Current observation

OBS - VFR

OBSER



few 6,000 ft



WINDN (360°) 6 kt




TEMPERATURE23 °C



VISIBILITY10 sm



DEWPOINT16 °C



Wind favours RWY 35

360° true · 002° magnetic · 6 kt

Evidence & limitations

- METAR source state: ok; observed Sep 27 16:56 ET; retrieved Sep 27 18:13 ET; 77 min before this run.
- Measured values read from the KJKA METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.85 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KJKA runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 09/27, 17/35. Wind from 360 degrees true, 002 degrees magnetic, at 6 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 35. Wind source: KJKA METAR 272056Z.

DESTINATION OUTLOOK

SUN 27 SEP 18:00–00:00 ET HIGH

Forecast

TA
F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 27

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON 28 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 28 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 28 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 28 SEP 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND5 kt

TEMPERATURE84 °F

DEWPOINT57–60 °F

PRECIP CHANCE5%

Evidence & limitations

• GFS MAV MOS · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 28

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

27°C dep KLZU → 23°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

09/27 (090/270°M · 088/268°T) · 17/35 (170/350°M · 168/348°T) — designators and °M headings are magnetic; °T are true; variation 2°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMS

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

7 Act on

2 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production
source per owner decision 2026-08-09;
technical transport environment remains
preprod. Limited 2026-07-30 spot check
covered KLZU, KAVL, and KSGJ (3 of 30
airports). NOTAMS were read from this source
and used on this card this run. Typed state:
OK. The dot colour reports whether this
source was read this run; technical
environment: preprod.

2 · What

3 · Where

ed 2026-09-27T22:13:43.574270Z.

oritative)

FRI SEP 25

SAT SEP 26

SUN SEP 27

MON SEP 28

09/631

5/1161

5/1162

8 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 22:13 Z

05/473

NOTAM text not available in this projection.

09/667

NOTAM text not available in this projection.

09/631

NOTAM text not available in this projection.

5/1161

NOTAM text not available in this projection.

5/1162

NOTAM text not available in this projection.

6/6821

NOTAM text not available in this projection.

6/6822

NOTAM text not available in this projection.

6/6824

NOTAM text not available in this projection.

6/3337

NOTAM text not available in this projection.
6/2179 NOTAM text not available in this projection.
03/876 NOTAM text not available in this projection.
03/884 NOTAM text not available in this projection.
09/693 NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

Effective 2025-09-10T15:56:00Z → 2027-09-10T15:56:00Z

NAV APPROACH

M1182 — IAP GULF SHORES INTL/JACK EDWARDS FLD, GULF SHORES, AL, RNAV (GPS) RWY 27, AMDT 2B, RNAV (GPS) RWY 9, AMDT 3C, CIRCLING CAT B MDA 540HAA 523.

Effective 2025-09-10T15:59:00Z → 2027-09-10T15:59:00Z

8 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

Forecast for Aviation and the Weather Prediction Center surface progs, issued by the National Weather Service through the day; the surface prog series reaches 144 hours. They are raster images a pilot reads for fronts, pressure systems and precipitation shields. This page displays them with their issuing office and valid time and never interprets them: no category, wind, ceiling, ranking or go/no-go here is derived from an image. A published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.



ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

0:00 ET ET · VFR
6:00 ET ET · VFR
12:00 ET ET · VFR
18:00 ET ET · VFR
S · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-27=GFS, 2026-09-28=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-27 18:00	87	Clear	280/7kt	—	>10kft	>6SM
GFS	2026-09-27 21:00	87	Few	260/6kt	—	>10kft	>6SM
GFS	2026-09-28 00:00	79	Few	270/3kt	0.0	>10kft	>6SM
GFS	2026-09-28 03:00	72	Sct	300/2kt	—	>10kft	>6SM
GFS	2026-09-28 06:00	69	Clear	320/2kt	2.0	>10kft	>6SM
GFS	2026-09-28 09:00	65	Clear	330/2kt	—	>10kft	>6SM
GFS	2026-09-28 12:00	63	Clear	350/3kt	9.0	>10kft	>6SM
GFS	2026-09-28 15:00	78	Clear	10/4kt	—	>10kft	>6SM
GFS	2026-09-28 18:00	84	Clear	160/5kt	5.0	>10kft	>6SM
GFS	2026-09-28 21:00	84	Few	180/5kt	—	>10kft	>6SM
GFS	2026-09-29 00:00	78	Bkn	220/3kt	9.0	>10kft	>6SM
GFS	2026-09-29 03:00	69	Clear	300/1kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KJKA 272056Z 36006KT 10SM FEW060 23/16 A2985

TAF KJKA 271720Z 2718/2818 36010KT P6SM FEW045 FM280000 00000KT P6SM FEW250 FM281300 02004KT P6SM BKN250

+ [Data sources used](#)

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KJKA; actual-station=KJKA; fetched-at=2026-09-27T22:13:38.921368+00:00; observed-or-issued-at=2026-09-27T20:56:00+00:00 — [AWC API](#)
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KJKA; actual-station=KJKA; fetched-at=2026-09-27T22:13:39.070711+00:00; observed-or-issued-at=2026-09-27T17:20:00+00:00; valid-from=2026-09-27T18:00:00+00:00; valid-through=2026-09-28T18:00:00+00:00; partial-target-dates=2026-09-27,2026-09-28 — [AWC API](#)
- TAF proxy · KJKA
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KJKA; actual-station=KJKA; fetched-at=2026-09-27T22:13:39.852068+00:00
- FAA NMS NOTAM — state=OK; requested-station=KJKA; actual-station=KJKA; fetched-at=2026-09-27T22:13:43.574270Z — [FAA NMS overview](#)
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KJKA; actual-station=KJKA; fetched-at=2026-09-27T22:14:01.331334+00:00; observed-or-issued-at=2026-09-27T12:00:00+00:00; valid-from=2026-09-27T18:00:00+00:00; valid-through=2026-09-30T12:00:00+00:00; target-dates=2026-09-28; partial-target-dates=2026-09-27; dates-with-points=2026-09-27,2026-09-28 — [Iowa State API](#)
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KJKA; actual-station=KJKA; fetched-at=2026-09-27T22:14:02.018252+00:00; observed-or-issued-at=2026-09-27T12:00:00+00:00; valid-from=2026-09-28T12:00:00+00:00; valid-through=2026-10-05T12:00:00+00:00; target-dates=2026-09-28; dates-with-points=2026-09-28 — [Iowa State API](#)
- MOS effective date selection — state=partial; rows=12; requested-station=KJKA; actual-station=KJKA; fetched-at=2026-09-27T22:14:01.331334+00:00; observed-or-issued-at=2026-09-27T12:00:00+00:00; valid-from=2026-09-27T18:00:00+00:00; valid-through=2026-09-30T12:00:00+00:00; target-dates=2026-09-28; partial-target-dates=2026-09-27; dates-with-points=2026-09-27,2026-09-28; selected-by-date=2026-09-27=GFS, 2026-09-28=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — [FAA Chart Supplement \(current cycle\)](#) — see AirNav link above

#19 **KBFM** Mobile/Downtown Arpt, AL, US · Gulf West · Mobile Downtown

| OBS - VFR

ETE
2h00

DIST
290 nm

SUN 27 SEP 16:53 ET OBSERVED

Current observation

| OBS - VFR

OBSER

METAR

few 6,500 ft

WINDNW (300°) 4 kt

TEMPERATURE32 °C

VISIBILITY10 sm

DEWPOINT17 °C



Wind favours RWY 32

300° true · 302° magnetic · 4 kt

Evidence & limitations

- METAR source state: ok; observed Sep 27 16:53 ET; retrieved Sep 27 18:13 ET; 80 min before this run.
- Measured values read from the KBFM METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.88 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KBFM runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 14/32, 18/36. Wind from 300 degrees true, 302 degrees magnetic, at 4 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 32. Wind source: KBFM METAR 272053Z.

DESTINATION OUTLOOK

SUN, SEP 27

SUN 27 SEP 18:00–00:00 ET HIGH

Forecast

TA
F

TAF ·
VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

TAF · 18:00–00:00 ET ET · VFR

Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 27

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON 28 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 28 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 28 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 28 SEP 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND6 kt

TEMPERATURE88–89 °F

DEWPOINT54–57 °F

PRECIP CHANCE1%

Evidence & limitations

• GFS MAV MOS · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 28

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

27°C dep KLZU → 32°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

14/32 (140/320°M · 138/318°T) · 18/36 (180/000°M · 178/358°T) — designators and °M headings are magnetic; °T are true; variation 2°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMS

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

12 Act on

3 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

NOTAMs as of 22:13 Z — advisory only; verify an official briefing.

08/004

NOTAM text not available in this projection.

A0354/26

NOTAM text not available in this projection.

08/020

NOTAM text not available in this projection.

A0373/26

NOTAM text not available in this projection.

A0435/26

NOTAM text not available in this projection.

A0439/26

NOTAM text not available in this projection.

A0444/26

NOTAM text not available in this projection.

A0446/26

NOTAM text not available in this projection.

A0449/26

NOTAMs as of 22:13 Z — advisory only; verify an official briefing.

	FRI SEP 25	SAT SEP 26	SUN SEP 27	MON SEP 28
08/020				
A0373/26				
A0435/26				

184 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 22:13 Z

NOTAM text not available in this projection.

A0453/26

NOTAM text not available in this projection.

A0456/26

NOTAM text not available in this projection.

09/083

NOTAM text not available in this projection.

09/089

NOTAM text not available in this projection.

A0514/26

NOTAM text not available in this projection.

A0520/26

NOTAM text not available in this projection.

09/123

NOTAM text not available in this projection.

A0558/26

NOTAM text not available in this projection.

09/288

NOTAM text not available in this projection.

A0884/26

NOTAM text not available in this projection.

09/334

NOTAM text not available in this projection.

09/340

NOTAM text not available in this projection.

A0937/26

NOTAM text not available in this projection.

A0944/26

NOTAM text not available in this projection.

09/345

NOTAM text not available in this projection.

09/348

NOTAM text not available in this projection.

A0950/26

NOTAM text not available in this projection.

A0953/26

NOTAM text not available in this projection.

09/359

NOTAM text not available in this projection.

09/365

NOTAM text not available in this projection.

A0965/26

NOTAM text not available in this projection.

A0972/26

NOTAM text not available in this projection.

09/372

NOTAM text not available in this projection.

A0980/26

NOTAM text not available in this projection.

09/379

NOTAM text not available in this projection.

09/386

NOTAM text not available in this projection.

09/391

NOTAM text not available in this projection.

A0988/26

NOTAM text not available in this projection.

A0996/26

NOTAM text not available in this projection.

A1001/26

NOTAM text not available in this projection.

09/401

NOTAM text not available in this projection.

09/404

NOTAM text not available in this projection.

09/406

NOTAM text not available in this projection.

09/407

NOTAM text not available in this projection.

A1012/26

NOTAM text not available in this projection.

A1015/26

NOTAM text not available in this projection.

A1018/26

NOTAM text not available in this projection.

A1019/26

NOTAM text not available in this projection.

09/422

NOTAM text not available in this projection.

09/431

NOTAM text not available in this projection.

A1036/26

NOTAM text not available in this projection.

A1046/26

NOTAM text not available in this projection.

09/436

NOTAM text not available in this projection.

A1051/26

NOTAM text not available in this projection.

09/456

NOTAM text not available in this projection.

A1074/26

NOTAM text not available in this projection.

09/463

NOTAM text not available in this projection.

09/472

NOTAM text not available in this projection.

A1081/26

NOTAM text not available in this projection.

A1091/26

NOTAM text not available in this projection.

09/493

NOTAM text not available in this projection.

A1116/26

NOTAM text not available in this projection.

09/529

NOTAM text not available in this projection.

09/530

NOTAM text not available in this projection.

A1156/26

NOTAM text not available in this projection.

A1157/26

NOTAM text not available in this projection.

09/540

NOTAM text not available in this projection.

A1170/26

NOTAM text not available in this projection.

09/543

NOTAM text not available in this projection.

09/548

NOTAM text not available in this projection.

09/549

NOTAM text not available in this projection.

A1173/26

NOTAM text not available in this projection.

A1178/26

NOTAM text not available in this projection.

A1179/26

NOTAM text not available in this projection.

09/569

NOTAM text not available in this projection.

A1203/26

NOTAM text not available in this projection.

09/584

NOTAM text not available in this projection.

A1220/26

NOTAM text not available in this projection.

09/601

NOTAM text not available in this projection.

09/604

NOTAM text not available in this projection.

A1239/26

NOTAM text not available in this projection.

A1243/26

NOTAM text not available in this projection.

09/610

NOTAM text not available in this projection.

A1249/26

NOTAM text not available in this projection.

09/627

NOTAM text not available in this projection.

09/630

NOTAM text not available in this projection.

A1268/26

NOTAM text not available in this projection.

A1271/26

NOTAM text not available in this projection.

09/669

NOTAM text not available in this projection.

09/672

NOTAM text not available in this projection.

A1315/26

NOTAM text not available in this projection.

A1318/26

NOTAM text not available in this projection.

09/698

NOTAM text not available in this projection.

09/709

NOTAM text not available in this projection.

A1348/26

NOTAM text not available in this projection.

A1360/26

NOTAM text not available in this projection.

09/726

NOTAM text not available in this projection.

09/727

NOTAM text not available in this projection.

09/733

NOTAM text not available in this projection.

A1379/26

NOTAM text not available in this projection.

A1381/26

NOTAM text not available in this projection.

A1387/26

NOTAM text not available in this projection.

09/763

NOTAM text not available in this projection.

A1420/26

NOTAM text not available in this projection.

09/769

NOTAM text not available in this projection.

A1426/26

NOTAM text not available in this projection.

09/791

NOTAM text not available in this projection.

09/796

NOTAM text not available in this projection.

A1448/26

NOTAM text not available in this projection.

A1453/26

NOTAM text not available in this projection.

09/813

NOTAM text not available in this projection.

A1470/26

NOTAM text not available in this projection.

09/821

NOTAM text not available in this projection.

09/822

NOTAM text not available in this projection.

09/833

NOTAM text not available in this projection.

A1478/26

NOTAM text not available in this projection.

A1479/26

NOTAM text not available in this projection.

A1490/26

NOTAM text not available in this projection.

09/847

NOTAM text not available in this projection.

09/848

NOTAM text not available in this projection.

A1504/26

NOTAM text not available in this projection.

A1505/26

NOTAM text not available in this projection.

09/860

NOTAM text not available in this projection.

A1517/26

NOTAM text not available in this projection.

09/871

NOTAM text not available in this projection.

09/877

NOTAM text not available in this projection.

A1528/26

NOTAM text not available in this projection.

A1534/26

NOTAM text not available in this projection.

09/887

NOTAM text not available in this projection.

09/888

NOTAM text not available in this projection.

A1544/26

NOTAM text not available in this projection.

A1545/26

NOTAM text not available in this projection.

09/910

NOTAM text not available in this projection.

A1567/26

NOTAM text not available in this projection.

09/921

NOTAM text not available in this projection.

A1578/26

NOTAM text not available in this projection.

09/936

NOTAM text not available in this projection.

A1593/26

NOTAM text not available in this projection.

09/945

NOTAM text not available in this projection.

A1602/26

NOTAM text not available in this projection.

09/959

NOTAM text not available in this projection.

A1616/26

NOTAM text not available in this projection.

09/971

NOTAM text not available in this projection.

A1628/26

NOTAM text not available in this projection.

09/980

NOTAM text not available in this projection.

09/984

NOTAM text not available in this projection.

A1637/26

NOTAM text not available in this projection.

A1641/26

NOTAM text not available in this projection.

09/001

NOTAM text not available in this projection.

09/005

NOTAM text not available in this projection.

09/993

NOTAM text not available in this projection.

A1650/26

NOTAM text not available in this projection.

A1657/26

NOTAM text not available in this projection.

A1660/26

NOTAM text not available in this projection.

09/013

NOTAM text not available in this projection.

A1667/26

NOTAM text not available in this projection.

A0437/26

NOTAM text not available in this projection.

A0440/26

NOTAM text not available in this projection.

A0442/26

NOTAM text not available in this projection.

A0450/26

NOTAM text not available in this projection.

A0451/26

NOTAM text not available in this projection.

A0452/26

NOTAM text not available in this projection.

A0455/26

NOTAM text not available in this projection.

6/1287

NOTAM text not available in this projection.

6/1289

NOTAM text not available in this projection.

A0106/26

NOTAM text not available in this projection.

A0108/26

NOTAM text not available in this projection.

6/3379

NOTAM text not available in this projection.

A0284/26

NOTAM text not available in this projection.

6/2188

NOTAM text not available in this projection.

A0356/26

NOTAM text not available in this projection.

6/4898

NOTAM text not available in this projection.

A0364/26

NOTAM text not available in this projection.

6/9973

NOTAM text not available in this projection.

A0382/26

NOTAM text not available in this projection.

05/009

NOTAM text not available in this projection.

A0240/26

NOTAM text not available in this projection.

06/026

NOTAM text not available in this projection.

06/027

NOTAM text not available in this projection.

06/028

NOTAM text not available in this projection.

06/029

NOTAM text not available in this projection.

06/030

NOTAM text not available in this projection.

06/031

NOTAM text not available in this projection.

06/032

NOTAM text not available in this projection.

06/033

NOTAM text not available in this projection.

07/009

	NOTAM text not available in this projection.
A0326/26	NOTAM text not available in this projection.
08/021	NOTAM text not available in this projection.
09/002	NOTAM text not available in this projection.
08/027	NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2026-09-27T22:13:43.625435Z.
DOT STD
:00Z
NOT STD
:00Z
STD
:00Z
DOT STD
:00Z

RUNWAY

A0326/26 — A0326/26 NOTAMC A0326/26 C) KZHUQMRX KXNDP055R03TN000W005 A) KBPM B) 2609251700 E) RWY 14032 CLSD CANCELED
Effective 2026-09-25T17:33:00Z → 2026-09-28T17:33:00Z

184 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KBFM this run.

them. No category, wind, ceiling, ranking or go/no-go here is derived from an image. A published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

0:00 ET ET · VFR
5:00 ET ET · VFR
12:00 ET ET · VFR
18:00 ET ET · VFR
S · 18:00–00:00 ET ET · VFR

Source state: partial; selected by target date: 2026-09-27=GFS, 2026-09-28=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-27 18:00	89	Clear	10/6kt	—	>10kft	>6SM
GFS	2026-09-27 21:00	91	Few	360/6kt	—	>10kft	>6SM
GFS	2026-09-28 00:00	83	Few	300/4kt	0.0	>10kft	>6SM
GFS	2026-09-28 03:00	76	Sct	310/2kt	—	>10kft	>6SM
GFS	2026-09-28 06:00	72	Clear	310/2kt	2.0	>10kft	>6SM
GFS	2026-09-28 09:00	68	Clear	320/2kt	—	>10kft	>6SM
GFS	2026-09-28 12:00	67	Clear	350/4kt	6.0	>10kft	>6SM
GFS	2026-09-28 15:00	79	Clear	20/5kt	—	>10kft	>6SM
GFS	2026-09-28 18:00	88	Clear	80/6kt	1.0	>10kft	>6SM
GFS	2026-09-28 21:00	89	Clear	100/6kt	—	>10kft	>6SM
GFS	2026-09-29 00:00	83	Bkn	220/4kt	9.0	>10kft	>6SM
GFS	2026-09-29 03:00	74	Clear	50/3kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KBFM 272053Z 30004KT 10SM FEW065 32/17 A2988 RMK A02 SLP117 T03220172 56020

TAF KBFM 271720Z 2718/2818 31007KT P6SM SCT050 FM280100 36003KT P6SM FEW250

+ Data sources used

• METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KBFM; actual-station=KBFM; fetched-at=2026-09-27T22:13:38.921368+00:00; observed-or-issued-at=2026-09-27T20:53:00+00:00 — AWC API

• TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KBFM; actual-station=KBFM; fetched-at=2026-09-27T22:13:39.070711+00:00; observed-or-issued-at=2026-09-27T17:20:00+00:00; valid-from=2026-09-27T18:00:00+00:00; valid-through=2026-09-28T18:00:00+00:00; partial-target-dates=2026-09-27,2026-09-28 — [AWC API](#)

TAF proxy · KBFM

• FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KBFM; actual-station=KBFM; fetched-at=2026-09-27T22:13:39.847364+00:00

• FAA NMS NOTAM — state=OK; requested-station=KBFM; actual-station=KBFM; fetched-at=2026-09-27T22:13:43.625435Z — [FAA NMS overview](#)

• MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KBFM; actual-station=KBFM; fetched-at=2026-09-27T22:14:01.349671+00:00; observed-or-issued-at=2026-09-27T12:00:00+00:00; valid-from=2026-09-27T18:00:00+00:00; valid-through=2026-09-30T12:00:00+00:00; target-dates=2026-09-28; partial-target-dates=2026-09-27; dates-with-points=2026-09-27,2026-09-28 — [Iowa State API](#)

• MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KBFM; actual-station=KBFM; fetched-at=2026-09-27T22:14:02.028581+00:00; observed-or-issued-at=2026-09-27T12:00:00+00:00; valid-from=2026-09-28T12:00:00+00:00; valid-through=2026-10-05T12:00:00+00:00; target-dates=2026-09-28; dates-with-points=2026-09-28 — [Iowa State API](#)

• MOS effective date selection — state=partial; rows=12; requested-station=KBFM; actual-station=KBFM; fetched-at=2026-09-27T22:14:01.349671+00:00; observed-or-issued-at=2026-09-27T12:00:00+00:00; valid-from=2026-09-27T18:00:00+00:00; valid-through=2026-09-30T12:00:00+00:00; target-dates=2026-09-28; partial-target-dates=2026-09-27; dates-with-points=2026-09-27,2026-09-28; selected-by-date=2026-09-27=GFS, 2026-09-28=GFS

• Extended outlook and hazard-feed states are reported in the source stamp.

• Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#20

KGPT Gulfport-Biloxi Intl, MS, US

· Gulf West

· Gulfport-Biloxi

⌵ OBS - VFR

ETE

2h18

DIST

337 nm

SUN 27 SEP 16:53 ET OBSERVED

Current observation

⌵ OBS - VFR

METAR

R

OBSER


few 6,000 ft

WINDN (360°) 6 kt

TEMPERATURE32 °C

VISIBILITY10 sm

DEWPOINT17 °C



Wind favours RWY 36

360° true · 001° magnetic · 6 kt

Evidence & limitations

- METAR source state: ok; observed Sep 27 16:53 ET; retrieved Sep 27 18:13 ET; 80 min before this run.
- Measured values read from the KGPT METAR. This is a current surface observation only; it is not a forecast.

- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.86 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KGPT runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 14/32, 18/36. Wind from 360 degrees true, 001 degrees magnetic, at 6 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 36. Wind source: KGPT METAR 272053Z.

DESTINATION OUTLOOK

SUN, SEP 27

SUN 27 SEP 18:00–00:00 ET HIGH

Forecast

TA
F

TAF ·
VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

TAF · 18:00–00:00 ET ET · VFR

Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 27

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON 28 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 28 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 28 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 28 SEP 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND6 kt

TEMPERATURE86–87 °F

DEWPOINT58–61 °F

PRECIP CHANCE6%

Evidence & limitations

• GFS MAV MOS · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 28

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

27°C dep KLZU → 32°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

14/32 (140/320°M · 139/319°T) · 18/36 (180/000°M · 179/359°T) — designators and °M headings are magnetic; °T are true; variation 1°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMS

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

10 Act on

1 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production
source per owner decision 2026-08-09;
technical transport environment remains
preprod. Limited 2026-07-30 spot check
covered KLZU, KAVL, and KSGJ (3 of 30
airports). NOTAMs were read from this source
and used on this card this run. Typed state:
OK. The dot colour reports whether this
source was read this run; technical
environment: preprod.

2 · What

3 · Where

ed 2026-09-27T22:13:43.687673Z.

oritative)

FRI SEP 25

SAT SEP 26

SUN SEP 27

MON SEP 28

A0386/26

06/065

6/9967

24 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 22:13 Z

06/072

NOTAM text not available in this projection.

6/5422

NOTAM text not available in this projection.

A0386/26

NOTAM text not available in this projection.

06/065

NOTAM text not available in this projection.

6/9967

NOTAM text not available in this projection.

A0597/26

NOTAM text not available in this projection.

09/013

NOTAM text not available in this projection.

A0678/26

NOTAM text not available in this projection.

09/042

NOTAM text not available in this projection.

A0720/26

NOTAM text not available in this projection.

A0724/26

NOTAM text not available in this projection.

09/048

NOTAM text not available in this projection.

A0726/26

NOTAM text not available in this projection.

A0727/26

NOTAM text not available in this projection.

06/056

NOTAM text not available in this projection.

07/031

NOTAM text not available in this projection.

08/003

NOTAM text not available in this projection.

08/023

NOTAM text not available in this projection.

08/040

NOTAM text not available in this projection.

08/041

NOTAM text not available in this projection.

09/007

NOTAM text not available in this projection.

09/049

NOTAM text not available in this projection.

09/050

NOTAM text not available in this projection.

A0728/26

NOTAM text not available in this projection.

09/051

NOTAM text not available in this projection.

09/045

NOTAM text not available in this projection.

09/046

NOTAM text not available in this projection.

09/041

NOTAM text not available in this projection.

A0719/26

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2026-09-27T22:13:43.687673Z.

REF MARKING AT TWY E, TWY D, AND TWY A OBSC

:00Z

RT-BELOW INTL, GULFPORT, MS, ILS Z OR LOC Z RWY 32, AMDT 5A, , RNAV (GPS) RWY 18, AMDT 3, , RNAV (GPS) RWY 32, AMDT 2A, , RNAV (GPS) RWY 36, AMDT 4 Z OR TACAN Z RWY 14, AMDT 4A, , VOR Z RWY 32, AMDT 5A, , CIRCLING CAT A MDA 540HAA 512 (2024-ASD-12154-DE PERM), 2604231526-2604231526EST

:00Z

PORT-BELOW INTL, GULFPORT, MS, ILS Z OR LOC Z RWY 32, AMDT 5A, , RNAV (GPS) RWY 18, AMDT 3, , RNAV (GPS) RWY 32, AMDT 2A, , RNAV (GPS) RWY 36, 1, , VOR Z OR TACAN Z RWY 14, AMDT 4A, , VOR Z RWY 32, AMDT 5A, , CIRCLING CAT A MDA 540HAA 512 (2024-ASD-12154-DE PERM)

:00Z

NAV_APPROACH 00000 — NAV VOR END REC CHECKPOINT UPS

Effective 2026-06-23T11:42:00Z → 2026-12-23T21:11:00Z

NAV_APPROACH 00007 — NAV GULFPORT-BELOW INTL, GULFPORT, MS, VOR Y RWY 32, AMDT 21D, , PROCEDURE NA, 2606231217-2606231217TEST

Effective 2026-06-23T12:17:00Z → 2028-06-23T12:17:00Z

24 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

Forecast for Aviation and the Weather Prediction Center surface progs, issued by the National Weather Service through the day; the surface prog series reaches 144 hours. They are raster images a pilot reads for fronts, pressure systems and precipitation shields. This page displays them with their issuing office and valid time and never interprets them: no category, wind, ceiling, ranking or go/no-go here is derived from an image. A published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.



ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

0:00 ET ET · VFR
6:00 ET ET · VFR
12:00 ET ET · VFR
18:00 ET ET · VFR
S · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-27=GFS, 2026-09-28=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-27 18:00	89	Clear	310/7kt	—	>10kft	>6SM
GFS	2026-09-27 21:00	89	Few	260/6kt	—	>10kft	>6SM
GFS	2026-09-28 00:00	84	Sct	270/2kt	0.0	>10kft	>6SM
GFS	2026-09-28 03:00	77	Sct	340/1kt	—	>10kft	>6SM
GFS	2026-09-28 06:00	74	Sct	300/2kt	2.0	>10kft	>6SM
GFS	2026-09-28 09:00	70	Clear	310/1kt	—	>10kft	>6SM
GFS	2026-09-28 12:00	67	Clear	340/2kt	8.0	>10kft	>6SM
GFS	2026-09-28 15:00	80	Clear	10/5kt	—	>10kft	>6SM
GFS	2026-09-28 18:00	87	Clear	120/6kt	6.0	>10kft	>6SM
GFS	2026-09-28 21:00	86	Clear	180/6kt	—	>10kft	>6SM
GFS	2026-09-29 00:00	81	Clear	170/3kt	10.0	>10kft	>6SM
GFS	2026-09-29 03:00	74	Clear	140/1kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KGPT 272053Z 36006KT 10SM FEW060 32/17 A2986 RMK A02 SLP110 T03220172 56022

TAF KGPT 271720Z 2718/2818 VRB04KT P6SM FEW050 SCT250

+ [Data sources used](#)

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KGPT; actual-station=KGPT; fetched-at=2026-09-27T22:13:38.921368+00:00; observed-or-issued-at=2026-09-27T20:53:00+00:00 — [AWC API](#)
 - TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KGPT; actual-station=KGPT; fetched-at=2026-09-27T22:13:39.070711+00:00; observed-or-issued-at=2026-09-27T17:20:00+00:00; valid-from=2026-09-27T18:00:00+00:00; valid-through=2026-09-28T18:00:00+00:00; partial-target-dates=2026-09-27,2026-09-28 — [AWC API](#)
- TAF proxy · KGPT
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KGPT; actual-station=KGPT; fetched-at=2026-09-27T22:13:39.682592+00:00
 - FAA NMS NOTAM — state=OK; requested-station=KGPT; actual-station=KGPT; fetched-at=2026-09-27T22:13:43.687673Z — [FAA NMS overview](#)
 - MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KGPT; actual-station=KGPT; fetched-at=2026-09-27T22:14:01.498014+00:00; observed-or-issued-at=2026-09-27T12:00:00+00:00; valid-from=2026-09-27T18:00:00+00:00; valid-through=2026-09-30T12:00:00+00:00; target-dates=2026-09-28; partial-target-dates=2026-09-27; dates-with-points=2026-09-27,2026-09-28 — [Iowa State API](#)
 - MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KGPT; actual-station=KGPT; fetched-at=2026-09-27T22:14:02.133187+00:00; observed-or-issued-at=2026-09-27T12:00:00+00:00; valid-from=2026-09-28T12:00:00+00:00; valid-through=2026-10-05T12:00:00+00:00; target-dates=2026-09-28; dates-with-points=2026-09-28 — [Iowa State API](#)
 - MOS effective date selection — state=partial; rows=12; requested-station=KGPT; actual-station=KGPT; fetched-at=2026-09-27T22:14:01.498014+00:00; observed-or-issued-at=2026-09-27T12:00:00+00:00; valid-from=2026-09-27T18:00:00+00:00; valid-through=2026-09-30T12:00:00+00:00; target-dates=2026-09-28; partial-target-dates=2026-09-27; dates-with-points=2026-09-27,2026-09-28; selected-by-date=2026-09-27=GFS, 2026-09-28=GFS
 - Extended outlook and hazard-feed states are reported in the source stamp.
 - Runway data + Chart Supplement — [FAA Chart Supplement \(current cycle\)](#) — see AirNav link above

#21 **KSPG** **St Petersburg/Whitted Arpt, FL, US** · Gulf East · St Petersburg

| OBS - VFR

ETE
2h35

DIST
379 nm

SUN 27 SEP 16:55 ET OBSERVED

Current observation

| OBS - VFR

OBSER



clear below 12,000 ft (CLR)

WINDE (70°) 5 kt

TEMPERATURE27 °C

VISIBILITY10 sm

DEWPOINT15 °C



Wind favours RWY 07

070° true · 076° magnetic · 5 kt

Evidence & limitations

- METAR source state: ok; observed Sep 27 16:55 ET; retrieved Sep 27 18:13 ET; 78 min before this run.
- Measured values read from the KSPG METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.87 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KSPG runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 07/25, 18/36. Wind from 070 degrees true, 076 degrees magnetic, at 5 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 07. Wind source: KSPG METAR 272055Z.

DESTINATION OUTLOOK

SUN, SEP 27

SUN 27 SEP 18:00–00:00 ET HIGH

Forecast

TAF

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

TAF · 18:00–00:00 ET ET · VFR

Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 27

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON 28 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 28 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 28 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 28 SEP 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND5–7 kt

TEMPERATURE83–84 °F

DEWPOINT64–65 °F

PRECIP CHANCE3%

Evidence & limitations

• GFS MAV MOS · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 28

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

27°C dep KLZU → 27°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

07/25 (070/250°M · 064/244°T) · 18/36 (180/000°M · 174/354°T) — designators and °M headings are magnetic; °T are true; variation 6°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMS

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

ed 2026-09-27T22:13:43.694077Z.
poritative)

	FRI SEP 25	SAT SEP 26	SUN SEP 27	MON SEP 28
07/004				
07/006				
07/007				

5 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 22:13 Z

NOTAMs as of 22:13 Z — advisory only; verify an official briefing.

- 6/3728

NOTAM text not available in this projection.
- 07/002

NOTAM text not available in this projection.
- 07/004

NOTAM text not available in this projection.
- 07/006

NOTAM text not available in this projection.
- 07/007

NOTAM text not available in this projection.
- 07/010

NOTAM text not available in this projection.
- 08/001

NOTAM text not available in this projection.
- 08/002

NOTAM text not available in this projection.
- 09/001

NOTAM text not available in this projection.

09/002

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

Effective 2026-07-21T18:52:00Z → 2026-10-01T15:00:00Z

RUNWAY

07000Z → 07000Z 07000Z → 07000Z 07000Z → 07000Z 07000Z → 07000Z

Effective 2026-07-21T18:54:00Z → 2026-10-01T15:00:00Z

5 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KSPG this run.

published WPC surface chart matches this

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

0:00 ET ET · VFR

6:00 ET ET · VFR

2:00 ET ET · VFR

3:00 ET ET · VFR

period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

S · 18:00–00:00 ET ET · VFR

Source state: partial; selected by target date: 2026-09-27=GFS, 2026-09-28=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-27 18:00	82	Clear	300/5kt	—	>10kft	>6SM
GFS	2026-09-27 21:00	83	Clear	300/5kt	—	>10kft	>6SM
GFS	2026-09-28 00:00	79	Clear	320/7kt	0.0	>10kft	>6SM
GFS	2026-09-28 03:00	76	Clear	240/4kt	—	>10kft	>6SM
GFS	2026-09-28 06:00	75	Clear	180/4kt	2.0	>10kft	>6SM
GFS	2026-09-28 09:00	75	Clear	200/3kt	—	>10kft	>6SM
GFS	2026-09-28 12:00	76	Clear	210/3kt	2.0	>10kft	>6SM
GFS	2026-09-28 15:00	80	Clear	150/4kt	—	>10kft	>6SM
GFS	2026-09-28 18:00	83	Clear	190/5kt	3.0	>10kft	>6SM
GFS	2026-09-28 21:00	84	Clear	250/7kt	—	>10kft	>6SM
GFS	2026-09-29 00:00	80	Clear	250/7kt	1.0	>10kft	>6SM
GFS	2026-09-29 03:00	79	Clear	170/4kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KSPG 272055Z 07005KT 10SM CLR 27/15 A2987

TAF KPIE 271720Z 2718/2818 31007KT P6SM SCT250 FM280200 VRB04KT P6SM SCT250 FM281600 20006KT P6SM SCT250

+ Data sources used

METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KSPG; actual-station=KSPG; fetched-at=2026-09-27T22:13:38.921368+00:00; observed-or-issued-at=2026-09-27T20:55:00+00:00 — AWC API

TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KSPG; actual-station=KPIE; fetched-at=2026-09-27T22:13:39.070711+00:00; observed-or-issued-at=2026-09-27T17:20:00+00:00; valid-from=2026-09-27T18:00:00+00:00; valid-through=2026-09-28T18:00:00+00:00; partial-target-dates=2026-09-27,2026-09-28 — AWC API

TAF proxy · KPIE

FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KSPG; actual-station=KSPG; fetched-at=2026-09-27T22:13:39.871357+00:00

FAA NMS NOTAM — state=OK; requested-station=KSPG; actual-station=KSPG; fetched-at=2026-09-27T22:13:43.694077Z — FAA NMS overview

MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KSPG; actual-station=KSPG; fetched-at=2026-09-27T22:14:01.506656+00:00; observed-or-issued-at=2026-09-27T12:00:00+00:00; valid-from=2026-09-27T18:00:00+00:00; valid-through=2026-09-30T12:00:00+00:00; target-dates=2026-09-28; partial-target-dates=2026-09-27; dates-with-points=2026-09-27,2026-09-28 — Iowa State API

MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KSPG; actual-station=KSPG; fetched-at=2026-09-27T22:14:02.149059+00:00; observed-or-issued-at=2026-09-27T12:00:00+00:00; valid-from=2026-09-28T12:00:00+00:00; valid-through=2026-10-05T12:00:00+00:00; target-dates=2026-09-28; dates-with-points=2026-09-28 — Iowa State API

• MOS effective date selection — state=partial; rows=12; requested-station=KSPG; actual-station=KSPG; fetched-at=2026-09-27T22:14:01.506656+00:00; observed-or-issued-at=2026-09-27T12:00:00+00:00; valid-from=2026-09-27T18:00:00+00:00; valid-through=2026-09-30T12:00:00+00:00; target-dates=2026-09-28; partial-target-dates=2026-09-27; dates-with-points=2026-09-27,2026-09-28; selected-by-date=2026-09-27=GFS, 2026-09-28=GFS

• Extended outlook and hazard-feed states are reported in the source stamp.

• Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#22

KTPF Tampa/Knight Arpt, FL, US

· Gulf East · Tampa Peter O Knight

⏮

OBS - VFR

⏭

ETE

2h32

DIST

372 nm

SUN 27 SEP 16:15 ET OBSERVED

Current observation

⏮

OBS - VFR

⏭

META

R

OBSERVED

☁

clear below 12,000 ft (CLR)

🌀

WINDW (290°) 6 kt

🌡

TEMPERATURE29 °C

👁

VISIBILITY9 sm

💧

DEWPOINT14 °C



Wind favours RWY 36

290° true · 296° magnetic · 6 kt

Evidence & limitations

- METAR source state: ok; observed Sep 27 16:15 ET; retrieved Sep 27 18:13 ET; 118 min before this run.
- Measured values read from the KTPF METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.86 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KTPF runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 04/22, 18/36. Wind from 290 degrees true, 296 degrees magnetic, at 6 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 36. Wind source: KTPF METAR 272015Z.

DESTINATION OUTLOOK

SUN 27 SEP 18:00–00:00 ET HIGH

Forecast

TA
F

TAF · VFR

FORECAST



Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
 - Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.
- Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 27

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON 28 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 28 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 28 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 28 SEP 18:00–00:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 28

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

27°C dep KLZU → 29°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

04/22 (040/220°M · 034/214°T) · 18/36 (180/000°M · 174/354°T) — designators and °M headings are magnetic; °T are true; variation 6°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 Act on

3 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state:

2 · What

3 · Where

ed 2026-09-27T22:13:43.930796Z.

pritative)

OK. The dot colour reports whether this source was read this run; technical environment: preprod.

	FRI SEP 25	SAT SEP 26	SUN SEP 27	MON SEP 28
05/005				
06/014				
6/0956				
6/8311				
9 additional normalized NOTAM records omitted from this view.				

Raw NOTAM data · NOTAMs as of 22:13 Z

NOTAMs as of 22:13 Z — advisory only; verify an official briefing.

04/019 NOTAM text not available in this projection.
05/005 NOTAM text not available in this projection.
06/014 NOTAM text not available in this projection.
6/0956 NOTAM text not available in this projection.
6/8311 NOTAM text not available in this projection.
4/6304 NOTAM text not available in this projection.
6/8312 NOTAM text not available in this projection.
09/025 NOTAM text not available in this projection.
12/007 NOTAM text not available in this projection.
02/001 NOTAM text not available in this projection.
06/005 NOTAM text not available in this projection.
07/015

NOTAM text not available in this projection.

07/016

NOTAM text not available in this projection.

06/015

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2026-09-27T22:13:43.930796Z.

UNUSABLE SIGN AT TWY AA RIGHT SIDE MISSING

000000Z

000000Z

000000Z

000000Z

QNT, TAMPA, FL, TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 1A., ADD TAKEOFF OBSTACLE NOTE: RWY 22, BUILDING HOME CENTERLINE, 40FT AGL 48FT MSL (2026-ASD-12076-DE-PERM), ALL OTHER DATA REMAINS AS PUBLISHED. 2606261555 2606261555EST

Effective 2026-06-26T15:55:00Z → 2028-06-26T15:55:00Z

RUNWAY

88311 — QDP PETER O KNIGHT, TAMPA, FL, TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 1A., TAKEOFF MINIMUMS: RWY 18, STANDARD WITH A MINIMUM CLIMB OF 300 FT PER NM TO 600, TEMPORARY CRANES 420 MSL BEGINNING 1.1NM SE OF RWY 18 (2026-ASD-8588553-DE), ALL OTHER DATA REMAINS AS PUBLISHED.

2606261555 2606261555EST

Effective 2026-08-28T10:00:00Z → 2028-01-29T16:33:00Z

9 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and

and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KTPF this run.

published VFR Surface Chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

0:00 ET ET · VFR
6:00 ET ET · VFR
2:00 ET ET · VFR
3:00 ET ET · VFR
0:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-27=GFS, 2026-09-28=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-27 18:00	84	Clear	250/4kt	—	>10kft	>6SM
GFS	2026-09-27 21:00	85	Clear	270/4kt	—	>10kft	>6SM
GFS	2026-09-28 00:00	79	Clear	290/3kt	0.0	>10kft	>6SM
GFS	2026-09-28 03:00	74	Clear	220/1kt	—	>10kft	>6SM
GFS	2026-09-28 06:00	72	Clear	0/0kt	2.0	>10kft	>6SM
GFS	2026-09-28 09:00	70	Clear	190/1kt	—	>10kft	>6SM
GFS	2026-09-28 12:00	71	Clear	230/1kt	2.0	>10kft	>6SM
GFS	2026-09-28 15:00	81	Clear	210/2kt	—	>10kft	>6SM
GFS	2026-09-28 18:00	85	Clear	230/3kt	3.0	>10kft	>6SM
GFS	2026-09-28 21:00	86	Clear	240/5kt	—	>10kft	>6SM
GFS	2026-09-29 00:00	80	Clear	250/4kt	1.0	>10kft	>6SM
GFS	2026-09-29 03:00	77	Clear	180/1kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KTPF 272015Z AUTO 29006KT 9SM CLR 29/14 A2986 RMK A02 T02910137 \$

TAF KTPA 272102Z 2721/2824 29007KT P6SM SCT250 FM280200 VRB03KT P6SM FEW250 FM281600 24008KT P6SM SCT040 SCT250

+ Data sources used

• METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KTPF; actual-station=KTPF; fetched-at=2026-09-27T22:13:38.921368+00:00; observed-or-issued-at=2026-09-27T20:15:00+00:00 — AWC API

- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KTPF; actual-station=KTPA; fetched-at=2026-09-27T22:13:39.070711+00:00; observed-or-issued-at=2026-09-27T21:02:00+00:00; valid-from=2026-09-27T21:00:00+00:00; valid-through=2026-09-29T00:00:00+00:00; partial-target-dates=2026-09-27,2026-09-28 — [AWC API](#)

TAF proxy · KTPA
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KTPF; actual-station=KTPF; fetched-at=2026-09-27T22:13:40.084516+00:00
- FAA NMS NOTAM — state=OK; requested-station=KTPF; actual-station=KTPF; fetched-at=2026-09-27T22:13:43.930796Z — [FAA NMS overview](#)
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KTPF; actual-station=KTPF; fetched-at=2026-09-27T22:14:01.509357+00:00; observed-or-issued-at=2026-09-27T12:00:00+00:00; valid-from=2026-09-27T18:00:00+00:00; valid-through=2026-09-30T12:00:00+00:00; target-dates=2026-09-28; partial-target-dates=2026-09-27; dates-with-points=2026-09-27,2026-09-28 — [Iowa State API](#)
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KTPF; actual-station=KTPF; fetched-at=2026-09-27T22:14:02.162388+00:00; observed-or-issued-at=2026-09-27T12:00:00+00:00; valid-from=2026-09-28T12:00:00+00:00; valid-through=2026-10-05T12:00:00+00:00; target-dates=2026-09-28; dates-with-points=2026-09-28 — [Iowa State API](#)
- MOS effective date selection — state=partial; rows=12; requested-station=KTPF; actual-station=KTPF; fetched-at=2026-09-27T22:14:01.509357+00:00; observed-or-issued-at=2026-09-27T12:00:00+00:00; valid-from=2026-09-27T18:00:00+00:00; valid-through=2026-09-30T12:00:00+00:00; target-dates=2026-09-28; partial-target-dates=2026-09-27; dates-with-points=2026-09-27,2026-09-28; selected-by-date=2026-09-27=GFS, 2026-09-28=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — [FAA Chart Supplement](#) (current cycle) — see AirNav link above

#23

KSRQ

Sarasota-Bradenton Intl, FL, US

· Gulf East · Sarasota-Bradenton

⏮

OBS - VFR

⏭

ETE

2h43

DIST

402 nm

SUN

27

SEP

16:53 ET

OBSERVED

Current observation

⏮

OBS - VFR

⏭

META

R

OBSER

📡

clear below 12,000 ft (CLR)

WINDW (270°)

10 kt

🌡️

TEMPERATURE

28 °C

👁️


VISIBILITY

10 sm

💧

DEWPOINT

15 °C



Wind favours RWY 32

270° true · 276° magnetic · 10 kt · NOTAM-affected: 04 and 22

Evidence & limitations

- METAR source state: ok; observed Sep 27 16:53 ET; retrieved Sep 27 18:13 ET; 80 min before this run.
- Measured values read from the KSRQ METAR. This is a current surface observation only; it is not a forecast.

- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.88 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KSRQ runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 14/32, 04/22. Wind from 270 degrees true, 276 degrees magnetic, at 10 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 32. NOTAM-affected runway ends, hatched separately from the wind highlight: 04 and 22. The hatch marks only that a NOTAM names the runway; it does not decode the NOTAM's effective times, so confirm the closure window in the NOTAM text below. Wind source: KSRQ METAR 272053Z.

DESTINATION OUTLOOK

SUN, SEP 27

SUN 27 SEP 18:00–00:00 ET HIGH

Forecast

TAF

F

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

TAF · 18:00–00:00 ET ET · VFR

Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 27

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON 28 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 28 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 28 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 28 SEP 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND8 kt

TEMPERATURE84 °F

DEWPOINT63–65 °F

PRECIP CHANCE2%

Evidence & limitations

• GFS MAV MOS · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 28

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

27°C dep KLZU → 28°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

14/32 (140/320°M · 134/314°T) · 04/22 (040/220°M · 034/214°T) — designators and °M headings are magnetic; °T are true; variation 6°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMS

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

ed 2026-09-27T22:13:43.991450Z.
poritative)

	FRI SEP 25	SAT SEP 26	SUN SEP 27	MON SEP 28
09/073				
A1031/26				
05/096				

29 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 22:13 Z

NOTAMs as of 22:13 Z — advisory only; verify an official briefing.

09/009
NOTAM text not available in this projection.

A0954/26
NOTAM text not available in this projection.

09/073
NOTAM text not available in this projection.

A1031/26
NOTAM text not available in this projection.

05/096
NOTAM text not available in this projection.

A0516/26
NOTAM text not available in this projection.

08/070
NOTAM text not available in this projection.

A0920/26
NOTAM text not available in this projection.

09/070

NOTAM text not available in this projection.

A1025/26

NOTAM text not available in this projection.

A1026/26

NOTAM text not available in this projection.

A1027/26

NOTAM text not available in this projection.

A1029/26

NOTAM text not available in this projection.

09/074

NOTAM text not available in this projection.

A1032/26

NOTAM text not available in this projection.

A1033/26

NOTAM text not available in this projection.

5/0499

NOTAM text not available in this projection.

A1001/25

NOTAM text not available in this projection.

6/4825

NOTAM text not available in this projection.

A0754/26

NOTAM text not available in this projection.

06/005

NOTAM text not available in this projection.

A0527/26

NOTAM text not available in this projection.

06/146

NOTAM text not available in this projection.

A0706/26

NOTAM text not available in this projection.

06/147

NOTAM text not available in this projection.

07/029

NOTAM text not available in this projection.

07/033

NOTAM text not available in this projection.

08/060

NOTAM text not available in this projection.

08/074

NOTAM text not available in this projection.

A0926/26

NOTAM text not available in this projection.

09/010

NOTAM text not available in this projection.

09/063

NOTAM text not available in this projection.

A1018/26

NOTAM text not available in this projection.

09/069

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2026-09-27T22:13:43.991450Z.

OK

00:00Z

00:00Z

00:00Z

00:00Z

00:00Z

00:00Z

00:00Z

TAXIWAY

2026-05-30T00:06:00Z → 2026-12-31T23:00:00Z

Effective 2026-05-30T00:06:00Z → 2026-12-31T23:00:00Z

29 additional normalized FAA NOTAM records omitted from this view.

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KSRQ this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

...ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

0:00 ET ET · VFR
6:00 ET ET · VFR
12:00 ET ET · VFR
18:00 ET ET · VFR
S · 18:00–00:00 ET ET · VFR

Source state: partial; selected by target date: 2026-09-27=GFS, 2026-09-28=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-27 18:00	84	Clear	270/8kt	—	>10kft	>6SM
GFS	2026-09-27 21:00	85	Clear	290/9kt	—	>10kft	>6SM
GFS	2026-09-28 00:00	77	Clear	300/5kt	0.0	>10kft	>6SM
GFS	2026-09-28 03:00	73	Clear	330/2kt	—	>10kft	>6SM
GFS	2026-09-28 06:00	70	Clear	100/1kt	2.0	>10kft	>6SM
GFS	2026-09-28 09:00	67	Clear	130/1kt	—	>10kft	>6SM
GFS	2026-09-28 12:00	68	Clear	180/2kt	2.0	>10kft	>6SM
GFS	2026-09-28 15:00	82	Clear	270/3kt	—	>10kft	>6SM
GFS	2026-09-28 18:00	84	Clear	260/8kt	2.0	>10kft	>6SM
GFS	2026-09-28 21:00	84	Clear	270/8kt	—	>10kft	>6SM

GFS	2026-09-29 00:00	78	Clear	270/5kt	0.0	>10kft	>6SM
GFS	2026-09-29 03:00	75	Clear	140/3kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KSRQ 272053Z 27010KT 10SM CLR 28/15 A2988 RMK A02 SLP119 T02830150 56016

TAF KSRQ 271720Z 2718/2818 28008KT P6SM SCT250 FM280200 VRB02KT P6SM SCT250 FM281600 25007KT P6SM SCT250

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KSRQ; actual-station=KSRQ; fetched-at=2026-09-27T22:13:38.921368+00:00; observed-or-issued-at=2026-09-27T20:53:00+00:00 — [AWC API](#)
 - TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KSRQ; actual-station=KSRQ; fetched-at=2026-09-27T22:13:39.070711+00:00; observed-or-issued-at=2026-09-27T17:20:00+00:00; valid-from=2026-09-27T18:00:00+00:00; valid-through=2026-09-28T18:00:00+00:00; partial-target-dates=2026-09-27,2026-09-28 — [AWC API](#)
- TAF proxy · KSRQ
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KSRQ; actual-station=KSRQ; fetched-at=2026-09-27T22:13:39.957933+00:00
 - FAA NMS NOTAM — state=OK; requested-station=KSRQ; actual-station=KSRQ; fetched-at=2026-09-27T22:13:43.991450Z — [FAA NMS overview](#)
 - MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KSRQ; actual-station=KSRQ; fetched-at=2026-09-27T22:14:01.542054+00:00; observed-or-issued-at=2026-09-27T12:00:00+00:00; valid-from=2026-09-27T18:00:00+00:00; valid-through=2026-09-30T12:00:00+00:00; target-dates=2026-09-28; partial-target-dates=2026-09-27; dates-with-points=2026-09-27,2026-09-28 — [Iowa State API](#)
 - MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KSRQ; actual-station=KSRQ; fetched-at=2026-09-27T22:14:02.161798+00:00; observed-or-issued-at=2026-09-27T12:00:00+00:00; valid-from=2026-09-28T12:00:00+00:00; valid-through=2026-10-05T12:00:00+00:00; target-dates=2026-09-28; dates-with-points=2026-09-28 — [Iowa State API](#)
 - MOS effective date selection — state=partial; rows=12; requested-station=KSRQ; actual-station=KSRQ; fetched-at=2026-09-27T22:14:01.542054+00:00; observed-or-issued-at=2026-09-27T12:00:00+00:00; valid-from=2026-09-27T18:00:00+00:00; valid-through=2026-09-30T12:00:00+00:00; target-dates=2026-09-28; partial-target-dates=2026-09-27; dates-with-points=2026-09-27,2026-09-28; selected-by-date=2026-09-27=GFS, 2026-09-28=GFS
 - Extended outlook and hazard-feed states are reported in the source stamp.
 - Runway data + Chart Supplement — [FAA Chart Supplement \(current cycle\)](#) — see AirNav link above

#24

KVNC Venice Muni, FL, US

Gulf East · Venice FL

OBS - VFR

ETE

2h51

DIST

422 nm

SUN 27 SEP 16:15 ET OBSERVED

Current observation

METAR

clear below 12,000 ft (CLR)

WINDNW (310°) 7 kt



OBS - VFR

OBSER

TEMPERATURE 28 °C

VISIBILITY 8 sm

DEWPOINT 16 °C

Wind favours RWY 31

310° true · 316° magnetic · 7 kt

- METAR source state: ok; observed Sep 27 16:15 ET; retrieved Sep 27 18:13 ET; 118 min before this run.
- Measured values read from the KVNC METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.87 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KVNC runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 13/31, 05/23. Wind from 310 degrees true, 316 degrees magnetic, at 7 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 31. Wind source: KVNC METAR 272015Z.

DESTINATION OUTLOOK

SUN 27 SEP 18:00-00:00 ET HIGH

Forecast  TAF VER 



FORECAST

Flight-category guidance FORECAST

Additional source fields unavailable for this card.

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON 28 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 28 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 28 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 28 SEP 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND8 kt

TEMPERATURE84–85 °F

DEWPOINT62–64 °F

PRECIP CHANCE2%

Evidence & limitations

• GFS MAV MOS · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 28

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — source state: not_queried

CURRENT METAR TEMP DEP / DEST

27°C dep KLZU → 28°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

13/31 (130/310°M · 124/304°T) · 05/23 (050/230°M · 044/224°T) — designators and °M headings are magnetic; °T are true; variation 6°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMS

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

	2 · What	3 · Where	
	d 2026-09-27T22:13:44.010382Z.		
	poritative)		
	FRI SEP 25	SAT SEP 26	SUN SEP 27
07/031			
08/096			
09/006			
2 additional normalized NOTAM records omitted from this view.			

Raw NOTAM data · NOTAMs as of 22:13 Z

NOTAMs as of 22:13 Z — advisory only; verify an official briefing.

- 6/5337

NOTAM text not available in this projection.
- 6/5336

NOTAM text not available in this projection.
- 07/031

NOTAM text not available in this projection.
- 08/096

NOTAM text not available in this projection.
- 09/006

NOTAM text not available in this projection.
- 09/371

NOTAM text not available in this projection.
- 09/358

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

- OBSTRUCTION

2026-08-07T11:23:00Z → 2026-10-06T04:00:00Z
- OBSTRUCTION

2026-09-01T16:48:00Z → 2026-12-01T23:59:00Z

2 additional normalized FAA NOTAM records omitted from this view.

2026-09-27T22:13:44.010382Z.
KVNC08 FL TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 4... ADD TAKEOFF OBSTACLE NOTE: RWY 31, TEMPORARY CRANES
ENTERLINE, 150FT AGL/ 152FT MSL (2024-ASD-15155-DE, 2024-ASD-17015-DE). ALL OTHER DATA REMAINS AS PUBLISHED. 2026241517-2705061517EST
:00Z
KVNC08 FL RNAV (GPS) RWY 13, AMDT 2A... LPV DA 424HAT 407 ALL CATS, VIS ALL CATS 1 1/8, TEMPORARY CRANES 162 MSL 1532FT NW OF RWY 13
EST-2706061537EST
:00Z
KVNC08 FL 1007500, 270750 2026022300 40W (4 0NM NE VNC) 501.2FT (575.1FT AGL) UPS
:00Z

+ Forecast evidence

METAR

- METAR — the routine surface observation issued hourly by the reporting station, with
- TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.
- GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against
- GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in
- GFA and prog charts — the Graphical Forecast for Aviation and the Weather
- FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KVNC this run.
- published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

0:00 ET ET · VFR
5:00 ET ET · VFR
12:00 ET ET · VFR
18:00 ET ET · VFR
S · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-27=GFS, 2026-09-28=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-27 18:00	83	Clear	270/8kt	—	>10kft	>6SM
GFS	2026-09-27 21:00	84	Clear	290/9kt	—	>10kft	>6SM
GFS	2026-09-28 00:00	78	Clear	310/5kt	0.0	>10kft	>6SM
GFS	2026-09-28 03:00	74	Clear	340/3kt	—	>10kft	>6SM
GFS	2026-09-28 06:00	69	Clear	50/1kt	2.0	>10kft	>6SM
GFS	2026-09-28 09:00	66	Clear	70/1kt	—	>10kft	>6SM
GFS	2026-09-28 12:00	66	Clear	50/2kt	3.0	>10kft	>6SM
GFS	2026-09-28 15:00	81	Clear	260/3kt	—	>10kft	>6SM
GFS	2026-09-28 18:00	85	Clear	240/8kt	2.0	>10kft	>6SM
GFS	2026-09-28 21:00	84	Clear	250/8kt	—	>10kft	>6SM
GFS	2026-09-29 00:00	79	Clear	280/5kt	0.0	>10kft	>6SM
GFS	2026-09-29 03:00	76	Clear	150/2kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KVNC 272015Z AUTO 31007KT 8SM CLR 28/16 A2987 RMK A02 T02810160 \$

TAF KSRQ 271720Z 2718/2818 28008KT P6SM SCT250 FM280200 VRB02KT P6SM SCT250 FM281600 25007KT P6SM SCT250

+ Data sources used

• METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KVNC; actual-station=KVNC; fetched-at=2026-09-27T22:13:38.921368+00:00; observed-or-issued-at=2026-09-27T20:15:00+00:00 — AWC API

• TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KVNC; actual-station=KSRQ; fetched-at=2026-09-27T22:13:39.070711+00:00; observed-or-issued-at=2026-09-27T17:20:00+00:00; valid-from=2026-09-27T18:00:00+00:00; valid-through=2026-09-28T18:00:00+00:00; partial-target-dates=2026-09-27,2026-09-28 — AWC API

TAF proxy · KSRQ

• FAA airport status — state=not_queried; fetch-state=not_attempted; payload-state=not_attempted; requested-station=KVNC

• FAA NMS NOTAM — state=OK; requested-station=KVNC; actual-station=KVNC; fetched-at=2026-09-27T22:13:44.010382Z — FAA NMS overview

• MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KVNC; actual-station=KVNC; fetched-at=2026-09-27T22:14:01.555026+00:00; observed-or-issued-at=2026-09-27T12:00:00+00:00; valid-from=2026-09-27T18:00:00+00:00; valid-through=2026-09-30T12:00:00+00:00; target-dates=2026-09-28; partial-target-dates=2026-09-27; dates-with-points=2026-09-27,2026-09-28 — Iowa State API

• MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KVNC; actual-station=KVNC; fetched-at=2026-09-27T22:14:02.181259+00:00; observed-or-issued-at=2026-09-27T12:00:00+00:00; valid-from=2026-09-28T12:00:00+00:00; valid-through=2026-10-05T12:00:00+00:00; target-dates=2026-09-28; dates-with-points=2026-09-28 — Iowa State API

• MOS effective date selection — state=partial; rows=12; requested-station=KVNC; actual-station=KVNC; fetched-at=2026-09-27T22:14:01.555026+00:00; observed-or-issued-at=2026-09-27T12:00:00+00:00; valid-from=2026-09-27T18:00:00+00:00; valid-through=2026-09-30T12:00:00+00:00; target-dates=2026-09-28; partial-target-dates=2026-09-27; dates-with-points=2026-09-27,2026-09-28; selected-by-date=2026-09-27=GFS, 2026-09-28=GFS

- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#25

KHSA

Bay St Louis/Stennis Intl, MS, US

· Gulf West · Stennis MS

▮

OBS - VFR

ETE

2h25

DIST

353 nm

SUN 27 SEP 16:47 ET OBSERVED

Current observation

▮

OBS - VFR

OBSER

META

R

 scattered 6,000 ft

WINDNW (320°) 8 kt

 TEMPERATURE32 °C

 VISIBILITY10 sm

 DEWPOINT17 °C



Wind favours RWY 36

320° true · 321° magnetic · 8 kt

Evidence & limitations

- METAR source state: ok; observed Sep 27 16:47 ET; retrieved Sep 27 18:13 ET; 86 min before this run.
- Measured values read from the KHSA METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.87 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KHSA runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 18/36. Wind from 320 degrees true, 321 degrees magnetic, at 8 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 36. Wind source: KHSA METAR 272047Z.

DESTINATION OUTLOOK

SUN 27 SEP 18:00–00:00 ET HIGH

Forecast

TA
F

TAF · VFR

FORECAST



Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
 - Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.
- Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 27

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON 28 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 28 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 28 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 28 SEP 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND4–6 kt

TEMPERATURE88 °F

DEWPOINT61–62 °F

PRECIP CHANCE7%

Evidence & limitations

• GFS MAV MOS · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 28

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — source state: not_queried

CURRENT METAR TEMP DEP / DEST

27°C dep KLZU → 32°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

18/36 (180/000°M · 179/359°T) — designators and °M headings are magnetic; °T are true; variation 1°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

3 Act on

1 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production
source per owner decision 2026-08-09;
technical transport environment remains
preprod. Limited 2026-07-30 spot check
covered KLZU, KAVL, and KSGJ (3 of 30
airports). NOTAMs were read from this source
and used on this card this run. Typed state:
OK. The dot colour reports whether this
source was read this run; technical
environment: preprod.

2 · What

3 · Where

ed 2026-09-27T22:13:44.191335Z

FRI SEP 25

SAT SEP 26

SUN SEP 27

MON SEP 28

09/011

09/012

07/018

7 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 22:13 Z

NOTAMs as of 22:13 Z — advisory only; verify an official briefing.

08/01

NOTAM text not available in this projection.

08/01

NOTAM text not available in this projection

09/01

NOTAM text not available in this projection

09/01

NOTAM text not available in this projection

07/01

NOTAM text not available in this projection

07/03

NOTAM text not available in this projection

09/00

NOTAM text not available in this projection

12/01

NOTAM text not available in this projection

6/565

NOTAM text not available in this projection.

07/002

NOTAM text not available in this projection.

09/013

NOTAM text not available in this projection.

02/005

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production
source per owner decision 2026-08-09;
technical transport environment remains
preprod. Limited 2026-07-30 spot check
covered KLZU, KAVL, and KSGJ (3 of 30
airports). NOTAMs were read from this source
and used on this card this run. Typed state:
OK. The dot colour reports whether this
source was read this run; technical
environment: preprod.

26-09-27T22:13:44.191335Z.

:00Z

:00Z

:00Z

:00Z

Effective 2026-07-23T13:13:00Z → 2026-09-30T16:00:00Z

7 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics,
the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KHSA this run.

published VFR Surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

0:00 ET ET · VFR
6:00 ET ET · VFR
12:00 ET ET · VFR
18:00 ET ET · VFR
S · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-27=GFS, 2026-09-28=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-27 18:00	88	Clear	330/5kt	—	>10kft	>6SM
GFS	2026-09-27 21:00	89	Few	320/6kt	—	>10kft	>6SM
GFS	2026-09-28 00:00	81	Sct	220/3kt	0.0	>10kft	>6SM
GFS	2026-09-28 03:00	999	Few	990/99kt	—	>10kft	>6SM
GFS	2026-09-28 06:00	999	Sct	990/99kt	2.0	>10kft	>6SM
GFS	2026-09-28 09:00	999	Clear	990/99kt	—	>10kft	>6SM
GFS	2026-09-28 12:00	64	Clear	360/1kt	4.0	>10kft	>6SM
GFS	2026-09-28 15:00	79	Clear	10/4kt	—	>10kft	>6SM
GFS	2026-09-28 18:00	88	Clear	70/4kt	7.0	>10kft	>6SM
GFS	2026-09-28 21:00	88	Clear	150/6kt	—	>10kft	>6SM
GFS	2026-09-29 00:00	80	Clear	160/5kt	13.0	>10kft	>6SM
GFS	2026-09-29 03:00	999	Clear	990/99kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KHSA 272047Z 32008KT 10SM SCT060 32/17 A2987

TAF KGPT 271720Z 2718/2818 VRB04KT P6SM FEW050 SCT250

+ Data sources used

• METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KHSA; actual-station=KHSA; fetched-at=2026-09-27T22:13:38.921368+00:00; observed-or-issued-at=2026-09-27T20:47:00+00:00 — AWC API

- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KHSA; actual-station=KGPT; fetched-at=2026-09-27T22:13:39.070711+00:00; observed-or-issued-at=2026-09-27T17:20:00+00:00; valid-from=2026-09-27T18:00:00+00:00; valid-through=2026-09-28T18:00:00+00:00; partial-target-dates=2026-09-27,2026-09-28 — [AWC API](#)

TAF proxy · KGPT
- FAA airport status — state=not_queried; fetch-state=not_attempted; payload-state=not_attempted; requested-station=KHSA
- FAA NMS NOTAM — state=OK; requested-station=KHSA; actual-station=KHSA; fetched-at=2026-09-27T22:13:44.191335Z — [FAA NMS overview](#)
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KHSA; actual-station=KHSA; fetched-at=2026-09-27T22:14:01.543645+00:00; observed-or-issued-at=2026-09-27T12:00:00+00:00; valid-from=2026-09-27T18:00:00+00:00; valid-through=2026-09-30T12:00:00+00:00; target-dates=2026-09-28; partial-target-dates=2026-09-27; dates-with-points=2026-09-27,2026-09-28 — [Iowa State API](#)
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KHSA; actual-station=KHSA; fetched-at=2026-09-27T22:14:02.204292+00:00; observed-or-issued-at=2026-09-27T12:00:00+00:00; valid-from=2026-09-28T12:00:00+00:00; valid-through=2026-10-05T12:00:00+00:00; target-dates=2026-09-28; dates-with-points=2026-09-28 — [Iowa State API](#)
- MOS effective date selection — state=partial; rows=12; requested-station=KHSA; actual-station=KHSA; fetched-at=2026-09-27T22:14:01.543645+00:00; observed-or-issued-at=2026-09-27T12:00:00+00:00; valid-from=2026-09-27T18:00:00+00:00; valid-through=2026-09-30T12:00:00+00:00; target-dates=2026-09-28; partial-target-dates=2026-09-27; dates-with-points=2026-09-27,2026-09-28; selected-by-date=2026-09-27=GFS, 2026-09-28=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#26

KNEW

New Orleans/Lakefront Arpt, LA, US

· Gulf West · New Orleans Lakefront

⏮

OBS - VFR

⏭

ETE

2h38

DIST

389 nm

SUN 27 SEP 16:53 ET OBSERVED

Current observation

⏮

OBS - VFR

⏭

META

R

OBSER

clear below 12,000 ft (CLR)

WINDW (270°) 5 kt

TEMPERATURE29 °C

VISIBILITY10 sm

DEWPOINT19 °C



Wind favours RWY 27

270° true · 271° magnetic · 5 kt

Evidence & limitations

- METAR source state: ok; observed Sep 27 16:53 ET; retrieved Sep 27 18:13 ET; 80 min before this run.
- Measured values read from the KNEW METAR. This is a current surface observation only; it is not a forecast.

- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.89 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KNEW runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 18R/36L, 18L/36R, 09/27. Wind from 270 degrees true, 271 degrees magnetic, at 5 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 27. Wind source: KNEW METAR 272053Z.

DESTINATION OUTLOOK

SUN, SEP 27

SUN 27 SEP 18:00–00:00 ET HIGH

Forecast

TAF

F

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

TAF · 18:00–00:00 ET ET · VFR

Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

TAF · VFR

FORECAST

Surface prog evidence · Sun Sep 27

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON 28 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 28 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 28 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 28 SEP 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND5–6 kt

TEMPERATURE86–88 °F

DEWPOINT67–68 °F

PRECIP CHANCE11%

Evidence & limitations

• GFS MAV MOS · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 28

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

27°C dep KLZU → 29°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

18R/36L (180/000°M · 179/359°T) · 18L/36R (180/000°M · 179/359°T) · 09/27 (090/270°M · 089/269°T) — designators and °M headings are magnetic; °T are true; variation 1°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMS

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

3 Act on

1 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production
source per owner decision 2026-08-09;
technical transport environment remains
preprod. Limited 2026-07-30 spot check
covered KLZU, KAVL, and KSGJ (3 of 30
airports). NOTAMs were read from this source
and used on this card this run. Typed state:
OK. The dot colour reports whether this
source was read this run; technical
environment: preprod.

2 · What

3 · Where

ed 2026-09-27T22:13:44.197069Z

oritative

FRI SEP 25

SAT SEP 26

SUN SEP 21

MON SEP 28

6/5293

07/007

07/014

7 additional normalized NOTAM records omitted from this view

Raw NOTAM data · NOTAMs as of 22:13 Z

NOTAMs as of 22:13 Z — advisory only; verify an official briefing

09/008

NOTAM text not available in this projection

6/5292

NOTAM text not available in this projection

6/5293

NOTAM text not available in this projection

07/007

NOTAM text not available in this projection

07/014

NOTAM text not available in this projection

08/030

NOTAM text not available in this projection

09/002

NOTAM text not available in this projection

09/006

NOTAM text not available in this projection

09/005

NOTAM text not available in this projection.
09/011 NOTAM text not available in this projection.
09/033 NOTAM text not available in this projection.
09/003 NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2026-09-27T22:13:44.197069Z.
100FT UPS
:00Z
INT NEW ORLEANS, LA. ILS OR LOC RWY 18R, AMDT 1A. VORTME RWY 36L, AMDT 9A. CIRCLING CATS A/B MDA 580HAA 580. TEMPORARY CRANE, 200 MSL, (2026-ASW-364-NRA). TEMPORARY CRANE, 182 MSL, 1640FT EAST OF KNEW AIRPORT (2025-ASW-3013-NRA). 2609241507-2705061507EST
:00Z
INT NEW ORLEANS, LA. RNAV (GPS) RWY 36L, ORIG-B. LPV DA 370HAT 385. TEMPORARY CRANE, 200 MSL, 1050FT SOUTHEAST OF RWY 36L, (2026-ASW-364-NRA).
:00Z

OBSTRUCTION

ST0007 — OBST TOWER LGT (ASR 1022912) 300251 00N090318 00W (7.4NM E NEW) 236.2FT (235.2FT AGL) UPS
Effective 2026-07-14T11:58:00Z → 2026-10-12T11:58:00Z

OBSTRUCTION

ST0014 — OBST TOWER LGT (ASR 1026499) 295600 70N0900240 00W (6.0NM S NEW) 501.0FT (499.0FT AGL) UPS
Effective 2026-07-21T12:11:00Z → 2026-10-20T04:00:00Z

7 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR	
METAR — the routine surface observation issued hourly by the reporting station, with	
TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.	
GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against	
GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in	
GFA and prog charts — the Graphical Forecast for Aviation and the Weather	
FAA NOTAM (NMS) — Notices to Air	

Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KNEW this run.

published VFR C surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

0:00 ET ET · VFR
5:00 ET ET · VFR
12:00 ET ET · VFR
18:00 ET ET · VFR
S · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-27=GFS, 2026-09-28=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-27 18:00	86	Clear	330/7kt	—	>10kft	>6SM
GFS	2026-09-27 21:00	88	Clear	330/6kt	—	>10kft	>6SM
GFS	2026-09-28 00:00	85	Few	210/5kt	0.0	>10kft	>6SM
GFS	2026-09-28 03:00	82	Few	220/7kt	—	>10kft	>6SM
GFS	2026-09-28 06:00	81	Sct	240/7kt	2.0	>10kft	>6SM
GFS	2026-09-28 09:00	80	Clear	270/7kt	—	>10kft	>6SM
GFS	2026-09-28 12:00	79	Few	330/8kt	2.0	>10kft	>6SM
GFS	2026-09-28 15:00	82	Clear	10/6kt	—	>10kft	>6SM
GFS	2026-09-28 18:00	86	Clear	20/6kt	11.0	>10kft	>6SM
GFS	2026-09-28 21:00	88	Clear	40/5kt	—	>10kft	>6SM
GFS	2026-09-29 00:00	85	Clear	140/5kt	25.0	>10kft	>6SM
GFS	2026-09-29 03:00	81	Clear	180/6kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KNEW 272053Z 27005KT 10SM CLR 29/19 A2989 RMK A01 SLP116 T02940194 56023 \$

TAF KNEW 271720Z 2718/2818 32008KT P6SM FEW045 SCT250

+ Data sources used

• METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KNEW; actual-station=KNEW; fetched-at=2026-09-27T22:13:38.921368+00:00; observed-or-issued-at=2026-09-27T20:53:00+00:00 — AWC API

- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KNEW; actual-station=KNEW; fetched-at=2026-09-27T22:13:39.070711+00:00; observed-or-issued-at=2026-09-27T17:20:00+00:00; valid-from=2026-09-27T18:00:00+00:00; valid-through=2026-09-28T18:00:00+00:00; partial-target-dates=2026-09-27,2026-09-28 — [AWC API](#)

TAF proxy · KNEW
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KNEW; actual-station=KNEW; fetched-at=2026-09-27T22:13:39.964738+00:00
- FAA NMS NOTAM — state=OK; requested-station=KNEW; actual-station=KNEW; fetched-at=2026-09-27T22:13:44.197069Z — [FAA NMS overview](#)
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KNEW; actual-station=KNEW; fetched-at=2026-09-27T22:14:01.559443+00:00; observed-or-issued-at=2026-09-27T12:00:00+00:00; valid-from=2026-09-27T18:00:00+00:00; valid-through=2026-09-30T12:00:00+00:00; target-dates=2026-09-28; partial-target-dates=2026-09-27; dates-with-points=2026-09-27,2026-09-28 — [Iowa State API](#)
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KNEW; actual-station=KNEW; fetched-at=2026-09-27T22:14:02.179100+00:00; observed-or-issued-at=2026-09-27T12:00:00+00:00; valid-from=2026-09-28T12:00:00+00:00; valid-through=2026-10-05T12:00:00+00:00; target-dates=2026-09-28; dates-with-points=2026-09-28 — [Iowa State API](#)
- MOS effective date selection — state=partial; rows=12; requested-station=KNEW; actual-station=KNEW; fetched-at=2026-09-27T22:14:01.559443+00:00; observed-or-issued-at=2026-09-27T12:00:00+00:00; valid-from=2026-09-27T18:00:00+00:00; valid-through=2026-09-30T12:00:00+00:00; target-dates=2026-09-28; partial-target-dates=2026-09-27; dates-with-points=2026-09-27,2026-09-28; selected-by-date=2026-09-27=GFS, 2026-09-28=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#27

KOPF

Miami/Opa Locka Arpt, FL, US

· Long-range · Miami-Opa Locka

⏮

OBS - VFR

⏭

ETE

3h30

DIST

521 nm

SUN

27

SEP

16:53 ET

OBSERVED

Current observation

⏮

OBS - VFR

⏭

META

R

OBSER

📡

clear below 12,000 ft (CLR)

WIND

NW

(310°)

9 kt

🌡

TEMPERATURE

31 °C

👁

VISIBILITY

10 sm

💧

DEWPOINT

19 °C



Wind favours RWY 30

310° true · 317° magnetic · 9 kt

Evidence & limitations

- METAR source state: ok; observed Sep 27 16:53 ET; retrieved Sep 27 18:13 ET; 80 min before this run.
- Measured values read from the KOPF METAR. This is a current surface observation only; it is not a forecast.

- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.86 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KOPF runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 09L/27R, 12/30, 09R/27L. Wind from 310 degrees true, 317 degrees magnetic, at 9 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 30. Wind source: KOPF METAR 272053Z.

DESTINATION OUTLOOK

SUN, SEP 27

SUN 27 SEP 18:00–00:00 ET HIGH

Forecast

TA
F

TAF ·
VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

TAF · 18:00–00:00 ET ET · VFR

Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 27

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON 28 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 28 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 28 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 28 SEP 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND8–10 kt

TEMPERATURE87–88 °F

DEWPOINT69 °F

PRECIP CHANCE7%

Evidence & limitations

• GFS MAV MOS · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 28

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

27°C dep KLZU → 31°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

09L/27R (090/270°M · 083/263°T) · 12/30 (120/300°M · 113/293°T) · 09R/27L (090/270°M · 083/263°T) — designators and °M headings are magnetic; °T are true; variation 7°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMS

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

13 Act on

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production
source per owner decision 2026-08-09;
technical transport environment remains
preprod. Limited 2026-07-30 spot check
covered KLZU, KAVL, and KSGJ (3 of 30
airports). NOTAMs were read from this source
and used on this card this run. Typed state:
OK. The dot colour reports whether this
source was read this run; technical
environment: preprod.

2 · What

3 · Where

ed 2026-09-27T22:13:44.213613Z.

pritative)

FRI SEP 25

SAT SEP 26

SUN SEP 27

MON SEP 28

08/051

5/7064

5/0554

86 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 22:13 Z

6/2604

NOTAM text not available in this projection.

08/050

NOTAM text not available in this projection.

08/051

NOTAM text not available in this projection.

5/7064

NOTAM text not available in this projection.

5/0554

NOTAM text not available in this projection.

6/2599

NOTAM text not available in this projection.

6/2236

NOTAM text not available in this projection.

6/1259

NOTAM text not available in this projection.

6/8187

NOTAM text not available in this projection.

6/8903

NOTAM text not available in this projection.

6/8910

NOTAM text not available in this projection.

6/8914

NOTAM text not available in this projection.

6/8915

NOTAM text not available in this projection.

6/8918

NOTAM text not available in this projection.

6/8919

NOTAM text not available in this projection.

6/8921

NOTAM text not available in this projection.

6/4947

NOTAM text not available in this projection.

05/045

NOTAM text not available in this projection.

07/090

NOTAM text not available in this projection.

07/091

NOTAM text not available in this projection.

07/092

NOTAM text not available in this projection.

07/093

NOTAM text not available in this projection.

07/094

NOTAM text not available in this projection.

07/095

NOTAM text not available in this projection.

07/096

NOTAM text not available in this projection.

07/097

NOTAM text not available in this projection.

07/098

NOTAM text not available in this projection.

07/102

NOTAM text not available in this projection.

07/103

NOTAM text not available in this projection.

07/104

NOTAM text not available in this projection.

07/109

NOTAM text not available in this projection.

07/110

NOTAM text not available in this projection.

07/111

NOTAM text not available in this projection.

07/112

NOTAM text not available in this projection.

07/113

NOTAM text not available in this projection.

07/114

NOTAM text not available in this projection.

07/115

NOTAM text not available in this projection.

07/116

NOTAM text not available in this projection.

07/117

NOTAM text not available in this projection.

07/118

NOTAM text not available in this projection.

07/119

NOTAM text not available in this projection.

07/120

NOTAM text not available in this projection.

07/121

NOTAM text not available in this projection.

07/124

NOTAM text not available in this projection.

07/125

NOTAM text not available in this projection.

07/126

NOTAM text not available in this projection.

07/130

NOTAM text not available in this projection.

07/131

NOTAM text not available in this projection.

07/132

NOTAM text not available in this projection.

07/133

NOTAM text not available in this projection.

07/134

NOTAM text not available in this projection.

10/001

NOTAM text not available in this projection.

10/002

NOTAM text not available in this projection.

10/044

NOTAM text not available in this projection.

10/045

NOTAM text not available in this projection.

10/050

NOTAM text not available in this projection.

10/051

NOTAM text not available in this projection.

10/046

NOTAM text not available in this projection.

10/047

NOTAM text not available in this projection.

10/048

NOTAM text not available in this projection.

10/049

NOTAM text not available in this projection.

11/013

NOTAM text not available in this projection.

11/014

NOTAM text not available in this projection.

11/015

NOTAM text not available in this projection.

11/016

NOTAM text not available in this projection.

11/025

NOTAM text not available in this projection.

11/026

NOTAM text not available in this projection.

11/027

NOTAM text not available in this projection.

11/028

NOTAM text not available in this projection.

02/017

NOTAM text not available in this projection.

02/018

NOTAM text not available in this projection.

03/037

NOTAM text not available in this projection.

03/038

NOTAM text not available in this projection.

05/068

NOTAM text not available in this projection.

05/069

NOTAM text not available in this projection.

05/070

NOTAM text not available in this projection.

05/071

NOTAM text not available in this projection.

05/073

NOTAM text not available in this projection.

05/074

NOTAM text not available in this projection.

06/061

NOTAM text not available in this projection.

06/062

NOTAM text not available in this projection.

06/063

NOTAM text not available in this projection.

08/030

NOTAM text not available in this projection.

08/033

NOTAM text not available in this projection.

08/034

NOTAM text not available in this projection.

08/035

NOTAM text not available in this projection.

08/036

NOTAM text not available in this projection.

08/039

NOTAM text not available in this projection.

08/040

NOTAM text not available in this projection.

08/041

NOTAM text not available in this projection.

08/042

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2026-09-27T22:13:44.213613Z.

LOCKA EXEC. MIAMI, FL. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 9A... TAKEOFF MINIMUMS: RWY 27L 300-1. TAKEOFF
BARY CRANES BEGINNING 1200FT FROM DER, 454FT RIGHT OF CENTERLINE, UP TO 34FT AGL/42FT MSL (2017-ASD-74175-NRA). TEMPORARY CRANES
T LEFT OF CENTERLINE, UP TO 34FT AGL/42FT MSL (2017-ASD-70883-NRA). TEMPORARY CRANE 2021FT FROM DER, 86FT RIGHT OF CENTERLINE, 79FT AGL/
F 12. TEMPORARY CRANES BEGINNING 800FT FROM DER, 540FT LEFT OF CENTERLINE, UP TO 34FT AGL/42FT MSL (2017-ASD-70800-NRA). TEMPORARY
DER, 113FT RIGHT OF CENTERLINE, UP TO 34FT AGL/42FT MSL (2017-ASD-74175-NRA). TEMPORARY CRANE 1670FT FROM DER, 601FT LEFT OF CENTERLINE,
(DOE). TEMPORARY CRANE 3466FT FROM DER, 1404FT RIGHT OF CENTERLINE, 120FT AGL/120FT MSL (2023-ASD-32414-OE). RWY 27L, TEMPORARY CRANES
MINING 467 FT RIGHT OF CENTERLINE, 167 AGL/177 MSL (2020-ASD-1933/1934-NRA). TEMPORARY CRANES BEGINNING 3253FT FROM DER, BEGINNING 814FT
107FT MSL (2023-ASD-27044/27046/27050/27052-OE). RWY 30, TEMPORARY CONSTRUCTION EQUIPMENT 33FT FROM DER, 277FT RIGHT OF CENTERLINE,

PUBLISHED. END PART 1 OF 2 ODP MIAMI-OPA LOCKA EXEC. MIAMI, FL. 23FT AGL/27FT MSL (2023-ASD-7484-NRA). ALL OTHER DATA REMAINS AS PUBLISHED. END PART 2 OF 2

Effective 2026-03-03T15:34:00Z → 2026-11-16T15:34:00Z

RUNWAY 08050 → RWY 27R 1000FT DIST REMAINING SIGN MISSING

Effective 2026-08-20T11:42:00Z → 2027-08-01T04:00:00Z

RUNWAY 08051 → RWY 09L 7000FT DIST REMAINING SIGN MISSING

Effective 2026-08-20T11:43:00Z → 2027-08-01T04:00:00Z

NAV_APPROACH 87054 → ODP MIAMI-OPA LOCKA EXEC. MIAMI, FL. ILS OR LOC RWY 12, AMDT 2C... AUTOPILOT COUPLED APPROACH NA BELOW 500 MSL. 250051214-270051214EST

Effective 2025-05-07T12:14:00Z → 2027-05-07T12:13:00Z

NAV_APPROACH 88054 → ODP MIAMI-OPA LOCKA EXEC. MIAMI, FL. ILS OR LOC RWY 09, AMDT 6... AUTOPILOT COUPLED APPROACH NA BELOW 770. 2500251859-2700251859EST

Effective 2025-09-25T18:59:00Z → 2027-09-25T18:59:00Z

86 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

Forecast for Aviation and the Weather Prediction Center surface progs, issued by the National Weather Service through the day; the surface prog series reaches 144 hours. They are raster images a pilot reads for fronts, pressure systems and precipitation shields. This page displays them with their issuing office and valid time and never interprets them: no category, wind, ceiling, ranking or go/no-go here is derived from an image. A published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.



ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

0:00 ET ET · VFR
6:00 ET ET · VFR
12:00 ET ET · VFR
18:00 ET ET · VFR
S · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-09-27=GFS, 2026-09-28=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-27 18:00	85	Few	20/6kt	—	>10kft	>6SM
GFS	2026-09-27 21:00	85	Few	110/10kt	—	>10kft	>6SM
GFS	2026-09-28 00:00	80	Sct	80/7kt	10.0	>10kft	>6SM
GFS	2026-09-28 03:00	78	Sct	180/4kt	—	>10kft	>6SM
GFS	2026-09-28 06:00	77	Sct	290/3kt	9.0	>10kft	>6SM
GFS	2026-09-28 09:00	75	Clear	300/3kt	—	>10kft	>6SM
GFS	2026-09-28 12:00	76	Clear	290/2kt	4.0	>10kft	>6SM
GFS	2026-09-28 15:00	85	Few	270/6kt	—	>10kft	>6SM
GFS	2026-09-28 18:00	88	Few	210/8kt	7.0	>10kft	>6SM
GFS	2026-09-28 21:00	87	Few	180/10kt	—	>10kft	>6SM
GFS	2026-09-29 00:00	82	Clear	180/9kt	3.0	>10kft	>6SM
GFS	2026-09-29 03:00	79	Sct	230/5kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

METAR KOPF 272053Z 31009KT 10SM CLR 31/19 A2986 RMK A02 RAB28E35 SLP113 P0000 60000 T03110189 55010 \$

TAF KOPF 272049Z 2721/2818 07007KT P6SM SCT045 SCT100 FM280100 VRB04KT P6SM FEW030 SCT250

+ [Data sources used](#)

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KOPF; actual-station=KOPF; fetched-at=2026-09-27T22:13:38.921368+00:00; observed-or-issued-at=2026-09-27T20:53:00+00:00 — [AWC API](#)
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KOPF; actual-station=KOPF; fetched-at=2026-09-27T22:13:39.070711+00:00; observed-or-issued-at=2026-09-27T20:49:00+00:00; valid-from=2026-09-27T21:00:00+00:00; valid-through=2026-09-28T18:00:00+00:00; partial-target-dates=2026-09-27,2026-09-28 — [AWC API](#)
- TAF proxy · KOPF
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KOPF; actual-station=KOPF; fetched-at=2026-09-27T22:13:39.979733+00:00
- FAA NMS NOTAM — state=OK; requested-station=KOPF; actual-station=KOPF; fetched-at=2026-09-27T22:13:44.213613Z — [FAA NMS overview](#)
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KOPF; actual-station=KOPF; fetched-at=2026-09-27T22:14:01.555497+00:00; observed-or-issued-at=2026-09-27T12:00:00+00:00; valid-from=2026-09-27T18:00:00+00:00; valid-through=2026-09-30T12:00:00+00:00; target-dates=2026-09-28; partial-target-dates=2026-09-27; dates-with-points=2026-09-27,2026-09-28 — [Iowa State API](#)
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KOPF; actual-station=KOPF; fetched-at=2026-09-27T22:14:02.201143+00:00; observed-or-issued-at=2026-09-27T12:00:00+00:00; valid-from=2026-09-28T12:00:00+00:00; valid-through=2026-10-05T12:00:00+00:00; target-dates=2026-09-28; dates-with-points=2026-09-28 — [Iowa State API](#)
- MOS effective date selection — state=partial; rows=12; requested-station=KOPF; actual-station=KOPF; fetched-at=2026-09-27T22:14:01.555497+00:00; observed-or-issued-at=2026-09-27T12:00:00+00:00; valid-from=2026-09-27T18:00:00+00:00; valid-through=2026-09-30T12:00:00+00:00; target-dates=2026-09-28; partial-target-dates=2026-09-27; dates-with-points=2026-09-27,2026-09-28; selected-by-date=2026-09-27=GFS, 2026-09-28=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — [FAA Chart Supplement \(current cycle\)](#) — see AirNav link above

#28 **KHPN** White Plains/Westchester Cnty, NY, US · Long-range · White Plains NY

OBS - IFR

ETE
4h18

DIST
647 nm

SUN 27 SEP 16:37 ET OBSERVED

Current observation

OBS - IFR

OBSERV



broken 1,000 ft, overcast 1,800 ft



WINDN (20°) 10 kt gust 22 kt



TEMPERATURE16 °C



VISIBILITY1 1/2 sm



DEWPOINT15 °C



Wind favours RWY 34

020° true · 033° magnetic · 10G22 kt · also NOTAM-affected: 16 and 34

Evidence & limitations

- METAR source state: ok; observed Sep 27 16:37 ET; retrieved Sep 27 18:13 ET; 96 min before this run.
- Measured values read from the KHPN METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.70 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KHPN runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 16/34, 11/29. Wind from 020 degrees true, 033 degrees magnetic, at 10 knots gusting 22 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 34. NOTAM-affected runway ends, hatched separately from the wind highlight: 16 and 34. The wind-favoured end 34 is also NOTAM-affected: the wind does favour it, but a NOTAM on this card names it, so the highlight is not a statement that the runway is usable. The hatch marks only that a NOTAM names the runway; it does not decode the NOTAM's effective times, so confirm the closure window in the NOTAM text below. Wind source: KHPN METAR 272037Z.

DESTINATION OUTLOOK

SUN, SEP 27

SUN 27 SEP 18:00–00:00 ET HIGH

Forecast

TA

F

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

TAF · 18:00–00:00 ET ET · IFR

Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

TAF · IFR

FORECAST

Surface prog evidence · Sun Sep 27

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON 28 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · IFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · IFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 28 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · MVFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 28 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · IFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · IFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 28 SEP 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · MVFR

FORECAST

Flight-category guidance

WIND8–10 kt

TEMPERATURE59–60 °F

DEWPOINT56–57 °F

PRECIP CHANCE81%

Evidence & limitations

• GFS MAV MOS · 18:00–00:00 ET ET · MVFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 28

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

27°C dep KLZU → 16°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

16/34 (160/340°M · 147/327°T) · 11/29 (110/290°M · 097/277°T) — designators and °M headings are magnetic; °T are true; variation 13°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMS

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

8 Act on

1 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production
source per owner decision 2026-08-09;
technical transport environment remains
preprod. Limited 2026-07-30 spot check
covered KLZU, KAVL, and KSGJ (3 of 30
airports). NOTAMS were read from this source
and used on this card this run. Typed state:
OK. The dot colour reports whether this
source was read this run; technical
environment: preprod.

2 · What

3 · Where

ed 2026-09-27T22:13:44.396735Z.

FRI SEP 25

SAT SEP 26

SUN SEP 27

MON SEP 28

A4179/26

A4180/26

09/287

40 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 22:13 Z

08/245

NOTAM text not available in this projection.

A3675/26

NOTAM text not available in this projection.

A4179/26

NOTAM text not available in this projection.

A4180/26

NOTAM text not available in this projection.

09/287

NOTAM text not available in this projection.

09/291

NOTAM text not available in this projection.

09/292

NOTAM text not available in this projection.

09/293

NOTAM text not available in this projection.

A4198/26

NOTAM text not available in this projection.

09/294

NOTAM text not available in this projection.

A4199/26

NOTAM text not available in this projection.

03/058

NOTAM text not available in this projection.

A1006/26

NOTAM text not available in this projection.

03/062

NOTAM text not available in this projection.

A1019/26

NOTAM text not available in this projection.

04/112

NOTAM text not available in this projection.

A1392/26

NOTAM text not available in this projection.

07/120

NOTAM text not available in this projection.

A2868/26

NOTAM text not available in this projection.

08/016

NOTAM text not available in this projection.

A3278/26

NOTAM text not available in this projection.

A4181/26

NOTAM text not available in this projection.

A4182/26

NOTAM text not available in this projection.

A4183/26

NOTAM text not available in this projection.

A4184/26

NOTAM text not available in this projection.

A4185/26

NOTAM text not available in this projection.

A4186/26

NOTAM text not available in this projection.

A4187/26

NOTAM text not available in this projection.

A4188/26

NOTAM text not available in this projection.

A4189/26

NOTAM text not available in this projection.

A4190/26

NOTAM text not available in this projection.

A4191/26

NOTAM text not available in this projection.

A4192/26

NOTAM text not available in this projection.

A4195/26

NOTAM text not available in this projection.

03/045

NOTAM text not available in this projection.

6/5381

NOTAM text not available in this projection.

A1014/26

NOTAM text not available in this projection.

6/9015

NOTAM text not available in this projection.

A1738/26

NOTAM text not available in this projection.

6/5296

NOTAM text not available in this projection.

6/5312

NOTAM text not available in this projection.

A4160/26

NOTAM text not available in this projection.

A4161/26

NOTAM text not available in this projection.

09/238

NOTAM text not available in this projection.

A4194/26

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2026-09-27T22:13:44.396735Z.

NO LOST UFS

:00Z

NO NO LOST UFS

:00Z

NO A4160/26 Q) KZNYQLAXX0000000004104N07342W005 A) KHPN B) 2000250000 C) RWY 16 ALS UFS CANCELED

:00Z

NO A4166/26 Q) KZNYQITXX00000000004104N07342W005 A) KHPN B) 2000250000 E) NAV ILS RWY 16 SPECIAL AUTH CAT II NA CANCELED

:00Z

RUNWAY 09/267 — RWY 16 RWY EXIT SIGN AT TWY A LOST UFS

Effective 2026-09-25T10:03:00Z → 2026-10-02T10:00:00Z

RUNWAY 09/294 — RWY 16/34 CLOSED DLY 0400-0930

Effective 2026-09-29T04:00:00Z → 2026-10-02T09:30:00Z

RUNWAY A4199/26 — RWY 16/34 CLOSED

Effective 2026-09-29T04:00:00Z → 2026-10-02T09:30:00Z

38 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.


GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-

range MOS product, issued twice a day in twelve-hourly steps out to about 192 hours. Coarse, but the only station-calibrated numeric guidance that reaches the far end of a long weekend. This card shows it only as a labelled rough outlook and never as a resolved forecast. A station-calibrated MEX MOS product was read for this airport this run (state: partial).

valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KHPN this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.



ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

0:00 ET ET · IFR
6:00 ET ET · IFR
12:00 ET ET · IFR
18:00 ET ET · MVFR
S · 18:00–00:00 ET ET · MVFR

Source state: partial; selected by target date: 2026-09-27=GFS, 2026-09-28=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-27 18:00	60	Ovc	50/15kt	—	500-1kft	½-1SM
GFS	2026-09-27 21:00	60	Ovc	40/9kt	—	500-1kft	½-1SM
GFS	2026-09-28 00:00	58	Ovc	30/12kt	100.0	500-1kft	½-1SM
GFS	2026-09-28 03:00	59	Ovc	30/17kt	—	500-1kft	½-1SM
GFS	2026-09-28 06:00	58	Ovc	30/17kt	100.0	500-1kft	1-2SM
GFS	2026-09-28 09:00	57	Ovc	20/16kt	—	500-1kft	1-2SM
GFS	2026-09-28 12:00	56	Ovc	360/16kt	100.0	500-1kft	½-1SM
GFS	2026-09-28 15:00	57	Ovc	350/15kt	—	500-1kft	½-1SM
GFS	2026-09-28 18:00	59	Ovc	340/10kt	81.0	500-1kft	3-5SM
GFS	2026-09-28 21:00	60	Ovc	330/8kt	—	500-1kft	3-5SM
GFS	2026-09-29 00:00	57	Ovc	330/6kt	52.0	1-3kft	6SM
GFS	2026-09-29 03:00	56	Ovc	320/5kt	—	3-5kft	>6SM

+ Raw products

+ Raw METAR / TAF

SPECI KHPN 272037Z 02010G22KT 1 1/2SM -RA BR BKN010 OVC018 16/15 A2970 RMK A02 SFC VIS 4 P0003 T01610150

TAF KHPN 272116Z 2721/2818 04010G18KT 4SM -RA BR OVC012 TEMPO 2721/2723 RA BR OVC007 FM280500 04011G20KT 3SM -RA BR SCT004 OVC007 FM281200 01015KT 3SM BR OVC010 AMD NOT SKED

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KHPN; actual-station=KHPN; fetched-at=2026-09-27T22:13:38.921368+00:00; observed-or-issued-at=2026-09-27T20:37:00+00:00 — [AWC API](#)
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KHPN; actual-station=KHPN; fetched-at=2026-09-27T22:13:39.070711+00:00; observed-or-issued-at=2026-09-27T21:16:00+00:00; valid-from=2026-09-27T21:00:00+00:00; valid-through=2026-09-28T18:00:00+00:00; partial-target-dates=2026-09-27,2026-09-28 — [AWC API](#)
- TAF proxy · KHPN
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KHPN; actual-station=KHPN; fetched-at=2026-09-27T22:13:39.886716+00:00
- FAA NMS NOTAM — state=OK; requested-station=KHPN; actual-station=KHPN; fetched-at=2026-09-27T22:13:44.396735Z — [FAA NMS overview](#)
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KHPN; actual-station=KHPN; fetched-at=2026-09-27T22:14:01.552197+00:00; observed-or-issued-at=2026-09-27T12:00:00+00:00; valid-from=2026-09-27T18:00:00+00:00; valid-through=2026-09-30T12:00:00+00:00; target-dates=2026-09-28; partial-target-dates=2026-09-27; dates-with-points=2026-09-27,2026-09-28 — [Iowa State API](#)
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KHPN; actual-station=KHPN; fetched-at=2026-09-27T22:14:02.201973+00:00; observed-or-issued-at=2026-09-27T12:00:00+00:00; valid-from=2026-09-28T12:00:00+00:00; valid-through=2026-10-05T12:00:00+00:00; target-dates=2026-09-28; dates-with-points=2026-09-28 — [Iowa State API](#)
- MOS effective date selection — state=partial; rows=12; requested-station=KHPN; actual-station=KHPN; fetched-at=2026-09-27T22:14:01.552197+00:00; observed-or-issued-at=2026-09-27T12:00:00+00:00; valid-from=2026-09-27T18:00:00+00:00; valid-through=2026-09-30T12:00:00+00:00; target-dates=2026-09-28; partial-target-dates=2026-09-27; dates-with-points=2026-09-27,2026-09-28; selected-by-date=2026-09-27=GFS, 2026-09-28=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#29

KBED

Bedford/Hanscom Fld, MA, US

· Long-range · Boston-Bedford MA

OBS - IFR

ETE

5h11

DIST

784 nm

SUN 27 SEP 16:51 ET OBSERVED

Current observation

OBS - IFR

OBSERV

META

R

overcast 500 ft


WINDNE (50°) 15 kt gust 26 kt

TEMPERATURE14 °C

VISIBILITY1 1/2 sm



DEWPOINT13 °C



Wind favours RWY 05

050° true · 064° magnetic · 15G26 kt

Evidence & limitations

- METAR source state: ok; observed Sep 27 16:51 ET; retrieved Sep 27 18:13 ET; 82 min before this run.
- Measured values read from the KBED METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.86 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KBED runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 11/29, 05/23. Wind from 050 degrees true, 064 degrees magnetic, at 15 knots gusting 26 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 05. Wind source: KBED METAR 272051Z.

DESTINATION OUTLOOK

SUN, SEP 27

SUN 27 SEP 18:00–00:00 ET HIGH

Forecast

TAF

F

Flight-category guidance

Additional source fields unavailable for this card.

TAF · LIFR

FORECAST

Evidence & limitations

- TAF · 18:00–00:00 ET ET · LIFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Sep 27

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON 28 SEP 00:00–06:00 ET HIGH

Forecast

TA

F

TAF · LIFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 00:00–06:00 ET ET · LIFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 28 SEP 12:00–18:00 ET HIGH

Forecast

TA

F

TAF · IFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · IFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 28 SEP 06:00–12:00 ET HIGH

Forecast

TA

F

TAF · LIFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 06:00–12:00 ET ET · LIFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 28 SEP 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · LIFR

FORECAST

Flight-category guidance

WIND8–11 kt

TEMPERATURE59–60 °F

DEWPOINT56 °F

PRECIP CHANCE100%

Evidence & limitations

• GFS MAV MOS · 18:00–00:00 ET ET · LIFR

• Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Sep 28

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT WIND (FAA)

Unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

CURRENT METAR TEMP DEP / DEST

27°C dep KLZU → 14°C

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

11/29 (110/290°M · 096/276°T) · 05/23 (050/230°M · 036/216°T) — designators and °M headings are magnetic; °T are true; variation 14°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMS

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

5 Act on

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production
source per owner decision 2026-08-09;
technical transport environment remains
preprod. Limited 2026-07-30 spot check
covered KLZU, KAVL, and KSGJ (3 of 30
airports). NOTAMs were read from this source
and used on this card this run. Typed state:
OK. The dot colour reports whether this
source was read this run; technical
environment: preprod.

2 · What

3 · Where

ed 2026-09-27T22:13:44.428346Z.

oritative)

FRI SEP 25

SAT SEP 26

SUN SEP 27

MON SEP 28

A2431/26

09/063

A2655/26

15 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 22:13 Z

5/0511

NOTAM text not available in this projection.

08/020

NOTAM text not available in this projection.

A2431/26

NOTAM text not available in this projection.

09/063

NOTAM text not available in this projection.

A2655/26

NOTAM text not available in this projection.

A1392/25

NOTAM text not available in this projection.

5/0197

NOTAM text not available in this projection.

A2784/25

NOTAM text not available in this projection.

6/8189

NOTAM text not available in this projection.

A2533/26

NOTAM text not available in this projection.

09/066

NOTAM text not available in this projection.

A2661/26

NOTAM text not available in this projection.

07/034

NOTAM text not available in this projection.

A2378/26

NOTAM text not available in this projection.

08/093

NOTAM text not available in this projection.

09/068

NOTAM text not available in this projection.

09/071

NOTAM text not available in this projection.

09/067

NOTAM text not available in this projection.

A2662/26

NOTAM text not available in this projection.

A2665/26

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this

2026-09-27T22:13:44.428346Z.
HANSCOM FLD, BEDFORD, MA. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 5A., IN ADDITION TO EXISTING TAKEOFF OBSTACLE
FT FROM DER, 1683 FT LEFT OF CENTERLINE, 155 FT AGL/262 FT MSL. ANTENNA 5027 FT FROM DER, 1582 FT LEFT OF CENTERLINE, 285 FT MSL. ALL OTHER
FT 1649-2703051849EST
:00Z
MARKINGS REMOVED
:00Z

source was read this run; technical
environment: preprod.

1:00Z

Effective 2026-09-22T11:44:00Z → 2026-10-02T23:59:00Z

Effective 2026-09-22T11:44:00Z → 2026-10-02T23:59:00Z

15 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics,
the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KBED this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

0:00 ET ET · LIFR

6:00 ET ET · LIFR

2:00 ET ET · LIFR

3:00 ET ET · IFR

S · 18:00–00:00 ET ET · LIFR

Source state: partial; selected by target date: 2026-09-27=GFS, 2026-09-28=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-09-27 18:00	61	Ovc	50/18kt	—	500-1kft	¼-½SM
GFS	2026-09-27 21:00	60	Ovc	50/16kt	—	500-1kft	¼-½SM
GFS	2026-09-28 00:00	58	Ovc	30/14kt	72.0	200-500ft	¼-½SM
GFS	2026-09-28 03:00	57	Ovc	30/14kt	—	200-500ft	¼-½SM
GFS	2026-09-28 06:00	57	Ovc	30/13kt	63.0	200-500ft	¼-½SM
GFS	2026-09-28 09:00	59	Ovc	30/12kt	—	200-500ft	½-1SM

GFS	2026-09-28 12:00	55	Ovc	30/12kt	95.0	200-500ft	½-1SM
GFS	2026-09-28 15:00	58	Ovc	40/11kt	—	200-500ft	½-1SM
GFS	2026-09-28 18:00	60	Ovc	30/11kt	100.0	500-1kft	½-1SM
GFS	2026-09-28 21:00	59	Ovc	30/8kt	—	500-1kft	1-2SM
GFS	2026-09-29 00:00	55	Ovc	10/7kt	93.0	500-1kft	1-2SM
GFS	2026-09-29 03:00	55	Ovc	10/6kt	—	200-500ft	1-2SM

+ Raw products

+ Raw METAR / TAF

METAR KBED 272051Z 05015G26KT 1 1/2SM BR OVC005 14/13 A2986 RMK A02 PK WND 04031/2014 RAE17 SLP124 P0001 60003 T01390128 53009 \$

TAF KBED 271720Z 2718/2818 05017G32KT 1SM SHRA BR OVC005 FM272000 04013G24KT 2SM SHRA BR OVC004 FM281200 04010G20KT 3SM -SHRA BR OVC004 FM281600 04010G22KT 6SM -SHRA BR OVC006

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KBED; actual-station=KBED; fetched-at=2026-09-27T22:13:38.921368+00:00; observed-or-issued-at=2026-09-27T20:51:00+00:00 — [AWC API](#)
 - TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KBED; actual-station=KBED; fetched-at=2026-09-27T22:13:39.070711+00:00; observed-or-issued-at=2026-09-27T17:20:00+00:00; valid-from=2026-09-27T18:00:00+00:00; valid-through=2026-09-28T18:00:00+00:00; partial-target-dates=2026-09-27,2026-09-28 — [AWC API](#)
- TAF proxy · KBED
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KBED; actual-station=KBED; fetched-at=2026-09-27T22:13:40.198211+00:00
 - FAA NMS NOTAM — state=OK; requested-station=KBED; actual-station=KBED; fetched-at=2026-09-27T22:13:44.428346Z — [FAA NMS overview](#)
 - MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KBED; actual-station=KBED; fetched-at=2026-09-27T22:14:01.573689+00:00; observed-or-issued-at=2026-09-27T12:00:00+00:00; valid-from=2026-09-27T18:00:00+00:00; valid-through=2026-09-30T12:00:00+00:00; target-dates=2026-09-28; partial-target-dates=2026-09-27; dates-with-points=2026-09-27,2026-09-28 — [Iowa State API](#)
 - MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KBED; actual-station=KBED; fetched-at=2026-09-27T22:14:02.208421+00:00; observed-or-issued-at=2026-09-27T12:00:00+00:00; valid-from=2026-09-28T12:00:00+00:00; valid-through=2026-10-05T12:00:00+00:00; target-dates=2026-09-28; dates-with-points=2026-09-28 — [Iowa State API](#)
 - MOS effective date selection — state=partial; rows=12; requested-station=KBED; actual-station=KBED; fetched-at=2026-09-27T22:14:01.573689+00:00; observed-or-issued-at=2026-09-27T12:00:00+00:00; valid-from=2026-09-27T18:00:00+00:00; valid-through=2026-09-30T12:00:00+00:00; target-dates=2026-09-28; partial-target-dates=2026-09-27; dates-with-points=2026-09-27,2026-09-28; selected-by-date=2026-09-27=GFS, 2026-09-28=GFS
 - Extended outlook and hazard-feed states are reported in the source stamp.
 - Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

3 · Hazard feeds & regional observations

Unfiltered hazard feeds (not route-geometry screened): 4 SIGMET records, 25 G-AIRMET records, 2 CWA records. Regional current observations (not corridor forecasts): Long-range: IFR/LIFR at KHPN, KBED.

Scope: Hazard counts are raw feed totals and have not been filtered against a proposed route, altitude, or time. Airport flight categories are current point observations, not corridor forecasts.

4 · Planning gates

- Evidence gate: an unavailable, stale, or out-of-horizon source is unknown — never treat it as favorable.

- **Weather gate:** compare current observations and valid-period forecasts with personal ceiling, visibility, convection, wind, and crosswind minimums.
- **Route gate:** screen the actual route, altitude, and time against official hazard products; feed totals on this page are not route-filtered.
- **Operations gate:** verify NOTAMs, TFRs, runway conditions, fuel, aircraft performance, daylight, and alternates.

5 · ForeFlight manual cross-check (before flight)

- Official briefing matches these go/no-go windows
- Prog charts / radar / satellite trend agrees with convection timing
- Winds & temps aloft along actual route (may shift ETE)
- **NOTAMs & TFRs** — airport-scoped NMS records may be shown, but route-wide/TFR coverage is not included; pull a fresh official briefing for departure, destination, and alternates
- Runway condition / length / closures at destination & alternate
- Weight & balance + performance at forecast density altitude (heat!)
- File & brief in ForeFlight; confirm fuel stops if long-range

6 · Source stamp

Show source stamp and evidence inventory

KLZU METAR excerpt: METAR KLZU 272056Z 30007. AWC METAR state OK for 30/30 airports; TAF target coverage for 0/30; MOS fetch health GFS 30/30, MEX 30/30; target coverage 30/60 airport-days; planned-window board coverage 2/2; combined target forecast coverage for 0/30; FAA status known for 0/30. Hazard feeds: state=ok; SIGMET=4, G-AIRMET=25, CWA=2; counts are unfiltered and are not a route assessment.
NWS AFD state: ok · FAA NMS NOTAM states: OK=30; normalized records=938; unnormalized records=0; environment=preprod; sandbox-public-preview=true · Fuel: best-effort (verify) · FAA chart cycle: VFR Sectional Ed. 98 (eff. 09/03/2026); Chart Supplement Ed. 5 (eff. 09/03/2026).

Executive summary

DETERMINISTIC · RESTATES PAGE EVIDENCE · NO MODEL CALLED

A plain restatement of evidence shown in full below, computed from that evidence with no model call. It reports what the sources say; it does not rank the days, rate them, or make a go/no-go call. It follows the order the owner asked for: feasibility evidence, KLZU, destinations, weather by area or region, then new KLZU NOTAMs.

1 · Feasibility evidence for the trip window

This part is a derivation, not an observation: it states how much of the trip window carries a forecast flight category, and nothing more. It is not a go/no-go call, not a recommendation, and not a flight category. Its inputs and its gaps are listed in the tooltip on the line below.

- Trip window: Fri Sep 25 – Mon Sep 28, 2026. “This weekend” is taken to mean exactly this window; no other date range is assessed.
- Trip-window feasibility evidence (Derived): assessable for every active trip day — 2 of 2 active trip days in Fri Sep 25 – Mon Sep 28, 2026 carry a forecast flight category and 0 carry none. This is a derived statement about how much evidence exists, it is not a flight category, and it says nothing about whether a flight is advisable. Every input and every gap is named in this line's tooltip.

2 · KLZU home-base status

The KLZU observation and the per-day board categories, taken from the same helpers the board itself renders from, so the two cannot disagree.

- KLZU current observation: VFR — from the surface observation read this run; it describes conditions now, not a trip day.
- Sun Sep 27, 18:00–22:00 ET: VFR — most restrictive forecast flight category; high confidence; from TAF, MOS.
- Mon Sep 28, 06:00–22:00 ET: VFR — most restrictive forecast flight category; medium confidence; from TAF, MOS.
- A forecast flight category is available for 2 of 2 active trip days; 0 reach no category-capable product at this lead time.
- Data quality: DEGRADED — as reported by the badge in the page header; it gates publication, it is not a weather statement.

3 · Destination coverage

Coverage, not a pick: this counts which destinations a product permitted to state a flight category actually reaches. It is not a ranking, not a recommendation, and the editorial order of the destination list is not a flyability score.

- Destinations: 29 of 29 covered airports resolve a forecast flight category on at least one active trip day; 0 resolve none at this lead time. Counted from the same per-day outlook the destination cards render, with outlook-grade blocks excluded.

- Most restrictive resolved category per covered airport, across the active trip days: KAVL VFR (2/2 d), KBED LIFR (2/2 d), KBFM VFR (2/2 d), KCRE VFR (2/2 d), KCRG VFR (2/2 d), KDAB VFR (2/2 d), KECF VFR (2/2 d), KFIN VFR (2/2 d), KGKT VFR (2/2 d), KGPT VFR (2/2 d), KHPN IFR (2/2 d), KHS A VFR (2/2 d); 17 further airports in section 2.
- NOTAMs: 29 of 29 destinations report an active NOTAM. KLZU departure NOTAM state: OK.

4 • Weather events by area or region

Weather events by area or region, from products that carry an area. Per-airport categories are never clustered into a region here: an area inferred that way would be a spatial claim no source made.

- 31 hazard areas retained with their own coordinate rings. Each is related to an airport only by point-in-polygon (ray casting) against the product's own coordinate ring, or by great-circle distance from the airport to the nearest point on the product's boundary within 100 NM — tested against 30 airports that reported a position this run. No area name is inferred: the only names stated are the ones a product supplies itself. Per-airport categories are never clustered into a region.
- 31 of 31 retained hazard areas are valid at some point inside the planned trip window; the rest describe conditions before it.
- G-AIRMET ZULU — ICE: contains KSHD, KHPN (point-in-polygon (ray casting) against the product's own coordinate ring); boundary within 100 NM of KBED 56 NM, KROA 73 NM. valid 2026-09-27 20:45Z to 2026-09-28 03:00Z.
- G-AIRMET SIERRA — IFR: contains KBED, KHPN (point-in-polygon (ray casting) against the product's own coordinate ring); boundary within 100 NM of KSHD 70 NM. valid 2026-09-27 20:45Z to 2026-09-28 03:00Z.
- G-AIRMET TANGO — TURB-LO: contains KBED, KHPN (point-in-polygon (ray casting) against the product's own coordinate ring). valid 2026-09-27 21:43Z to 2026-09-28 03:00Z.
- G-AIRMET TANGO — TURB-LO: contains KSHD (point-in-polygon (ray casting) against the product's own coordinate ring); boundary within 100 NM of KROA 39 NM, KHPN 45 NM. valid 2026-09-27 21:43Z to 2026-09-28 03:00Z.
- G-AIRMET ZULU — FZLVL: boundary within 100 NM of KSRQ 3 NM, KSPG 18 NM, KVNC 21 NM, KTPF 29 NM, KOPF 36 NM; published as a line, not an enclosed area, so no containment test is made against it. valid 2026-09-27 20:45Z to 2026-09-28 03:00Z.
- G-AIRMET SIERRA — MT_OBSC: boundary within 100 NM of KSHD 26 NM, KBED 40 NM, KHPN 48 NM. valid 2026-09-27 20:45Z to 2026-09-28 03:00Z.
- G-AIRMET TANGO — TURB-HI: boundary within 100 NM of KNEW 10 NM, KHS A 45 NM, KGPT 63 NM. valid 2026-09-27 21:43Z to 2026-09-28 03:00Z.
- 24 of 31 retained hazard areas could not be related to any airport this page covers, by either test. They remain national-unfiltered: their geography is real but lies outside 100 NM of every airport tested, and nothing is claimed about where they are.
- Hazard feed record counts this run, unfiltered and national: SIGMET 4, G-AIRMET 25, CWA 2; overall feed state ok; feed states — CWA: ok, G-AIRMET: ok, SIGMET: ok. These are totals over the whole feed, not a count near KLZU, not a count along any route, and not a route assessment.

5 • New KLZU NOTAMs

This run keeps no snapshot of the previous run, so “new” cannot mean “changed since last time”. It is defined below as an FAA-published timestamp window, and the service-status scan reads the published text of every KLZU record so a status embedded inside a record of another category is not missed.

- Baseline for “new”: a KLZU NOTAM whose own FAA-published timestamp (last update, else issue, else effective start) falls within the 72 hours before this run's generation time (2026-09-27T22:13:38.777373+00:00). This run holds no copy of the previous run's NOTAM set, so this is a source-timestamp window and not a difference against an earlier run.
- KLZU: 4 of 13 current NOTAMs are new by that baseline — 09/034 (OBSTRUCTION, last_updated_at 2026-09-25T18:40:00+00:00); 09/035 (RUNWAY, last_updated_at 2026-09-26T01:19:00+00:00); A0357/26 (RUNWAY, last_updated_at 2026-09-26T01:19:00+00:00); 09/036 (OBSTRUCTION, last_updated_at 2026-09-27T00:52:00+00:00).
- No service-status wording was found in the published text of the 13 current KLZU records. The scan reads every record's full published text rather than its category, so a status stated inside a record of another category would still be reported.

This restates evidence; it is not a recommendation, not an all-clear, and not a data outage. The decision surfaces are the planning gates and the ForeFlight cross-check below, read against the KLZU board and destination cards. Every line above restates a value shown elsewhere on this page.

⚠ **Pre-planning only — not an official weather briefing.** Verify an official briefing, METAR/TAF/GFA/SIGMET/CWA, NOTAMs, TFRs, runway conditions, fuel, W&B, performance, and personal minimums before flight.