KLZU · HOME STATION / AVIATION OPERATIONS

Flight Planning Desk

Performance profile: Mooney M20J · Lawrenceville, GA · **Fri Oct 9 – Mon Oct 12, 2026**

Data quality · DEGRADED

Live verification · Checking

Published snapshot · Generated · Sunday Oct 11, 2026 · 4:30 PM ET · Next run · not before Sunday Oct 11 · 10:17 PM ET

1 · KLZU departure / return board

KLZU Lawrenceville/Gwinnett Cnty, GA, US

Home base · timed forecast changes · source detail retained

OBS - MVFR

PLANNING HORIZON
Sun 11 → Mon 12 · 2 days

RIGHT NOW · METAR

SUN 11 OCT 14:56 ET OBSERVED

Current observation

OBS - MVFR

OBSE

METAR

overcast 1,300 ft

WIND W (270°) 6 kt

TEMPERATURE 19 °C

VISIBILITY 10 sm

DEWPOINT 19 °C



Wind favours RWY 25

270° true · 276° magnetic · 6 kt

Evidence & limitations

- METAR source state: ok; observed Oct 11 14:56 ET; retrieved Oct 11 16:30 ET; 94 min before this run.
- Measured values read from the KLZU METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.00 inHg.
- Raw METAR: `METAR KLZU 111856Z 27006KT 10SM OVC013 19/19 A3000 RMK AO2 SLP164 T01890189 $`

• KLZU runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 07/25. Wind from 270 degrees true, 276 degrees magnetic, at 6 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 25. Wind source: KLZU METAR 111856Z.

Important planning / evidence detail (1 warning)

LEGEND VFR MVFR IFR LIFR Unknown Solid = source-interval category guidance Dashed = lower-confidence outlook Weather icon = surface forecastAll times Eastern (ET), 24-hour clock · “around/after” preserves source precision.

⚠ KLZU has no TAF station. Every KLZU TAF-derived value on this page is taken from the nearby **KPDK** proxy station, not from KLZU itself — treat it as regional, and confirm KLZU conditions in an official briefing.

A raster chart may be displayed with its issuing office and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

Sun

Oct 11

RETURN DAY

HIGH CONFIDENCE

OCT 11 · 15:00–22:00 ET

METAR TAF NWS-hr NWS-day MAV MEX GFA NOTAM

METAR — issued hou SPECI rep visibility, w Issued by by aviatio not a fore conditions KLZU obs describes

TAF — highes The N times FM an TAF s the str page covers

NWS hour Weather S cell contai and reachi by-hour sk and it is th this board. reaches th

NWS day/ni Weather Se and night ha Coarser tha one day furt describe spa reach. Not n by the finer- forecast.

GFS M the GF decade by the day in hours. catego the flig corrob

GFS e: range l twelve- Coarse numeri a long flagged short-r covere

GFA a Foreca Predic Nation surfac are ras pressu This pa office and valid time and never interprets them: no category, wind, ceiling, ranking or go/no-go here is derived from an image. A published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KLZU this run.

KPDK TAF - MVFR GFS OUTLOOK - VFR GFS MOS - VFR CLOUD 71%

FORECAST

WIND **W (~270° true) · 13 kt**

PRECIP CHANCE **3–10%**

TS CHANCE **0%**

SKY COVER **69–71%**

Wind favors RWY 25

W (~270° true) · 13 kt · full datum in the day evidence

Evidence & limitations

◦ The visible badge names the contributing product. Exact issuance, retrieval, and member-period provenance remains in Day evidence & planning note below.

◦ The hour-by-hour source evidence below retains every original period and its detailed wind line.

Surface prog · 15:00–18:00 ET · available

SUN 11 OCT 18:00–22:00 ET HIGH

Forecast KPDK TAF proxy

Mostly Cloudy → Partly Cloudy

KPDK TAF - MVFR → VFR

GFS OUTLOOK - VFR

GFS MOS - VFR

CLOUD 65%

FORECAST

WIND **W (~270° true) · 9 kt**

PRECIP CHANCE **1–3%**

TS CHANCE **0%**

SKY COVER **40–65%**

Wind favors RWY 25

W (~270° true) · 9 kt · full datum in the day evidence

Evidence & limitations

◦ The visible badge names the contributing product. Exact issuance, retrieval, and member-period provenance remains in Day evidence & planning note below.

◦ Flight category changes within this box: MVFR → VFR. The most restrictive displayed value is MVFR.

◦ The hour-by-hour source evidence below retains every original period and its detailed wind line.

Surface prog · 18:00–22:00 ET · available

Day evidence & planning note

No aviation-category inference — verify METAR/TAF

SOURCES & LIMITATIONS — HOUR-BY-HOUR SOURCE EVIDENCE (6 FORECAST PERIODS)

16:00–17:00 ET

KPDK TAF - MVFR

GFS OUTLOOK - VFR

CLOUD 71%

Slight Chance Drizzle

Precipitation probability (PoP) 10%

Conditions only — not a flight category; states nothing about ceiling or visibility.

NWS + TAF + MOS · NWS ISSUED OCT 11 14:27 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 11 16:31 ET

17:00–18:00 ET

KPDK TAF - MVFR

GFS MOS - VFR

CLOUD 69%

Partly Sunny

Precipitation probability (PoP) 3%

Conditions only — not a flight category; states nothing about ceiling or visibility.

NWS + TAF + MOS · NWS ISSUED OCT 11 14:27 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 11 16:31 ET

18:00–19:00 ET

KPDK TAF - MVFR

GFS OUTLOOK - VFR

CLOUD 65%

Mostly Cloudy

Precipitation probability (PoP) 3%

Conditions only — not a flight category; states nothing about ceiling or visibility.

NWS + TAF + MOS · NWS ISSUED OCT 11 14:27 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 11 16:31 ET

19:00–20:00 ET

KPDK TAF - VFR

GFS OUTLOOK - VFR

CLOUD 62%

Mostly Cloudy

Precipitation probability (PoP) 3%

Conditions only — not a flight category; states nothing about ceiling or visibility.

NWS + TAF + MOS · NWS ISSUED OCT 11 14:27 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 11 16:31 ET

20:00–21:00 ET

KPDK TAF - VFR

GFS MOS - VFR

Mostly Cloudy

Precipitation probability (PoP) 1%

NWS + TAF + MOS · NWS ISSUED OCT 11 14:27 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 11 16:31 ET

21:00–22:00 ET

KPDK TAF - VFR

GFS OUTLOOK - VFR

Partly Cloudy

Precipitation probability (PoP) 1%

NWS + TAF + MOS · NWS ISSUED OCT 11 14:27 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 11 16:31 ET

WIND / WIND-FAVORED RUNWAY · ONE ENTRY PER DISPLAY BLOCK

16:00–17:00 ET

W (~270° true) 13 kt

Approx. wind-favored RWY 25

NWS hourly surface forecast

17:00–18:00 ET

W (~270° true) 13 kt

Approx. wind-favored RWY 25

NWS hourly surface forecast

18:00–19:00 ET

W (~270° true) 9 kt

Approx. wind-favored RWY 25

NWS hourly surface forecast

19:00–20:00 ET

W (~270° true) 9 kt

Approx. wind-favored RWY 25

NWS hourly surface forecast

20:00–21:00 ET

W (~270° true) 9 kt

Approx. wind-favored RWY 25

NWS hourly surface forecast

21:00–22:00 ET

W (~270° true) 9 kt

Approx. wind-favored RWY 25

NWS hourly surface forecast

Surface prog evidence · Sun Oct 11

15:00–18:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–22:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

Runway guidance is approximate wind alignment only; verify ATIS, NOTAMs and actual runway use.

RWY numbers magnetic; wind converted from true using 6°W variation (NOAA WMM2025)

Day operations

WEATHER
TAF and radar cross-check.

PERFORMANCE
Temperature / performance check.

RUNWAY
Verify ATIS, NOTAMs and actual use.

Mon

Oct 12

RETURN DAY

MEDIUM CONFIDENCE

OCT 12 · 06:00–22:00 ET

METAR TAF NWS-hr NWS-day MAV MEX GFA NOTAM

METAR — issued ho… SPECI rep… visibility, w… Issued by … by aviatio… not a fore… conditions… KLZU obs… describes conditions now, not this trip day.

TAF — highes… The N… times … FM an… TAF s… the str… page … covers part of this …

NWS hour… Weather S… cell contai… and reachi… by-hour sk… and it is th… this board. … reaches th…

NWS day/ni… Weather Se… and night ha… Coarser thal… one day furt… describe spa… reach. Not n… by the finer-… forecast.

GFS M… the GF… decade… by the … day in … hours. … catego… the flig… corrob…

GFS e… range … twelve-… Coarse… numeri… a long … flagged… short-r… covere…

GFA a… Foreca… Predic… Nation… surfac… are ras… pressu… This pa… office and valid time and never interprets them: no category, wind, ceiling, ranking or go/no-go here is derived from an image. A published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KLZU this run.

KPDK TAF - VFR · GFS OUTLOOK - VFR · GFS MOS - VFR

FORECAST

Sunny

WIND NW (~315° true) · 9 kt

PRECIP CHANCE 0%

TS CHANCE 0%

SKY COVER 6–7%

Wind favors RWY 25

NW (~315° true) · 9 kt · full datum in the day evidence

Evidence & limitations

- The visible badge names the contributing product. Exact issuance, retrieval, and member-period provenance remains in Day evidence & planning note below.
- The hour-by-hour source evidence below retains every original period and its detailed wind line.

Surface prog · 06:00–10:00 ET · available

MON 12 OCT 10:00–15:00 ET HIGH

Forecast

KPDK TAF proxy

KPDK TAF - VFR · GFS OUTLOOK - VFR · GFS MOS - VFR

FORECAST

Sunny

WIND NW (~315° true) · 9 kt

PRECIP CHANCE 0%

TS CHANCE 0%

SKY COVER3–5%

Wind favors RWY 25
NW (~315° true) · 9 kt · full datum in the day evidence

Evidence & limitations

- The visible badge names the contributing product. Exact issuance, retrieval, and member-period provenance remains in Day evidence & planning note below.
- The hour-by-hour source evidence below retains every original period and its detailed wind line.

Surface prog · 10:00–15:00 ET · available

MON 12 OCT 15:00–18:00 ET MEDIUM

Forecast

GFS MAV

GFS OUTLOOK - VFR

GFS MOS - VFR

FORECAST

Sunny

WINDNW (~315° true) · 9 kt

PRECIP CHANCE0%

TS CHANCE0%

SKY COVER4–7%

Wind favors RWY 25
NW (~315° true) · 9 kt · full datum in the day evidence

Evidence & limitations

- The visible badge names the contributing product. Exact issuance, retrieval, and member-period provenance remains in Day evidence & planning note below.
- The hour-by-hour source evidence below retains every original period and its detailed wind line.

Surface prog · 15:00–18:00 ET · available

MON 12 OCT 18:00–22:00 ET MEDIUM

Forecast

GFS MAV

Mostly Clear → Clear

GFS OUTLOOK - VFR

GFS MOS - VFR

FORECAST

WIND **NW (~315° true) · 4 kt**

PRECIP CHANCE **0%**

TS CHANCE **0%**

SKY COVER **4–11%**

Wind favors RWY 25

NW (~315° true) · 4 kt · full datum in the day evidence

Evidence & limitations

- The visible badge names the contributing product. Exact issuance, retrieval, and member-period provenance remains in Day evidence & planning note below.
- The hour-by-hour source evidence below retains every original period and its detailed wind line.

Surface prog · 18:00–22:00 ET · available

Day evidence & planning note

No aviation-category inference — verify METAR/TAF

SOURCES & LIMITATIONS — HOUR-BY-HOUR SOURCE EVIDENCE (15 FORECAST PERIODS)

06:00–08:00 ET

KPDK TAF - VFR

GFS OUTLOOK - VFR

Sunny

Precipitation probability (PoP) 0%

NWS + TAF + MOS · NWS ISSUED OCT 11 14:27 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 11 16:31 ET

08:00–09:00 ET

KPDK TAF - VFR

GFS MOS - VFR

Sunny

Precipitation probability (PoP) 0%

NWS + TAF + MOS · NWS ISSUED OCT 11 14:27 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 11 16:31 ET

09:00–10:00 ET

KPDK TAF - VFR

GFS OUTLOOK - VFR

Sunny

Precipitation probability (PoP) 0%

NWS + TAF + MOS · NWS ISSUED OCT 11 14:27 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 11 16:31 ET

10:00–11:00 ET

KPDK TAF - VFR

GFS OUTLOOK - VFR

Sunny

Precipitation probability (PoP) 0%

NWS + TAF + MOS · NWS ISSUED OCT 11 14:27 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 11 16:31 ET

11:00–12:00 ET

KPDK TAF - VFR

GFS MOS - VFR

Sunny

Precipitation probability (PoP) 0%

NWS + TAF + MOS · NWS ISSUED OCT 11 14:27 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 11 16:31 ET

12:00–13:00 ET

KPDK TAF - VFR

GFS OUTLOOK - VFR

Sunny

Precipitation probability (PoP) 0%

NWS + TAF + MOS · NWS ISSUED OCT 11 14:27 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 11 16:31 ET

13:00–14:00 ET

KPDK TAF - VFR

GFS OUTLOOK - VFR

Sunny

Precipitation probability (PoP) 0%

NWS + TAF + MOS · NWS ISSUED OCT 11 14:27 ET · TAF + MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 11 16:31 ET

14:00–15:00 ET

GFS MOS - VFR

Sunny

Precipitation probability (PoP) 0%

NWS + MOS · NWS ISSUED OCT 11 14:27 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 11 16:31 ET

15:00–16:00 ET

GFS OUTLOOK - VFR

Sunny

Precipitation probability (PoP) 0%

Beyond the 72 h short-range GFS MOS horizon at this lead time. The product published normally; this day is simply past its reach, which is expected and is not a fault. Expected to be covered from about Fri Oct 9 · 12:00 AM ET.

NWS + MOS · NWS ISSUED OCT 11 14:27 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 11 16:31 ET

16:00–17:00 ET

GFS OUTLOOK - VFR

Sunny

Precipitation probability (PoP) 0%

Beyond the 72 h short-range GFS MOS horizon at this lead time. The product published normally; this day is simply past its reach, which is expected and is not a fault. Expected to be covered from about Fri Oct 9 · 12:00 AM ET.

NWS + MOS · NWS ISSUED OCT 11 14:27 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 11 16:31 ET

17:00–18:00 ET

GFS MOS - VFR

Sunny

Precipitation probability (PoP) 0%

NWS + MOS · NWS ISSUED OCT 11 14:27 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 11 16:31 ET

18:00–19:00 ET

GFS OUTLOOK - VFR

Mostly Clear

Precipitation probability (PoP) 0%

Beyond the 72 h short-range GFS MOS horizon at this lead time. The product published normally; this day is simply past its reach, which is expected and is not a fault. Expected to be covered from about Fri Oct 9 · 12:00 AM ET.

NWS + MOS · NWS ISSUED OCT 11 14:27 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 11 16:31 ET

19:00–20:00 ET

GFS OUTLOOK - VFR

Mostly Clear

Precipitation probability (PoP) 0%

Beyond the 72 h short-range GFS MOS horizon at this lead time. The product published normally; this day is simply past its reach, which is expected and is not a fault. Expected to be covered from about Fri Oct 9 · 12:00 AM ET.

NWS + MOS · NWS ISSUED OCT 11 14:27 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 11 16:31 ET

20:00–21:00 ET

GFS MOS - VFR

Mostly Clear

Precipitation probability (PoP) 0%

NWS + MOS · NWS ISSUED OCT 11 14:27 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 11 16:31 ET

21:00–22:00 ET

GFS OUTLOOK - VFR

Clear

Precipitation probability (PoP) 0%

Beyond the 72 h short-range GFS MOS horizon at this lead time. The product published normally; this day is simply past its reach, which is expected and is not a fault. Expected to be covered from about Fri Oct 9 · 12:00 AM ET.

NWS + MOS · NWS ISSUED OCT 11 14:27 ET · MOS ISSUANCE/CYCLE TIME NOT CARRIED IN THIS RUN'S PERIOD EVIDENCE · RETRIEVED OCT 11 16:31 ET

WIND / WIND-FAVORED RUNWAY · ONE ENTRY PER DISPLAY BLOCK

06:00–08:00 ET
NW (~315° true) 9 kt
Approx. wind-favored RWY 25 · crosswind 9 kt
NWS hourly surface forecast

08:00–09:00 ET
NW (~315° true) 9 kt
Approx. wind-favored RWY 25 · crosswind 9 kt
NWS hourly surface forecast

09:00–10:00 ET
NW (~315° true) 9 kt
Approx. wind-favored RWY 25 · crosswind 9 kt
NWS hourly surface forecast

10:00–11:00 ET
NW (~315° true) 9 kt
Approx. wind-favored RWY 25 · crosswind 9 kt
NWS hourly surface forecast

11:00–12:00 ET
NW (~315° true) 9 kt
Approx. wind-favored RWY 25 · crosswind 9 kt
NWS hourly surface forecast

12:00–13:00 ET
NW (~315° true) 9 kt
Approx. wind-favored RWY 25 · crosswind 9 kt
NWS hourly surface forecast

13:00–14:00 ET
NW (~315° true) 9 kt
Approx. wind-favored RWY 25 · crosswind 9 kt
NWS hourly surface forecast

14:00–15:00 ET
NW (~315° true) 9 kt
Approx. wind-favored RWY 25 · crosswind 9 kt
NWS hourly surface forecast

15:00–16:00 ET
NW (~315° true) 9 kt
Approx. wind-favored RWY 25 · crosswind 9 kt
NWS hourly surface forecast

16:00–17:00 ET
NW (~315° true) 9 kt
Approx. wind-favored RWY 25 · crosswind 9 kt
NWS hourly surface forecast

17:00–18:00 ET
NW (~315° true) 9 kt
Approx. wind-favored RWY 25 · crosswind 9 kt
NWS hourly surface forecast

18:00–19:00 ET
NW (~315° true) 4 kt
Approx. wind-favored RWY 25
NWS hourly surface forecast

19:00–20:00 ET
NW (~315° true) 4 kt
Approx. wind-favored RWY 25
NWS hourly surface forecast

20:00–21:00 ET
NW (~315° true) 4 kt
Approx. wind-favored RWY 25
NWS hourly surface forecast

21:00–22:00 ET

NW (~315° true) 4 kt

Approx. wind-favored RWY 25

NWS hourly surface forecast

Surface prog evidence · Mon Oct 12

06:00–10:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

10:00–15:00 ET ET · 15:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–22:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

Runway guidance is approximate wind alignment only; verify ATIS, NOTAMs and actual runway use.

RWY numbers magnetic; wind converted from true using 6°W variation (NOAA WMM2025)

Day operations

WEATHER
TAF and radar cross-check.

PERFORMANCE
Temperature / performance check.

RUNWAY
Verify ATIS, NOTAMs and actual use.

Pattern summary: .. (This afternoon through Monday) Issued at 226 PM EDT Sun Oct 11 2026 The remnants of Isaias continue to shift up across the Mid- Atlantic, but not before leaving most of North and Central GA with a rather dreary start to the day. — .. (Tuesday morning through next Saturday) Issued at 226 PM EDT Sun Oct 11 2026 A tale of two air masses for the long term forecast.

NWS FFC Area Forecast Discussion · regional context, not a KLZU category or exact timing forecast

Extended outlook ▾

EXTENDED OUTLOOK SUMMARY

.. (This afternoon through Monday)
Issued at 226 PM EDT Sun Oct 11 2026

The remnants of Isaias continue to shift up across the Mid-
Atlantic, but not before leaving most of North and Central GA with
a rather dreary start to the day. — .. (Tuesday morning through next Saturday)
Issued at 226 PM EDT Sun Oct 11 2026

A tale of two air masses for the long term forecast.

SHORT TERM

..
(This afternoon through Monday)
Issued at 226 PM EDT Sun Oct 11 2026

The remnants of Isaias continue to shift up across the Mid-
Atlantic, but not before leaving most of North and Central GA with
a rather dreary start to the day. Low-level moisture trapped

beneath dry air aloft resulted in widespread low clouds and areas of light rain this morning. Throughout this afternoon, daytime heating and breezy winds gusting to 20-25 mph will help mix out the moisture and lead to mostly clear skies by the evening hours. Temperatures this afternoon will top out in the low to mid 70s for most.

Overnight into Monday, a mid-level ridge and surface high pressure over the Gulf will spread across the Southeast US, kickstarting a week of dry and increasingly warm weather. Monday will likely be the coolest day of the week, with morning lows in the mid to upper 50s warming to the mid to upper 80s across most of the area. The exception to these warmer temperatures is in the mountains of Northeast GA where morning fog and clouds will be slow to clear and highs will be in the 70s. With a moderate pressure gradient between the building high pressure to the west and low pressure to the east, winds will again be a little gusty (up to 20 mph) out of the northwest. All in all, a pleasant day of weather to start the work week.

LONG TERM

..
(Tuesday morning through next Saturday)
Issued at 226 PM EDT Sun Oct 11 2026

A tale of two air masses for the long term forecast. Through the middle of the week into Friday, subtropical ridge will build in over the CWA that will bring very warm and (for October) relatively moist air mass to the Southeast. Highs Tuesday through Friday will be well into the mid to upper 80s and a few 90s may even creep into parts of central Georgia. Dewpoints will be well into the 60s area-wide. These highs will be 10 to as much as 20 degrees above average. Depending on the day, we might approach record highs at a few sites. Overnight lows will be in the upper 50s to low 60s. These are unlikely to approach record minimum highs, but will still be 5-15 degrees above average for October. Rain chances look to be near zero through this time period.

Into Friday, some significant changes look to take place over the CWA. Backing up a touch to Thursday, potent system over the 4 corners region should eject into the Great Plains and merge with a potent wave digging into the area within the main polar jet. This becomes a potent wave across the eastern CONUS, driving a cold front through the area into Saturday. Some timing differences exist across ensembles and the various deterministic/AI guidance, but the general consensus seems to have this front through the area by Saturday morning with maybe the exception of far east central Georgia. This brings in much more seasonable air with highs forecast in the 60s and 70s Saturday, and maybe even cooler on Sunday as the cooler air mass continue to push into the region. Given strong moisture convergence along the front, current precip chances may be a bit underdone across especially north Georgia, though timing for something like this will be crucial. An overnight frontal passage will be much more likely to be precip free, for instance. This is still a week out, so worth keeping an eye on.

+ Raw NWS AFD text

```
000
FXUS62 KFFC 111850
AFDFFC

Area Forecast Discussion
National Weather Service Peachtree City GA
250 PM EDT Sun Oct 11 2026

...Afternoon Area Forecast Discussion...

.KEY MESSAGES...

  - Lingering low clouds and gusty winds to 25 mph across North GA
    this afternoon as Isaias moves away from the area.

  - Dry conditions for much of the week with temperatures warming
    up to well above normal.

  - Confidence is increasing that a much cooler airmass will move
    in for next weekend behind a strong cold front.

&&

.SHORT TERM...
(This afternoon through Monday)
Issued at 226 PM EDT Sun Oct 11 2026

The remnants of Isaias continue to shift up across the Mid-
Atlantic, but not before leaving most of North and Central GA with
a rather dreary start to the day. Low-level moisture trapped
beneath dry air aloft resulted in widespread low clouds and areas
of light rain this morning. Throughout this afternoon, daytime
heating and breezy winds gusting to 20-25 mph will help mix out
the moisture and lead to mostly clear skies by the evening hours.
Temperatures this afternoon will top out in the low to mid 70s for
most.

Overnight into Monday, a mid-level ridge and surface high pressure
over the Gulf will spread across the Southeast US, kickstarting a
week of dry and increasingly warm weather. Monday will likely be
the coolest day of the week, with morning lows in the mid to upper
50s warming to the mid to upper 80s across most of the area. The
exception to these warmer temperatures is in the mountains of
Northeast GA where morning fog and clouds will be slow to clear
and highs will be in the 70s. With a moderate pressure gradient
between the building high pressure to the west and low pressure to
the east, winds will again be a little gusty (up to 20 mph) out of
the northwest. All in all, a pleasant day of weather to start the
work week.

&&

.LONG TERM...
(Tuesday morning through next Saturday)
Issued at 226 PM EDT Sun Oct 11 2026
```

```
A tale of two air masses for the long term forecast. Through the
middle of the week into Friday, subtropical ridge will build in
over the CWA that will bring very warm and (for October)
relatively moist air mass to the Southeast. Highs Tuesday through
Friday will be well into the mid to upper 80s and a few 90s may
even creep into parts of central Georgia. Dewpoints will be well
into the 60s area-wide. These highs will be 10 to as much as 20
degrees above average. Depending on the day, we might approach
record highs at a few sites. Overnight lows will be in the upper
50s to low 60s. These are unlikely to approach record minimum
highs, but will still be 5-15 degrees above average for October.
Rain chances look to be near zero through this time period.


Into Friday, some significant changes look to take place over the
CWA. Backing up a touch to Thursday, potent system over the 4
corners region should eject into the Great Plains and merge with a
potent wave digging into the area within the main polar jet. This
becomes a potent wave across the eastern CONUS, driving a cold
front through the area into Saturday. Some timing differences
exist across ensembles and the various deterministic/AI guidance,
but the general consensus seems to have this front through the
area by Saturday morning with maybe the exception of far east
central Georgia. This brings in much more seasonable air with
highs forecast in the 60s and 70s Saturday, and maybe even cooler
on Sunday as the cooler air mass continue to push into the region.
Given strong moisture convergence along the front, current precip
chances may be a bit underdone across especially north Georgia,
though timing for something like this will be crucial. An
overnight frontal passage will be much more likely to be precip
free, for instance. This is still a week out, so worth keeping an
eye on.

&&

.AVIATION...
(18Z TAFS)
Issued at 130 PM EDT Sun Oct 11 2026

Widespread MVFR CIGs across most of the area will continue to
slowly lift and mo
```

1.1 · KLZU departure-airport NOTAM state



covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

ed 2026-10-11T20:31:08.466188Z.

pritative)



5 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 20:31 Z

NOTAMs as of 20:31 Z — advisory only; verify an official briefing.

04/013

NOTAM text not available in this projection.

A0166/26

NOTAM text not available in this projection.

6/5419

NOTAM text not available in this projection.

A0178/26

NOTAM text not available in this projection.

07/011

NOTAM text not available in this projection.

07/030

NOTAM text not available in this projection.

07/034

NOTAM text not available in this projection.

08/001

NOTAM text not available in this projection.

08/024

NOTAM text not available in this projection.

10/001

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

026-10-11T20:31:08.466188Z.

Effective 2026-04-23T14:33:00Z → 2028-04-23T14:33:00Z

OBSTRUCTION

Effective 2026-07-13T11:11:00Z → 2026-10-12T04:00:00Z

5 additional normalized FAA NOTAM records omitted from this view.

2 · All 29 destinations — existing editorial RANK order

#1 **KAVL** **Asheville Muni, NC, US** · Mountain · cool mountain escape

OBS - VFR

ETE 0h49

DIST 112 nm

SUN 11 OCT 14:54 ET OBSERVED

Current observation METAR

OBS - VFR

OBSER

few 1,900 ft, scattered 4,900 ft, overcast 6,500 ft

WIND N (360°) 7 kt gust 19 kt

TEMPERATURE 20 °C

VISIBILITY 10 sm

DEWPOINT 15 °C



Wind favours RWY 35

360° true · 007° magnetic · 7G19 kt · also NOTAM-affected: 17 and 35

Evidence & limitations

- METAR source state: ok; observed Oct 11 14:54 ET; retrieved Oct 11 16:30 ET; 96 min before this run.
- Measured values read from the KAVL METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.93 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KAVL runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 17/35. Wind from 360 degrees true, 007 degrees magnetic, at 7 knots gusting 19 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 35. NOTAM-affected runway ends, hatched separately from the wind highlight: 17 and 35. The wind-favoured end 35 is also NOTAM-affected: the wind does favour it, but a NOTAM on this card names it, so the highlight is not a statement that the runway is usable. The hatch marks only that a NOTAM names the runway; it does not decode the NOTAM's effective times, so confirm the closure window in the NOTAM text below. Wind source: KAVL METAR 111854Z.

DESTINATION OUTLOOK

SUN, OCT 11

SUN 11 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 11 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 11

12:00–18:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 12

MON 12 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 12 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 12 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 12 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 11–18 kt

TEMPERATURE 77–78 °F

DEWPOINT 50–53 °F

PRECIP CHANCE 4%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 12

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
6000 ft

CURRENT METAR TEMP DEP / DEST
19°C dep KLZU → 20°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
17/35 (170/350°M · 163/343°T) — designators and °M headings are magnetic; °T are true; variation 7°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) | 12 Act on | 1 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What | 3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

ed 2026-10-11T20:31:08.466569Z.



38 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 20:31 Z

NOTAMs as of 20:31 Z — advisory only; verify an official briefing.

09/117

NOTAM text not available in this projection.

A1239/26

NOTAM text not available in this projection.

10/032

NOTAM text not available in this projection.

A1232/26

NOTAM text not available in this projection.

10/019

NOTAM text not available in this projection.

A1203/26

NOTAM text not available in this projection.

10/035

NOTAM text not available in this projection.

A1237/26

NOTAM text not available in this projection.

01/023

NOTAM text not available in this projection.

A0040/26

NOTAM text not available in this projection.

09/116

NOTAM text not available in this projection.

A1158/26

NOTAM text not available in this projection.

10/033

NOTAM text not available in this projection.

A1233/26

NOTAM text not available in this projection.

10/020

NOTAM text not available in this projection.

A1204/26

NOTAM text not available in this projection.

10/034

NOTAM text not available in this projection.

A1236/26

NOTAM text not available in this projection.

4/1431

NOTAM text not available in this projection.

A0991/24

NOTAM text not available in this projection.

5/9960

NOTAM text not available in this projection.

A0285/25

NOTAM text not available in this projection.

06/067

NOTAM text not available in this projection.

A0730/26

NOTAM text not available in this projection.

09/118

NOTAM text not available in this projection.

09/119

NOTAM text not available in this projection.

A1161/26

NOTAM text not available in this projection.

A1162/26

NOTAM text not available in this projection.

10/036

NOTAM text not available in this projection.

A1238/26

NOTAM text not available in this projection.

10/037

NOTAM text not available in this projection.

A1240/26

NOTAM text not available in this projection.

12/023

NOTAM text not available in this projection.

A1148/25

NOTAM text not available in this projection.

07/051

NOTAM text not available in this projection.

08/090

NOTAM text not available in this projection.

09/025

NOTAM text not available in this projection.

09/026

NOTAM text not available in this projection.

09/120

NOTAM text not available in this projection.

10/007

NOTAM text not available in this projection.

10/013

NOTAM text not available in this projection.

10/014

NOTAM text not available in this projection.

A1241/26

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

)26-10-11T20:31:08.466569Z.

RUNWAY

Effective 2026-10-13T04:00:00Z → 2026-10-13T09:30:00Z

RUNWAY

Effective 2026-10-13T04:00:00Z → 2026-10-13T09:30:00Z

RUNWAY

Effective 2026-10-14T04:00:00Z → 2026-10-14T09:15:00Z

RUNWAY

Effective 2026-10-14T04:00:00Z → 2026-10-14T09:15:00Z

35 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

range MOS product, issued twice a day in twelve-hourly steps out to about 192 hours. Coarse, but the only station-calibrated numeric guidance that reaches the far end of a long weekend. This card shows it only as a labelled rough outlook and never as a resolved forecast. A station-calibrated MEX MOS product was read for this airport this run (state: partial).

valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KAVL this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
S · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-11=GFS, 2026-10-12=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-11 18:00	66	Bkn	210/12kt	—	5-10kft	>6SM
GFS	2026-10-11 21:00	66	Ovc	330/12kt	—	5-10kft	>6SM
GFS	2026-10-12 00:00	62	Ovc	340/13kt	34.0	5-10kft	>6SM
GFS	2026-10-12 03:00	60	Bkn	330/8kt	—	>10kft	>6SM
GFS	2026-10-12 06:00	58	Ovc	340/12kt	25.0	5-10kft	3-5SM
GFS	2026-10-12 09:00	57	Bkn	340/12kt	—	5-10kft	¼-½SM
GFS	2026-10-12 12:00	56	Bkn	340/13kt	10.0	5-10kft	<¼SM
GFS	2026-10-12 15:00	67	Clear	350/18kt	—	>10kft	>6SM
GFS	2026-10-12 18:00	77	Clear	350/18kt	4.0	>10kft	>6SM
GFS	2026-10-12 21:00	78	Clear	350/11kt	—	>10kft	>6SM
GFS	2026-10-13 00:00	68	Clear	340/5kt	0.0	>10kft	>6SM
GFS	2026-10-13 03:00	62	Clear	340/1kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KAVL 111854Z 36007G19KT 330V030 10SM FEW019 SCT049 OVC065 20/15 A2993 RMK AO1 SLP114 T02000150 $

TAF KAVL 111725Z 1118/1218 35009G16KT P6SM SCT015 OVC060 FM111900 33007KT P6SM BKN030 FM120200 34012G25KT P6SM BKN030
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KAVL; actual-station=KAVL; fetched-at=2026-10-11T20:30:42.415610+00:00; observed-or-issued-at=2026-10-11T18:54:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KAVL; actual-station=KAVL; fetched-at=2026-10-11T20:30:42.806411+00:00; observed-or-issued-at=2026-10-11T17:25:00+00:00; valid-from=2026-10-11T18:00:00+00:00; valid-through=2026-10-12T18:00:00+00:00; partial-target-dates=2026-10-11,2026-10-12 — AWC API

  TAF proxy · KAVL
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KAVL; actual-station=KAVL; fetched-at=2026-10-11T20:30:43.223413+00:00
- FAA NMS NOTAM — state=OK; requested-station=KAVL; actual-station=KAVL; fetched-at=2026-10-11T20:31:08.466569Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KAVL; actual-station=KAVL; fetched-at=2026-10-11T20:31:27.511567+00:00; observed-or-issued-at=2026-10-11T12:00:00+00:00; valid-from=2026-10-11T18:00:00+00:00; valid-through=2026-10-14T12:00:00+00:00; target-dates=2026-10-12; partial-target-dates=2026-10-11; dates-with-points=2026-10-11,2026-10-12 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KAVL; actual-station=KAVL; fetched-at=2026-10-11T20:31:28.492530+00:00; observed-or-issued-at=2026-10-11T12:00:00+00:00; valid-from=2026-10-12T12:00:00+00:00; valid-through=2026-10-19T12:00:00+00:00; target-dates=2026-10-12; dates-with-points=2026-10-12 — Iowa State API
- MOS effective date selection — state=partial; rows=12; requested-station=KAVL; actual-station=KAVL; fetched-at=2026-10-11T20:31:27.511567+00:00; observed-or-issued-at=2026-10-11T12:00:00+00:00; valid-from=2026-10-11T18:00:00+00:00; valid-through=2026-10-14T12:00:00+00:00; target-dates=2026-10-12; partial-target-dates=2026-10-11; dates-with-points=2026-10-11,2026-10-12; selected-by-date=2026-10-11=GFS, 2026-10-12=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#2 **KSAV** **Savannah Intl, GA, US** · Atlantic South · historic coast

OBS - VFR

ETE 1h15

DIST 178 nm

SUN 11 OCT 14:53 ET OBSERVED

Current observation METAR

OBS - VFR

OBSER


scattered 4,300 ft, broken 21,000 ft

WIND **W (280°) 16 kt gust 23 kt**

TEMPERATURE **26 °C**

VISIBILITY **10 sm**

DEWPOINT **16 °C**



Wind favours RWY 28

280° true · 287° magnetic · 16G23 kt

Evidence & limitations

- METAR source state: ok; observed Oct 11 14:53 ET; retrieved Oct 11 16:30 ET; 97 min before this run.
- Measured values read from the KSAV METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.98 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KSAV runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 10/28, 01/19. Wind from 280 degrees true, 287 degrees magnetic, at 16 knots gusting 23 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 28. Wind source: KSAV METAR 111853Z.

DESTINATION OUTLOOK

SUN, OCT 11

SUN 11 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 11 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 11

12:00–18:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 12

MON 12 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 12 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 12 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 12 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 7–10 kt

TEMPERATURE 84–85 °F

DEWPOINT 60–62 °F

PRECIP CHANCE 1%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 12

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
6000 ft

CURRENT METAR TEMP DEP / DEST
19°C dep KLZU → 26°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
10/28 (100/280°M · 093/273°T) · 01/19 (010/190°M · 003/183°T) — designators and °M headings are magnetic; °T are true; variation 7°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) | 14 Act on | 3 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What | 3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

ed 2026-10-11T20:31:08.466944Z.



34 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 20:31 Z

NOTAMs as of 20:31 Z — advisory only; verify an official briefing.

A1053/26

NOTAM text not available in this projection.

A1055/26

NOTAM text not available in this projection.

09/025

NOTAM text not available in this projection.

A0416/24

NOTAM text not available in this projection.

M0022/26

NOTAM text not available in this projection.

M0023/26

NOTAM text not available in this projection.

09/111

NOTAM text not available in this projection.

A1016/26

NOTAM text not available in this projection.

5/5965

NOTAM text not available in this projection.

A0799/25

NOTAM text not available in this projection.

5/5767

NOTAM text not available in this projection.

5/5768

NOTAM text not available in this projection.

A0796/25

NOTAM text not available in this projection.

A0797/25

NOTAM text not available in this projection.

05/093

NOTAM text not available in this projection.

A0523/26

NOTAM text not available in this projection.

A1045/26

NOTAM text not available in this projection.

6/8138

NOTAM text not available in this projection.

6/8148

NOTAM text not available in this projection.

A1044/26

NOTAM text not available in this projection.

A1046/26

NOTAM text not available in this projection.

A1035/26

NOTAM text not available in this projection.

12/023

NOTAM text not available in this projection.

A0801/25

NOTAM text not available in this projection.

08/003

NOTAM text not available in this projection.

08/017

NOTAM text not available in this projection.

08/025

NOTAM text not available in this projection.

08/058

NOTAM text not available in this projection.

08/080

NOTAM text not available in this projection.

08/107

NOTAM text not available in this projection.

09/020

NOTAM text not available in this projection.

09/030

NOTAM text not available in this projection.

10/001

NOTAM text not available in this projection.

10/010

NOTAM text not available in this projection.

10/012

NOTAM text not available in this projection.

10/037

NOTAM text not available in this projection.

10/030

NOTAM text not available in this projection.

10/023

NOTAM text not available in this projection.

10/026

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

026-10-11T20:31:08.466944Z.

:00Z

:00Z

:00Z

:00Z

TAXIWAY

Effective 2026-09-24T12:55:00Z → 2026-11-30T00:01:00Z

34 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KSAV this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · VFR

· 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-11=GFS, 2026-10-12=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-11 18:00	81	Sct	260/17kt	—	>10kft	>6SM
GFS	2026-10-11 21:00	80	Sct	270/14kt	—	>10kft	>6SM
GFS	2026-10-12 00:00	73	Clear	260/8kt	1.0	>10kft	>6SM
GFS	2026-10-12 03:00	69	Clear	250/6kt	—	>10kft	>6SM
GFS	2026-10-12 06:00	66	Clear	270/7kt	0.0	>10kft	>6SM
GFS	2026-10-12 09:00	65	Clear	270/8kt	—	>10kft	>6SM
GFS	2026-10-12 12:00	64	Clear	280/6kt	6.0	>10kft	>6SM
GFS	2026-10-12 15:00	76	Clear	320/9kt	—	>10kft	>6SM
GFS	2026-10-12 18:00	84	Clear	320/10kt	1.0	>10kft	>6SM
GFS	2026-10-12 21:00	85	Clear	330/7kt	—	>10kft	>6SM
GFS	2026-10-13 00:00	76	Clear	340/3kt	0.0	>10kft	>6SM
GFS	2026-10-13 03:00	70	Clear	320/1kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KSAV 111853Z 28016G23KT 10SM SCT043 BKN210 26/16 A2998 RMK AO2 SLP153 T02560161

TAF KSAV 111726Z 1118/1218 28015KT P6SM SCT030 SCT210 FM112300 26005KT P6SM FEW040 FM121500 31007KT P6SM SKC
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KSAV; actual-station=KSAV; fetched-at=2026-10-11T20:30:42.415610+00:00; observed-or-issued-at=2026-10-11T18:53:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KSAV; actual-station=KSAV; fetched-at=2026-10-11T20:30:42.806411+00:00; observed-or-issued-at=2026-10-11T17:26:00+00:00; valid-from=2026-10-11T18:00:00+00:00; valid-through=2026-10-12T18:00:00+00:00; partial-target-dates=2026-10-11,2026-10-12 — AWC API
  TAF proxy · KSAV
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KSAV; actual-station=KSAV; fetched-at=2026-10-11T20:30:43.308299+00:00
- FAA NMS NOTAM — state=OK; requested-station=KSAV; actual-station=KSAV; fetched-at=2026-10-11T20:31:08.466944Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KSAV; actual-station=KSAV; fetched-at=2026-10-11T20:31:27.500021+00:00; observed-or-issued-at=2026-10-11T12:00:00+00:00; valid-from=2026-10-11T18:00:00+00:00; valid-through=2026-10-14T12:00:00+00:00; target-dates=2026-10-12; partial-target-dates=2026-10-11; dates-with-points=2026-10-11,2026-10-12 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KSAV; actual-station=KSAV; fetched-at=2026-10-11T20:31:28.476100+00:00; observed-or-issued-at=2026-10-11T12:00:00+00:00; valid-from=2026-10-12T12:00:00+00:00; valid-through=2026-10-19T12:00:00+00:00; target-dates=2026-10-12; dates-with-points=2026-10-12 — Iowa State API
- MOS effective date selection — state=partial; rows=12; requested-station=KSAV; actual-station=KSAV; fetched-at=2026-10-11T20:31:27.500021+00:00; observed-or-issued-at=2026-10-11T12:00:00+00:00; valid-from=2026-10-11T18:00:00+00:00; valid-through=2026-10-14T12:00:00+00:00; target-dates=2026-10-12; partial-target-dates=2026-10-11; dates-with-points=2026-10-11,2026-10-12; selected-by-date=2026-10-11=GFS, 2026-10-12=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#3 **KSSI** **Brunswick/McKinnon St Simons Arpt, GA, US** · Atlantic South · St Simons beach

OBS - VFR

ETE 1h29

DIST 214 nm

SUN 11 OCT 14:35 ET OBSERVED

Current observation

OBS - VFR

OBSER

METAR

clear below 12,000 ft (CLR)

WIND **W (260°) 10 kt gust 16 kt**

TEMPERATURE **28 °C**

VISIBILITY **10 sm**

DEWPOINT **16 °C**



Wind favours RWY 22

260° true · 267° magnetic · 10G16 kt

Evidence & limitations

- METAR source state: ok; observed Oct 11 14:35 ET; retrieved Oct 11 16:30 ET; 115 min before this run.
- Measured values read from the KSSI METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.98 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KSSI runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 04/22, 16/34. Wind from 260 degrees true, 267 degrees magnetic, at 10 knots gusting 16 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 22. Wind source: KSSI METAR 111835Z.

DESTINATION OUTLOOK

SUN, OCT 11

SUN 11 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 11 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 11

12:00–18:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 12

MON 12 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 12 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 12 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 12 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 7–11 kt

TEMPERATURE 83–84 °F

DEWPOINT 63–64 °F

PRECIP CHANCE 1%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 12

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
6000 ft

CURRENT METAR TEMP DEP / DEST
19°C dep KLZU → 28°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — source state: not_queried

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
04/22 (040/220°M · 033/213°T) · 16/34 (160/340°M · 153/333°T) — designators and °M headings are magnetic; °T are true; variation 7°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 1 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What

3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

d 2026-10-11T20:31:08.467295Z.



Raw NOTAM data · NOTAMs as of 20:31 Z

NOTAMs as of 20:31 Z — advisory only; verify an official briefing.

10/002

NOTAM text not available in this projection.

A0059/26

NOTAM text not available in this projection.

A0047/26

NOTAM text not available in this projection.

10/001

NOTAM text not available in this projection.

07/001

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production

source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

26-10-11T20:31:08.467295Z.

:00Z

:00Z

:00Z

OBSTRUCTION

Effective 2026-10-04T06:47:00Z → 2027-01-02T07:47:00Z

OTHER

Effective 2026-07-13T11:00:00Z → 2026-12-11T23:00:00Z

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KSSI this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · VFR

S · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-11=GFS, 2026-10-12=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-11 18:00	81	Few	260/11kt	—	>10kft	>6SM
GFS	2026-10-11 21:00	82	Sct	260/9kt	—	>10kft	>6SM

GFS	2026-10-12 00:00	76	Clear	270/5kt	3.0	>10kft	>6SM
GFS	2026-10-12 03:00	74	Clear	260/4kt	—	>10kft	>6SM
GFS	2026-10-12 06:00	72	Clear	260/5kt	1.0	>10kft	>6SM
GFS	2026-10-12 09:00	70	Clear	270/5kt	—	>10kft	>6SM
GFS	2026-10-12 12:00	69	Clear	280/6kt	3.0	>10kft	>6SM
GFS	2026-10-12 15:00	78	Clear	310/10kt	—	>10kft	>6SM
GFS	2026-10-12 18:00	84	Clear	320/11kt	1.0	>10kft	>6SM
GFS	2026-10-12 21:00	83	Clear	320/7kt	—	>10kft	>6SM
GFS	2026-10-13 00:00	76	Clear	200/2kt	0.0	>10kft	>6SM
GFS	2026-10-13 03:00	73	Clear	0/0kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KSSI 111835Z AUTO 26010G16KT 10SM CLR 28/16 A2998 RMK AO2
TAF KSSI 111720Z 1118/1218 24012G20KT P6SM FEW025 SCT250 FM112300 25007KT P6SM FEW025 FM121400 32010KT P6SM FEW025
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KSSI; actual-station=KSSI; fetched-at=2026-10-11T20:30:42.415610+00:00; observed-or-issued-at=2026-10-11T18:35:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KSSI; actual-station=KSSI; fetched-at=2026-10-11T20:30:42.806411+00:00; observed-or-issued-at=2026-10-11T17:20:00+00:00; valid-from=2026-10-11T18:00:00+00:00; valid-through=2026-10-12T18:00:00+00:00; partial-target-dates=2026-10-11,2026-10-12 — AWC API

  TAF proxy · KSSI
- FAA airport status — state=not_queried; fetch-state=not_attempted; payload-state=not_attempted; requested-station=KSSI
- FAA NMS NOTAM — state=OK; requested-station=KSSI; actual-station=KSSI; fetched-at=2026-10-11T20:31:08.467295Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KSSI; actual-station=KSSI; fetched-at=2026-10-11T20:31:27.523712+00:00; observed-or-issued-at=2026-10-11T12:00:00+00:00; valid-from=2026-10-11T18:00:00+00:00; valid-through=2026-10-14T12:00:00+00:00; target-dates=2026-10-12; partial-target-dates=2026-10-11; dates-with-points=2026-10-11,2026-10-12 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KSSI; actual-station=KSSI; fetched-at=2026-10-11T20:31:28.460526+00:00; observed-or-issued-at=2026-10-11T12:00:00+00:00; valid-from=2026-10-12T12:00:00+00:00; valid-through=2026-10-19T12:00:00+00:00; target-dates=2026-10-12; dates-with-points=2026-10-12 — Iowa State API
- MOS effective date selection — state=partial; rows=12; requested-station=KSSI; actual-station=KSSI; fetched-at=2026-10-11T20:31:27.523712+00:00; observed-or-issued-at=2026-10-11T12:00:00+00:00; valid-from=2026-10-11T18:00:00+00:00; valid-through=2026-10-14T12:00:00+00:00; target-dates=2026-10-12; partial-target-dates=2026-10-11; dates-with-points=2026-10-11,2026-10-12; selected-by-date=2026-10-11=GFS, 2026-10-12=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#4 **KJZI** **Charleston Exec, SC, US** · Atlantic South · Charleston Exec

OBS - VFR

ETE 1h28

DIST 213 nm

SUN 11 OCT 14:35 ET OBSERVED

Current observation

OBS - VFR

METAR

OBSER

clear below 12,000 ft (CLR)

WIND SW (240°) 15 kt gust 21 kt

TEMPERATURE 27 °C

VISIBILITY 10 sm

DEWPOINT 18 °C



Wind favours RWY 27

240° true · 248° magnetic · 15G21 kt

Evidence & limitations

- METAR source state: ok; observed Oct 11 14:35 ET; retrieved Oct 11 16:30 ET; 115 min before this run.
- Measured values read from the KJZI METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.95 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KJZI runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 09/27, 04/22. Wind from 240 degrees true, 248 degrees magnetic, at 15 knots gusting 21 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 27. Wind source: KJZI METAR 111835Z.

DESTINATION OUTLOOK

SUN, OCT 11

SUN 11 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 11 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 11

12:00–18:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 12

MON 12 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 12 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 12 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 12 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 5–7 kt

TEMPERATURE 82 °F

DEWPOINT 65–66 °F

PRECIP CHANCE 1%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 12

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
6000 ft

CURRENT METAR TEMP DEP / DEST
19°C dep KLZU → 27°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed (proxy KCHS)

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
09/27 (090/270°M · 082/262°T) · 04/22 (040/220°M · 032/212°T) — designators and °M headings are magnetic; °T are true; variation 8°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 Act on

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What

3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

d 2026-10-11T20:31:08.673179Z.

oritative)

FRI OCT 9 | SAT OCT 10 | SUN OCT 11 | MON OCT 12

08/354

10/062

09/426

Raw NOTAM data · NOTAMs as of 20:31 Z

NOTAMs as of 20:31 Z — advisory only; verify an official briefing.

5/3307

NOTAM text not available in this projection.

07/354

NOTAM text not available in this projection.

08/354

NOTAM text not available in this projection.

10/062

NOTAM text not available in this projection.

09/426

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production

source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

26-10-11T20:31:08.673179Z.

:00Z

:00Z

OBSTRUCTION
Effective 2026-08-21T08:30:00Z → 2026-11-19T09:30:00Z

OBSTRUCTION
Effective 2026-10-05T06:39:00Z → 2027-01-03T07:39:00Z

OTHER
Effective 2026-09-30T11:40:00Z → 2026-10-31T18:00:00Z

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KJZI this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
· 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-11=GFS, 2026-10-12=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-11 18:00	78	Sct	240/12kt	—	>10kft	>6SM

GFS	2026-10-11 21:00	78	Sct	240/12kt	—	>10kft	>6SM
GFS	2026-10-12 00:00	73	Few	240/6kt	5.0	>10kft	>6SM
GFS	2026-10-12 03:00	70	Clear	240/6kt	—	>10kft	>6SM
GFS	2026-10-12 06:00	68	Clear	260/6kt	0.0	>10kft	>6SM
GFS	2026-10-12 09:00	67	Clear	260/6kt	—	>10kft	>6SM
GFS	2026-10-12 12:00	66	Clear	280/5kt	4.0	>10kft	>6SM
GFS	2026-10-12 15:00	75	Clear	300/8kt	—	>10kft	>6SM
GFS	2026-10-12 18:00	82	Few	320/7kt	1.0	>10kft	>6SM
GFS	2026-10-12 21:00	82	Sct	310/5kt	—	>10kft	>6SM
GFS	2026-10-13 00:00	73	Clear	0/0kt	0.0	>10kft	>6SM
GFS	2026-10-13 03:00	70	Clear	350/1kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KJZI 111835Z AUTO 24015G21KT 10SM CLR 27/18 A2995 RMK AO2

TAF KJZI 111726Z 1118/1218 23014G23KT P6SM FEW050 FM112300 24008KT P6SM FEW040 FM120700 27007KT P6SM FEW030 FM121500 31007KT P6SM SKC
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KJZI; actual-station=KJZI; fetched-at=2026-10-11T20:30:42.415610+00:00; observed-or-issued-at=2026-10-11T18:35:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KJZI; actual-station=KJZI; fetched-at=2026-10-11T20:30:42.806411+00:00; observed-or-issued-at=2026-10-11T17:26:00+00:00; valid-from=2026-10-11T18:00:00+00:00; valid-through=2026-10-12T18:00:00+00:00; partial-target-dates=2026-10-11,2026-10-12 — AWC API

  TAF proxy · KJZI
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KJZI; actual-station=KCHS; fetched-at=2026-10-11T20:30:43.317218+00:00
- FAA NMS NOTAM — state=OK; requested-station=KJZI; actual-station=KJZI; fetched-at=2026-10-11T20:31:08.673179Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KJZI; actual-station=KJZI; fetched-at=2026-10-11T20:31:27.525599+00:00; observed-or-issued-at=2026-10-11T12:00:00+00:00; valid-from=2026-10-11T18:00:00+00:00; valid-through=2026-10-14T12:00:00+00:00; target-dates=2026-10-12; partial-target-dates=2026-10-11; dates-with-points=2026-10-11,2026-10-12 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KJZI; actual-station=KJZI; fetched-at=2026-10-11T20:31:28.507065+00:00; observed-or-issued-at=2026-10-11T12:00:00+00:00; valid-from=2026-10-12T12:00:00+00:00; valid-through=2026-10-19T12:00:00+00:00; target-dates=2026-10-12; dates-with-points=2026-10-12 — Iowa State API
- MOS effective date selection — state=partial; rows=12; requested-station=KJZI; actual-station=KJZI; fetched-at=2026-10-11T20:31:27.525599+00:00; observed-or-issued-at=2026-10-11T12:00:00+00:00; valid-from=2026-10-11T18:00:00+00:00; valid-through=2026-10-14T12:00:00+00:00; target-dates=2026-10-12; partial-target-dates=2026-10-11; dates-with-points=2026-10-11,2026-10-12; selected-by-date=2026-10-11=GFS, 2026-10-12=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#5 **KMYR** **Myrtle Beach Intl, SC, US** · Atlantic North · Myrtle Beach (Class C)

OBS - VFR

ETE 1h45

DIST 251 nm

SUN 11 OCT 14:53 ET OBSERVED

Current observation

OBS - VFR

OBSER

METAR

clear below 12,000 ft (CLR)

WINDS (190°) 15 kt gust 20 kt

TEMPERATURE27 °C

VISIBILITY10 sm

DEWPOINT22 °C

Wind favours RWY 18

190° true · 199° magnetic · 15G20 kt · also NOTAM-affected: 18 and 36

Evidence & limitations

- METAR source state: ok; observed Oct 11 14:53 ET; retrieved Oct 11 16:30 ET; 97 min before this run.
- Measured values read from the KMYR METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.91 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KMYR runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 18/36. Wind from 190 degrees true, 199 degrees magnetic, at 15 knots gusting 20 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 18. NOTAM-affected runway ends, hatched separately from the wind highlight: 18 and 36. The wind-favoured end 18 is also NOTAM-affected: the wind does favour it, but a NOTAM on this card names it, so the highlight is not a statement that the runway is usable. The hatch marks only that a NOTAM names the runway; it does not decode the NOTAM's effective times, so confirm the closure window in the NOTAM text below. Wind source: KMYR METAR 111853Z.

DESTINATION OUTLOOK

SUN, OCT 11

SUN 11 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 11 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 11

12:00–18:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 12

MON 12 OCT 00:00–06:00 ET HIGH

Forecast TAF

Flight-category guidance

TAF · VFR

FORECAST

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 12 OCT 06:00–12:00 ET HIGH

Forecast TAF

Flight-category guidance

TAF · VFR

FORECAST

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 12 OCT 12:00–18:00 ET HIGH

Forecast TAF

Flight-category guidance

TAF · VFR

FORECAST

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 12 OCT 18:00–00:00 ET MEDIUM

Forecast GFS MAV MOS

Flight-category guidance

GFS MAV MOS · VFR

FORECAST

WIND 8–11 kt

TEMPERATURE 80 °F

DEWPOINT 64–65 °F

PRECIP CHANCE 1%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 12

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
19°C dep KLZU → 27°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
18/36 (180/000°M · 171/351°T) — designators and °M headings are magnetic; °T are true; variation 9°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) | 17 Act on | 4 Brief


FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What | 3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

ed 2026-10-11T20:31:08.693621Z.

oritative) Narrow bars = daily schedule sub-windows



42 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 20:31 Z

NOTAMs as of 20:31 Z — advisory only; verify an official briefing.

08/036

NOTAM text not available in this projection.

08/038

NOTAM text not available in this projection.

A0639/26

NOTAM text not available in this projection.

A0647/26

NOTAM text not available in this projection.

08/053

NOTAM text not available in this projection.

A0660/26

NOTAM text not available in this projection.

6/8172

NOTAM text not available in this projection.

09/037

NOTAM text not available in this projection.

09/050

NOTAM text not available in this projection.

A0761/26

NOTAM text not available in this projection.

10/004

NOTAM text not available in this projection.

A0776/26

NOTAM text not available in this projection.

10/007

NOTAM text not available in this projection.

A0777/26

NOTAM text not available in this projection.

10/013

NOTAM text not available in this projection.

A0782/26

NOTAM text not available in this projection.

09/035

NOTAM text not available in this projection.

A0739/26

NOTAM text not available in this projection.

09/036

NOTAM text not available in this projection.

A0741/26

NOTAM text not available in this projection.

09/038

NOTAM text not available in this projection.

A0743/26

NOTAM text not available in this projection.

09/039

NOTAM text not available in this projection.

A0746/26

NOTAM text not available in this projection.

09/040

NOTAM text not available in this projection.

A0747/26

NOTAM text not available in this projection.

09/041

NOTAM text not available in this projection.

09/042

NOTAM text not available in this projection.

09/043

NOTAM text not available in this projection.

A0750/26

NOTAM text not available in this projection.

09/048

NOTAM text not available in this projection.

A0757/26

NOTAM text not available in this projection.

09/051

NOTAM text not available in this projection.

09/052

NOTAM text not available in this projection.

A0762/26

NOTAM text not available in this projection.

09/058

NOTAM text not available in this projection.

A0768/26

NOTAM text not available in this projection.

A0684/26

NOTAM text not available in this projection.

10/014

NOTAM text not available in this projection.

A0783/26

NOTAM text not available in this projection.

07/032

NOTAM text not available in this projection.

09/034

NOTAM text not available in this projection.

09/053

NOTAM text not available in this projection.

08/005

NOTAM text not available in this projection.

A0600/26

NOTAM text not available in this projection.

10/015

NOTAM text not available in this projection.

A0784/26

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

026-10-11T20:31:08.693621Z.

RUNWAY

Effective 2026-08-20T10:17:00Z → 2027-04-30T20:00:00Z

RUNWAY

Effective 2026-09-26T04:00:00Z → 2026-10-31T10:00:00Z

RUNWAY

Effective 2026-09-26T04:00:00Z → 2026-10-31T10:00:00Z

40 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KMYR this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
· 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-11=GFS, 2026-10-12=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-11 18:00	80	Ovc	210/16kt	—	3-5kft	>6SM
GFS	2026-10-11 21:00	78	Sct	220/18kt	—	>10kft	>6SM
GFS	2026-10-12 00:00	74	Few	250/12kt	21.0	>10kft	>6SM
GFS	2026-10-12 03:00	72	Few	240/12kt	—	>10kft	>6SM
GFS	2026-10-12 06:00	71	Clear	250/9kt	0.0	>10kft	>6SM
GFS	2026-10-12 09:00	70	Clear	260/7kt	—	>10kft	>6SM
GFS	2026-10-12 12:00	68	Clear	270/6kt	3.0	>10kft	>6SM
GFS	2026-10-12 15:00	76	Clear	310/12kt	—	>10kft	>6SM
GFS	2026-10-12 18:00	80	Sct	320/11kt	1.0	>10kft	>6SM
GFS	2026-10-12 21:00	80	Sct	310/8kt	—	>10kft	>6SM

GFS	2026-10-13 00:00	75	Clear	310/2kt	0.0	>10kft	>6SM
GFS	2026-10-13 03:00	73	Clear	350/2kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KMYR 111853Z 19015G20KT 10SM CLR 27/22 A2991 RMK AO2 SLP127 T02670222 $

TAF KMYR 111727Z 1118/1218 23011KT P6SM SCT015 OVC040 FM111900 23013G23KT P6SM SCT040 FM120200 25010KT P6SM SCT150
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KMYR; actual-station=KMYR; fetched-at=2026-10-11T20:30:42.415610+00:00; observed-or-issued-at=2026-10-11T18:53:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KMYR; actual-station=KMYR; fetched-at=2026-10-11T20:30:42.806411+00:00; observed-or-issued-at=2026-10-11T17:27:00+00:00; valid-from=2026-10-11T18:00:00+00:00; valid-through=2026-10-12T18:00:00+00:00; partial-target-dates=2026-10-11,2026-10-12 — AWC API

  TAF proxy · KMYR
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KMYR; actual-station=KMYR; fetched-at=2026-10-11T20:30:43.411489+00:00
- FAA NMS NOTAM — state=OK; requested-station=KMYR; actual-station=KMYR; fetched-at=2026-10-11T20:31:08.693621Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KMYR; actual-station=KMYR; fetched-at=2026-10-11T20:31:27.520322+00:00; observed-or-issued-at=2026-10-11T12:00:00+00:00; valid-from=2026-10-11T18:00:00+00:00; valid-through=2026-10-14T12:00:00+00:00; target-dates=2026-10-12; partial-target-dates=2026-10-11; dates-with-points=2026-10-11,2026-10-12 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KMYR; actual-station=KMYR; fetched-at=2026-10-11T20:31:28.486554+00:00; observed-or-issued-at=2026-10-11T12:00:00+00:00; valid-from=2026-10-12T12:00:00+00:00; valid-through=2026-10-19T12:00:00+00:00; target-dates=2026-10-12; dates-with-points=2026-10-12 — Iowa State API
- MOS effective date selection — state=partial; rows=12; requested-station=KMYR; actual-station=KMYR; fetched-at=2026-10-11T20:31:27.520322+00:00; observed-or-issued-at=2026-10-11T12:00:00+00:00; valid-from=2026-10-11T18:00:00+00:00; valid-through=2026-10-14T12:00:00+00:00; target-dates=2026-10-12; partial-target-dates=2026-10-11; dates-with-points=2026-10-11,2026-10-12; selected-by-date=2026-10-11=GFS, 2026-10-12=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#6 **KCRE** **North Myrtle Beach/Grand Strand Arpt, SC, US** · Atlantic North · N Myrtle Beach

OBS - VFR

ETE 1h49

DIST 261 nm

SUN 11 OCT 14:53 ET OBSERVED

Current observation

OBS - VFR

OBSER

METAR

scattered 6,500 ft

WIND SW (210°) 16 kt gust 25 kt

TEMPERATURE 26 °C

VISIBILITY 10 sm

DEWPOINT 22 °C



Wind favours RWY 23

210° true · 219° magnetic · 16G25 kt

Evidence & limitations

- METAR source state: ok; observed Oct 11 14:53 ET; retrieved Oct 11 16:30 ET; 97 min before this run.
- Measured values read from the KCRE METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.89 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KCRE runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 05/23. Wind from 210 degrees true, 219 degrees magnetic, at 16 knots gusting 25 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 23. Wind source: KCRE METAR 111853Z.

DESTINATION OUTLOOK

SUN, OCT 11

SUN 11 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 11 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 11

12:00–18:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 12

MON 12 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 12 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 12 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 12 OCT 18:00–00:00 ET MEDIUM

Forecast GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 6–9 kt

TEMPERATURE 81 °F

DEWPOINT 64 °F

PRECIP CHANCE 2%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 12

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT METAR TEMP DEP / DEST

19°C dep KLZU → 26°C

CURRENT WIND (FAA)

Unavailable

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS

FAA status unavailable — source state: not_queried

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

05/23 (050/230°M · 041/221°T) — designators and °M headings are magnetic; °T are true; variation 9°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

3 Act on

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What

3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

d 2026-10-11T20:31:08.705323Z.

oritative)

FRI OCT 9 | SAT OCT 10 | SUN OCT 11 | MON OCT 12

10/007

08/002

Raw NOTAM data · NOTAMs as of 20:31 Z

NOTAMs as of 20:31 Z — advisory only; verify an official briefing.

5/9932

NOTAM text not available in this projection.

5/9933

NOTAM text not available in this projection.

10/007

NOTAM text not available in this projection.

08/002

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

26-10-11T20:31:08.705323Z.

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

:00Z

:00Z

:00Z

OTHER

Effective 2026-08-05T21:13:00Z → 2026-11-18T13:00:00Z

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KCRE this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · VFR

· 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-11=GFS, 2026-10-12=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-11 18:00	80	Ovc	210/13kt	—	3-5kft	>6SM
GFS	2026-10-11 21:00	78	Sct	220/16kt	—	>10kft	>6SM
GFS	2026-10-12 00:00	74	Few	230/10kt	27.0	>10kft	>6SM
GFS	2026-10-12 03:00	72	Few	230/8kt	—	>10kft	>6SM
GFS	2026-10-12 06:00	70	Clear	240/7kt	0.0	>10kft	>6SM
GFS	2026-10-12 09:00	69	Clear	250/6kt	—	>10kft	>6SM
GFS	2026-10-12 12:00	68	Clear	260/5kt	3.0	>10kft	>6SM
GFS	2026-10-12 15:00	76	Clear	310/8kt	—	>10kft	>6SM
GFS	2026-10-12 18:00	81	Sct	320/9kt	2.0	>10kft	>6SM
GFS	2026-10-12 21:00	81	Sct	320/6kt	—	>10kft	>6SM
GFS	2026-10-13 00:00	74	Clear	320/2kt	0.0	>10kft	>6SM
GFS	2026-10-13 03:00	71	Clear	20/1kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KCRE 111853Z 21016G25KT 10SM SCT065 26/22 A2989 RMK AO2 SLP123 T02610222

TAF KMYR 111727Z 1118/1218 23011KT P6SM SCT015 OVC040 FM111900 23013G23KT P6SM SCT040 FM120200 25010KT P6SM SCT150
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KCRE; actual-station=KCRE; fetched-at=2026-10-11T20:30:42.415610+00:00; observed-or-issued-at=2026-10-11T18:53:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KCRE; actual-station=KMYR; fetched-at=2026-10-11T20:30:42.806411+00:00; observed-or-issued-at=2026-10-11T17:27:00+00:00; valid-from=2026-10-11T18:00:00+00:00; valid-through=2026-10-12T18:00:00+00:00; partial-target-dates=2026-10-11,2026-10-12 — AWC API
  TAF proxy · KMYR
- FAA airport status — state=not_queried; fetch-state=not_attempted; payload-state=not_attempted; requested-station=KCRE
- FAA NMS NOTAM — state=OK; requested-station=KCRE; actual-station=KCRE; fetched-at=2026-10-11T20:31:08.705323Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KCRE; actual-station=KCRE; fetched-at=2026-10-11T20:31:27.516351+00:00; observed-or-issued-at=2026-10-11T12:00:00+00:00; valid-from=2026-10-11T18:00:00+00:00; valid-through=2026-10-14T12:00:00+00:00; target-dates=2026-10-12; partial-target-dates=2026-10-11; dates-with-points=2026-10-11,2026-10-12 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KCRE; actual-station=KCRE; fetched-at=2026-10-11T20:31:28.434827+00:00; observed-or-issued-at=2026-10-11T12:00:00+00:00; valid-from=2026-10-12T12:00:00+00:00; valid-through=2026-10-19T12:00:00+00:00; target-dates=2026-10-12; dates-with-points=2026-10-12 — Iowa State API
- MOS effective date selection — state=partial; rows=12; requested-station=KCRE; actual-station=KCRE; fetched-at=2026-10-11T20:31:27.516351+00:00; observed-or-issued-at=2026-10-11T12:00:00+00:00; valid-from=2026-10-11T18:00:00+00:00; valid-through=2026-10-14T12:00:00+00:00; target-dates=2026-10-12; partial-target-dates=2026-10-11; dates-with-points=2026-10-11,2026-10-12; selected-by-date=2026-10-11=GFS, 2026-10-12=GFS

• Extended outlook and hazard-feed states are reported in the source stamp.
• Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#7 **KHXD** **Hilton Head Arpt, SC, US** · Atlantic South · Hilton Head

OBS - VFR

ETE 1h21

DIST 195 nm

SUN 11 OCT 14:51 ET OBSERVED

Current observation

OBS - VFR

OBSER

META R

scattered 4,100 ft

WIND **NW (300°) 9 kt gust 19 kt**

TEMPERATURE **26 °C**

VISIBILITY **10 sm**

DEWPOINT **17 °C**



Wind favours RWY 03

300° true · 308° magnetic · 9G19 kt

Evidence & limitations

• METAR source state: ok; observed Oct 11 14:51 ET; retrieved Oct 11 16:30 ET; 99 min before this run.
• Measured values read from the KHXD METAR. This is a current surface observation only; it is not a forecast.
• Only fields decoded from this METAR are shown; every missing field remains unavailable.
• Altimeter: 29.99 inHg.
• The complete raw METAR remains in this airport's Raw products disclosure.
• KHXD runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 03/21. Wind from 300 degrees true, 308 degrees magnetic, at 9 knots gusting 19 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 03. Wind source: KHXD METAR 111851Z.

DESTINATION OUTLOOK

SUN, OCT 11

SUN 11 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 11 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 11

12:00–18:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 12

MON 12 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 12 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 12 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 12 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 5–8 kt

TEMPERATURE 80–81 °F

DEWPOINT 64–65 °F

PRECIP CHANCE 1%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 12

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
6000 ft

CURRENT METAR TEMP DEP / DEST
19°C dep KLZU → 26°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
03/21 (030/210°M · 022/202°T) — designators and °M headings are magnetic; °T are true; variation 8°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 6 Act on

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

ed 2026-10-11T20:31:08.859982Z.

oritative)

FRI OCT 9 | SAT OCT 10 | SUN OCT 11 | MON OCT 12

A0369/26

5/3292

A0137/25

5 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 20:31 Z

NOTAMs as of 20:31 Z — advisory only; verify an official briefing.

07/013

NOTAM text not available in this projection.

A0238/26

NOTAM text not available in this projection.

A0369/26

NOTAM text not available in this projection.

5/3292

NOTAM text not available in this projection.

A0137/25

NOTAM text not available in this projection.

6/8144

NOTAM text not available in this projection.

6/8146

NOTAM text not available in this projection.

A0365/26

NOTAM text not available in this projection.

A0366/26

NOTAM text not available in this projection.

09/029

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

Effective 2025-04-29T20:01:00Z → 2027-04-29T20:01:00Z

NAV_APPROACH

Effective 2025-04-29T20:01:00Z → 2027-04-29T20:01:00Z

5 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KHXD this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR

- **Mon, Oct 12 · 12:00–18:00 ET**: TAF · 12:00–18:00 ET ET · VFR
- **Mon, Oct 12 · 18:00–00:00 ET**: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-11=GFS, 2026-10-12=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-11 18:00	77	Sct	240/12kt	—	>10kft	>6SM
GFS	2026-10-11 21:00	79	Sct	250/10kt	—	>10kft	>6SM
GFS	2026-10-12 00:00	74	Clear	250/5kt	3.0	>10kft	>6SM
GFS	2026-10-12 03:00	71	Clear	240/5kt	—	>10kft	>6SM
GFS	2026-10-12 06:00	69	Clear	250/5kt	0.0	>10kft	>6SM
GFS	2026-10-12 09:00	68	Clear	260/6kt	—	>10kft	>6SM
GFS	2026-10-12 12:00	67	Clear	270/6kt	5.0	>10kft	>6SM
GFS	2026-10-12 15:00	74	Clear	330/9kt	—	>10kft	>6SM
GFS	2026-10-12 18:00	80	Clear	350/8kt	1.0	>10kft	>6SM
GFS	2026-10-12 21:00	81	Few	360/5kt	—	>10kft	>6SM
GFS	2026-10-13 00:00	74	Clear	10/3kt	0.0	>10kft	>6SM
GFS	2026-10-13 03:00	72	Clear	20/1kt	—	>10kft	>6SM

+ **Raw products**

+ Raw METAR / TAF

```
METAR KHXD 111851Z AUTO 30009G19KT 270V360 10SM SCT041 26/17 A2999

TAF KSAV 111726Z 1118/1218 28015KT P6SM SCT030 SCT210 FM112300 26005KT P6SM FEW040 FM121500 31007KT P6SM SKC
```

+ Data sources used

• METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KHXD; actual-station=KHXD; fetched-at=2026-10-11T20:30:42.415610+00:00; observed-or-issued-at=2026-10-11T18:51:00+00:00 — AWC API

- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KHXD; actual-station=KSAV; fetched-at=2026-10-11T20:30:42.806411+00:00; observed-or-issued-at=2026-10-11T17:26:00+00:00; valid-from=2026-10-11T18:00:00+00:00; valid-through=2026-10-12T18:00:00+00:00; partial-target-dates=2026-10-11,2026-10-12 — AWC API

  TAF proxy · KSAV
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KHXD; actual-station=KHXD; fetched-at=2026-10-11T20:30:43.749832+00:00
- FAA NMS NOTAM — state=OK; requested-station=KHXD; actual-station=KHXD; fetched-at=2026-10-11T20:31:08.859982Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KHXD; actual-station=KHXD; fetched-at=2026-10-11T20:31:27.512588+00:00; observed-or-issued-at=2026-10-11T12:00:00+00:00; valid-from=2026-10-11T18:00:00+00:00; valid-through=2026-10-14T12:00:00+00:00; target-dates=2026-10-12; partial-target-dates=2026-10-11; dates-with-points=2026-10-11,2026-10-12 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KHXD; actual-station=KHXD; fetched-at=2026-10-11T20:31:28.487175+00:00; observed-or-issued-at=2026-10-11T12:00:00+00:00; valid-from=2026-10-12T12:00:00+00:00; valid-through=2026-10-19T12:00:00+00:00; target-dates=2026-10-12; dates-with-points=2026-10-12 — Iowa State API
- MOS effective date selection — state=partial; rows=12; requested-station=KHXD; actual-station=KHXD; fetched-at=2026-10-11T20:31:27.512588+00:00; observed-or-issued-at=2026-10-11T12:00:00+00:00; valid-from=2026-10-11T18:00:00+00:00; valid-through=2026-10-14T12:00:00+00:00; target-dates=2026-10-12; partial-target-dates=2026-10-11; dates-with-points=2026-10-11,2026-10-12; selected-by-date=2026-10-11=GFS, 2026-10-12=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#8 **KTRI** **Bristol/Tri-Cities Arpt, TN, US** · Mountain · Tri-Cities TN/VA

OBS - MVFR

ETE 1h11

DIST 168 nm

SUN 11 OCT 14:53 ET OBSERVED

Current observation

METAR

OBS - MVFR

OBSE

broken 2,500 ft, overcast 3,200 ft

WIND SW (220°) 9 kt

TEMPERATURE 20 °C

VISIBILITY 10 sm

DEWPOINT 16 °C



Wind favours RWY 23

220° true · 228° magnetic · 9 kt · also NOTAM-affected: 05, 23, 09 and 27

Evidence & limitations

- METAR source state: ok; observed Oct 11 14:53 ET; retrieved Oct 11 16:30 ET; 97 min before this run.
- Measured values read from the KTRI METAR. This is a current surface observation only; it is not a forecast.

• Only fields decoded from this METAR are shown; every missing field remains unavailable.

• Altimeter: 29.91 inHg.

• The complete raw METAR remains in this airport's Raw products disclosure.

• KTRI runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 05/23, 09/27. Wind from 220 degrees true, 228 degrees magnetic, at 9 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 23. NOTAM-affected runway ends, hatched separately from the wind highlight: 05, 23, 09 and 27. The wind-favoured end 23 is also NOTAM-affected: the wind does favour it, but a NOTAM on this card names it, so the highlight is not a statement that the runway is usable. The hatch marks only that a NOTAM names the runway; it does not decode the NOTAM's effective times, so confirm the closure window in the NOTAM text below. Wind source: KTRI METAR 111853Z.

DESTINATION OUTLOOK

SUN, OCT 11

SUN 11 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · IFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · IFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 11 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · IFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 18:00–00:00 ET ET · IFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 11

12:00–18:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 12

MON 12 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · IFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · IFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 12 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 12 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 12 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 6 kt

TEMPERATURE 77–79 °F

DEWPOINT 56–58 °F

PRECIP CHANCE 7%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 12

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
6000 ft

CURRENT METAR TEMP DEP / DEST
19°C dep KLZU → 20°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
05/23 (050/230°M · 042/222°T) · 09/27 (090/270°M · 082/262°T) — designators and °M headings are magnetic; °T are true; variation 8°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) | 23 Act on | 1 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What | 3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

ed 2026-10-11T20:31:08.913486Z.

oritative)

FRI OCT 9 | SAT OCT 10 | SUN OCT 11 | MON OCT 12

09/068

09/069

09/070

51 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 20:31 Z

NOTAMs as of 20:31 Z — advisory only; verify an official briefing.

5/8343

NOTAM text not available in this projection.

5/8558

NOTAM text not available in this projection.

09/068

NOTAM text not available in this projection.

09/069

NOTAM text not available in this projection.

09/070

NOTAM text not available in this projection.

09/071

NOTAM text not available in this projection.

09/072

NOTAM text not available in this projection.

09/078

NOTAM text not available in this projection.

A1280/26

NOTAM text not available in this projection.

10/024

NOTAM text not available in this projection.

10/026

NOTAM text not available in this projection.

A1309/26

NOTAM text not available in this projection.

A1314/26

NOTAM text not available in this projection.

10/027

NOTAM text not available in this projection.

10/029

NOTAM text not available in this projection.

A1317/26

NOTAM text not available in this projection.

A1318/26

NOTAM text not available in this projection.

10/008

NOTAM text not available in this projection.

10/025

NOTAM text not available in this projection.

A1311/26

NOTAM text not available in this projection.

10/028

NOTAM text not available in this projection.

A1316/26

NOTAM text not available in this projection.

5/1221

NOTAM text not available in this projection.

A1144/25

NOTAM text not available in this projection.

A1251/25

NOTAM text not available in this projection.

A1252/25

NOTAM text not available in this projection.

5/8404

NOTAM text not available in this projection.

5/8405

NOTAM text not available in this projection.

5/8406

NOTAM text not available in this projection.

5/8407

NOTAM text not available in this projection.

A1367/25

NOTAM text not available in this projection.

A1368/25

NOTAM text not available in this projection.

A1369/25

NOTAM text not available in this projection.

A1370/25

NOTAM text not available in this projection.

5/8409

NOTAM text not available in this projection.

A1373/25

NOTAM text not available in this projection.

5/8411

NOTAM text not available in this projection.

A1374/25

NOTAM text not available in this projection.

06/034

NOTAM text not available in this projection.

A0975/26

NOTAM text not available in this projection.

06/042

NOTAM text not available in this projection.

A0980/26

NOTAM text not available in this projection.

06/043

NOTAM text not available in this projection.

A0981/26

NOTAM text not available in this projection.

07/054

NOTAM text not available in this projection.

08/034

NOTAM text not available in this projection.

08/053

NOTAM text not available in this projection.

09/017

NOTAM text not available in this projection.

09/055

NOTAM text not available in this projection.

09/064

NOTAM text not available in this projection.

10/001

NOTAM text not available in this projection.

10/004

NOTAM text not available in this projection.

10/006

NOTAM text not available in this projection.

10/008

NOTAM text not available in this projection.

10/010

NOTAM text not available in this projection.

10/030

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

…026-10-11T20:31:08.913486Z.

…RISTOL/JOHNSON/KINGSPORT, TN' TRIOTIES THREE DEPARTURE ... DISREGARD TAKE-OFF MINIMUMS RWY 27: 400 2 1/2 OR STANDARD WITH MINIMUM CLIMB …OF MINIMUMS' RWY 27 400 2 1/2 ALL OTHER DATA REMAINS AS PUBLISHED. 2509221340-2709221040EST

…:00Z

…RISTOL/JOHNSON/KINGSPORT, TN' KINGS TWO DEPARTURE ... TAKE OFF/TAKE OFF MINIMUMS: RWY 27: NOT AUTHORIZED. ALL OTHER DATA REMAINS AS …EST

…:00Z

…NGS NOT STD

…:00Z

RUNWAY 10/089 — RWY 23 THR MARKINGS NOT STD

Effective 2026-09-29T11:56:00Z → 2026-10-31T22:00:00Z

RUNWAY 10/070 — RWY 05 THR MARKINGS NOT STD

Effective 2026-09-29T11:57:00Z → 2026-10-31T22:00:00Z

RUNWAY 10/024 — RWY 05/23 CLSD

Effective 2026-10-13T04:15:00Z → 2026-10-13T09:45:00Z

RUNWAY 10/025 — RWY 05/23 CLSD

Effective 2026-10-13T04:15:00Z → 2026-10-13T09:45:00Z

RUNWAY A1309/26 — RWY 05/23 CLSD

Effective 2026-10-13T04:15:00Z → 2026-10-13T09:45:00Z

RUNWAY A1314/26 — RWY 05/23 CLSD

Effective 2026-10-13T04:15:00Z → 2026-10-13T09:45:00Z

RUNWAY 10/027 — RWY 09/27 CLSD DLY 0415-0945

Effective 2026-10-14T04:15:00Z → 2026-10-16T08:45:00Z

RUNWAY 10/029 — RWY 05/23 CLSD DLY 0415-0945

Effective 2026-10-14T04:15:00Z → 2026-10-16T08:45:00Z

RUNWAY A1317/26 — RWY 05/23 CLSD

Effective 2026-10-14T04:15:00Z → 2026-10-16T08:45:00Z

RUNWAY A1318/26 — RWY 05/23 CLSD

Effective 2026-10-14T04:15:00Z → 2026-10-16T08:45:00Z

43 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

the GFS model bias-corrected against decades of observations at this station. Issued four times a day in three-hourly steps out to about 72 hours. It carries an explicit ceiling and visibility category, so this card uses it to resolve a day the TAF cannot reach. A station-calibrated GFS MOS product was read for this airport this run (state: partial).

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KTRI this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · IFR
:00 ET ET · IFR
:00 ET ET · IFR
:00 ET ET · MVFR
:00 ET ET · MVFR
· 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-11=GFS, 2026-10-12=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-11 18:00	68	Ovc	250/8kt	—	1-3kft	>6SM
GFS	2026-10-11 21:00	66	Ovc	250/9kt	—	500-1kft	3-5SM
GFS	2026-10-12 00:00	63	Ovc	240/7kt	58.0	1-3kft	3-5SM
GFS	2026-10-12 03:00	62	Ovc	250/7kt	—	500-1kft	3-5SM
GFS	2026-10-12 06:00	61	Ovc	260/6kt	52.0	500-1kft	3-5SM
GFS	2026-10-12 09:00	61	Ovc	270/6kt	—	200-500ft	½-1SM
GFS	2026-10-12 12:00	60	Ovc	270/4kt	25.0	200-500ft	½-1SM
GFS	2026-10-12 15:00	67	Bkn	270/5kt	—	>10kft	>6SM
GFS	2026-10-12 18:00	77	Few	280/6kt	7.0	>10kft	>6SM
GFS	2026-10-12 21:00	79	Clear	270/6kt	—	>10kft	>6SM
GFS	2026-10-13 00:00	67	Clear	230/1kt	0.0	>10kft	>6SM
GFS	2026-10-13 03:00	58	Clear	0/0kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KTRI 111853Z 22009KT 10SM BKN025 OVC032 20/16 A2991 RMK AO2 SLP107 T02000156 $

TAF KTRI 111734Z 1118/1218 25013G20KT 6SM -DZ BR VCSH SCT007 BKN015 OVC025 TEMPO 1118/1122 5SM -SHRA BR BKN008 FM120200 27013G20KT 6SM BR BKN007 FM120600 27010KT P6SM VCFG SCT005 BKN010 FM121500
28008KT P6SM BKN020
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KTRI; actual-station=KTRI; fetched-at=2026-10-11T20:30:42.415610+00:00; observed-or-issued-at=2026-10-11T18:53:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KTRI; actual-station=KTRI; fetched-at=2026-10-11T20:30:42.806411+00:00; observed-or-issued-at=2026-10-11T17:34:00+00:00; valid-from=2026-10-11T18:00:00+00:00; valid-through=2026-10-12T18:00:00+00:00; partial-target-dates=2026-10-11,2026-10-12 — AWC API

  TAF proxy · KTRI
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KTRI; actual-station=KTRI; fetched-at=2026-10-11T20:30:43.256367+00:00
- FAA NMS NOTAM — state=OK; requested-station=KTRI; actual-station=KTRI; fetched-at=2026-10-11T20:31:08.913486Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KTRI; actual-station=KTRI; fetched-at=2026-10-11T20:31:27.524343+00:00; observed-or-issued-at=2026-10-11T12:00:00+00:00; valid-from=2026-10-11T18:00:00+00:00; valid-through=2026-10-14T12:00:00+00:00; target-dates=2026-10-12; partial-target-dates=2026-10-11; dates-with-points=2026-10-11,2026-10-12 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KTRI; actual-station=KTRI; fetched-at=2026-10-11T20:31:28.505253+00:00; observed-or-issued-at=2026-10-11T12:00:00+00:00; valid-from=2026-10-12T12:00:00+00:00; valid-through=2026-10-19T12:00:00+00:00; target-dates=2026-10-12; dates-with-points=2026-10-12 — Iowa State API
- MOS effective date selection — state=partial; rows=12; requested-station=KTRI; actual-station=KTRI; fetched-at=2026-10-11T20:31:27.524343+00:00; observed-or-issued-at=2026-10-11T12:00:00+00:00; valid-from=2026-10-11T18:00:00+00:00; valid-through=2026-10-14T12:00:00+00:00; target-dates=2026-10-12; partial-target-dates=2026-10-11; dates-with-points=2026-10-11,2026-10-12; selected-by-date=2026-10-11=GFS, 2026-10-12=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#9 **KROA** **Roanoke Rgnl, VA, US** · Mountain · Roanoke valley

OBS - IFR

ETE 1h56

DIST 279 nm

SUN 11 OCT 14:54 ET OBSERVED

Current observation

OBS - IFR

OBSERV

METAR

overcast 1,300 ft

WIND N (10°) 9 kt

TEMPERATURE 16 °C

VISIBILITY 2 sm

DEWPOINT **15 °C**



Wind favours RWY 34

010° true · 019° magnetic · 9 kt

Evidence & limitations

- METAR source state: ok; observed Oct 11 14:54 ET; retrieved Oct 11 16:30 ET; 96 min before this run.
- Measured values read from the KROA METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.90 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KROA runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 06/24, 16/34. Wind from 010 degrees true, 019 degrees magnetic, at 9 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 34. Wind source: KROA METAR 111854Z.

DESTINATION OUTLOOK

SUN, OCT 11

SUN 11 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 11 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · IFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · IFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 11

12:00–18:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 12

MON 12 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · IFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · IFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 12 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 12 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 12 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 11 kt

TEMPERATURE 72–73 °F

DEWPOINT 57–58 °F

PRECIP CHANCE 7%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 12

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
19°C dep KLZU → 16°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
06/24 (060/240°M · 051/231°T) · 16/34 (160/340°M · 151/331°T) — designators and °M headings are magnetic; °T are true; variation 9°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 3 Act on 3 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

ed 2026-10-11T20:31:09.033850Z.

tes whether it is permanent or simply not supplied) — continues past this window

FRI OCT 9 | SAT OCT 10 | SUN OCT 11 | MON OCT 12

10/015

A1222/26

09/077

24 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 20:31 Z

NOTAMs as of 20:31 Z — advisory only; verify an official briefing.

10/013

NOTAM text not available in this projection.

A1219/26

NOTAM text not available in this projection.

10/015

NOTAM text not available in this projection.

A1222/26

NOTAM text not available in this projection.

09/077

NOTAM text not available in this projection.

09/078

NOTAM text not available in this projection.

09/079

NOTAM text not available in this projection.

09/080

NOTAM text not available in this projection.

09/081

NOTAM text not available in this projection.

09/082

NOTAM text not available in this projection.

09/083

NOTAM text not available in this projection.

09/084

NOTAM text not available in this projection.

09/085

NOTAM text not available in this projection.

A1226/26

NOTAM text not available in this projection.

5/6949

NOTAM text not available in this projection.

A0691/25

NOTAM text not available in this projection.

09/074

NOTAM text not available in this projection.

A1193/26

NOTAM text not available in this projection.

08/074

NOTAM text not available in this projection.

08/075

NOTAM text not available in this projection.

08/076

NOTAM text not available in this projection.

09/088

NOTAM text not available in this projection.

A1201/26

NOTAM text not available in this projection.

10/002

NOTAM text not available in this projection.

10/008

NOTAM text not available in this projection.

10/009

NOTAM text not available in this projection.

A1214/26

NOTAM text not available in this projection.

09/056

NOTAM text not available in this projection.

A1162/26

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

026-10-11T20:31:09.033850Z.

xpiry published

xpiry published

xpiry published

xpiry published

TAXIWAY

Effective 2026-09-29T18:49:00Z → 2026-10-31T23:59:00Z

24 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

range MOS product, issued twice a day in twelve-hourly steps out to about 192 hours. Coarse, but the only station-calibrated numeric guidance that reaches the far end of a long weekend. This card shows it only as a labelled rough outlook and never as a resolved forecast. A station-calibrated MEX MOS product was read for this airport this run (state: partial).

valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KROA this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · MVFR
:00 ET ET · IFR
:00 ET ET · IFR
:00 ET ET · VFR
:00 ET ET · VFR
S · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-11=GFS, 2026-10-12=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-11 18:00	61	Ovc	40/4kt	—	500-1kft	½-1SM
GFS	2026-10-11 21:00	61	Ovc	10/4kt	—	500-1kft	1-2SM
GFS	2026-10-12 00:00	60	Ovc	310/4kt	67.0	500-1kft	1-2SM
GFS	2026-10-12 03:00	61	Ovc	300/6kt	—	500-1kft	<¼SM
GFS	2026-10-12 06:00	63	Ovc	290/10kt	44.0	500-1kft	1-2SM
GFS	2026-10-12 09:00	64	Ovc	310/14kt	—	500-1kft	3-5SM
GFS	2026-10-12 12:00	65	Ovc	310/13kt	22.0	1-3kft	>6SM
GFS	2026-10-12 15:00	68	Ovc	310/13kt	—	500-1kft	>6SM
GFS	2026-10-12 18:00	72	Bkn	310/11kt	7.0	5-10kft	>6SM
GFS	2026-10-12 21:00	73	Clear	310/11kt	—	>10kft	>6SM
GFS	2026-10-13 00:00	66	Clear	320/5kt	0.0	>10kft	>6SM
GFS	2026-10-13 03:00	63	Clear	320/2kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KROA 111854Z 01009KT 2SM BR OVC013 16/15 A2990 RMK AO2 SFC VIS 3 SLP119 T01610150

TAF KROA 111723Z 1118/1218 05005KT 3SM -SHRA BR OVC015 FM112200 27004KT P6SM OVC008 FM120100 27007KT P6SM OVC005 FM121000 29015G25KT P6SM SCT006 FM121600 30016G26KT P6SM SCT012
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KROA; actual-station=KROA; fetched-at=2026-10-11T20:30:42.415610+00:00; observed-or-issued-at=2026-10-11T18:54:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KROA; actual-station=KROA; fetched-at=2026-10-11T20:30:42.806411+00:00; observed-or-issued-at=2026-10-11T17:23:00+00:00; valid-from=2026-10-11T18:00:00+00:00; valid-through=2026-10-12T18:00:00+00:00; partial-target-dates=2026-10-11,2026-10-12 — AWC API

  TAF proxy · KROA
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KROA; actual-station=KROA; fetched-at=2026-10-11T20:30:43.475264+00:00
- FAA NMS NOTAM — state=OK; requested-station=KROA; actual-station=KROA; fetched-at=2026-10-11T20:31:09.033850Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KROA; actual-station=KROA; fetched-at=2026-10-11T20:31:27.501082+00:00; observed-or-issued-at=2026-10-11T12:00:00+00:00; valid-from=2026-10-11T18:00:00+00:00; valid-through=2026-10-14T12:00:00+00:00; target-dates=2026-10-12; partial-target-dates=2026-10-11; dates-with-points=2026-10-11,2026-10-12 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KROA; actual-station=KROA; fetched-at=2026-10-11T20:31:28.504030+00:00; observed-or-issued-at=2026-10-11T12:00:00+00:00; valid-from=2026-10-12T12:00:00+00:00; valid-through=2026-10-19T12:00:00+00:00; target-dates=2026-10-12; dates-with-points=2026-10-12 — Iowa State API
- MOS effective date selection — state=partial; rows=12; requested-station=KROA; actual-station=KROA; fetched-at=2026-10-11T20:31:27.501082+00:00; observed-or-issued-at=2026-10-11T12:00:00+00:00; valid-from=2026-10-11T18:00:00+00:00; valid-through=2026-10-14T12:00:00+00:00; target-dates=2026-10-12; partial-target-dates=2026-10-11; dates-with-points=2026-10-11,2026-10-12; selected-by-date=2026-10-11=GFS, 2026-10-12=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#10 **KSGJ** **St Augustine Arpt, FL, US** · Atlantic South · St Augustine FL

OBS - VFR

ETE 1h55

DIST 276 nm

SUN 11 OCT 14:56 ET OBSERVED

Current observation

OBS - VFR

METAR

OBSER

scattered 3,500 ft

WIND W (270°) 9 kt

TEMPERATURE 27 °C

VISIBILITY 7 sm

DEWPOINT **19 °C**



Wind favours RWY 31

270° true · 277° magnetic · 9 kt

Evidence & limitations

- METAR source state: ok; observed Oct 11 14:56 ET; retrieved Oct 11 16:30 ET; 94 min before this run.
- Measured values read from the KSGJ METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.03 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KSGJ runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 13/31, 06/24, 02/20. Seaplane water lanes (17W, 35W, 18W, 36W, 12W and 30W) are excluded from the diagram and are never marked as favoured. Wind from 270 degrees true, 277 degrees magnetic, at 9 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 31. Wind source: KSGJ METAR 111856Z.

DESTINATION OUTLOOK

SUN, OCT 11

SUN 11 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 11 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 11

12:00–18:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 12

MON 12 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 12 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 12 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 12 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 8–10 kt

TEMPERATURE 82 °F

DEWPOINT 64 °F

PRECIP CHANCE 3%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 12

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
19°C dep KLZU → 27°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
13/31 (130/310°M · 123/303°T) · 06/24 (060/240°M · 053/233°T) · 02/20 (020/200°M · 013/193°T) · 17W/35W (170/350°M · 163/343°T · water lane, not wind-favored) · 18W/36W (180/000°M · 173/353°T · water lane, not wind-favored) · 12W/30W (120/300°M · 113/293°T · water lane, not wind-favored) — designators and °M headings are magnetic; °T are true; variation 7°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 6 Act on 2 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

ed 2026-10-11T20:31:09.068734Z.

oritative) » = no published end (each row states whether it is permanent or simply not supplied) — continues past this window

FRI OCT 9 | SAT OCT 10 | SUN OCT 11 | MON OCT 12

5/0380

12/004 »

6/6168

10 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 20:31 Z

NOTAMs as of 20:31 Z — advisory only; verify an official briefing.

10/001

NOTAM text not available in this projection.

10/007

NOTAM text not available in this projection.

5/0380

NOTAM text not available in this projection.

12/004

NOTAM text not available in this projection.

6/6168

NOTAM text not available in this projection.

06/017

NOTAM text not available in this projection.

09/027

NOTAM text not available in this projection.

08/008

NOTAM text not available in this projection.

09/001

NOTAM text not available in this projection.

09/004

NOTAM text not available in this projection.

09/005

NOTAM text not available in this projection.

10/003

NOTAM text not available in this projection.

10/005

NOTAM text not available in this projection.

10/006

NOTAM text not available in this projection.

09/024

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

NAV_APPROACH

Effective 2025-12-04T15:30:00Z → Permanent — no expiry published

NAV_APPROACH

Effective 2026-03-31T12:37:00Z → 2026-11-10T12:36:00Z

10 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KSGJ this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
· 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-11=GFS, 2026-10-12=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-11 18:00	81	Ovc	280/9kt	—	3-5kft	>6SM
GFS	2026-10-11 21:00	81	Ovc	270/7kt	—	>10kft	>6SM
GFS	2026-10-12 00:00	75	Bkn	260/3kt	4.0	>10kft	>6SM
GFS	2026-10-12 03:00	72	Clear	270/3kt	—	>10kft	>6SM
GFS	2026-10-12 06:00	71	Clear	280/5kt	3.0	>10kft	>6SM
GFS	2026-10-12 09:00	69	Clear	300/6kt	—	>10kft	>6SM
GFS	2026-10-12 12:00	68	Clear	310/6kt	4.0	>10kft	>6SM
GFS	2026-10-12 15:00	79	Clear	320/10kt	—	>10kft	>6SM
GFS	2026-10-12 18:00	82	Clear	360/10kt	3.0	>10kft	>6SM
GFS	2026-10-12 21:00	82	Clear	360/8kt	—	>10kft	>6SM

GFS	2026-10-13 00:00	76	Clear	50/4kt	1.0	>10kft	>6SM
GFS	2026-10-13 03:00	72	Clear	60/3kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KSGJ 111856Z 27009KT 7SM SCT035 27/19 A3003 RMK AO2 SLPNO T02670189 $

TAF KSGJ 111727Z 1117/1218 27010KT P6SM BKN035 BKN070 BKN200 FM112200 24007KT P6SM FEW070 SCT250 FM121400 32010KT P6SM SKC
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KSGJ; actual-station=KSGJ; fetched-at=2026-10-11T20:30:42.415610+00:00; observed-or-issued-at=2026-10-11T18:56:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KSGJ; actual-station=KSGJ; fetched-at=2026-10-11T20:30:42.806411+00:00; observed-or-issued-at=2026-10-11T17:27:00+00:00; valid-from=2026-10-11T17:00:00+00:00; valid-through=2026-10-12T18:00:00+00:00; partial-target-dates=2026-10-11,2026-10-12 — AWC API

  TAF proxy · KSGJ
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KSGJ; actual-station=KSGJ; fetched-at=2026-10-11T20:30:43.671732+00:00
- FAA NMS NOTAM — state=OK; requested-station=KSGJ; actual-station=KSGJ; fetched-at=2026-10-11T20:31:09.068734Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KSGJ; actual-station=KSGJ; fetched-at=2026-10-11T20:31:27.788844+00:00; observed-or-issued-at=2026-10-11T12:00:00+00:00; valid-from=2026-10-11T18:00:00+00:00; valid-through=2026-10-14T12:00:00+00:00; target-dates=2026-10-12; partial-target-dates=2026-10-11; dates-with-points=2026-10-11,2026-10-12 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KSGJ; actual-station=KSGJ; fetched-at=2026-10-11T20:31:28.740156+00:00; observed-or-issued-at=2026-10-11T12:00:00+00:00; valid-from=2026-10-12T12:00:00+00:00; valid-through=2026-10-19T12:00:00+00:00; target-dates=2026-10-12; dates-with-points=2026-10-12 — Iowa State API
- MOS effective date selection — state=partial; rows=12; requested-station=KSGJ; actual-station=KSGJ; fetched-at=2026-10-11T20:31:27.788844+00:00; observed-or-issued-at=2026-10-11T12:00:00+00:00; valid-from=2026-10-11T18:00:00+00:00; valid-through=2026-10-14T12:00:00+00:00; target-dates=2026-10-12; partial-target-dates=2026-10-11; dates-with-points=2026-10-11,2026-10-12; selected-by-date=2026-10-11=GFS, 2026-10-12=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#11 **KCRG** **Jacksonville/Executive at Craig Arpt, FL, US** · Atlantic North · Jacksonville Exec

OBS - VFR

ETE 1h45

DIST 252 nm

SUN 11 OCT 14:53 ET OBSERVED

Current observation

OBS - VFR

OBSER

METAR

clear below 12,000 ft (CLR)

WIND **W (270°) 12 kt**

TEMPERATURE 28 °C

VISIBILITY 10 sm

DEWPOINT 17 °C



Wind favours RWY 32

270° true · 277° magnetic · 12 kt

Evidence & limitations

- METAR source state: ok; observed Oct 11 14:53 ET; retrieved Oct 11 16:30 ET; 97 min before this run.
- Measured values read from the KCRG METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.02 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KCRG runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 14/32, 05/23. Wind from 270 degrees true, 277 degrees magnetic, at 12 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 32. Wind source: KCRG METAR 111853Z.

DESTINATION OUTLOOK

SUN, OCT 11

SUN 11 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 11 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 11

12:00–18:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 12

MON 12 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 12 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 12 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 12 OCT 18:00–00:00 ET MEDIUM

Forecast GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 8–10 kt

TEMPERATURE 85–86 °F

DEWPOINT 62 °F

PRECIP CHANCE 3%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 12

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT METAR TEMP DEP / DEST

19°C dep KLZU → 28°C

CURRENT WIND (FAA)

Unavailable

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

14/32 (140/320°M · 133/313°T) · 05/23 (050/230°M · 043/223°T) — designators and °M headings are magnetic; °T are true; variation 7°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 3 Act on 1 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

1 · When 2 · What 3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

ed 2026-10-11T20:31:09.146475Z.

oritative)

	FRI OCT 9	SAT OCT 10	SUN OCT 11	MON OCT 12
6/8452				
A0170/26				
6/9357				

14 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 20:31 Z

NOTAMs as of 20:31 Z — advisory only; verify an official briefing.

10/004

NOTAM text not available in this projection.

A0314/26

NOTAM text not available in this projection.

6/8452

NOTAM text not available in this projection.

A0170/26

NOTAM text not available in this projection.

6/9357

NOTAM text not available in this projection.

6/9358

NOTAM text not available in this projection.

A0189/26

NOTAM text not available in this projection.

A0190/26

NOTAM text not available in this projection.

12/015

NOTAM text not available in this projection.

A0332/25

NOTAM text not available in this projection.

02/057

NOTAM text not available in this projection.

07/012

NOTAM text not available in this projection.

08/030

NOTAM text not available in this projection.

09/004

NOTAM text not available in this projection.

09/011

NOTAM text not available in this projection.

09/013

NOTAM text not available in this projection.

09/014

NOTAM text not available in this projection.

09/016

NOTAM text not available in this projection.

09/019

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

Effective 2026-05-06T18:55:00Z → 2028-05-06T18:55:00Z

NAV_APPROACH

Effective 2026-05-11T15:08:00Z → 2028-05-11T15:08:00Z

14 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KCRG this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · VFR

· 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-11=GFS, 2026-10-12=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-11 18:00	81	Bkn	280/10kt	—	>10kft	>6SM
GFS	2026-10-11 21:00	82	Sct	270/9kt	—	>10kft	>6SM
GFS	2026-10-12 00:00	74	Few	280/4kt	2.0	>10kft	>6SM
GFS	2026-10-12 03:00	71	Clear	280/3kt	—	>10kft	>6SM
GFS	2026-10-12 06:00	70	Clear	290/4kt	2.0	>10kft	>6SM
GFS	2026-10-12 09:00	68	Clear	300/6kt	—	>10kft	>6SM
GFS	2026-10-12 12:00	68	Clear	310/5kt	4.0	>10kft	>6SM
GFS	2026-10-12 15:00	79	Clear	320/10kt	—	>10kft	>6SM
GFS	2026-10-12 18:00	85	Clear	330/10kt	3.0	>10kft	>6SM
GFS	2026-10-12 21:00	86	Clear	350/8kt	—	>10kft	>6SM
GFS	2026-10-13 00:00	75	Clear	360/1kt	1.0	>10kft	>6SM
GFS	2026-10-13 03:00	71	Clear	0/0kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KCRG 111853Z 27012KT 10SM CLR 28/17 A3002 RMK AO2 SLP164 T02780167

TAF KCRG 111720Z 1118/1218 27010KT P6SM FEW050 SCT150 BKN250 FM112300 26005KT P6SM FEW150 SCT250 FM121400 32010KT P6SM FEW025
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KCRG; actual-station=KCRG; fetched-at=2026-10-11T20:30:42.415610+00:00; observed-or-issued-at=2026-10-11T18:53:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KCRG; actual-station=KCRG; fetched-at=2026-10-11T20:30:42.806411+00:00; observed-or-issued-at=2026-10-11T17:20:00+00:00; valid-from=2026-10-11T18:00:00+00:00; valid-through=2026-10-12T18:00:00+00:00; partial-target-dates=2026-10-11,2026-10-12 — AWC API
  TAF proxy · KCRG
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KCRG; actual-station=KCRG; fetched-at=2026-10-11T20:30:43.445719+00:00
- FAA NMS NOTAM — state=OK; requested-station=KCRG; actual-station=KCRG; fetched-at=2026-10-11T20:31:09.146475Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KCRG; actual-station=KCRG; fetched-at=2026-10-11T20:31:27.811689+00:00; observed-or-issued-at=2026-10-11T12:00:00+00:00; valid-from=2026-10-11T18:00:00+00:00; valid-through=2026-10-14T12:00:00+00:00; target-dates=2026-10-12; partial-target-dates=2026-10-11; dates-with-points=2026-10-11,2026-10-12 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KCRG; actual-station=KCRG; fetched-at=2026-10-11T20:31:28.696726+00:00; observed-or-issued-at=2026-10-11T12:00:00+00:00; valid-from=2026-10-12T12:00:00+00:00; valid-through=2026-10-19T12:00:00+00:00; target-dates=2026-10-12; dates-with-points=2026-10-12 — Iowa State API
- MOS effective date selection — state=partial; rows=12; requested-station=KCRG; actual-station=KCRG; fetched-at=2026-10-11T20:31:27.811689+00:00; observed-or-issued-at=2026-10-11T12:00:00+00:00; valid-from=2026-10-11T18:00:00+00:00; valid-through=2026-10-14T12:00:00+00:00; target-dates=2026-10-12; partial-target-dates=2026-10-11; dates-with-points=2026-10-11,2026-10-12; selected-by-date=2026-10-11=GFS, 2026-10-12=GFS

• Extended outlook and hazard-feed states are reported in the source stamp.
• Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#12 **KFIN** **Palm Coast/Flagler Exec, FL, US** · Atlantic South · Flagler Exec FL

OBS - VFR

ETE 2h03

DIST 295 nm

SUN 11 OCT 14:50 ET OBSERVED

Current observation

OBS - VFR

OBSER

METAR


scattered 3,200 ft

WIND W (250°) 6 kt

TEMPERATURE 26 °C

VISIBILITY 10 sm

DEWPOINT 22 °C



Wind favours RWY 24

250° true · 257° magnetic · 6 kt

Evidence & limitations

• METAR source state: ok; observed Oct 11 14:50 ET; retrieved Oct 11 16:30 ET; 100 min before this run.
• Measured values read from the KFIN METAR. This is a current surface observation only; it is not a forecast.
• Only fields decoded from this METAR are shown; every missing field remains unavailable.
• Altimeter: 30.05 inHg.
• The complete raw METAR remains in this airport's Raw products disclosure.
• KFIN runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 11/29, 06/24. Seaplane water lanes (18W and 36W) are excluded from the diagram and are never marked as favoured. Wind from 250 degrees true, 257 degrees magnetic, at 6 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 24. Wind source: KFIN METAR 111850Z.

DESTINATION OUTLOOK

SUN, OCT 11

SUN 11 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 11 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 11

12:00–18:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 12

MON 12 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 12 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 12 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 12 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 7–8 kt

TEMPERATURE 83–84 °F

DEWPOINT 62 °F

PRECIP CHANCE 3%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 12

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
19°C dep KLZU → 26°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — source state: not_queried

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
11/29 (110/290°M · 103/283°T) · 06/24 (060/240°M · 053/233°T) · 18W/36W (180/000°M · 173/353°T · water lane, not wind-favored) — designators and °M headings are magnetic; °T are true; variation 7°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) | 8 Act on | 1 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What | 3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

ed 2026-10-11T20:31:09.308262Z.

oritative)

	FRI OCT 9	SAT OCT 10	SUN OCT 11	MON OCT 12
6/4982				
6/4983				
A0039/26				

18 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 20:31 Z

NOTAMs as of 20:31 Z — advisory only; verify an official briefing.

6/4977

NOTAM text not available in this projection.

6/4978

NOTAM text not available in this projection.

6/4982

NOTAM text not available in this projection.

6/4983

NOTAM text not available in this projection.

A0039/26

NOTAM text not available in this projection.

A0040/26

NOTAM text not available in this projection.

A0041/26

NOTAM text not available in this projection.

A0042/26

NOTAM text not available in this projection.

06/004

NOTAM text not available in this projection.

07/008

NOTAM text not available in this projection.

A0036/26

NOTAM text not available in this projection.

08/004

NOTAM text not available in this projection.

08/007

NOTAM text not available in this projection.

10/001

NOTAM text not available in this projection.

10/002

NOTAM text not available in this projection.

10/003

NOTAM text not available in this projection.

10/003

NOTAM text not available in this projection.

A0048/26

NOTAM text not available in this projection.

10/002

NOTAM text not available in this projection.

10/003

NOTAM text not available in this projection.

10/004

NOTAM text not available in this projection.

09/008

NOTAM text not available in this projection.

09/011

NOTAM text not available in this projection.

A0046/26

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

Effective 2026-09-23T04:36:00Z → 2026-10-22T04:36:00Z

NAV_APPROACH

Effective 2026-09-23T04:36:00Z → 2026-10-22T04:36:00Z

NAV_APPROACH

Effective 2026-09-23T04:36:00Z → 2026-10-22T04:36:00Z

18 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KFIN this run.

published WPC surface chart matches this period and is shown in the dropdown with its

issuing office and valid time. It is displayed, never interpreted.

· 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-11=GFS, 2026-10-12=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-11 18:00	84	Ovc	280/9kt	—	3-5kft	>6SM
GFS	2026-10-11 21:00	82	Ovc	280/7kt	—	>10kft	>6SM
GFS	2026-10-12 00:00	74	Ovc	260/1kt	13.0	>10kft	>6SM
GFS	2026-10-12 03:00	71	Bkn	280/1kt	—	>10kft	>6SM
GFS	2026-10-12 06:00	69	Clear	310/2kt	6.0	>10kft	>6SM
GFS	2026-10-12 09:00	67	Clear	310/2kt	—	>10kft	>6SM
GFS	2026-10-12 12:00	67	Clear	320/4kt	4.0	>10kft	>6SM
GFS	2026-10-12 15:00	78	Clear	330/7kt	—	>10kft	>6SM
GFS	2026-10-12 18:00	84	Clear	340/8kt	3.0	>10kft	>6SM
GFS	2026-10-12 21:00	83	Clear	10/7kt	—	>10kft	>6SM
GFS	2026-10-13 00:00	74	Clear	50/1kt	1.0	>10kft	>6SM
GFS	2026-10-13 03:00	70	Clear	0/0kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KFIN 111850Z 25006KT 10SM SCT032 26/22 A3005

TAF KDAB 111737Z 1118/1218 26011KT P6SM VCSH SCT020 SCT025 BKN035 TEMPO 1118/1120 6SM -SHRA BKN030 FM112100 28009KT P6SM SCT030 BKN060 FM120000 29005KT P6SM FEW050 BKN200 FM121400 32010KT P6SM
SCT250
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KFIN; actual-station=KFIN; fetched-at=2026-10-11T20:30:42.415610+00:00; observed-or-issued-at=2026-10-11T18:50:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KFIN; actual-station=KDAB; fetched-at=2026-10-11T20:30:42.806411+00:00; observed-or-issued-at=2026-10-11T17:37:00+00:00; valid-from=2026-10-11T18:00:00+00:00; valid-through=2026-10-12T18:00:00+00:00; partial-target-dates=2026-10-11,2026-10-12 — AWC API

  TAF proxy · KDAB
- FAA airport status — state=not_queried; fetch-state=not_attempted; payload-state=not_attempted; requested-station=KFIN
- FAA NMS NOTAM — state=OK; requested-station=KFIN; actual-station=KFIN; fetched-at=2026-10-11T20:31:09.308262Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KFIN; actual-station=KFIN; fetched-at=2026-10-11T20:31:27.833496+00:00; observed-or-issued-at=2026-10-11T12:00:00+00:00; valid-from=2026-10-11T18:00:00+00:00; valid-through=2026-10-14T12:00:00+00:00; target-dates=2026-10-12; partial-target-dates=2026-10-11; dates-with-points=2026-10-11,2026-10-12 — Iowa State API

- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KFIN; actual-station=KFIN; fetched-at=2026-10-11T20:31:28.730353+00:00; observed-or-issued-at=2026-10-11T12:00:00+00:00; valid-from=2026-10-12T12:00:00+00:00; valid-through=2026-10-19T12:00:00+00:00; target-dates=2026-10-12; dates-with-points=2026-10-12 — Iowa State API
- MOS effective date selection — state=partial; rows=12; requested-station=KFIN; actual-station=KFIN; fetched-at=2026-10-11T20:31:27.833496+00:00; observed-or-issued-at=2026-10-11T12:00:00+00:00; valid-from=2026-10-11T18:00:00+00:00; valid-through=2026-10-14T12:00:00+00:00; target-dates=2026-10-12; partial-target-dates=2026-10-11; dates-with-points=2026-10-11,2026-10-12; selected-by-date=2026-10-11=GFS, 2026-10-12=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#13 **KGKT** **Gatlinburg-Pigeon Forge Arpt, TN, US** · Mountain · Smokies/Gatlinburg

OBS - MVFR

ETE 0h50

DIST 114 nm

SUN 11 OCT 14:36 ET OBSERVED

Current observation

METAR

OBS - MVFR

OBSE


broken 2,700 ft, overcast 3,100 ft

WIND **W (260°) 9 kt gust 17 kt**

TEMPERATURE **21 °C**

VISIBILITY **10 sm**

DEWPOINT **17 °C**



Wind favours RWY 28

260° true · 267° magnetic · 9G17 kt

Evidence & limitations

- METAR source state: ok; observed Oct 11 14:36 ET; retrieved Oct 11 16:30 ET; 114 min before this run.
- Measured values read from the KGKT METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.94 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KGKT runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 10/28. Wind from 260 degrees true, 267 degrees magnetic, at 9 knots gusting 17 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 28. Wind source: KGKT METAR 111836Z.

DESTINATION OUTLOOK

SUN, OCT 11

SUN 11 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 11 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 11

12:00–18:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 12

MON 12 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 12 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 12 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 12 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 3–4 kt

TEMPERATURE 80–83 °F

DEWPOINT 56–58 °F

PRECIP CHANCE 2%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 12

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
6000 ft

CURRENT METAR TEMP DEP / DEST
19°C dep KLZU → 21°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — source state: not_queried

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
10/28 (100/280°M · 093/273°T) — designators and °M headings are magnetic; °T are true; variation 7°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 4 Act on 2 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What 3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

ed 2026-10-11T20:31:09.365275Z.

oritative) » = no published end (each row states whether it is permanent or simply not supplied) — continues past this window



14 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 20:31 Z

NOTAMs as of 20:31 Z — advisory only; verify an official briefing.

5/5737

NOTAM text not available in this projection.

04/104

NOTAM text not available in this projection.

04/122

NOTAM text not available in this projection.

04/123

NOTAM text not available in this projection.

5/0055

NOTAM text not available in this projection.

5/0067

NOTAM text not available in this projection.

6/4578

NOTAM text not available in this projection.

07/681

NOTAM text not available in this projection.

07/682

NOTAM text not available in this projection.

07/683

NOTAM text not available in this projection.

08/632

NOTAM text not available in this projection.

09/026

NOTAM text not available in this projection.

09/050

NOTAM text not available in this projection.

09/491

NOTAM text not available in this projection.

09/537

NOTAM text not available in this projection.

10/039

NOTAM text not available in this projection.

10/084

NOTAM text not available in this projection.

10/113

NOTAM text not available in this projection.

09/688

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

026-10-11T20:31:09.365275Z.

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state:

OK. The dot colour reports whether this source was read this run; technical environment: preprod.

:00Z

:00Z

RUNWAY 04R/22 — RWY 10 EACH US

Effective 2026-04-07T10:24:00Z → 2027-11-30T19:00:00Z

RUNWAY 04L/23 — RWY 10/28 SFC MARKINGS NOT STD

Effective 2026-04-07T10:26:00Z → Permanent — no expiry published

NAV_APPROACH !GKT 09/055 — IAP GATLINBURG-PIGEON FORGE, SEVIERVILLE, TN, RNAV (GPS) RWY 10, ORIG-C... !GKT 09/056 RWY 10, AMDT 6S... PROCEDURE NA...

Effective 2025-09-24T20:31:00Z → 2027-09-24T20:31:00Z

14 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KGKT this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · MVFR

:00 ET ET · MVFR

:00 ET ET · MVFR

:00 ET ET · MVFR

:00 ET ET · VFR

S · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-11=GFS, 2026-10-12=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-11 18:00	67	Ovc	270/8kt	—	3-5kft	>6SM
GFS	2026-10-11 21:00	66	Ovc	260/8kt	—	500-1kft	3-5SM
GFS	2026-10-12 00:00	63	Ovc	250/6kt	50.0	500-1kft	3-5SM

GFS	2026-10-12 03:00	64	Ovc	240/5kt	—	1-3kft	3-5SM
GFS	2026-10-12 06:00	61	Ovc	230/3kt	28.0	1-3kft	3-5SM
GFS	2026-10-12 09:00	58	Ovc	250/3kt	—	5-10kft	3-5SM
GFS	2026-10-12 12:00	57	Sct	0/0kt	11.0	>10kft	<¼SM
GFS	2026-10-12 15:00	68	Clear	240/2kt	—	>10kft	>6SM
GFS	2026-10-12 18:00	80	Clear	330/4kt	2.0	>10kft	>6SM
GFS	2026-10-12 21:00	83	Clear	320/3kt	—	>10kft	>6SM
GFS	2026-10-13 00:00	71	Clear	0/0kt	0.0	>10kft	>6SM
GFS	2026-10-13 03:00	63	Clear	210/1kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KGKT 111836Z AUTO 26009G17KT 10SM BKN027 OVC031 21/17 A2994 RMK A01

TAF KTYS 111856Z 1119/1218 23014KT P6SM VCSH BKN010 OVC025 TEMPO 1119/1122 23014G24KT 4SM -RA BR FM120000 25008KT P6SM SCT010 BKN015 FM121400 00000KT P6SM FEW035 SCT250
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KGKT; actual-station=KGKT; fetched-at=2026-10-11T20:30:42.415610+00:00; observed-or-issued-at=2026-10-11T18:36:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KGKT; actual-station=KTYS; fetched-at=2026-10-11T20:30:42.806411+00:00; observed-or-issued-at=2026-10-11T18:56:00+00:00; valid-from=2026-10-11T19:00:00+00:00; valid-through=2026-10-12T18:00:00+00:00; partial-target-dates=2026-10-11,2026-10-12 — AWC API

  TAF proxy · KTYS
- FAA airport status — state=not_queried; fetch-state=not_attempted; payload-state=not_attempted; requested-station=KGKT
- FAA NMS NOTAM — state=OK; requested-station=KGKT; actual-station=KGKT; fetched-at=2026-10-11T20:31:09.365275Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KGKT; actual-station=KGKT; fetched-at=2026-10-11T20:31:27.810934+00:00; observed-or-issued-at=2026-10-11T12:00:00+00:00; valid-from=2026-10-11T18:00:00+00:00; valid-through=2026-10-14T12:00:00+00:00; target-dates=2026-10-12; partial-target-dates=2026-10-11; dates-with-points=2026-10-11,2026-10-12 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KGKT; actual-station=KGKT; fetched-at=2026-10-11T20:31:28.726163+00:00; observed-or-issued-at=2026-10-11T12:00:00+00:00; valid-from=2026-10-12T12:00:00+00:00; valid-through=2026-10-19T12:00:00+00:00; target-dates=2026-10-12; dates-with-points=2026-10-12 — Iowa State API
- MOS effective date selection — state=partial; rows=12; requested-station=KGKT; actual-station=KGKT; fetched-at=2026-10-11T20:31:27.810934+00:00; observed-or-issued-at=2026-10-11T12:00:00+00:00; valid-from=2026-10-11T18:00:00+00:00; valid-through=2026-10-14T12:00:00+00:00; target-dates=2026-10-12; partial-target-dates=2026-10-11; dates-with-points=2026-10-11,2026-10-12; selected-by-date=2026-10-11=GFS, 2026-10-12=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#14 **KSHD** **Staunton/Shenandoah Valley Rgnl, VA, US** · Mountain · Shenandoah valley

OBS - IFR

ETE 2h25

DIST 355 nm

SUN 11 OCT 14:35 ET OBSERVED

Current observation

OBS - IFR

OBSERV

METAR

overcast 900 ft

WIND N (10°) 7 kt

TEMPERATURE 15 °C

VISIBILITY 5 sm

DEWPOINT 15 °C

Wind favours RWY 05

010° true · 020° magnetic · 7 kt

Evidence & limitations

- METAR source state: ok; observed Oct 11 14:35 ET; retrieved Oct 11 16:30 ET; 115 min before this run.
- Measured values read from the KSHD METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 29.98 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KSHD runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 05/23. Wind from 010 degrees true, 020 degrees magnetic, at 7 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 05. Wind source: KSHD METAR 111835Z.

DESTINATION OUTLOOK

SUN, OCT 11

SUN 11 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · IFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · IFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 11 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · LIFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · LIFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 11

12:00–18:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 12

MON 12 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · LIFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · LIFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 12 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 12 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 12 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 6 kt

TEMPERATURE 73–74 °F

DEWPOINT 58–59 °F

PRECIP CHANCE 6%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 12

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
19°C dep KLZU → 15°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — source state: not_queried

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
05/23 (050/230°M · 040/220°T) — designators and °M headings are magnetic; °T are true; variation 10°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 3 Act on 2 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What 3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

d 2026-10-11T20:31:09.374563Z.

oritative)

FRI OCT 9 | SAT OCT 10 | SUN OCT 11 | MON OCT 12

5/3811

A0196/25

07/006

2 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 20:31 Z

NOTAMs as of 20:31 Z — advisory only; verify an official briefing.

03/004

NOTAM text not available in this projection.

A0068/26

NOTAM text not available in this projection.

5/3811

NOTAM text not available in this projection.

A0196/25

NOTAM text not available in this projection.

07/006

NOTAM text not available in this projection.

A0111/26

NOTAM text not available in this projection.

10/002

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

Effective 2025-09-15T15:42:00Z → 2027-09-15T15:41:00Z

NAV_APPROACH

Effective 2026-07-15T17:40:00Z → 2028-02-29T21:11:00Z

2 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KSHD this run.

published WPC surface chart matches this period and is shown in the dropdown with its

issuing office and valid time. It is displayed, never interpreted.

Source state: partial; selected by target date: 2026-10-11=GFS, 2026-10-12=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-11 18:00	59	Ovc	20/5kt	—	500-1kft	3-5SM
GFS	2026-10-11 21:00	59	Ovc	360/4kt	—	500-1kft	1-2SM
GFS	2026-10-12 00:00	58	Ovc	300/1kt	83.0	200-500ft	3-5SM
GFS	2026-10-12 03:00	58	Ovc	0/0kt	—	200-500ft	¼-½SM
GFS	2026-10-12 06:00	57	Ovc	290/2kt	54.0	200-500ft	½-1SM
GFS	2026-10-12 09:00	57	Ovc	330/2kt	—	200-500ft	1-2SM
GFS	2026-10-12 12:00	57	Ovc	320/5kt	41.0	1-3kft	3-5SM
GFS	2026-10-12 15:00	64	Ovc	340/7kt	—	1-3kft	>6SM
GFS	2026-10-12 18:00	73	Bkn	340/6kt	6.0	5-10kft	>6SM
GFS	2026-10-12 21:00	74	Clear	330/6kt	—	>10kft	>6SM
GFS	2026-10-13 00:00	63	Clear	320/1kt	0.0	>10kft	>6SM
GFS	2026-10-13 03:00	56	Clear	0/0kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KSHD 111835Z AUTO 01007KT 5SM -RA OVC009 15/15 A2998 RMK AO2 T01460146

TAF KCHO 111745Z 1118/1218 04009KT 6SM BR VCSH OVC007 FM112000 03005KT 6SM -RA SCT004 OVC007 PROB30 1120/1124 3SM TSRA OVC010CB FM120300 VRB03KT 5SM -DZ BR OVC003 FM120800 27005KT 5SM BR OVC010
FM121000 31006KT 5SM BR FEW010 SCT025 FM121400 34009G18KT P6SM FEW025 SCT070
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KSHD; actual-station=KSHD; fetched-at=2026-10-11T20:30:42.415610+00:00; observed-or-issued-at=2026-10-11T18:35:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KSHD; actual-station=KCHO; fetched-at=2026-10-11T20:30:42.806411+00:00; observed-or-issued-at=2026-10-11T17:45:00+00:00; valid-from=2026-10-11T18:00:00+00:00; valid-through=2026-10-12T18:00:00+00:00; partial-target-dates=2026-10-11,2026-10-12 — AWC API
  TAF proxy · KCHO
- FAA airport status — state=not_queried; fetch-state=not_attempted; payload-state=not_attempted; requested-station=KSHD
- FAA NMS NOTAM — state=OK; requested-station=KSHD; actual-station=KSHD; fetched-at=2026-10-11T20:31:09.374563Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KSHD; actual-station=KSHD; fetched-at=2026-10-11T20:31:27.837443+00:00; observed-or-issued-at=2026-10-11T12:00:00+00:00; valid-from=2026-10-11T18:00:00+00:00; valid-through=2026-10-14T12:00:00+00:00; target-dates=2026-10-12; partial-target-dates=2026-10-11; dates-with-points=2026-10-11,2026-10-12 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KSHD; actual-station=KSHD; fetched-at=2026-10-11T20:31:28.763454+00:00; observed-or-issued-at=2026-10-11T12:00:00+00:00; valid-from=2026-10-12T12:00:00+00:00; valid-through=2026-10-19T12:00:00+00:00; target-dates=2026-10-12; dates-with-points=2026-10-12 — Iowa State API

- MOS effective date selection — state=partial; rows=12; requested-station=KSHD; actual-station=KSHD; fetched-at=2026-10-11T20:31:27.837443+00:00; observed-or-issued-at=2026-10-11T12:00:00+00:00; valid-from=2026-10-11T18:00:00+00:00; valid-through=2026-10-14T12:00:00+00:00; target-dates=2026-10-12; partial-target-dates=2026-10-11; dates-with-points=2026-10-11,2026-10-12; selected-by-date=2026-10-11=GFS, 2026-10-12=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#15 **KECP** **Panama City/NW Florida Beaches Intl, FL, US** · Gulf East · Panama City Beach

OBS - VFR

ETE 1h38

DIST 237 nm

SUN 11 OCT 14:53 ET OBSERVED

Current observation

OBS - VFR

OBSER

METAR

clear below 12,000 ft (CLR)

WIND W (260°) 10 kt

TEMPERATURE 29 °C

VISIBILITY 10 sm

DEWPOINT 16 °C



Wind favours RWY 34

260° true · 263° magnetic · 10 kt

Evidence & limitations

- METAR source state: ok; observed Oct 11 14:53 ET; retrieved Oct 11 16:30 ET; 97 min before this run.
- Measured values read from the KECP METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.07 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KECP runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 16/34. Wind from 260 degrees true, 263 degrees magnetic, at 10 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 34. Wind source: KECP METAR 111853Z.

DESTINATION OUTLOOK

SUN, OCT 11

SUN 11 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 11 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 11

12:00–18:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 12

MON 12 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 12 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 12 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 12 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 7–8 kt

TEMPERATURE 87–88 °F

DEWPOINT 65–66 °F

PRECIP CHANCE 2%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 12

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
6000 ft

CURRENT METAR TEMP DEP / DEST
19°C dep KLZU → 29°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
16/34 (160/340°M · 157/337°T) — designators and °M headings are magnetic; °T are true; variation 3°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) | 3 Act on | 1 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What | 3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

ed 2026-10-11T20:31:09.418296Z.

oritative)

FRI OCT 9 | SAT OCT 10 | SUN OCT 11 | MON OCT 12



6/0313

A0153/26

08/033

9 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 20:31 Z

NOTAMs as of 20:31 Z — advisory only; verify an official briefing.

07/022

NOTAM text not available in this projection.

A0129/26

NOTAM text not available in this projection.

6/0313

NOTAM text not available in this projection.

A0153/26

NOTAM text not available in this projection.

08/033

NOTAM text not available in this projection.

09/003

NOTAM text not available in this projection.

A0152/26

NOTAM text not available in this projection.

09/004

NOTAM text not available in this projection.

09/027

NOTAM text not available in this projection.

09/035

NOTAM text not available in this projection.

10/004

NOTAM text not available in this projection.

10/008

NOTAM text not available in this projection.

10/006

NOTAM text not available in this projection.

A0176/26

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

Effective 2026-09-02T17:00:00Z → 2027-01-15T16:23:00Z

OBSTRUCTION

Effective 2026-08-31T20:54:00Z → 2026-12-31T23:59:00Z

9 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

highest-resolution aviation forecast available. The National Weather Service issues it four times a day, valid 24 to 30 hours, with explicit FM and TEMPO change groups. Airports without their own TAF station use a nearby proxy, which is a normal condition and not a fault. A TAF was read for this airport this run (state: partial).

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KECP this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
S · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-11=GFS, 2026-10-12=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-11 18:00	83	Clear	260/12kt	—	>10kft	>6SM
GFS	2026-10-11 21:00	84	Clear	260/9kt	—	>10kft	>6SM
GFS	2026-10-12 00:00	73	Clear	240/2kt	0.0	>10kft	>6SM
GFS	2026-10-12 03:00	68	Clear	240/1kt	—	>10kft	>6SM
GFS	2026-10-12 06:00	65	Clear	270/1kt	1.0	>10kft	>6SM
GFS	2026-10-12 09:00	64	Clear	0/0kt	—	>10kft	>6SM
GFS	2026-10-12 12:00	63	Clear	290/1kt	2.0	>10kft	>6SM
GFS	2026-10-12 15:00	80	Clear	330/5kt	—	>10kft	>6SM
GFS	2026-10-12 18:00	88	Clear	300/7kt	2.0	>10kft	>6SM
GFS	2026-10-12 21:00	87	Clear	280/8kt	—	>10kft	>6SM
GFS	2026-10-13 00:00	76	Clear	270/3kt	1.0	>10kft	>6SM
GFS	2026-10-13 03:00	69	Clear	0/0kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KECP 111853Z 26010KT 10SM CLR 29/16 A3007 RMK AO2 SLP194 T02940161 $

TAF KECP 111729Z 1118/1218 27011G19KT P6SM SKC FM120000 30003KT P6SM SKC FM121500 33007KT P6SM SKC
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KECP; actual-station=KECP; fetched-at=2026-10-11T20:30:42.415610+00:00; observed-or-issued-at=2026-10-11T18:53:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KECP; actual-station=KECP; fetched-at=2026-10-11T20:30:42.806411+00:00; observed-or-issued-at=2026-10-11T17:29:00+00:00; valid-from=2026-10-11T18:00:00+00:00; valid-through=2026-10-12T18:00:00+00:00; partial-target-dates=2026-10-11,2026-10-12 — AWC API

  TAF proxy · KECP
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KECP; actual-station=KECP; fetched-at=2026-10-11T20:30:43.305418+00:00
- FAA NMS NOTAM — state=OK; requested-station=KECP; actual-station=KECP; fetched-at=2026-10-11T20:31:09.418296Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KECP; actual-station=KECP; fetched-at=2026-10-11T20:31:27.828658+00:00; observed-or-issued-at=2026-10-11T12:00:00+00:00; valid-from=2026-10-11T18:00:00+00:00; valid-through=2026-10-14T12:00:00+00:00; target-dates=2026-10-12; partial-target-dates=2026-10-11; dates-with-points=2026-10-11,2026-10-12 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KECP; actual-station=KECP; fetched-at=2026-10-11T20:31:28.739448+00:00; observed-or-issued-at=2026-10-11T12:00:00+00:00; valid-from=2026-10-12T12:00:00+00:00; valid-through=2026-10-19T12:00:00+00:00; target-dates=2026-10-12; dates-with-points=2026-10-12 — Iowa State API
- MOS effective date selection — state=partial; rows=12; requested-station=KECP; actual-station=KECP; fetched-at=2026-10-11T20:31:27.828658+00:00; observed-or-issued-at=2026-10-11T12:00:00+00:00; valid-from=2026-10-11T18:00:00+00:00; valid-through=2026-10-14T12:00:00+00:00; target-dates=2026-10-12; partial-target-dates=2026-10-11; dates-with-points=2026-10-11,2026-10-12; selected-by-date=2026-10-11=GFS, 2026-10-12=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#16 **KPNS** **Pensacola Intl, FL, US** · Gulf East · Pensacola (Class C)

OBS - VFR

ETE 1h51

DIST 267 nm

SUN 11 OCT 14:53 ET OBSERVED

Current observation

OBS - VFR

METAR

OBSER

clear below 12,000 ft (CLR)

WIND **NW (310°) 8 kt**

TEMPERATURE **29 °C**

VISIBILITY **10 sm**

DEWPOINT **17 °C**



Wind favours RWY 35

310° true · 312° magnetic · 8 kt · NOTAM-affected: 08 and 26

Evidence & limitations

- METAR source state: ok; observed Oct 11 14:53 ET; retrieved Oct 11 16:30 ET; 97 min before this run.
- Measured values read from the KPNS METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.09 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KPNS runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 17/35, 08/26. Wind from 310 degrees true, 312 degrees magnetic, at 8 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 35. NOTAM-affected runway ends, hatched separately from the wind highlight: 08 and 26. The hatch marks only that a NOTAM names the runway; it does not decode the NOTAM's effective times, so confirm the closure window in the NOTAM text below. Wind source: KPNS METAR 111853Z.

DESTINATION OUTLOOK

SUN, OCT 11

SUN 11 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 11 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 11

12:00–18:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 12

MON 12 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 12 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 12 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 12 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 6–7 kt

TEMPERATURE 88 °F

DEWPOINT 65 °F

PRECIP CHANCE 2%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 12

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
19°C dep KLZU → 29°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
17/35 (170/350°M · 168/348°T) · 08/26 (080/260°M · 078/258°T) — designators and °M headings are magnetic; °T are true; variation 2°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) | 18 Act on | 6 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

ed 2026-10-11T20:31:09.491991Z.

FRI OCT 9 | SAT OCT 10 | SUN OCT 11 | MON OCT 12

04/047

A0477/26

A0478/26

78 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 20:31 Z

NOTAMs as of 20:31 Z — advisory only; verify an official briefing.

5/9591

NOTAM text not available in this projection.

04/046

NOTAM text not available in this projection.

04/047

NOTAM text not available in this projection.

A0477/26

NOTAM text not available in this projection.

A0478/26

NOTAM text not available in this projection.

04/048

NOTAM text not available in this projection.

A0479/26

NOTAM text not available in this projection.

04/049

NOTAM text not available in this projection.

A0480/26

NOTAM text not available in this projection.

6/7052

NOTAM text not available in this projection.

09/005

NOTAM text not available in this projection.

09/006

NOTAM text not available in this projection.

09/007

NOTAM text not available in this projection.

A1014/26

NOTAM text not available in this projection.

A1015/26

NOTAM text not available in this projection.

09/008

NOTAM text not available in this projection.

09/074

NOTAM text not available in this projection.

A1113/26

NOTAM text not available in this projection.

09/080

NOTAM text not available in this projection.

A1116/26

NOTAM text not available in this projection.

09/082

NOTAM text not available in this projection.

09/085

NOTAM text not available in this projection.

10/005

NOTAM text not available in this projection.

10/006

NOTAM text not available in this projection.

10/012

NOTAM text not available in this projection.

A1134/26

NOTAM text not available in this projection.

10/013

NOTAM text not available in this projection.

A1135/26

NOTAM text not available in this projection.

10/026

NOTAM text not available in this projection.

A1150/26

NOTAM text not available in this projection.

10/031

NOTAM text not available in this projection.

A1158/26

NOTAM text not available in this projection.

10/038

NOTAM text not available in this projection.

A1169/26

NOTAM text not available in this projection.

A1170/26

NOTAM text not available in this projection.

12/025

NOTAM text not available in this projection.

A1113/25

NOTAM text not available in this projection.

05/004

NOTAM text not available in this projection.

A0495/26

NOTAM text not available in this projection.

05/065

NOTAM text not available in this projection.

A0605/26

NOTAM text not available in this projection.

08/079

NOTAM text not available in this projection.

08/082

NOTAM text not available in this projection.

09/075

NOTAM text not available in this projection.

A1115/26

NOTAM text not available in this projection.

09/076

NOTAM text not available in this projection.

09/077

NOTAM text not available in this projection.

A1114/26

NOTAM text not available in this projection.

09/078

NOTAM text not available in this projection.

09/079

NOTAM text not available in this projection.

09/081

NOTAM text not available in this projection.

10/004

NOTAM text not available in this projection.

A1127/26

NOTAM text not available in this projection.

10/007

NOTAM text not available in this projection.

A1129/26

NOTAM text not available in this projection.

10/023

NOTAM text not available in this projection.

A1148/26

NOTAM text not available in this projection.

10/024

NOTAM text not available in this projection.

10/025

NOTAM text not available in this projection.

A1149/26

NOTAM text not available in this projection.

10/027

NOTAM text not available in this projection.

A1153/26

NOTAM text not available in this projection.

10/028

NOTAM text not available in this projection.

A1154/26

NOTAM text not available in this projection.

A0797/25

NOTAM text not available in this projection.

01/160

NOTAM text not available in this projection.

A0199/26

NOTAM text not available in this projection.

6/3336

NOTAM text not available in this projection.

A0624/26

NOTAM text not available in this projection.

A0826/26

NOTAM text not available in this projection.

6/7054

NOTAM text not available in this projection.

A0828/26

NOTAM text not available in this projection.

6/8258

NOTAM text not available in this projection.

A0849/26

NOTAM text not available in this projection.

6/8259

NOTAM text not available in this projection.

A0850/26

NOTAM text not available in this projection.

08/044

NOTAM text not available in this projection.

08/045

NOTAM text not available in this projection.

08/066

NOTAM text not available in this projection.

08/053

NOTAM text not available in this projection.

A0967/26

NOTAM text not available in this projection.

09/066

NOTAM text not available in this projection.

09/087

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state:

026-10-11T20:31:09.491991Z.

OK. The dot colour reports whether this source was read this run; technical environment: preprod.

Effective 2025-09-08T16:19:00Z → 2027-09-08T16:19:00Z

FAA NOTAM text was truncated in this preview; verify the complete official record.

RUNWAY
Effective 2026-04-24T22:11:00Z → 2027-01-29T20:00:00Z

RUNWAY
Effective 2026-04-24T22:11:00Z → 2027-01-29T20:00:00Z

RUNWAY
Effective 2026-04-24T22:11:00Z → 2027-01-29T20:00:00Z

RUNWAY
Effective 2026-04-24T22:11:00Z → 2027-01-29T20:00:00Z

RUNWAY
Effective 2026-09-29T12:42:00Z → 2026-12-28T23:00:00Z

RUNWAY
Effective 2026-09-29T12:42:00Z → 2026-12-28T23:00:00Z

76 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KPNS this run.

published WPC surface chart matches this period and is shown in the dropdown with its

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
S · 18:00–00:00 ET ET · VFR

issuing office and valid time. It is displayed, never interpreted.

Source state: partial; selected by target date: 2026-10-11=GFS, 2026-10-12=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-11 18:00	85	Clear	270/10kt	—	>10kft	>6SM
GFS	2026-10-11 21:00	85	Clear	250/9kt	—	>10kft	>6SM
GFS	2026-10-12 00:00	77	Clear	220/4kt	0.0	>10kft	>6SM
GFS	2026-10-12 03:00	73	Clear	240/4kt	—	>10kft	>6SM
GFS	2026-10-12 06:00	71	Clear	280/2kt	1.0	>10kft	>6SM
GFS	2026-10-12 09:00	69	Clear	310/3kt	—	>10kft	>6SM
GFS	2026-10-12 12:00	69	Clear	330/2kt	2.0	>10kft	>6SM
GFS	2026-10-12 15:00	80	Clear	330/4kt	—	>10kft	>6SM
GFS	2026-10-12 18:00	88	Clear	290/6kt	2.0	>10kft	>6SM
GFS	2026-10-12 21:00	88	Clear	210/7kt	—	>10kft	>6SM
GFS	2026-10-13 00:00	79	Clear	240/3kt	1.0	>10kft	>6SM
GFS	2026-10-13 03:00	75	Clear	280/2kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KPNS 111853Z 31008KT 10SM CLR 29/17 A3009 RMK AO2 SLP189 T02940167

TAF KPNS 111720Z 1118/1218 29009KT P6SM SKC FM112100 24009KT P6SM SKC FM120100 VRB03KT P6SM FEW250 FM121300 33004KT P6SM SKC
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KPNS; actual-station=KPNS; fetched-at=2026-10-11T20:30:42.415610+00:00; observed-or-issued-at=2026-10-11T18:53:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KPNS; actual-station=KPNS; fetched-at=2026-10-11T20:30:42.806411+00:00; observed-or-issued-at=2026-10-11T17:20:00+00:00; valid-from=2026-10-11T18:00:00+00:00; valid-through=2026-10-12T18:00:00+00:00; partial-target-dates=2026-10-11,2026-10-12 — AWC API
  TAF proxy · KPNS
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KPNS; actual-station=KPNS; fetched-at=2026-10-11T20:30:43.581778+00:00
- FAA NMS NOTAM — state=OK; requested-station=KPNS; actual-station=KPNS; fetched-at=2026-10-11T20:31:09.491991Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KPNS; actual-station=KPNS; fetched-at=2026-10-11T20:31:27.826512+00:00; observed-or-issued-at=2026-10-11T12:00:00+00:00; valid-from=2026-10-11T18:00:00+00:00; valid-through=2026-10-14T12:00:00+00:00; target-dates=2026-10-12; partial-target-dates=2026-10-11; dates-with-points=2026-10-11,2026-10-12 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KPNS; actual-station=KPNS; fetched-at=2026-10-11T20:31:28.773246+00:00; observed-or-issued-at=2026-10-11T12:00:00+00:00; valid-from=2026-10-12T12:00:00+00:00; valid-through=2026-10-19T12:00:00+00:00; target-dates=2026-10-12; dates-with-points=2026-10-12 — Iowa State API

- MOS effective date selection — state=partial; rows=12; requested-station=KPNS; actual-station=KPNS; fetched-at=2026-10-11T20:31:27.826512+00:00; observed-or-issued-at=2026-10-11T12:00:00+00:00; valid-from=2026-10-11T18:00:00+00:00; valid-through=2026-10-14T12:00:00+00:00; target-dates=2026-10-12; partial-target-dates=2026-10-11; dates-with-points=2026-10-11,2026-10-12; selected-by-date=2026-10-11=GFS, 2026-10-12=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#17 **KDAB** **Daytona Beach Intl, FL, US** · Gulf East · Daytona Beach (Class C)

OBS - MVFR

ETE 2h13

DIST 324 nm

SUN 11 OCT 14:49 ET OBSERVED

Current observation

METAR

OBS - MVFR

OBSE

broken 1,800 ft

WIND W (280°) 8 kt

TEMPERATURE 27 °C

VISIBILITY 10 sm

DEWPOINT 23 °C



Wind equally favours RWY 25R and 25L

280° true · 287° magnetic · 8 kt

Evidence & limitations

- METAR source state: ok; observed Oct 11 14:49 ET; retrieved Oct 11 16:30 ET; 101 min before this run.
- Measured values read from the KDAB METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.05 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KDAB runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 07L/25R, 16/34, 07R/25L. Wind from 280 degrees true, 287 degrees magnetic, at 8 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Equally wind-favoured runway ends, highlighted: 25R and 25L. Wind source: KDAB METAR 111849Z.

DESTINATION OUTLOOK

SUN, OCT 11

SUN 11 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 11 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 11

12:00–18:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 12

MON 12 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 12 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 12 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 12 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND10 kt

TEMPERATURE85–87 °F

DEWPOINT65 °F

PRECIP CHANCE4%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 12

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
19°C dep KLZU → 27°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
07L/25R (070/250°M · 063/243°T) · 16/34 (160/340°M · 153/333°T) · 07R/25L (070/250°M · 063/243°T) — designators and °M headings are magnetic; °T are true; variation 7°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) | 13 Act on | 2 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What | 3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

ed 2026-10-11T20:31:09.661429Z.

oritative)

FRI OCT 9 | SAT OCT 10 | SUN OCT 11 | MON OCT 12



37 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 20:31 Z

NOTAMs as of 20:31 Z — advisory only; verify an official briefing.

09/140

NOTAM text not available in this projection.

09/144

NOTAM text not available in this projection.

A1640/26

NOTAM text not available in this projection.

10/049

NOTAM text not available in this projection.

A1732/26

NOTAM text not available in this projection.

A1733/26

NOTAM text not available in this projection.

10/050

NOTAM text not available in this projection.

A1734/26

NOTAM text not available in this projection.

A1735/26

NOTAM text not available in this projection.

A1736/26

NOTAM text not available in this projection.

A1737/26

NOTAM text not available in this projection.

A1738/26

NOTAM text not available in this projection.

10/023

NOTAM text not available in this projection.

A1739/26

NOTAM text not available in this projection.

A1740/26

NOTAM text not available in this projection.

6/8810

NOTAM text not available in this projection.

6/8811

NOTAM text not available in this projection.

6/8814

NOTAM text not available in this projection.

6/8816

NOTAM text not available in this projection.

A0825/26

NOTAM text not available in this projection.

A0828/26

NOTAM text not available in this projection.

A0829/26

NOTAM text not available in this projection.

A0830/26

NOTAM text not available in this projection.

6/3056

NOTAM text not available in this projection.

A0972/26

NOTAM text not available in this projection.

6/0752

NOTAM text not available in this projection.

A1405/26

NOTAM text not available in this projection.

08/067

NOTAM text not available in this projection.

08/069

NOTAM text not available in this projection.

08/070

NOTAM text not available in this projection.

08/071

NOTAM text not available in this projection.

02/081

NOTAM text not available in this projection.

A0203/26

NOTAM text not available in this projection.

09/149

NOTAM text not available in this projection.

A1643/26

NOTAM text not available in this projection.

10/031

NOTAM text not available in this projection.

A1704/26

NOTAM text not available in this projection.

10/032

NOTAM text not available in this projection.

A1705/26

NOTAM text not available in this projection.

10/033

NOTAM text not available in this projection.

A1706/26

NOTAM text not available in this projection.

10/051

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

026-10-11T20:31:09.661429Z.

RUNWAY

Effective 2026-10-09T11:18:00Z → 2026-10-12T11:18:00Z

37 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · VFR

category. NOTAMs were read for KDAB this run.

no-go here is derived from an image. A published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

:00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · VFR

S · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-11=GFS, 2026-10-12=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-11 18:00	85	Ovc	260/10kt	—	3-5kft	>6SM
GFS	2026-10-11 21:00	82	Ovc	290/8kt	—	>10kft	>6SM
GFS	2026-10-12 00:00	77	Ovc	270/3kt	20.0	>10kft	>6SM
GFS	2026-10-12 03:00	75	Ovc	280/3kt	—	>10kft	>6SM
GFS	2026-10-12 06:00	72	Few	300/4kt	12.0	>10kft	>6SM
GFS	2026-10-12 09:00	70	Few	310/5kt	—	>10kft	>6SM
GFS	2026-10-12 12:00	69	Clear	320/5kt	4.0	>10kft	>6SM
GFS	2026-10-12 15:00	80	Clear	330/9kt	—	>10kft	>6SM
GFS	2026-10-12 18:00	87	Clear	340/10kt	4.0	>10kft	>6SM
GFS	2026-10-12 21:00	85	Clear	360/10kt	—	>10kft	>6SM
GFS	2026-10-13 00:00	77	Clear	40/5kt	1.0	>10kft	>6SM
GFS	2026-10-13 03:00	73	Clear	30/3kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
SPECI KDAB 111849Z 28008KT 10SM BKN018 27/23 A3005 RMK AO2 RAE10 P0000 $

TAF KDAB 111737Z 1118/1218 26011KT P6SM VCSH SCT020 SCT025 BKN035 TEMPO 1118/1120 6SM -SHRA BKN030 FM112100 28009KT P6SM SCT030 BKN060 FM120000 29005KT P6SM FEW050 BKN200 FM121400 32010KT P6SM
SCT250
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KDAB; actual-station=KDAB; fetched-at=2026-10-11T20:30:42.415610+00:00; observed-or-issued-at=2026-10-11T18:49:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KDAB; actual-station=KDAB; fetched-at=2026-10-11T20:30:42.806411+00:00; observed-or-issued-at=2026-10-11T17:37:00+00:00; valid-from=2026-10-11T18:00:00+00:00; valid-through=2026-10-12T18:00:00+00:00; partial-target-dates=2026-10-11,2026-10-12 — AWC API

TAF proxy · KDAB

- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KDAB; actual-station=KDAB; fetched-at=2026-10-11T20:30:43.445204+00:00
- FAA NMS NOTAM — state=OK; requested-station=KDAB; actual-station=KDAB; fetched-at=2026-10-11T20:31:09.661429Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KDAB; actual-station=KDAB; fetched-at=2026-10-11T20:31:27.843523+00:00; observed-or-issued-at=2026-10-11T12:00:00+00:00; valid-from=2026-10-11T18:00:00+00:00; valid-through=2026-10-14T12:00:00+00:00; target-dates=2026-10-12; partial-target-dates=2026-10-11; dates-with-points=2026-10-11,2026-10-12 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KDAB; actual-station=KDAB; fetched-at=2026-10-11T20:31:28.740732+00:00; observed-or-issued-at=2026-10-11T12:00:00+00:00; valid-from=2026-10-12T12:00:00+00:00; valid-through=2026-10-19T12:00:00+00:00; target-dates=2026-10-12; dates-with-points=2026-10-12 — Iowa State API
- MOS effective date selection — state=partial; rows=12; requested-station=KDAB; actual-station=KDAB; fetched-at=2026-10-11T20:31:27.843523+00:00; observed-or-issued-at=2026-10-11T12:00:00+00:00; valid-from=2026-10-11T18:00:00+00:00; valid-through=2026-10-14T12:00:00+00:00; target-dates=2026-10-12; partial-target-dates=2026-10-11; dates-with-points=2026-10-11,2026-10-12; selected-by-date=2026-10-11=GFS, 2026-10-12=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#18 **KJKA** **Gulf Shores/Edwards Arpt, AL, US** · Gulf West · Gulf Shores AL

OBS - VFR

ETE 2h01

DIST 291 nm

SUN 11 OCT 14:35 ET OBSERVED

Current observation

OBS - VFR

OBSER

METAR

clear below 12,000 ft (CLR)

WIND **SW (240°) 11 kt**

TEMPERATURE **28 °C**

VISIBILITY **10 sm**

DEWPOINT **18 °C**



Wind favours RWY 27

240° true · 242° magnetic · 11 kt

Evidence & limitations

- METAR source state: ok; observed Oct 11 14:35 ET; retrieved Oct 11 16:30 ET; 115 min before this run.
- Measured values read from the KJKA METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.11 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.

• KJKA runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 09/27, 17/35. Wind from 240 degrees true, 242 degrees magnetic, at 11 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 27. Wind source: KJKA METAR 111835Z.

DESTINATION OUTLOOK

SUN, OCT 11

SUN 11 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 11 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 11

12:00–18:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 12

MON 12 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 12 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 12 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 12 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 5–6 kt

TEMPERATURE 87–88 °F

DEWPOINT 65–66 °F

PRECIP CHANCE 2%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 12

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
19°C dep KLZU → 28°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
09/27 (090/270°M · 088/268°T) · 17/35 (170/350°M · 168/348°T) — designators and °M headings are magnetic; °T are true; variation 2°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) | 8 Act on | 1 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What | 3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

ed 2026-10-11T20:31:09.686418Z.

oritative)

FRI OCT 9 | SAT OCT 10 | SUN OCT 11 | MON OCT 12

5/1161

5/1162

6/3337

8 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 20:31 Z

NOTAMs as of 20:31 Z — advisory only; verify an official briefing.

05/473

NOTAM text not available in this projection.

10/182

NOTAM text not available in this projection.

5/1161

NOTAM text not available in this projection.

5/1162

NOTAM text not available in this projection.

6/3337

NOTAM text not available in this projection.

6/2179

NOTAM text not available in this projection.

6/8649

NOTAM text not available in this projection.

6/8650

NOTAM text not available in this projection.

6/8651

NOTAM text not available in this projection.

10/183

NOTAM text not available in this projection.

09/693

NOTAM text not available in this projection.

10/074

NOTAM text not available in this projection.

10/083

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

026-10-11T20:31:09.686418Z.

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

:00Z

:00Z

:00Z

Effective 2025-09-10T15:59:00Z → 2027-09-10T15:59:00Z

NAV_APPROACH

Effective 2026-05-27T18:27:00Z → 2027-01-06T18:27:00Z

8 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KJKA this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
· 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-11=GFS, 2026-10-12=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-11 18:00	83	Clear	270/8kt	—	>10kft	>6SM
GFS	2026-10-11 21:00	83	Clear	250/8kt	—	>10kft	>6SM
GFS	2026-10-12 00:00	73	Clear	220/3kt	0.0	>10kft	>6SM
GFS	2026-10-12 03:00	68	Clear	220/2kt	—	>10kft	>6SM
GFS	2026-10-12 06:00	65	Clear	0/0kt	1.0	>10kft	>6SM
GFS	2026-10-12 09:00	63	Clear	0/0kt	—	>10kft	>6SM
GFS	2026-10-12 12:00	62	Clear	310/1kt	2.0	>10kft	>6SM
GFS	2026-10-12 15:00	79	Clear	340/3kt	—	>10kft	>6SM
GFS	2026-10-12 18:00	87	Clear	240/5kt	2.0	>10kft	>6SM
GFS	2026-10-12 21:00	88	Clear	220/6kt	—	>10kft	>6SM

GFS	2026-10-13 00:00	76	Clear	250/1kt	1.0	>10kft	>6SM
GFS	2026-10-13 03:00	69	Clear	270/1kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KJKA 111835Z AUTO 24011KT 10SM CLR 28/18 A3011 RMK AO2

TAF KJKA 111720Z 1118/1218 29012KT P6SM SKC FM120000 00000KT P6SM FEW250 FM121300 33004KT P6SM SKC
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KJKA; actual-station=KJKA; fetched-at=2026-10-11T20:30:42.415610+00:00; observed-or-issued-at=2026-10-11T18:35:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KJKA; actual-station=KJKA; fetched-at=2026-10-11T20:30:42.806411+00:00; observed-or-issued-at=2026-10-11T17:20:00+00:00; valid-from=2026-10-11T18:00:00+00:00; valid-through=2026-10-12T18:00:00+00:00; partial-target-dates=2026-10-11,2026-10-12 — AWC API

  TAF proxy · KJKA
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KJKA; actual-station=KJKA; fetched-at=2026-10-11T20:30:43.643716+00:00
- FAA NMS NOTAM — state=OK; requested-station=KJKA; actual-station=KJKA; fetched-at=2026-10-11T20:31:09.686418Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KJKA; actual-station=KJKA; fetched-at=2026-10-11T20:31:27.810386+00:00; observed-or-issued-at=2026-10-11T12:00:00+00:00; valid-from=2026-10-11T18:00:00+00:00; valid-through=2026-10-14T12:00:00+00:00; target-dates=2026-10-12; partial-target-dates=2026-10-11; dates-with-points=2026-10-11,2026-10-12 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KJKA; actual-station=KJKA; fetched-at=2026-10-11T20:31:28.723679+00:00; observed-or-issued-at=2026-10-11T12:00:00+00:00; valid-from=2026-10-12T12:00:00+00:00; valid-through=2026-10-19T12:00:00+00:00; target-dates=2026-10-12; dates-with-points=2026-10-12 — Iowa State API
- MOS effective date selection — state=partial; rows=12; requested-station=KJKA; actual-station=KJKA; fetched-at=2026-10-11T20:31:27.810386+00:00; observed-or-issued-at=2026-10-11T12:00:00+00:00; valid-from=2026-10-11T18:00:00+00:00; valid-through=2026-10-14T12:00:00+00:00; target-dates=2026-10-12; partial-target-dates=2026-10-11; dates-with-points=2026-10-11,2026-10-12; selected-by-date=2026-10-11=GFS, 2026-10-12=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#19 **KBFM** **Mobile/Downtown Arpt, AL, US** · Gulf West · Mobile Downtown

OBS - VFR

ETE 2h00

DIST 290 nm

SUN 11 OCT 14:53 ET OBSERVED

Current observation

OBS - VFR

OBSER

META R

clear below 12,000 ft (CLR)

WIND **NW (330°) 6 kt**

TEMPERATURE 31 °C

VISIBILITY 10 sm

DEWPOINT 18 °C



Wind favours RWY 32

330° true · 332° magnetic · 6 kt

Evidence & limitations

- METAR source state: ok; observed Oct 11 14:53 ET; retrieved Oct 11 16:30 ET; 97 min before this run.
- Measured values read from the KBFM METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.11 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KBFM runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 14/32, 18/36. Wind from 330 degrees true, 332 degrees magnetic, at 6 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 32. Wind source: KBFM METAR 111853Z.

DESTINATION OUTLOOK

SUN, OCT 11

SUN 11 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 11 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 11

12:00–18:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 12

MON 12 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 12 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 12 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 12 OCT 18:00–00:00 ET MEDIUM

Forecast GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 4–5 kt

TEMPERATURE 88–89 °F

DEWPOINT 63 °F

PRECIP CHANCE 2%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 12

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE

8000 ft

CURRENT METAR TEMP DEP / DEST

19°C dep KLZU → 31°C

CURRENT WIND (FAA)

Unavailable

FAA WEATHER CONDITIONS

Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS

FAA status unavailable — airport is not covered by this feed

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS

14/32 (140/320°M · 138/318°T) · 18/36 (180/000°M · 178/358°T) — designators and °M headings are magnetic; °T are true; variation 2°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

PLANNING AND VERIFICATION LINKS

SkyVector · AirNav / Chart Supplement

100LL AVAILABILITY AND PRICE

Unavailable — no source-qualified current fuel feed is connected.

Source: not connected. Last updated: unavailable.

Verify price, availability, and service level directly with an FBO.

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 15 Act on 4 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What 3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

ved 2026-10-11T20:31:09.719562Z.

	FRI OCT 9	SAT OCT 10	SUN OCT 11	MON OCT 12
08/020				
A0373/26				
10/010				

179 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 20:31 Z

NOTAMs as of 20:31 Z — advisory only; verify an official briefing.

08/004

NOTAM text not available in this projection.

A0354/26

NOTAM text not available in this projection.

08/020

NOTAM text not available in this projection.

A0373/26

NOTAM text not available in this projection.

10/010

NOTAM text not available in this projection.

A0483/26

NOTAM text not available in this projection.

A0487/26

NOTAM text not available in this projection.

10/013

NOTAM text not available in this projection.

A0488/26

NOTAM text not available in this projection.

10/014

NOTAM text not available in this projection.

A0489/26

NOTAM text not available in this projection.

09/083

NOTAM text not available in this projection.

09/089

NOTAM text not available in this projection.

A0514/26

NOTAM text not available in this projection.

A0520/26

NOTAM text not available in this projection.

09/123

NOTAM text not available in this projection.

A0558/26

NOTAM text not available in this projection.

09/288

NOTAM text not available in this projection.

A0884/26

NOTAM text not available in this projection.

09/334

NOTAM text not available in this projection.

09/340

NOTAM text not available in this projection.

A0937/26

NOTAM text not available in this projection.

A0944/26

NOTAM text not available in this projection.

09/345

NOTAM text not available in this projection.

09/348

NOTAM text not available in this projection.

A0950/26

NOTAM text not available in this projection.

A0953/26

NOTAM text not available in this projection.

09/359

NOTAM text not available in this projection.

09/365

NOTAM text not available in this projection.

A0965/26

NOTAM text not available in this projection.

A0972/26

NOTAM text not available in this projection.

09/372

NOTAM text not available in this projection.

A0980/26

NOTAM text not available in this projection.

09/379

NOTAM text not available in this projection.

09/386

NOTAM text not available in this projection.

09/391

NOTAM text not available in this projection.

A0988/26

NOTAM text not available in this projection.

A0996/26

NOTAM text not available in this projection.

A1001/26

NOTAM text not available in this projection.

09/401

NOTAM text not available in this projection.

09/404

NOTAM text not available in this projection.

09/406

NOTAM text not available in this projection.

09/407

NOTAM text not available in this projection.

A1012/26

NOTAM text not available in this projection.

A1015/26

NOTAM text not available in this projection.

A1018/26

NOTAM text not available in this projection.

A1019/26

NOTAM text not available in this projection.

09/422

NOTAM text not available in this projection.

09/431

NOTAM text not available in this projection.

A1036/26

NOTAM text not available in this projection.

A1046/26

NOTAM text not available in this projection.

09/436

NOTAM text not available in this projection.

A1051/26

NOTAM text not available in this projection.

09/456

NOTAM text not available in this projection.

A1074/26

NOTAM text not available in this projection.

09/463

NOTAM text not available in this projection.

09/472

NOTAM text not available in this projection.

A1081/26

NOTAM text not available in this projection.

A1091/26

NOTAM text not available in this projection.

09/493

NOTAM text not available in this projection.

A1116/26

NOTAM text not available in this projection.

09/529

NOTAM text not available in this projection.

09/530

NOTAM text not available in this projection.

A1156/26

NOTAM text not available in this projection.

A1157/26

NOTAM text not available in this projection.

09/540

NOTAM text not available in this projection.

A1170/26

NOTAM text not available in this projection.

09/543

NOTAM text not available in this projection.

09/548

NOTAM text not available in this projection.

09/549

NOTAM text not available in this projection.

A1173/26

NOTAM text not available in this projection.

A1178/26

NOTAM text not available in this projection.

A1179/26

NOTAM text not available in this projection.

09/569

NOTAM text not available in this projection.

A1203/26

NOTAM text not available in this projection.

09/584

NOTAM text not available in this projection.

A1220/26

NOTAM text not available in this projection.

09/601

NOTAM text not available in this projection.

09/604

NOTAM text not available in this projection.

A1239/26

NOTAM text not available in this projection.

A1243/26

NOTAM text not available in this projection.

09/610

NOTAM text not available in this projection.

A1249/26

NOTAM text not available in this projection.

09/627

NOTAM text not available in this projection.

09/630

NOTAM text not available in this projection.

A1268/26

NOTAM text not available in this projection.

A1271/26

NOTAM text not available in this projection.

09/669

NOTAM text not available in this projection.

09/672

NOTAM text not available in this projection.

A1315/26

NOTAM text not available in this projection.

A1318/26

NOTAM text not available in this projection.

09/698

NOTAM text not available in this projection.

09/709

NOTAM text not available in this projection.

A1348/26

NOTAM text not available in this projection.

A1360/26

NOTAM text not available in this projection.

09/726

NOTAM text not available in this projection.

09/727

NOTAM text not available in this projection.

09/733

NOTAM text not available in this projection.

A1379/26

NOTAM text not available in this projection.

A1381/26

NOTAM text not available in this projection.

A1387/26

NOTAM text not available in this projection.

09/763

NOTAM text not available in this projection.

A1420/26

NOTAM text not available in this projection.

09/769

NOTAM text not available in this projection.

A1426/26

NOTAM text not available in this projection.

09/791

NOTAM text not available in this projection.

09/796

NOTAM text not available in this projection.

A1448/26

NOTAM text not available in this projection.

A1453/26

NOTAM text not available in this projection.

09/813

NOTAM text not available in this projection.

A1470/26

NOTAM text not available in this projection.

09/821

NOTAM text not available in this projection.

09/822

NOTAM text not available in this projection.

09/833

NOTAM text not available in this projection.

A1478/26

NOTAM text not available in this projection.

A1479/26

NOTAM text not available in this projection.

A1490/26

NOTAM text not available in this projection.

09/847

NOTAM text not available in this projection.

09/848

NOTAM text not available in this projection.

A1504/26

NOTAM text not available in this projection.

A1505/26

NOTAM text not available in this projection.

09/860

NOTAM text not available in this projection.

A1517/26

NOTAM text not available in this projection.

09/871

NOTAM text not available in this projection.

09/877

NOTAM text not available in this projection.

A1528/26

NOTAM text not available in this projection.

A1534/26

NOTAM text not available in this projection.

09/887

NOTAM text not available in this projection.

09/888

NOTAM text not available in this projection.

A1544/26

NOTAM text not available in this projection.

A1545/26

NOTAM text not available in this projection.

09/910

NOTAM text not available in this projection.

A1567/26

NOTAM text not available in this projection.

09/921

NOTAM text not available in this projection.

A1578/26

NOTAM text not available in this projection.

09/936

NOTAM text not available in this projection.

A1593/26

NOTAM text not available in this projection.

09/945

NOTAM text not available in this projection.

A1602/26

NOTAM text not available in this projection.

09/959

NOTAM text not available in this projection.

A1616/26

NOTAM text not available in this projection.

09/971

NOTAM text not available in this projection.

A1628/26

NOTAM text not available in this projection.

09/980

NOTAM text not available in this projection.

09/984

NOTAM text not available in this projection.

A1637/26

NOTAM text not available in this projection.

A1641/26

NOTAM text not available in this projection.

09/001

NOTAM text not available in this projection.

09/005

NOTAM text not available in this projection.

09/993

NOTAM text not available in this projection.

A1650/26

NOTAM text not available in this projection.

A1657/26

NOTAM text not available in this projection.

A1660/26

NOTAM text not available in this projection.

09/013

NOTAM text not available in this projection.

A1667/26

NOTAM text not available in this projection.

6/2188

NOTAM text not available in this projection.

A0356/26

NOTAM text not available in this projection.

6/4898

NOTAM text not available in this projection.

A0364/26

NOTAM text not available in this projection.

6/9973

NOTAM text not available in this projection.

A0382/26

NOTAM text not available in this projection.

6/6897

NOTAM text not available in this projection.

6/6898

NOTAM text not available in this projection.

6/6899

NOTAM text not available in this projection.

A0478/26

NOTAM text not available in this projection.

A0479/26

NOTAM text not available in this projection.

A0480/26

NOTAM text not available in this projection.

05/009

NOTAM text not available in this projection.

A0240/26

NOTAM text not available in this projection.

06/026

NOTAM text not available in this projection.

06/027

NOTAM text not available in this projection.

06/028

NOTAM text not available in this projection.

06/029

NOTAM text not available in this projection.

06/030

NOTAM text not available in this projection.

06/031

NOTAM text not available in this projection.

06/032

NOTAM text not available in this projection.

06/033

NOTAM text not available in this projection.

08/021

NOTAM text not available in this projection.

09/002

NOTAM text not available in this projection.

09/057

NOTAM text not available in this projection.

10/007

NOTAM text not available in this projection.

08/027

NOTAM text not available in this projection.

10/017

NOTAM text not available in this projection.

A0491/26

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2026-10-11T20:31:09.719562Z.

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

RUNWAY

Effective 2026-10-05T13:49:00Z → 2026-10-30T22:00:00Z

179 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical

Forecast for Aviation and the Weather Prediction Center surface progs, issued by the National Weather Service through the day; the surface prog series reaches 144 hours. They are raster images a pilot reads for fronts, pressure systems and precipitation shields. This page displays them with their issuing office and valid time and never interprets them: no category, wind, ceiling, ranking or go/no-go here is derived from an image. A published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
• **Mon, Oct 12 · 18:00–00:00 ET**: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-11=GFS, 2026-10-12=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-11 18:00	85	Clear	250/8kt	—	>10kft	>6SM
GFS	2026-10-11 21:00	86	Clear	180/7kt	—	>10kft	>6SM
GFS	2026-10-12 00:00	77	Clear	200/3kt	0.0	>10kft	>6SM
GFS	2026-10-12 03:00	72	Clear	220/2kt	—	>10kft	>6SM
GFS	2026-10-12 06:00	69	Clear	240/1kt	1.0	>10kft	>6SM
GFS	2026-10-12 09:00	67	Clear	280/1kt	—	>10kft	>6SM
GFS	2026-10-12 12:00	66	Clear	300/2kt	2.0	>10kft	>6SM
GFS	2026-10-12 15:00	80	Clear	360/3kt	—	>10kft	>6SM
GFS	2026-10-12 18:00	88	Clear	110/4kt	2.0	>10kft	>6SM
GFS	2026-10-12 21:00	89	Clear	140/5kt	—	>10kft	>6SM
GFS	2026-10-13 00:00	78	Clear	220/3kt	1.0	>10kft	>6SM
GFS	2026-10-13 03:00	73	Clear	230/1kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KBFM 111853Z 33006KT 10SM CLR 31/18 A3011 RMK AO2 SLP195 T03060178

TAF KBFM 111720Z 1118/1218 VRB05KT P6SM SKC FM112100 19007KT P6SM SKC FM120200 VRB03KT P6SM FEW250 FM121300 32004KT P6SM SKC
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KBFM; actual-station=KBFM; fetched-at=2026-10-11T20:30:42.415610+00:00; observed-or-issued-at=2026-10-11T18:53:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KBFM; actual-station=KBFM; fetched-at=2026-10-11T20:30:42.806411+00:00; observed-or-issued-at=2026-10-11T17:20:00+00:00; valid-from=2026-10-11T18:00:00+00:00; valid-through=2026-10-12T18:00:00+00:00; partial-target-dates=2026-10-11,2026-10-12 — AWC API

  TAF proxy · KBFM
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KBFM; actual-station=KBFM; fetched-at=2026-10-11T20:30:43.740644+00:00
- FAA NMS NOTAM — state=OK; requested-station=KBFM; actual-station=KBFM; fetched-at=2026-10-11T20:31:09.719562Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KBFM; actual-station=KBFM; fetched-at=2026-10-11T20:31:27.849775+00:00; observed-or-issued-at=2026-10-11T12:00:00+00:00; valid-from=2026-10-11T18:00:00+00:00; valid-through=2026-10-14T12:00:00+00:00; target-dates=2026-10-12; partial-target-dates=2026-10-11; dates-with-points=2026-10-11,2026-10-12 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KBFM; actual-station=KBFM; fetched-at=2026-10-11T20:31:28.775214+00:00; observed-or-issued-at=2026-10-11T12:00:00+00:00; valid-from=2026-10-12T12:00:00+00:00; valid-through=2026-10-19T12:00:00+00:00; target-dates=2026-10-12; dates-with-points=2026-10-12 — Iowa State API
- MOS effective date selection — state=partial; rows=12; requested-station=KBFM; actual-station=KBFM; fetched-at=2026-10-11T20:31:27.849775+00:00; observed-or-issued-at=2026-10-11T12:00:00+00:00; valid-from=2026-10-11T18:00:00+00:00; valid-through=2026-10-14T12:00:00+00:00; target-dates=2026-10-12; partial-target-dates=2026-10-11; dates-with-points=2026-10-11,2026-10-12; selected-by-date=2026-10-11=GFS, 2026-10-12=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#20 **KGPT** **Gulfport-Biloxi Intl, MS, US** · Gulf West · Gulfport-Biloxi

OBS - VFR

ETE **2h18**

DIST **337 nm**

SUN 11 OCT 14:53 ET OBSERVED

Current observation

OBS - VFR

METAR

OBSER

clear below 12,000 ft (CLR)

WIND **calm**

TEMPERATURE **30 °C**

VISIBILITY **10 sm**

DEWPOINT **17 °C**

Evidence & limitations

- METAR source state: ok; observed Oct 11 14:53 ET; retrieved Oct 11 16:30 ET; 97 min before this run.
- Measured values read from the KGPT METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.09 inHg.

• The complete raw METAR remains in this airport's Raw products disclosure.

DESTINATION OUTLOOK

SUN, OCT 11

SUN 11 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 11 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 11

12:00–18:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 12

MON 12 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 12 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 12 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 12 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 4–5 kt

TEMPERATURE 87–88 °F

DEWPOINT 63 °F

PRECIP CHANCE 2%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 12

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
19°C dep KLZU → 30°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
14/32 (140/320°M · 139/319°T) · 18/36 (180/000°M · 179/359°T) — designators and °M headings are magnetic; °T are true; variation 1°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) | 7 Act on | 1 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What | 3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

ed 2026-10-11T20:31:09.771458Z.

oritative)

FRI OCT 9 | SAT OCT 10 | SUN OCT 11 | MON OCT 12

A0386/26

06/065

6/9967

21 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 20:31 Z

NOTAMs as of 20:31 Z — advisory only; verify an official briefing.

09/057

NOTAM text not available in this projection.

6/5422

NOTAM text not available in this projection.

A0386/26

NOTAM text not available in this projection.

06/065

NOTAM text not available in this projection.

6/9967

NOTAM text not available in this projection.

A0597/26

NOTAM text not available in this projection.

09/048

NOTAM text not available in this projection.

A0727/26

NOTAM text not available in this projection.

09/054

NOTAM text not available in this projection.

A0732/26

NOTAM text not available in this projection.

07/031

NOTAM text not available in this projection.

08/003

NOTAM text not available in this projection.

08/023

NOTAM text not available in this projection.

08/040

NOTAM text not available in this projection.

08/041

NOTAM text not available in this projection.

09/007

NOTAM text not available in this projection.

09/050

NOTAM text not available in this projection.

09/051

NOTAM text not available in this projection.

09/055

NOTAM text not available in this projection.

10/003

NOTAM text not available in this projection.

10/004

NOTAM text not available in this projection.

10/006

NOTAM text not available in this projection.

10/007

NOTAM text not available in this projection.

09/053

NOTAM text not available in this projection.

A0731/26

NOTAM text not available in this projection.

A0748/26

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

026-10-11T20:31:09.771458Z.

:00Z

:00Z

:00Z

NAV_APPROACH

Effective 2026-06-23T11:42:00Z → 2026-12-23T21:11:00Z

NAV_APPROACH

Effective 2026-06-23T12:17:00Z → 2028-06-23T12:17:00Z

21 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KGPT this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR

• **Mon, Oct 12 · 18:00–00:00 ET**: GFS MAV MOS · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-11=GFS, 2026-10-12=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-11 18:00	87	Clear	280/7kt	—	>10kft	>6SM
GFS	2026-10-11 21:00	87	Clear	200/5kt	—	>10kft	>6SM
GFS	2026-10-12 00:00	78	Clear	200/3kt	0.0	>10kft	>6SM
GFS	2026-10-12 03:00	72	Clear	210/1kt	—	>10kft	>6SM
GFS	2026-10-12 06:00	69	Clear	0/0kt	1.0	>10kft	>6SM
GFS	2026-10-12 09:00	67	Clear	0/0kt	—	>10kft	>6SM
GFS	2026-10-12 12:00	65	Clear	0/0kt	2.0	>10kft	>6SM
GFS	2026-10-12 15:00	80	Clear	340/2kt	—	>10kft	>6SM
GFS	2026-10-12 18:00	88	Clear	150/4kt	2.0	>10kft	>6SM
GFS	2026-10-12 21:00	87	Clear	180/5kt	—	>10kft	>6SM
GFS	2026-10-13 00:00	79	Clear	190/2kt	1.0	>10kft	>6SM
GFS	2026-10-13 03:00	73	Clear	200/1kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KGPT 111853Z 00000KT 10SM CLR 30/17 A3009 RMK AO2 SLP189 T03000167

TAF KGPT 111720Z 1118/1218 26006KT P6SM SKC FM112100 22007KT P6SM SKC
```

+ Data sources used

• METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KGPT; actual-station=KGPT; fetched-at=2026-10-11T20:30:42.415610+00:00; observed-or-issued-at=2026-10-11T18:53:00+00:00 — AWC API

- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KGPT; actual-station=KGPT; fetched-at=2026-10-11T20:30:42.806411+00:00; observed-or-issued-at=2026-10-11T17:20:00+00:00; valid-from=2026-10-11T18:00:00+00:00; valid-through=2026-10-12T18:00:00+00:00; partial-target-dates=2026-10-11,2026-10-12 — AWC API

TAF proxy · KGPT

- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KGPT; actual-station=KGPT; fetched-at=2026-10-11T20:30:43.637655+00:00
- FAA NMS NOTAM — state=OK; requested-station=KGPT; actual-station=KGPT; fetched-at=2026-10-11T20:31:09.771458Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KGPT; actual-station=KGPT; fetched-at=2026-10-11T20:31:28.164730+00:00; observed-or-issued-at=2026-10-11T12:00:00+00:00; valid-from=2026-10-11T18:00:00+00:00; valid-through=2026-10-14T12:00:00+00:00; target-dates=2026-10-12; partial-target-dates=2026-10-11; dates-with-points=2026-10-11,2026-10-12 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KGPT; actual-station=KGPT; fetched-at=2026-10-11T20:31:28.922460+00:00; observed-or-issued-at=2026-10-11T12:00:00+00:00; valid-from=2026-10-12T12:00:00+00:00; valid-through=2026-10-19T12:00:00+00:00; target-dates=2026-10-12; dates-with-points=2026-10-12 — Iowa State API
- MOS effective date selection — state=partial; rows=12; requested-station=KGPT; actual-station=KGPT; fetched-at=2026-10-11T20:31:28.164730+00:00; observed-or-issued-at=2026-10-11T12:00:00+00:00; valid-from=2026-10-11T18:00:00+00:00; valid-through=2026-10-14T12:00:00+00:00; target-dates=2026-10-12; partial-target-dates=2026-10-11; dates-with-points=2026-10-11,2026-10-12; selected-by-date=2026-10-11=GFS, 2026-10-12=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#21 **KSPG** **St Petersburg/Whitted Arpt, FL, US** · Gulf East · St Petersburg

OBS - VFR

ETE 2h35

DIST 379 nm

SUN 11 OCT 14:53 ET OBSERVED

Current observation

OBS - VFR

OBSER

METAR

scattered 1,300 ft

WIND NE (30°) 8 kt

TEMPERATURE 27 °C

VISIBILITY 10 sm

DEWPOINT 24 °C



Wind favours RWY 07

030° true · 036° magnetic · 8 kt

Evidence & limitations

- METAR source state: ok; observed Oct 11 14:53 ET; retrieved Oct 11 16:30 ET; 97 min before this run.
- Measured values read from the KSPG METAR. This is a current surface observation only; it is not a forecast.

• Only fields decoded from this METAR are shown; every missing field remains unavailable.

• Altimeter: 30.05 inHg.

• The complete raw METAR remains in this airport's Raw products disclosure.

• KSPG runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 07/25, 18/36. Wind from 030 degrees true, 036 degrees magnetic, at 8 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 07. Wind source: KSPG METAR 111853Z.

DESTINATION OUTLOOK

SUN, OCT 11

SUN 11 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 12:00–18:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 11 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

• TAF · 18:00–00:00 ET ET · VFR

• Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 11

12:00–18:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 12

MON 12 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 12 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 12 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 12 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 7–8 kt

TEMPERATURE 84–85 °F

DEWPOINT 64–65 °F

PRECIP CHANCE 6%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 12

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
19°C dep KLZU → 27°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
07/25 (070/250°M · 064/244°T) · 18/36 (180/000°M · 174/354°T) — designators and °M headings are magnetic; °T are true; variation 6°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

d 2026-10-11T20:31:09.930322Z.

oritative)

FRI OCT 9 | SAT OCT 10 | SUN OCT 11 | MON OCT 12

08/001

Raw NOTAM data · NOTAMs as of 20:31 Z

NOTAMs as of 20:31 Z — advisory only; verify an official briefing.

6/3728

NOTAM text not available in this projection.

07/010

NOTAM text not available in this projection.

08/001

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KSPG this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
· 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-11=GFS, 2026-10-12=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-11 18:00	85	Ovc	360/8kt	—	3-5kft	>6SM
GFS	2026-10-11 21:00	84	Ovc	350/8kt	—	>10kft	>6SM
GFS	2026-10-12 00:00	80	Bkn	350/7kt	16.0	>10kft	>6SM
GFS	2026-10-12 03:00	78	Few	10/7kt	—	>10kft	>6SM
GFS	2026-10-12 06:00	78	Few	10/7kt	11.0	>10kft	>6SM
GFS	2026-10-12 09:00	77	Clear	20/8kt	—	>10kft	>6SM
GFS	2026-10-12 12:00	76	Clear	20/9kt	4.0	>10kft	>6SM
GFS	2026-10-12 15:00	80	Clear	30/10kt	—	>10kft	>6SM
GFS	2026-10-12 18:00	84	Clear	40/8kt	6.0	>10kft	>6SM
GFS	2026-10-12 21:00	85	Clear	20/7kt	—	>10kft	>6SM

GFS	2026-10-13 00:00	81	Clear	360/6kt	1.0	>10kft	>6SM
GFS	2026-10-13 03:00	78	Clear	10/5kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KSPG 111853Z 03008KT 10SM SCT013 27/24 A3005 RMK AO2 SLP174 T02720239

TAF KPIE 111730Z 1118/1218 35007KT P6SM FEW030 SCT120 BKN250 FM120600 02005KT P6SM FEW250
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KSPG; actual-station=KSPG; fetched-at=2026-10-11T20:30:42.415610+00:00; observed-or-issued-at=2026-10-11T18:53:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KSPG; actual-station=KPIE; fetched-at=2026-10-11T20:30:42.806411+00:00; observed-or-issued-at=2026-10-11T17:30:00+00:00; valid-from=2026-10-11T18:00:00+00:00; valid-through=2026-10-12T18:00:00+00:00; partial-target-dates=2026-10-11,2026-10-12 — AWC API

  TAF proxy · KPIE
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KSPG; actual-station=KSPG; fetched-at=2026-10-11T20:30:43.842774+00:00
- FAA NMS NOTAM — state=OK; requested-station=KSPG; actual-station=KSPG; fetched-at=2026-10-11T20:31:09.930322Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KSPG; actual-station=KSPG; fetched-at=2026-10-11T20:31:28.137445+00:00; observed-or-issued-at=2026-10-11T12:00:00+00:00; valid-from=2026-10-11T18:00:00+00:00; valid-through=2026-10-14T12:00:00+00:00; target-dates=2026-10-12; partial-target-dates=2026-10-11; dates-with-points=2026-10-11,2026-10-12 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KSPG; actual-station=KSPG; fetched-at=2026-10-11T20:31:28.958675+00:00; observed-or-issued-at=2026-10-11T12:00:00+00:00; valid-from=2026-10-12T12:00:00+00:00; valid-through=2026-10-19T12:00:00+00:00; target-dates=2026-10-12; dates-with-points=2026-10-12 — Iowa State API
- MOS effective date selection — state=partial; rows=12; requested-station=KSPG; actual-station=KSPG; fetched-at=2026-10-11T20:31:28.137445+00:00; observed-or-issued-at=2026-10-11T12:00:00+00:00; valid-from=2026-10-11T18:00:00+00:00; valid-through=2026-10-14T12:00:00+00:00; target-dates=2026-10-12; partial-target-dates=2026-10-11; dates-with-points=2026-10-11,2026-10-12; selected-by-date=2026-10-11=GFS, 2026-10-12=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#22 **KTPF** **Tampa/Knight Arpt, FL, US** · Gulf East · Tampa Peter O Knight

OBS - MVFR

ETE 2h32

DIST 372 nm

SUN 11 OCT 14:35 ET OBSERVED

Current observation

OBS - MVFR

OBSE

META R

overcast 1,400 ft

WIND N (360°) 5 kt

TEMPERATURE 27 °C

VISIBILITY 8 sm

DEWPOINT 25 °C



Wind favours RWY 36

360° true · 006° magnetic · 5 kt

Evidence & limitations

- METAR source state: ok; observed Oct 11 14:35 ET; retrieved Oct 11 16:30 ET; 115 min before this run.
- Measured values read from the KTPF METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.05 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KTPF runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 04/22, 18/36. Wind from 360 degrees true, 006 degrees magnetic, at 5 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 36. Wind source: KTPF METAR 111835Z.

DESTINATION OUTLOOK

SUN, OCT 11

SUN 11 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 11 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 11

12:00–18:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 12

MON 12 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 12 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 12 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 12 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 12

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
19°C dep KLZU → 27°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
04/22 (040/220°M · 034/214°T) · 18/36 (180/000°M · 174/354°T) — designators and °M headings are magnetic; °T are true; variation 6°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs
FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 2 Act on 2 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production

source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

ed 2026-10-11T20:31:09.979470Z.

oritative)



9 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 20:31 Z

NOTAMs as of 20:31 Z — advisory only; verify an official briefing.

06/014

NOTAM text not available in this projection.

6/0956

NOTAM text not available in this projection.

6/8311

NOTAM text not available in this projection.

10/003

NOTAM text not available in this projection.

4/6304

NOTAM text not available in this projection.

6/8312

NOTAM text not available in this projection.

09/025

NOTAM text not available in this projection.

12/007

NOTAM text not available in this projection.

02/001

NOTAM text not available in this projection.

06/005

NOTAM text not available in this projection.

07/015

NOTAM text not available in this projection.

07/016

NOTAM text not available in this projection.

10/002

NOTAM text not available in this projection.

06/015

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

026-10-11T20:31:09.979470Z.

:00Z

:00Z

Effective 2026-08-28T10:00:00Z → 2028-01-29T16:33:00Z

TAXIWAY

Effective 2026-10-09T14:27:00Z → 2026-11-30T22:00:00Z

NAV_APPROACH

Effective 2024-11-19T21:27:00Z → 2026-11-19T21:27:00Z

9 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical

Forecast for Aviation and the Weather Prediction Center surface progs, issued by the National Weather Service through the day; the surface prog series reaches 144 hours. They are raster images a pilot reads for fronts, pressure systems and precipitation shields. This page displays them with their issuing office and valid time and never interprets them: no category, wind, ceiling, ranking or go/no-go here is derived from an image. A published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
• **Mon, Oct 12 · 18:00–00:00 ET**: TAF · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-11=GFS, 2026-10-12=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-11 18:00	85	Ovc	330/6kt	—	3-5kft	>6SM
GFS	2026-10-11 21:00	83	Ovc	320/4kt	—	>10kft	>6SM
GFS	2026-10-12 00:00	77	Bkn	350/3kt	17.0	>10kft	>6SM
GFS	2026-10-12 03:00	75	Sct	20/3kt	—	>10kft	>6SM
GFS	2026-10-12 06:00	74	Clear	20/4kt	11.0	>10kft	>6SM
GFS	2026-10-12 09:00	71	Clear	20/5kt	—	>10kft	>6SM
GFS	2026-10-12 12:00	69	Clear	30/5kt	4.0	>10kft	>6SM
GFS	2026-10-12 15:00	81	Clear	40/7kt	—	>10kft	>6SM
GFS	2026-10-12 18:00	87	Clear	40/7kt	6.0	>10kft	>6SM
GFS	2026-10-12 21:00	88	Clear	30/5kt	—	>10kft	>6SM
GFS	2026-10-13 00:00	80	Clear	350/3kt	1.0	>10kft	>6SM
GFS	2026-10-13 03:00	76	Clear	10/2kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KTPF 111835Z AUTO 36005KT 8SM OVC014 27/25 A3005 RMK AO2 LTG DSNT W - N CIG 012V017 T02700249 $

TAF KTPA 111730Z 1118/1224 35007KT P6SM FEW030 SCT120 BKN250 FM120600 02005KT P6SM FEW250
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KTPF; actual-station=KTPF; fetched-at=2026-10-11T20:30:42.415610+00:00; observed-or-issued-at=2026-10-11T18:35:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KTPF; actual-station=KTPA; fetched-at=2026-10-11T20:30:42.806411+00:00; observed-or-issued-at=2026-10-11T17:30:00+00:00; valid-from=2026-10-11T18:00:00+00:00; valid-through=2026-10-13T00:00:00+00:00; partial-target-dates=2026-10-11,2026-10-12 — AWC API

  TAF proxy · KTPA
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KTPF; actual-station=KTPF; fetched-at=2026-10-11T20:30:43.901018+00:00
- FAA NMS NOTAM — state=OK; requested-station=KTPF; actual-station=KTPF; fetched-at=2026-10-11T20:31:09.979470Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KTPF; actual-station=KTPF; fetched-at=2026-10-11T20:31:28.103722+00:00; observed-or-issued-at=2026-10-11T12:00:00+00:00; valid-from=2026-10-11T18:00:00+00:00; valid-through=2026-10-14T12:00:00+00:00; target-dates=2026-10-12; partial-target-dates=2026-10-11; dates-with-points=2026-10-11,2026-10-12 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KTPF; actual-station=KTPF; fetched-at=2026-10-11T20:31:29.075338+00:00; observed-or-issued-at=2026-10-11T12:00:00+00:00; valid-from=2026-10-12T12:00:00+00:00; valid-through=2026-10-19T12:00:00+00:00; target-dates=2026-10-12; dates-with-points=2026-10-12 — Iowa State API
- MOS effective date selection — state=partial; rows=12; requested-station=KTPF; actual-station=KTPF; fetched-at=2026-10-11T20:31:28.103722+00:00; observed-or-issued-at=2026-10-11T12:00:00+00:00; valid-from=2026-10-11T18:00:00+00:00; valid-through=2026-10-14T12:00:00+00:00; target-dates=2026-10-12; partial-target-dates=2026-10-11; dates-with-points=2026-10-11,2026-10-12; selected-by-date=2026-10-11=GFS, 2026-10-12=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#23 **KSRQ** **Sarasota-Bradenton Intl, FL, US** · Gulf East · Sarasota-Bradenton

OBS - MVFR

ETE **2h43**

DIST **402 nm**

SUN 11 OCT 14:32 ET OBSERVED

Current observation

OBS - MVFR

OBSE

METAR

broken 1,100 ft, overcast 2,100 ft

WIND N (20°) 4 kt

TEMPERATURE 28 °C

VISIBILITY 10 sm

DEWPOINT 24 °C



Wind favours RWY 04

020° true · 026° magnetic · 4 kt

Evidence & limitations

- METAR source state: ok; observed Oct 11 14:32 ET; retrieved Oct 11 16:30 ET; 118 min before this run.
- Measured values read from the KSRQ METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.07 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KSRQ runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 14/32, 04/22. Wind from 020 degrees true, 026 degrees magnetic, at 4 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 04. Wind source: KSRQ METAR 111832Z.

DESTINATION OUTLOOK

SUN, OCT 11

SUN 11 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 11 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 11

12:00–18:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 12

MON 12 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 12 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 12 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 12 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 9 kt

TEMPERATURE 87–88 °F

DEWPOINT 64–66 °F

PRECIP CHANCE 9%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 12

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
19°C dep KLZU → 28°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
14/32 (140/320°M · 134/314°T) · 04/22 (040/220°M · 034/214°T) — designators and °M headings are magnetic; °T are true; variation 6°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 5 Act on

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What

3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

ed 2026-10-11T20:31:10.085080Z.

oritative)

FRI OCT 9 | SAT OCT 10 | SUN OCT 11 | MON OCT 12

08/070

A0920/26

5/0499

13 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 20:31 Z

NOTAMs as of 20:31 Z — advisory only; verify an official briefing.

05/096

NOTAM text not available in this projection.

A0516/26

NOTAM text not available in this projection.

08/070

NOTAM text not available in this projection.

A0920/26

NOTAM text not available in this projection.

5/0499

NOTAM text not available in this projection.

A1001/25

NOTAM text not available in this projection.

6/4825

NOTAM text not available in this projection.

A0754/26

NOTAM text not available in this projection.

06/005

NOTAM text not available in this projection.

A0527/26

NOTAM text not available in this projection.

09/080

NOTAM text not available in this projection.

09/081

NOTAM text not available in this projection.

10/002

NOTAM text not available in this projection.

10/003

NOTAM text not available in this projection.

A1049/26

NOTAM text not available in this projection.

10/012

NOTAM text not available in this projection.

10/013

NOTAM text not available in this projection.

09/069

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

026-10-11T20:31:10.085080Z.

:00Z

:00Z

:00Z

:00Z

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

NAV_APPROACH

Effective 2025-11-21T16:01:00Z → 2027-11-21T16:01:00Z

13 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KSRQ this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
· 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-11=GFS, 2026-10-12=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-11 18:00	86	Ovc	320/8kt	—	5-10kft	>6SM
GFS	2026-10-11 21:00	84	Ovc	330/8kt	—	5-10kft	>6SM
GFS	2026-10-12 00:00	78	Bkn	350/5kt	25.0	>10kft	>6SM
GFS	2026-10-12 03:00	76	Bkn	10/4kt	—	>10kft	>6SM
GFS	2026-10-12 06:00	74	Sct	20/4kt	19.0	>10kft	>6SM
GFS	2026-10-12 09:00	72	Clear	30/5kt	—	>10kft	>6SM
GFS	2026-10-12 12:00	71	Clear	20/6kt	5.0	>10kft	>6SM

GFS	2026-10-12 15:00	81	Clear	40/8kt	—	>10kft	>6SM
GFS	2026-10-12 18:00	87	Clear	30/9kt	9.0	>10kft	>6SM
GFS	2026-10-12 21:00	88	Clear	350/9kt	—	>10kft	>6SM
GFS	2026-10-13 00:00	79	Clear	360/5kt	1.0	>10kft	>6SM
GFS	2026-10-13 03:00	75	Clear	10/4kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
SPECI KSRQ 111832Z 02004KT 10SM BKN011 OVC021 28/24 A3007 RMK AO2 T02780244

TAF KSRQ 111730Z 1118/1218 33007KT P6SM VCSH SCT015 BKN080 OVC250 FM112100 36007KT P6SM FEW120 SCT250
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KSRQ; actual-station=KSRQ; fetched-at=2026-10-11T20:30:42.415610+00:00; observed-or-issued-at=2026-10-11T18:32:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KSRQ; actual-station=KSRQ; fetched-at=2026-10-11T20:30:42.806411+00:00; observed-or-issued-at=2026-10-11T17:30:00+00:00; valid-from=2026-10-11T18:00:00+00:00; valid-through=2026-10-12T18:00:00+00:00; partial-target-dates=2026-10-11,2026-10-12 — AWC API

TAF proxy · KSRQ

- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KSRQ; actual-station=KSRQ; fetched-at=2026-10-11T20:30:43.763129+00:00
- FAA NMS NOTAM — state=OK; requested-station=KSRQ; actual-station=KSRQ; fetched-at=2026-10-11T20:31:10.085080Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KSRQ; actual-station=KSRQ; fetched-at=2026-10-11T20:31:28.131303+00:00; observed-or-issued-at=2026-10-11T12:00:00+00:00; valid-from=2026-10-11T18:00:00+00:00; valid-through=2026-10-14T12:00:00+00:00; target-dates=2026-10-12; partial-target-dates=2026-10-11; dates-with-points=2026-10-11,2026-10-12 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KSRQ; actual-station=KSRQ; fetched-at=2026-10-11T20:31:29.034283+00:00; observed-or-issued-at=2026-10-11T12:00:00+00:00; valid-from=2026-10-12T12:00:00+00:00; valid-through=2026-10-19T12:00:00+00:00; target-dates=2026-10-12; dates-with-points=2026-10-12 — Iowa State API
- MOS effective date selection — state=partial; rows=12; requested-station=KSRQ; actual-station=KSRQ; fetched-at=2026-10-11T20:31:28.131303+00:00; observed-or-issued-at=2026-10-11T12:00:00+00:00; valid-from=2026-10-11T18:00:00+00:00; valid-through=2026-10-14T12:00:00+00:00; target-dates=2026-10-12; partial-target-dates=2026-10-11; dates-with-points=2026-10-11,2026-10-12; selected-by-date=2026-10-11=GFS, 2026-10-12=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#24 **KVNC** **Venice Muni, FL, US** · Gulf East · Venice FL

OBS - VFR

ETE 2h51

DIST 422 nm

SUN 11 OCT 14:35 ET OBSERVED

Current observation

METAR

scattered 3,000 ft

OBS - VFR

OBSER

WIND NW (320°) 3 kt

TEMPERATURE 27 °C

VISIBILITY 7 sm

DEWPOINT 26 °C



Wind favours RWY 31

320° true · 326° magnetic · 3 kt

Evidence & limitations

- METAR source state: ok; observed Oct 11 14:35 ET; retrieved Oct 11 16:30 ET; 115 min before this run.
- Measured values read from the KVNC METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.06 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KVNC runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 13/31, 05/23. Wind from 320 degrees true, 326 degrees magnetic, at 3 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 31. Wind source: KVNC METAR 111835Z.

DESTINATION OUTLOOK

SUN, OCT 11

SUN 11 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 11 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 11

12:00–18:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 12

MON 12 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 12 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 12 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 12 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 10 kt

TEMPERATURE 87 °F

DEWPOINT 66–69 °F

PRECIP CHANCE 11%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 12

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
19°C dep KLZU → 27°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — source state: not_queried

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
13/31 (130/310°M · 124/304°T) · 05/23 (050/230°M · 044/224°T) — designators and °M headings are magnetic; °T are true; variation 6°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

1 Act on

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What

3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

d 2026-10-11T20:31:10.129787Z.

oritative)

FRI OCT 9 | SAT OCT 10 | SUN OCT 11 | MON OCT 12

10/039

10/040

10/046

Raw NOTAM data · NOTAMs as of 20:31 Z

NOTAMs as of 20:31 Z — advisory only; verify an official briefing.

6/5337

NOTAM text not available in this projection.

6/5336

NOTAM text not available in this projection.

10/039

NOTAM text not available in this projection.

10/040

NOTAM text not available in this projection.

10/046

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production

source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

26-10-11T20:31:10.129787Z.

:00Z

:00Z

OBSTRUCTION

Effective 2026-10-05T12:04:00Z → 2026-11-05T17:00:00Z

OBSTRUCTION

Effective 2026-10-05T13:02:00Z → 2027-01-03T04:00:00Z

OBSTRUCTION

Effective 2026-10-05T15:40:00.000Z → 2026-11-19T21:38:00.000Z

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KVNC this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · VFR

· 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-11=GFS, 2026-10-12=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-11 18:00	86	Ovc	310/9kt	—	3-5kft	>6SM

GFS	2026-10-11 21:00	84	Ovc	330/9kt	—	5-10kft	>6SM
GFS	2026-10-12 00:00	79	Ovc	350/6kt	35.0	>10kft	>6SM
GFS	2026-10-12 03:00	78	Ovc	10/5kt	—	>10kft	>6SM
GFS	2026-10-12 06:00	76	Bkn	20/6kt	32.0	>10kft	>6SM
GFS	2026-10-12 09:00	73	Clear	30/6kt	—	>10kft	>6SM
GFS	2026-10-12 12:00	72	Clear	30/8kt	10.0	>10kft	>6SM
GFS	2026-10-12 15:00	82	Clear	30/10kt	—	>10kft	>6SM
GFS	2026-10-12 18:00	87	Clear	20/10kt	11.0	>10kft	>6SM
GFS	2026-10-12 21:00	87	Clear	340/10kt	—	>10kft	>6SM
GFS	2026-10-13 00:00	80	Clear	360/5kt	1.0	>10kft	>6SM
GFS	2026-10-13 03:00	75	Clear	10/5kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KVNC 111835Z AUTO 32003KT 7SM -RA SCT030 27/26 A3006 RMK AO2 LTG DSNT NE - SE P0001 T02680255 $

TAF KSRQ 111730Z 1118/1218 33007KT P6SM VCSH SCT015 BKN080 OVC250 FM112100 36007KT P6SM FEW120 SCT250
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KVNC; actual-station=KVNC; fetched-at=2026-10-11T20:30:42.415610+00:00; observed-or-issued-at=2026-10-11T18:35:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KVNC; actual-station=KSRQ; fetched-at=2026-10-11T20:30:42.806411+00:00; observed-or-issued-at=2026-10-11T17:30:00+00:00; valid-from=2026-10-11T18:00:00+00:00; valid-through=2026-10-12T18:00:00+00:00; partial-target-dates=2026-10-11,2026-10-12 — AWC API

  TAF proxy · KSRQ
- FAA airport status — state=not_queried; fetch-state=not_attempted; payload-state=not_attempted; requested-station=KVNC
- FAA NMS NOTAM — state=OK; requested-station=KVNC; actual-station=KVNC; fetched-at=2026-10-11T20:31:10.129787Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KVNC; actual-station=KVNC; fetched-at=2026-10-11T20:31:28.108193+00:00; observed-or-issued-at=2026-10-11T12:00:00+00:00; valid-from=2026-10-11T18:00:00+00:00; valid-through=2026-10-14T12:00:00+00:00; target-dates=2026-10-12; partial-target-dates=2026-10-11; dates-with-points=2026-10-11,2026-10-12 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KVNC; actual-station=KVNC; fetched-at=2026-10-11T20:31:29.009182+00:00; observed-or-issued-at=2026-10-11T12:00:00+00:00; valid-from=2026-10-12T12:00:00+00:00; valid-through=2026-10-19T12:00:00+00:00; target-dates=2026-10-12; dates-with-points=2026-10-12 — Iowa State API
- MOS effective date selection — state=partial; rows=12; requested-station=KVNC; actual-station=KVNC; fetched-at=2026-10-11T20:31:28.108193+00:00; observed-or-issued-at=2026-10-11T12:00:00+00:00; valid-from=2026-10-11T18:00:00+00:00; valid-through=2026-10-14T12:00:00+00:00; target-dates=2026-10-12; partial-target-dates=2026-10-11; dates-with-points=2026-10-11,2026-10-12; selected-by-date=2026-10-11=GFS, 2026-10-12=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#25 **KHSA** **Bay St Louis/Stennis Intl, MS, US** · Gulf West · Stennis MS

OBS - VFR

ETE 2h25

DIST 353 nm

SUN 11 OCT 14:50 ET OBSERVED

Current observation

OBS - VFR

OBSER

METAR

clear below 12,000 ft (CLR)

WIND **NE (30°) 5 kt**

TEMPERATURE **30 °C**

VISIBILITY **10 sm**

DEWPOINT **16 °C**

Wind favours RWY 36

030° true · 031° magnetic · 5 kt

Evidence & limitations

- METAR source state: ok; observed Oct 11 14:50 ET; retrieved Oct 11 16:30 ET; 100 min before this run.
- Measured values read from the KHSA METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.09 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KHSA runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 18/36. Wind from 030 degrees true, 031 degrees magnetic, at 5 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 36. Wind source: KHSA METAR 111850Z.

DESTINATION OUTLOOK

SUN, OCT 11

SUN 11 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 11 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 11

12:00–18:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 12

MON 12 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 12 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 12 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 12 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND4–7 kt

TEMPERATURE999 °F

DEWPOINT999 °F

PRECIP CHANCE2%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 12

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
19°C dep KLZU → 30°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — source state: not_queried

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
18/36 (180/000°M · 179/359°T) — designators and °M headings are magnetic; °T are true; variation 1°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 2 Act on 1 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

2 · What

3 · Where

d 2026-10-11T20:31:10.138907Z.

oritative)

FRI OCT 9 | SAT OCT 10 | SUN OCT 11 | MON OCT 12

09/005

12/015

6/5656

3 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 20:31 Z

NOTAMs as of 20:31 Z — advisory only; verify an official briefing.

09/011

NOTAM text not available in this projection.

09/015

NOTAM text not available in this projection.

09/005

NOTAM text not available in this projection.

12/015

NOTAM text not available in this projection.

6/5656

NOTAM text not available in this projection.

10/002

NOTAM text not available in this projection.

10/003

NOTAM text not available in this projection.

02/005

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

26-10-11T20:31:10.138907Z.

:00Z

:00Z

:00Z

:00Z

NAV_APPROACH

Effective 2026-08-17T16:57:00Z → 2028-08-17T16:57:00Z

3 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KHSA this run.

published WPC surface chart matches this period and is shown in the dropdown with its

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · VFR

S · 18:00–00:00 ET ET · VFR

issuing office and valid time. It is displayed, never interpreted.

Source state: partial; selected by target date: 2026-10-11=GFS, 2026-10-12=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-11 18:00	89	Clear	280/5kt	—	>10kft	>6SM
GFS	2026-10-11 21:00	92	Clear	200/6kt	—	>10kft	>6SM
GFS	2026-10-12 00:00	75	Clear	190/3kt	0.0	>10kft	>6SM
GFS	2026-10-12 03:00	65	Clear	0/0kt	—	>10kft	>6SM
GFS	2026-10-12 06:00	999	Clear	990/99kt	1.0	>10kft	>6SM
GFS	2026-10-12 09:00	999	Clear	990/99kt	—	>10kft	>6SM
GFS	2026-10-12 12:00	999	Clear	0/0kt	2.0	>10kft	>6SM
GFS	2026-10-12 15:00	999	Clear	80/1kt	—	>10kft	>6SM
GFS	2026-10-12 18:00	999	Clear	160/4kt	2.0	>10kft	>6SM
GFS	2026-10-12 21:00	999	Clear	170/7kt	—	>10kft	>6SM
GFS	2026-10-13 00:00	999	Clear	180/2kt	1.0	>10kft	>6SM
GFS	2026-10-13 03:00	999	Clear	0/0kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KHSA 111850Z 03005KT 10SM CLR 30/16 A3009

TAF KGPT 111720Z 1118/1218 26006KT P6SM SKC FM112100 22007KT P6SM SKC
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KHSA; actual-station=KHSA; fetched-at=2026-10-11T20:30:42.415610+00:00; observed-or-issued-at=2026-10-11T18:50:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KHSA; actual-station=KGPT; fetched-at=2026-10-11T20:30:42.806411+00:00; observed-or-issued-at=2026-10-11T17:20:00+00:00; valid-from=2026-10-11T18:00:00+00:00; valid-through=2026-10-12T18:00:00+00:00; partial-target-dates=2026-10-11,2026-10-12 — AWC API
  TAF proxy · KGPT
- FAA airport status — state=not_queried; fetch-state=not_attempted; payload-state=not_attempted; requested-station=KHSA
- FAA NMS NOTAM — state=OK; requested-station=KHSA; actual-station=KHSA; fetched-at=2026-10-11T20:31:10.138907Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KHSA; actual-station=KHSA; fetched-at=2026-10-11T20:31:28.152559+00:00; observed-or-issued-at=2026-10-11T12:00:00+00:00; valid-from=2026-10-11T18:00:00+00:00; valid-through=2026-10-14T12:00:00+00:00; target-dates=2026-10-12; partial-target-dates=2026-10-11; dates-with-points=2026-10-11,2026-10-12 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KHSA; actual-station=KHSA; fetched-at=2026-10-11T20:31:29.091328+00:00; observed-or-issued-at=2026-10-11T12:00:00+00:00; valid-from=2026-10-12T12:00:00+00:00; valid-through=2026-10-19T12:00:00+00:00; target-dates=2026-10-12; dates-with-points=2026-10-12 — Iowa State API

- MOS effective date selection — state=partial; rows=12; requested-station=KHSA; actual-station=KHSA; fetched-at=2026-10-11T20:31:28.152559+00:00; observed-or-issued-at=2026-10-11T12:00:00+00:00; valid-from=2026-10-11T18:00:00+00:00; valid-through=2026-10-14T12:00:00+00:00; target-dates=2026-10-12; partial-target-dates=2026-10-11; dates-with-points=2026-10-11,2026-10-12; selected-by-date=2026-10-11=GFS, 2026-10-12=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#26 **KNEW** **New Orleans/Lakefront Arpt, LA, US** · Gulf West · New Orleans Lakefront

OBS - VFR

ETE 2h38

DIST 389 nm

SUN 11 OCT 14:53 ET OBSERVED

Current observation

OBS - VFR

OBSER

METAR

clear below 12,000 ft (CLR)

WIND **NW (320°) 6 kt**

TEMPERATURE **27 °C**

VISIBILITY **10 sm**

DEWPOINT **19 °C**



Wind equally favours RWY 36L and 36R

320° true · 321° magnetic · 6 kt

Evidence & limitations

- METAR source state: ok; observed Oct 11 14:53 ET; retrieved Oct 11 16:30 ET; 97 min before this run.
- Measured values read from the KNEW METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.12 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KNEW runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 18R/36L, 18L/36R, 09/27. Wind from 320 degrees true, 321 degrees magnetic, at 6 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Equally wind-favoured runway ends, highlighted: 36L and 36R. Wind source: KNEW METAR 111853Z.

DESTINATION OUTLOOK

SUN, OCT 11

SUN 11 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 11 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 11

12:00–18:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 12

MON 12 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 12 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 12 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 12 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 6–7 kt

TEMPERATURE 85–87 °F

DEWPOINT 65 °F

PRECIP CHANCE 2%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 12

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
19°C dep KLZU → 27°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
18R/36L (180/000°M · 179/359°T) · 18L/36R (180/000°M · 179/359°T) · 09/27 (090/270°M · 089/269°T) — designators and °M headings are magnetic; °T are true; variation 1°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 3 Act on 3 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What 3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

ed 2026-10-11T20:31:10.152651Z.

oritative)

FRI OCT 9 SAT OCT 10 SUN OCT 11 MON OCT 12

6/5292

6/5293

10/010

8 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 20:31 Z

NOTAMs as of 20:31 Z — advisory only; verify an official briefing.

10/004

NOTAM text not available in this projection.

10/005

NOTAM text not available in this projection.

6/5292

NOTAM text not available in this projection.

6/5293

NOTAM text not available in this projection.

10/010

NOTAM text not available in this projection.

07/007

NOTAM text not available in this projection.

07/014

NOTAM text not available in this projection.

08/020

NOTAM text not available in this projection.

09/002

NOTAM text not available in this projection.

10/004

NOTAM text not available in this projection.

10/006

NOTAM text not available in this projection.

10/009

NOTAM text not available in this projection.

09/003

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

026-10-11T20:31:10.152651Z.

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

:00Z

:00Z

:00Z

Effective 2026-09-24T15:07:00Z → 2027-05-06T15:07:00Z

NAV_APPROACH

Effective 2026-10-09T09:16:00Z → 2026-10-16T20:00:00Z

8 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

the GFS model bias-corrected against decades of observations at this station. Issued four times a day in three-hourly steps out to about 72 hours. It carries an explicit ceiling and visibility category, so this card uses it to resolve a day the TAF cannot reach. A station-calibrated GFS MOS product was read for this airport this run (state: partial).

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KNEW this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
:00 ET ET · VFR
· 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-11=GFS, 2026-10-12=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-11 18:00	84	Clear	300/5kt	—	>10kft	>6SM
GFS	2026-10-11 21:00	86	Clear	330/4kt	—	>10kft	>6SM
GFS	2026-10-12 00:00	82	Clear	170/7kt	0.0	>10kft	>6SM
GFS	2026-10-12 03:00	78	Clear	190/6kt	—	>10kft	>6SM
GFS	2026-10-12 06:00	77	Clear	210/5kt	1.0	>10kft	>6SM
GFS	2026-10-12 09:00	75	Clear	220/3kt	—	>10kft	>6SM
GFS	2026-10-12 12:00	74	Clear	80/3kt	1.0	>10kft	>6SM
GFS	2026-10-12 15:00	80	Clear	100/4kt	—	>10kft	>6SM
GFS	2026-10-12 18:00	85	Clear	120/6kt	2.0	>10kft	>6SM
GFS	2026-10-12 21:00	87	Clear	140/7kt	—	>10kft	>6SM
GFS	2026-10-13 00:00	82	Clear	160/7kt	1.0	>10kft	>6SM
GFS	2026-10-13 03:00	79	Clear	170/6kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KNEW 111853Z 32006KT 10SM CLR 27/19 A3012 RMK AO1 SLP193 T02720189

TAF KNEW 111720Z 1118/1218 30005KT P6SM SKC
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KNEW; actual-station=KNEW; fetched-at=2026-10-11T20:30:42.415610+00:00; observed-or-issued-at=2026-10-11T18:53:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KNEW; actual-station=KNEW; fetched-at=2026-10-11T20:30:42.806411+00:00; observed-or-issued-at=2026-10-11T17:20:00+00:00; valid-from=2026-10-11T18:00:00+00:00; valid-through=2026-10-12T18:00:00+00:00; partial-target-dates=2026-10-11,2026-10-12 — AWC API

  TAF proxy · KNEW
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KNEW; actual-station=KNEW; fetched-at=2026-10-11T20:30:43.872164+00:00
- FAA NMS NOTAM — state=OK; requested-station=KNEW; actual-station=KNEW; fetched-at=2026-10-11T20:31:10.152651Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KNEW; actual-station=KNEW; fetched-at=2026-10-11T20:31:28.120402+00:00; observed-or-issued-at=2026-10-11T12:00:00+00:00; valid-from=2026-10-11T18:00:00+00:00; valid-through=2026-10-14T12:00:00+00:00; target-dates=2026-10-12; partial-target-dates=2026-10-11; dates-with-points=2026-10-11,2026-10-12 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KNEW; actual-station=KNEW; fetched-at=2026-10-11T20:31:29.058842+00:00; observed-or-issued-at=2026-10-11T12:00:00+00:00; valid-from=2026-10-12T12:00:00+00:00; valid-through=2026-10-19T12:00:00+00:00; target-dates=2026-10-12; dates-with-points=2026-10-12 — Iowa State API
- MOS effective date selection — state=partial; rows=12; requested-station=KNEW; actual-station=KNEW; fetched-at=2026-10-11T20:31:28.120402+00:00; observed-or-issued-at=2026-10-11T12:00:00+00:00; valid-from=2026-10-11T18:00:00+00:00; valid-through=2026-10-14T12:00:00+00:00; target-dates=2026-10-12; partial-target-dates=2026-10-11; dates-with-points=2026-10-11,2026-10-12; selected-by-date=2026-10-11=GFS, 2026-10-12=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#27 **KOPF** **Miami/Opa Locka Arpt, FL, US** · Long-range · Miami-Opa Locka

OBS - VFR

ETE 3h30

DIST 521 nm

SUN 11 OCT 14:53 ET OBSERVED

Current observation

OBS - VFR

OBSER

METAR

clear below 12,000 ft (CLR)

WIND SE (140°) 12 kt gust 17 kt

TEMPERATURE 33 °C

VISIBILITY 10 sm

DEWPOINT **26 °C**



Wind favours RWY 12

140° true · 147° magnetic · 12G17 kt

Evidence & limitations

- METAR source state: ok; observed Oct 11 14:53 ET; retrieved Oct 11 16:30 ET; 97 min before this run.
- Measured values read from the KOPF METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.04 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KOPF runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 09L/27R, 12/30, 09R/27L. Wind from 140 degrees true, 147 degrees magnetic, at 12 knots gusting 17 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 12. Wind source: KOPF METAR 111853Z.

DESTINATION OUTLOOK

SUN, OCT 11

SUN 11 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 11 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 11

12:00–18:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 12

MON 12 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 12 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 12 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 12 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 8–10 kt

TEMPERATURE 86–88 °F

DEWPOINT 73–74 °F

PRECIP CHANCE 14%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 12

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
19°C dep KLZU → 33°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
09L/27R (090/270°M · 083/263°T) · 12/30 (120/300°M · 113/293°T) · 09R/27L (090/270°M · 083/263°T) — designators and °M headings are magnetic; °T are true; variation 7°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) 12 Act on

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What

3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

ed 2026-10-11T20:31:10.291050Z.

oritative)

FRI OCT 9 | SAT OCT 10 | SUN OCT 11 | MON OCT 12

08/051

5/7064

5/0554

94 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 20:31 Z

NOTAMs as of 20:31 Z — advisory only; verify an official briefing.

6/2604

NOTAM text not available in this projection.

08/050

NOTAM text not available in this projection.

08/051

NOTAM text not available in this projection.

5/7064

NOTAM text not available in this projection.

5/0554

NOTAM text not available in this projection.

6/2599

NOTAM text not available in this projection.

6/2236

NOTAM text not available in this projection.

6/1259

NOTAM text not available in this projection.

6/8187

NOTAM text not available in this projection.

6/8903

NOTAM text not available in this projection.

6/8910

NOTAM text not available in this projection.

6/8914

NOTAM text not available in this projection.

6/8915

NOTAM text not available in this projection.

6/8918

NOTAM text not available in this projection.

6/8919

NOTAM text not available in this projection.

6/8921

NOTAM text not available in this projection.

05/045

NOTAM text not available in this projection.

07/090

NOTAM text not available in this projection.

07/091

NOTAM text not available in this projection.

07/092

NOTAM text not available in this projection.

07/093

NOTAM text not available in this projection.

07/094

NOTAM text not available in this projection.

07/095

NOTAM text not available in this projection.

07/096

NOTAM text not available in this projection.

07/097

NOTAM text not available in this projection.

07/098

NOTAM text not available in this projection.

07/102

NOTAM text not available in this projection.

07/103

NOTAM text not available in this projection.

07/104

NOTAM text not available in this projection.

07/109

NOTAM text not available in this projection.

07/110

NOTAM text not available in this projection.

07/111

NOTAM text not available in this projection.

07/112

NOTAM text not available in this projection.

07/113

NOTAM text not available in this projection.

07/114

NOTAM text not available in this projection.

07/115

NOTAM text not available in this projection.

07/116

NOTAM text not available in this projection.

07/117

NOTAM text not available in this projection.

07/118

NOTAM text not available in this projection.

07/119

NOTAM text not available in this projection.

07/120

NOTAM text not available in this projection.

07/121

NOTAM text not available in this projection.

07/124

NOTAM text not available in this projection.

07/125

NOTAM text not available in this projection.

07/126

NOTAM text not available in this projection.

07/130

NOTAM text not available in this projection.

07/131

NOTAM text not available in this projection.

07/132

NOTAM text not available in this projection.

07/133

NOTAM text not available in this projection.

07/134

NOTAM text not available in this projection.

10/001

NOTAM text not available in this projection.

10/002

NOTAM text not available in this projection.

10/044

NOTAM text not available in this projection.

10/045

NOTAM text not available in this projection.

10/050

NOTAM text not available in this projection.

10/051

NOTAM text not available in this projection.

10/046

NOTAM text not available in this projection.

10/047

NOTAM text not available in this projection.

10/048

NOTAM text not available in this projection.

10/049

NOTAM text not available in this projection.

11/013

NOTAM text not available in this projection.

11/014

NOTAM text not available in this projection.

11/015

NOTAM text not available in this projection.

11/016

NOTAM text not available in this projection.

11/016

NOTAM text not available in this projection.

11/025

NOTAM text not available in this projection.

11/026

NOTAM text not available in this projection.

11/027

NOTAM text not available in this projection.

11/028

NOTAM text not available in this projection.

02/017

NOTAM text not available in this projection.

02/018

NOTAM text not available in this projection.

03/037

NOTAM text not available in this projection.

03/038

NOTAM text not available in this projection.

05/068

NOTAM text not available in this projection.

05/069

NOTAM text not available in this projection.

05/070

NOTAM text not available in this projection.

05/071

NOTAM text not available in this projection.

05/073

NOTAM text not available in this projection.

05/074

NOTAM text not available in this projection.

06/061

NOTAM text not available in this projection.

06/062

NOTAM text not available in this projection.

06/063

NOTAM text not available in this projection.

08/030

NOTAM text not available in this projection.

08/033

NOTAM text not available in this projection.

08/034

NOTAM text not available in this projection.

08/035

NOTAM text not available in this projection.

08/036

NOTAM text not available in this projection.

08/039

NOTAM text not available in this projection.

08/040

NOTAM text not available in this projection.

08/041

NOTAM text not available in this projection.

08/042

NOTAM text not available in this projection.

10/007

NOTAM text not available in this projection.

10/008

NOTAM text not available in this projection.

10/009

NOTAM text not available in this projection.

10/010

NOTAM text not available in this projection.

10/013

NOTAM text not available in this projection.

10/014

NOTAM text not available in this projection.

10/036

NOTAM text not available in this projection.

10/034

NOTAM text not available in this projection.

10/035

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state:

OK. The dot colour reports whether this source was read this run; technical environment: preprod.

Effective 2026-03-03T15:34:00Z → 2026-11-16T15:34:00Z

RUNWAY

Effective 2026-08-20T11:42:00Z → 2027-08-01T04:00:00Z

RUNWAY

Effective 2026-08-20T11:43:00Z → 2027-08-01T04:00:00Z

NAV_APPROACH

Effective 2025-05-07T12:14:00Z → 2027-05-07T12:13:00Z

NAV_APPROACH

Effective 2025-09-25T18:59:00Z → 2027-09-25T18:59:00Z

94 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KOPF this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · VFR

:00 ET ET · VFR

S · 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-11=GFS, 2026-10-12=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-11 18:00	90	Sct	150/10kt	—	>10kft	>6SM

GFS	2026-10-11 21:00	89	Few	140/8kt	—	>10kft	>6SM
GFS	2026-10-12 00:00	84	Few	130/6kt	10.0	>10kft	>6SM
GFS	2026-10-12 03:00	82	Sct	130/4kt	—	>10kft	>6SM
GFS	2026-10-12 06:00	81	Few	170/2kt	7.0	>10kft	>6SM
GFS	2026-10-12 09:00	79	Few	310/1kt	—	>10kft	>6SM
GFS	2026-10-12 12:00	79	Few	330/1kt	8.0	>10kft	>6SM
GFS	2026-10-12 15:00	86	Sct	350/5kt	—	>10kft	>6SM
GFS	2026-10-12 18:00	88	Sct	30/10kt	14.0	>10kft	>6SM
GFS	2026-10-12 21:00	86	Bkn	40/8kt	—	>10kft	>6SM
GFS	2026-10-13 00:00	81	Ovc	40/8kt	6.0	>10kft	>6SM
GFS	2026-10-13 03:00	79	Bkn	20/5kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KOPF 111853Z 14012G17KT 10SM CLR 33/26 A3004 RMK AO2 RAB13E21 SLP173 P0000 T03280256

TAF KOPF 111725Z 1118/1218 14010KT P6SM SCT025 SCT050 FM120000 VRB04KT P6SM FEW025 FM121600 03006KT P6SM SCT250
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KOPF; actual-station=KOPF; fetched-at=2026-10-11T20:30:42.415610+00:00; observed-or-issued-at=2026-10-11T18:53:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KOPF; actual-station=KOPF; fetched-at=2026-10-11T20:30:42.806411+00:00; observed-or-issued-at=2026-10-11T17:25:00+00:00; valid-from=2026-10-11T18:00:00+00:00; valid-through=2026-10-12T18:00:00+00:00; partial-target-dates=2026-10-11,2026-10-12 — AWC API

  TAF proxy · KOPF
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KOPF; actual-station=KOPF; fetched-at=2026-10-11T20:30:43.907811+00:00
- FAA NMS NOTAM — state=OK; requested-station=KOPF; actual-station=KOPF; fetched-at=2026-10-11T20:31:10.291050Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KOPF; actual-station=KOPF; fetched-at=2026-10-11T20:31:28.184579+00:00; observed-or-issued-at=2026-10-11T12:00:00+00:00; valid-from=2026-10-11T18:00:00+00:00; valid-through=2026-10-14T12:00:00+00:00; target-dates=2026-10-12; partial-target-dates=2026-10-11; dates-with-points=2026-10-11,2026-10-12 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KOPF; actual-station=KOPF; fetched-at=2026-10-11T20:31:28.997092+00:00; observed-or-issued-at=2026-10-11T12:00:00+00:00; valid-from=2026-10-12T12:00:00+00:00; valid-through=2026-10-19T12:00:00+00:00; target-dates=2026-10-12; dates-with-points=2026-10-12 — Iowa State API
- MOS effective date selection — state=partial; rows=12; requested-station=KOPF; actual-station=KOPF; fetched-at=2026-10-11T20:31:28.184579+00:00; observed-or-issued-at=2026-10-11T12:00:00+00:00; valid-from=2026-10-11T18:00:00+00:00; valid-through=2026-10-14T12:00:00+00:00; target-dates=2026-10-12; partial-target-dates=2026-10-11; dates-with-points=2026-10-11,2026-10-12; selected-by-date=2026-10-11=GFS, 2026-10-12=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#28 **KHPN** **White Plains/Westchester Cnty, NY, US** · Long-range · White Plains NY

OBS - LIFR

ETE 4h18

DIST 647 nm

SUN 11 OCT 14:56 ET OBSERVED

Current observation

OBS - LIFR

OBSER

METAR

overcast 400 ft

WIND E (80°) 9 kt gust 16 kt

TEMPERATURE 14 °C

VISIBILITY 1 1/2 sm

DEWPOINT 13 °C

Wind favours RWY 11

080° true · 093° magnetic · 9G16 kt · NOTAM-affected: 16 and 34

Evidence & limitations

- METAR source state: ok; observed Oct 11 14:56 ET; retrieved Oct 11 16:30 ET; 94 min before this run.
- Measured values read from the KHPN METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.15 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KHPN runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 16/34, 11/29. Wind from 080 degrees true, 093 degrees magnetic, at 9 knots gusting 16 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 11. NOTAM-affected runway ends, hatched separately from the wind highlight: 16 and 34. The hatch marks only that a NOTAM names the runway; it does not decode the NOTAM's effective times, so confirm the closure window in the NOTAM text below. Wind source: KHPN METAR 111856Z.

DESTINATION OUTLOOK

SUN, OCT 11

SUN 11 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · IFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · IFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 11 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · LIFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · LIFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 11

12:00–18:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 12

MON 12 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · LIFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · LIFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 12 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · LIFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · LIFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 12 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 12 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 9–10 kt

TEMPERATURE 68–69 °F

DEWPOINT 56–57 °F

PRECIP CHANCE 6%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 12

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
19°C dep KLZU → 14°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
16/34 (160/340°M · 147/327°T) · 11/29 (110/290°M · 097/277°T) — designators and °M headings are magnetic; °T are true; variation 13°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) | 8 Act on | 1 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What | 3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

ed 2026-10-11T20:31:10.340467Z.



39 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 20:31 Z

NOTAMs as of 20:31 Z — advisory only; verify an official briefing.

10/020

NOTAM text not available in this projection.

A4296/26

NOTAM text not available in this projection.

10/039

NOTAM text not available in this projection.

10/094

NOTAM text not available in this projection.

A4491/26

NOTAM text not available in this projection.

A4492/26

NOTAM text not available in this projection.

10/098

NOTAM text not available in this projection.

A4430/26

NOTAM text not available in this projection.

03/058

NOTAM text not available in this projection.

A1006/26

NOTAM text not available in this projection.

03/062

NOTAM text not available in this projection.

A1019/26

NOTAM text not available in this projection.

04/112

NOTAM text not available in this projection.

A1392/26

NOTAM text not available in this projection.

07/120

NOTAM text not available in this projection.

A2868/26

NOTAM text not available in this projection.

08/016

NOTAM text not available in this projection.

A3278/26

NOTAM text not available in this projection.

10/096

NOTAM text not available in this projection.

A4425/26

NOTAM text not available in this projection.

10/116

NOTAM text not available in this projection.

A4461/26

NOTAM text not available in this projection.

A4480/26

NOTAM text not available in this projection.

A4481/26

NOTAM text not available in this projection.

A4482/26

NOTAM text not available in this projection.

A4483/26

NOTAM text not available in this projection.

A4484/26

NOTAM text not available in this projection.

A4485/26

NOTAM text not available in this projection.

A4486/26

NOTAM text not available in this projection.

A4487/26

NOTAM text not available in this projection.

A4488/26

NOTAM text not available in this projection.

A4489/26

NOTAM text not available in this projection.

A4490/26

NOTAM text not available in this projection.

03/045

NOTAM text not available in this projection.

6/5381

NOTAM text not available in this projection.

A1014/26

NOTAM text not available in this projection.

6/9015

NOTAM text not available in this projection.

A1738/26

NOTAM text not available in this projection.

6/5296

NOTAM text not available in this projection.

6/5312

NOTAM text not available in this projection.

A4160/26

NOTAM text not available in this projection.

A4161/26

NOTAM text not available in this projection.

09/238

NOTAM text not available in this projection.

A4497/26

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

026-10-11T20:31:10.340467Z.

:00Z

:00Z

:00Z

:00Z

RUNWAY
Effective 2026-10-09T09:19:00Z → 2026-10-12T09:19:00Z

RUNWAY
Effective 2026-10-14T04:00:00Z → 2026-10-16T09:30:00Z

RUNWAY
Effective 2026-10-14T04:00:00Z → 2026-10-16T09:30:00Z

37 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics,

the GFS model bias-corrected against decades of observations at this station. Issued four times a day in three-hourly steps out to about 72 hours. It carries an explicit ceiling and visibility category, so this card uses it to resolve a day the TAF cannot reach. A station-calibrated GFS MOS product was read for this airport this run (state: partial).

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KHPN this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · IFR
:00 ET ET · LIFR
:00 ET ET · LIFR
:00 ET ET · LIFR
:00 ET ET · MVFR
· 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-11=GFS, 2026-10-12=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-11 18:00	57	Ovc	90/9kt	—	3-5kft	3-5SM
GFS	2026-10-11 21:00	57	Ovc	90/11kt	—	500-1kft	½-1SM
GFS	2026-10-12 00:00	56	Ovc	70/13kt	100.0	500-1kft	½-1SM
GFS	2026-10-12 03:00	56	Ovc	60/13kt	—	200-500ft	½-1SM
GFS	2026-10-12 06:00	55	Ovc	20/12kt	98.0	200-500ft	¼-½SM
GFS	2026-10-12 09:00	55	Ovc	10/13kt	—	200-500ft	1-2SM
GFS	2026-10-12 12:00	56	Ovc	360/11kt	56.0	200-500ft	3-5SM
GFS	2026-10-12 15:00	61	Ovc	350/11kt	—	3-5kft	>6SM
GFS	2026-10-12 18:00	68	Bkn	330/10kt	6.0	5-10kft	>6SM
GFS	2026-10-12 21:00	69	Few	320/9kt	—	>10kft	>6SM
GFS	2026-10-13 00:00	64	Few	320/6kt	0.0	>10kft	>6SM
GFS	2026-10-13 03:00	61	Sct	340/5kt	—	>10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KHPN 111856Z 08009G16KT 1 1/2SM -RA OVC004 14/13 A3015 RMK AO2 SFC VIS 4 SLP208 P0011 T01390128

TAF KHPN 111931Z 1120/1218 08012G20KT 2SM RA BR SCT004 OVC006 FM120300 05011KT 5SM -SHRA BR OVC004 FM120700 02010KT 6SM BR VCSH OVC004 FM121100 01009KT P6SM OVC008 FM121400 35009KT P6SM BKN020
FM121700 33009KT P6SM FEW025 SCT050 AMD NOT SKED
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KHPN; actual-station=KHPN; fetched-at=2026-10-11T20:30:42.415610+00:00; observed-or-issued-at=2026-10-11T18:56:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KHPN; actual-station=KHPN; fetched-at=2026-10-11T20:30:42.806411+00:00; observed-or-issued-at=2026-10-11T19:31:00+00:00; valid-from=2026-10-11T20:00:00+00:00; valid-through=2026-10-12T18:00:00+00:00; partial-target-dates=2026-10-11,2026-10-12 — AWC API

  TAF proxy · KHPN
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KHPN; actual-station=KHPN; fetched-at=2026-10-11T20:30:43.804835+00:00
- FAA NMS NOTAM — state=OK; requested-station=KHPN; actual-station=KHPN; fetched-at=2026-10-11T20:31:10.340467Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KHPN; actual-station=KHPN; fetched-at=2026-10-11T20:31:28.186049+00:00; observed-or-issued-at=2026-10-11T12:00:00+00:00; valid-from=2026-10-11T18:00:00+00:00; valid-through=2026-10-14T12:00:00+00:00; target-dates=2026-10-12; partial-target-dates=2026-10-11; dates-with-points=2026-10-11,2026-10-12 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KHPN; actual-station=KHPN; fetched-at=2026-10-11T20:31:29.015544+00:00; observed-or-issued-at=2026-10-11T12:00:00+00:00; valid-from=2026-10-12T12:00:00+00:00; valid-through=2026-10-19T12:00:00+00:00; target-dates=2026-10-12; dates-with-points=2026-10-12 — Iowa State API
- MOS effective date selection — state=partial; rows=12; requested-station=KHPN; actual-station=KHPN; fetched-at=2026-10-11T20:31:28.186049+00:00; observed-or-issued-at=2026-10-11T12:00:00+00:00; valid-from=2026-10-11T18:00:00+00:00; valid-through=2026-10-14T12:00:00+00:00; target-dates=2026-10-12; partial-target-dates=2026-10-11; dates-with-points=2026-10-11,2026-10-12; selected-by-date=2026-10-11=GFS, 2026-10-12=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

#29 **KBED** **Bedford/Hanscom Fld, MA, US** · Long-range · Boston-Bedford MA

OBS - VFR

ETE 5h11

DIST 784 nm

SUN 11 OCT 14:51 ET OBSERVED

Current observation

OBS - VFR

OBSER

METAR

overcast 11,000 ft

WINDS (190°) 3 kt

TEMPERATURE14 °C

VISIBILITY10 sm

DEWPOINT 8 °C



Wind favours RWY 23

190° true · 204° magnetic · 3 kt

Evidence & limitations

- METAR source state: ok; observed Oct 11 14:51 ET; retrieved Oct 11 16:30 ET; 99 min before this run.
- Measured values read from the KBED METAR. This is a current surface observation only; it is not a forecast.
- Only fields decoded from this METAR are shown; every missing field remains unavailable.
- Altimeter: 30.27 inHg.
- The complete raw METAR remains in this airport's Raw products disclosure.
- KBED runway and wind diagram. Schematic: alignment only. Magnetic north is up. Runway length, width, relative position and intersections are not drawn and are not published in the runway table. Land runways drawn: 11/29, 05/23. Wind from 190 degrees true, 204 degrees magnetic, at 3 knots. Wind direction is the direction the wind blows FROM, so the arrow starts on the upwind side of the field and points across it. Wind-favoured runway end, highlighted: 23. Wind source: KBED METAR 111851Z.

DESTINATION OUTLOOK

SUN, OCT 11

SUN 11 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · VFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

SUN 11 OCT 18:00–00:00 ET HIGH

Forecast TAF

TAF · IFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 18:00–00:00 ET ET · IFR
- Four six-hour ET blocks, resolved by TAF. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Sun Oct 11

12:00–18:00 ET ET

WPC surface analysis raster chart for F+000 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+006 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

MON, OCT 12

MON 12 OCT 00:00–06:00 ET HIGH

Forecast TAF

TAF · IFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 00:00–06:00 ET ET · IFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 00:00–06:00 ET · available

MON 12 OCT 06:00–12:00 ET HIGH

Forecast TAF

TAF · IFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 06:00–12:00 ET ET · IFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 06:00–12:00 ET · available

MON 12 OCT 12:00–18:00 ET HIGH

Forecast TAF

TAF · MVFR

FORECAST

Flight-category guidance

Additional source fields unavailable for this card.

Evidence & limitations

- TAF · 12:00–18:00 ET ET · MVFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 12:00–18:00 ET · available

MON 12 OCT 18:00–00:00 ET MEDIUM

Forecast

GFS MAV MOS

GFS MAV MOS · VFR

FORECAST

Flight-category guidance

WIND 5–6 kt

TEMPERATURE 62–63 °F

DEWPOINT 54–55 °F

PRECIP CHANCE 4%

Evidence & limitations

- GFS MAV MOS · 18:00–00:00 ET ET · VFR
- Four six-hour ET blocks, resolved by TAF and GFS MAV MOS. Blocks marked — have no group from those products.

Surface prog · 18:00–00:00 ET · available

Surface prog evidence · Mon Oct 12

00:00–06:00 ET ET

WPC surface prog raster chart for F+012 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

06:00–12:00 ET ET

WPC surface prog raster chart for F+018 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

12:00–18:00 ET ET

WPC surface prog raster chart for F+024 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

18:00–00:00 ET ET

WPC surface prog raster chart for F+030 h, issued by the Weather Prediction Center and redistributed by the Aviation Weather Center. The image shows fronts, pressure centres and precipitation areas; it is not read by this page.

+ Airport & services

AIRPORT PLANNING REFERENCE

NOW

Current planning snapshot

Route model and current airport observations stay separate from static facility reference.

MODELED CRUISE ALTITUDE
8000 ft

CURRENT METAR TEMP DEP / DEST
19°C dep KLZU → 14°C

CURRENT WIND (FAA)
Unavailable

FAA WEATHER CONDITIONS
Unavailable — FAA weather timestamp missing or source unavailable

AIRPORT STATUS
FAA status unavailable — airport is not covered by this feed

RWY

Runway reference

Full surveyed runway text remains available here; the current-observation band keeps only the compact wind diagram.

ALL RUNWAYS
11/29 (110/290°M · 096/276°T) · 05/23 (050/230°M · 036/216°T) — designators and °M headings are magnetic; °T are true; variation 14°W (NOAA WMM2025)

INFO

Facility and verification

Unsupported facility fields remain explicit until a reviewed, source-qualified feed is connected.

SOURCE-QUALIFIED FACILITY DETAILS

Runway dimensions / surface	UNAVAILABLE	FBO / provider	UNAVAILABLE
Available services	UNAVAILABLE	Frequencies	UNAVAILABLE
Pattern altitude	UNAVAILABLE		

Verify the current FAA Chart Supplement and provider before flight.

100LL AVAILABILITY AND PRICE
Unavailable — no source-qualified current fuel feed is connected.
Source: not connected. Last updated: unavailable.
Verify price, availability, and service level directly with an FBO.

PLANNING AND VERIFICATION LINKS
SkyVector · AirNav / Chart Supplement

+ NOTAMs

NOTAMs

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED) | 5 Act on | 1 Brief

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

2 · What | 3 · Where

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

ed 2026-10-11T20:31:10.397790Z.

oritative)

FRI OCT 9 | SAT OCT 10 | SUN OCT 11 | MON OCT 12

A2729/26

08/020

A2431/26

33 additional normalized NOTAM records omitted from this view.

Raw NOTAM data · NOTAMs as of 20:31 Z

NOTAMs as of 20:31 Z — advisory only; verify an official briefing.

5/0511

NOTAM text not available in this projection.

10/035

NOTAM text not available in this projection.

A2729/26

NOTAM text not available in this projection.

08/020

NOTAM text not available in this projection.

A2431/26

NOTAM text not available in this projection.

09/072

NOTAM text not available in this projection.

09/074

NOTAM text not available in this projection.

A2667/26

NOTAM text not available in this projection.

09/075

NOTAM text not available in this projection.

09/076

NOTAM text not available in this projection.

10/006

NOTAM text not available in this projection.

A2689/26

NOTAM text not available in this projection.

10/033

NOTAM text not available in this projection.

A2728/26

NOTAM text not available in this projection.

10/034

NOTAM text not available in this projection.

10/036

NOTAM text not available in this projection.

A2730/26

NOTAM text not available in this projection.

10/042

NOTAM text not available in this projection.

A2737/26

NOTAM text not available in this projection.

A2743/26

NOTAM text not available in this projection.

A2744/26

NOTAM text not available in this projection.

A2746/26

NOTAM text not available in this projection.

A2747/26

NOTAM text not available in this projection.

A1392/25

NOTAM text not available in this projection.

5/0197

NOTAM text not available in this projection.

A2784/25

NOTAM text not available in this projection.

6/8189

NOTAM text not available in this projection.

A2533/26

NOTAM text not available in this projection.

07/034

NOTAM text not available in this projection.

A2378/26

NOTAM text not available in this projection.

08/093

NOTAM text not available in this projection.

10/015

NOTAM text not available in this projection.

10/016

NOTAM text not available in this projection.

10/017

NOTAM text not available in this projection.

A2698/26

NOTAM text not available in this projection.

A2699/26

NOTAM text not available in this projection.

A2700/26

NOTAM text not available in this projection.

10/037

NOTAM text not available in this projection.

+ NOTAM DETAILS

FAA NMS: PRODUCTION SOURCE (OWNER-APPROVED)

Source provenance — FAA NMS: Production source per owner decision 2026-08-09; technical transport environment remains preprod. Limited 2026-07-30 spot check covered KLZU, KAVL, and KSGJ (3 of 30 airports). NOTAMs were read from this source and used on this card this run. Typed state: OK. The dot colour reports whether this source was read this run; technical environment: preprod.

TAXIWAY

Effective 2026-08-10T16:47:00Z → 2026-12-31T22:00:00Z

TAXIWAY

Effective 2026-08-10T16:47:00Z → 2026-12-31T22:00:00Z

33 additional normalized FAA NOTAM records omitted from this view.

+ Forecast evidence

METAR

METAR — the routine surface observation issued hourly by the reporting station, with

TAF — the Terminal Aerodrome Forecast, the highest-resolution aviation forecast available.

GFS MOS (MAV) — Model Output Statistics, the GFS model bias-corrected against

GFS extended MOS (MEX) — the extended-range MOS product, issued twice a day in

GFA and prog charts — the Graphical Forecast for Aviation and the Weather

FAA NOTAM (NMS) — Notices to Air Missions: closures, outages, obstacles and TFRs, issued continuously by the FAA and valid until cancelled. On this page they are advisory evidence about the airport, not weather, and they never change a flight category. NOTAMs were read for KBED this run.

published WPC surface chart matches this period and is shown in the dropdown with its issuing office and valid time. It is displayed, never interpreted.

ce and valid time. No category, wind, ceiling, ranking or go/no-go on this page is derived from, or attributed to, an image. If retrieval fails the slot says UNAVAILABLE; it is never left blank.

:00 ET ET · VFR
:00 ET ET · IFR
:00 ET ET · IFR
:00 ET ET · IFR
:00 ET ET · MVFR
· 18:00–00:00 ET ET · VFR

+ MOS target-window outlook (GFS)

Source state: partial; selected by target date: 2026-10-11=GFS, 2026-10-12=GFS. MEX is a 12-hour coarse outlook and is not used as an aviation-category signal.

PRODUCT	TIME UTC	TMP°F	SKY	WIND	POP%	CEIL	VIS
GFS	2026-10-11 18:00	57	Ovc	180/5kt	—	>10kft	>6SM
GFS	2026-10-11 21:00	55	Ovc	150/2kt	—	>10kft	>6SM
GFS	2026-10-12 00:00	53	Ovc	140/2kt	53.0	3-5kft	6SM
GFS	2026-10-12 03:00	51	Ovc	70/4kt	—	200-500ft	½-1SM
GFS	2026-10-12 06:00	51	Ovc	30/4kt	98.0	200-500ft	¼-½SM
GFS	2026-10-12 09:00	52	Ovc	20/6kt	—	200-500ft	1-2SM
GFS	2026-10-12 12:00	54	Ovc	10/3kt	67.0	200-500ft	3-5SM
GFS	2026-10-12 15:00	58	Ovc	340/5kt	—	500-1kft	>6SM
GFS	2026-10-12 18:00	63	Sct	330/6kt	4.0	>10kft	>6SM
GFS	2026-10-12 21:00	62	Clear	330/5kt	—	>10kft	>6SM
GFS	2026-10-13 00:00	58	Bkn	330/1kt	0.0	>10kft	>6SM
GFS	2026-10-13 03:00	57	Ovc	20/3kt	—	5-10kft	>6SM

+ Raw products

+ Raw METAR / TAF

```
METAR KBED 111851Z 19003KT 10SM OVC110 14/08 A3027 RMK AO2 SLP263 T01390083 $

TAF KBED 111736Z 1118/1218 16005KT P6SM OVC100 PROB30 1119/1121 -SHRA OVC035 FM112100 09005KT P6SM -RA OVC035 FM120000 07003KT 3SM -RA BR OVC005 FM121000 01005KT 4SM BR VCSH OVC008 FM121500
34003KT P6SM BKN012
```

+ Data sources used

- METAR — state=ok; fetch-state=ok; payload-state=valid; requested-station=KBED; actual-station=KBED; fetched-at=2026-10-11T20:30:42.415610+00:00; observed-or-issued-at=2026-10-11T18:51:00+00:00 — AWC API
- TAF — state=partial; fetch-state=ok; payload-state=valid; requested-station=KBED; actual-station=KBED; fetched-at=2026-10-11T20:30:42.806411+00:00; observed-or-issued-at=2026-10-11T17:36:00+00:00; valid-from=2026-10-11T18:00:00+00:00; valid-through=2026-10-12T18:00:00+00:00; partial-target-dates=2026-10-11,2026-10-12 — AWC API
  TAF proxy · KBED
- FAA airport status — state=unsupported; fetch-state=ok; payload-state=valid; requested-station=KBED; actual-station=KBED; fetched-at=2026-10-11T20:30:43.989333+00:00
- FAA NMS NOTAM — state=OK; requested-station=KBED; actual-station=KBED; fetched-at=2026-10-11T20:31:10.397790Z — FAA NMS overview
- MOS GFS — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local day spans <=03:00 through >=21:00 with no gap over 6h; model=GFS; rows=21; requested-station=KBED; actual-station=KBED; fetched-at=2026-10-11T20:31:28.128271+00:00; observed-or-issued-at=2026-10-11T12:00:00+00:00; valid-from=2026-10-11T18:00:00+00:00; valid-through=2026-10-14T12:00:00+00:00; target-dates=2026-10-12; partial-target-dates=2026-10-11; dates-with-points=2026-10-11,2026-10-12 — Iowa State API
- MOS GFS Extended (MEX) — state=partial; fetch-state=ok; payload-state=valid; coverage-rule=local morning 06:00-10:00 and evening 18:00-22:00 samples with no gap over 13h; model=MEX; rows=15; requested-station=KBED; actual-station=KBED; fetched-at=2026-10-11T20:31:29.190844+00:00; observed-or-issued-at=2026-10-11T12:00:00+00:00; valid-from=2026-10-12T12:00:00+00:00; valid-through=2026-10-19T12:00:00+00:00; target-dates=2026-10-12; dates-with-points=2026-10-12 — Iowa State API

- MOS effective date selection — state=partial; rows=12; requested-station=KBED; actual-station=KBED; fetched-at=2026-10-11T20:31:28.128271+00:00; observed-or-issued-at=2026-10-11T12:00:00+00:00; valid-from=2026-10-11T18:00:00+00:00; valid-through=2026-10-14T12:00:00+00:00; target-dates=2026-10-12; partial-target-dates=2026-10-11; dates-with-points=2026-10-11,2026-10-12; selected-by-date=2026-10-11=GFS, 2026-10-12=GFS
- Extended outlook and hazard-feed states are reported in the source stamp.
- Runway data + Chart Supplement — FAA Chart Supplement (current cycle) — see AirNav link above

3 · Hazard feeds & regional observations

Unfiltered hazard feeds (not route-geometry screened): 6 SIGMET records, 34 G-AIRMET records, 4 CWA records. Regional current observations (not corridor forecasts): Mountain: IFR/LIFR at KROA, KSHD; Mountain: MVFR at KTRI, KGKT; Gulf East: MVFR at KDAB, KTPF; Long-range: IFR/LIFR at KHPN.

Scope: Hazard counts are raw feed totals and have not been filtered against a proposed route, altitude, or time. Airport flight categories are current point observations, not corridor forecasts.

4 · Planning gates

- **Evidence gate:** an unavailable, stale, or out-of-horizon source is unknown — never treat it as favorable.
- **Weather gate:** compare current observations and valid-period forecasts with personal ceiling, visibility, convection, wind, and crosswind minimums.
- **Route gate:** screen the actual route, altitude, and time against official hazard products; feed totals on this page are not route-filtered.
- **Operations gate:** verify NOTAMs, TFRs, runway conditions, fuel, aircraft performance, daylight, and alternates.

5 · ForeFlight manual cross-check (before flight)

- Official briefing matches these go/no-go windows
- Prog charts / radar / satellite trend agrees with convection timing
- Winds & temps aloft along actual route (may shift ETE)
- **NOTAMs & TFRs** — airport-scoped NMS records may be shown, but route-wide/TFR coverage is not included; pull a fresh official briefing for departure, destination, and alternates
- Runway condition / length / closures at destination & alternate
- Weight & balance + performance at forecast density altitude (heat!)
- File & brief in ForeFlight; confirm fuel stops if long-range

6 · Source stamp

Show source stamp and evidence inventory

KLZU METAR excerpt: METAR KLZU 111856Z 27006. AWC METAR state OK for 30/30 airports; TAF target coverage for 0/30; MOS fetch health GFS 30/30, MEX 30/30; target coverage 30/60 airport-days; planned-window board coverage 2/2; combined target forecast coverage for 0/30; FAA status known for 0/30. Hazard feeds: state=ok; SIGMET=6, G-AIRMET=34, CWA=4; counts are unfiltered and are not a route assessment.
NWS AFD state: ok · FAA NMS NOTAM states: OK=30; normalized records=935; unnormalized records=0; environment=preprod; sandbox-public-preview=true · Fuel: best-effort (verify) · FAA chart cycle: unavailable this run.

Executive summary

DETERMINISTIC · RESTATES PAGE EVIDENCE · NO MODEL CALLED

A plain restatement of evidence shown in full below, computed from that evidence with no model call. It reports what the sources say; it does not rank the days, rate them, or make a go/no-go call. It follows the order the owner asked for: feasibility evidence, KLZU, destinations, weather by area or region, then new KLZU NOTAMs.

1 · Feasibility evidence for the trip window

This part is a derivation, not an observation: it states how much of the trip window carries a forecast flight category, and nothing more. It is not a go/no-go call, not a recommendation, and not a flight category. Its inputs and its gaps are listed in the tooltip on the line below.

- Trip window: Fri Oct 9 – Mon Oct 12, 2026. “This weekend” is taken to mean exactly this window; no other date range is assessed.
- Trip-window feasibility evidence (Derived): assessable for every active trip day — 2 of 2 active trip days in Fri Oct 9 – Mon Oct 12, 2026 carry a forecast flight category and 0 carry none. This is a derived statement about how much evidence exists, it is not a flight category, and it says nothing about whether a flight is advisable. Every input and every gap is named in this line's tooltip.

2 · KLZU home-base status

The KLZU observation and the per-day board categories, taken from the same helpers the board itself renders from, so the two cannot disagree.

- KLZU current observation: MVFR — from the surface observation read this run; it describes conditions now, not a trip day.
- Sun Oct 11, 15:00–22:00 ET: MVFR — most restrictive forecast flight category; high confidence; from TAF, MOS.
- Mon Oct 12, 06:00–22:00 ET: VFR — most restrictive forecast flight category; medium confidence; from TAF, MOS.
- A forecast flight category is available for 2 of 2 active trip days; 0 reach no category-capable product at this lead time.
- Data quality: DEGRADED — as reported by the badge in the page header; it gates publication, it is not a weather statement.

3 · Destination coverage

Coverage, not a pick: this counts which destinations a product permitted to state a flight category actually reaches. It is not a ranking, not a recommendation, and the editorial order of the destination list is not a flyability score.

- Destinations: 29 of 29 covered airports resolve a forecast flight category on at least one active trip day; 0 resolve none at this lead time. Counted from the same per-day outlook the destination cards render, with outlook-grade blocks excluded.
- Most restrictive resolved category per covered airport, across the active trip days: KAVL VFR (2/2 d), KBED IFR (2/2 d), KBFM VFR (2/2 d), KCRE VFR (2/2 d), KCRG VFR (2/2 d), KDAB VFR (2/2 d), KECP VFR (2/2 d), KFIN VFR (2/2 d), KGKT MVFR (2/2 d), KGPT VFR (2/2 d), KHPN LIFR (2/2 d), KHSA VFR (2/2 d); 17 further airports in section 2.
- NOTAMs: 29 of 29 destinations report an active NOTAM. KLZU departure NOTAM state: OK.

4 · Weather events by area or region

Weather events by area or region, from products that carry an area. Per-airport categories are never clustered into a region here: an area inferred that way would be a spatial claim no source made.

- 44 hazard areas retained with their own coordinate rings. Each is related to an airport only by point-in-polygon (ray casting) against the product's own coordinate ring, or by great-circle distance from the airport to the nearest point on the product's boundary within 100 NM — tested against 30 airports that reported a position this run. No area name is inferred: the only names stated are the ones a product supplies itself. Per-airport categories are never clustered into a region.
- 44 of 44 retained hazard areas are valid at some point inside the planned trip window; the rest describe conditions before it.
- G-AIRMET ZULU — ICE: contains KHPN (point-in-polygon (ray casting) against the product's own coordinate ring). valid 2026-10-11 17:51Z to 2026-10-11 21:00Z.
- G-AIRMET SIERRA — IFR: contains KTRI, KROA, KGKT, KHPN, KSHD (point-in-polygon (ray casting) against the product's own coordinate ring); boundary within 100 NM of KAVL 1 NM, KLZU 26 NM, KBED 53 NM. valid 2026-10-11 14:45Z to 2026-10-11 21:00Z.
- G-AIRMET SIERRA — MT_OBSC: contains KLZU, KSHD, KROA, KAVL, KGKT, KTRI (point-in-polygon (ray casting) against the product's own coordinate ring); boundary within 100 NM of KHPN 47 NM, KBED 79 NM. valid 2026-10-11 14:45Z to 2026-10-11 21:00Z.
- G-AIRMET TANGO — TURB-LO: contains KSHD (point-in-polygon (ray casting) against the product's own coordinate ring); boundary within 100 NM of KROA 36 NM, KHPN 38 NM. valid 2026-10-11 16:36Z to 2026-10-11 21:00Z.
- CWA 101 — TURB over ZNY (New York): boundary within 100 NM of KHPN 53 NM. valid 2026-10-11 20:07Z to 2026-10-11 22:06Z.
- G-AIRMET ZULU — FZLVL: boundary within 100 NM of KMYR 0 NM, KJZI 7 NM, KCRE 12 NM, KHXD 13 NM, KSAV 18 NM, KDAB 25 NM, KVNC 31 NM, KFIN 38 NM, KSRQ 51 NM, KSGJ 55 NM, KTPF 60 NM, KSPG 64 NM, KCRG 71 NM, KSSI 77 NM, KNEW 96 NM, KOPF 99 NM; published as a line, not an enclosed area, so no containment test is made against it. valid 2026-10-11 17:51Z to 2026-10-11 21:00Z.
- G-AIRMET ZULU — FZLVL: boundary within 100 NM of KBED 87 NM; published as a line, not an enclosed area, so no containment test is made against it. valid 2026-10-11 17:51Z to 2026-10-11 21:00Z.
- G-AIRMET TANGO — LLWS: boundary within 100 NM of KSHD 7 NM, KHPN 55 NM, KROA 72 NM. valid 2026-10-11 16:36Z to 2026-10-11 21:00Z.
- G-AIRMET TANGO — TURB-HI: boundary within 100 NM of KBED 16 NM. valid 2026-10-11 16:36Z to 2026-10-11 21:00Z.
- SIGMET 98E — CONVECTIVE: boundary within 100 NM of KCRE 74 NM, KMYR 81 NM. valid 2026-10-11 19:55Z to 2026-10-11 21:55Z.
- SIGMET 99E — CONVECTIVE: boundary within 100 NM of KHPN 34 NM. valid 2026-10-11 19:55Z to 2026-10-11 21:55Z.
- SIGMET 01E — CONVECTIVE: boundary within 100 NM of KOPF 13 NM, KDAB 32 NM, KVNC 35 NM, KFIN 47 NM, KSRQ 50 NM, KTPF 60 NM, KSPG 64 NM, KSGJ 67 NM, KCRG 85 NM. valid 2026-10-11 19:55Z to 2026-10-11 21:55Z.
- SIGMET 02E — CONVECTIVE: boundary within 100 NM of KCRE 76 NM, KSHD 86 NM, KMYR 88 NM. valid 2026-10-11 19:55Z to 2026-10-11 21:55Z.
- 31 of 44 retained hazard areas could not be related to any airport this page covers, by either test. They remain national-unfiltered: their geography is real but lies outside 100 NM of every airport tested, and nothing is claimed about where they are.
- Hazard feed record counts this run, unfiltered and national: SIGMET 6, G-AIRMET 34, CWA 4; overall feed state ok; feed states — CWA: ok, G-AIRMET: ok, SIGMET: ok. These are totals over the whole feed, not a count near KLZU, not a count along any route, and not a route assessment.

5 · New KLZU NOTAMs

This run keeps no snapshot of the previous run, so “new” cannot mean “changed since last time”. It is defined below as an FAA-published timestamp window, and the service-status scan reads the published text of every KLZU record so a status embedded inside a record of another category is not missed.

- Baseline for “new”: a KLZU NOTAM whose own FAA-published timestamp (last update, else issue, else effective start) falls within the 72 hours before this run's generation time (2026-10-11T20:30:41.986083+00:00). This run holds no copy of the previous run's NOTAM set, so this is a source-timestamp window and not a difference against an earlier run.
- KLZU: none of the 10 current NOTAMs carries an FAA-published timestamp inside that window, so no NOTAM is new by that baseline. The existing records are unchanged, not absent.
- No service-status wording was found in the published text of the 10 current KLZU records. The scan reads every record's full published text rather than its category, so a status stated inside a record of another category would still be reported.

This restates evidence; it is not a recommendation, not an all-clear, and not a data outage. The decision surfaces are the planning gates and the ForeFlight cross-check below, read against the KLZU board and destination cards. Every line above restates a value shown elsewhere on this page.

⚠ **Pre-planning only — not an official weather briefing.** Verify an official briefing, METAR/TAF/GFA/SIGMET/CWA, NOTAMs, TFRs, runway conditions, fuel, W&B, performance, and personal minimums before flight.