lapply

INTERMEDIATE R

Filip Schouwenaars
DataCamp Instructor

datacamp

NYC: for

```r
nyc <- list(pop = 8405837,
            boroughs = c("Manhattan", "Bronx", "Brooklyn",
            "Queens", "Staten Island"),
            capital = FALSE)
```

```r
for(info in nyc) {
  print(class(info))
}
```

```
"numeric"
"character"
"logical"
```

NYC: lapply()

```r
nyc <- list(pop = 8405837,
            boroughs = c("Manhattan", "Bronx", "Brooklyn",
            "Queens", "Staten Island"),
            capital = FALSE)
```

```r
lapply(nyc, class)
```

```
$pop
```

```
"numeric"
```

NYC: lapply()

$boroughs

"character"

$capital

"logical"

Cities: for

```r
cities <- c("New York", "Paris", "London", "Tokyo",
            "Rio de Janeiro", "Cape Town")
```

```r
num_chars <- c()
for(i in 1:length(cities)) {
  num_chars[i] <- nchar(cities[i])
}
```

```r
num_chars
```

```
8   5   6   5 14   9
```

Cities: lapply()

```r
cities <- c("New York", "Paris", "London", "Tokyo",
            "Rio de Janeiro", "Cape Town")
```

```r
lapply(cities, nchar)
```

```
[[1]]
[1] 8

[[2]]
[1] 5
...
[[6]]
[1] 9
```

Cities: lapply()

```r
cities <- c("New York", "Paris", "London", "Tokyo",
            "Rio de Janeiro", "Cape Town")
```

```r
unlist(lapply(cities, nchar))
```

```
8  5  6  5 14  9
```

Oil

```r
oil_prices <-
  list(2.37, 2.49, 2.18,
       2.22, 2.47, 2.32)
```

```r
triple <- function(x) {
  3 * x
}
```

```r
result <-
  lapply(oil_prices, triple)
```

```r
str(result)
```

```
List of 6
 $ : num 7.11
 $ : num 7.47
 $ : num 6.54
 $ : num 6.66
 $ : num 7.41
 $ : num 6.96
```

```r
unlist(result)
```

```
7.11 7.47 6.54
6.66 7.41 6.96
```

```r
oil_prices <- list(2.37, 2.49, 2.18, 2.22, 2.47, 2.32)
multiply <- function(x, factor) {
  x * factor
}
```

```r
times3 <- lapply(oil_prices, multiply, factor = 3)
unlist(times3)
```

```
7.11 7.47 6.54 6.66 7.41 6.96
```

```r
times4 <- lapply(oil_prices, multiply, factor = 4)
unlist(times4)
```

```
9.48 9.96 8.72 8.88 9.88 9.28
```

Let's practice!

INTERMEDIATE R

sapply

INTERMEDIATE R

Filip Schouwenaars
DataCamp Instructor

lapply()

- Apply function over list or vector

- Function can return R objects of different classes

- List necessary to store heterogeneous content

- However, often homogeneous content

Cities: lapply()

```r
cities <- c("New York", "Paris", "London", "Tokyo",
            "Rio de Janeiro", "Cape Town")
result <- lapply(cities, nchar)
str(result)
```

```
List of 6
 $ : int 8
 $ : int 5
 $ : int 6
 $ : int 5
 $ : int 14
 $ : int 9
```

Cities: lapply()

```
unlist(lapply(cities, nchar))
```

```
 8  5  6  5 14  9
```

Cities: sapply()

```r
cities <- c("New York", "Paris", "London", "Tokyo",
            "Rio de Janeiro", "Cape Town")
unlist(lapply(cities, nchar))
```

```
8  5  6  5 14  9
```

```r
sapply(cities, nchar)
```

```
     New York          Paris         London          Tokyo  Rio de Janeiro       Cape Town
            8              5              6              5              14               9
```

Cities: sapply()

```
sapply(cities, nchar, USE.NAMES = FALSE)
```

```
8   5   6   5 14   9
```

Cities: sapply()

```r
first_and_last <- function(name) {
  name <- gsub(" ", "", name)
  letters <- strsplit(name, split = "")[[1]]
  c(first = min(letters), last = max(letters))
}
```

```r
first_and_last("New York")
```

```
first  last
  "e"   "Y"
```

Cities: sapply()

```
sapply(cities, first_and_last)
```

```
        New York Paris London Tokyo  Rio de Janeiro  Cape Town
first   "e"      "a"   "d"    "k"    "a"             "a"
last    "Y"      "s"   "o"    "y"    "R"             "w"
```

Unable to simplify?

```r
unique_letters <- function(name) {
    name <- gsub(" ", "", name)
    letters <- strsplit(name, split = "")[[1]]
    unique(letters)
  }
```

```r
unique_letters("London")
```

```
"L" "o" "n" "d"
```

Unable to simplify?

```
lapply(cities,
        unique_letters)
```

```
[[1]]
[1]"N" "e" "w" "Y" "o" "r" "k"

[[2]]
[1] "P" "a" "r" "i" "s"

[[3]]
[1] "L" "o" "n" "d"

[[4]]
[1] "T" "o" "k" "y"
```

```
sapply(cities, unique_letters)
```

```
$`New York`
[1]"N" "e" "w" "Y" "o" "r" "k"

$Paris
[1] "P" "a" "r" "i" "s"

$London
[1] "L" "o" "n" "d"

$Tokyo
[1] "T" "o" "k" "y"
```

Let's practice!

INTERMEDIATE R

vapply

INTERMEDIATE R

Filip Schouwenaars
DataCamp Instructor

Recap

- `lapply()`
  - apply function over list or vector

  - output = list

- `sapply()`
  - apply function over list or vector

  - **try to simplify** list to array

- `vapply()`
  - apply function over list or vector

  - **explicitly specify** output format

sapply() & vapply()

```r
cities <- c("New York", "Paris", "London", "Tokyo",
            "Rio de Janeiro", "Cape Town")
sapply(cities, nchar)
```

New York	Paris	London	Tokyo	Rio de Janeiro	Cape Town
8	5	6	5	14	9

```r
vapply(X, FUN, FUN.VALUE, ..., USE.NAMES = TRUE)
```

```r
vapply(cities, nchar, numeric(1))
```

New York	Paris	London	Tokyo	Rio de Janeiro	Cape Town
8	5	6	5	14	9

vapply()

```r
first_and_last <- function(name) {
  name <- gsub(" ", "", name)
  letters <- strsplit(name, split = "")[[1]]
  return(c(first = min(letters), last = max(letters)))
}
```

```r
sapply(cities, first_and_last)
```

```
      New York Paris London Tokyo Rio de Janeiro Cape Town
first      "e"   "a"    "d"   "k"            "a"       "a"
last       "Y"   "s"    "o"   "y"            "R"       "w"
```

vapply()

```
vapply(cities, first_and_last, character(2))
```

```
          New York Paris London Tokyo Rio de Janeiro Cape Town
first       "e"    "a"    "d"   "k"             "a"         "a"
last        "Y"    "s"    "o"   "y"             "R"         "w"
```

vapply() errors

```
vapply(cities, first_and_last, character(2))
```

```
          New York Paris London Tokyo Rio de Janeiro Cape Town
first         "e"   "a"    "d"   "k"             "a"       "a"
last          "Y"   "s"    "o"   "y"             "R"       "w"
```

```
vapply(cities, first_and_last, character(1))
```

```
Error in vapply(cities, first_and_last, character(1)) :
  values must be length 1,
 but FUN(X[[1]]) result is length 2
```

vapply() errors

```
vapply(cities, first_and_last, numeric(2))
```

```
Error in vapply(cities, first_and_last, numeric(2)) :
  values must be type 'double',
 but FUN(X[[1]]) result is type 'character'
```

unique_letters()

```r
unique_letters <- function(name) {
  name <- gsub(" ", "", name)
  letters <- strsplit(name, split = "")[[1]]
  unique(letters)
}
```

vapply() > sapply()

```
sapply(cities, unique_letters)
```

```
$`New York`
[1] "N" "e" "w" "Y" "o" "r" "k"
...
$`Cape Town`
[1] "C" "a" "p" "e" "T" "o" "w" "n"
```

```
vapply(cities, unique_letters, character(4))
```

```
Error in vapply(cities, unique_letters, character(4)) :
  values must be length 4,
 but FUN(X[[1]]) result is length 7
```

Let's practice!

INTERMEDIATE R