
RENNER ACADEMY 2025

Define the right GP hammershank with help of sample parts case

Date: 17.10.2025

Creator: Jens- Sören Kruse | Klavierbaumeister | © RENNER ACADEMY





Course scedule

- RENNER sample part case whippen samples
- RENNER sample part case | hammerhead samples
- RENNER sample part case | GP & UP action part samples
- RENNER sample part case | UP action part samples
- RENNER sample part case | GP hammershank samples
- Selecting criteria for GP hammershanks | flanges
- Selecting criteria for GP hammershanks | dimensions
- Selecting criteria for GP hammershanks | knuckles
- List of selecting criteria for GP hammershanks
- Production view

RENNER

Quick Overview








Includes

- GP 15 different Whippen samples availeble as standard spare part set (2 of each variety for testing)
- GP 2 whippen samples of a model without saddle
- GP 12 different saddles to combine



Musterteilekoffer | *Sample part case*

Übersicht Hebeglieder & Sättel | *overview whippens & heels*






Fach-Nr. | *tray-no.*	Artikel-Beschreibung | *description Art. 43-0001988*	Variante -Nr. | Var.no.	Stück/Fach | *pieces/case*	Spezifikation | *specifications*
1	Flügel-Hebeglied | *GP piano whippen*	V0000290	2 x Ø0,90 mm	110 160 001
2	Flügel-Hebeglied | *GP piano whippen*	V0000296	2 x Ø0,90 mm	110 160 018
3	Flügel-Hebeglied | *GP piano whippen*	V0000302	2 x Ø0,90 mm	110 160 035
4	Flügel-Hebeglied | *GP piano whippen*	V0000307	2 x Ø0,90 mm	110 160 043
5	Flügel-Hebeglied | *GP piano whippen*	V0000300	2 x Ø0,90 mm	110 160 029
6	Flügel-Hebeglied | *GP piano whippen*	V0000318	2 x Ø0,90 mm	110 160 091
7	Flügel-Hebeglied | *GP piano whippen*	V0000321	2 x Ø0,90 mm	110 160 095
8	Flügel-Hebeglied | *GP piano whippen*	V0000323	2 x Ø0,90 mm	110 160 100
9	Flügel-Hebeglied | *GP piano whippen*	V0002563	2 x Ø0,90 mm	110 160 105
10	Flügel-Hebeglied | *GP piano whippen*	V0000326	2 x Ø0,90 mm	110 160 110
11	Flügel-Hebeglied | *GP piano whippen*	V0000327	2 x Ø0,90 mm	110 160 115
12	Flügel-Hebeglied | *GP piano whippen*	V0000329	2 x Ø0,90 mm	110 160 120
13	Flügel-Hebeglied | *GP piano whippen*	V0000331	2 x Ø0,90 mm	110 160 125
14	Flügel-Hebeglied | *GP piano whippen*	V0000333	2 x Ø0,90 mm	110 160 130
15	Flügel-Hebeglied | *GP piano whippen*	V0000330	2 x Ø0,90 mm	110 160 124
16	Flügel-Hebeglied | *GP piano whippen*	V0000334	2 x Ø0,90 mm	110 160 135
18	Flügel-Hebegliedsattel | *GP whippen heel*	43-0005769	1	6413, 6013
19	Flügel-Hebegliedsattel | *GP whippen heel*	43-0005768	1	6213
20	Flügel-Hebegliedsattel | *GP whippen heel*	43-0005786	1	5813
21	Flügel-Hebegliedsattel | *GP whippen heel*	43-0005771	1	6415, 6015
22	Flügel-Hebegliedsattel | *GP whippen heel*	43-0005770	1	6215
23	Flügel-Hebegliedsattel | *GP whippen heel*	43-000?	1	5815
24	Flügel-Hebegliedsattel | *GP whippen heel*	43-0005778	1	6716
25	Flügel-Hebegliedsattel | *GP whippen heel*	43-0005773	1	6416, 6016
26	Flügel-Hebegliedsattel | *GP whippen heel*	43-0005772	1	6216
27	Flügel-Hebegliedsattel | *GP whippen heel*	43-0005775	1	6219
28	Flügel-Hebegliedsattel | *GP whippen heel*	43-0005776	1	6019
29	Flügel-Hebegliedsattel | *GP whippen heel*	43-0005777	1	6422, 6022
30				
31				
32				


Musterteilekoffer | *Sample part case*


Übersicht Flügel Sattel | *overview GP heels*





- Enclosed you will find a detailed booklet with descriptions of the sample parts, notes on kit items, and technical instructions for selecting spare parts.








Includes

- GP 3 different sizes of hammerheads
- GP different wooden cores
- Different underfelt samples

RENNER

RENNER Sample Part Case | hammerhead samples




Includes:

- GP 15 different hammershank flanges
- UP 10 different whippen flanges
- GP damper arm US and RENNER
- GP all jacks
- GP all action rails

RENNER

RENNER Sample Part Case | GP & UP action part samples





Includes:

- UP different bass dampers
- UP different treble dampers
- UP different damper arms for AP and APK
- UP different whippens for AP and APK
- UP whippen with extension abstracts for older action models and individuel single action production
- UP action rail samples for AP and APK
- UP hammer but samples for AP and APK





Includes


- GP 16 different hammershank samples availeble as standard spare part set (2 of each variety for testing)
- GP 3 different hammershank samples without flanges for self repair availeble as standard spare part set
- GP samples for Blüthner patent shank, Vienna action shank and clamping sleeve



Musterteilekoffer | *Sample part case*

RENNER

Übersicht Hammerstiele mit Kapseln | *hammer shanks overview with flanges*





Fach-Nr.| *tray no.*	Alter Artikel | old *version for* Art. 43-0002160	Variante-Nr. | version no.	Stückzahl im Fach | *pieces in tray*	Spezifikation | *specification*
90	120 160 050	V0002315	2 normal	
91	120 160 052	V0000427	2 normal	
92	120 160 054	V0000432	1 Bass, 1 Diskant| *treble*	
93	120 160 056	V0000464	2 normal	
94	120 160 058	V0000463	1 Bass, 1 Diskant | *treble*	
95	120 160 060	V0000462	2 normal	
96	120 160 048	V0000404	1 Bass, 1 Diskant | *treble*	
97	120 160 066	V0000458	2 normal	
98	120 160 055	V0000465	1 Bass, 1 Diskant | *treble*	
99	120 160 095	V0000446	1 Bass, 1 Diskant | *treble*	
100	120 160 072	V0000455	2 normal	
101	120 160 062	V0000461	1 Bass, 1 Medium, 1 Diskant | *treble*	
102	120 924 122	V0000421	1 Bass, 1 Diskant | *treble*	
103	120 160 074	V0000454	1 Bass, 1 Medium, 1 Diskant | *treble*	
104	120 160 086	V0000451	1 Bass, 1 Diskant | *treble*	Yamaha 3,5
105	120 160 087	V0002511	1 Bass, 1 Diskant | *treble*	Yamaha 4,0
106	920 149 001	43-0005822 43-0005823 43-0005824	1 Bass | bass 1 medium 1 Diskant | *treble*	Ohne Kapsel | without flanges
107	803 149 030	43-0005528	1	Blüthner
108	804 617 102	43-0005532	1	Wiener
109	805 640 105	43-0002692	1	Wiener

- Overviev hammershanks

RENNER

Musterteilekoffer | *Sample part case*

Beschreibung Flügel-Hammerstiele | *description GP hammer shanks samples*
Teil 1 | *part 1*

Fach-Nr.| tray no.	Ausführung | version	Artikel-Nr. | product-no.	Stückzahl/Satz | pieces in one set	Holzart | wood
90	Renner Standard Standardkapsel - Standardhammerrolle *Flanges standard profile - knuckles Ø 10 mm*	43-0002160 V0002315 43-0002160 V0000414	90 Bass | bass 100 Bass | bass	Weißbuche | hornbeeam
91	Renner Standard Standardkapsel - Standardhammerrolle *Flanges standard profile - knuckles Ø 10 mm*	43-0002160 V0000427	90 Bass | bass	Ahorn | maple
92	Renner Standard Standardkapsel - Standardhammerrolle *Flanges standard profile - knuckles Ø 10 mm*	43-0002160 V0000432	70 Bass | bass 20 Diskant | treble	Weißbuche | hornbeam Ahorn | maple
93	Renner Standard Standardkapsel - kleine Hammerrolle *Flanges standard profile - knuckles Ø 9 mm*	43-0002160 V0000464	90 Bass | bass	Weißbuche | hornbeam
94	Renner Standard für | for Bechstein Standardkapsel - kleine Hammerrolle *Flanges standard profile - knuckles Ø 9 mm*	43-0002160 V0000463	70 Bass | bass 20 Diskant | treble	Weißbuche | hornbeam Ahorn | maple
95	Renner Standard Mason & Hamlin-Kapsel - Standardhammerrolle *Flanges with Mason & Hamlin profile - hammer knuckles Ø 10 mm*	43-0002160 V0000462	90 Bass | bass	Weißbuche | hornbeam
96	Renner Standard Standard Kapsel mit U-Scheibe-Standardhammerrolle *Flanges standard profile with washers - hammer knuckles Ø 10 mm*	43-0002160 V0000404	70 Bass | bass 20 Diskant | treble	Weißbuche | hornbeam
97	Renner Standard Standardkapsel, kleine Hammerrolle *Flanges standard profile - knuckles Ø 9 mm*	43-0002160 V0000458	90 Bass | bass	Ahorn | maple
98	Renner Standard Standardkapsel - Standardhammerrolle lange Rollierung | *long tip for glueing* *Flanges standard profile - knuckles Ø 10 mm*	43-0002160 V0000465	70 Bass | bass 20 Diskant | treble	Weißbuche | hornbeam Ahorn | maple
99	Renner Standard Standard Kapsel mit versetztem Schraubenloch und Standard Hammerrolle *Flanges standard profile with moved screw hole - hammer knuckles Ø 10 mm*	43-0002160 V0000446	70 Bass | bass 20 Diskant | treble	Weißbuche | hornbeam
100	Renner Standard Standardkapsel, Standardhammerrolle | *Flanges standard profile - knuckles Ø 10 mm* Röllchenabstand 15,5mm | *distance knuckles to center 15,5 mm* passend für ältere | for old Blüthner + Grotrian	43-0002160 V0000455	90 Bass | bass	Weißbuche | hornbeam
101	Renner Standard Standardkapsel - Standardhammerrolle lange Rollierung | *long tip for glueing* *Flanges standard profile - knuckles Ø 10 mm*	43-0002160 V0000461	50 Bass 20 Medium | medium 20 Diskant | treble	Weißbuche | hornbeam

RENNER

Musterteilekoffer | *Sample part case*


Beschreibung Flügel-Hammerstiele | *description GP hammer shanks samples*
Teil1 | *part 1*

Fach-Nr.| *tray no.*	Ausführung | *version*	Artikel-Nr. | *product-no.*	Stückzahl/Satz | *pieces in one set*	Holzart | *wood*
102	Kawai-Kapsel | *flanges with Kawai profile* Standardhammerrolle | *hammer knuckles Ø 10 mm* *Renner Standard*	43-0002160 V0000421	70 Bass | bass 20 Diskant | treble	Weißbuche | *hornbeam*
103	Kapsel mit versetzter Abnickschraube | *with moved drop screw* Standardhammerrolle | *hammer knuckles Ø 10 mm*	43-0002160 V0000454	60 Bass | bass 10 Medium 20 Diskant | treble	Weißbuche | *hornbeam*
104	Renner Yamaha *Yamaha-Kapsel | score line 3,5 mm* *Standardhammerrolle | hammer knuckles Ø 10 mm*	43-0002160 V0000451	70 Bass | bass 20 Diskant | treble	Weißbuche | *hornbeam*
105	Renner Yamaha-old *Kapsel | flanges for Yamaha-old score line 4,0 mm* Standardhammerrolle | *hammer knuckles Ø 10 mm*	43-0002160 V00002511	70 Bass | *bass* *20 Diskant | treble*	Weißbuche | *hornbeam*
106	Renner Standard ohne Kapsel | *without flanges* Renner Standard ohne Kapsel | *without flanges* *Renner Standard ohne Kapsel | without flanges*	43-0005822 43-0005823 43-0005824	Bass | *bass* Medium Diskant | treble	Weißbuche | *hornbeam*
107	Blüthner Patent	43-0005528	1	Weißbuche | *hornbeam*
108	Hammerstiel für Wiener Mechanik | *hammershank for Viennese grand action*	43-0005532	1	Weißbuche | *hornbeam*
109	Kapsel für Wiener Mechanik | *flange for Viennese grand action*	43-0002692	1	Messing verzinkt | *tinplated brass*


- Special info and notes on kit items

RENNER

RENNER Sample Part Case | booklet hammershank




- Renner Standard
- Renner with washers
- Renner without srew hole for self drilling
- Renner with modified drop screw position
- Renner with with moved screw hole
- M&H with slotted hole and washers
- Kawai
- Yamaha old
- Yamaha new




- Baldwin new
- Baldwin old
- Flemming
- Knabe
- M&H
- Pratt-Read
- Pratt-Read


Selecting criteria for RENNER GP hammershanks | flanges




Hammerstiel-Kombinationen, Ausführung Renner





Ausführung	Stiel	Kapsel	Rolle	RA	LS	LA	LN
Renner Standard, Weißbuche	90 Stck. Weißbuche	Renner Standard	∅ 10 mm	17,0	28,6	51,1	46,6






Ausführung	Stiel	Kapsel	Rolle	RA	LS	LA	LN
Renner, Weißbuche mit versetzter Abnickschraube	60 Stck. Weißbuche 10 Stck. mittel abgekehlt 20 Stck. schwach abgekehlt	Renner mit versetzter Abnickschraube	∅ 10 mm	17,0	28,6	51,1	47,8









Artikel-Nr. 920 149 022

Breite 11,2



Artikel-Nr. 920 149 024


Breite 11,7



Artikel-Nr. 920 149 060


- Drop screw

Artikel-Nr. 990 170 100




- Washers

- Knuckles in 3 sizes



Most important, different design criterias to find the right RENNER GP hammershank:

- **Flange type**: 16 different flange types for repairs as standard range
- **Wood type**: hornbeam or maple
- **Rolling length**: short (like Steinway) or long for repairs
- **Knuckle position**: 17mm (standard) + 15,5mm
- **Knuckle size**: 10mm Standard + 9mm small diameter version in cutting width 11,7 mm and 10mm diameter in cutting width 11,2mm for repairs.
- **Diameter**: bass = 6,0mm, medium = 5,3mm, treble = 4,8mm
- **Composition**: 70 bass/ 20 treble or 60|10|20, 50|20|20, 75|25, 90, 100




- Milled plates in the magazine before cutting



- After cutting









- Automated camera quality control system
- Drilling
- Bushing

RENNER

Production view | sorting | drilling | bushing



- Knuckle press



- Control before cutting





- The hammershank assembling is fully automaticcally



- All hammershank assemblies are storeged for 5 days for setting process
- This step is planned as a quality process in the value stream and must not fall below

Production view | setting process in assemblies storage





- Quality control is carried out manually and is subject to a clearly defined process
- After contoling the hammershanks are complied in different compositions into sets and packaged



Thank you for your interest

Let the Perfect Hammer Sound!

RENNER®

