Cheat Sheet

v0.9.5 – 2015/07/01

http://grid5000.fr/

[[Cluster experiment]] [[Advanced OAR]]

Jobs states

```
oarstat
oarstat -f -j JOB_ID
oarstat -u G5K_LOGIN
```

Nodes states

```
oarnodes
oarnodes --sql "cpucore='4'"
```

Submission : Interactive

```
oarsub -I
env | grep OAR
cat $OAR_NODE_FILE
```

Reserve IPs

```
oarsub -I -l slash_22=1
g5k-subnets
```

20 nodes on griffon during 2h with 20G ib cards

```
oarsub -I -l nodes=20,walltime=2 \
  -p "cluster='griffon' and ib20G='YES'"
```

Submission : Passive

```
oarsub ~/my-script
```

5 nodes during 2h with 10G ib cards

```
oarsub -l nodes=5,walltime=2 -p "ib10G='YES'" ~/prog
cat OAR.OAR_JOB_ID.std{err,out}
```

Connection to a running job

```
oarsub -C OAR_JOB_ID
```

on a node in your reservation

```
oarsh node.fqdn
```

Submission : Reservation (passive mode)

```
oarsub -r '2011-05-16 14:20:00' \
  -l nodes=10,walltime=0:10:00 ~/my-script
```

Reservation with deploy type (interactive mode)

```
oarsub -t deploy -r '2011-05-16 14:30:00' \
  -l nodes=5,walltime=2 -p "ib10G='YES'" -n "Prog42"
```

Delete a reservation

```
oardel OAR_JOB_ID
```

Oar Grid [[Grid experiment]]

Discovering resources

```
disco cluster_name
disco site1 site2
```

Jobs Grid stats

```
oargridstat
oargridstat GRID_JOB_ID
```

Submission : Interactive

```
oargridsub -t allow_classic_ssh \
  -w '0:20:00'CLUSTER1:rdef="/nodes=2",CLUSTER2:rdef="/nodes=3"
```

Create a node file

```
oargridstat -w -l GRID_JOB_ID | sed '/^\$/d' > ~/nodes
```

Distribute node file

```
OAR_JOB_ID=CLUSTER_JOB_ID oarcp -i \
  /tmp/oargrid/oargrid_ssh_key_LOGIN_GRID_JOB_ID~/machines \
  'head -n 1 machines':
```

Connect on first node

```
OAR_JOB_ID=CLUSTER_JOB_ID oarsh -i \
  /tmp/oargrid/oargrid_ssh_key_LOGIN_GRID_JOB_ID ' head -n 1 machines'
```

Ending

```
oargriddel GRID_JOB_ID
```

Submission : Reservation (passive mode)

```
oargridsub -t allow_classic_ssh CLUSTER1:rdef="/nodes=1",\
  CLUSTER2:rdef="/nodes=4" -s '2011-05-16 14:20:00'\
  -w '0:10:00' -p /prog42/helloworld
```

View results

```
tail -f OAR.CLUSTER_JOB_ID.std{err,out}
```

Hardware Overview [[Special:G5KHardware]]

	Nodes	Cpu Intel | AMD	Memory	Disks	GPU	Network
Grenoble						
adonis (2010)	10	2x4cores @2.27Ghz	24Gb	233GB HDD	2xTesla-C1060	IB40G QDR
edel (2008)	72	2x4cores @2.27Ghz	24Gb	119GB SSD		IB40G QDR
genepi (2008)	34	2x4cores @2.5Ghz	8Gb	153GB HDD		IB20G DDR
Lille						
chimint (2011)	20	2x4cores @2.4Ghz	16Gb	272GB HDD		
chinqchint (2007)	46	2x4cores @2.83Ghz	8Gb	232GB HDD		
chirloute (2011)	8	2x4cores @2.4Ghz	8Gb	279GB HDD	4xTesla-S2050	
Luxembourg						
granduc (2011)	22	2x4cores @2.0Ghz	16Gb	136GB HDD		1x10G
petitprince (2013)	16	2x6cores @2.0Ghz	31Gb	232GB HDD		2x10G
Lyon						
hercule (2012)	4	2x6cores @2.0Ghz	31Gb	3x1863GB HDD		1x10G
orion (2012)	4	2x6cores @2.3Ghz	31Gb	557GB HDD	1xTesla-M2075	1x10G
sagittaire (2006)	79	2x1cores @2.4Ghz	2Gb	68GB HDD		
taurus (2012)	16	2x6cores @2.3Ghz	32Gb	557GB HDD		1x10G
Nancy						
graoully (2016)	16	2x8cores @3.2Ghz	126Gb	2x558GB HDD		IB56G FDR 1x10G
graphene (2011)	144	1x4cores @2.53Ghz	16Gb	298GB HDD		IB20G DDR
graphique (2015)	6	2x6cores @3.2Ghz	63Gb	278GB HDD	2xGTX 980	1x10G
graphite (2013)	4	2x8cores @2.8Ghz	252Gb	2x279GB SSD		IB56G FDR 1x10G
griffon (2009)	32	2x4cores @2.5Ghz	16Gb	298GB HDD		
grimoire (2016)	8	2x8cores @3.2Ghz	126Gb	5x558GB HDD, 186GB SSD		IB56G FDR 4x10G
grisou (2016)	51	2x8cores @3.2Ghz	126Gb	2x558GB HDD		4x10G
talc (2009)	134	2x4cores @2.5Ghz	16Gb	298GB HDD		
Nantes						
econome (2014)	22	2x8cores @2.2Ghz	63Gb	1863GB HDD		1x10G
Reims						
stremi (2011)	44	2x12cores @1.7Ghz	47Gb	232GB HDD		
Rennes						
paranoia (2014)	8	2x10cores @2.2Ghz	126Gb	5x558GB HDD		1x10G
parapide (2010)	25	2x4cores @2.93Ghz	24Gb	465GB HDD		IB20G DDR
parapluie (2010)	40	2x12cores @1.7Ghz	47Gb	232GB HDD		IB20G DDR
parasilo (2015)	28	2x8cores @2.4Ghz	126Gb	5x558GB HDD, 186GB SSD		2x10G
paravance (2015)	72	2x8cores @2.4Ghz	126Gb	2x558GB HDD		2x10G
Sophia						
sol (2007)	50	2x2cores @2.6Ghz	4Gb	232GB HDD		
suno (2010)	45	2x4cores @2.26Ghz	32Gb	557GB HDD		

API [[API Main Pratical]] [[API]]

API Sid

- https://api.grid5000.fr/sid/ui/index.html

Grid'5000 Nodes API

- https://api.grid5000.fr/stable/ui/nodes.html

Tutorials

- http://grid5000.github.io/tutorials/

KaVLAN [[Kavlan]]

Submission

```
oarsub -t deploy -l {"type='kavlan'"}/vlan=1+nodes=2\
walltime=2 -I
```

Deploy

```
kadeploy3 -f $OAR_NODEFILE -e env -k --vlan 'kavlan -V'
```

Find out in which vlan is a node

```
kavlan -g -m node.fqdn.fr
```

List nodes (kavlan fqdn of a reservation)

```
kavlan -l -j jobid
```

Resources

kavlan-local not routed (1..3)

kavlan routed localy (4..9)

kavlan-global routed (one per site)

[[Deploy environment-OAR2]] [[Advanced Kadeploy]]

Locate a suitable image

```
kaenv3 -l
kaenv3 -l -u LOGIN
kaenv3 -p wheezy-x64-min -u deploy
```

Use deploy type for your job

```
oarsub -I -t deploy -l nodes=2
cat $OAR_NODEFILE
```

Deploy an environment

```
kadeploy3 -e wheezy-x64-base -m node.site.grid5000.fr -k
kadeploy3 -e wheezy-x64-base -f $OAR_NODEFILE -k ssh_key.pub
```

Save your deployed environment with tgz-g5k (available on gforge, or installed on environments)

```
tgz-g5k login@frontend:image.tgz (from node)
ssh root@node tgz-g5k > image.tgz (from frontend)
```

Connection to the deployed environment

```
ssh root@node.site.grid5000.fr # password "grid5000"
```

with console (useful if network doesn't work)

```
kaconsole -m node.site.grid5000.fr
```

Deploy and save your environment Generate a desciption file

```
kaenv3 -p wheezy-x64-base -u deploy > image.env
```

(edit file image.env to update with your values) Deploy

```
kadeploy3 -f $OAR_NODEFILE -a image.env
```

Save your image

```
kaenv3 -a image.env
```

Multi-sites deployment

```
kadeploy3 -e wheezy-x64-base -f ~/gridnodes --multi-server -k
```

Easy use with public share

```
kadeploy3 -f $OAR_NODEFILE\
-f http://public.nancy.grid5000.fr/~login/image.env -k
```

Links

DrawGantt (Nodes states in a temporal diagram)

- https://intranet.grid5000.fr/oar/site/drawgantt.cgi

Monika (Nodes states with properties)

- https://intranet.grid5000.fr/oar/site/monika.cgi

Ganglia (Nodes metrics)

- https://helpdesk.grid5000.fr/ganglia/

Grid'5000 API

- https://api.grid5000.fr/

UMS (Account, quotas extensions)

- https://api.grid5000.fr/ui/account

Grid'5000 Software

- [Grid5000:Software] on wiki.

DrawGanttGlobal

- https://www.grid5000.fr/gridstatus/oargridgantt.cgi

MonikaGlobal

- https://www.grid5000.fr/gridstatus/oargridmonika.cgi

Public share access from outside g5k (with http auth)

- https://api.grid5000.fr/sid/grid5000/sites/site/public/login/

Public share access from inside g5k

- https://public.site.grid5000.fr/~login/

Public share (populate your own public share)

- drop files in your /public/ folder (see README in there)

Restfully, g5k-campaign

- http://github.com/crohr/restfully/
- http://g5k-campaign.gforge.inria.fr/

Grid'5000 software

- https://www.grid5000.fr/mediawiki/index.php/Grid5000:Software

* With electrical consumption. See https://helpdesk.grid5000.fr/supervision/lyon/wattmetre/