




1




2



3 and 4



5 and 6



File Explorer window showing the directory structure: `File > Clemet - Personal > Desktop > learn_git >`. The search bar is empty.

The file list shows:

Name	Status	Date modified	Type	Size
.git	🔄	10/25/2025 10:19 AM	File folder	
third.txt	🔄	10/25/2025 10:15 AM	Text Document	0 KB

A terminal window is overlaid on the File Explorer, showing the following commands and output:

```
C:\Windows\System32\cmd.exe
Microsoft Windows [Version 10.0.22631.6060]
(c) Microsoft Corporation. All rights reserved.

C:\Users\clleme\OneDrive\Desktop\learn_git>git init
Initialized empty Git repository in C:/Users/clleme/OneDrive/Desktop/learn_git/.git/

C:\Users\clleme\OneDrive\Desktop\learn_git>git add third.txt

C:\Users\clleme\OneDrive\Desktop\learn_git>git commit -m 'adding third.txt'
error: pathspec 'third.txt' did not match any file(s) known to git


C:\Users\clleme\OneDrive\Desktop\learn_git>git commit -m "adding third.txt"
[master (root-commit) af0cdc8] adding third.txt
1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 third.txt


C:\Users\clleme\OneDrive\Desktop\learn_git>git log
commit af0cdc83866a2666febcbfa16faae1243896ebbeb (HEAD -> master)
Author: Clement <clementcrownrise@gmail.com>
Date: Sat Oct 25 10:19:31 2025 +0100


    adding third.txt

C:\Users\clleme\OneDrive\Desktop\learn_git>
```

8 and 9







12, and 13

Offline > Clemet - Personal > Desktop > learn_git > Search learn_git

Sort View

Name	Status
.git	
fourth.txt	

```
C:\Windows\System32\cmd.e x + v
[master (root-commit) af0cdc8] adding third.txt
1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 third.txt

C:\Users\cleme\OneDrive\Desktop\learn_git>git log
commit af0cdc83866a2666febcfa16faae1243896ebbeb (HEAD -> master)
Author: Clement <clementcrownrise@gmail.com>
Date: Sat Oct 25 10:19:31 2025 +0100

    adding third.txt

C:\Users\cleme\OneDrive\Desktop\learn_git>git add fourth.txt

C:\Users\cleme\OneDrive\Desktop\learn_git>git commit -m "adding fourth.txt"
[master df847b9] adding fourth.txt
1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 fourth.txt


C:\Users\cleme\OneDrive\Desktop\learn_git>git rm third.txt
rm 'third.txt'

C:\Users\cleme\OneDrive\Desktop\learn_git>git add .

C:\Users\cleme\OneDrive\Desktop\learn_git>git commit -m "removing third.txt"
[master e2d2068] removing third.txt
1 file changed, 0 insertions(+), 0 deletions(-)
delete mode 100644 third.txt

C:\Users\cleme\OneDrive\Desktop\learn_git>
```

14



15