

OID Registry — Goya Ledger

Current OID namespace (placeholder)

All OIDs use the placeholder arc 1.3.6.1.4.1.99999 pending IANA PEN assignment.

OID	Purpose	Source
1.3.6.1.4.1.99999	Root arc	src/pki_policy.rs:GOYA_OID_ROOT
1.3.6.1.4.1.99999.1.1	TSA Policy	src/pki_policy.rs:TSA_POLICY_OID
1.3.6.1.4.1.99999.2.1	Certificate Policy (CP)	src/pki_policy.rs:CP_OID
1.3.6.1.4.1.99999.2.2	Certification Practice Statement (CPS)	src/pki_policy.rs:CPS_OID
1.3.6.1.4.1.99999.3.1	Signature Policy (Decreto 24)	src/pki_policy.rs:SIGNATURE_POLICY_OID

How to obtain a real PEN

IANA assigns Private Enterprise Numbers (PEN) under arc 1.3.6.1.4.1.

1. Go to <https://www.iana.org/assignments/enterprise-numbers/>
2. Click “Request a PEN” or go directly to <https://pen.iana.org/pen/PenApplication.page>
3. Fill in:
 - **Company/Organization:** Goya Ledger (or your legal entity name)
 - **Contact name:** responsible person
 - **Contact email:** official email
 - **Description:** “Trust Service Provider for electronic signatures, PKI, and timestamping under Chilean Ley 19.799 and EU eIDAS”
4. Submit. Assignment typically takes 5-10 business days.
5. You will receive a number like 1.3.6.1.4.1.XXXXX.

Cost: **free**.

How to replace the placeholder

Once you receive your PEN (e.g., 1.3.6.1.4.1.61234):

Step 1: Update source constants

Edit `src/pki_policy.rs` — single file, 5 constants:

```
pub const GOYA_OID_ROOT: &str = "1.3.6.1.4.1.61234";
pub const CP_OID: &str = "1.3.6.1.4.1.61234.2.1";
pub const CPS_OID: &str = "1.3.6.1.4.1.61234.2.2";
pub const TSA_POLICY_OID: &str = "1.3.6.1.4.1.61234.1.1";
pub const SIGNATURE_POLICY_OID: &str = "1.3.6.1.4.1.61234.3.1";
```

Step 2: Update TSA module

Edit `src/tsa/mod.rs`:

```
pub const TSA_POLICY_OID: &str = "1.3.6.1.4.1.61234.1.1";
```

Step 3: Verify

```
grep -rn "99999" src/ --include="*.rs" # should return 0 matches
cargo fmt --check
cargo clippy -- -D warnings
cargo test --lib
```

Step 4: Update policy documents

```
find docs/policy/ -name "*.md" -exec sed -i '' 's/
1\.3\.6\.1\.4\.1\.99999/1.3.6.1.4.1.61234/g' {} +
```

Step 5: Re-issue certificates

All certificates issued with the placeholder OID are **invalid** for certification purposes. After replacing the PEN:

1. Execute key ceremony with the new OID
2. Re-issue CA certificates
3. Re-issue all subscriber certificates
4. Publish new CRL

OID sub-arc structure

```
1.3.6.1.4.1.{PEN}
  .1      - Timestamping
  .1      - TSA Policy
  .2      - Certificates
    .1    - Certificate Policy (CP)
```

- .2 – Certification Practice Statement (CPS)
- .3 – Signatures
- .1 – Signature Policy (Decreto 24)

This structure allows future expansion (e.g., .4 for OCSP policies, .5 for RA policies) without conflicts.