

Z-Index: you're doing it wrong



```
.ex-red {
  z-index: 10;
}

.ex-blue {
  z-index: 1;
}
```


```
.ex-white {
z-index: ???;
```



```
.ex-red {
  z-index: 10;
}

.ex-blue {
  z-index: 1;
}


.ex-white {
  z-index: 1000;
}
```



```
.ex-red {
  z-index: 10;
}


.ex-blue {
  //z-index: 1;
```

```
.ex-white {
  z-index: 1000;
```



```
.ex-red {
  z-index: 10;
  position: initial;
}

.ex-blue {
  z-index: 1;
  position: relative;
}
```



```
.ex-red {
z-index: 10;
position: relative;
```

```
.ex-blue {
  z-index: 1;
  position: relative;
}
```

The solution

10


1

5

The DOM

<div class="ex ex-white"></div>


What is the default value of z - index?



```
.ex-red {
  z-index: 10;
}

.ex-blue {
  //z-index: 1;
}


.ex-white {
  z-index: 1000;
}
```



```
.ex-red {
  z-index: 10;
}

.ex-blue {
  z-index: 0;
}

.ex-white {
  z-index: 1000;
}
```




```
.ex-red {
  z-index: 10;
}

.ex-blue {
  z-index: -1;
}

.ex-white {
  z-index: 1000;
}
```

unset



```
.ex-red {
   z-index: 10;
}

.ex-blue {
   z-index: unset;
}

.ex-white {
   z-index: 1000;
}
```

Why do I care?

```
555 // Z-index master list
556 //
557 // Warning: Avoid customizing these values. They're used for a bird's eye view
558 // of components dependent on the z-axis and are designed to all work together.
560 $zindex-dropdown-backdrop: 990 !default;
561 $zindex-dropdown:
                               1000 !default;
562 $zindex-sticky:
                               1020 !default;
563 $zindex-fixed:
                               1030 !default;
564 $zindex-modal-backdrop:
                               1040 !default;
565 $zindex-modal:
                               1050 !default;
566 $zindex-popover:
                               1060 !default;
 567 $zindex-tooltip:
                               1070 !default;
```