

Most Common Prescribed Medications

#	Drug Name (English)	Spanish	Most Common Brand Name	Use
1	Acetaminophen	Acetaminofen	Tylenol	Used to treat mild to moderate pain and to treat moderate to severe pain in conjunction with opiates, or to reduce fever.
2	Albuterol	Albuterol	Ventolin	It is used to treat or prevent bronchospasm, or narrowing of the airways in the lungs, in people with asthma or certain types of chronic obstructive pulmonary disease (COPD). It is also used to prevent exercise-induced bronchospasm.
3	Allopurinol	Alopurinol	Zyloprim	Reduces the production of uric acid in the body. Uric acid buildup can lead to gout or kidney stones.
4	Alprazolam	Alprazolam	Xanax	It is used to treat anxiety disorders, panic disorders, and anxiety caused by depression.
5	Amlodipine	Amplodipina	Norvasc	Used to treat high blood pressure and coronary artery disease.
6	Amoxicillin	Amoxicilina	Amoxil	Used to treat many types of infections caused by bacteria.
7	Amoxicillin/Potassium Clavulanate ER	Amoxicilina / Acido Clavulánico	Augmentin XR	Helps prevent certain bacteria from becoming resistant to amoxicillin.
8	Amphetamine/Dextroamphetamine	Anfetamina/Dextroanfetamina	Adderall	Used to treat narcolepsy and attention deficit and hyperactivity disorder.
9	Atenolol	Atenolol	Tenormin	Used primarily to treat cardiovascular diseases.
10	Atorvastatin	Atorvastatina	Lipitor	Used to lower cholesterol levels and the prevent cardiovascular diseases.

11	Azithromycin	Azitromacina	Zithromax	It is used to treat many different types of infections caused by bacteria, such as respiratory infections, skin infections, ear infections, eye infections, and sexually transmitted diseases.
12	Bupropion	Bupropion	Wellbutrin	It's an antidepressant medication that treats major depressive disorder (MDD), seasonal affective disorder (SAD), and it's used to help people quit smoking.
13	Carvedilol	Carvedilol	Coreg	Used to treat heart failure and hypertension (high blood pressure). It is also used after a heart attack that has caused the heart to not pump as well as before.
14	<u>Cetirizine</u>	Cetirizina	Zyrtec	Used to treat cold or allergy symptoms such as sneezing, itching, watery eyes, or runny nose.
15	Citalopram	Citalopram	Celexa	It's a prescription medicine used to treat depression. It's also used to treat major depressive disorder (MDD).
16	Clopidogrel	Clopidogrel	Plavix	Used to lower your risk of having a stroke, blood clot, or serious heart problem after you've had a heart attack, severe chest pain, or circulation problems.
17	Cyclobenzaprine	Ciclobenzaprina	Flexeril	It's a muscle relaxant.
18	Duloxetine	Duloxetina	Cymbalta	Used to treat major depressive disorder in adults. It is also used to treat general anxiety disorder in adults and children who are at least 7 years old. Also used in adults to treat nerve pain caused by diabetes (diabetic neuropathy), or chronic muscle or joint pain (such as low back pain and osteoarthritis pain).
19	Escitalopram	Escitalopram	Lexapro	It is used to treat major depressive disorder in adults and adolescents at least 12 years old.

20	Fenofibrate	Fenofibrato	Tricor, Triglide, Lipidil	Used to lower high cholesterol and high triglyceride (fatty acid) levels in the blood.
21	<u>Fexofenadine</u>	Fexofenadina	Allegra	Used to treat the symptoms of seasonal allergies (hay fever)
22	Fluoxetine	Fluoxetina	Prozac	It is used to treat major depressive disorder, bulimia nervosa, obsessive-compulsive disorder, panic disorder, and premenstrual dysphoric disorder (PMDD)
23	Fluticasone	Fluticasona	Flonase, Flovent	Used to prevent asthma attacks in adults and children.
24	Furosemide	Furosemida	Lasix	It is used to treat fluid retention in people with congestive heart failure, liver disease, or kidney disorder.
25	Gabapentin	Gabapentina	Neurontin, Gralise, Horizant	Used to treat partial seizures, nerve pain from shingles and restless leg syndrome.
26	Glipizide	Glipizida	Glucotrol	It is used to improve blood sugar control in adults with type 2 diabetes mellitus.
27	Hydrochlorothiazide	Hidroclorotiazida	Microzide	A water pill used that helps prevent the body from absorbing too much salt, which can cause fluid retention.
28	Hydrocodone and Acetaminophen	Hidrocodona con Acetaminofen	Lortab	Used to relieve moderate to moderately severe pain.
29	Ibuprofen	Ibuprofeno	Advil, Motrin	Used to reduce fever and treat pain or inflammation caused by many conditions.
30	Insulin Aspart (rapid-acting insulin)	Insulina Aspart (insulina de acción rápida)	NovoLog	Rapid-acting insulins are usually taken just before or with a meal. They act very quickly to minimize the rise in blood sugar that follows a meal.
31	Insulin Determir (long-acting insulin)	Insulin Determir (insulina de acción prolongada)	Levemir	Long-acting insulin is a type of insulin that gives a slow, steady release of insulin that helps control blood sugar between meals and overnight.

32	Insulin Glargine (long-acting insulin)	Insulina glargina (insulina de acción prolongada)	Lantus	Long-acting insulin is a type of insulin that gives a slow, steady release of insulin that helps control blood sugar between meals and overnight.
33	Insulin Lispro (rapid-acting insulin)	Insulina Lispro (insulina de acción rápida)	Humalog	Rapid-acting insulins are usually taken just before or with a meal. They act very quickly to minimize the rise in blood sugar that follows a meal.
34	Levothyroxine	Levotiroxina	Synthroid	Used to treat hypothyroidism (low thyroid hormone). This medicine is given when the thyroid does not produce enough of this hormone on its own.
35	Lisinopril	Lisinopril	Prinivil	Used to treat high blood pressure in adults. Also used to treat congestive heart failure, or to improve survival after a heart attack.
36	Losartan	Losartan	Cozaar	Used to treat high blood pressure. It is also used to lower the risk of stroke in certain people with heart disease. Also used to slow long-term kidney damage in people with type 2 diabetes who also have high blood pressure.
37	Meloxicam	Meloxicam	Mobic	Used to treat pain or inflammation caused by rheumatoid arthritis and osteoarthritis. Meloxicam is also used to treat juvenile rheumatoid arthritis in children who are at least 2 years old.
38	Metformin	Metformina	Glucophage	Lowers the amount of glucose absorbed from intestines, decreasing how much glucose is made in the liver and improving insulin sensitivity.
39	Methylprednisolone	Metilprednisolona	Medrol	Used to treat many different inflammatory conditions such as arthritis, lupus, psoriasis, ulcerative colitis, allergic disorders, gland (endocrine) disorders, and

				conditions that affect the skin, eyes, lungs, stomach, nervous system, or blood cells.
40	Metroprolol	Metroprolol	Lopressor	Reduces the amount of work the heart has to do and the amount of blood the heart pumps out, thereby reducing the demand for oxygen and lowering blood pressure.
41	Montelukast	Montelukast	Singulair	Used to prevent asthma attacks. Also used to prevent exercise-induced bronchoconstriction (narrowing of the air passages in the lungs) and to treat symptoms of seasonal or year-round.
42	Naproxen	Naproxeno	Aleve	Used to treat pain or inflammation caused by conditions such as arthritis, tendinitis, bursitis, gout, or menstrual cramps. It can also be used to treat acute pain.
43	Omeprazole	Omeprazol	Prilosec	Used to treat excess stomach acid in conditions such as non-cancerous stomach ulcers, gastroesophageal reflux disease (GERD), active duodenal ulcer, Zollinger-Ellison syndrome and erosive esophagitis.
44	Pantoprazole	Pantoprazol	Protonix	Used to treat erosive esophagitis (damage to the esophagus from stomach acid caused by gastroesophageal reflux disease, or GERD)
45	Potassium Chloride	Cloruro de Potasio	Klor-Con	Used to prevent or to treat low blood levels of potassium (hypokalemia).
46	Prednisone	Prednisona	Deltasone	Used to treat allergic disorders, skin conditions, ulcerative colitis, Crohn's disease, arthritis, lupus, psoriasis, asthma, chronic obstructive pulmonary disease (COPD) and many more conditions.

47	Pravastatin/Simvastatin	Pravastatina/Simvastatina	Pravacho/Zocor	Used to lower blood levels of "bad" cholesterol, to increase levels of "good" cholesterol, and to lower triglycerides. Also used to lower the risk of stroke, heart attack, and other heart complications in people with or without coronary heart disease or other risk factors.
48	Rosuvastatin	Rosuvastatina	Crestor	Used together with diet to lower blood levels of "bad" cholesterol, to increase levels of "good" cholesterol, and to lower triglycerides. Also used to treat hereditary types of high cholesterol.
49	Sertraline	Sertralina	Zoloft	Used to treat major depressive disorder, obsessive-compulsive disorder (OCD), panic disorder, social anxiety disorder (SAD), and post-traumatic stress disorder (PTSD).
50	<u>Sitagliptin</u>	Sitagliptina	Januvia	Helps control blood sugar levels. It works by regulating the levels of insulin your body produces after eating.
51	Tadalafil	Tadalafilo	Cialis	Used to treat erectile dysfunction (impotence) and symptoms of benign prostatic hypertrophy (enlarged prostate).
52	Tamsulosin	Tamsulosina	Flomax	Used to improve urination in men with benign prostatic hyperplasia (enlarged prostate)
53	Tramadol	Tramadol	Ultram	Used to treat moderate to severe pain that is not being relieved by other types of pain medicines.
54	Trazodone	Trazodona	Oleptro	Used to treat major depressive disorder.
55	Venlafaxine	Venlafaxina	Effexor	Used to treat major depressive disorder, anxiety, and panic disorder.

56	Warfarin	Warfarina	Coumadin	Used to treat or prevent blood clots in veins or arteries, which can reduce the risk of stroke, heart attack, or other serious conditions.
57	Zolpidem	Zolpidem	Ambien	Used to treat insomnia.