

# Lazy Foo' Productions


[News](#)   [FAQs](#)   [Games](#)   [Tutorials](#)   [Articles](#)   [Contact](#)   [Donations](#)



## Setting up SDL in Anjuta


Last Updated 7/02/07

1) Start up Anjuta and start a new project.




This will start up the application wizard.

2) Set your new project to be a generic/terminal project.




3) Hit next then make sure it's a C++ project:




Everything else with the application wizard should be self explanatory.

4) Once the application wizard is done creating your project go to the compiler and linker settings:




5) Under the libraries tab, type in:


SDL



6) Then hit add:



7) The close the window and hit yes on the prompt that pops up:



8) Paste the following code into the source file Anjuta provided for you:

```
#include "SDL/SDL.h"

int main( int argc, char* args[] )
{
    //Start SDL
    SDL_Init( SDL_INIT_EVERYTHING );

    //Quit SDL
    SDL_Quit();

    return 0;
}
```

9) Now save the source file and build your project. If there's no errors, you're finished. Otherwise go back and make sure you didn't skip a step.

The RPM also installed the SDL documentation on your computer.

It should be at `usr/doc/SDL-devel-1.2.9/index.html`,  
`usr/doc/SDL-devel-1.2.10/index.html` if you're using SDL 1.2.10,  
`usr/doc/SDL-devel-1.2.11/index.html` if you're using SDL 1.2.11, etc, etc.

Bookmark it and keep it handy for reference.

**Top Moving Company**

40 years Int'l. Moving Experience Quality  
Service, Free Quotes

**SDL-RT**

A dedicated modeling language for real time  
and embedded software

Ads by **Google**

[News](#)

[FAQs](#)

[Games](#)

[Tutorials](#)

[Articles](#)

[Contact](#)

[Donations](#)

Copyright Lazy Foo' Productions 2004-2008