Lazy Foo' Productions 页码, 1/4

# **Lazy Foo' Productions**

News FAQs Games Tutorials Articles Contact Donations

SDL Real Time

Combine SDL graphical abstraction and C Language precision

Copy Files Automatically

PC utility to synchronize local, network, removable folders. \$29

Ads by Google

# Setting up SDL in Dev C++

Last Updated 1/02/07

1) First thing you need to do is download SDL headers and binaries. You will find them on the SDL website, specifically on this page.

Scroll Down to the Development Libraries section and download the Mingw32 development library

# Development Libraries:

#### Linux:

SDL-devel-1.2.8-1.i386.rpm

SDL-devel-1.2.8-1.ppc.rpm

http://packages.debian.org/unstable/devel/

## Win32:

SDL-devel-1.2.8-VC6.zip (Visual C++ 5,6,7)

SDL-devel-1.2.8-mingw32.tar.gz (Mingw32)



### BeOS:

LibPak sdl for developers package (BeOS 5.0)

### MacOS (Classic):

SDL-devel-1.2.8-PPC.sea.bin (MPW + CodeWarrior)

### MacOS X:

SDL-devel-1.2.8.pkg.tar.gz (Project Builder + XCode)


Open gz archive and there should be a \*.tar archive inside.
Open the \*.tar and there should be a folder inside of that.
Open the folder and it'll contain a bunch of subfolders.


2)Copy the contents of the lib subfolder to the Dev C++ lib folder.
The Dev C++ lib folder should be at C:\Dev-Cpp\lib.

3) Next copy the contents of the bin subfolder to the Dev C++ bin folder.

It should be at C:\Dev-Cpp\bin. 4) After that, open the include subfolder in the archive and extract the folder named "SDL" to the Dev C++ include folder, which should be at C:\Dev-Cpp\include. Note: Some versions of SDL won't have a folder named "SDL" in the archive's include subfolder, but just a bunch of header files. To get around this simply create a folder named "SDL" in your Dev C++ include folder and copy all the header files from the archive to that folder you made. 5) Now take the SDL.dll from the archive (it should be inside the bin subfolder), and extract it to C:\WINDOWS\SYSTEM32. This is so whenever you make an SDL app, the program will be able to find SDL.dll even if SDL.dll is not in the same directory. 6)Now start up Dev C++ and start a new empty project. New project X Basic Introduction | MultiMedia | DLL Console Static Library **Empty Project** Application | Application | Description: An empty project Project options: Name: C C Project C±+ Project SDL\_Tutorial Make Default Language 0k<u>Cancel</u> 🕜 <u>H</u>elpi 7)Go to the project options. The contract of the contract o <u>File Edit Search View Project Execute Debug Tools CVS Window Help</u> New file 🤘 🌏 📗 📮 원 행 🥑 🚰 🛕 🛮 🗡 Add to Project # □ # # ✓ sert 🚱 Toggle 📘 Goto 🗐 Remove from Project : ▼| Project Options 8) Under the General tab, set type to Win32 GUI. This is to make sure a console window does not pop up.

Lazy Foo' Productions 页码, 3/4





```
#include "SDL/SDL.h"

int main( int argc, char* args[] )
{
    //Start SDL
    SDL_Init( SDL_INIT_EVERYTHING );

    //Quit SDL
    SDL_Quit();

    return 0;
}
```

12) Now Compile. Save the new source file if necessary. If there are no errors, you're finished. Otherwise go back and make sure you didn't skip a step.

Also, In the archive you just downloaded there's a subfolder called "docs". It contains the SDL documentation.

I highly recommend that you extract them somewhere and keep it for reference.

```
SlickEdit Code Editor - Code Faster and more Efficiently
Download a Free Trial Today! www.slickedit.com

Ads by Google

News FAQs Games Tutorials Articles Contact Donations
```

Copyright Lazy Foo' Productions 2004-2008