Lazy Foo' Productions 页码, 1/4

Lazy Foo' Productions

News FAQs Games Tutorials Articles Contact Donations


SlickEdit Code Editor - Code Faster and more Efficiently


Download a Free Trial Today! www.slickedit.com

Ads by Google

Setting up SDL Extensions in Anjuta

Last Updated 12/09/07





#include "SDL/SDL_image.h"

```
If you were setting up SDL_ttf you'd put

#include "SDL/SDL_ttf.h"

If you were setting up SDL_mixer you'd put

#include "SDL/SDL_mixer.h"

etc, etc.

Now the extension library is all set up.
```

Now you can use SDL_image functions.

The main one you want to know about is IMG_Load().

页码,2/4

```
SDL_Surface *load_image( std::string filename )

{

//The image that's loaded
SDL_Surface* loadedImage = NULL;

//The optimized image that will be used
SDL_Surface* optimizedImage = NULL;

//Load the image using SDL_image
loadedImage = IMG_Load( filename.c_str() );

//If the image loaded
if( loadedImage != NULL )

{

//Create an optimized image
optimizedImage = SDL_DisplayFormat( loadedImage );

//Free the old image
SDL_FreeSurface( loadedImage );

}

//Return the optimized image
return optimizedImage;

}
```

Here is a revised version of the image loading function from the previous tutorial.

As you can see IMG_Load() functions exactly the same as SDL_LoadBMP(), but there's one big exception: IMG_Load() can load BMP, PNM, XPM, LBM, PCX, GIF, JPEG, TGA and PNG files.

From this tutorial on, PNG image files will be the primary image format used. PNGs have excellent lossless compression.

Download the media and source code for this tutorial here.

I highly recommend that you download the documentation for SDL_image and keep it handy.

It can be found here.

RADICALLY REDUCE THE FILE SIZE OF YOUR WORD DOCUMENTS, EXCEL® SPREADSHEETS & POWERPOINT® PRESENTATIONS

News FAQs Games Tutorials Articles Contact Donations

Copyright Lazy Foo' Productions 2004-2008