

LMS Hub — Update Guide

Updating from 1.1.0 to 1.2.0 · 95 changed files for the website, 1 for the mobile app · one database migration · one Nginx setting · no new dependencies

Version 1.2.0 lets you upload lesson videos straight into LMS Hub and play them from your own server, with no external video host. It also makes the whole system English by default: English page addresses, English names for roles, badges and other built-in data, and English system emails. Old addresses and certificate QR codes keep working.

New buyers can ignore this document: the main package already contains 1.2.0.

1. What changed

New: upload and play your own videos

CHANGE	DETAILS
Media Library in the sidebar	Media Library under <i>Teaching</i> . Before this release the screen could only be reached from a button inside the course editor.
Upload from your computer	Media Library → Upload file uploads MP4 or WebM video, MP3/M4A/WAV audio, JPG/PNG/WebP images or PDF, with a progress bar. Files are stored in <code>lms-hub-be/uploads/media/</code> on your server. Before this release a file could only be registered by typing a server path, so it had to be copied to the server by hand first.
Upload inside the lesson form	In Curriculum & Content → Content → Add content the source now defaults to <i>Media library</i> , and Upload from computer uploads a file and selects it in one step.
Large files	Uploads are streamed to disk rather than held in memory. The limit is 2 GB per file by default and can be changed with <code>MEDIA_MAX_UPLOAD_MB</code> in the backend <code>.env</code> .

New: English by default

CHANGE	DETAILS
Always starts in English	The interface used to switch to the visitor's browser language automatically (Indonesian, Arabic or Hindi). It now always starts in English. Each visitor can still pick another language from the language switcher, and that choice is remembered.
English page addresses	Every address now uses English words, for example <code>/courses</code> , <code>/d/settings</code> , <code>/d/notifications/preferences</code> and <code>/d/media</code> . The full list is in section 6.
Old addresses redirect	Bookmarks, links in emails you already sent, and the QR codes on certificates you already issued (<code>/sertifikat/...</code>) redirect to the new English addresses automatically.

English built-in data	Data that LMS Hub creates on installation is now in English: user role names (Users), the 11 notification events and their message templates (Notifications → Preferences), the default badges, the default certificate template, marketing and finance categories, the sample bank account holder, and the titles of the draft content pages. The migration only changes values you have not edited yourself.
Audit log in English	Audit Log shows module names in English. Its module filter is now a list. It used to be a text box that only matched internal Indonesian codes, so typing "transactions" found nothing.
Certificate placeholders explained	The template editor keeps the placeholders <code>{{nama}}</code> , <code>{{nomor}}</code> and <code>{{tanggal}}</code> , because saved templates use them, and now says what each one means (student name, certificate number, issue date).
English system emails	The account verification email is now in English and uses the <i>Application name</i> from Settings → Brand identity . So does the "available on ..." note on drip-scheduled lessons.

Fixed

DEFECT	DETAILS
Library videos did not play	A lesson whose video was chosen from the Media Library showed an empty player to students. The player only read web addresses and ignored library files.
Switching a lesson to a library video kept the old link	Editing a lesson's content from a web address to a library file left the old address saved, and the old address kept playing. The address is now cleared.
Two identical "Student" roles	The role lists on Users showed the student and sub-account roles under the same name. The sub-account role is now labelled "Student (sub-account)".
Mobile app: uploaded videos did not play	The app opened a video's server path (<code>/uploads/...</code>) without your domain, so self-hosted videos stayed blank. This only affects you if you also publish the LMS Hub mobile app, and it needs an app rebuild (section 4, step 7).

2. Before you start

- **No new dependencies.** You do not need to run `npm install` or `npm ci` .
- **Back up your database** before running the migration:

```
pg_dump -U lmshub lmshub > ~/lmshub-backup-$(date +%F).sql
```

- **Back up the application folder** so you can roll back:

```
cp -a /var/www/lmshub /var/www/lmshub.bak
```

- Adjust every path below to match your own install location. The examples assume `/var/www/lmshub` .

3. Files that changed

This package contains only the changed files, laid out in the same folders as your installation. If you have not modified LMS Hub's source yourself, copy them over as shown in step 1. If you have, these are the files to merge by hand. `SHA256SUMS.txt` lists a checksum for every file.

Backend — `lms-hub-be/`

FILE	STATUS	PURPOSE
<code>migrations/0220_english_defaults.ts</code>	New	English names for built-in data (roles, notifications, badges, categories and more)
<code>src/modules/media/</code> (4 files)	Modified	Upload endpoint <code>POST /media/upload</code> ; deleting a library item also deletes its file
<code>src/modules/progress/progress.repository.ts</code> , <code>progress.service.ts</code>	Modified	Player plays library files; English drip note
<code>src/core/mail/mailer.ts</code>	Modified	English verification email at the new address
<code>src/modules/certificates/certificates.service.ts</code>	Modified	New certificate QR codes point to <code>/certificates/...</code>
<code>src/core/config/env.ts</code> , <code>.env.example</code>	Modified	<code>MEDIA_MAX_UPLOAD_MB</code> setting

Frontend — `lms-hub-fe/`

FILE	STATUS	PURPOSE
<code>src/modules/content/components/MediaUploadButton.vue</code>	New	Upload button with progress bar
<code>src/router/legacyPaths.ts</code>	New	Redirects from old addresses
<code>src/modules/content/views/MediaLibraryView.vue</code> , <code>CurriculumBuilderView.vue</code>	Modified	Upload in the library and in the lesson form
<code>src/lib/api.ts</code>	Modified	Upload with progress
<code>src/i18n/index.ts</code>	Modified	English as the starting language
<code>src/router/index.ts</code> , <code>src/modules/**/*.routes.ts</code> (15 files)	Modified	English addresses and route names
<code>src/config/nav.ts</code> , <code>src/components/ui/Icon.vue</code>	Modified	Media Library in the sidebar
<code>src/lib/labels.ts</code> , <code>src/modules/users/views/</code> (2 files)	Modified	English role names
<code>src/modules/audit/views/AuditLogView.vue</code>	Modified	English module names and module list filter
<code>src/modules/certificates/views/TemplateEditorView.vue</code>	Modified	Placeholder meanings

Views and components that link between pages (32 files)	Modified	Links updated to the English addresses
<code>src/i18n/messages/{en,id,ar,hi}/</code> (24 files)	Modified	New texts in all four languages

Mobile app — `lms-mobile/` (optional)

FILE	STATUS	PURPOSE
<code>lib/features/student/course_player_screen.dart</code>	Modified	Plays videos stored on your server

4. How to update

Step 1 — Copy the changed files

```
cd ~
unzip -o lms-hub-update-1.2.0.zip
rsync -a lms-hub-update-1.2.0/lmshub-be/ /var/www/lmshub/lmshub-be/
rsync -a lms-hub-update-1.2.0/lmshub-fe/ /var/www/lmshub/lmshub-fe/
```

The package contains no `.env` and no `uploads/`, so your settings and files are not touched. If your web server runs as a different user, restore ownership afterwards, for example `sudo chown -R www-data:www-data /var/www/lmshub`.

Step 2 — Allow large uploads in Nginx

Do not skip this step. Nginx rejects any upload above its own limit before LMS Hub sees it. The earlier install guide set that limit to 50 MB, which is too small for most lesson videos. Without this change, video uploads fail with "413 Request Entity Too Large".

In your site's Nginx configuration, change the `location /api/` block as follows:

```
location /api/ {
    ...
    client_max_body_size 2048m;      # at least MEDIA_MAX_UPLOAD_MB
    proxy_request_buffering off;    # stream uploads straight to LMS Hub
    proxy_read_timeout 600s;       # large uploads on slow connections
}
```

```
sudo nginx -t && sudo systemctl reload nginx
```

If you use Cloudflare's proxy (orange cloud), note that its free plan limits each upload to 100 MB. Either upload larger files through a hostname that is not proxied, or keep videos under 100 MB.

Step 3 — Run the database migration

```
cd /var/www/lmshub/lmshub-be
npm run migrate:up
```

The migration only changes built-in names and texts that still hold their original Indonesian wording. Anything you renamed yourself is left as it is. It is safe to run more than once.

Step 4 — Rebuild and restart the backend

```
cd /var/www/lmshub/lmshub-be
npm run build
pm2 restart lmshub-be
```

Step 5 — Rebuild the frontend

```
cd /var/www/lmshub/lmshub-fe
npm run build
```

Step 6 — Reload the admin panel

Open the dashboard and press **Ctrl+Shift+R** (**Cmd+Shift+R** on Mac) to bypass the browser cache. A visitor who chose another language before this update keeps that choice. Select **English** once in the language switcher to reset it.

Step 7 — Mobile app (only if you publish it)

Copy `lms-hub-update-1.2.0/lms-mobile/` over your copy of the app source, then build and publish a new version as described in the mobile app's documentation, for example `flutter build appbundle`. Until users update the app, videos uploaded to the Media Library play on the website but not in the app.

5. Checking the update worked

1. **Media Library.** Sign in as an admin or instructor. **Media Library** appears under *Teaching*. Press **Upload file** and choose an MP4 of at least 100 MB. The progress bar reaches 100% and the file appears with status *Completed*. A 413 error means step 2 is not in effect.
2. **Lesson video.** **Curriculum & Content**, pick a course, press **Content** on a video lesson, choose the uploaded file (or use **Upload from computer**) and save.
3. **Playback.** Sign in as a student enrolled in that course and open the lesson. The video plays and seeking works.
4. **English.** Open the site in a private window. It is in English, and the address bar shows English addresses such as `/courses`.
5. **Redirects.** Open `https://your-site/kursus`. You land on `/courses`.
6. **Built-in data.** **Users** shows English role names, and **Notifications → Preferences** shows English event names. This confirms the migration ran.

6. Address changes

Old addresses keep working through redirects. Update any links you maintain yourself, such as menus on another website or links in email templates, to the new form.

OLD ADDRESS	NEW ADDRESS
<code>/kursus</code> , <code>/kursus/:slug</code>	<code>/courses</code> , <code>/courses/:slug</code>
<code>/instruktur</code>	<code>/instructors</code>
<code>/sertifikat/:number</code> (certificate check)	<code>/certificates/:number</code>
<code>/verifikasi-email</code>	<code>/verify-email</code>
<code>/d/katalog</code>	<code>/d/catalog</code>
<code>/d/belajar</code>	<code>/d/learn</code>
<code>/d/kursus</code> , <code>/d/kursus/tambah</code>	<code>/d/courses</code> , <code>/d/courses/new</code>

<code>/d/kategori</code>	<code>/d/categories</code>
<code>/d/konten</code>	<code>/d/curriculum</code>
<code>/d/konten/media</code>	<code>/d/media</code>
<code>/d/asesmen</code> , <code>/d/asesmen/kuis/...</code>	<code>/d/assessments</code> , <code>/d/assessments/quizzes/...</code>
<code>/d/diskusi</code> , <code>/d/diskusi/moderasi</code>	<code>/d/discussions</code> , <code>/d/discussions/moderation</code>
<code>/d/live-class/kalender</code>	<code>/d/live-class/calendar</code>
<code>/d/sertifikat</code> (and <code>/badge</code> , <code>/template</code> , <code>/lihat</code>)	<code>/d/certificates</code> (and <code>/badges</code> , <code>/templates</code> , <code>/view</code>)
<code>/d/pengguna</code> , <code>/d/pengguna/tambah</code>	<code>/d/users</code> , <code>/d/users/new</code>
<code>/d/profil</code>	<code>/d/profile</code>
<code>/d/transaksi</code> , <code>/d/transaksi/tanda-jadi</code>	<code>/d/transactions</code> , <code>/d/transactions/manual-payment</code>
<code>/d/marketing/kupon</code>	<code>/d/marketing/coupons</code>
<code>/d/laporan</code> , <code>/d/laporan/payout</code>	<code>/d/reports</code> , <code>/d/reports/payouts</code>
<code>/d/notifikasi</code> , <code>/d/notifikasi/preferensi</code>	<code>/d/notifications</code> , <code>/d/notifications/preferences</code>
<code>/d/pengaturan</code> (and <code>/rekening</code> , <code>/mata-uang</code>)	<code>/d/settings</code> (and <code>/bank-accounts</code> , <code>/currencies</code>)

The API (`/api/v1/...`) and the mobile app are unchanged.

7. If something goes wrong

Restore the folder you backed up and rebuild:

```
rm -rf /var/www/lmshub
mv /var/www/lmshub.bak /var/www/lmshub
cd /var/www/lmshub/lmshub-be && npm run build && pm2 restart lmshub-be
cd /var/www/lmshub/lmshub-fe && npm run build
```

To put the built-in names back in Indonesian, run `npm run migrate:down` once in `lmshub-be`. The Nginx change is harmless to keep.

When asking for support, include the output of the command that failed and the last 50 lines of `pm2 logs lmshub-be`. Never send your `.env`, secrets, payment keys or admin password.